

INDEX TO VOLUME 133

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 133 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and to those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by DBA, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets"), core photographs, or smear-slide data; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as foraminifers and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 812, for example, is given as "Site 812, A:135-176."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

SUBJECT INDEX

- AAIW. *See* Antarctic Intermediate Water
- Acropora*, limestone, A:309
- age vs. depth
- biochronology, B:18, 22
 - biohorizons, A:102, 154
 - foraminifers, A:263
 - Paleogene, B:780–781
 - Pliocene, B:242
 - revised data, B:774–778
 - Site 814, A:213
 - Site 816, A:317
 - Site 818, A:429
 - Site 823, A:708
 - Site 824, A:782
 - Sites 817–818, B:209
 - Sites 819 and 821, B:191
- agglutinates
- foraminifers, B:371
 - Site 821, B:371
- aggradation
- seismic geometry, B:315–325
 - seismic sequences, B:333–340
- algae, coralline
- Eocene–Pliocene, B:67–74
 - microfacies, B:292–293, 297–298
 - Miocene, B:455–460
 - photomicrographs, B:73–74, 503
 - Queensland Plateau, A:147; B:67–71, 401, 455–460, 503
- algae, red, Cenozoic, B:401
- algae, sediments, A:147
- alkalinity
- concentration adjusted for surface-water salinity, A:520
 - interstitial waters, A:101, 105, 107, 155–156, 189–190, 216, 265–267, 316, 318–319, 369; B:431–432, 468, 481, 483, 517, 520, 522–524, 633–634, 708–709, 783
 - relation to diagenesis, A:638–639
 - vs. depth, A:103, 318, 372, 374, 474, 525, 582, 584, 634, 640, 710–711, 783; B:715
- alteration, igneous rocks, B:537–538
- aluminum, geochemical logs, B:798
- alveolinids
- Pleistocene, B:371–374
 - Site 821, B:371–374
- ammonia
- interstitial waters, A:265–267, 522–524, 633–634, 708–709, 783
 - vs. depth, A:525, 634, 711, 783
- Amphisteginidae, Site 821, B:366–371
- amphisteginids, biostratigraphy, B:366–371
- angiosperms
- pollen, B:109, 116, 123
 - Sites 815, 820, and 823, B:109, 116
- anomalinids, biostratigraphy, B:366–371
- Antarctic Intermediate Water
- calcium carbonate, B:203–233
 - circulation, B:263–264
 - correlation, B:746
 - paleoceanography, B:157–161
 - water masses, B:185–186
- apatite, Miocene, B:502
- Aquarius-1, palynostratigraphy, B:120
- aragonite
- carbonate platform derivation, B:29
 - cycles, B:242–246
 - dissolution, B:206–207, 528–532
 - lithologic units, A:351, 776
 - microfacies, B:292–299
 - percentage of fine particles, B:209–210
 - percentage vs. strontium, B:477
 - periplatform sediments, A:116
 - recrystallization, B:478–479
 - saturation depth vs. latitude, B:207
 - sediments, A:217–218, 379, 477, 526, 583, 635
 - time variations, B:245–246
 - vs. age, B:212
 - vs. depth, A:319, 626–627
 - X-ray data, A:157, 584–585
- aragonite, botryoidal, Miocene, B:500
- Araucariaceae
- pollen, B:109, 113, 116, 119
 - Site 820, B:109, 113
 - Sites 815, 820, and 823, B:109, 113, 116, 119
- Archie component
- formation factor logs, A:552
 - logs, A:168, 235, 496
 - porosity, B:662–663
 - Site 815, A:288
 - Site 817, A:397
- Asteraceae
- pollen, B:109
 - Site 820, B:109
- Atherton Tablelands, palynostratigraphy, B:120
- Australia NE
- biohorizons, B:773–778
 - biostratigraphy, B:39–49, 697–704
 - Cenozoic, B:763–770
 - coastal, A:5–30; B:19–37, 115–125
 - continental margin, B:3–18, 97–105, 129–161, 239, 755–762
 - coralline algae, B:67–74
 - foraminifers, B:181–188
 - geochemical logs, B:795–817
 - geochemistry, B:705–721
 - interstitial waters, B:473–480
 - location map, B:4, 20, 40, 76
 - microfacies, B:291–300
 - porosity, B:661–686
 - reefs, B:263–280
 - sea-level changes, B:203–233
 - sediments, B:633–647
 - seismic reflectors, B:649–659
 - subsidence, B:75–92
 - well-logging, B:687–694
- Austrotrillina* facies, assemblages, B:58, 60
- authigenesis, dolomite, B:518–520
- authigenic minerals
- metasandstone, B:536
 - origin, B:532–533
 - sequence stratigraphy, B:363
- back-reef facies, progradation, A:309
- Bahamas, sea-level changes, B:236
- barrier reefs, evolution, A:16–22
- basement, lithofacies, B:535–540
- basins, evolution, B:756–757
- bathymetry
- Australia NE, B:823, 836–845
 - seismic profiles, B:396–397
- bedding
- chalk, A:259
 - See also* convoluted bedding
- biocoenoses, foraminifers, B:370
- biostratigraphy
- nannofossils, B:257–260
 - Neogene, B:6
- bioclasts
- Cenozoic, B:401
 - lithologic units, B:385
 - Miocene, A:357
 - photograph, A:363
 - vs. depth, B:358
- bioerosion, carbonates, B:298–299
- biogeography, foraminifers, B:371
- biohorizons
- age control, B:382–383
 - calcareous nannofossils, B:15–16, 18
 - foraminifers, A:781
 - intercalibration, B:697–704
 - nannofossils, B:773–778
 - sedimentation rates, A:707
 - vs. depth, B:699–702
- biomagnetic data, magnetite, B:561
- biostratigraphic datums, Site 819, A:473
- biostratigraphic horizons, mean depths, B:190
- biostratigraphy
- correlation, B:329, 331–332
 - foraminifers, B:787–790
 - intercalibration, B:697–704
 - nannofossils, B:773–785
 - Neogene, B:3–66, 97–105, 119–120
 - Site 811, A:95–98
 - Site 812, A:151–153
 - Site 813, A:185–187
 - Site 814, A:210–213
 - Site 815, A:261–264
 - Site 816, A:311–313
 - Site 817, A:364–368
 - Site 818, A:427–428
 - Site 819, A:464–465
 - Site 820, A:516, 518–519
 - Site 821, A:578–580
 - Site 822, A:627–629
 - Site 823, A:703–705
 - Site 824, A:779–781
 - Site 825, A:98–99
 - Site 826, A:809
 - Tertiary, B:281–283
- bioturbation
- bioclasts, A:623
 - chalk, A:260
 - limestone, A:145
 - lithologic units, A:513, 688, 694, 696–697
 - Miocene, A:354
 - mottling, A:516
 - ooze, A:255, 306
- bioturbation, infaunal, hardgrounds, B:527
- bivalves
- Cenozoic, B:401
 - Site 823, B:401
- Bolivinitidae, Site 821, B:367
- Borabi Reef, schematic cross section, A:23
- borings
- carbonates, B:506
 - worms, B:299
- botryoidal cement, iron oxides, B:531
- boundstone, lithologic units, A:808
- Brunhes Chron
- calcium carbonate preservation, B:218
 - magnetozones, A:213, 466–468
 - sediments, B:569
- Brunhes/Matuyama boundary
- biostratigraphy, B:138
 - Cenozoic, B:547–548

- correlation, A:629–631; B:585, 729
cyclic oscillations, B:740
magnetic reversals, A:264
magnetozones, A:153, 187, 213–214, 466–468
bryomol assemblage, microfacies, B:298–299
bryozoan–larger foraminifer microfacies, Eocene–Miocene, B:294–296, 298–299
bryozoans
 microfacies, B:292–293, 296–299
 Miocene, B:456
 sediments, A:147
buliminids
 Pleistocene, B:371–374
 Site 821, B:371–374
bulk modulus ratio, vs. effective stress, B:631
buried reefs, evolution, A:17
burrows
 chalk, A:257–259
 lithologic units, A:692, 696
 photograph, A:363
butane. *See also iso-butane*
Butcher's Creek, palynostratigraphy, B:120
C-13/C-12. *See carbon isotopes*
calcite
 alteration, B:538
 recrystallization, B:478–479
 sediments, A:217–218, 379, 477, 583
 vs. depth, A:319
 X-ray-diffraction data, A:157
calcite, high-magnesian
 carbonate platform derivation, B:29
 dissolution, B:206–207
 percentage of fine particles, B:210–211
 vs. age, B:213
calcite, low-magnesian, chemical composition, B:175–180
calcite, sparry, precipitation, B:531
calcite spars, equant, coarse, Miocene, B:502
calciturbidite, periplatform environment, A:357, 359
calcium
 comparison of data, A:108
 concentration adjusted for surface-water salinity, A:524
 interstitial waters, A:101, 105, 107, 154–156, 188–190, 215–216, 221, 265–267, 316, 318–319, 369, 430–431, 467–468, 520–521, 581–582, 632, 707–708, 781–783; B:517, 520, 707–711, vs. depth, A:103, 318, 372, 474, 523, 582, 633, 642, 710, 783; B:716
 See also magnesium/calcium ratio
calcium carbonate
 cyclic bundling, B:191–194
 preservation, B:203–233
 vs. depth, A:386
 See also calcite; carbonate content
calcium ion, vs. depth, A:584
caliper logs
 seismic stratigraphic tool string, A:604
 Site 820, A:551
 vs. depth, A:593
canopy vegetation, pollen, B:109
Capricorn–Bunker Reefs, schematic section, A:19
Capricorn Basin, lithostratigraphy, A:13
Capricorn Channel, schematic section, A:19
carbon
 interstitial waters, A:105, 112–114, 116
 sediments, A:108
carbon, inorganic
 headspace analyses, A:536, 590
 interstitial waters, A:788
 sediments, A:323, 381, 436
 vs. depth, A:482–483, 648
carbon, organic
 geochemistry, A:586–587
 sediments, A:115, 157–158, 160, 191, 193, 219, 222, 268–269, 273, 317–318, 323, 371, 381, 436, 469, 527, 640–641, 713, 715, 784
 vs. depth, A:274, 324, 382, 437, 482–483
carbon, organic, total
 headspace analyses, A:536, 590
 interstitial waters, A:788
 vs. depth, A:537, 591, 648–649, 723
carbon, organic, total/nitrogen ratio, vs. depth, A:537, 591, 649, 723
carbon, total
 headspace analyses, A:536, 590, 788
 sediments, A:323, 381, 436
 vs. depth, A:482–483, 648
carbon-14, dates, B:307–310
carbon isotopes
 chemical tracers, B:203–233
 dolomite, B:516
 foraminifers, B:213–214, 242–246, 482–483
 interstitial waters, B:515–516, 706
 vs. depth, B:267, 713–715
carbon/nitrogen ratio, vs. depth, A:382
carbonate banks, Pliocene, B:235–254
carbonate compensation depth, unconformities, A:12
carbonate content
 compared to magnetic susceptibility, B:742
 comparison of data, 825, A:109
 correlation with magnetic properties, B:567
 correlation with porosity, B:619–621
 cyclic bundling, B:191–194
 fine fraction, B:239
 geochemical logs, B:800–803
 lithofacies, B:317–325
 lithostratigraphy, A:644–645
 ooze, A:255–259, 625
 sediments, A:104, 155–159, 190–192, 217, 219–220, 267–268, 270–271, 316–317, 370, 376–377, 432–435, 468, 476, 524–525, 584, 634–635, 637, 709–710, 783
 stratigraphic sequences, B:355, 358–360
 vs. age, A:271, 378
 vs. depth, A:105–107, 228, 320, 375, 475, 489, 531, 578, 628, 636, 639, 691, 715, 787; B:29–30, 32, 150, 153, 322, 358, 549, 626–628
 vs. magnetic susceptibility, B:194–195
 vs. porosity, A:598
 See also calcium carbonate
carbonate datums, smoothed, correlation, A:638
carbonate facies, development, A:168–171
carbonate platforms
 burial, B:395
 Cenozoic, B:763–770
 Eocene–Miocene, B:291–300
 evolution, A:16–25, 136–138, 247, 310–311, 359–362; B:242–254, 286–287
 fluid flow, A:217–218
 geochemistry, B:706–711
 growth phases, A:245
 magnetization, B:752–753
 Miocene, B:499–512
 paleoceanography, B:489–498
 rhodoliths, B:455–460
 sedimentation, A:5–30, 116–117, 732–734; B:47
carbonate rocks
 cementation, B:294–297
 deposition, A:168–171
 magnetization, B:749–753
carbonate sediments
 density, B:633–647
 dissolution, B:29–30, 32
 magnetic properties, B:573–614
 paleoenvironment, B:189–202
 physical properties, B:625–632
 Pliocene evolution, B:241–242
 seismic reflectors, B:649–659
 textures, B:304–308
 thin layers, B:688–689
carbonate sediments, non-tropical, Tertiary, B:283–284
carbonate–terrigenous facies, reefs, A:21
Caringa Cays, schematic cross section, A:23
Casuarinaceae
 pollen, B:113, 116, 120
 Site 820, B:107, 111
 Site 823, B:118
 Sites 815, 820, and 823, B:113, 116, 120
Cato Trough, schematic section, A:19
caucasinids
 Pleistocene, B:371–374
 Site 821, B:371–374
cavities
 carbonates, B:506
 See also borings; dissolution; fractures
CCD. *See carbonate compensation depth*
cement
 apatite, B:502
 precipitation, B:531–533
 See also botryoidal cement
cement, fibrous, recrystallization, B:295–296
cement, granular or blocky, Miocene, B:502
cement, pore-lining, granular, Miocene, B:501–502
cement, rim, isopachous, fibrous, Miocene, B:500–501
cement, vadose, tropical facies, B:299–300
cement stratigraphy, Miocene, B:499–512
cementation
 carbonates, B:287
 logs, A:797
 seismic reflectors, B:658
Cenozoic
 carbonate platforms, B:763–770
 chronostratigraphy, B:281–289
 lithostratigraphy, A:13
 sediments, B:795–817
 turbidites, B:379–445
Cenozoic, upper
 clay mineralogy, B:461–470
 paleoceanography, B:489–498
chalk
 clay mineralogy, B:465–466
 lithologic units, A:91, 93, 256–257, 577, 688, 691–692, 776–779; B:389, 391
 magnetization, B:751
 stratigraphic sequences, B:355, 358–360
chalk, bioclastic, clayey, lithologic units, A:462
chalk, calcareous, lithologic units, A:351, 353–356, 359–361, 427
chalk, dolomitic, lithologic units, A:357
chalk, foraminifer, nannofossil, lithologic units, A:257
chalk, micritic, lithology, A:144–146
chalk, nannofossil, bioclastic, lithologic units, A:183
chalk, nannofossil, lithologic units, A:696–697
chalk “biscuits,” ooze, A:256
Challenger Plateau, water masses, B:186
changes of level
 carbonate platforms, A:150–151
 See also cyclic oscillations; eustatism; sea-

- level changes
 charcoal particles, Quaternary, B:107–114
 Chenopodiaceae
 pollen, B:109
 Site 820, B:107–114
 chert, nodular, genesis, A:357; B:791–794
 chloride
 interstitial waters, A:105, 107, 155–156, 189–190, 216, 316, 318–319, 430–431, 521–522, 632–633, 708, 783; B:481–482
 vs. depth, A:103, 318, 372, 474, 523, 582, 633, 710, 783
 vs. salinity, A:475, 524, 634
 chlorine
 vs. depth, B:719
 See also sodium/chlorine ratio
 chlorinity, interstitial waters, A:266–267, 370, 468, 584
 chlorite
 alteration, B:538
 siliciclastics, B:462–470
 chlorite–smectite mixed-layer minerals, siliciclastics, B:462–470
 Chondrites, lithologic units, A:692
 chronostratigraphy, Cenozoic, B:281–289, 400
 Cibicidae, Site 821, B:367, 371–374
 cibicids, Pleistocene, B:371–374
 clasts. See bioclasts; lithoclasts
 clay
 lithologic units, A:574
 ooze, A:256–257
 vs. depth, A:626, 636
 X-ray data, A:477
 clay minerals
 Cenozoic, B:461–470
 comparison between Sites 823 and 588, B:467–470
 lithostratigraphy, A:644–645
 vs. depth, B:29–30, 32
 claystone, nannofossil, lithologic units, A:688
 claystone, silty, lithologic units, A:512–515, 696; B:385, 389
 climate forcing, sea-level changes, B:189–202
 climatic overprints, sequence stratigraphy, B:362–363
 coccoliths
 Cenozoic, A:101
 reticulofenestrif, size/frequency distribution, B:255–261
 Sites 811, 815, and 817, A:101; B:255–261
 See also nannofossils, calcareous
 coercivity
 remanence, B:557–558
 sediments, B:569–570
 spectral analysis, B:573, 575, 752
 color bands, soft sediments, A:622
 compaction
 magnetization, B:753
 microfacies, B:296–297
 profiles, A:535
 well-logging, B:679–680
 compaction curves, vs. depth, A:589
 compressibility, one-dimensional consolidation, B:619
 compressional wave velocity
 sediments, A:108–109, 120, 126, 157, 161–164, 193–197, 220, 224–226, 269, 279, 319–320, 329, 371–372, 387, 436–437, 440–441, 470, 489, 527, 588, 653, 717, 791
 slope sediments, B:625–632
 vs. depth, A:327, 386, 539, 596, 660, 734
 vs. effective stress, B:629
 vs. overburden pressure, B:628
 compression curves, sediments, B:618
 condensed sections, Pleistocene, B:353–364
 conglomerate, intraclastic, lithologic units, B:385, 391
 conifers, pollen, B:109
 consolidation
 slope sediments, B:625–632
 variations, B:617–623
 consolidation stress, vs. void ratio, B:618
 continental breakup, Mesozoic, A:16
 continental margin
 bathymetry, A:6
 dolomitization, B:513–523
 evolution, B:755–770
 paleoenvironment, B:163–173
 sea-level changes, B:203–233
 sedimentation, B:303–313
 continental shelf
 evolution, A:17
 rejuvenation, B:399
 See also outer shelf
 continental slope. See upper slope
 contourites, biochronology, B:15–16
 convoluted bedding, chalk, A:257
 Coral Basin, water masses, B:186
 Coral Sea
 biostratigraphy, B:39–49
 oceanic circulation, B:265
 paleoceanography, B:175–180
 Coral Sea Basin
 biostratigraphy, B:779–785
 geophysical data, A:9–16
 location map, A:76
 schematic cross section, A:23
 coralline algal facies
 Tertiary, B:67–71
 See also algae, corallinacean
 corals, scleractinian, limestone, A:148
 Eocene–Miocene, B:293–294, 297–298
 limestone, A:309
 See also scleractinian–corallinacean microfacies
 correlation, magnetostratigraphy, B:585
 cross laminations
 lithologic units, A:697–698, 700
 See also laminations
 Cunoniaceae, Site 820, B:109
 current winnowing, sedimentation, B:533
 cyclic oscillations
 magnetostratigraphy, B:740–742
 sedimentation, A:483, 485
 Cycloclypeus facies, assemblages, B:58, 60
 Cymbaloporidae, Site 821, B:367
 Cyperaceae
 pollen, B:111
 Site 820, B:111
 datums
 biostratigraphy, B:29–33
 dinoflagellates, B:98, 101
 foraminifers, B:787–790
 nannofossils, B:23, 318
 debris flows
 facies, A:86, 89–90
 lithologic units, A:686, 692, 697–700, 789
 Miocene–Pleistocene, B:379–445
 deformation
 metamorphic rocks, B:538
 soft sediments, A:622
 deformation, synsedimentary, lithologic units, A:703
 demagnetization, alternating-field
 comparison of Queensland Plateau with Baha-
- mas, B:752
 sediments, B:546, 565–566, 574
 density
 carbonate-rich sediments, B:633–647
 GRAPE vs. log, B:641–642
 vs. porosity, A:598; B:654
 density, bulk
 GRAPE data, A:118, 275, 383, 650, 793; B:634–638
 sediments, A:108, 157, 160, 162–164, 193–196, 219, 223–225, 269, 276–278, 318–319, 371, 433, 436, 469–470, 527, 587–588
 vs. depth, A:327, 386, 439, 486–487, 489, 538–539, 592–595, 660, 691; B:625–628, 635, 640, 652–653
 vs. dry-water content, A:661
 vs. porosity, A:388
 density, grain
 sediments, A:160
 vs. depth, A:538
 density, wet-bulk
 sediments, A:162
 vs. depth, A:276, 325, 661, 725, 730
 density, wireline, vs. depth, A:539
 density logs
 carbonate-rich sediments, B:634
 correlation, A:160–164, 222–225, 227, 232–233, 321–322, 373, 474–476, 533, 535–536, 551, 589, 603–604, 723–724
 density–natural gamma ray logs
 Site 812, A:175–176
 Site 814, A:241–242
 Site 815, A:296–297
 Site 816, A:342–343
 Site 817, A:407–411
 Site 819, A:506–508
 Site 820, A:562–564
 Site 821, A:612–614
 Site 822, A:674–675
 Site 823, A:757–762
 deposition
 depth, B:298–299
 environment, A:115, 149–151, 260–261
 periplatform environment, A:357, 359
 depth vs. age
 Australia NE, B:266
 magnetic polarity time scale, A:632
 detachment horizons, Miocene, B:393–394
 diagenesis
 calcareous nannofossils, B:29, 32
 carbonate sediments, B:479, 482–487, 491, 583, 714–715
 dolomitization, B:679–680
 environment, A:149–151
 fibrous cement, B:299
 foraminifers, B:366
 interstitial waters, A:638–639
 magnetization, B:753
 Miocene history, B:510–511
 nodular structure, B:793
 paleomagnetism, B:560–561
 paleotemperature, B:271–274
 Pliocene, B:532–533
 seismic reflectors, B:658
 shallow burial vs. input and seafloor dissolution, B:219
 thin layers, B:688–689
 tunicate spicules, B:448–449
 See also dolomitization
 diagenesis, meteoric, Miocene, B:509
 diagenetic events, Miocene, B:508
 Didemniidae, Great Barrier Reef, B:447–453
 differential settling, Cenozoic, B:470

diffusion

- diffusion
 carbonate sediments, B:482–487
 fluid flow, B:478–479
 saline sources, B:712
- dinoflagellates
 Neogene, B:97–105
 percentage distribution of taxa, B:95, 99, 100
 photomicrographs, B:103–105
 Quaternary, B:93–95
 Sites 815, 820, and 823, B:93, 95, 97–105
- Discorbidae, Site 821, B:367
- dissolution
 aragonite, B:528–532
 grain contacts, B:298
 iron oxides, B:729, 731–733
 nanofossils, B:37
 photomicrographs, B:505
 seafloor processes, B:215
 tunicate spicules, B:448–449
 vs. depth, B:29–30, 32, 176
 well-logging, B:679–680
- dissolution indices, lysocline, B:207
- dolomite
 authigenesis, B:518–520
 content in nodular chert, B:792–794
 cycles, B:242–246
 genesis, B:513–523
 Miocene, B:500
 moldic porosity, B:666, 672
 ooze, A:306
 photomicrograph, A:365; B:522
 precipitation, B:530–531
 sediments, A:147, 157, 379, 477, 526, 583–585, 635
 time variations, B:245–246
 vs. depth, A:319, 626–627
- dolomite, ferroan, origin, B:532
- dolomite, pore-lining, photomicrograph, B:506
- dolomitization
 dissolution, A:485
 fabric, B:679–680
 lithologic units, A:576–578
 mechanism and timing, B:769
 Miocene, A:386, 388; B:489–498, 502–503
 nodular structure, B:793
 relation to alkalinity, A:636, 638
 sediments, A:361–362
 textures, A:357
 timing, B:508–509
- dolostone, sucrosic, lithology, A:146, 148
- downhole measurements
 pore morphology, B:661–686
 Site 812, A:158–165, 166, 167, 168, 169, 170
 Site 814, A:222–226
 Site 815, A:272–284
 Site 816, A:321–324
 Site 817, A:373, 375, 377–379
 Site 819, A:473–479
 Site 820, A:531–533, 535–537, 539–541; B:315–325
 Site 821, A:589–592
 Site 822, A:642–649
 Site 823, A:719–725
 Site 824, A:785–788
 Site 825, A:110–112, 128–130
See also well-logging
- drowning surfaces
 microfacies, B:299
 Miocene, B:394–395
- East Australia Current, variations in volume and velocity, B:94
- Eastern Fields Reef, schematic cross section, A:23
- Eastern Plateau, schematic cross section, A:23

SUBJECT INDEX

- East Indian Letter Stage Classification, Tertiary, B:51, 281–282
- eccentricity, time series analyses, B:196, 199
- echinoderms, Cenozoic, B:401
- Elaeocarpaceae, Site 820, B:109
- electrical logs, ratios, A:797
- electrical resistivity. *See* resistivity
- electrical resistivity formation factor
 sediments, A:109, 123–125, 158, 160, 163, 165, 167–169, 194, 197–199, 221, 224, 230, 235, 271–272, 288, 320–321, 331–332, 372, 389–391, 397, 438, 443–446, 473, 492–493, 552, 527, 531, 588, 655–657, 740–741
 vs. depth, A:327, 386, 439, 486, 541, 545–547, 597, 600–601, 605, 660
 vs. porosity, A:281, 330; B:662
 vs. velocity, B:667
See also resistivity
- electron probe data, hardgrounds, B:527
- elphidiids
 Pleistocene, B:371–374
 Site 821, B:371–374
- environment
 deposition, A:92, 149–151, 168–171, 260–261, 310–311
 Neogene, A:115, 388, 391–392
 sedimentation, B:303–313, 532–533
See also paleoenvironment
- Eocene
 chronostratigraphy, B:281–289
 facies, A:59–60, 91
 lithologic units, A:93–94
 paleoclimatology, B:291–300
 paleoenvironment, B:57
 planktonic foraminifers, A:97
- Eocene, middle, algae, B:67
- Eocene–Oligocene hiatus, submarine erosion, A:11
- eponidids, Pleistocene, B:371–374
- erosion, source areas, B:468
- ethane, sediments, A:525, 639, 711
- eustatism
 highstands, A:626
 Holocene, B:303–313
 sedimentation, B:765–767
See also changes of level; cyclic oscillations; sea-level changes
- evaporites, Oligocene source sediments, B:479
- event stratigraphy, Quaternary, B:756–759
- fabric
 dolomitization, B:679–680
 lithologic units, B:389
- facies
 carbonate sediments, B:57–60
 coralline algae, B:67–71
 models of Miocene neritic carbonates, B:59
See also lithofacies; microfacies
- faulting, Miocene, B:393–394
- faults. *See* microfaults
- feldspar
 diagenesis, A:638–639
 metasediment, B:536
- floatstone
 facies, A:86
 lithologic units, A:146–149, 207, 513, 688, 692, 779
 microbioclastic matrix, B:292–293, 297–298
- floatstone, bioclastic
 Eocene, B:73
 lithologic units, A:91, 93, 146–149, 307–309
 photograph, A:212
 rhodoliths, B:455–460
- floatstone, bryozoan/mollusk, A:144–146
- floatstone, dolomitized, Miocene, B:500
- floatstone, foraminifer, dolomitized, lithologic units, A:260
- floatstone, rhodolith-bearing, photograph, A:311
- flooding surfaces, marine, Quaternary, B:353–364
- Flosculinella–Amphistegina* facies, assemblages, B:58, 60
- fluid flow
 evidence for, B:478–479
 geothermal gradient, B:707, 711
 Sites 812–814, A:217–218
- fluorapatite, carbonate, cements, B:533
- foliation, schists, B:536
- foraminifers
 biostratigraphy, A:96–98, 151, 186, 212, 262–263, 312–313, 367, 427–428, 464–465, 519, 580, 628–629, 705, 780, 809; B:39–49
 datum levels, B:787–790
 oxygen isotopes, B:303–308
 oxygen isotopes vs. depth, B:743
 percentage vs. depth, Australian–Irian Jaya continental margin, B:188
 photomicrographs, B:49
- foraminifers, benthic
 biostratigraphy, A:97–99, 151–153, 186–187, 212–213, 263, 313, 367, 428, 465, 519, 580, 629, 705, 780–781, 809; B:51–66
 lithologic units, A:625
 paleobathymetry, B:75–92
 vs. depth, B:284
- foraminifers, benthic, larger, biostratigraphy, A:97–99, 153, 186–187, 213, 263–264, 313, 367–368, 809
- foraminifers, larger
 biostratigraphy, B:39–49, 51–66
 photomicrographs, B:62–66
- foraminifers, larger–bioclast facies, microbioclastic matrix, B:292–293, 297–298
- foraminifers, planktonic, reworked, drowning surfaces, B:395
- foraminifers, planktonic and benthic, ratios, B:181–188
- foraminifers, shallow-water
 age vs. depth, B:244
 biostratigraphy, B:525–526, 697–704
 Cenozoic, B:401
 ghost structure, B:793
 microfacies, B:293–296
 oxygen isotopes, B:129–161, 163–173, 481–487
 photomicrographs, B:278
 redeposition, A:363
 sediments, A:144, 146
 sequence stratigraphy, B:359
 stable isotopes, B:212–214, 242–246; B:267
 strontium isotopes, B:491–498
 Tertiary, B:281–289
See also alveolids; amphisteginids; anomolids; buliminids; caucasinids; cibicides; elphidiids; eponidids; lepidocyclinids; loxostomids; miliolids; nonionids; nubeculariids; nummulitids; rotaliids; siphoninids; soritids; textulariids; uvigerinids
- foraminifers, shallow-water, taphocoenoses, B:365–378
- foramol association, microfacies, B:298–299
- fractures, carbonates, B:506
- framestone, dolomitized, porosity, B:685
- framestone, rhodolith-bearing, dolomitized, photograph, A:311

- gamma-ray logs
 correlation, A:603
 processed data, B:803–817
- gamma-ray logs, spectral
 Site 814, A:234
 Site 815, A:287
 Site 816, A:337
 vs. depth, A:498
- gases, hydrocarbon
 ratios vs. depth, A:722
 Site 820, A:525–527
 Site 821, A:585–586
 Site 822, A:639–640
 Site 823, A:710–711, 713
 vs. depth, A:480, 720
- gastropods, aragonite, B:528–530
 Gauss Chron, correlation, A:214, 630
 Gauss/Gilbert boundary, magnetic reversals, A:264
- geochemical gradients
 dissolution, B:729, 731–733
 interstitial waters, B:734
- geochemical logs
 Cenozoic sediments, B:795–817
 correlation, A:676–677
 first two principal components, A:668
 open-hole logs, 666, 745–746
 replicability of two logging passes, A:663
 Site 817, A:400, 412–416
 Site 820, A:553, 557, 565–567; B:320
 Site 823, A:763–768
- geochemistry, inorganic
 interstitial waters, B:705–721
 Site 811, A:101–104
 Site 812, A:154–155
 Site 813, A:188, 190–191
 Site 814, A:215–218
 Site 815, A:265–268
 Site 816, A:316–317
 Site 817, A:369–370
 Site 818, A:429–433
 Site 819, A:466–469
 Site 820, A:520–525
 Site 821, A:581–585
 Site 822, A:632–639
 Site 823, A:707–710
 Site 824, A:781–784
 Site 825, A:105
- geochemistry, organic
 Site 811, A:105–106
 Site 812, A:155–157
 Site 813, A:191, 193
 Site 814, A:218–219
 Site 815, A:268–269
 Site 816, A:317–318
 Site 817, A:371
 Site 818, A:433
 Site 819, A:469
 Site 820, A:525–527
 Site 821, A:585–587
 Site 822, A:639–641
 Site 823, A:710–711, 713, 715
 Site 824, A:784–785
 Site 825, A:107–108
- geomagnetic polarity time scale
 vs. depth, A:782
See also magnetic polarity; magnetostratigraphy; paleomagnetism
- geophysical surveys, processed data, B:819–851
- geothermal gradient
 fluid flow, B:707, 711
 Site 823, A:717
 vs. depth, A:533
 WSTP temperature data for Sites 817, 820, 822, A:645
- ghost structures, nodular chert, B:793
 Gilbert Chron, magnetic reversals, A:313
- Gippsland Basin, palynostratigraphy, B:119–120
- glacial/interglacial cycles
 foraminiferal indicators, B:185–186
 Pleistocene, B:169–170
 pollen indicators, B:109–112
 Quaternary, B:309–311
- glacio-eustatic framework, Holocene, B:308–310
- glauconite
 Cenozoic, B:401
 flooding surfaces, B:358, 360–363
 lithologic units, B:393
 ooze, A:427
 photograph, A:365
 sediments, A:361
 siliciclastics, B:191–193
- Globigerinoides ruber*, oxygen isotopes, B:481–487
- goethite
 cements, B:531–532
 coercivity, B:555–556
 hardground, A:144, 147
- graded bedding, turbidites, B:408–445
- Grafton Passage
 bathymetry, B:329
 drilling, A:481–485
 reef development, B:621
 seismic lines, A:501
 site description, A:509–567, 569–677
- grain size
 correlation with porosity, B:619–621
 vs. depth, B:625–628
See also particle size
- grainstone, bioclastic
 Eocene–Miocene, B:293–294, 297–298
 lithologic units, A:93–94; B:384–385
 photograph, A:364
- grainstone, foraminifer, micritic, lithologic units, A:700
 Eocene–Miocene, B:296–299
 facies, A:91
 lithologic units, A:357
 microfacies, B:294–296, 298–299
 paleoenvironment, B:60
- gravity-flow deposits
 age distribution, A:700, 702
 lithologic units, B:384–393
 magnetic properties, B:570–571
 sediments, A:688
 thickness vs. age, A:702
 thickness vs. depth, A:694
 vs. depth, A:691–692
See also debris flows; slump deposits; turbidites
- Great Barrier Reef
 age, A:485
 bathymetry, B:329, 334
 biostratigraphy, B:3–18
 buried reefs, A:20
 continental margin, B:239
 continental slope, B:181–188
 dolomitization, A:485
 evolution, A:16–22; B:759–762
 foraminifers, B:365–378
 geochemistry, B:712–714
 lithofacies, B:327–351
 lithostratigraphy, A:13
 magnetic properties, B:543–562
 magnetostratigraphy, B:740–742
 paleoceanography, B:189–202, 489–498
 Pleistocene, B:163–173
 Quaternary dinoflagellates, B:93–95
- reef initiation, B:221–222
- sedimentation, A:5–30, 482–483, 485; B:315–325
 sediment derivation, A:636
 seismic sections, A:20
 sequence stratigraphy, B:353–364
 site description, A:615–677
 spicules, B:447–453
 upper slope, A:452–454
- greigite, limestone, A:313
- Gulf of Papua
 buried reefs, A:20
 lithostratigraphy, A:13
- gymnosperms, pollen, B:109, 116
- Gyrospermonaceae
 pollen, B:116
 Sites 815 and 823, B:116
- habitats, pollen, B:116
- Halimeda*
 gravity deposits, B:405
 lithologic component, A:574–575
 mounds, A:513, 516, 518
 rudstone, A:579
 tropical environment, A:578
- hardgrounds, marine, omission surfaces, B:360
- hardgrounds, phosphatic, origin, B:525–534
 interstitial waters, B:479
 laminated crust, A:144, 147
 strontium isotopes, B:496
- heat flow
 across different intervals, A:550
 sediments, A:531
- hematite, coercivity, B:555–556
- hemipelagic environment, deposition, B:389
- hiatuses
 biostratigraphy, B:29–33
 carbonate sequences, B:354
 correlation, B:733–737
 Neogene, B:15–16
 Quaternary, B:129–161
 seismic sequences, B:334–340
- highstand progradation, cyclic bundling, B:199
- highstand shedding
 Pliocene, B:237
 Quaternary, B:236
- highstands
 flooding surfaces, B:358
 Holocene, B:310–311, 324–325
 interglacial oscillations, B:745–746
 Miocene, B:405
 productivity, B:766–767
- Hodgkinson Formation, lithology, B:538
- Hodgkinson Province, lithology, B:538
- Holmes Reef, evolution, B:764
- Holocene
 lithologic units, A:574
 sedimentation, B:303–313
- hydrocarbons, volatile
 distribution of ratios with temperature, A:645
 evolution with depth and temperature, A:535, 588, 647
 headspace analyses, A:159, 322, 380, 478, 532, 585–586, 632–640, 718, 788, 115
 headspace and vacutainer analyses, A:644
 sediments, A:105, 110, 155–156, 191, 193, 219, 222, 268, 272, 317, 371, 469, 525–527, 710–711, 713, 784
 vs. depth, A:534, 587, 646, 721
 vs. temperature, A:479, 481, 533, 586, 719
See also gases
- igneous rocks, facies, B:535–540
- ILD. *See* induction logs

illite

illite
 reactions, A:638
 siliciclastics, B:462–470

illite–smectite mixed-layer minerals, siliciclastics, B:462–470

impedance
 GRAPE measurement, A:793
 sediments, A:162, 195
 velocity logs, B:652–654
 vs. depth, A:276, 660, 730; B:656

index properties
 Site 811, A:117
 Site 812, A:160–161
 Site 813, A:194
 Site 814, A:225
 Site 815, A:278–279
 Site 817, A:384–385
 Site 818, A:437–438
 Site 819, A:484–485
 Site 820, A:538
 Site 821, A:594–595
 Site 822, A:652–653
 Site 823, A:715, 717
 Site 824, A:790
 Site 825, A:126
 unique distribution pattern, A:271

Indo-Pacific provinces, foraminifers, B:371

induction logs, resistivity, B:687–694

induration, WSTP tool results, A:709–710

inner-platform environment, foraminifers, B:371–374

intermediate water, chemistry, B:204–205

interstitial waters
 geochemistry, A:101–105, 154–159, 188, 190–191, 215–216, 265–267, 316–317, 369–370, 429–432, 466–469, 473, 520–525, 581–584, 632–634, 707–710, 781–784; B:515–516, 705–721
 oxygen isotopes, B:481–487
 stable isotopes, B:497
 strontium isotopes, B:473–480

iron, geochemistry, B:575, 578–579

iron oxide, botryoidal cement, B:531

iso-butane
 geochemistry, A:639
See also butane

iso-pentane
 geochemistry, A:639
See also pentane

isopach maps, seismic sequences, B:337–338

isotopes
 foraminifers, B:130–160
See also carbon isotopes; oxygen isotopes; strontium isotopes

Jaramillo/Matuyama boundary, magnetic reversals, A:264

Jaramillo Subchron
 biostratigraphy, B:138
 correlation, B:729
 paleomagnetism, A:153, 187, 214, 629–631

kaolinite
 reactions, A:638
 siliciclastics, B:462–470

kaolinite/illite ratio, Cenozoic, B:469

kaolinite/smectite ratio, Cenozoic, B:469

Koenigsberger ratio
 sediments, B:549, 567
 vs. depth, B:735

Kohout flow, sedimentation, B:532–533

laminations
 lithologic units, A:697–700

SUBJECT INDEX

soft sediments, A:622

turbidites, B:408–445
See also cross laminations

larger foraminifer–coral facies, assemblages, B:58, 60

Leg 133
 drilling objectives, A:28
 explanatory notes, A:31–58

lepidocyclinids
 Australia NE, B:292–293, 297–298
 microbioclastic matrix, B:292–293, 297–298

limestone
 lithologic units, A:357, 700, 779
 magnetization, B:751
See also chalk; floatstone; framestone; grainstone; micrite; ooze; rudstone

limestone, foraminifer, lithologic units, A:207

limestone, shallow-water, Miocene, B:500

lithification
 magnetization, B:753
 well-logging, B:679–680
See also diagenesis

lithoclasts
 lithologic units, A:779
See also clasts

lithofacies
 basement, B:535–540
 carbonates, B:292–299, 354
 foraminifers, B:276–280
 geometry, B:327–351
 lithologic units, A:150–151
 log units, B:317–324
 ooze, A:463
 outer shelf, B:327–351
See also facies; microfacies

lithologic units
 based on physical properties, A:641–642, 715, 717
 facies, A:59–69, 84–91
 log-based units, A:111, 160–164, 224–225, 537, 540, 590–592, 647, 721–723, 786–788
 seismic stratigraphic sequences, A:649–651
 Site 811, A:87–88
 Site 812, A:144–149
 Site 813, A:181–183
 Site 814, A:206–208
 Site 815, A:254–260
 Site 816, A:305–310
 Site 817, A:351–363
 Site 818, A:422–427
 Site 819, A:460–462
 Site 820, A:512–516
 Site 821, A:574–578
 Site 822, A:621–627
 Site 823, A:686–700
 Site 824, A:776–779
 Site 825, A:91–94
 Site 826, A:808–809
 Tertiary, B:283–284
 Unit I, A:59–60, 63–69, 84–86, 144, 181, 206–207, 254–256, 305–307, 351, 357, 359, 423–427, 460, 512–514, 574–576, 621–623, 686, 688, 776, 808
 Unit II, A:59–60, 63–69, 86–88, 144–146, 182–183, 207, 256–257, 307, 309, 351, 353–356, 359–361, 427, 460–461, 514–515, 576, 623, 688, 691–692, 776–777, 808–809
 Unit III, A:59–60, 64–68, 88–91, 93, 146–149, 183, 207–208, 257, 259, 356–357, 361, 363, 461–462, 515–516, 576, 777
 Unit IV, A:59–60, 64–68, 91, 93, 183, 208, 259, 462, 576–577, 694, 696, 777

Unit V, A:59–60, 64–68, 91, 183, 208, 259–260, 462, 577–578, 696, 777, 779

Unit VI, A:59–60, 65, 68, 91, 93–94, 260, 696–697, 779

Unit VII, A:63, 68, 94, 697–700, 779

lithostratigraphy
 basement, B:536–537
 clay mineralogy, B:465–466
 correlation with seismic stratigraphy, A:651
 Pliocene, B:240
 Queensland Plateau, B:51–52
 Site 811, A:84–91, 92
 Site 812, A:143–151
 Site 813, A:180–185
 Site 814, A:206–210
 Site 815, A:253–261
 Site 816, A:305–311
 Site 817, A:351–364
 Site 818, A:422–427
 Site 819, A:459–463
 Site 820, A:512–516
 Site 821, A:573–578
 Site 822, A:619–627
 Site 823, A:685–703
 Site 824, A:775–779
 Site 825, A:91–94

Lizard Island, foraminifers, B:366

Lord Howe Rise, clay mineralogy, B:467–470

Lowrie–Fuller test
 domain structure, B:557
 sediments, B:568–569

lowstands, Holocene, B:308–309, 324–325

lowstand shedding, Pliocene, B:237

loxostomids
 Pleistocene, B:371–374
 Site 821, B:371–374

lysocline, aragonite, B:207, 532

maghemite, properties, B:582–583

magnesium
 comparison of data, A:108
 concentration adjusted for surface-water salinity, A:524
 geochemical logs, B:799
 interstitial waters, A:101, 105, 107, 154–156, 188–190, 215–216, 265–267, 316, 318–319, 369, 430–431, 467–468, 520–521, 581–582, 632, 707–708, 781–783; B:517, 520, 707–711, 713
 vs. depth, A:103, 318, 372, 474, 523, 582, 633, 641, 710–711, 783

magnesium/calcium ratio
 ostracodes, B:175–180
 vs. depth, A:267
 vs. temperature, B:177

magnesium ion
 dolomite, A:636, 638
 vs. depth, A:584

magnetic declination
 sediments, A:215; B:548–549
 vs. depth, A:520, 581, 781

magnetic domains
 diagenesis, B:583
 sediments, B:569–570

magnetic grains, separation, B:578

magnetic inclination
 Brunhes/Matuyama boundary, B:730
 median destructive field, B:731–733
 polarity zones, A:630
 sediments, A:215; B:547–548, 566
 vs. depth, A:466–467, 520, 580–581, 706, 781

magnetic instability, origin, B:729, 731–733

magnetic intensity
 sediments, A:215; B:546, 575

- vs. depth, A:520, 580–581, 706, 781
 magnetic polarity, sediments, B:566
 magnetic properties
 environmental control, B:543–562
 sediments, B:142, 563–571, 741–742
 vs. depth, A:316
 magnetic reversals
 boundaries, B:729
 polarity, A:153
 sediments, A:313–314
 magnetic surveys, Australia NE, B:823, 836–845
 magnetic susceptibility, specific, magnetite,
 B:131, 147, 149–150, 159–160
 magnetic susceptibility, volume
 unconsolidated sediments, A:316
 vs. depth, A:264, 369
 magnetic susceptibility, whole-core, excursions,
 A:100
 magnetic susceptibility
 correlation with porosity, B:619–621
 cyclic bundling, B:191–194
 Fourier transforms, B:194, 196
 frequency dependence, B:549–550
 intersite correlation, B:733–739
 limestone, A:314
 low-temperature tests, B:558–559
 plots per unit volume, B:728–729
 sediments, A:215; B:303–309, 545, 549–551,
 560, 566–567, 725
 stratigraphic sequences, B:355, 358–360
 vs. age, B:196
 vs. carbonate content, A:631; B:194, 742
 vs. depth, A:466–467, 521–522, 581, 631, 707;
 B:358
 magnetite, biogenic, properties, B:559
 magnetite, properties, B:582–583
 magnetization
 carbonate rocks, B:749–753
 magnetic minerals, B:130–131
 See also remanent magnetization
 magnetostratigraphy
 Cenozoic, B:547–549
 Neogene, A:153
 Quaternary, B:723–747
 sediments, B:573–614
 vs. depth, A:466, 468
 See also geomagnetic polarity time scale;
 paleomagnetism
 magnetozones, Pleistocene, A:466–472
 manganese, geochemistry, B:532
 mangroves, pollen, B:109, 118–119
 marginal basins, tectonic controls, B:402
Marginopora facies, assemblages, B:58, 60
 Marion Plateau
 biostratigraphy, B:39–49
 carbonate platforms, B:455–460, 499–512
 continental margin, B:239
 cross sections, A:245
 evolution, A:22, 25; B:764
 geochemistry, B:706–711
 paleobathymetry, B:92
 paleoceanography, B:489–498
 paleodepth, B:157
 schematic cross section, A:19, 23
 sedimentation, A:5–30
 seismic sections, A:26
 site description, A:301–343
 mass accumulation rates. *See* sedimentation rates
 Matuyama Chron, magnetozones, A:214, 466–
 468, 629–631
 Matuyama/Gauss boundary
 correlation, A:187, 214; B:729
 magnetic reversals, A:264, 313
 Matuyama/Jaramillo boundary, magnetic rever-
- sals, A:264
 Matuyama/Olduvai boundary
 correlation, A:153
 magnetic reversals, A:264
 median destructive field
 demagnetization, B:566
 magnetic polarity, B:725–726
 sediments, B:735
 vs. depth, B:750–751
 Mesozoic, continental breakup, A:16
 metamorphic rocks
 lithologic units, A:94
 See also metasandstone; metasiltstone;
 metasedimentary rocks
 metasandstone, lithofacies, B:536
 metasedimentary rocks, facies, B:535–540
 metasilstone, lithofacies, B:536
 methane
 headspace analyses, A:525, 585–586, 639–
 640, 711
 interstitial waters, B:516–517
 micrite
 calcite, A:354
 lithologic units, A:181, 207, 423–427, 696–
 697, 776
 Miocene, B:501
 sedimentation, A:703
 microfacies, carbonates, B:292–299
 microfaults
 lithologic units, A:696–698
 See also faults
 microfossils
 abundance, B:363
 See also foraminifers; nannofossils
 microfossils, planktonic, summary, A:315
 Milankovitch cycles
 climatic overprints, B:362–363
 periodicity, B:199, 201
 Pleistocene, B:340–343
 Miliolidae, Site 821, B:292–293, 297–298, 366–
 371
 miliolids
 biostratigraphy, B:366–371
 microfacies, B:292–293, 297–298
 minor elements, interstitial waters, A:265
 Miocene
 algae, B:68–71
 biostratigraphic intercalibration, B:697–704
 biostratigraphy, A:151–153, 261–264, 311–
 312; B:39–49
 calcareous nannofossils, A:96, 98
 carbonate sediments, B:476–479
 chronostratigraphy, B:281–289
 clay mineralogy, B:466–467
 facies, A:59–60, 91; B:273
 foraminifers, A:99
 lithologic units, A:182–183, 207–208, 259–
 260, 307–309, 351, 353–357, 359–361,
 363, 427, 694, 697–700, 777, 779,
 808–809
 paleobathymetry, B:84–85
 paleoclimatology, B:291–300
 paleoenvironment, B:57–60
 sedimentation, A:292
 sediments, A:144–149; B:627
 Miocene, lower
 lithologic units, A:93
 sedimentation, A:385
 Miocene, lower–middle, carbonate-platform
 demise, B:499–512
 Miocene, middle
 dinoflagellates, B:97–105
 lithologic units, A:91, 93
 rhodoliths, B:455–460
 sedimentation, A:169–170, 385
 Miocene, upper
 carbon shift, B:496–497
 dinoflagellates, B:97–105
 paleoceanography, B:489–498
 sedimentation, A:385
 Miocene/Pliocene boundary
 calcareous nannofossils, A:96
 sedimentation, A:170
Miogyopsina facies, assemblages, B:58, 60
 molds, corals, A:149–150
 mollusks
 microfacies, B:294–295, 298–299
 sediments, A:145
 mollusks, aragonitic, microfacies, B:292–293,
 297–298
 mud, calcareous, lithologic units, A:621–622
 mud, hemipelagic, provenance, B:403
 mud, terrigenous, Miocene influx, B:395, 397
 mud, vs. depth, B:358
 mudstone
 lithologic units, B:385, 389
 stratigraphic sequences, B:355, 358–360
 mudstone, calcareous, lithologic units, A:515–516
 mudstone, lithified, lithologic units, A:208
 Myrtaceae
 pollen, B:116, 120
 Sites 815 and 823, B:116, 120
 nannofossils
 age, B:193–198
 biohorizons, B:773–778
 biostratigraphy, B:329, 331–332, 697–704
 lithologic units, A:423–427
 sediments, A:144, 146
 sequence stratigraphy, B:359
 See also coccoliths
 nannofossils, calcareous
 age vs. depth, B:244
 biohorizon chronology, B:699
 biostratigraphy, A:95–96, 98, 151, 185–186,
 210–211, 261–262, 311–312, 364–367,
 427, 464, 518–519, 579–580, 627–628,
 703–705, 780, 809; B:3–37, 779–785
 Neogene, B:255–261
 photomicrographs, B:35–37
 Neogene
 biostratigraphy, A:185–187, 210–213, 364–
 368, 427–428, 703–705; B:3–37, 51–
 66, 119–120, 787–790
 carbonate platforms, A:383, 385–386
 dinoflagellate cysts, B:97–105
 paleobathymetry, B:75–92
 paleoceanography, B:263–280
 palynomorphs, B:115–125
 sedimentation, A:292–293
 Neogene, lower, sediments, A:118
 Neogene, upper
 biostratigraphic intercalibration, B:697–704
 nannofossils, B:255–261
 sediments, A:114–119
 neritic “chlorozoan” facies, microfacies, B:293
 neritic environment
 foraminifers, B:52–58
 Tertiary, B:287–288
 new taxa
 Sites 815 and 823, B:124–125
 spores, B:124–125
 nitrogen
 sediments, A:381, 527, 713, 715
 vs. depth, A:382, 537, 723
 See also carbon/nitrogen ratio; carbon,
 organic, total/nitrogen ratio
 nitrogen, organic, vs. depth, A:274

nitrogen

nitrogen, total
 headspace analyses, A:323, 436, 536, 590
 vs. depth, A:324, 482–483, 591, 648–649

nodules
 chalk, A:306
 chert, A:357; B:791–794
 phosphate, B:527

nonionids
 Pleistocene, B:371–374
 Site 821, B:371–374

nubeculariids
 Pleistocene, B:371–374
 Site 821, B:371–374

Nummulites-Operculina facies, assemblages, B:57

nummulitids
 Pleistocene, B:371–374
 Site 821, B:371–374

O-18/O-16. *See* oxygen isotopes

obliquity, time series analyses, B:196, 199

oceanic circulation
 biohorizons, B:15–16
 patterns, B:265
 Quaternary, B:153–155, 160–161
 summer and winter, B:188
See also paleocirculation

Olduvai/Matuyama boundary, magnetic reversals, A:264

Olduvai Subchron
 correlation, B:585, 729
 paleomagnetism, A:153, 187, 629–631

Oligocene
 chronostratigraphy, B:281–289
 facies, A:59–60, 91
 lithologic units, A:93–94, 779
 paleoclimatology, B:291–300
 planktonic foraminifers, A:97

Oligocene, upper, algae, B:68

omission surfaces, hardgrounds, B:360

Ontong Java Plateau, oxygen isotope record, B:244–246

ooze
 clay mineralogy, B:465–466
 lithologic units, A:353–356, 359–361, 423–427, 776–779, 808; B:385
 magnetization, B:751
 stratigraphic sequences, B:355, 358–360

ooze, bioclastic, lithologic units, A:621–622

ooze, foraminifer
 facies, A:86–91
 lithologic units, A:84–85, 144, 351
 photograph, A:360

ooze, foraminifer, bioclastic, lithologic units, A:183

ooze, foraminifer, nannofossil, lithologic units, A:181–182, 206–207, 254–256, 305–307

ooze, micritic, lithologic units, A:91, 93, 351, 461–462

ooze, nannofossil
 facies, A:86–91
 lithologic units, A:84–85, 256–257, 351
 photograph, A:360

ooze, nannofossil, clayey, lithologic units, A:305–307, 460, 462, 623

ooze, nannofossil, hemipelagic, lithologic units, A:688, 691–692

ooze, pelagic, lithologic units, A:702–703

ooze, periplatform, sedimentation, A:625

ooze, pteropod, clayey, lithologic units, A:460

Operculina facies, assemblages, B:57

organic materials, interstitial waters, B:713–714

ostracodes
 Cenozoic, B:401

SUBJECT INDEX

magnesium/calcium ratio, B:175–180

microfacies, B:292–293, 297–298

outer-platform environment, foraminifers, B:371–374

outer shelf, sedimentation, B:315–325, 327–351

overgrowths, nannofossils, B:37

overgrowths, syntaxial, Miocene, B:501, 504

oxidation, organic materials, B:713–714

oxides, geochemical logs, B:800–803

oxygen-isotope temperature, warming, B:496

oxygen isotopes
 compared with magnetic susceptibility, B:742–744
 comparison of pore water and *Globigerinoides ruber*, B:481–487
 correlation with magnetic properties, B:560–561
 dolomite, B:516
 foraminifers, B:163–173, 185–186, 208, 212–213, 242–246, 269–273, 303–308
 interstitial waters, B:515–516, 705–706
 sediments, B:129–161, 461–463
 stratigraphy, B:131–142
 time–frequency analyses, B:173
 vs. age, B:487
 vs. depth, B:139, 143, 146, 165, 170–171, 173, 267, 486, 707–713, 721

P-waves. *See* compressional wave velocity

P/B ratio. *See* foraminifers, planktonic and benthic

packstone
 clay mineralogy, B:465–466
 deposition, B:303–308
 Eocene–Miocene, B:296–299
 facies, A:86, 91
 lithologic units, A:183, 357, 512–514, 576, 688, 696–697, 808
 microfacies, B:294–296, 298–299
 paleoenvironment, B:60
 stratigraphic sequences, B:355, 358–360
 veneer seams, B:529

packstone, algal, coralline, lithology, A:146–149

packstone, bioclastic
 lithologic units, A:91, 93, 208, 514–516, 693, 695, 697–701, 776–779; B:384–385
 logs, B:317–324
 moldic porosity, B:669
 photograph, A:364

packstone, bioclastic, peloidal, lithology, A:148–149

packstone, dolomitic, lithology, A:144–146

packstone, foraminifer
 lithologic units, A:148–149, 207
 photograph, A:212

packstone, foraminifer, lithified, lithologic units, A:259

packstone, mollusk, lithology, A:148

packstone, turbiditic, lithologic units, A:688, 691–692

paleobathymetry, Site 814, A:213

paleoceanography
 carbonate platforms, B:768–769
 correlation with lithologic events, B:496
 deposition, A:168–171
 intermediate water, B:204–205
 mineral magnetic variations, B:740
 Miocene, B:489–498
 Neogene, B:255–261, 263–280
 Pleiocene, B:532–533
 Quaternary, B:129–161, 175–188, 189–202, 756–759

paleocirculation
 deep water, B:204
See also oceanic circulation

paleoclimatology
 Cenozoic, A:25; B:468–470
 Eocene–Miocene, B:291–300
 Holocene, B:305–308
 Pleistocene, B:163–173
 pollen indicators, B:120
 Quaternary, B:129–161, 189–202, 371, 759
 sequence stratigraphy, B:362–363
See also climatic overprints

paleodepth
 Neogene, A:170–171, 383
 pelagic deposition, A:183, 185
 Quaternary, B:157, 160–161

paleoecology
 algae, B:67–74
 calcareous nannofossils, B:15–16
 carbonate platforms, A:779
 dinoflagellates, B:93–94, 101
 foraminifers, B:47, 51–66
 periplatform environment, B:29–30, 32
 Pleistocene, B:450
See also environment; paleoenvironment

paleoenvironment
 cement stratigraphy, B:507–508
 Eocene–Miocene, B:297–300
 fossils, A:210
 Miocene, B:455–460
 Pleistocene, B:303–313, 450
 pollen analysis, B:109–112
 pollen indicators, B:120
 Quaternary, B:129–161, 216–218, 371, 723–747
 shallow water, B:358–359
See also environment; paleoecology

Paleogene
 biostratigraphy, B:51–66, 779–785
 sediments, A:118

paleomagnetism
 carbonate rocks, B:749–753
 environmental control, B:543–562
 sediments, B:563–571, 573–614
 Site 811, A:99–100
 Site 812, A:153–154
 Site 813, A:187–188
 Site 814, A:213–215
 Site 815, A:264
 Site 816, A:313–314
 Site 817, A:368
 Site 818, A:428–429
 Site 819, A:465–466
 Site 820, A:519–520
 Site 821, A:580–581
 Site 822, A:629–631
 Site 823, A:705–707
 Site 824, A:781
 Site 825, A:101
See also chrons and subchrons; coercivity; magnetostratigraphy; magnetozones; remanent magnetization; rock magnetism

paleotemperature
 foraminifers, B:269, 271–273
 Pleistocene, B:166–170
 Quaternary, B:175–180
 Tertiary, B:285
 vs. depth, B:179
See also paleoclimatology

palygorskite, siliciclastics, B:462–470

palynomorphs
 Neogene, B:115–125
 Quaternary, B:107–114
See also dinoflagellates; pollen

Pandora Reef, schematic section, A:23

Pandora Trough, schematic section, A:19

- Papua New Guinea, compressional tectonics, A:703
- parasequences, sequence stratigraphy, B:359–360
- particle size
carbonates, B:318–324
coarsening and fining cycles, B:190–191
vs. carbonate content, B:206–207
vs. depth, B:150–153, 305, 321
- Pasca Reef, schematic section, A:23
- pelagic environment, deposition, A:357, 359
- periplatform environment
carbonate sediments, B:29–30, 32, 573–614
sedimentation, A:357, 359; B:235–254
sediment sources, B:706–711
- pH
interstitial waters, A:101, 104, 105, 107, 155–156, 189–190, 216, 316, 318–319, 371, 431–432
vs. depth, A:103, 318
- phosphate
hardgrounds, A:144, 147; B:525–534
interstitial waters, A:101, 104, 155–156, 190, 369–370, 431–432, 468, 522–524, 633–634, 708–709
lithologic units, B:393
sediments, A:361, 584
vs. depth, A:525
- phosphatization
hardgrounds, A:170; B:532–533
lithologic units, A:182
- photic zones, evolution, B:247–248
- physical properties
Site 811, A:108–109, 117, 118, 120–125
Site 812, A:157–158
Site 813, A:193–195
Site 814, A:219–222
Site 815, A:269, 271–272
Site 816, A:318–321, 328–329
Site 817, A:371–373
Site 818, A:433–440
Site 819, A:469–473
Site 820, A:527, 531
Site 821, A:587–588
Site 822, A:641–642
Site 823, A:715, 717
Site 824, A:785
Site 825, A:109, 126–127
slope sediments, B:625–632
vs. depth, A:121, 127, 224, 660, 732, 794
- physiography
offshore, A:5–9
reefs, A:17
- plate motion
Cenozoic, B:764–765
reefs, A:25
- plate tectonics
Cenozoic latitudinal movements, A:27
regional history, B:85
- platform-edge environment, foraminifers, B:371–374
- platform carbonates
algae, B:71
sedimentation, B:47
- Pleistocene
biostratigraphic intercalibration, B:697–704
biostratigraphy, A:151–153, 261–264, 311–312, 464–465, 516, 518–519, 627–629
calcareous nannofossils, A:95–96, 98
clay mineralogy, B:467
continental margin, B:755–762
facies, A:59–60, 84–86; B:274–275
foraminifers, A:96; B:365–378
lithofacies, B:327–351
lithologic units, A:181, 206–207, 254–256, 305–307, 351, 423–427, 460–462, 512–516, 574–578, 621–627, 686, 688, 776, 808
paleoenvironment, B:163–173
sea-level changes, B:303–313
sedimentation, A:292–293, 385–386; B:399, 402
sediments, A:144; B:627
seismic geometry, B:315–325
sequence stratigraphy, B:353–364
tunicate spicules, B:447–453
- Pliocene
biostratigraphic intercalibration, B:697–704
biostratigraphy, A:151–153, 261–264, 311–312, 627–629; B:39–49
calcareous nannofossils, A:95–96
clay mineralogy, B:467
continental margin, B:755–762
facies, A:59–60, 86–88; B:273–274
lithologic units, A:181–182, 206–207, 256–259, 305–307, 351, 423–427, 623–627, 694, 696, 776–777, 808
paleobathymetry, B:85
sedimentation, A:292–293
sediments, A:144; B:627
tunicate spicules, B:447–453
- Pliocene, lower
algae, B:71
dinoflagellates, B:97–105
sedimentation, A:385
slumping and debris flows, B:397, 399
- Pliocene, upper
carbonate banks, B:235–254
dinoflagellates, B:97–105
lithologic units, A:688, 691–692
phosphatic hardgrounds, B:525–534
sedimentation, A:385–386
shelf rejuvenation, B:399
- Pliocene/Pleistocene boundary
biostratigraphy, B:698
sedimentation, A:170–171
- Poaceae
pollen, B:116
Site 820, B:109
Sites 815 and 823, B:116
- Podocarpaceae
pollen, B:109, 111
Site 820, B:109, 111
- pollen
Neogene, B:115–125
Quaternary, B:107–114
pollen diagrams, ratios, B:110
pore morphology
well logs, B:663–665
See also porosity; void ratio
pore water. *See* interstitial waters
Porites, limestone, A:309
- porosity
correlation with carbonate content, B:619–621
correlation with grain size, B:619–621
correlation with magnetic susceptibility, B:619–621
downhole logs, B:661–686
pore morphology, B:661–686
sediments, A:109, 157–158, 160, 163–164, 194, 196, 220–221, 224, 228–229, 271, 277–278, 288, 320, 372, 397, 437–438, 471–473, 527, 588
variations, B:617–623
vs. Archie exponent, B:663–664
vs. bulk density, A:125
vs. carbonate content, A:598
vs. density, A:598; B:654
vs. depth, A:228, 327, 386, 439, 486, 489–491, 535, 538, 541, 599, 605, 660; B:618–619, 628
vs. formation factor, B:662
vs. velocity, B:657–658
See also pore morphology; void ratio
- porosity, fractional, vs. depth, A:593
- porosity, moldic
aragonite, B:293
limestone, A:148–149
lithoclasts, A:89
sediments, A:361, 386
- porosity, vuggy, sediments, A:386
- porosity–depth curves, trends of, A:527, 542–544
- porosity logs, primary, seismic stratigraphic tool string, A:232, 286, 333, 396, 495, 662
- porosity-sensitive logs
comparison for quality evaluation, A:664
seismic stratigraphic tool string, A:737–738
Site 820, A:554
- porphyritic texture, igneous rocks, B:537–538
- potassium
concentration adjusted for surface-water salinity, A:524
geochemical logs, B:798
interstitial waters, A:265–267, 467–468, 520–521, 581–582, 632, 707–708; B:713
vs. depth, A:523, 633, 641, 711, 783
- potassium logs
Site 814, A:234
Site 821, A:603
- precession index, time series analyses, B:200
- precipitation
sparry calcite, B:531–533
See also deposition; sedimentation
- preservation, nannofossils, B:29, 32
- preservation, metastable, calcium carbonate, B:205
- “primitive” angiosperms, pollen, B:123
- productivity, foraminifers, B:183, 185
- progradation
cycles, A:482–483
lithofacies, B:337–342
Miocene, B:393–394
seismic geometry, B:315–325
stratigraphic sequences, B:355
- propane, headspace analyses, A:469, 525, 586, 639, 711
- Proteaceae, Site 823, B:116
- provenance, sediments, B:403
- pteridophytes
Site 820, B:110
- spores, B:110
- pteropods
percentage of whole shells, B:207, 211–212
vs. age, B:213
- pyrite, limestone, A:313
- Pyuridae, Great Barrier Reef, B:447–453
- Q* ratio. *See* Koenigsberger ratio
- quartz
Cenozoic, B:401
lithologic units, B:391, 393
sediments, A:379, 477, 526, 583, 635
vs. depth, A:319, 626–627, 636
- Quaternary
dinoflagellates, B:93–95, 97–105
foraminifers, B:181–188
paleoenvironment, B:723–747
sea-level changes, B:189–202, 203–233
sediments, B:795–817
vegetation, B:107–114
- Quaternary, upper
paleoenvironment, B:129–161
paleotemperature, B:175–180

Queensland

SUBJECT INDEX

- Queensland
 coastal regions, A:5–30
 continental margin stratigraphy, A:482
- Queensland NE
 dolomitization, B:513–523
 Neogene pollen, B:115–125
 Quaternary vegetation, B:107–114
- Queensland Plateau
 biostratigraphy, B:3–18, 51–66
 carbonate banks, B:235–254
 chronostratigraphy, B:281–289
 coralline algae, B:67–74
 evolution, A:22, 383, 385–386; B:764
 geochemistry, B:706–711
 idealized cross section, A:360, 622
 lithofacies, B:535–540
 lithostratigraphy, A:13
 location map, B:52
 magnetostratigraphy, B:573–614
 paleoceanography, B:489–498
 paleodepth, B:157
 phosphatic hardgrounds, B:525–534
 pre-Pliocene geological evolution, B:238
 seismic sections, A:24
 site description, A:135–176
 spicules, B:447–453
 subsidence, A:11
- Queensland Trough
 age–mean depth summary, B:22
 bathymetric cross section, B:79
 biostratigraphy, B:19–37
 carbonate platforms, A:732–734
 correlation of datum levels, B:789
 geophysical data, A:9–16
 lithostratigraphic summary, A:62
 paleomagnetism, B:563–571
 sedimentation, A:703
 site description, A:679–677
 transect, A:14; B:21, 765
 transect stratigraphy, B:70
 turbidites, B:379–445
- radioactivity, geochemical logs, B:798
 radiocarbon. *See* carbon-14
 rain forests, pollen indicators, B:109, 116, 120–121
 rebound, core expansion, B:638–639
 rebound coefficient, consolidation, B:619
 recrystallization
 aragonite to calcite, B:478–479
 carbonate sediments, B:482–487, 519
 cementation, B:295–296
 interstitial waters, B:711–712
 porosity, B:671
 theoretical rate vs. depth, B:487
- red-algal *Amphistegina* facies, assemblages, B:58, 60
 redeposition, vs. thickness of total sediments, A:692
 redox gradients, phosphatic cements, B:532
 reduction. *See* sulfate reduction
 reef environment, foraminifers, B:371
 reefs
 aggradation, B:333–340
 carbonate platforms, A:779
 deposition, A:136–138
 evolution, A:16–22; B:362–363, 365–378, 759–770
 facies, A:149–151
 growth, A:310; B:199, 263–280
 Great Barrier Reef, B:221–222
 Neogene, A:391
 oscillations, B:746
 paleoecology, B:59–60
- Pleistocene initiation, B:447–453
 sedimentation, B:51–66
See also barrier reefs; buried reefs
- regolith
 iron matrix, B:536
 lithologic units, A:779
- regressions
 Holocene, B:308–309
See also changes of level; sea-level changes; transgressions
- remanent magnetization
 decrease with depth, B:583–584
See also magnetization
- remanent magnetization, anhysteritic
 acquisition, B:584–585
 carbonate rocks, B:750
 sediments, B:131, 148, 551–552, 567–568, 576–577
 vs. depth, B:555
- remanent magnetization, chemical, magnetic polarity, B:723–725
- remanent magnetization, isothermal, sediments, B:131, 147, 553–554
- remanent magnetization, isothermal, saturated, correlation, B:731
- remanent magnetization, natural
 carbonate rocks, B:749–750
 core contamination, A:99
 sediments, B:545–547, 564–565, 725–727
 vs. depth, A:521–522
- remanent magnetization, viscous
 magnetic polarity, B:723–725
 sediments, B:545–547, 564, 570
- resistivity
 relation to porosity, B:661–662
 vs. traveltime, A:335
See also electrical resistivity formation factor
- resistivity logs
 automatic modeling, B:687–694
 comparison with raw sonic logs, A:334
 core scanning, B:853–854
 corrective modeling, B:689–690
 cyclicity, A:290–291
 downhole measurements, B:661–686
 effect of thin layers, B:688
 plotted as ratio to velocity logs, A:606
 seismic stratigraphic tool string, A:604
 Site 812, A:160–164, 167
 Site 814, A:222–225, 227, 232–233
 Site 816, A:321–322
 Site 817, A:373, 399
 Site 819, A:474–476
 Site 820, A:533, 535–536, 551, 555
 Site 821, A:589, 603
 Site 823, A:723–724
 Site 824, A:785–786
 Site 825, A:111–112, 129
 vs. depth, A:236, 499, 742–743, 795
 vs. velocity, A:667
 zoning, A:275–277, 279, 373, 375
- resistivity–sonic–natural gamma ray logs
 Site 812, A:173–174
 Site 814, A:239–240
 Site 815, A:298–299
 Site 816, A:340–341
 Site 817, A:402–406
 Site 819, A:503–505
 Site 820, A:559–561
 Site 821, A:609–611
 Site 822, A:672–673
 Site 823, A:751–756
 Site 824, A:801–803
 Site 825, A:133–134
- Restionaceae
 pollen, B:116
 Sites 815 and 823, B:126
- reticulofenestrids
 Sites 815 and 817, B:255–261
 size/frequency distribution, B:255–261
- reworking
 algae, B:71
 carbonate sediments, A:185
 foraminifers, A:353
 sequence stratigraphy, B:360
- Rhizophoraceae
 pollen, B:109, 111
 Site 820, B:109, 111–112
- rhodoliths
 development model, B:457
 lithologic units, A:307, 779, 808
 Miocene, B:455–460, 500
 redeposition, B:71
- rhythmic couplets, lithologic units, A:460, 464–465
- rifting, Cretaceous, A:25
- Rock-Eval pyrolysis, headspace samples, A:274
- rock magnetism
 carbonate rocks, B:749–753
 sediments, B:575–576
 spectral analysis, B:573–574
See also magnetization; paleomagnetism; remanent magnetization
- Rotaliidae, Site 821, B:367
- rubidium, interstitial waters, A:265–267
- rudstone
 facies, A:91
 lithologic units, A:183, 357, 574, 692, 688, 698, 776–779
 Miocene, B:500
 photograph, A:579
- rudstone, bioclastic
 Eocene–Miocene, B:293–294, 297–298
 lithologic units, A:93–94, 307–309
 rhodoliths, B:455–460
- rudstone, coralline, algal, lithology, A:148–149
- rudstone, foraminifer, dolomitized, lithologic units, A:260
- rudstone, foraminifer, micritic, lithologic units, A:700
- rudstone, lithoclastic, lithologic units, A:208, 695
- rudstone, rhodolith-bearing
 lithology, A:146–149
 photograph, A:310
- S/I index. *See* smectite/illite ratio
- salinity
 interstitial waters, A:105, 107, 190, 266–267, 370, 468, 584
 vs. chloride, A:524, 634
 vs. depth, A:634
- sand, bioclastic
 lithologic units, A:576
 redeposition, A:361–362
- sand, calcareous, lithologic units, A:208
- sand, siliciclastic, lithologic units, A:688
- sand, terrigenous, lithologic units, A:623
- sandstone, lithologic units, B:385, 393
- Saumarez Reef, schematic cross section, A:23
- scanning electron microscopy data, magnetic grains, B:574–575
- schist, quartz–muscovite–feldspar, facies, B:537
- scleractinian–coralline microfacies, Eocene–Miocene, B:293–294, 297–298
- sclerophyll vegetation, pollen indicators, B:109, 112–113, 116, 118–119
- SCW. *See* Subtropical Central Water
- seafloor spreading, regional history, B:85
- seafloor temperature, mechanism for change,

- B:275–276
 sea-level changes
 biohorizons, B:15–16
 carbonate platforms, A:27–28
 Cenozoic, B:404–405, 468–470, 497
 controls on sedimentation, A:116–117, 703, 735
 cyclicity, A:516
 dinoflagellate indicators, B:101
 Eocene–Miocene, B:299–300
 event stratigraphy, B:756–759
 foraminiferal indicators, B:185–186
 highstands, A:626
 Holocene, B:324–325
 Miocene, B:509
 Neogene, A:261
 oscillations, B:745–746
 Pleistocene, B:163–173, 303–313
 Pliocene, B:235–254
 Quaternary, B:93–94, 189–233
 sedimentary response, B:765–767
 seismic reflectors, B:334–340
 sequence stratigraphy, B:359–360
 Tertiary, B:287–288
 vegetation indicators, B:107–114
See also changes of level; cyclic oscillations; eustatism; regressions; transgressions
- seawater
 carbonate content, B:204
 carbon isotopes, B:220
 strontium geochemistry, B:476–477
- sedimentary basins, regional setting, A:7
- sedimentary cycles
 couplets, B:194–196
 Pleistocene, A:462
 Quaternary, B:189–202
 variations, A:516
- sedimentary structures
 core scanning, B:853–854
 lithologic units, B:389
 slumping, A:702–703
 turbidites, B:408–445
See also bioturbation; burrows; *Chondrites*; cross laminations; debris flows; graded bedding; gravity-flow deposits; laminations; microfaults; slumping; trace fossils; *Zoophycos*
- sedimentation
 controls, A:483, 485
 detrital sources, B:466–467
 environment, B:297–300
 history, A:168–172, 292–293
 Neogene, A:383, 385–386, 651, 653
 neritic environment, A:208–210
 outer shelf–upper slope sequence, B:303–313
 periodicity, B:190–194
 Pleistocene–Miocene, A:734–735
 reefs, A:779; B:51–66
 shallow-water environment, A:789
 Site 820, B:315–325
 Site 823, A:702–703
 sparry calcite, B:531–533
See also deposition; precipitation
- sedimentation, cyclic
 eustatism, B:765–767
 lithology, A:625
 prograding geometry, A:578
- sedimentation, hemipelagic
 initiation timing of, B:44
 Neogene, A:292
- sedimentation, neritic, Neogene, A:292
- sedimentation, pelagic, Miocene–Pliocene, A:116
- sedimentation, periplatform
 Miocene, A:116
- Neogene, A:168–171
 Pliocene–Pleistocene, A:115–116
- sedimentation, variable, Pleistocene, B:399, 402
- sedimentation rates
 accumulation, A:188
 age vs. depth, A:101, 215
 biohorizons, A:781
 cycles, B:621–622
 Holocene, B:311
 indicators, A:636
 logs, B:324–325
 mud, B:397
 Neogene, A:154
 neritic environment, A:260–261
 Pliocene, B:242
 porosity, B:617–623
 related to biochronology, A:631
 sequence stratigraphy, B:359–360
 Site 815, A:264–265
 Site 816, A:314–316
 Site 817, A:368–369
 Site 818, A:429
 Site 819, A:466
 Site 823, A:707
 Sites 819 and 821, B:191
 slumping, A:700, 702
 upper slope, B:341–343
 vs. age, B:622
 vs. depth, A:370; B:487
- sediment starvation, condensed sections, B:361
- sediments, bioclastic, lithologic units, A:574–576
- sediments, dolomitized, lithologic units, A:183
- sediments, hemipelagic, lithologic units, A:686
- sediments, marine, pollen composition, B:116
- sediments, pelagic
 lithologic units, A:694, 696
 carbonate content, B:204
 Cenozoic, B:795–817
 consolidation, B:625–632
 foraminiferal composition, B:183–186
 Neogene, A:114–119
 offbank transport, B:221–222
 oxygen isotopes, B:481–487
 paleoenvironment, B:723–747
 redeposition, A:776
 upper slope, B:543–562
- seismic data
 1970–1978, A:9
 1985 and 1987, A:12
 distribution, A:10
 track chart, A:82
- seismic geometry
 lithofacies, B:327–351
 Pleistocene, B:315–325
- seismic profiles
 basin-to-platform change, A:257
 BMR multifold water-gun, A:670
 comparison, A:144–145, 253–254, 307, 356, 424–425, 460–461, 749, 777
 correlation with lithologic units, A:293, 295, 338, 501; B:500–502
 outer slope/upper shelf, B:317
 reflection, B:356–357
 reflectors from carbonate-rich sediments, B:649–659
 seismic lines, A:11, 78, 143, 448–449; B:287
 Site 820, B:165
 Site 822, A:621
 Site 823, A:687
 tectonic tilting, B:394–396
- seismic profiles, vertical, spacing, A:536–537
- seismic profiles, water-gun, comparison, A:182, 209
- seismic sections
- buried reefs, A:20
 carbonate platforms, A:24, 246
 correlation, A:201, 401
 correlation of synthetic seismograms with seismic reflectors, B:331
 correlation with coring, B:330
 correlation with drilling results, A:671, 750, 808
 correlation with lithostratigraphic units, A:238, 339, 362, 800
 correlation with nannofossil biostratigraphic datums, B:332
 reflectors, A:131–132
 Site 811, A:86
 Site 812, A:171–171
 Site 815, A:248
 Site 817, A:348
 Site 819, A:455
 Site 824, A:799
 summary characteristics, B:333
 temporal subdivision, B:199
- seismic stratigraphy
 correlation with lithostratigraphy, A:325, 731–732, 809–810
 seismic reflection, B:331–342
 Site 811, A:111, 114
 Site 812, A:165–168
 Site 813, A:195–196
 Site 814, A:226–228
 Site 815, A:284–292
 Site 816, A:324–325
 Site 817, A:380, 382–383
 Site 818, A:441
 Site 819, A:479–481
 Site 821, A:592
 Site 822, A:649–651
 Site 823, A:725, 729–732
 Site 824, A:788–789
 Site 826, A:809–810
- seismic surveys
 Australia NE, B:821–824, 826–828, 846–850
 multichannel data, A:421
 site location tracks, A:252, 306, 355
 track chart, A:83–86, 138–139, 179–180, 205–206, 248, 251, 305, 347, 354, 422–423, 458–459
- sequence stratigraphy
 Site 819, B:192
 Site 821, B:193
 Site 823, B:404–405
- sequence stratigraphy, high-resolution, Pleistocene, B:353–364
- serpulids
 ghost structure, B:793
 Miocene, B:456
- SFL. *See* spherically focused logs
- shallow-water environment, subaerial exposure, B:509
- shear strength
 sediments, A:109, 158, 163, 194–196, 200, 221, 224–225, 231, 272, 277, 321, 372, 438, 473, 531, 588
 vs. depth, A:327, 386, 439, 489, 541, 597, 660, 734
- shear strength, vane
 Site 811, A:122
 Site 812, A:165
 Site 815, A:285
 Site 816, A:332
 Site 817, A:393
 Site 818, A:447
 Site 819, A:494
 Site 822, A:658
 Site 823, A:717

shear strength (cont.)

SUBJECT INDEX

- Site 824, A:792
 Site 825, A:126
 vs. depth, A:548, 602
- shelf environment
 Holocene, B:303–313
 sedimentation, B:315–325
See also outer shelf
- shorelines
 cyclical changes, B:94
See also changes of level; eustatism; regressions; sea-level changes; transgressions
- silica
 interstitial waters, A:155–156, 216, 316, 318–319, 432, 524, 634, 709, 783
 vs. depth, A:318, 526, 635, 784
- siliciclastics
 Neogene, A:651, 653
 paleoenvironment, B:189–202
 vs. depth, B:358
- silicon, vs. depth, A:104
- silt, lithologic units, A:574
- silt, terrigenous, lithologic units, A:623
- siphoninids
 Pleistocene, B:371–374
 Site 821, B:371–374
- SIRM. *See* remanent magnetization, isothermal, saturation
- Site 209
 paleoceanography, B:263–280
 stratigraphy and facies, A:77
 tunicate spicules, B:450
- Site 210, biostratigraphy, B:779–785
- Site 588, clay mineralogy, B:467–470
- Site 593, water masses, B:186
- Site 607
 comparison with Site 820, B:171
 sea-level changes, B:217
- Site 631, geochemistry, B:716
- Site 677, comparison with Site 820, B:171
- Site 716, geochemistry, B:716
- Site 811, A:73–134
 biostratigraphic intercalibration, B:697–698
 biostratigraphy, A:95–98; B:20–21, 23
 carbonate sedimentation, B:241–242
 coring summary, A:80
 inorganic geochemistry, A:101–104
 lithostratigraphy, A:84–91
 operations, A:76–79
 organic geochemistry, A:105, 107
 paleoceanography, B:263–280
 paleomagnetism, A:99–100
 physical properties, A:108–109
 position map, A:76
 principal data, A:59–63
 scientific objectives, A:75–76
 sedimentation rates, A:101
 seismic stratigraphy, A:111, 114
 site description, A:73–134
See also Sites 811/825; Site 825
- Sites 811/825
 algae, B:67–74
 biostratigraphy, B:52–58, 281–282
 lithofacies, B:535–540
 paleobathymetry, B:77–78, 80
 paleoclimatology, B:291–300
 strontium-isotope ages, B:490–493
See also Site 811; Site 825
- Site 812, A:135–176
 algae, B:67–74
 biostratigraphic intercalibration, B:698
 biostratigraphy, A:151–153; B:5–6, 55, 282
 carbonate sedimentation, B:241
 coring summary, A:141
 inorganic geochemistry, A:154–155
- interstitial waters, B:474
- lithostratigraphy, A:143–151
- magnetostratigraphy, B:573–614
- organic geochemistry, A:155–157
- paleobathymetry, B:78, 81
- paleomagnetism, A:153–154; B:580–581
- phosphatic hardgrounds, B:525–534
- physical properties, A:157–158
- principal data, A:63–64
- seismic stratigraphy, A:165–168
- site description, A:135–176
- site geophysics, A:141–143
- strontium-isotope ages, B:493–494
- well logs, A:158–165
- Site 813, A:177–201
 algae, B:67–74
 biostratigraphic intercalibration, B:698
 biostratigraphy, A:185–187; B:5–7, 55, 282–283
 carbonate sedimentation, B:241
 coring summary, A:181
 inorganic geochemistry, A:188, 190–191
 interstitial waters, B:477
 lithostratigraphy, A:180–185
 magnetostratigraphy, B:573–614
 organic geochemistry, A:191, 193
 paleobathymetry, B:78–79, 82
 paleomagnetism, A:187–188; B:581
 phosphatic hardgrounds, B:525–534
 physical properties, A:193–195
 principal data, A:64
 seismic stratigraphy, A:195–196
 site description, A:177–201
 site geophysics, A:178–180
- Site 814, A:203–242
 algae, B:67–74
 biostratigraphic intercalibration, B:698–699
 biostratigraphy, A:210–213; B:6–8, 55, 57, 283
 carbonate sedimentation, B:241
 coring summary, A:208
 downhole measurements, A:222–226
 inorganic geochemistry, A:215–218
 interstitial waters, B:477
 lithostratigraphy, A:206–210
 magnetostratigraphy, B:573–614
 organic geochemistry, A:218–219
 paleobathymetry, B:79, 83
 paleomagnetism, A:213–215; B:581
 phosphatic hardgrounds, B:525–534
 physical properties, A:219–222
 principal data, A:64
 seismic stratigraphy, A:226–228
 site description, A:203–242
 site geophysics, A:204–206
- Site 815, A:243–299
 bathymetry, B:98
 biostratigraphic intercalibration, B:699
 biostratigraphy, A:261–264; B:7–13, 39–42, 97–105
 coring summary, A:250
 downhole measurements, A:272–284
 inorganic geochemistry, Site 815, A:265–268
 interstitial waters, B:477
 lithostratigraphy, A:253–261
 Neogene palynomorphs, B:115–125
 organic geochemistry, A:268–269
 paleobathymetry, B:79, 84
 paleomagnetism, A:264
 pre-drilling prognosis, A:249
 principal data, A:64–65
 seismic stratigraphy, A:284–292
 site description, A:243–299
 site geophysics, A:249–253
- slope sediments, B:625–632
- Site 816, A:301–343
 biostratigraphic intercalibration, B:699–700
 biostratigraphy, A:311–313; B:8–9, 14, 40–41, 43–45
 coring summary, A:304
 downhole measurements, A:321–324
 inorganic geochemistry, A:316–317
 lithostratigraphy, A:305–311
 Miocene, B:503–504
 organic geochemistry, A:317–318
 paleobathymetry, B:79, 87
 paleoenvironment, B:455–460
 paleomagnetism, A:313–314
 physical properties, A:318–321
 pre-drilling prognosis, A:303
 principal data, A:65
 sedimentation rates, A:314–316
 seismic stratigraphy, A:324–325
 site description, A:301–343
 site geophysics, A:303–305
 strontium-isotope ages, B:494
- Site 817, A:345–416
 algae, B:67–74
 biostratigraphic intercalibration, B:700
 biostratigraphy, A:364–368; B:9, 14–15, 57
 carbonate sedimentation, B:242
 chert, B:791–794
 coring summary, A:352–353
 downhole measurements, A:373, 375, 377–379
 inorganic geochemistry, A:369–370
 interstitial waters, B:478, 481–487
 lithostratigraphy, A:351–364
 organic geochemistry, A:371
 paleobathymetry, B:81, 88
 paleoceanography, B:263–280
 paleomagnetism, A:368
 physical properties, A:371–373
 pre-drilling prognosis, A:349
 principal data, A:65–66
 sea-level changes, B:203–233
 sedimentation rates, A:368–369
 seismic stratigraphy, A:380, 382–383
 site description, A:345–416
 site geophysics, A:350–351
 slope sediments, B:625–632
 strontium-isotope ages, B:494–495
- Site 818, A:417–449
 biostratigraphic intercalibration, B:700
 biostratigraphy, A:427–428; B:14–16
 carbonate sedimentation, B:241
 coring summary, A:420
 distribution of site survey data, A:419
 inorganic geochemistry, A:429–433
 interstitial waters, B:478
 lithostratigraphy, A:422–427
 magnetostratigraphy, B:573–614
 organic geochemistry, A:433
 paleobathymetry, B:81–82, 89
 paleomagnetism, A:428–429; B:581
 physical properties, A:433–440
 pre-drilling prognosis, A:419
 sea-level changes, B:203–233
 sedimentation rates, A:429
 seismic stratigraphy, A:441
 site description, A:417–449
 site geophysics, A:419–422
- Site 819, A:451–507
 biostratigraphy, A:464–465; B:21–22, 24
 coring summary, A:457
 dolomite, B:523
 downhole measurements, A:473–479
 foraminifers, B:181–188

- inorganic geochemistry, A:466–469
lithofacies, B:327–351
lithostratigraphy, A:459–463
magnetic polarity, B:727
organic geochemistry, A:469
paleoceanography, B:189–202
paleoenvironment, B:129–161
paleomagnetism, A:465–466
physical properties, A:469–473
porosity, B:617–623
pre-drilling prognosis, A:456
sedimentation rates, A:466
seismic stratigraphy, A:479–481
sequence stratigraphy, B:353–364
site description, A:451–507
site geophysics, A:456–459
track chart, A:454
- Site 820, A:509–567
bathymetry, B:94
biostratigraphy, A:516, 518–519; B:22, 24
carbonate data, A:528–530
check-shot survey, A:558
coring summary, A:512
dolomite, B:523
downhole measurements, A:531–533, 535–537, 539–541
hole deviation and azimuth, A:558
index properties, A:538
inorganic geochemistry, A:520–525
interstitial water data, A:523
lithofacies, B:327–351
lithologic unit summary chart, A:517
lithostratigraphy, A:512–516
magnetic polarity, B:726–727
magnetic properties, B:543–562
organic geochemistry, A:525–527
paleoceanography, B:189–202
paleomagnetism, A:519–520
physical properties, A:527, 531
Pleistocene, B:163–173
pollen site map, B:108
porosity, B:617–623
pre-drilling prognosis, A:511
Quaternary dinoflagellates, B:93–95
sedimentation, B:303–313, 315–325
site description, A:509–567
site geophysics, A:511–512
site location tracks, A:514
track chart, A:513
upper slope, B:758–759
vegetation, B:107–114
water-gun seismic profiles, A:515
X-ray-diffraction data, A:526
- Site 821, A:569–614
background and scientific objectives, A:570–571
biostratigraphy, A:578–580; B:22–25
coring summary, A:572
dolomite, B:523
downhole measurements, A:588–592
foraminifers, B:181–188, 365–378
hole deviation and azimuth, A:608
inorganic geochemistry, A:581–585
lithofacies, B:327–351
lithostratigraphy, A:573–578
magnetic polarity, B:726–727
operations, A:571–572
organic geochemistry, A:585–587
paleoceanography, B:189–202
paleomagnetism, A:580–581
physical properties, A:587–588
porosity, B:617–623
pre-drilling prognosis, A:571
seismic data, A:502
- seismic stratigraphy, A:592
sequence stratigraphy, B:353–364
site description, A:569–614
site geophysics, A:572–573
site location tracks, A:574
summary chart of lithologic units, A:577
summary of planktonic microfossil data, A:579
track chart, A:573
water-gun seismic profiles, A:575
- Site 822, A:615–677
background and scientific objectives, A:616, 681–682
biostratigraphic overview, A:629
biostratigraphy, A:627–629; B:24–27
coring summary, A:618
dolomite, B:522
downhole measurements, A:642–649
generalized stratigraphic column, A:624
graphic pre-cruise prognosis, A:682
inorganic geochemistry, A:632–639
lithostratigraphy, A:619–627
lower slope, B:757–758
magnetic polarity, B:727
operations, A:616–617, 682–683
organic geochemistry, A:639–641
paleobathymetry, B:82, 90
paleoceanography, B:175–180
paleomagnetism, A:629–631
physical properties, A:641–642
pre-drilling prognosis, A:617
schematic section, A:681
seismic stratigraphy, A:649–651
site description, A:615–677
site geophysics, A:683, 685
site location tracks, A:620
track chart, A:619
water-gun seismic profiles, A:621
- Site 823, A:679–786
algae, B:67–74
basins, B:756–757
bathymetry, B:98
biostratigraphic intercalibration, B:700–701
biostratigraphy, A:703–705; B:25, 27–28, 57, 97–105
carbonate data, A:712–713
clay mineralogy, B:461–470
compressional wave velocity, A:730
concentrations of carbon, nitrogen, and sulfur, A:724–725
coring summary, A:684
downhole measurements, A:719–725
hole deviation, A:748
index properties, A:726–729
inorganic geochemistry, A:707–710
interstitial waters, A:709; B:478
lithologic units, chart, A:689–690
lithostratigraphy, A:685–703
magnetic polarity, B:727, 729
Neogene palynomorphs, B:115–125
paleobathymetry, B:82, 84, 91
paleomagnetism, A:705–707; B:563–571
physical properties, A:715, 717
preliminary nannofossil and foraminifer biostratigraphy, A:704
sedimentary structures, B:408–445
sedimentation rates, A:707
seismic profiles, A:687
seismic stratigraphy, A:725, 729–732
site description, A:679–768
site location tracks, A:687
strontium-isotope ages, B:495–496
turbidites, B:379–445
vane shear strength, A:731
- volatile hydrocarbons, A:716
X-ray-diffraction and carbonate data, A:714–715
- Site 824, A:769–803
algae, B:67–74
background and scientific objectives, A:770–772
biostratigraphic overview, A:780
biostratigraphy, A:779–781; B:29–31, 53, 55–56, 58, 282
carbonate data, A:786
coring summary, A:774
downhole measurements, A:785–788
inorganic geochemistry, A:781–784
interstitial waters, A:782; B:478
lithofacies, B:535–540
lithostratigraphic chart, A:778
lithostratigraphy, A:775–779
operations, A:772–773
organic geochemistry, A:784–785
paleoclimatology, B:291–300
paleomagnetism, A:781
physical properties, A:785
pre-drilling prognosis, A:772
seismic stratigraphy, A:788–789
site description, A:769–803
site geophysics, A:773–775
site location tracks, A:776
site survey, A:771
track chart, A:775
- Site 825, A:73–134
coring summary, A:81
downhole measurements, A:110–111
inorganic geochemistry, A:105
lithostratigraphy, A:91–94
location map, A:76
operations, A:79–80
organic geochemistry, A:107–108
paleomagnetism, A:101
physical properties, A:109
principal data, A:59–63
scientific objectives, A:75–76
site description, A:73–134
See also Site 811; Sites 811/825
- Site 826, A:805–810
background and scientific objectives, A:805–806
biostratigraphy, A:809; B:44, 46
BMR seismic line and sections, A:807
correlation chart of seismic sequences, A:808
lithostratigraphic column, A:808
lithostratigraphy, A:808–809
Miocene, B:504
operations, A:806, 808
seismic stratigraphy, A:809–810
site description, A:805–810
site survey, A:806
- site geophysics
Site 811, A:80–84
Site 813, A:178–180
Site 814, A:204–206
Site 815, A:249–253
Site 816, A:303–305
Site 817, A:350–351
Site 818, A:419–422
Site 819, A:456–459
Site 820, A:511–512
Site 821, A:572–573
Site 822, A:617–619
Site 823, A:683, 685
Site 824, A:773–775
- site survey data, Australia NE, B:819–820, 829–835
sliding blocks, Miocene, B:393–394

slope environment

- slope environment
 evolution, B:757–759
 Holocene, B:303–313
 rhythmic bedding, A:462
 sedimentation, B:625–632
See also upper slope
- slump deposits
 lithologic units, A:686
 Miocene–Pleistocene, B:379–445
- slump folds, mud, A:621–622
- slumping
 chalk, A:257
 lithologic units, A:462, 686, 688
 periplatform environment, A:357, 359
- SLW. *See* Subtropical Lower Water
- smectite, siliciclastics, B:462–470
- smectite/illite ratio, vs. depth, B:467
- sodium
 interstitial waters, A:266–267, 708
 vs. depth, A:711, 643
- sodium/chlorine ratio, vs. depth, A:711
- soft sediment deformation, ooze, A:351
- solution features, packstone, A:148
- sonic velocity
 Fourier transforms, B:196, 198–199
 vs. depth, A:597
- soritids
 microbioclastic matrix, B:292–293, 297–298
 Pleistocene, B:371–374
 Site 821, B:292–293, 297–298, 371–374
- sorting index, vs. depth, B:176
- spherically focused logs, resistivity, B:687–694
- spicules
 calcareous sand, A:208
 Miocene, A:354
 tunicates, B:447–453
- Spiroclypeus* facies, assemblages, B:58, 60
- spores
 Neogene, B:120
 new taxa, B:124–125
 photomicrographs, B:125
 pteridophytes, B:110
- Sr-87/Sr-86. *See* strontium isotopes
- stable isotopes
 diagenetic carbonate, B:491
 foraminifers, B:208–209
See also carbon isotopes; oxygen isotopes;
 strontium isotopes
- stratigraphic cycles, Quaternary, B:189–194
- stratigraphy
 Australia NE, B:266–267
 oxygen isotopes, B:165–173
 revised magneto–biostratigraphic chronology,
 B:739–740
 strontium-isotope ages, B:489–498
See also biostratigraphy; lithostratigraphy;
 sequence stratigraphy
- stress, vs. void ratio, B:629
- strontium
 comparison of data from Sites 811 and 825,
 A:108
 equilibrium concentration, A:710
 interstitial waters, A:101, 105, 107, 154–156,
 188–190, 215–216, 221, 265–267, 316,
 318–319, 369, 430–431, 467–468,
 520–521, 581–582, 632, 707–709,
 781–784; B:476, 517, 520, 713, 707–
 711
 vs. aragonite, B:477
 vs. depth, A:103, 318, 372, 474, 523, 582, 633,
 642, 710, 716, 783; B:475
- strontium-isotope dating
 Miocene, B:489–498
 vs. depth, B:493–497

SUBJECT INDEX

- strontium isotopes
 carbonate sediments, B:489–498
 dolomitization, B:769
 interstitial waters, B:473–480
 vs. age, B:478, 717–718
- structural features, regional setting, A:8
- submarine fans, gravity deposits, B:404
- subsidence
 deposition, A:168–171
 history, A:117
 paleobathymetry, B:75–92
 platform drowning, A:311
 reefs, A:25
 Tertiary, A:16
- subsidence, differential, Miocene, B:393–394
- subsidence pulses, sea-level changes, B:767–768
- Subtropical Central Water
 mineral magnetic variations, B:740
 paleoceanography, B:157–161
- subtropical climate, Eocene–Miocene, B:297–300
- Subtropical Lower Water, water masses, B:183,
 185–186, 263–264
- sulfate
 concentration adjusted for surface-water salin-
 ity, A:524
 interstitial waters, A:101, 104, 105, 107, 155–
 156, 189–190, 216, 265–267, 316,
 318–319, 369, 431–432, 468, 522–524,
 633–634, 708–709, 783; B:516–517
 vs. depth, A:103, 318, 475, 525, 634, 640, 711,
 783; B:715
- sulfate ion, vs. depth, A:584
- sulfate reduction
 dissolution, B:729, 731–733
 interstitial waters, B:711–712
 magnetic properties, B:570
 organic materials, A:636, 638
 Sites 819 and 821, B:362
- sulfur
 headspace analyses, A:536, 590
 sediments, A:323, 381, 436, 527, 713, 715
 vs. depth, A:324, 482, 537, 648, 723
- sulfur, organic, vs. depth, A:274
- surface reduction zone, residence time, B:732
- surface-water temperature
 mechanism for change, B:274–275
 Tertiary, B:285
- Swains Reef, schematic section, A:19
- swamps, pollen indicators, B:109
- synthetic seismograms, seismic sections, B:650–
 652, 654
- systems tracts, seismic profiles, B:355, 821
- taphocoenoses, foraminifers, B:365–378
- tectonic controls, sedimentation, B:404–405, 466–
 470
- tectonics
 continental margin, A:12–14
 marginal basins, B:402
 Miocene, B:393–394
- temperature
 downhole measurements, A:164–165
 hole-bottom, A:550
 L-DGO temperature tool, A:647–649
 logging, A:540–541
 sediments, A:372–373, 531
 seismic stratigraphy, A:111
 thermal gradient, A:324
 vs. depth, A:386, 479, 717
 WSTP data, A:586
 WSTP data vs. depth, A:533
- temperature logs
 correlation, A:478–479
 sediments, A:281, 284, 379
- Site 814, A:225–226, 237
 Site 823, A:723, 725
 vs. depth, A:170
 vs. pressure, A:237, 292, 338, 401, 500, 558,
 608, 669, 747
 vs. time, A:395
- Tertiary
 chronostratigraphy, B:281–289
 coralline algae, B:67–74
 correlation, A:14, 15
 East Indian Letter Stage Classification, B:51
 textulariids, biostratigraphy, B:366–371
 textures, particle size, B:131, 142, 146, 153
- thermal conductivity
 Site 817, A:372–373, 394
 Site 820, A:531
 site 822, A:659
 Site 823, A:717, 733
 vs. depth, A:386, 539, 549, 660, 735
- thorium logs
 geochemical logs, B:798
 Site 814, A:234
- tilting, tectonic controls, B:402
- time/depth curves, velocity logs, B:649–650
- Torres Shelf, schematic section, A:19
- Townsville Trough
 bathymetric cross section, B:77
 biostratigraphy, B:3–18
 chert, B:791–794
 continental margin, B:239
 correlation of datum levels, B:790
 evolution, B:764
 idealized cross section, A:360
 interstitial waters, B:481–487
 lithostratigraphic summary, A:61
 schematic cross section, A:23; B:5
 sea-level changes, B:203–233
 seismic grid, A:12
 site description, A:301–343
 slope sediments, B:625–632
 transect, A:14; B:766
 transect stratigraphy, B:69
- trace elements, interstitial waters, A:265
- trace fossils
 chalk, A:702
 packstone, A:149
- transgressions
 Holocene, B:307–310
 oscillations, B:745–746
 sedimentation rates, B:199, 201
 stratigraphic sequences, B:355
See also changes of level; eustatism; regres-
 sions; sea-level changes
- transmission electron microscopy data, magnetic
 grains, B:574
- transport, downslope, tunicate spicules, B:448
- traveltime, vs. depth, A:183, 210, 254, 307, 425,
 462, 516, 576, 621
- traveltime, integrated, vs. depth, A:556
- traveltime, two-way
 comparison of Sites 812 and 811, A:145
 Site 817, A:398
 velocity logs, B:649–654
 vs. depth, A:357, 688, 777
- Tregosse Reef
 phosphatic hardgrounds, B:525
 schematic cross section, A:23
 site description, A:135–176
- tropical climate, Eocene–Miocene, B:297–300
- tropical environment
 neritic sedimentation, B:60
 sedimentation, A:578
- troughs, sedimentation, A:5–9
- tunicates

- Pliocene–Pleistocene, B:447–453
 sequence stratigraphy, B:359
- turbidites
 clay mineralogy, B:465–466
 event stratigraphy, B:759
 lithologic units, A:686, 693, 697–700
 magnetic properties, B:570–571
 Miocene–Pleistocene, B:379–445
- unconformities
 bioclastic sediments, A:626
 carbonate platforms, A:28
 Eocene, B:299
 lithologic units, B:283–284, 286–288
 Miocene, A:310, 353
 Neogene, B:15–16
 Pleistocene, B:353–364
 Quaternary, B:129–161
 sedimentary sequences, A:208–210
 seismic sequences, B:327–351
 seismic stratigraphy, A:314
 soft sediment deformation, A:621
 well logs, A:169
See also hiatuses
- underway geophysics
 Australia NE, B:819–851
See also site geophysics
- upper slope, sedimentation, B:327–351
- uranium logs
 geochemical logs, B:798
 Site 814, A:234
- uvigerinids, Pleistocene, B:371–374
- vegetation
 Neogene, B:115–125
 Quaternary, B:107–114
- velocity
 carbonate-rich sediments, B:633–647
 relation to porosity, B:662–663
- velocity logs
 carbonate-rich sediments, B:639–641, 649–659
 correlation, A:273–275, 321–322, 474–476, 603, 785–786
 cyclicity, A:290–291
 downhole logs, B:661–686
 GRAPE measurement, A:793
 plotted as ratio to resistivity logs, A:606
- power spectra, A:329
 sediments, A:373
 seismic stratigraphic tool string, A:604
 Site 812, A:160–164, 167
 Site 814, A:222–225, 227, 232–233
 Site 817, A:398–399
 Site 820, A:533, 535–536, 551, 555–556
 Site 821, A:589
 Site 823, A:723–724
 Site 825, A:111–112, 129–130
 unconformities, B:286
 vs. depth, A:227, 236, 276, 325, 327, 383, 439, 497, 499, 541, 661, 665, 729–730, 742–743, 795; B:650–651
 vs. integrated two-way traveltime function, A:233, 289, 336, 607, 744, 798
 vs. porosity, B:654–655
 vs. resistivity, A:667
- velocity/resistivity ratio, vs. formation factor, B:670, 675–678
- veneers, hardgrounds, B:531–533
- void ratio
 sediments, A:160
 vs. consolidation stress, B:618
 vs. depth, A:538; B:628
 vs. effective stress, B:629
See also pore morphology; porosity
- wackestone
 deposition, B:305–308
 Eocene–Miocene, B:296–299
 lithologic units, A:512–514, 574, 576
 microbioclastic matrix, B:292–293, 297–298
 stratigraphic sequences, B:355, 358–360
- wackestone, bioclastic
 lithologic units, A:462
 lithology, A:146–149
 logs, B:317–324
- wackestone, biomicritic, B:527
- wackestone, laminated, photograph, A:364
- water content
 sediments, A:160, 194, 196, 471–473
 vs. bulk density, A:661
 vs. depth, A:327, 439, 538–539, 660; B:628
 vs. porosity, A:281, 330
 vs. remanent magnetization, B:583
- water content, dry
 vs. bulk density, A:488
- vs. depth, A:386, 486
 vs. porosity, A:388, 441, 488
- water masses, Quaternary, B:181–188
- weathering, source areas, B:468
- well-logging
 cyclicity, A:280
 downhole measurements, A:128, 158–165
 geophysical tool string, B:319
 lithological and petrophysical interpretation, A:280
 log-based units, A:280–281, 322–324, 375, 377–379, 476–478
 pore morphology, B:661–686
 primary downhole logs, A:796
 relative effect of lithology, porosity, and hole size, A:643–647
 reliability of logs, A:642–643
 replicability of logging passes, A:739
 seismic stratigraphic tool string, A:551
 sequence stratigraphy, B:359
 Site 814, A:222–226
 Site 815, A:272–284
 Site 816, A:321–324
 Site 817, A:373, 375, 377–379
 Site 818, A:441
 Site 819, A:473–479
 Site 820, A:531–533, 535–537, 539–541; B:315–325
 Site 821, A:588–592
 Site 822, A:642–649
 Site 823, A:719–725
 Site 824, A:785–788
- winnowing
 sequence stratigraphy, B:360
See also reworking
- X-ray-diffraction data
 sediments, A:104, 155–159, 190–191, 217–219, 267–269, 316–317, 370, 378, 432–433, 468–469, 477, 524–525, 584–585, 634–635, 709–710, 783
 vs. depth, A:105, 635, 784
- “Zebra Unit,” lithologic units, B:696–697
- zoning
 calcareous nannofossils, B:23
See also zones under Taxonomic Index
- Zoophycos*, chalk, A:702

TAXONOMIC INDEX

- abies*, *Sphenolithus*
Australia NE, B:16
Site 811, A:96; B:20
Site 812, A:151; B:5, 698
Site 813, A:185; B:6, 698
Site 814, B:7
Site 816, B:8
Site 817, A:365; B:700
Site 818, B:14, 702
- Acacia*, Site 823, B:118
- Achomospaera ramulifera*, Site 823, B:101
- Achomospaera* sp., Site 823, B:98
- acostaensis*, *Neogloboquadrina*
Queensland Plateau, B:288
Queensland Trough, B:787
Site 811, A:97
Site 812, B:282
Site 814, A:212
Site 818, A:428
Site 824, A:780
- acostaensis*, *Nephrolepidina*
Site 812, A:151
Site 814, B:283
- Acropora*, Site 816, A:309
- aculeata*, *Bulimina*, Site 823, A:705
- aculeatum*, *Impagidinium*, Site 815, B:103
- adamsi*, *Bolliella*
Site 820, A:519
Site 821, A:580
Site 822, A:628
Site 823, A:705
- adamsi*, *Globigerinella*, Site 811, A:96
- advenum*, *Elphidium*, Site 821, B:372
- Aethesolithon*, Australia NE, B:68
- Aethesolithon thalli*, Site 812, B:74
- alata*, *Dorcadospyris*, Site 817, A:368
- alazanensis*, *Bulimina*, Site 823, A:705
- altispira*, *Gephyrocapsa*, Site 812, A:151
- altispira*, *Globigerinoides*, Site 823, A:705
- altispira*, *Globoquadrina*
Queensland Trough, B:787
Site 811, A:97
Site 812, B:698
Site 813, A:186
Site 814, B:698
Site 815, A:262
Site 817, A:367; B:700
Site 818, A:428; B:702
Site 823, B:701
Site 824, A:780
Site 826, A:809
- Alveolinella*, Queensland Plateau, B:59
- Alveolinella quoyi*, Site 821, B:366–376
- Amaurolithus*, Site 816, A:312
- Amaurolithus amplificus*
Australia NE, B:15, 19
Site 811, A:96; B:21
Site 815, A:262; B:8
Site 817, B:14
Site 823, A:703; B:27
- Amaurolithus delicatus*
Site 815, A:262
Site 817, A:365
- Amaurolithus primus*
Site 817, B:14
Sites 815 and 817, B:261
- Amaurolithus tricomiculatus*
Australia NE, B:4, 16
Site 811, A:96; B:21, 702
- Site 815, A:262; B:699
Site 815, B:8
Site 817, A:365; B:14
Site 823, A:703; B:25, 27, 701
Sites 815 and 817, B:261
- Ammonia beccarii*, Site 821, B:372
- Ammonia* spp., Site 816, A:313
- Amphisorus hemprichii*, Site 821, B:370
- Amphistegina*
Australia NE, B:47
Queensland Plateau, B:60
Sites 811/825, B:77
Site 815, B:47, 79
Site 817, A:367–368
Site 826, A:809
- Amphistegina lessonii*, Site 821, B:370
- Amphistegina lobifera*, Site 821, B:370, 372
- Amphistegina papillosa*, Site 821, B:366–376, 378
- Amphistegina radiata*
Site 815, B:39–40
Site 816, B:43–44
Site 821, B:371
- Amphistegina* spp.
Site 811, A:97
Site 814, A:212
Site 815, A:263
Site 817, A:367
Site 819, A:465
Site 820, A:519
Site 821, A:580
Site 822, A:629
Site 823, A:705
Site 824, A:781
- amplificus*, *Amaurolithus*
Australia NE, B:15, 19
Site 811, A:96; B:21
Site 815, A:262; B:8
Site 817, B:14
Site 823, A:703; B:27
- ampullacea*, *Siphovigerina*, Site 821, B:367, 372
- angulisuturalis*, *Globigerina*, Site 811, A:97
- annulatus*, *Cycloclypeus* (*Katacycloclypeus*), Site 826, B:44
- Anomalina glabrata*, Site 821, B:370, 378
- Anomalinidae*, Site 821, B:366–371
- Anomalinoides globulosus*
Site 811, A:97
Site 811/825, B:77
Site 823, B:82
- Anomalinoides semicribratus*, Site 817, A:367
- Araucaria*, Site 820, B:109
- argoi*, *Blysmatodinium*
Site 815, B:104
Site 823, B:98, 101
- ariminensis*, *Planulina*, Site 812, A:151
- armatus*, *Ceratolithus*
Australia NE, B:16
Site 811, A:96
Site 815, A:262; B:8
Site 823, A:703; B:27
- ?*Arthrocardia*, Site 815, B:500
- asanoi*, *Reticulofenestra*, Site 822, B:36
- assymmetricus*, *Discoaster*, Site 823, B:389
- Asterigerina* spp.
Site 811, A:97
Sites 811/825, B:77
Site 814, A:212
Site 824, A:781
- Asterorotalia gaimardii*, Site 821, B:366–376
- asymmetricus*, *Discoaster*
Site 811, A:96; B:702
Site 813, B:6
Site 818, A:427
Site 823, A:703; B:701
- auberiana*, *Uvigerina*
Site 812, A:151
Site 824, A:781
- auriculata*, *Wiesnerella*, Site 821, B:377
- Austrotrillina howchini*, Queensland Plateau, B:59
- Austrotrillina striata*, Site 824, B:55, 65
- Avicemia*, Site 820, B:109
- Baculogypsina sphaerulata*, Site 821, B:370
- Balanops*, Site 820, B:111
- balthica*, *Hanzawaia*, Site 822, A:629
- balthica*, *Hyalinea*
Site 812, A:151–152
Site 813, A:186
Site 818, A:428
Site 819, A:465
Site 820, A:519
Site 821, A:580
Site 824, A:781
Site 826, A:809
- baragwanathi baragwanathi*, *Miliolinella*, Site 821, B:372
- barbadiensis*, *Discoaster*, Site 210, B:785
- Barulogypsina*, Site 821, B:372
- Batiacasphaera* spp.
Site 815, B:104
Site 823, B:98
- beccarii*, *Ammonia*, Site 821, B:372
- bellus*, *Discoaster*, Site 811, B:21
- berggrenii*, *Discoaster*
Site 815, B:8
Site 823, A:705
- berthelotianus*, *Neoponides*, Site 821, B:378
- bifax*, *Discoaster*, Site 210, B:779
- birnageae*, *Globorotalia*, Site 825, A:98
- Blysmatodinium argoi*
Site 815, B:104
Site 823, B:98, 101
- Bolivina compacta*, Site 821, B:372, 377
- Bolivinopsis cubensis*, Site 823, A:705
- Bolliella adamsi*
Site 820, A:519
Site 821, A:580
Site 822, A:628
Site 823, A:705
- Bolliella praeadamsi*, Site 823, A:705
- bollii*, *Globigerinoides*, Site 815, B:40
- bontangensis*, *Flosculinella*, Site 824, B:66
- bradyi*, *Cibicidoides*
Site 811, A:97
Site 815, B:79
Site 817, A:367
Site 818, A:428
Site 819, A:465
Site 822, A:629
Site 824, A:781
- bradyi*, *Eggerella*, Site 811, A:97
- bradyi*, *Trifarina*, Site 821, B:367
- Brassospora*, Site 820, B:112
- Brizalina striatula*, Site 821, B:372
- brouweri*, *Discoaster*
Site 811, A:95–96; B:20, 698
Site 812, A:151; B:5
Site 813, A:185

- Site 815, A:262; B:7, 702
 Site 816, A:311; B:8
 Site 817, A:365; B:14
 Site 818, A:427; B:14
 Site 822, A:628; B:25
 Site 823, B:25, 385, 700
Bruguiera, Site 820, B:109
Bulimina aculeata, Site 823, A:705
Bulimina alazanensis, Site 823, A:705
Bulimina marginata
 Site 812, A:151–152; B:78
 Site 813, A:186
 Site 814, A:213
 Site 815, A:263
 Site 816, A:313; B:81
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
Bulimina mexicana
 Site 812, A:151
 Site 813, A:186
 Site 814, A:213
 Site 815, B:79
 Site 816, B:81
 Site 817, A:367
 Site 818, A:428
 Site 820, A:519
 Site 821, A:580
 Site 822, A:629
 Site 824, A:781
 Site 826, A:809
Buliminella elegantissima
 Site 822, A:629
 Site 824, A:781
Buliminella latissima, Site 821, B:377
bulloides, *Globigerina*, Site 818, A:428
bulloides, *Sphaeroidina*
 Site 811, A:97
 Site 812, A:152; B:78
 Site 813, A:186
 Site 815, A:263
 Site 816, A:313
 Site 817, A:367
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
 Site 826, A:809
bulloideus, *Spiniferites*
 Site 820, B:93–95
 Site 823, B:98, 101
Bythocypris, Site 822, B:175–180

cachrys, *Phyllocladus*, Site 823, B:116
calathus, *Chipragmalithus*, Site 210, B:785
Calcarina, Site 821, B:372
Calcarina spengleri, Site 821, B:370
Calcidiscus leptoporus
 Site 812, A:151
 Site 820, B:22
Calcidiscus macintyreii
 Site 811, B:20, 698
 Site 812, B:5, 698
 Site 813, A:185; B:6, 698, 702
 Site 815, B:699
 Site 817, A:367; B:14, 699
 Site 818, A:427; B:14
 Site 823, B:700
 Site 824, B:29
 Sites 819, 820, and 821, B:361
Calcidiscus premacintyreii
 Australia NE, B:15
 Site 811, A:96; B:21
 Site 814, B:7, 699

 Site 825, A:98; B:29
Calcidiscus tropicus
 Great Barrier Reef, B:329
 Site 820, A:519
 Site 821, A:580
 Site 822, A:628
 Site 823, A:703; B:385
 Site 824, A:780
 Sites 817–818, B:208–214
calida calida, *Globigerinella*, Site 821, A:580
calyculus, *Catinaster*
 Australia NE, B:19
 Site 811, A:96
 Site 823, A:705
campester, *Neoeponides*, Site 813, A:186
Camptostemon, Site 820, B:109, 111
Campylosphaera dela, Site 210, B:785
carapitana, *Uvigerina*
 Site 812, A:152
 Site 813, A:186
caribbeanica, *Gephyrocapsa*
 Site 811, A:95; B:20
 Site 812, A:151
 Site 813, A:185
 Site 814, A:210
 Site 815, A:262
 Site 818, A:427
 Site 820, A:519
 Site 825, A:98; B:29
carpenteri, *Cycloclypeus*
 Sites 811/825, B:55
 Site 812, B:55
 Site 815, B:47
Casuarina/Allacasuarina, Site 823, B:116
Catinaster calyculus
 Australia NE, B:19
 Site 811, A:96
 Site 823, A:705
Catinaster coalitus, Site 823, A:705; B:27
centrocarpum, *Operculodinium*, Site 823, B:98
Ceratolithus armatus
 Australia NE, B:16
 Site 811, A:96
 Site 815, A:262; B:8
 Site 823, A:703; B:27
Ceratolithus cristatus, Site 822, B:35
Ceratolithus rugosus
 Australia NE, B:16
 Site 817, A:365
Ceriops, Site 820, B:109
Chapmanina sp., Site 812, A:153
Chiasmolithus gigas, Site 210, B:780
Chiasmolithus grandis, Site 210, B:779–780
Chiasmolithus solitus, Site 210, B:785
Chipragmalithus calathus, Site 210, B:785
choanophorum, *Melitasphaeridium*, Site 823, B:98
Cibicides lobatulus
 Site 817, A:367
 Site 821, B:370, 372
Cibicoides, Site 820, A:519
Cibicoides bradyi
 Site 811, A:97
 Site 815, B:79
 Site 817, A:367
 Site 818, A:428
 Site 819, A:465
 Site 822, A:629
 Site 824, A:781
Cibicoides cicatricosus
 Site 815, A:263
 Site 816, A:313
 Site 818, A:428
 Site 821, A:580

Cibicoides cicatricosus dutemplei, Site 820, A:519
Cibicoides dutemplei
 Site 812, A:151–152
 Site 813, A:186; B:78
 Site 816, A:313
 Site 817, B:81
 Site 822, B:82
 Site 826, A:809
Cibicoides grosseperforatus, Site 812, A:151
Cibicoides guazamalensis, Site 811, A:97
Cibicoides matanzasensis
 Site 812, A:151; B:78
 Site 813, A:186
Cibicoides mundulus
 Site 811, A:97
 Site 812, A:151–152; B:78
 Site 813, A:186
 Site 814, A:213
 Site 825, A:98
 Site 826, A:809
Cibicoides pachyderma
 Site 812, A:151
 Site 813, A:186
 Site 825, A:98
 Site 826, A:809
Cibicoides robertsonianus
 Site 811, A:97
 Sites 811/825, B:77
 Site 818, B:81
 Site 822, A:629
Cibicoides spp.
 Queensland Plateau, B:265, 274, 278–279
 Site 819, B:131–161, 725
 Sites 817–818, B:208–214
Cibicoides subhaidingerii
 Site 811, A:97
 Site 812, A:151–152
 Site 826, A:809
Cibicoides wuellerstorfi, Site 819, B:743
cicatricosus, *Cibicoides*
 Site 815, A:263
 Site 816, A:313
 Site 818, A:428
 Site 821, A:580
cicatricosus dutemplei, *Cibicoides*, Site 820, A:519
ciperoensis, *Globigerina*
 Site 811, A:97
 Site 824, B:282
coalitus, *Catinaster*, Site 823, A:705; B:27
Coccolithus, Sites 815 and 817, B:255
Coccolithus formosus, Site 210, B:779
Coccolithus pelagicus, Site 817, A:367
comans, *Pteris*, Site 815, B:124–125
compacta, *Bolivina*, Site 821, B:372, 377
complanata, *Operculina*
 Site 815, B:47
 Site 816, B:43
conoidea, *Globorotalia*, Site 815, A:263
conoidea, *Victoriella?*, Site 816, B:43
Corallina, Australia NE, B:67–68, 71
crassaformis hessi, *Globorotalia*, Site 823, A:705
crassicarinata, *Quinqueloculina*, Site 821, B:371
crassicostata, *Uvigerina*, Site 817, A:367
Crenalithus, Sites 815 and 817, B:256
cribellus, *Cruciplacolithus*, Site 210, B:785
cristatus, *Ceratolithus*, Site 822, B:35
Cruciplacolithus cribellus, Site 210, B:785
cubensis, *Bolivinopsis*, Site 823, A:705
cupressinum, *Dacrydium*
 Site 820, B:109, 111–112
 Site 823, B:116
curta, *Quinqueloculina*, Site 821, B:372

Curtocapsella tetrapera

TAXONOMIC INDEX

- Curtocapsella tetrapera*, Site 817, A:368
Cyathea robertsonii, Site 820, B:111
Cyclicargolithus floridanus
 Australia NE, B:15
 Site 811, A:96
 Site 817, A:367; B:14
 Site 823, A:705
 Site 824, A:780; B:29
 Site 825, A:98; B:29
Cycloclypeus
 Queensland Plateau, B:59–60
 Site 811, A:97
 Site 812, B:282
 Site 813, B:55
 Site 814, A:213; B:55, 79
 Site 815, B:39
 Site 826, A:809
Cycloclypeus carpenteri
 Sites 811/825, B:55
 Site 812, B:55
 Site 815, B:47
Cycloclypeus eidae, Queensland Plateau, B:59
Cycloclypeus (Katacycloclypeus) annulatus, Site 826, B:44
Cyrtocapsella japonica, Site 817, A:368
Dacrycarpus
 Site 820, B:109, 111–112
 Site 823, B:116
Dacrydium cupressinum, Site 820, B:109, 111–113
Dacrydium guillauminii, Site 820, B:109, 111
Dacrydium spp., Site 820, B:113
Dapsilidinium pasteilsii
 Site 815, B:105
 Site 823, B:98
decoraperta, *Globigerina*, Site 823, A:705
dehaarti, *Miogypsina (Miogypsinoidea)*
 Queensland Plateau, B:57
 Site 824, B:65
dehiscens, *Gephyrocapsa*, Site 812, A:151
dehiscens, *Globoquadrina*
 Site 811, A:97
 Site 812, B:282
dehiscens, *Sphaeroidinella*, Site 811, A:97
dela, *Campylosphaera*, Site 210, B:785
delicatus, *Amaurolithus*
 Site 815, A:262
 Site 817, A:365
depressa, *Heterostegina*, Site 821, B:378
Diartus petterssoni, Site 817, A:368
Didemnum, Great Barrier Reef, B:447–453
Didymocyrtilis laticonus, Site 817, A:368
Discoaster, Site 823, B:382
Discoaster asymmetricus
 Site 811, A:96; B:702
 Site 813, B:6
 Site 818, A:427
 Site 823, A:703; B:389, 701
Discoaster barbadiensis, Site 210, B:785
Discoaster bellus, Site 811, B:21
Discoaster berggrenii
 Site 815, B:8
 Site 823, A:705
Discoaster bifax, Site 210, B:779
Discoaster brouweri
 Site 811, A:95–96; B:20, 698
 Site 812, A:151; B:5
 Site 813, A:185
 Site 815, A:262; B:7, 702
 Site 816, A:311; B:8
 Site 817, A:365; B:14
 Site 818, A:427; B:14
 Site 822, A:628; B:25
 Site 823, B:25, 385, 700
Discoaster exilis, Site 817, B:14
Discoaster hamatus, Site 811, A:96; B:21
Discoaster keupperi, Site 210, B:785
Discoaster lodoensis, Site 210, B:785
Discoaster neohamatus, Site 811, A:96
Discoaster pentaradiatus
 Site 811, A:95; B:20
 Site 812, A:151; B:5
 Site 813, A:185; B:6
 Site 814, B:7
 Site 815, B:7
 Site 816, A:312; B:8
 Site 817, B:14
 Site 818, B:14
 Site 822, A:628
 Site 823, A:703; B:25
 Site 824, A:780; B:29
Discoaster quinqueramus
 Australia NE, B:15
 Site 811, A:96; B:21, 698
 Site 812, A:151
 Site 813, A:185; B:6, 283
 Site 813, B:698
 Site 814, B:7
 Site 816, B:699
 Site 817, B:14
 Site 823, A:703, 705; B:27, 389
 Site 824, A:780; B:29
Discoaster saipanensis, Site 210, B:779
Discoaster sublodoensis, Site 210, B:780
Discoaster surculus
 Site 813, B:6
 Site 814, B:7
 Site 816, A:312; B:8
 Site 817, B:14
 Site 818, B:14
 Site 822, A:628
Discoaster tamalis
 Site 811, A:95; B:20
 Site 813, A:185; B:6
 Site 814, B:7, 698
 Site 816, A:312
 Site 817, B:14, 700
 Site 818, B:14, 702
 Site 822, A:628
 Site 823, B:25
 Sites 815 and 817, B:261
Discocyclina
 Sites 811/825, B:281
 Site 824, B:55, 282
 Site 825, B:62
Discorbinella spp.
 Site 811, A:97
 Site 813, A:186
Discorbis spp.
 Site 811, A:97
 Site 813, A:186
 Site 817, A:367
 Site 820, A:519
 Site 821, A:580
 Site 824, A:781
Discosphaera tubifer, Site 822, B:36
distentus, *Sphenolithus*, Site 210, B:780
Dodonaea, Site 823, B:118
Dodonaea triquetra, Site 823, B:116
Dorcadospyrus alata, Site 817, A:368
Dorcadospyrus alata Zone, Site 817, A:368
druryi, *Globigerina (Globovoluta)*, Site 815, B:40
dubius, *Neococcolithes*, Site 210, B:785
dutemplei, *Cibicoides*
 Site 812, A:151–152
 Site 813, A:186; B:78
 Site 816, A:313
 Site 817, B:81
 Site 822, B:82
 Site 826, A:809
echigoense, *Operculodinium*, Site 823, B:98
Eggerella bradyi, Site 811, A:97
eidae, *Cycloclypeus*, Queensland Plateau, B:59
elegans, *Hoeglundina*
 Site 811, A:97
 Site 812, A:151
 Site 813, A:187
 Site 814, A:213
 Site 816, A:313
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
 Site 822, A:629
 Site 823, A:705
 Site 826, A:809
elegantissima, *Buliminella*
 Site 822, A:629
 Site 824, A:781
Elphidium advenum, Site 821, B:372
Elphidium spp.
 Site 812, A:151–152
 Site 813, A:186
 Site 814, A:212
 Site 817, A:367
 Site 822, A:629
 Site 824, A:781
Emiliania
 Site 815, B:255
 Sites 815 and 817, B:256
Emiliania huxleyi
 Australia NE, B:19
 Great Barrier Reef, B:329
 Site 812, B:5
 Site 813, A:185; B:6
 Site 814, B:7
 Site 815, B:7
 Site 816, B:8
 Site 817, A:364; B:14
 Site 818, A:427; B:14, 209
 Site 819, A:464; B:21
 Site 820, A:519; B:22
 Site 821, A:579, 627; B:22
 Site 822, B:24, 35
 Site 823, A:703; B:25
 Sites 817–818, B:208–214
Emiliania huxleyi Acme Zone
 Site 817, A:364
 Site 819, A:464; B:21
 Site 820, B:22
 Site 823, B:25
Emiliania huxleyi Zone
 Site 821, A:627; B:23
 Site 822, B:24
 Site 823, A:703
ephippioides, *Eulepidina*, Sites 811/825, B:52
ephippioides, *Lepidocyclina (Eulepidina)*
 Sites 811/825, B:64
 Site 824, B:55
Eucalyptus
 Site 815, B:120
 Site 820, B:107, 111
 Site 823, B:116
Eugenia, Site 820, B:109
Eulepidina ephippoides, Sites 811/825, B:52
Eulepidina sp., Site 811, A:97
exilis, *Discoaster*, Site 817, B:14
finbriata, *Globovoluta*, Site 823, A:705

- Fissurina orbignyana*, Site 821, B:372
fiatulus, *Gephyrocapsa*, Site 812, A:151
fiatulus, *Globigerinoides*
 Queensland Trough, B:787
 Site 811, A:97; B:697
 Site 812, B:698
 Site 813, A:186; B:698, 702
 Site 814, A:212
 Site 815, A:262; B:699
 Site 816, A:313
 Site 817, A:367; B:699
 Site 822, A:628
 Site 823, A:705; B:700
 Site 824, A:780
 Sites 817–818, B:208
floridanus, *Cyclicargolithus*
 Australia NE, B:15
 Site 811, A:96
 Site 817, A:367; B:14
 Site 823, A:705
 Site 824, A:780; B:29
 Site 825, A:98; B:29
Florispheera profunda
 Site 823, B:25
 Sites 815 and 817, B:255
Flosculinella, Queensland Plateau, B:57
Flosculinella bontangensis, Site 824, B:66
Flosculinella globosa, Queensland Plateau, B:58
Flosculinella globulosa, Site 824, B:65–66
fohsi, *Globorotalia*, Site 811, A:97
formosus, *Coccolithus*, Site 210, B:779
fulgens, *Nannotetrina*, Site 210, B:780, 785
Fursenkoina pauciloculata, Site 821, B:372, 377

gaimardii, *Asterorotalia*, Site 821, B:366–376
gamation, *Toweius*, Site 210, B:785
Gavelinopsis cf. *lobatulus*, Site 821, B:378
Gavelinopsis lobatulus, Site 821, B:367, 372
Gephyrocapsa
 Great Barrier Reef, B:329
 Site 812, B:5
 Site 813, B:6
 Site 814, B:7
 Site 815, B:7
 Site 816, B:8
 Site 817, B:14
 Site 818, B:14
 Site 821, A:579
 Site 822, A:628
 Site 823, A:703
 Sites 815 and 817, B:255
 Sites 817–818, B:208–214
Gephyrocapsa Acme Zone, Site 817, B:209
Gephyrocapsa altispira, Site 812, A:151
Gephyrocapsa caribbeanica
 Site 811, A:95; B:20
 Site 812, A:151
 Site 813, A:185
 Site 814, A:210
 Site 815, A:262
 Site 818, A:427
 Site 820, A:519
 Site 825, A:98; B:29
Gephyrocapsa dehiscens, Site 812, A:151
Gephyrocapsa fiatulus, Site 812, A:151
Gephyrocapsa menardii, Site 812, A:151
Gephyrocapsa obliquus, Site 812, A:151
Gephyrocapsa oceanica
 Site 817, A:364
 Site 819, A:464; B:21
 Site 820, B:22
 Site 826, A:809
Gephyrocapsa protohuxleyi, Site 822, B:25
Gephyrocapsa ruber, Site 812, A:151

Gephyrocapsa sacculifer, Site 812, A:151
Gephyrocapsa spp.
 Great Barrier Reef, B:329
 Site 819, B:22
 Site 822, B:35–36
 Site 823, B:25
 Sites 819, 820, and 821, B:361
Gephyrocapsa truncatulinoidea, Site 812, A:151
Gephyrocapsa tumida plesiotumida, Site 812, A:151
gigas, *Chiasmolithus*, Site 210, B:780
glabrata, *Anomalina*, Site 821, B:370, 378
Globigerina angulissuturalis, Site 811, A:97
Globigerina bulloides, Site 818, A:428
Globigerina ciproensis
 Site 811, A:97
 Site 824, B:282
Globigerina decoraperta, Site 823, A:705
Globigerina (Globoturborotalia) druryi, Site 815, B:40
Globigerina nepenthes
 Site 811, B:698, 702
 Site 813, B:698
 Site 815, B:699
 Site 817, B:700
 Site 823, B:701
 Site 826, A:809
Globigerina praebulloides, Site 824, B:282
Globigerina ruber, Site 811, A:96
Globigerina rubescens
 Site 819, A:464–465
 Site 820, A:519
 Site 821, A:580
 Site 823, A:705
Globigerina woodi, Site 823, A:705
Globigerinella adamsi, Site 811, A:96
Globigerinella calida calida, Site 821, A:580
Globigerinoides altispira, Site 823, A:705
Globigerinoides bollii, Site 815, B:40
Globigerinoides fiatulus
 Queensland Trough, B:787
 Site 811, A:97; B:697
 Site 812, B:698
 Site 813, A:186; B:698, 702
 Site 814, A:212
 Site 815, A:262; B:699
 Site 816, A:313
 Site 817, A:367; B:699
 Site 822, A:628
 Site 823, A:705; B:700
 Site 824, A:780
 Sites 817–818, B:208
Globigerinoides nepenthes
 Site 814, A:212
 Site 823, B:389
Globigerinoides obliquus
 Queensland Trough, B:787
 Site 811, B:697
 Site 813, A:186
 Site 814, A:212; B:698
 Site 815, A:262; B:699, 702
 Site 816, A:313; B:43
 Site 817, A:367; B:700
 Site 822, A:628
 Site 823, A:705; B:700
 Site 824, A:780
Globigerinoides obliquus extremus, Site 811, A:96
Globigerinoides ruber
 Queensland Plateau, B:265, 267, 269, 278–279
 Site 817, B:481–487
 Site 819, A:465; B:131–161, 725, 743
 Site 820, A:519; B:153–173, 304–308
 Site 821, A:580
 Site 822, A:628; B:177

 Site 823, A:705
 Site 824, A:780
 Sites 817–818, B:208
Globigerinoides sacculifer
 Queensland Plateau, B:239, 241, 243
 Site 818, B:209
 Site 820, A:519
 Sites 817–818, B:208–214
Globigerinoides sacculifera fiatulus, Queensland Plateau, B:264
Globigerinoides trilobus, Site 818, A:428
Globocassidulina subglobosa
 Site 811, A:97
 Site 822, A:629
 Site 823, A:705
 Site 825, A:98–99
Globoquadrina altispira
 Queensland Trough, B:787
 Site 811, A:97
 Site 812, B:698
 Site 813, A:186
 Site 814, B:698
 Site 815, A:262
 Site 817, A:367; B:700
 Site 818, A:428; B:702
 Site 823, B:701
 Site 824, A:780
 Site 826, A:809
Globoquadrina dehiscens
 Site 811, A:97
 Site 812, B:282
Globorotalia birnageae, Site 825, A:98
Globorotalia conoidea, Site 815, A:263
Globorotalia crassaformis hessi, Site 823, A:705
Globorotalia fimbriata, Site 823, A:705
Globorotalia fohsi, Site 811, A:97
Globorotalia (Globorotalia) praemenardii
 Australia NE, B:47
 Site 815, B:40
 Site 826, B:44, 47
Globorotalia (Globorotalia) tumida plesiotumida, Site 815, B:39
Globorotalia (Globorotalia) tumida tumida, Site 816, B:43
Globorotalia kugleri, Site 824, B:282
Globorotalia limbata
 Site 811, A:97
 Site 818, A:428
 Site 823, A:705
Globorotalia margaritae
 Queensland Trough, B:787
 Site 826, A:809
Globorotalia multicamerata, Queensland Trough, B:787
Globorotalia (Obandyella) margaritae, Site 816, B:43
Globorotalia peripheroacuta, Site 817, A:367
Globorotalia peripheroronda, Site 817, A:367
Globorotalia praemenardii, Site 811, A:97
Globorotalia siakensis
 Queensland Trough, B:787
 Site 811, A:97
 Site 817, A:367
 Site 823, B:701
 Site 825, A:98
Globorotalia tosaensis
 Queensland Trough, B:787
 Site 811, A:96
 Site 814, A:212
 Site 815, A:262
 Site 816, A:313
 Site 817, A:367
 Site 818, A:428
 Site 823, A:705

Globorotalia truncatulinoides

TAXONOMIC INDEX

Globorotalia truncatulinoides

Queensland Trough, B:787
 Site 811, A:96
 Site 813, A:186
 Site 814, A:212
 Site 815, A:262
 Site 816, A:313
 Site 817, A:367
 Site 819, A:464
 Site 821, A:580
 Site 822, A:628
 Site 823, A:705
 Site 824, A:780

Globorotalia tumida, Site 823, B:389
Globorotalia tumida flexuosa, Site 823, A:705
Globorotalia tumida plesiotumida
 Site 811, A:97
 Site 824, A:780

Globorotalia tumida tumida
 Queensland Trough, B:787
 Site 811, A:97; B:698
 Site 813, B:698
 Site 814, A:212; B:283, 699
 Site 815, A:262
 Site 816, A:313
 Site 817, A:367
 Site 823, B:700–701
 Site 826, A:809

globosa, Flosculinella, Queensland Plateau, B:57
globulosa, Flosculinella, Site 824, B:65–66
globulosus, Anomalinoides
 Site 811, A:97
 Site 823, B:82

globulus, Gypsina
 Sites 811/825, B:55
 Site 813, A:187

grandis, Chiasmolithus, Site 210, B:779–780
grosseperforatus, Cibicidoides, Site 812, A:151
guazamalensis, Cibicidoides, Site 811, A:97
guillauminii, Dacrydium, Site 820, B:109, 111
Gymnostoma, Site 823, B:116

Gypsina globulus
 Sites 811/825, B:55
 Site 813, A:187

Gypsina sp., Site 811, A:97

Hakuneda, Australia NE, B:67
Halimeda
 Australia NE, B:47, 68, 71
 Queensland Plateau, B:238
 Site 815, B:500
 Site 816, B:455, 459
 Site 820, B:318
 Site 824, B:293, 296–297, 300

hamatus, Discoaster, Site 811, A:96; B:21
Hanzawaia balthica, Site 822, A:629
Hanzawaia mantaensis
 Site 811, A:97
 Site 812, A:151–152; B:78
 Site 813, A:186
 Site 814, A:213
 Site 817, A:367
 Site 818, A:428; B:81
 Site 819, A:465
 Site 821, A:580
 Site 824, A:781

Hauerina occidentalis, Site 821, B:372
Helicosphaera sellii
 Australia NE, B:19
 Great Barrier Reef, B:329
 Site 813, B:6
 Site 815, B:7, 699
 Site 816, B:8
 Site 819, A:464; B:22

Site 820, A:519
 Site 821, A:580; B:23
 Site 823, A:703; B:25
 Sites 819, 820, and 821, B:361
hemprichii, Amphisorus, Site 821, B:370
Heterolepa praecineta, Site 821, B:366–376
heteromorphus, Sphenolithus
 Australia NE, B:15
 Site 210, B:779–780
 Site 814, A:210; B:7
 Site 817, A:367

Heterostegina cf. *depressa*, Site 821, B:366–376
Heterostegina depressa, Site 821, B:378
Heterostegina sp.
 Site 811, A:97
 Site 821, B:371

hispidia, Uvigerina
 Site 811, A:97
 Site 823, A:705
 Site 825, A:99

hispidum, Sumatradinium
 Site 815, B:105
 Site 823, B:98

Hoeglundina elegans
 Site 811, A:97
 Site 812, A:151
 Site 813, A:187
 Site 814, A:213
 Site 816, A:313
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
 Site 822, A:629
 Site 823, A:705
 Site 826, A:809

hornibrooki, Uvigerina, Site 811, A:97
howchini, Austrotrillina, Queensland Plateau,
 B:59
howchini, Ladoronia (Nephrolepidina), Site 816,
 B:44
howchini, Lepidocyclus (Nephrolepidina)
 Australia NE, B:39
 Sites 811/825, B:55
 Site 814, B:55
 Site 815, B:39, 47

howchini, Nephrolepidina
 Sites 811/825, B:282, 285
 Site 812, B:282
 Site 814, B:283, 699

humerosa, Neogloboquadrina
 Queensland Trough, B:787
 Site 818, A:428
 Site 823, A:705

huxleyi, Emiliana
 Australia NE, B:19
 Great Barrier Reef, B:329
 Site 812, B:5
 Site 813, A:185; B:6
 Site 814, B:7
 Site 815, B:7
 Site 816, B:8
 Site 817, A:364; B:14
 Site 818, A:427; B:14, 209
 Site 819, A:464; B:21
 Site 820, A:519; B:22
 Site 821, A:579, 627; B:22
 Site 822, B:24, 35
 Site 823, A:703; B:25
 Sites 817–818, B:108–214
 Sites 819–820, B:361

Hyalinea balthica
 Site 812, A:151–152
 Site 813, A:186

Site 814, A:213
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
 Site 824, A:781
 Site 826, A:809

Hydroolithon
 Australia NE, B:68, 71
 Site 816, B:456–457, 459–460
hyperacanthus, Spiniferites
 Site 820, B:93
 Site 823, B:98
Hystrichokolpoma rigaudiae, Site 823, B:98

Impagidinium aculeatum, Site 815, B:103
Impagidinium paradoxum, Site 823, B:98
Impagidinium patulum, Site 823, B:98
Impagidinium sp., Site 823, B:98, 101
Impagidinium sp. cf. *paradoxum*, Site 815, B:103
Impagidinium sphaericum, Site 815, B:103
Impagidinium striatum, Site 815, B:103
inflata, Rhabdosphaera, Site 210, B:780
israelianum, Operculodinium
 Site 820, B:93–95
 Site 823, B:98

janduchenei, Operculodinium, Site 815, B:104
Jania, Australia NE, B:67–68, 71
japonica, Cyrtocapsella, Site 817, A:368
japonica, Lepidocyclus (Nephrolepidina), Site
 811/825, B:55

Katacycloclypeus
 Queensland Plateau, B:57
 Site 812, B:55

keupperi, Discoaster, Site 210, B:785
Krithe, Site 822, B:175–180
kugleri, Globorotalia, Site 824, B:282

lacunosa, Pseudoemiliania
 Australia NE, B:4
 Great Barrier Reef, B:329
 Site 811, A:95
 Site 812, A:151
 Site 813, A:185; B:6
 Site 814, A:210; B:7
 Site 815, A:262; B:7
 Site 816, A:311; B:8
 Site 817, A:365; B:14
 Site 818, A:427; B:14, 209
 Site 819, A:464
 Site 820, A:519
 Site 821, A:579; B:23
 Site 822, A:627; B:24, 36, 740
 Site 823, A:703
 Site 824, A:780
 Site 826, A:809
 Sites 819–820, B:361

Ladoronia, Site 826, B:44
Ladoronia (Nephrolepidina) howchini, Site 816,
 B:44
Ladoronia vermicularis
 Australia NE, B:47
 Site 815, B:47
 Site 816, B:43–44, 456

larvata, Planorbulinella, Site 821, B:378
Laticarinina pauperata
 Site 811, A:97
 Site 825, A:99

laticonus, Didymocystis, Site 817, A:368
latissima, Buliminella, Site 821, B:377
laviculata, Uvigerina, Site 812, A:151
lemniscata, Nematospaeropsis

- Site 820, B:93–95
Site 823, B:101
Lenticulina peregrina
Site 818, A:428
Site 819, A:465
Site 820, A:519
Site 822, A:629
Lenticulina spp., Site 811, A:97
Lepidocyclus
Queensland Plateau, B:60
Site 811, A:97
Sites 811/825, B:52
Site 812, A:153
Site 826, A:809; B:44
Lepidocyclus (Eulepidina) ephippioides
Sites 811/825, B:55, 64
Site 824, B:55
Lepidocyclus (Nephrolepidina)
Queensland Plateau, B:51, 57
Sites 811/825, B:52, 55
Lepidocyclus (Nephrolepidina) howchini
Australia NE, B:39
Sites 811/825, B:55
Site 814, B:55
Site 815, B:39, 47
Lepidocyclus (Nephrolepidina) japonica, Sites
811/825, B:55
Lepidocyclus (Nephrolepidina) praeowchini,
Queensland Plateau, B:58
Lepidocyclus (Nephrolepidina) sumatrensis, Site
824, B:55, 63
leptopus, *Calcidiscus*
Site 812, A:151
Site 820, B:22
lessonii, *Amphistegina*, Site 821, B:370
limbata, *Globorotalia*
Site 811, A:97
Site 818, A:428
Site 823, A:705
Lingulodinium machaerophorum
Site 815, B:105
Site 823, B:98, 101
Lithopera neotera, Site 817, A:368
Lithoporella
Australia NE, B:68, 71
Site 816, B:455, 457
Site 824, B:73–74
Lithothamnion
Australia NE, B:67–68, 71
Site 816, B:455–457, 459
lobatulus, *Cibicides*
Site 817, A:367
Site 821, B:370, 372
lobatulus, *Gavelinopsis*, Site 821, B:367, 372
lobatum, *Loxostomum*, Site 821, B:372
lobifera, *Amphistegina*, Site 821, B:370, 372
lodoensis, *Discoaster*, Site 210, B:785
longispinigerum, *Operculodinium*, Site 823, B:98,
101
Loxostomum lobatum, Site 821, B:372
machaerophorum, *Lingulodinium*
Site 815, B:105
Site 823, B:98, 101
macintyreii, *Calcidiscus*
Site 811, B:20, 698
Site 812, B:5, 698
Site 813, A:185; B:6, 698, 702
Site 815, B:699
Site 817, A:367; B:14, 699
Site 818, A:427; B:14
Site 823, B:700
Site 824, B:29
Sites 819–821, B:361
magnidrassus, *Toweius*, Site 210, B:785
mantaensis, *Hanzawaia*
Site 811, A:97
Site 812, A:151–152; B:78
Site 813, A:186
Site 814, A:213
Site 817, A:367
Site 818, A:428; B:81
Site 819, A:465
Site 821, A:580
Site 824, A:781
margaritae, *Globorotalia*
Queensland Trough, B:787
Site 826, A:809
margaritae, *Globorotalia (Obandyella)*, Site 816,
B:43
margaritifera, *Heterolepa*, Site 821, B:366, 370
marginata, *Bulimina*
Site 812, A:151–152; B:78
Site 813, A:186
Site 814, A:213
Site 815, A:263
Site 816, A:313; B:81
Site 819, A:465
Site 820, A:519
Site 821, A:580
Marginopora, Queensland Plateau, B:57
Marginopora vertebralis
Queensland Plateau, B:59
Site 821, B:370
Site 824, B:65
martini, *Nephrolepidina*, Site 813, A:187
Mastophoroidea, Site 816, B:456
matanzasensis, *Cibicidoides*
Site 812, A:151; B:78
Site 813, A:186
Melinis pompilioidea, Site 811, A:97
Melitasphaeridium choanophorum, Site 823, B:98
Melobesioidea, Site 816, B:456
menardii, *Gephyrocapsa*, Site 812, A:151
Mesophyllum
Australia NE, B:67–68, 71
Site 816, B:455–457, 459–460
mexicana, *Bulimina*
Site 812, A:151
Site 813, A:186
Site 814, A:213
Site 815, B:79
Site 816, B:81
Site 817, A:367
Site 818, A:428
Site 820, A:519
Site 821, A:580
Site 822, A:629
Site 824, A:781
Site 826, A:809
Microcachrys, Site 823, B:116
Miliolina, Site 821, B:366–376
Miliolinella baragwanathi, Site 821, B:372
minuta, *Reticulofenestra*, Site 812, A:151
Miogypsina
Queensland Plateau, B:59–60
Sites 811/825, B:52
Site 817, A:367–368
Site 824, B:292
Site 825, A:99
Miogypsina (Miogypsinoides) dehaarti
Queensland Plateau, B:58
Site 824, B:65
Miogypsina thecideaformis, Site 824, B:65
Miogypsinoides, Queensland Plateau, B:57, 59
Monalysidium, Site 821, B:371
moriformis, *Sphenolithus*, Site 817, A:367
Morozovella, Sites 811/825, B:52, 281
multicamerata, *Globorotalia*, Queensland Trough,
B:787
multicostata, *Rectuvigerina*, Site 823, A:705
Multispinula quanta, Site 815, B:105
mundulus, *Cibicidoides*
Site 811, A:97
Site 812, A:151–152; B:78
Site 813, A:186
Site 814, A:213
Site 825, A:98
Site 826, A:809
murrhina, *Pyrgo*
Site 811, A:97
Site 815, A:263
Site 817, A:367
Site 818, A:428
Site 822, A:629
Site 823, B:82
Site 824, A:781
Nannotetrina fulgens, Site 210, B:780, 785
Nematosphaeropsis lemniscata
Site 820, B:93–95
Site 823, B:101
Neococcolithes dubius, Site 210, B:785
Neocorbina terquemi, Site 821, B:372
Neoeponides, Site 821, B:372
Neoeponides berthelotianus, Site 821, B:378
Neoeponides campester, Site 813, A:186
Neogloboquadrina acostaensis
Queensland Plateau, B:288
Queensland Trough, B:787
Site 811, A:97
Site 812, B:282
Site 814, A:212
Site 818, A:428
Site 824, A:780
Neogloboquadrina humerosa
Queensland Trough, B:787
Site 818, A:428
Site 823, A:705
Neogloboquadrina pachyderma, Site 815, A:263
neohamatus, *Discoaster*, Site 811, A:96
neotera, *Lithopera*, Site 817, A:368
nepenthes, *Globigerina*
Site 811, B:698, 702
Site 813, B:698
Site 815, B:699
Site 817, B:700
Site 823, B:701
Site 826, A:809
nepenthes, *Globigerinoides*
Site 814, A:212
Site 823, B:389
nephroides, *Selenopemphix*, Site 815, B:105
Nephrolepidina
Sites 811/825, B:281
Site 812, B:698
Site 814, A:213; B:79
Site 815, A:263
Site 817, A:367
Site 825, A:99
Nephrolepidina acostaensis
Site 812, A:151
Site 814, B:283
Nephrolepidina howchini
Sites 811/825, B:282, 285
Site 812, B:282
Site 814, B:283, 699
Nephrolepidina martini
Site 812, A:153
Site 813, A:187
Nephrolepidina sp.
Site 811, A:97

Nephrolepidina sp. (cont.)

TAXONOMIC INDEX

Site 812, A:153
Nephrolepidina sumatrensis, Sites 811/825, B:52
Nonionella turgidus, Site 812, A:151
Nonion suburgidum, Site 821, B:372
Nothofagus
 Site 815, B:119–120
 Site 820, B:109, 112–113
Nummulites
 Queensland Plateau, B:57
 Sites 811/825, B:52, 281
 Site 824, B:55, 282
 Site 825, B:62
Nuttallides umbonifera
 Site 818, A:428; B:81
 Site 819, A:465
 Site 820, A:519
 Site 822, A:629

obliquus, *Gephyrocapsa*, Site 812, A:151
obliquus, *Globigerinoides*
 Queensland Trough, B:787
 Site 811, B:697
 Site 813, A:186
 Site 814, A:212; B:698
 Site 815, A:262; B:699, 702
 Site 816, A:313; B:43
 Site 817, A:367; B:700
 Site 822, A:628
 Site 823, A:705; B:700
 Site 824, A:780
obliquus extremus, *Globigerinoides*, Site 811,
 A:96
oblonga, *Quinqueloculina*, Site 821, B:377
occidentalis, *Hauerina*, Site 821, B:372
oceanica, *Gephyrocapsa*
 Site 817, A:364
 Site 819, A:464; B:21
 Site 820, B:22
 Site 826, A:809
Olea, Site 820, B:109
Operculina
 Queensland Plateau, B:60
 Site 812, B:282
 Site 814, B:55
 Site 821, B:371
 Site 824, B:55
 Site 825, A:99; B:62
Operculina complanata
 Site 815, B:47
 Site 816, B:43
Operculina sp., Site 812, A:153
Operculinella venosa
 Site 815, B:47
 Site 816, B:43–44
Operculodinium centrocarpum, Site 823, B:98
Operculodinium echigoense, Site 823, B:98
Operculodinium israelianum
 Site 820, B:93–95
 Site 823, B:98
Operculodinium janduchenei, Site 815, B:104
Operculodinium longispinigerum, Site 823, B:98,
 101
orbignyana, *Fissurina*, Site 821, B:372
Orbulina universa
 Australia NE, B:47
 Site 816, B:43

pachyderma, *Cibicidoides*
 Site 812, A:151
 Site 813, A:186
 Site 825, A:98
 Site 826, A:809
pachyderma, *Neogloboquadrina*, Site 815, A:263
paenedehiscens, *Sphaeroidinellopsis*, Site 816,

B:43
papillosa, *Amphistegina*, Site 821, B:366–376,
 378
paradoxum, *Impagidinium*, Site 823, B:98
parri, *Plectofrondicularia*
 Site 812, A:151
 Site 817, A:367
 Site 823, B:82
 Site 824, A:781
parri, *Spirosigmoilina*, Site 821, B:371
pasteilsii, *Dapsilidinium*
 Site 815, B:105
 Site 823, B:98
patulum, *Impagidinium*, Site 823, B:98
pauciloculata, *Fursenkoina*, Site 821, B:372, 377
pauperata, *Laticarinina*
 Site 811, A:97
 Site 825, A:99
pelagicus, *Coccolithus*, Site 817, A:367
Peneroplis pertusus, Site 821, B:371
Peneroplis sp., Site 823, A:705
pentaradiatus, *Discoaster*
 Site 811, A:95; B:20
 Site 812, A:151; B:5
 Site 813, A:185; B:6
 Site 814, B:7
 Site 815, B:7
 Site 816, A:312; B:8
 Site 817, B:14
 Site 818, B:14
 Site 822, A:628
 Site 823, A:703; B:25
 Site 824, A:780; B:29
peregrina, *Lenticulina*
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 822, A:629
peregrina, *Uvigerina*
 Site 819, A:465
 Site 820, A:519
 Site 823, A:705
peripheroacuta, *Globorotalia*, Site 817, A:367
pertusus, *Peneroplis*, Site 821, B:371
petterssoni, *Diartus*, Site 817, A:368
Phyllocladus, Site 823, B:116
Phyllocladus cachrys, Site 823, B:116
pigmaea, *Uvigerina*
 Site 811, A:97
 Site 812, A:152
 Site 817, A:367
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
placacantha, *Systematophora*, Site 823, B:98
Planoperculina, Queensland Plateau, B:60
Planorbulina spp.
 Site 811, A:97
 Sites 811/825, B:77
 Site 820, A:519
 Site 821, A:580
 Site 823, A:705
 Site 824, A:781
Planorbulinella larvata, Site 821, B:378
Planulina ariminensis, Site 812, A:151
Planulina rugosa, Site 818, A:428; B:81
Planulina wuellerstorfi
 Sites 811/825, B:77
 Site 818, A:428
 Site 822, B:82
 Site 823, A:705
Plectofrondicularia parri
 Site 812, A:151
 Site 817, A:367

Site 823, B:82
 Site 824, A:781
Plectofrondicularia vaughni, Site 818, A:428
pleistocenicus, *Tubuliflorides*, Site 820, B:108
Podocarpus
 Site 815, B:120
 Site 820, B:109, 112–113
 Site 823, B:116
Polysphaeridium zoharyi, Site 823, B:101
pompiloidea, *Melinis*, Site 811, A:97
Poroeponides, Site 821, B:372
praeadamsi, *Bolliella*, Site 823, A:705
praebulloides, *Globigerina*, Site 824, B:282
praecincta, *Heterolepa*, Site 821, B:366–376
praecursor, *Pulleniatina*, Site 816, B:40
praehowchini, *Lepidocyclina* (*Nephrolepidina*),
 Queensland Plateau, B:58
praemenardii, *Globorotalia*, Site 811, A:97
praemenardii, *Globorotalia* (*Globorotalia*)
 Australia NE, B:47
 Site 815, B:40
 Site 826, B:44, 47
Praeorbulina sicana, Site 811, A:97
predistentus, *Sphenolithus*, Site 210, B:779
premacintyreii, *Calcidiscus*
 Australia NE, B:15
 Site 811, A:96; B:21
 Site 814, B:7, 699
 Site 825, A:98; B:29
primalis, *Pulleniatina*
 Queensland Trough, B:787
 Site 816, B:43
primus, *Amaurolithus*
 Site 817, B:14
 Sites 815 and 817, B:261
proboscidea, *Uvigerina*
 Site 811, A:97
 Site 813, A:186; B:78
 Site 814, A:213
 Site 820, A:519
 Site 824, A:781
 Site 825, A:99
profunda, *Florisphaera*
 Sites 815, 817, B:255
 Site 823, B:25
protohuxleyi, *Gephyrocapsa*, Site 822, B:25
Protoperidinium, Site 820, B:93–95
Pseudoemiliania, Sites 815 and 817, B:255–256
Pseudoemiliania lacunosa
 Australia NE, B:4
 Great Barrier Reef, B:329
 Site 811, A:95
 Site 812, A:151
 Site 813, A:185; B:6
 Site 814, A:210; B:7
 Site 815, A:262; B:7, 699
 Site 816, A:311; B:8
 Site 817, A:365; B:14
 Site 818, A:427; B:14, 209
 Site 819, A:464
 Site 820, A:519
 Site 821, A:579; B:23
 Site 822, A:627; B:24, 36, 740
 Site 823, A:703
 Site 824, A:780
 Site 826, A:809
 Sites 817–818, B:208–214
pseudumbilica, *Reticulofenestra*
 Site 811, A:96; B:698, 702
 Site 812, A:151
 Site 813, A:185
 Site 815, A:262
 Site 816, A:312
 Site 817, A:365; B:700

- Site 818, A:427
 Site 823, A:703; B:701
pseudoumbilicus, *Reticulofenestra*
 Australia NE, B:15–16
 Site 811, B:20
 Site 812, B:5
 Site 813, B:6
 Site 814, B:7
 Site 815, B:7
 Site 816, B:8
 Site 817, B:14
 Site 818, B:14–15
Pteris, Site 815, B:124–125
Pteris comans, Site 815, B:124–125
Pteris tremula, Site 815, B:124–125
Pteris vittata, Site 815, B:124–125
Pulleniatina praecursor, Site 816, B:43
Pulleniatina primalis
 Queensland Trough, B:787
 Site 816, B:43
Pyrgo murrhina
 Site 811, A:97
 Site 815, A:263
 Site 817, A:367
 Site 818, A:428
 Site 822, A:629
 Site 823, B:82
 Site 824, A:781
Pyxidinospis sp., Site 815, B:104

quanta, *Multispinula*, Site 815, B:105
Quinqueloculina, Site 821, B:367
Quinqueloculina crassicarinata, Site 821, B:371
Quinqueloculina curta, Site 821, B:372
Quinqueloculina oblonga, Site 821, B:377
quinqueramus, *Discoaster*
 Australia NE, B:15
 Site 811, A:96; B:21, 698
 Site 812, A:151
 Site 813, A:185; B:6, 283, 698
 Site 814, B:7
 Site 816, B:699
 Site 817, B:14
 Site 823, A:703, 705; B:27, 389
 Site 824, A:780; B:29
quoyi, *Alveolinella*, Site 821, B:366–376

radiata, *Amphistegina*
 Site 815, B:39–40
 Site 816, B:43–44
 Site 821, B:371
ramosus, *Spiniferites*, Site 823, B:98
ramulifera, *Achomospaera*, Site 823, B:101
Rectuvigerina multicostrata, Site 823, A:705
Rectuvigerina striata
 Site 815, A:263
 Site 817, A:367
 Site 825, A:99
Reticulofenestra
 Site 819, B:22
 Sites 815 and 817, B:255–256
Reticulofenestra asanoi, Site 822, B:36
Reticulofenestra minuta, Site 812, A:151
Reticulofenestra pseudoumbilica
 Site 811, A:95; B:698, 702
 Site 812, A:151
 Site 813, A:185
 Site 815, A:262
 Site 816, A:312
 Site 817, A:365; B:700
 Site 818, A:427
 Site 823, A:703; B:701
Reticulofenestra pseudoumbilicus
 Australia NE, B:15–16

 Site 811, B:20
 Site 812, B:5
 Site 813, B:6
 Site 814, B:7
 Site 815, B:7
 Site 816, B:8
 Site 817, B:14
 Site 818, B:14–15
Reticulofenestra sp.
 Australia NE, B:19
 Site 822, B:25
Reticulofenestra umbilicus, Site 210, B:779–780
Reticulosphaera sp., Site 815, B:104
Rhabdosphaera inflata, Site 210, B:780
Rhizophora, Site 820, B:109
rigaudiae, *Hystrichokolpoma*, Site 823, B:98
robertsonianus, *Cibicidoides*
 Site 811, A:97
 Site 818, B:81
 Site 822, A:629
robertsonii, *Cyathia*, Site 820, B:111
Rotaliina, Site 821, B:366–376
ruber, *Gephyrocapsa*, Site 812, A:151
ruber, *Globigerina*, Site 811, A:96
ruber, *Globigerinoides*
 Site 817, B:481–487
 Site 819, A:465; B:131–161, 725, 732
 Site 820, A:519
 Site 820, B:163–173, 304–308
 Site 821, A:580
 Site 822, A:628; B:177
 Site 823, A:705
 Site 824, A:780
 Sites 817–818, B:208
rubescens, *Globigerina*
 Site 819, A:464–465
 Site 820, A:519
 Site 821, A:580
 Site 823, A:705
rubinus, *Spiniferites*, Site 823, B:101
rugosa, *Planulina*, Site 818, A:428; B:81
rugosus, *Ceratolithus*
 Australia NE, B:16
 Site 817, A:365

sacculifer, *Gephyrocapsa*, Site 812, A:151
sacculifer, *Globigerinoides*
 Queensland Plateau, B:239, 241, 243
 Site 818, B:209
 Site 820, A:519
 Sites 817–818, B:208–214
sacculifera fistulosus, *Globigerinoides*, Queens-
 land Plateau, B:264
saipanensis, *Discoaster*, Site 210, B:779
schlumbergeri, *Sigmoidopsis*
 Site 811, A:97
 Site 812, A:151
 Site 814, A:213
 Site 815, A:263
 Site 816, A:313; B:81
 Site 817, A:367
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
 Site 825, A:99
 Site 826, A:809
Selenopemphix nephroides, Site 815, B:105
sellii, *Helicosphaera*
 Australia NE, B:19
 Great Barrier Reef, B:329
 Site 813, B:6
 Site 815, B:7, 699
 Site 816, B:8

 Site 819, A:464; B:22
 Site 820, A:519
 Site 821, A:580; B:23
 Site 822, A:628
 Site 823, A:703; B:25
semicibratus, *Anomalinoides*, Site 817, A:367
seminulina, *Sphaeroidinella*, Site 813, A:186
seminulina, *Sphaeroidinellopsis*
 Site 814, A:212
 Site 815, A:262
 Site 817, A:367
 Site 818, A:428
 Site 824, A:780
Sherbornina, Site 824, B:55
siakensis, *Globorotalia*
 Queensland Trough, B:787
 Site 814, A:97
 Site 817, A:367
 Site 823, B:701
 Site 825, A:98
sicana, *Praeorbulina*, Site 811, A:97
Sigmoidopsis schlumbergeri
 Site 811, A:97
 Site 812, A:151
 Site 814, A:213
 Site 815, A:263
 Site 816, A:313; B:81
 Site 817, A:367
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
 Site 825, A:99
 Site 826, A:809
Siphonina tubulosa, Site 821, B:372, 378
Siphovigerina ampullacea, Site 821, B:367, 372
solitus, *Chiasmolithus*, Site 210, B:785
Sorites
 Queensland Plateau, B:59
 Site 821, B:371
spengleri, *Calcarina*, Site 821, B:370
sphaericum, *Impagidinium*, Site 815, B:103
Sphaeroidina bulloides
 Site 811, A:97
 Site 812, A:152; B:78
 Site 813, A:186
 Site 815, A:263
 Site 816, A:313
 Site 817, A:367
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
 Site 821, A:580
 Site 826, A:809
Sphaeroidinella dehiscentis, Site 811, A:97
Sphaeroidinella seminulina, Site 813, A:186
Sphaeroidinellopsis paenedehiscentis, Site 816,
 B:43
Sphaeroidinellopsis seminulina
 Site 814, A:212
 Site 815, A:262
 Site 817, A:367
 Site 818, A:428
 Site 824, A:780
Sphaeroidinellopsis sp.
 Queensland Trough, B:787
 Site 813, B:698
 Site 814, B:698
 Site 815, B:699
 Site 818, B:702
 Site 823, B:701
sphaerulata, *Baculogypsina*, Site 821, B:370
Sphenolithus abies
 Australia NE, B:16

Sphenolithus abies (cont.)

TAXONOMIC INDEX

- Site 811, A:96; B:20
 Site 812, A:151; B:5, 698
 Site 813, A:185; B:6, 698
 Site 814, B:7
 Site 816, B:8
 Site 817, A:365; B:700
 Site 818, B:14, 702
- Sphenolithus distentus*, Site 210, B:780
- Sphenolithus heteromorphus*
 Australia NE, B:15
 Site 210, B:779–780
 Site 814, A:210; B:7
 Site 817, A:367
- Sphenolithus moriformis*, Site 817, A:367
- Sphenolithus predistentus*, Site 210, B:779
- Spiniferites bulloideus*
 Site 820, B:93–95
 Site 823, B:98, 101
- Spiniferites hyperacanthus*
 Site 820, B:93
 Site 823, B:98
- Spiniferites ramosus*, Site 823, B:98
- Spiniferites rubinus*, Site 823, B:101
- Spirochelys*
 Queensland Plateau, B:59
 Site 824, B:55, 63
- Spirosigmolina parri*, Site 821, B:371
- Spongites*
 Australia NE, B:67, 71
 Site 816, B:455, 457
- Sporolithon*
 Australia NE, B:68, 71
 Site 812, B:73
 Site 816, B:455–457, 459–460
- Stichocorys wolffi*, Site 817, A:368
- striatum*, *Impagidinium*, Site 815, B:103
- striata*, *Austrotrillina*, Site 824, B:55, 65
- striata*, *Rectuvigerina*
 Site 815, A:263
 Site 817, A:367
 Site 825, A:99
- striatula*, *Brizalina*, Site 821, B:372
- subglobosa*, *Globocassidulina*
 Site 811, A:97
 Site 822, A:629
 Site 823, A:705
 Site 825, A:98–99
- subhaidingerii*, *Cibicoides*
 Site 811, A:97
 Site 812, A:151–152
 Site 826, A:809
- subloadoensis*, *Discoaster*, Site 210, B:780
- suburgidum*, *Nonion*, Site 821, B:372
- subzones (with letter prefixes). *See also* zones
 CN9b, A:262, 365
 CN11a, A:427, 703
 CN11b, A:365, 427, 703
 CN12a, A:262, 427; B:7
 CN12b, A:262, 427
 CN12c, A:365, 427
 CN12c/CN12d boundary, Site 811, B:20
 CN12d, A:262, 312, 427
 CN13a, Site 817, A:365
 CN13b, Site 819, A:464
 CN14a, A:262, 364, 464, 579–580
 CN14a/CN14b boundary, Site 811, B:20
 CN14b, A:364, 579; B:20–21, 24, 29
 CN14b/CN15 boundary, Site 819, B:21
- Sumatradinium hispidum*
 Site 815, B:105
 Site 823, B:98
- sumatrensis*, *Lepidocyclina* (*Nephrolepidina*), Site 824, B:55
- sumatrensis*, *Nephrolepidina*, Sites 811/825, B:52
- surculus*, *Discoaster*
 Site 813, B:6
 Site 814, B:7
 Site 816, A:312; B:8
 Site 817, B:14
 Site 818, B:14
 Site 822, A:628
- Systematophora placacantha*, Site 823, B:98
- tamalis*, *Discoaster*
 Site 811, A:95; B:20
 Site 813, A:185; B:6
 Site 814, B:698; B:7
 Site 816, A:312
 Site 817, B:14, 700
 Site 818, B:14, 702
 Site 822, A:628
 Site 823, B:25
 Sites 815 and 817, B:261
- terquemi*, *Neocorbina*, Site 821, B:372
- tetrapera*, *Curtocapsella*, Site 817, A:368
- Textulariina*, Site 821, B:366–376
- thecideaeformis*, *Miogypsina*, Site 824, B:65
- toasaensis*, *Globorotalia*
 Queensland Trough, B:787
 Site 811, A:96
 Site 814, A:212
 Site 815, A:262
 Site 816, A:313
 Site 817, A:367
 Site 818, A:428
 Site 823, A:705
- Toweius gamation*, Site 210, B:785
- Toweius magnidrassus*, Site 210, B:785
- tremula*, *Pteris*, Site 815, B:124–125
- tricorniculatus*, *Amaurolithus*
 Australia NE, B:4, 16
 Site 811, A:96; B:21, 702
 Site 815, A:262; B:8, 699
 Site 817, A:365; B:14
 Site 823, A:703; B:25, 27, 701
 Sites 815 and 817, B:261
- Trifarina bradyi*, Site 821, B:367
- trilobus*, *Globigerinoides*, Site 818, A:428
- Triloculina*, Site 821, B:371
- triquetra*, *Dodonaea*, Site 823, B:116
- tropicus*, *Calcidiscus*
 Great Barrier Reef, B:329
 Site 820, A:519
 Site 821, A:580
 Site 822, A:628
 Site 823, A:703; B:385
 Site 824, A:780
 Sites 817–818, B:208–214
- truncatulinoides*, *Gephyrocapsa*, Site 812, A:151
- truncatulinoides*, *Globorotalia*
 Queensland Trough, B:787
 Site 811, A:96
 Site 813, A:186
 Site 814, A:212
 Site 815, A:262
 Site 816, A:313
 Site 817, A:367
 Site 819, A:464
 Site 821, A:580
 Site 822, A:628
 Site 823, A:705
 Site 824, A:780
- Tuberculodinium vancampoae*
 Site 820, B:93
 Site 823, B:98
- tubifer*, *Discosphaera*, Site 822, B:36
- Tubuliflorides pleistocenicus*, Site 820, B:108
- tubulosa*, *Siphonina*, Site 821, B:372, 378
- tumida*, *Globorotalia*, Site 823, B:389
- tumida flexuosa*, *Globorotalia*, Site 823, A:705
- tumida plesiotumida*, *Gephyrocapsa*, Site 812, A:151
- tumida plesiotumida*, *Globorotalia*
 Site 811, A:97
 Site 824, A:780
- tumida plesiotumida*, *Globorotalia* (*Globorotalia*), Site 815, B:39
- tumida tumida*, *Globorotalia*
 Queensland Trough, B:787
 Site 811, A:97; B:698
 Site 813, B:698
 Site 814, A:212; B:283, 699
 Site 815, A:262
 Site 816, A:313
 Site 817, A:367
 Site 823, B:700–701
 Site 826, A:809
- tumida tumida*, *Globorotalia* (*Globorotalia*), Site 816, B:43
- turgidus*, *Nonionella*, Site 812, A:151
- umbilicus*, *Reticulofenestra*, Site 210, B:779–780
- umbonifera*, *Nuttallides*
 Site 818, A:428; B:81
 Site 819, A:465
 Site 820, A:519
 Site 822, A:629
- universa*, *Orbulina*
 Australia NE, B:47
 Site 816, B:43
- Uvigerina auberiana*
 Site 812, A:151
 Site 824, A:781
- Uvigerina carapitana*
 Site 812, A:152
 Site 813, A:186
- Uvigerina crassicosata*, Site 817, A:367
- Uvigerina hispida*
 Site 811, A:97
 Site 823, A:705
 Site 825, A:99
- Uvigerina hornibrooki*, Site 811, A:97
- Uvigerina laviculata*, Site 812, A:151
- Uvigerina peregrina*
 Site 819, A:465
 Site 820, A:519
 Site 823, A:705
- Uvigerina pigmaea*
 Site 811, A:97
 Site 812, A:152
 Site 817, A:367
 Site 818, A:428
 Site 819, A:465
 Site 820, A:519
- Uvigerina proboscidea*
 Site 811, A:97
 Site 813, A:186; B:78
 Site 814, A:213
 Site 820, A:519
 Site 824, A:781
 Site 825, A:99
- Uvigerinidae*, Site 821, B:367, 371–374
- vancampoae*, *Tuberculodinium*
 Site 820, B:93
 Site 823, B:98
- vaughni*, *Plectofrondicularia*, Site 818, A:428
- venosa*, *Operculinella*
 Site 815, B:47
 Site 816, B:44
- vermicularis*, *Ladoronia*
 Australia NE, B:47

TAXONOMIC INDEX

zones

- Site 815, B:47
 Site 816, B:43–44, 456
vermosa, *Operculinella*, Site 816, B:43
vertebralis, *Marginopora*
 Queensland Plateau, B:59
 Site 821, B:370
 Site 824, B:65
Victoriella? conoidea, Site 816, B:43
vittata, *Pteris*, Site 815, B:124–125

Wiesnerella auriculata, Site 821, B:377
wolffi, *Stichocorys*, Site 817, A:368
woodi, *Globigerina*, Site 823, A:705
wuellerstorfi, *Cibicidoides*, Site 819, B:743
wuellerstorfi, *Planulina*
 Site 818, A:428
 Site 822, B:82
 Site 823, A:705

zoharyi, *Polysphaeridium*, Site 823, B:101
 zones (with letter prefixes). *See also* subzones
 CN3, A:367; B:779

 CN4, A:98, 367; B:84
 CN5, A:96, 98; B:84
 CN7, Site 811, A:95
 CN7/CN8 boundary, Site 811, B:21
 CN8, Site 811, A:95
 CN9, A:95, 186
 CN10, A:95, 185, 262, 312
 CN11, A:95, 98, 151, 185, 262, 312, 703; B:7,
 25
 CN11/CN12 boundary, A:703; B:25
 CN12, A:95, 151, 185
 CN13, A:151, 518
 CN14, A:95, 98, 151, 185
 CN14b/CN15 boundary, Site 819, B:21
 CN15, A:364, 427, 464, 579; B:22, 25
 CP11, Site 210, B:780
 CP13, Site 210, B:780
 CP13/CP14 boundary, Site 210, B:779
 CP14, Site 210, B:779
 N3, Site 811, A:96–97
 N3/N4 boundary, Site 824, A:779–780
 N5, B:44, 47, 55

 N6, B:44, 47, 55
 N7, A:97; B:44, 47, 84
 N7/N8 boundary, Site 811, A:96
 N8, A:97; B:47, 84
 N9, Site 815, B:40
 N10, A:96–98; B:43, 55
 N11, A:96–98; B:40, 44, 55
 N12, A:96–98; B:40, 44, 55
 N13, A:98; B:40
 N14, A:95, 98
 N15, A:95, 97; B:44
 N16/N17 boundary, A:95, 97, 367, 705
 N17, B:43–44, 47
 N18/N19 boundary, A:95, 367, 428, 705, 809
 N19, B:43–44, 47
 N21, A:95–96, 367, 428, 705
 N22, Site 811, A:95–96
 N22/N23 boundary, A:151, 186, 262, 313,
 367, 580, 705; B:787
 N23, Site 811, A:95–96
 P22, A:96–97; B:52