

## INDEX TO VOLUME 134

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 134 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and to those in the *Scientific Results* (this book), by "B" with a colon (B:). In addition, reference to material in a back-pocket foldout is shown as "bp."

The index was prepared by DBA, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets"), core photographs, or thin-section descriptions; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as foraminifers and nannofossils. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 827, for example, is given as "Site 827, A:95-137."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

- accretion, New Hebrides Island Arc, B:5–18, 21, 23, 28–30, 86–87
- accretionary complexes  
collision zones, B:5–18  
cross section, A:223  
dewatering, B:605  
interpretation, A:250  
pore pressure, B:571  
sediment mixing, B:179–245  
sediment water content, B:536–537  
seismic structure, B:11–13  
structural style, B:417–429  
subduction zones, A:229–250  
water content, B:544–545
- acoustic facies, correlation, B:67
- age vs. depth, nannofossil datums, A:122
- alkali feldspar, andesite, A:154
- alkalinity  
interstitial waters, A:114, 204, 279–280, 347, 417  
sediments, A:157–158  
vs. depth, A:113, 160, 207, 282, 422, 506; B:113, 117–118, 124–126
- alteration  
basalt, A:153–154  
olivine, A:501  
petrology, A:199
- alteration rims, gabbro, A:236
- aluminum  
vs. titanium, B:344, 356  
*See also* chromium/(chromium + aluminum) ratio
- aluminum logs, recording, B:628
- aluminum oxide  
volcaniclastics, B:151  
vs. silica, B:384
- Ambrym Fracture Zone  
faults, A:13  
volcanism, A:38
- ammonia  
interstitial waters, A:114, 204, 279–280, 347, 417  
sediments, A:157–158  
vs. depth, A:113, 160, 207, 282, 422, 506
- ammonium, vs. depth, B:113, 117–118, 124–126
- analcime  
spectra, B:145  
volcaniclastics, B:137–144  
X-ray-diffraction data, B:114–116, 119
- Anatium, lava, B:398
- andesite  
geochemistry, B:388–390  
lava, A:153–154  
petrography, B:338, 342  
petrology, B:353, 364–367
- andesite, basaltic, origin, A:16
- andesite, porphyritic, blebs, A:338–340
- andesite, two-pyroxenes, petrography, A:338–341
- anions, vs. cations, B:119
- ankaramite, geochemistry, B:388–390
- Aoba  
basalts, A:413–414  
lava, B:388–390  
petrology, B:375  
volcanism, A:38
- Aoba Fracture Zone, basins, A:13
- APWP. *See* Australian polar wander path
- aragonite, sediments, B:93
- arc–ridge collisions, North Aoba Basin, B:439–442
- arc platforms, New Hebrides Island Arc, B:23
- arc slopes  
accretionary wedges, B:8–11  
lithology, A:29–30
- ashfall sedimentation, turbidite, B:106
- assemblage units, foraminifers, A:152
- augite, mineral chemistry, B:366–367
- Australia–India Plate  
collisions, B:610, 612–613  
convergent margin, A:165  
motion, A:22  
subduction, A:11
- Australian apparent polar wander path, plate tectonics, B:450–451
- Australian Plate, subduction, B:21
- Austrotrillina howchini*, photograph, A:337
- Austrotrillina striata*, photograph, A:339
- authigenesis, zeolites, B:112, 114–116, 119–120
- authigenic minerals  
photograph, B:172–173  
volcaniclastics, B:134–144
- backarc basin basalts, petrology, B:337, 343, 353, 355–357
- backarc basins  
New Hebrides Island Arc, B:21–23, 28, 34  
petrology, B:363–373  
tectonics, B:21, 26  
uplifts, A:39–41  
*See also* basins, intra-arc
- backarc thrusting, incipient, B:562  
Barbados Ridge, comparison of sediment water content with Nankai Trough and Vanuatu, B:531–547
- barium  
vs. silica, B:384  
vs. zirconium, A:279, 417
- basalts  
demagnetization, B:471  
geochemistry, A:200–201, 504  
lava, A:153–154  
lithologic units, A:273  
petrography, B:339–349  
petrology, A:198–199, 276; B:353–357  
potassium/argon dating, B:413–414  
thermomagnetic behavior, B:499
- basalts, aphyric, brecciated, lithologic units, A:147, 149
- basalts, calc-alkaline, island-arc, geochemistry, A:278
- basalts, mid-ocean-ridge  
New Hebrides Island Arc, B:610–613  
petrology, B:337, 341–345, 353, 355–357
- basalts, vesicular, lithologic units, A:408
- basement, contact with carbonates, B:615
- basement, volcanic, petrology, B:363–373
- basins, intra-arc  
evolution, A:564  
plate tectonics, A:576
- bathymetric maps  
New Hebrides Island Arc, A:389  
Site 828, A:140–141  
Site 833, A:481–482  
submersible observations, A:46–47
- bathymetry  
collision zones, A:12  
New Hebrides Island Arc, A:7  
Pacific Ocean SW, A:6, 562
- SeaBeam maps, A:21, 23, 25
- bedding, formation microscanner imagery, A:452
- bedding planes  
dip, B:432  
formation microscanner imagery, B:596, 598, 603  
structural analysis, A:115  
vs. depth, A:454–455
- Benioff zone  
collisions, A:5  
tectonics, B:20, 24, 28
- Bigwan Fo  
igneous rocks, A:199–200  
lithostratigraphic units, A:194  
tectonics, A:230–231
- Bigwan Tri  
lithostratigraphic units, A:194  
tectonics, A:230
- Bigwan Tu  
lithostratigraphic units, A:194  
tectonics, A:230
- Bigwan Wan  
lithostratigraphic units, A:194  
tectonics, A:229–230
- biostratigraphic units, A:196–197
- biostratigraphy  
calcareous nannofossils, B:179–245  
Cenozoic, B:458–459  
planktonic foraminifers, B:247–263  
radiolarians, B:309–317  
Site 828, A:149–152  
Site 829, A:194–198  
Site 831, A:333–336  
Site 832, A:409–412  
Site 833, A:499–500
- bioturbation, lithologic units, A:104, 145–147, 266
- blebs, breccia, A:338
- blebs, andesitic, photograph, A:343
- block faulting, Miocene, A:9
- bole, petrology, B:364–367
- borehole elongation  
formation microscanner imagery, B:595  
orientation, B:574
- borehole geometry  
borehole televiewer, A:359  
formation microscanner imagery, B:593  
vs. depth, B:570
- borehole televiewer data  
fractures, A:228  
Site 831, A:354, 357–360  
stress, B:565–576
- Borelis* sp., photograph, A:340
- boron, vs. depth, B:113, 117–118, 124–126
- Bougainville Guyot  
andesite volcanic basement, B:26  
arc slopes, A:11  
chronostratigraphy, B:47–57  
collisions, B:610, 612–613  
dating, B:89–95  
diagenesis, B:112  
geology, A:22  
magnetostratigraphy, B:577–585  
overview, A:19–31  
pelagic carbonate, A:333  
petrology, B:337, 342, 344, 353, 356–357  
physical properties, B:518–519, 523  
pteropods, B:319–334  
SeaBeam map, A:319

## Bougainville Guyot (cont.)

## SUBJECT INDEX

- seismic lines, A:56  
 site description, A:261–315  
 tectonics, B:23–24, 28–30, 39  
 volcanic ash, B:403
- Bougainville Guyot–New Hebrides Island Arc  
 collision zone, structural interpretation,  
 A:26–29
- breakouts, tectonic stress, B:569–574, 617
- breccia  
 biostratigraphy, B:200–201  
 clasts, A:338  
 lava, B:361  
 petrology, A:198–199, 501  
 photograph, A:193  
 submarine volcanism, A:414  
 tectonic units, B:422  
 water content, B:544  
*See also* hyalo-breccia
- breccia, andesitic  
 geochemistry, A:342–343  
 lithologic units, A:333  
 paleomagnetism, A:344–346
- breccia, basaltic, lithologic units, A:402–404, 407,  
 493
- breccia, chalk, lithologic units, A:187
- breccia, ig-lithic, lithologic units, A:147, 149, 273
- breccia, sed-lithic, igneous, lithologic units, A:193
- breccia, sed-lithic, photograph, A:191
- breccia, siltstone–chalk, lithologic units, A:187
- breccia, volcanic  
 Cenozoic, B:7–8  
 diagenesis, B:127–129  
 geochemistry, B:396–397  
 lithologic units, A:188–189  
 petrography, B:339  
 petrology, A:276–277  
 unconformities, A:165–166
- brecciation  
 tectonic units, A:210  
 thrust zones, B:30–31
- brines, diagenesis, B:116, 119
- bromine  
 vs. chlorine, B:119  
 vs. depth, B:113, 117–118, 124–126
- Brunhes/Matuyama boundary  
 Site 832, A:423  
 Site 833, A:511; B:469–471
- Brunhes Chron  
 Site 827, A:118  
 Site 828, A:159–160  
 Site 829, A:214  
 Site 830, A:283  
 Site 832, A:423  
 Site 833, A:509
- bulk-density log, Site 830, A:291
- buried reefs, Espiritu Santo, B:66–67
- burrows, lithologic units, A:406
- Bwatigau Formation, correlation, B:471
- calc-alkaline rocks, geochemistry, B:396–398,  
 388–390
- calcite  
 petrography, A:276  
 veins, A:153  
 volcanoclastics, B:138–144  
 vs. depth, B:93
- calcium  
 geochemistry, A:236  
 interstitial waters, A:114, 156–157, 203–204,  
 279, 347, 416, 506–507  
 sediments, B:144–150  
 volcanoclastics, B:164  
 vs. chlorine, B:121  
 vs. depth, A:113, 160, 207–209, 282, 285,  
 422–424, 506–507; B:113, 117–118,  
 124–126, 127  
 vs. magnesium, A:114  
 vs. oxygen isotopes, B:121  
*See also* strontium/calcium ratio
- calcium carbonate, dissolution, B:302–304, 308
- calcium logs, vs. depth, B:581
- calcium–magnesium, vs. sodium + potassium,  
 B:127
- calcium/magnesium ratio, vs. depth, B:127
- calcium oxide  
 basalt, A:199–200  
 vs. depth, B:368  
 vs. magnesium oxide, B:409  
 vs. silica, B:370, 384
- calcium yield log, inflection, B:231, 233
- caliper logs  
 borehole size, A:239  
 compared with formation microscanner  
 imagery, B:599  
 compressive stress, B:604
- carbon  
 sediments, A:159, 205, 283, 347, 417, 426–  
 427, 510–511  
 volcanoclastics, B:155  
 vs. magnesium oxide, B:161
- carbon, organic  
 diagenesis, B:116  
 sediments, A:114
- carbon, organic, total, vs. depth, A:159, 206, 284,  
 427, 511
- carbon isotopes  
 carbonates, B:91–93  
 data for *Globigerinoides sacculifer*, B:298  
 vs. oxygen isotopes, B:94
- carbonate compensation depth, New Hebrides  
 Island Arc, B:27, 29
- carbonate content  
 lithologic units, B:77–78, 80  
 silty turbidites, B:104  
 vs. depth, A:104, 147, 190, 270–271, 403, 492
- carbonate rocks, magnetic logs, B:585
- carbonate rocks, neritic  
 dating, B:89–95  
 lithologic units, A:326, 329
- carbonate rocks, pelagic, paleomagnetism, A:344
- carbonate sediments, water content, B:544
- carbonates  
 Cenozoic, B:42  
 deposition, B:49–50  
 thrust sheets, B:21–23, 26–28
- carbonates, biogenic, volcanoclastics, B:138–144
- cataclasis  
 photograph, A:290  
 sediments, A:281
- cations, vs. anions, B:119
- cementation, lithologic units, A:328–331
- Cenozoic  
 biostratigraphy, B:179–245, 265–291, 309–  
 317  
 deposition, B:522–525  
 geochronology, B:89–95, 413–414  
 lithostratigraphy, A:165, 250; B:7–8, 59–69,  
 79–89  
 magnetostratigraphy, B:457–474  
 plate tectonics, B:417–429, 611–615  
 tectonics, B:431–444  
 volcanic rocks, B:396–399
- Central Aoba basins  
 Cenozoic evolution, B:26  
 tectonics, B:20–21, 29–30
- Central Chain, tectonics, B:20–22, 24–30
- Central d'Entrecasteaux Basin, elongation, A:11
- cerium, vs. silica, B:385
- cerium/lanthanum ratio, vs. lanthanum/ytterbium  
 ratio, B:170
- chabazite  
 spectra, B:146  
 volcanoclastics, B:137–144  
 X-ray-diffraction data, B:114–116, 119
- chalk  
 debris flows, A:45  
 lithologic units, A:192, 401  
 lithology, B:23, 27  
 Oligocene, A:192
- chalk, calcareous, lithologic units, A:188–190
- chalk, foramiferal, lithologic units, A:186, 189,  
 194
- chalk, nannofossil, lithologic units, A:146–147
- chalk, silty, lithologic units, A:189, 406
- changes of level, Quaternary, B:48–54
- chemostratigraphy, strontium isotopes, B:91–93
- chloride  
 alteration products, A:169  
 interstitial waters, A:202–203, 279, 347, 416,  
 505–506  
 vs. depth, A:113, 160, 207, 282, 422, 424, 506
- chlorine  
 vs. bromine, B:119  
 vs. calcium, B:121  
 vs. depth, B:113, 117–118, 124–127  
 vs. oxygen isotopes, B:121
- chlorinity  
 interstitial waters, A:111–112  
 sediments, A:156
- chlorite  
 lava, A:153  
 lithologic units, A:273  
 X-ray-diffraction data, B:144
- chromium  
 basalt, A:199–200  
 lava, A:277–278  
 vs. titanium, B:345  
 vs. yttrium, A:346
- chromium/(chromium + aluminum) ratio, vs.  
 magnesium/magnesium + iron ratio,  
 B:347
- chronostratigraphic events  
 Pliocene–Holocene, A:520  
 Site 828, A:169
- chronostratigraphy  
 Cenozoic, B:89–95  
 Quaternary, B:47–57
- clastic dikes, lithologic units, A:405
- clasts  
 breccia, A:338  
 chalk, A:192  
 chalk and siltstone, A:191  
 Eocene, B:309  
 geochemistry, A:504  
 lithologic units, A:408  
 petrology, A:501; B:364–367, 375–392
- clasts, volcanic, petrology, A:276–277, 412–414
- clay, volcanic, lithologic units, A:401
- clay minerals  
 lithologic units, B:74–84  
 petrography, A:199, 276  
 volcanoclastics, B:133–134  
 X-ray-diffraction data, B:114–116, 119
- claystone, lithologic units, A:402
- claystone, silty  
 lithologic units, A:405  
 photograph, A:497
- cleavage, fabrics, A:115
- clinopyroxene  
 basalt, A:153  
 composition, B:342–344, 356–357  
 mineral chemistry, B:366–367

- petrography, A:198–199, 276–277, 336–338, 412–414  
 volcanic ash, B:405–407  
 volcanic clasts, B:380–381  
 volcanic rocks, B:339, 342, 344  
 cobbles, lithologic units, A:406  
 coiling changes, foraminifers, B:255–256  
 collision zones  
   deformation, A:43–53; B:609–621  
   drilling, A:576  
   morphology, A:19–31  
   New Hebrides Island Arc, B:5–18  
   physical properties, B:511–530  
   sedimentology, B:73–88  
   sediment water content, B:535–536  
   shear zones, B:479–490  
   structural interpretation, A:27  
   tectonics, A:261–263  
   *See also* ridge-arc collisions  
 compaction, Site 832, A:419–420  
 compressional wave velocity  
   below top of basement, B:562  
   Site 833, B:555–557  
 conglomerate  
   lithologic units, A:106–108, 406  
   water content, B:544  
 conglomerate, sed-lithic, lithologic units, A:273  
 coral reefs  
   Quaternary, A:35–37  
   transgression, A:37–41  
 coring techniques, relation to lithologies  
   recovered, A:407–408  
 correlation  
   biostratigraphy, A:198  
   deposition, B:100  
 Costa Rica Rift, geochemistry, A:200–201  
 covariance analysis, water content, B:541  
 cross sections  
   scarps, A:28  
   slopes, A:29  
 crust, structure, B:549–563  
 crust, oceanic  
   ocean basins, A:22  
   subduction, A:19  
 crustal thickening, North Aoba Basin, B:562  
 crystal/lithic layers, lithologic units, B:79  
 Curie temperature, volcanoclastics, B:492  
  
 d'Entrecasteaux Zone  
   collision, A:19–31; B:24–31, 611–615  
   crust, B:560–562  
   lava, B:398–399  
   ocean basins, A:22–24  
   paleomagnetism, B:447–456  
   petrology, B:337–338, 353, 356–357, 363  
   physical properties, B:511–530  
   plate convergence, B:47–57  
   rock magnetism, B:475–490  
   subduction, A:33  
   tectonics, B:19–20, 22, 24–29, 33–43  
   *See also* North d'Entrecasteaux Ridge  
 d'Entrecasteaux Zone–New Hebrides Island Arc  
   collision zone  
   forearc seafloor deformation, A:43–53  
   overview, A:19–31  
   plate collisions, A:11  
 dacite  
   petrography, B:338, 342  
   volcanic ash, B:409, 411–412  
 debris flows  
   deposition, A:107–108  
   silty turbidites, B:103  
 décollement  
   accretionary wedges, B:13–18  
   water content, B:544–545  
 decoupling, stress, B:574  
 deformation  
   arc–ridge collisions, B:439–442, 609–621  
   boreholes, A:242  
   cleavage, A:115  
   siltstone, B:8–11  
   silty turbidites, B:103  
   Site 830, A:281  
   Site 832, A:419–420  
   style, A:211, 562, 564  
   tectonic units, A:208–211  
 deformation, brittle  
   conglomerate, A:117  
   tectonic units, A:206, 208–211  
 deformation fronts, sediment water content, B:537–538  
 dehydration, clay minerals, B:128–129  
 demagnetization  
   diagrams, A:159, 164  
   equal-area projection, A:226  
   orthogonal plots, A:122, 349, 435, 437, 517, 519  
   shear zones, B:480–481  
   vector endpoint diagrams, A:292, 294, 439  
   vs. alternating field value, A:520  
   vs. natural remanent magnetization intensity, A:226  
 demagnetization, alternating-field  
   basaltic sills, B:500–501  
   discrete samples, B:459–461  
   orthogonal plots, B:453  
   sediments, B:462–474  
   vector endpoint diagrams, B:482  
 demagnetization, thermal  
   orthogonal plots, A:227  
   sandstone, B:470–473  
   volcanic siltstone, B:483  
 dendritic structures, limestone, A:191  
 density  
   accretionary wedges, B:13–18  
   sediments, B:571  
 density–natural gamma-ray logs  
   Site 829, A:255–257  
   Site 830, A:312–313  
   Site 831, A:378–382  
   Site 832, A:477  
   Site 833, A:552–555  
 density, bulk, vs. depth, A:126–127, 170, 172, 231–234, 298–299, 355, 444–445, 521, 526; B:514, 516, 520, 522, 524, 526  
 density, GRAPE, vs. depth, A:526  
 deposition, hemipelagic environment, A:126–127  
 deuterium  
   interstitial waters, B:116  
   vs. oxygen isotopes, B:122  
 dewatering  
   forearcs, A:564  
   New Hebrides Island Arc, B:613  
   sediments, A:206  
 dewatering structures, photographs, A:150  
 diabase  
   geochemistry, A:200–201  
   petrology, A:199  
 diabase, aphyric, brecciated, lithologic units, A:147, 149  
 diagenesis  
   Aoba Basin, B:109–130  
   carbonate, B:50–54, 94  
   New Hebrides Forearc, B:109–130  
   solute concentrations, A:417–418  
   volcanic material, A:508  
 diatom frustules, Cenozoic, B:309  
 diorite, petrology, B:343  
  
 dip  
   bedding planes, B:432  
   formation microscanner imagery, B:593, 597, 599  
 dissolution, lithologic units, A:327  
 dissolution cycles, Pleistocene, B:293–308  
 dolerite  
   petrography, B:338, 340–342  
   petrology, B:355  
 dolomite  
   spectra, B:150  
   volcanoclastics, B:138–144  
 downhole measurements  
   Site 827, A:122–123  
   Site 829, A:223–229  
   Site 830, A:286, 288–291, 293  
   Site 831, A:351–354  
   Site 832, A:431–435  
   Site 833, A:518–520, 524–526  
   Vanuatu, B:625–643  
 downwarping, basins, B:220  
 drilling penetration rate, vs. lithostratigraphic units, A:330  
  
 earthquakes  
   Central New Hebrides subduction zone, B:572  
   New Hebrides Island Arc, B:616  
   Eastern Belt, tectonics, B:20–21, 23–30  
   East Santo Basin, morphology, A:14  
 echinoderms, photograph, A:333  
 electrical imaging, high-resolution, stress, B:591–606  
 emergence, reefs, B:53  
 environment, hemipelagic, indicators, A:194  
 environment, shallow-water, A:326  
 Eocene  
   biostratigraphy, A:150–152, 195–196, 198; B:200  
   lithologic units, A:147, 149, 190  
 Epi-Tonga, lava, B:398  
 erionite  
   photograph, B:175  
   spectra, B:147  
   volcanoclastics, B:137–144  
 eruptions, submarine, hyalo-breccia, A:340–341  
 Espiritu Santo  
   accretionary complexes, B:528  
   basalts, A:413–414  
   basins, A:13  
   crust, B:560–562  
   lithostratigraphy, B:59–60  
   petrology, B:337–338, 342–343, 353, 375  
   principal stratigraphic units, A:391  
   sedimentation, A:15, 126–129  
   site description, A:95–137  
   tectonics, B:23  
   topographic profile, A:38  
   uplifts, A:33, 37–38; B:18, 471  
  
 fabric, sandstone, A:273  
 fabric, planar  
   breccia, B:237  
   photograph, A:222, 224  
   sediments, A:281  
 fabric, scaly  
   cleavage, A:115  
   sediments, A:117  
   thrust sheets, B:420–427  
 fabric, tectonic, A:291  
 fault planes  
   formation microscanner imagery, B:598  
   orientation, B:433  
   stress, B:574  
   tectonic units, 208–211

## faults

## faults

- dip, A:158
- formation microscanner imagery, A:452
- New Hebrides Island Arc, B:616
- Site 833, A:508–509
- tectonic units, A:206, 208–211
- vs. depth, A:454
- See also* microfaults; normal faults; thrust faults
- faults, mesoscopic, volcanic sediments, A:115
- faults, normal
  - photograph, A:163, 218, 289
  - shear zones, B:421
  - tectonic units, A:208–209
- faults, normal, conjugate, tilted, photographs, A:430, 514
- faults, reverse, orientation, B:437–439
- faults, strike-slip, orientation, B:437–439
- faults, synsedimentary, A:281, 290
- faults, thrust
  - accretionary complexes, B:179–245
  - Cenozoic, A:194
  - dip, A:236
  - fluid flow, A:204
  - formation microscanner imagery, B:593–597
  - seafloors, A:47
  - sedimentation, A:127
- feldspars, volcanic clasts, B:380–381
- Fiji, counterclockwise rotation, A:9
- floatstone, bioclastic, lithologic units, A:328–330
- floatstone, mollusk
  - lithologic units, A:326–327, 332
  - photograph, A:329
- flow structures, silty turbidites, B:103
- fluid flow
  - accretionary prisms, A:222–223
  - basins, B:618
  - geochemistry, B:123, 127–129
  - New Hebrides Island Arc, B:611, 615
  - sediments, A:205
- fluid yield, rates, A:237
- FMS. *See* formation microscanner imagery
- folds, microshear, photograph, A:215
- foliation
  - kinematics, B:424–427
  - tectonic units, A:210
  - vs. lineation, B:484
- foraminiferal dissolution index, vs. depth, B:302
- foraminifer fragments, vs. stratigraphic contacts, B:304
- foraminifers, biostratigraphy, A:110, 152, 197–198, 274–276, 334–336, 411, 500; B:265–291
- foraminifers, benthic
  - assemblage units, Site 829, A:197–198
  - assemblage zones, Site 827, A:110
- foraminifers, benthic, smaller, A:335–336
- foraminifers, planktonic
  - biostratigraphy, A:109–110, 150–152, 195, 197, 274, 334, 409–411, 499–500; B:247–263
  - fragmentation, B:293–308
  - percentage variation vs. oxygen isotopes of *Globigerinoides sacculifer*, B:297
  - percentage variation vs. percentage of benthic species, B:297, 299
  - percentage variation vs. percentage of planktonic fragmentation, B:297, 299
- forearc deformation
  - accretionary complexes, B:529
  - New Hebrides Island Arc, B:618–619
- forearc slopes, collision zones, A:24–25
- forearcs
  - deformation, A:43–53

## SUBJECT INDEX

- New Hebrides Island Arc, B:418–420
- formation microscanner imagery
  - boreholes, A:227–228
  - faults, A:433
  - orientation, A:238, 240
  - Site 831, A:354, 356
  - Sites 829, 831, 832, 833, A:bp
  - stress, B:565–576, 591–606
  - tectonics, B:431–444
- fractionation, lava, A:155
- fracture planes, formation microscanner imagery, B:594, 598, 602
- fracture zones
  - basins, A:13–16
  - New Hebrides Island Arc, B:616
- fractures, oblique, formation microscanner imagery, A:452
  - photograph, A:215
  - tectonic units, A:210
  - vs. depth, A:453
- fragmentation, foraminifers, B:293–308
- friction, basal, accretionary wedges, B:13–18
- frontal arcs, uplifts, A:39–41
- Futuna, lava, B:398
- gabbro
  - alteration rims, A:236
  - composition, B:339
  - geochemistry, A:200–201
- gamma-ray logs, vs. depth, B:581, 632–633, 636, 638–639, 642
- Gauss/Matuyama boundary, magnetostratigraphy, B:468–471
- Gauss Chron, A:423
- geochemical logs
  - compared to cores, B:629–630
  - Site 829, A:258–260
  - Site 830, A:290, 314–315
  - Site 831, A:383–386
  - Site 833, A:556–557
  - Vanuatu, B:625–643
  - vs. depth, B:581
- geochemistry
  - Site 827, A:110–114
  - Site 828, A:154–158
  - Site 829, A:199–206
  - Site 830, A:277–281
  - Site 831, A:341–344
  - Site 832, A:414–419
  - Site 833, A:502–508
  - volcaniclastics, B:144–155
  - volcanic rocks, B:337–352
- geochronology
  - accelerator mass spectrometer datings, B:296
  - basalts, B:413–414
- geologic maps, New Hebrides Island Arc, Central, A:34, 36
- geomorphology, Quaternary, A:33
- geophysical surveys, New Hebrides Island Arc, A:55–63
- geothermal gradient
  - North Aoba Basin, B:115–116
  - vs. depth, B:120
- Gilbert/Gauss boundary, magnetostratigraphy, B:468–471
- Gilbert Chron
  - magnetostratigraphy, B:469–471
  - Site 832, A:423
- glass, brown, petrography, A:338
- glass, devitrified, andesite, A:154
- glass-rich layers, lithologic units, B:79
- glass particles, photograph, B:171
- glass shards, petrology, A:336, 501
- Globorotalia truncatulinoides*, sedimentation rates, A:346–347
- grabens
  - plate motion, A:22
  - sedimentary basins, A:13
- graded bedding
  - lithologic units, A:266, 268–270
  - vs. depth, A:105
- grain size
  - lithologic units, B:80
  - remanent magnetization, B:481–484
  - vs. depth, A:105
- grainstone, photograph, A:331
- grainstone, bioclastic
  - lithologic units, A:326
  - photograph, A:332–333
- grainstone, foraminiferal, lithologic units, A:330–331
- graywacke, thrust sheets, B:21, 28
- guyots
  - caps, A:333
  - carbonate caps, B:585
  - collision zones, A:11–12
  - dating, B:89–95
  - diagenesis, B:112, 114–116, 119–120
  - drilling, A:576
  - subduction, A:22–24
  - submergence, B:47–57
- gypsum, volcanoclastics, B:133–144
- gypsum veins, photograph, A:432, 495
- Halimeda*, A:327
- halite, dissolution, B:116
- heat flow, A:291, 293
  - Site 831, A:354
  - Site 832, A:433, 435
  - Site 833, A:525–526
  - temperature tool, A:228–229
  - vs. depth, A:243
- heulandite
  - spectra, B:147
  - volcaniclastics, B:137–144
- hiatuses, carbonates, B:94
- high field strength elements
  - seawater–rock alteration, A:155–156
  - volcanic rocks, B:387
- Holocene
  - biostratigraphy, A:499
  - lithologic units, A:490–492
  - silty turbidites, B:106
  - tectonics, B:38–43
- horsts, sedimentary basins, A:13
- Hunter Fracture Zone
  - displacements, A:5
  - petrology, B:358
- Hunter Islands, tectonic setting, A:5
- hyalo-breccia
  - lithologic units, A:337
  - petrology, B:364–367
  - photograph, A:342
- hyalo-breccia, andesitic, submarine eruptions, A:335, 340–341
- hyaloclastite, petrology, B:364–367
- hydration, igneous rocks, A:114
- hydrocarbons, New Hebrides Island Arc, B:618
- hydrocarbons, volatile, headspace analyses, A:204
- hydrology
  - Aoba Basin, B:109–130
  - New Hebrides Forearc, B:109–130
- hydrothermal alteration, volcanoclastics, B:131–176
- hypersthene, mineral chemistry, B:366–367
- hysteresis properties, shear zones, B:479
- igneous crust, structure, B:560–562

- igneous geochemistry  
Site 828, A:154–156  
Site 829, A:199–202
- igneous petrology  
Site 828, A:152–154  
Site 829, A:198–199  
Site 830, A:276
- igneous rocks  
fragments, A:106  
geochemistry, B:353–362  
petrology, A:198–199, 336–341, 412–414, 500–502
- ilmeneite  
composition, B:344–347  
volcanic clasts, B:381–382
- imbricate rocks, guyots, A:28
- imbricate structures  
accretionary wedges, B:13–18  
kinematics, B:424–428
- incompatible elements  
basaltic rocks, B:358, 360  
MORB-normalized for basalts, A:155–156  
MORB-normalized for basalts, dolerites, and gabbros, B:348, 350
- index properties  
Site 827, A:118–120, 124–125  
Site 828, A:161, 169  
Site 829, A:218–220  
Site 830, A:284–286, 297  
Site 831, A:347–350, 352  
Site 832, A:425–431, 446–448  
Site 833, A:515–516, 522–525  
vs. depth, A:231–233
- index zones  
Site 829, A:218–220  
Site 832, A:425, 427
- interstitial waters  
compositional changes, A:576  
geochemistry, A:110–114, 156–158, 161, 202–206, 278–281, 343–344, 416–419, 421, 505–508; B:112–120  
New Hebrides Island Arc, B:613–614  
statistical analysis, B:531–547  
vs. depth, A:207
- intra-arc basins  
crust, B:559–562  
evolution, A:11–16  
origin, B:610  
paleomagnetism, B:501  
petrology, B:375–392  
physical properties, B:527–528  
stratigraphy, B:59–69  
tectonics, B:27–31, 431–444  
*See also* backarc basins
- intra-oceanic island arcs  
geochemistry, B:387–399  
petrology, B:363–373
- iodine, vs. depth, B:113, 117–118, 124–126
- ion exclusion, clays, A:114
- iron  
geochemistry, A:236  
volcaniclastics, B:151  
*See also* magnesium/magnesium + iron ratio
- iron oxide, vs. silica, B:370, 384
- iron oxide/magnesium oxide ratio, vs. silica, B:387, 409
- island arc tholeiite  
petrology, B:337, 341–344, 353, 355–357, 363–373
- island arcs  
collision, B:59–69  
development, A:5–17  
evolution, B:19–46  
origin, B:610
- Quaternary evolution, A:33  
tholeiite, B:155–156
- isotope ages, atolls, B:50–51
- isotopes, dating, B:47–48
- isotope stages, relation to dissolution of foraminifers, B:298, 301
- Jaramillo Subchron, magnetostratigraphy, B:469–471
- Kaena Subchron, A:423
- kaolinite, lithologic units, B:83–85
- laminations  
limestone, A:191  
sandstone, A:192  
silty turbidites, B:103
- lanthanum/ytterbium ratio, vs. cerium/lanthanum ratio, B:170
- lapilli, volcanic, lithologic units, A:400
- lava, basaltic, clasts, A:153  
breccia, B:361  
composition, B:339, 342  
geochemistry, A:277–278, 414, 416; B:396–398  
modal analysis, A:413  
petrology, A:276; B:375–392  
trace elements, A:154–156
- lava flows, brecciated, lithologic units, A:147, 149
- lead-207/lead-204 ratio, vs. lead-206/lead-204 ratio, B:359
- lead isotopes  
igneous rocks, B:355  
ratios for basalts and gabbros, B:349  
volcanic rocks, B:383–401  
*See also* lead-207/lead-204 ratio
- leucoxene, volcaniclastics, B:133–144
- limestone, coral, Quaternary, A:35
- limestone, reefal, Quaternary, A:16  
lithologic units, A:402–403, 407  
photograph, A:191
- lineaments, New Hebrides Island Arc, B:616
- lineation, vs. foliation, B:484
- lithification, accretionary complexes, A:250
- lithium, vs. depth, B:113, 117–118, 124–126
- lithofacies, vs. depth, A:332
- lithologic units  
Cenozoic, B:7–8  
petrographic subunits, A:337–338  
Site 827, A:101–108  
Site 828, A:144–149  
Site 829, A:186–194  
Site 830, A:265–266, 268–273  
Site 831, A:325–333  
Site 832, A:400–409; B:377–380  
Site 833, A:490–497; B:380  
Unit I, A:102, 145, 186, 266, 268–271, 325–326, 400–401, 490  
Unit II, A:102–104, 145–146, 186, 273, 326–329, 401–402, 490–493  
Unit III, A:104–106, 146–147, 186, 329–333, 402, 493  
Unit IV, A:106, 147, 149, 186–187, 333, 402–403, 493, 495  
Unit V, A:187, 403–404, 495, 497  
Unit VI, A:188, 405–406  
Unit VII, A:188–189, 406  
Unit VIII, A:189  
Unit IX, A:189  
Unit X, A:189  
Unit XI, A:189  
Unit XII, A:190  
Unit XIII, A:190, 192  
Unit XIV, A:192
- Unit XV, A:193  
Unit XVI, A:193  
Unit XVII, A:193  
Unit XVIII, A:193  
Unit XIX, A:193  
Unit XX, A:193–194  
Unit XXI, A:194
- lithology  
borehole televiewer, A:357  
Site 831, A:363–372  
summary, A:304–309  
vs. depth, A:458–471, 536–547
- lithospheric flexure, reefs, B:48–50
- lithostratigraphic units  
Site 829, A:187–189  
Site 831, A:326–327
- lithostratigraphy  
accretionary wedges, B:8–13  
Cenozoic, B:26–31  
lithologic units, B:82–87  
magnetic logs, B:577–585  
North Aoba Basin, B:133–134, 377–380  
Quaternary, B:50–51  
shallow structures, B:7–8  
Site 827, A:101–108, 123–128, 566  
Site 828, A:144–149  
Site 829, A:183–194, 566  
Site 830, A:265–266, 268–273, 566  
Site 831, A:325–333, 566  
Site 832, A:400–409, 566  
Site 833, A:490–497, 566
- location maps, New Hebrides Island Arc, A:20
- logging units, correlation, A:224–227
- lower slope, sediment water content, B:538–539
- lower trench slope, sediment water content, B:531–547
- low field strength elements, seawater–rock alteration, A:156
- Loyalty Basin, petrology, B:353, 356–357
- lysocline  
foraminifers, B:301–304  
vs. depth, B:307
- Maewo  
basalts, A:413–414  
crust, B:560–562  
horsts, A:13  
lava, B:388–390  
lithostratigraphy, B:59–60  
principal stratigraphic units, A:391  
sedimentary basins, B:35  
subsidence, A:38–39  
tectonics, B:23–24  
uplifts, A:33; B:471
- Maewo Group, correlation, B:471
- magma mixing, petrology, B:363–373
- magmas  
evolution, B:375–392  
two mantle components, B:393–401
- magmas, calc-alkaline, geochemistry, A:341–343
- magmatic arcs, evolution, A:564
- magnesite  
spectra, B:150  
volcaniclastics, B:138–144
- magnesium  
carbonates, B:91–93  
interstitial waters, A:114, 203–204, 279, 347, 416, 506–507  
sediment–water interface, A:204  
sediments, A:156–157  
vs. calcium, A:114  
vs. depth, A:113, 160, 207–209, 282, 285, 422–423, 506–507; B:113, 117–118, 124–126

## magnesium (cont.)

## SUBJECT INDEX

- See also calcium–magnesium; calcium/magnesium ratio
- magnesium/magnesium + iron ratio, vs. chromium/(chromium + aluminum) ratio, B:347
- magnesium, by titration, vs. magnesium, by atomic absorption, A:204
- magnesium oxide
- basalt, A:200
  - volcaniclastics, B:151
  - vs. calcium oxide, B:409
  - vs. carbon, B:161
  - vs. depth, B:368
  - vs. potassium oxide, B:409
  - vs. silica, B:370, 384
  - vs. zirconium, A:346
- magnetic declination, vs. depth, A:119, 121, 166, 225, 228, 292–293, 348, 434, 438, 516; B:453, 460–474
- magnetic fabric
- intra-arc basins, B:501
  - sediments, B:475–490
- magnetic field logs, lithostratigraphy, B:579
- magnetic inclination
- histograms, B:455
  - vs. depth, A:119, 121, 166, 225, 228, 292–293, 348, 350, 434, 436, 438, 441, 516–518; B:453, 460–474
  - vs. number of samples, A:226
- magnetic intensity, vs. depth, A:119, 121, 166, 225, 228, 292–293, 348, 434, 436, 438, 441, 516–518; B:460–474
- magnetic logging, Vanuatu, B:577–585
- magnetic mineralogy, sediments, B:475–490
- magnetic properties
- correlation with lithostratigraphy, B:484–485
  - sediments, B:475–490
  - volcaniclastics, B:491–507
- magnetic reversals, correlation, B:454
- magnetic susceptibility
- anisotropy, B:491–492, 497–500
  - comparison with electrical resistivity, B:494–495
  - shear zones, B:479–480
  - silt, B:448
  - Site 829, A:216, 218
  - Site 830, A:284
  - Site 831, A:346
  - Site 832, A:423–424
  - Site 833, A:514
  - vs. depth, A:118, 161, 167, 229–230, 295, 351, 442, 519; B:449–451, 460–474, 481, 493–494
- magnetic susceptibility, normalized, vs. temperature, B:500
- magnetic susceptibility logs
- compared with gamma-ray, calcium and caliper logs, B:584
  - lithostratigraphy, B:578–579
- magnetite, composition, B:344–347
- magnetostratigraphy, in-situ, B:577–585
- Cenozoic, B:457–474
  - New Hebrides Island Arc, B:616
  - Site 828, A:159–161
  - Site 832, A:422–423, 442
  - Site 833, A:511, 514
  - tectonics, B:447–456
- major elements
- andesites, A:341–343
  - basalt, A:200
  - igneous rocks, B:340–341, 355
  - lava, A:277–278
  - volcanic ash, A:503
  - volcanic rocks, A:153, 415
- Malakula
- arc slopes, A:28
  - basins, A:13
  - Neogene, A:35
  - petrology, B:337, 343–344, 353
  - sedimentation, A:15–16
  - tectonics, B:23
  - topographic profile, A:37
  - uplifts, A:33
- Malua Formation, Neogene, A:35
- Mammoth Subchron
- Site 832, A:423
  - Site 833, B:469–471
- mantle sources, magmas, B:399–400
- Marino Formation
- Cenozoic, B:23–24
  - correlation, B:471
- marl, water content, B:544
- mass wasting
- sedimentation, A:125
  - tectonic erosion, A:29–30
- Matthew Islands, tectonic setting, A:5
- Matuyama/Gauss boundary, Site 832, A:423
- Matuyama Chron
- Site 832, A:422–423
  - Site 833, A:509, 511, 514; B:469–471
- Mere Lava, basalts, A:413–414; B:388–390
- methane
- headspace analyses, A:114, 157–158, 204, 280, 417
  - vs. depth, A:115, 210, 284, 425, 508; B:128
- microfaults
- Site 832, A:407, 419–420
  - Site 833, A:508–509
- microfaults, normal, orientation, B:435–437
- microfolds
- microshear structures, A:210
  - photograph, A:216–217, 221
- microgabbro
- composition, B:339
  - petrology, A:199
- microprobe data, vitric components, B:144
- miliolines, photograph, A:341
- mineral chemistry
- andesites, B:366–367
  - basaltic rocks, B:356
  - igneous rocks, B:342–344
  - volcanic ash, B:405–407
- mineralization
- alteration, A:508
  - veins, A:45
- minor elements
- carbonates, B:91
  - volcaniclastics, B:152
- Miocene
- biostratigraphy, A:195–196, 198; B:200, 217
  - calcareous nannofossils, A:409
  - lithologic units, A:145–146, 186, 188, 193, 329–330, 403–406
  - planktonic foraminifers, A:411
  - plate tectonics, A:9–11; B:32–35
  - sedimentary basins, A:14–15
  - silty turbidites, B:104–105
- Mohorovičić discontinuity, depth, B:559–562
- mollusk fragments, photograph, A:329
- montmorillonite, accretionary wedges, B:17
- Mount Tankara, coral reef terraces, A:37–38
- mud, water content, B:542–544
- Nankai Trough, comparison of sediment water content with Vanuatu and Barbados Ridge, B:531–547
- nannofossils, calcareous, biostratigraphy, A:108, 150, 195, 273–274, 334, 409, 499; B:179–245
- Nasawa Formation
- Cenozoic, B:23–24
  - correlation, B:471
- nassellarians, Quaternary, B:316
- Navaka Sands Formation, Neogene, A:37
- neodymium isotopes, volcanic rocks, B:355, 383–401
- Neogene
- deformation, A:51–52
  - island arcs, B:24–31
  - plate tectonics, A:9–11; B:19–46
- neotectonics, Quaternary, A:33–42
- New Caledonia, subduction, A:24
- New Caledonia Ridge, age, A:22
- New Hebrides Forearc
- diagenesis, B:109–130
  - volcanic rocks, B:337–352
- New Hebrides Island Arc
- accretionary complexes, B:528–529
  - biostratigraphy, B:265–291
  - borehole televiewer data, B:565–576
  - chronostratigraphy, B:89–95
  - collision zones, A:19–31; B:73–88
  - convergent margin, A:165
  - crust, B:559–562
  - drilling, A:561–577
  - forearc slope, A:48
  - geochronology, B:413–414
  - geologic history, A:5, 9–11
  - intra-oceanic subduction, A:5–18
  - magmas, B:383–401
  - magnetostratigraphy, B:577–585
  - model of evolution, A:10
  - Neogene paleoreconstruction, B:40
  - paleomagnetism, B:447–456
  - petrology, B:363–373, 375–392
  - physiographic elements, A:44
  - plate convergence, B:47–57
  - proposed origin, A:11
  - pteropods, B:319–334
  - ridge–arc collisions, B:609–621
  - seismic stratigraphy, B:59–69
  - stress, B:591–606
  - tectonic evolution, A:5; B:5–46, 417–429, 431–444
  - underway geophysics, A:55–63
  - volcanic ash, B:403–412
  - volcaniclastics, B:97–107
- New Hebrides Island Arc, Central basin geology, A:11–16
- site description, A:95–137, 261–315
  - vertical tectonics, A:33–42
- New Hebrides Trench
- Cenozoic evolution, B:26
  - magnetic anomalies, A:22
  - petrology, B:353–362
  - subduction, B:609
  - tectonics, B:21–23
- nickel
- basalt, A:199–200
  - lava, A:277–278
  - vs. silica, B:385
  - vs. titanium, A:201
- niobium
- basalt, A:200–201
  - vs. zirconium, A:279, 417
- nitrogen, volcaniclastics, B:155
- nontronite, volcaniclastics, B:133–134
- North Aoba Basin
- biostratigraphy, B:207–219, 247–263
  - Cenozoic, B:34
  - collisions, B:615–618

- diagenesis, B:109–130  
 geochronology, B:413–414  
 magmas, B:393–401  
 magnetostratigraphy, B:457–474  
 petrology, B:375–392  
 physical properties, B:511–530  
 rock magnetism, B:491–507  
 sedimentary and crustal structure, B:549–563  
 sedimentary basins, A:13  
 sedimentation, B:37  
 seismic lines, A:56  
 seismic stratigraphy, B:59–69  
 site description, A:479–557  
 stress, B:605  
 tectonics, B:21, 24–31, 431–444  
 uplifts, A:33  
 volcanic ash, B:403  
 volcanoclastics, B:97–107, 131–176
- North d'Entrecasteaux Ridge  
 biostratigraphy, B:265–291  
 collision, B:25, 73–88, 611–613  
 diagenesis, B:112  
 emergence, A:169–170  
 overview, A:19–31  
 petrology, B:337–338, 342–343, 353–362  
 SeaBeam bathymetry, A:48  
 sediment water content, B:535–536  
 seismic lines, A:56  
 site description, A:95–137  
 stress, B:605  
 tectonics, B:19, 22–24, 27–30, 43, 417–429  
 volcanic ash, B:403
- North d'Entrecasteaux Ridge–New Hebrides  
 island arc collision zone, tectonics, B:5–18
- North Fiji Basin  
 basin opening, B:24–31  
 crust, B:562  
 four-stage evolution, A:9  
 plate tectonics, A:22  
 structure, B:551–552  
 subduction, B:609  
 tectonics, B:21–22, 26–27, 29, 47
- North Fiji Fracture Zone, geologic setting, A:9  
 North Loyalty Basin, age, A:22
- ocean basins, evolution, A:22–24  
 ocean floors  
 photographs, A:49–52  
 submersible observations, A:43–53  
 ocean ridges, deformation, A:43  
 offscraping, New Hebrides Island Arc, B:612–613  
 Olduvai Subchron, magnetostratigraphy, B:468–471
- Oligocene  
 biostratigraphy, A:150–152, 195–196, 198; B:200  
 lithologic units, A:146–147, 186, 188–190, 192, 329–331  
 ooze, B:448–449  
 sedimentary basins, A:15  
 tectonics, B:32
- olivine  
 basalt, A:153  
 composition, B:344–346  
 geochemistry, B:407  
 petrology, B:382  
 volcanic clasts, B:380–381  
 volcanic rocks, A:412–414
- olivine, serpentinized, alteration, A:236
- ooze  
 Cenozoic, B:7–8  
 lithology, B:21, 23, 27  
 Oligocene, B:448–449
- ooze, foraminiferal  
 lithologic units, A:145–146, 193, 325–326  
 photograph, A:328
- ooze, nannofossil, debris flows, A:45  
 ophiolite, tectonics, B:21–22, 26
- orthopyroxene  
 mineral chemistry, B:366–367  
 volcanic clasts, B:381–382  
 volcanic rocks, A:413–414
- outer rise, plate convergence, B:49–50  
 overconsolidation, sediments, B:523–525
- oxidation, basalt, A:153–154
- oxides  
 composition, B:344–347  
 geochemical logs, B:634–635, 637, 640–641, 643
- oxygen isotopes  
 carbonates, B:91–93  
 diagenetic controls, B:120–121  
 foraminifers, B:293–308  
 interstitial waters, B:116  
 vs. calcium, B:121  
 vs. carbon isotopes, B:94  
 vs. chlorine, B:121  
 vs. depth, B:120  
 vs. deuterium, B:122
- Pacific Ocean SW, radiolarians, B:309–317  
 Pacific Ocean W, Pleistocene, B:293–308
- Pacific Plate  
 motion, A:22  
 subduction, A:11; B:21
- packstone, bioclastic, photograph, A:334
- paleobathymetry, Cenozoic, B:265–291  
 paleoceanography  
 Cenozoic, B:265–291  
 dissolution cycles, B:301  
 paleoecology, Cenozoic, B:265–291  
 paleoenvironment, Cenozoic, B:265–291  
 paleogeography  
 Cenozoic, B:228–229, 456  
 Pliocene, New Hebrides Island Arc, B:282  
 paleolatitude, tectonics, B:449–450  
 paleomagnetic directions, equal-area projection, A:350
- paleomagnetism  
 correlation with structural analysis, B:431–443  
 North Aoba Basin, B:457–474  
 Site 827, A:115, 118  
 Site 828, A:158–161  
 Site 829, A:211, 214, 216–218  
 Site 830, A:281, 283–284  
 Site 831, A:344–346  
 Site 832, A:423–424  
 Site 833, A:509, 511, 514  
 tectonics, B:447–456
- Pentecost  
 horsts, A:13  
 petrology, B:342  
 sedimentary basins, B:35  
 subsidence, A:38–39  
 tectonics, B:23–24  
 uplifts, A:33
- permeability  
 accretionary wedges, B:13–18  
 sediments, A:204
- petrography, volcanic rocks, 339, 342
- petrology  
 igneous rocks, B:353–362  
 volcanic basement, B:363–373  
 volcanic rocks, B:337–352
- pH, interstitial waters, A:347  
 phaeodarians, Cenozoic, B:309  
 phenocrysts
- basalt, A:153  
 modal analysis, A:413
- phillipsite  
 spectra, B:145  
 volcanoclastics, B:137–144
- phosphate  
 interstitial waters, A:114, 157–158, 204, 279–280, 347, 417  
 vs. depth, A:113, 160, 207, 282, 422, 506
- phosphorus, sand, A:278
- phosphorus oxide  
 volcanoclastics, B:164  
 vs. depth, B:113, 117–118, 124–126  
 vs. silica, B:384
- photoelectric effect logs, A:291
- physical properties  
 sediments, d'Entrecasteaux Zone, B:511–530  
 Site 827, A:118–122  
 Site 828, A:161–165  
 Site 829, A:218–223  
 Site 830, A:284–286  
 Site 831, A:347–350  
 Site 832, A:425–431  
 Site 833, A:515–518
- picrite  
 geochemistry, B:388–390  
 petrology, B:357
- picrite backarc basin basalt, petrology, B:357
- plagioclase  
 basalt, A:153  
 mineral chemistry, B:367  
 petrography, A:276–277, 336–338  
 volcanic ash, B:405–407  
 volcanic clasts, B:380–381  
 volcanic rocks, A:412–414; B:339, 344
- planar structures  
 azimuthal variation, A:241  
 borehole televiewer, A:358  
 formation microscanner imagery, B:593
- plate collision, New Hebrides Island Arc, A:11; B:22–30, 59–69, 73–88
- plate convergence  
 New Hebrides Island Arc, B:610, 612–613  
 Quaternary, B:47–57  
 stress, B:574  
*See also* plate convergence rates
- plate convergence rates  
 New Hebrides Island Arc, B:23–24, 29–30  
 Quaternary, B:51–54  
 water content, B:545
- plate movement rates, New Hebrides Island Arc, A:22
- plate rotation, New Hebrides Island Arc, B:22, 25–30
- plate tectonics  
 geologic history, A:5–16  
 paleolatitude, B:450–451  
 Quaternary, B:47–57
- Pleistocene  
 biostratigraphy, A:108–110, 150–152, 195–196, 198, 499; B:200, 282–283  
 calcareous nannofossils, A:409  
 lithologic units, A:101–108, 145–146, 186–187, 189–190, 193–194, 266, 268–272, 325–326, 400–402, 490–493  
 paleomagnetism, B:448  
 planktonic foraminifers, A:411  
 silty turbidites, B:105–106  
 tectonics, B:36–43
- Pleistocene, upper, dissolution cycles, B:293–308
- Pliocene  
 biostratigraphy, A:108–110, 150–152, 195–196, 198, 499–500; B:200, 216–217, 278, 282



## Pliocene (cont.)

## SUBJECT INDEX

- calcareous nannofossils, A:409  
 lithologic units, A:101–108, 145–146, 186–187, 189–190, 402–403, 493–495  
 planktonic foraminifers, A:411  
 sedimentary basins, A:15–16  
 silty turbidites, B:105–106  
 tectonics, B:33–38  
 pole reversals, Pliocene, A:422–423  
 pore pressure, accretionary wedges, B:571  
*Porites*, photograph, A:328  
 porosity  
 accretionary wedges, B:13–18  
 decrease, A:222–223  
 index zones, A:218–220  
 vs. depth, A:126–127, 170, 172, 231–234, 298–299, 355, 444–445, 521, 526; B:514, 516, 520, 522, 524, 526, 528  
 potassium  
 interstitial waters, A:112–114, 156–157, 203–204, 279, 347, 416, 506–507  
 vs. depth, A:113, 160, 207, 282, 285, 422, 506–507; B:113, 117–118, 124–126  
*See also* sodium + potassium  
 potassium/argon dating, basaltic rocks, B:413–414  
 potassium logs, recording, B:628  
 potassium oxide  
 basalt, A:199–200  
 volcanoclastics, B:151, 164  
 vs. magnesium oxide, B:409  
 vs. silica, A:278, 345, 416, 503; B:161, 384, 387, 408  
 vs. zirconium, A:346, 417  
*See also* silica/potassium oxide ratio  
 preservation, pteropods, B:319–334  
 protoconchs, specific characteristics, B:326  
 pteropods  
 Quaternary, B:319–334  
 vs. depth, B:322–323, 325  
 pumice  
 lithologic units, A:266  
 volcanic ash, B:409, 411–412  
 pyrite  
 alteration, A:236  
 volcanoclastics, B:133–134  
 pyroxenite  
 petrography, B:339  
 petrology, A:199  
 Quaternary  
 plate convergence, B:47–57, 619  
 sedimentary basins, A:16  
 vertical tectonics, A:33–42  
 volcanic rocks, B:390  
 Quaternary, upper  
 coral reef terraces, A:38–41  
 pteropods, B:319–334  
 radiolarians  
 biostratigraphy, A:108–109, 152, 276, 334, 411; B:309–317  
 radiometric age, foraminifers, B:296  
 rare earths  
 chondrite-normalized for andesites, B:371, 373  
 chondrite-normalized for basalts, B:359  
 chondrite-normalized for basalts, dolerites, and gabbros, B:348, 350  
 chondrite-normalized for low-K volcanic rocks, B:387–391  
 normalization to arc tholeiites, B:162–163  
 normalization to mid-ocean-ridge basalts, B:168–169  
 normalization to North American shale composite, B:166–168  
 volcanoclastics, B:152–155, 164  
 volcanic rocks, B:383–387  
 reef emergence, vertical tectonics, A:40–41  
 reef terraces, Quaternary, A:35–38  
 reefs  
 lithospheric flexure, B:49  
*See also* buried reefs; coral reefs; reef emergence; reef terraces  
 regression analysis models, linear, water content, B:539–541  
 remanent magnetization  
 compared with magnetic susceptibility logs, B:589  
 median destructive fields, A:345, 350  
 remanent magnetization, anhysteretic  
 shear zones, B:481  
 volcanoclastics, B:496–497  
 remanent magnetization, characteristic, whole-core pass-through data, B:459  
 remanent magnetization, depositional, correlation, B:471–474  
 remanent magnetization, isothermal  
 shear zones, B:481  
 volcanoclastics, B:496–497  
 vs. depth, B:485  
 remanent magnetization, natural  
 intensity, A:165  
 shear zones, B:480  
 stereographic projections, A:120  
 vs. alternating-field demagnetization, A:120  
 vs. depth, A:119  
 whole-core pass-through data, B:459  
 remanent magnetization, viscous, correlation, B:471–474  
 resistivity  
 imaging, B:591–606  
 vs. magnetic susceptibility, B:495  
 resistivity–sonic–natural gamma-ray logs  
 Site 829, A:252–254  
 Site 830, A:310–311  
 Site 831, A:373–377  
 Site 832, A:472–476  
 Site 833, A:548–551  
 resistivity logs  
 Site 829, A:227–228  
 Site 830, A:290–291  
 Reunion Subchron, A:423  
 reversed polarity, magnetostratigraphy, A:160  
 reworking, connotations, A:408–409  
 rhyodacite, volcanic ash, B:409, 411–412  
 rhyolite, petrology, B:355, 357  
 ridge–arc collisions, timing, B:609–621  
 rock magnetism  
 sediments, B:475–490  
 volcanoclastics, B:491–507  
 rotaliids, photograph, A:341  
 rubidium  
 basalt, A:199–200  
 vs. silica, B:384  
 vs. zirconium, A:417  
 rudstone, coral  
 lithologic units, A:326–327  
 photograph, A:329  
 Sabine Bank, petrology, B:353  
 Sale Formation, Neogene, A:37  
 salinity  
 interstitial waters, 111–112, 156, 202–204, 279, 347, 416, 505–506  
 vs. depth, A:113, 160, 207, 282, 422, 506; B:113, 117–118, 124–126  
 sand  
 ripples, A:45  
 water content, B:544  
 sand, foraminiferal, lithologic units, A:148  
 sand, volcanic  
 lithologic units, A:102–104, 268–271  
 photograph, A:272  
 sandstone  
 demagnetization, B:470  
 lithologic units, A:106–108, 402  
 petrography, B:339  
 sandstone, sed-lithic, lithologic units, A:273  
 sandstone, volcanic  
 lithologic units, A:190, 192, 273, 405–406, 493  
 photographs, A:494, 496, 498  
 Pleistocene, A:192  
 remanent magnetization, B:496–497  
 Santa Cruz, tectonic setting, A:5  
 Santa Maria  
 basalts, A:413–414  
 basins, A:14  
 lava, B:388–390, 398  
 Santa Maria Fracture Zone, faults, A:13  
 Santo, lava, B:388–390  
 scoriaceous rocks, lithologic units, A:401  
 scouring, seafloors, A:47  
 sea-floor spreading, plate rotation, A:9–11  
 sea-level changes  
 carbonates, B:94  
 Cenozoic, B:59–60  
 Quaternary, B:48–54  
 seamounts, subduction, B:48–51  
 sediment and fluid geochemistry, A:156–158  
 sedimentary basins, island arcs, A:13, 390  
 sedimentary structures, B:555–557  
 sedimentation  
 arc basins, B:97–107  
 deep-water, A:9  
 deep intra-arc basins, A:16  
 models, B:48–50  
 pelagic environment, A:107–108  
 sedimentation, pelagic, Cenozoic, B:7–8  
 sedimentation rates  
 chronostratigraphy, A:161  
 correlation, B:471–474  
 datum levels, A:118, 284  
 lithologic units, B:81  
 planktonic foraminifers, B:303  
 Site 829, A:218  
 Site 831, A:346–347  
 Site 832, A:412, 424–425  
 Site 833, A:514  
 vs. depth, A:168, 443, 520  
 vs. dissolution, B:301  
 vs. geochemistry, A:417–418  
 sediment mixing, accretionary complexes, B:179–245  
 sedimentology, collision zones, B:73–88  
 sediments  
 composition, A:111  
 depth vs. thickness, B:101–102, 105–106  
 geochemistry, A:202–206, 343–344, 416–419, 505–508  
 lower trench slope, B:531–547  
 physical properties, B:17, 511–530  
 sediments, hemipelagic, lithologic units, B:74–84  
 sediments, mixed, lithologic units, A:192  
 sediments, pelagic, lithologic units, B:75–84  
 sediment transport, lithologic units, A:408–409  
 seismic lines  
 multichannel data, A:263–264  
 New Hebrides Island Arc, A:56–63  
 single-channel data, A:264  
 Site 828, A:142–144  
 Site 829, A:182, 184  
 Site 831, A:321–323

- Site 832, A:394–397  
 Site 833, A:483–487
- seismic profiles  
 East Santo Basin, A:15  
 Malakula Basin, A:14  
 New Hebrides Island Arc, B:32  
 Site 830, A:303  
 Site 832, A:392  
 tectonics, B:5–18
- seismic reflection  
 orientation, B:433–434  
 seismic lines, A:98–101
- seismic refraction, crust, B:549–563
- seismic sections, reflection, A:24, 26
- seismic stratigraphy  
 North Aoba Basin, B:59–69  
 Site 827, A:98–101  
 Site 829, A:182–183  
 Site 832, A:393–394
- seismic surveys, A:263–267
- sericite, petrography, A:276
- serpentine, lava, Site 828, A:153
- serpentine, petrography, B:338–342
- shear bands, photograph, A:219
- shear folds, photograph, A:219–221, 223
- shear strength  
 Site 827, A:120–121, 129  
 Site 828, A:163  
 Site 829, A:221–222  
 Site 830, A:286  
 Site 831, A:354  
 Site 832, A:430–431, 450  
 Site 833, A:517, 530  
 vs. depth, A:130, 173, 236, 300, 451, 530
- shear zones  
 breccia, B:236  
 brittle deformation, B:421  
 forearc rocks, A:51–52  
 magnetic properties, B:478–480  
 photograph, A:216–217  
 tectonic units, A:206, 208–211
- shoshonite  
 geochemistry, B:387  
 volcanic ash, B:409, 411–412
- Sighetara Group  
 Cenozoic, B:23–24  
 deep-sea fans, A:15
- silica  
 basalt, A:199–200  
 interstitial waters, A:114, 157–158, 204, 279–280, 347, 417  
 vs. calcium oxide, B:370  
 vs. depth, A:113, 160, 207, 282, 422, 506;  
 B:113, 117–118, 124–126, 368  
 vs. iron oxide, B:370  
 vs. iron oxide/magnesium oxide ratio, B:387, 409  
 vs. magnesium oxide, B:370  
 vs. oxides, B:384–385  
 vs. potassium oxide, A:345, 416, 503; B:161, 387, 408  
 vs. sodium oxide + potassium oxide, A:278  
 vs. titanium oxide, B:370
- silica/potassium oxide ratio, volcanoclastics, B:151
- sill, plagioclase-phyric, photograph, A:502
- sills  
 demagnetization, B:471  
 geochemistry, B:397–399  
 injection, B:164–165  
 petrology, B:375–392  
 thermomagnetic behavior, B:499
- sills, basaltic  
 composition, B:37, 617  
 geochemistry, A:504
- lithologic units, A:495  
 petrology, A:501–502  
 photograph, A:498
- silt  
 Cenozoic, B:7–8  
 paleomagnetism, B:448
- silt, volcanic  
 lithologic units, A:102–104, 145, 186, 193, 266, 271, 400, 404, 490  
 photograph, A:272
- siltstone  
 lithologic units, A:102–106, 266, 406, 490–493  
 lithology, A:47  
 photographs, A:496–497  
 remanent magnetization, B:486–490, 496–497
- siltstone, contorted, lithologic units, A:407
- siltstone, volcanic, sandy, lithologic units, A:193
- Site 671, sediment water content, B:537–538
- Site 673, sediment water content, B:538–539
- Site 674, sediment water content, B:539
- Site 675, sediment water content, B:537
- Site 676, sediment water content, B:537
- Site 808, sediment water content, B:536–537
- Site 827, A:95–137  
 background and objectives, A:96–98  
 biostratigraphy, A:108–110; B:191–195, 273  
 coring summary, A:101  
 downhole measurements, A:122–123  
 generalized summary, A:134–137  
 lithostratigraphic units, A:103  
 lithostratigraphy, A:101–108  
 location map, A:96  
 operations, A:100–101  
 paleomagnetism, A:115, 118  
 physical properties, A:118–122  
 plate collision, B:73–88  
 pore-fluid chemistry, A:112  
 SeaBeam bathymetry, A:97  
 sediment accumulation rates, A:118  
 sediment and fluid geochemistry, A:110–115  
 sediment water content, B:535–536  
 seismic lines, A:98–100  
 seismic stratigraphy, A:98–100  
 structural studies, A:115  
 summary of structural features, A:116  
 tracking map, A:98  
 volcanic rocks, B:337–352
- Site 828, A:139–177  
 background and objectives, A:140–142  
 bathymetric maps, A:140–141  
 biostratigraphic summary, A:151  
 biostratigraphy, A:149–152; B:186–189, 273–274  
 diagenesis, B:112  
 foraminifers, B:296  
 igneous geochemistry, A:154–156  
 igneous petrology, A:152–154  
 index properties, A:161  
 lithostratigraphic units, A:145–146  
 lithostratigraphy, A:144–149  
 migrated multichannel seismic line, A:142  
 operations, A:143–144  
 paleomagnetism, A:158–161  
 petrology, B:353–362  
 physical properties, A:161–165  
 plate collision, B:73–88  
 sediment accumulation rates, A:161  
 sediment and fluid geochemistry, A:156–158  
 sediment water content, B:535–536  
 seismic stratigraphy, A:142–143  
 single-channel seismic lines, A:143  
 structural studies, A:158  
 summary and conclusions, A:165–170
- trackline map, A:142  
 volcanic ash, B:403–412
- Site 829, A:179–260  
 background and objectives, A:181–182  
 biostratigraphy, A:194–198; B:195–206, 273  
 borehole televiewer data, B:565–576  
 coring summary, A:185–186  
 downhole measurements, A:223–229  
 formation microscanner imagery, B:591–594  
 general summary, A:244–249  
 geochemical logs, B:625–643  
 igneous geochemistry, A:199–202  
 igneous petrology, A:198–199  
 lithostratigraphy, A:183–194  
 location map, A:181  
 magnetic susceptibility logs, B:578–579  
 operations, A:183  
 paleomagnetism, A:211, 214, 216, 218  
 physical properties, A:218–223  
 plate collision, B:73–88  
 SeaBeam bathymetry, A:181  
 sediment accumulation rates, A:218  
 sediment and fluid geochemistry, A:202–206  
 seismic stratigraphy, A:182–183  
 single-channel seismic data, A:183  
 structural studies, A:206, 208–211  
 summary, A:229–250  
 trackline map, A:182  
 volcanic rocks, B:337–352
- Site 830, A:261–315  
 background and objectives, A:262–263  
 bathymetric map, A:262  
 biostratigraphy, A:273–276; B:207  
 coring summary, A:268  
 downhole measurements, A:286–293  
 geochemical logs, B:625–643  
 igneous geochemistry, A:277–278  
 igneous petrology, A:276–277  
 lithostratigraphic units, A:269  
 lithostratigraphy, A:265–266, 268–273  
 operations, A:264–265  
 paleomagnetism, A:281, 283–284  
 physical properties, A:284–286  
 sediment accumulation rates, A:284  
 sediment and fluid geochemistry, A:278–281  
 sediment water content, B:536  
 seismic lines, A:264–267  
 seismic stratigraphy, A:263–264  
 structural studies, A:281  
 summary and conclusions, A:293–295  
 trackline map, A:263  
 volcanic ash, B:403–412  
 volcanic rocks, B:337–352
- Site 831, A:317–386  
 background and objectives, A:318–320  
 bathymetric map, A:319  
 biostratigraphy, A:333–336; B:189–190  
 borehole televiewer data, B:565–576  
 chronostratigraphy, B:47–57, 89–95  
 coring summary, A:324–325  
 diagenesis, B:112  
 downhole measurements, A:351–354  
 geochemical logs, B:625–643  
 igneous geochemistry, A:341–343  
 igneous petrology, A:336–341  
 lithostratigraphy, A:325–333  
 magnetic susceptibility logs, B:579  
 operations, A:322, 324  
 paleomagnetism, A:344–346  
 petrology, B:363–373  
 physical properties, A:347, 349–350  
 sediment accumulation rates, A:346–347  
 sediment and fluid geochemistry, A:343–344  
 seismic stratigraphy, A:320–322

- summary and conclusions, A:354–361  
 trackline map, A:320  
 volcanic ash, B:403–412
- Site 832, A:387–477  
 background and objectives, A:388, 390–393  
 bathymetric map, A:389  
 biostratigraphy, A:409–412; B:207–218, 247–263, 275  
 coring summary, A:398–399  
 diagenesis, B:112, 114–116, 119–120  
 downhole measurements, A:431–433, 435  
 foraminifers, B:296  
 formation microscanner imagery, B:594–596  
 igneous geochemistry, A:414–416  
 igneous petrology, A:412–414  
 lithostratigraphy, A:400–409  
 magmas, B:383–401  
 magnetostratigraphy, B:461–464  
 operations, A:394, 399–400  
 paleomagnetism, A:420–424  
 petrology, B:375–392  
 physical properties, A:425, 427, 430–431  
 sediment accumulation rates, A:424–425  
 sediment and fluid geochemistry, A:416–419  
 sedimentary record, B:101–103  
 seismic stratigraphy, A:393–394  
 structural analysis, B:433–436  
 structural studies, A:419–420  
 summary and conclusions, A:435–438  
 trackline map, A:393  
 volcanic ash, B:403–412  
 volcanoclastics, B:131–176
- Site 833, A:479–557  
 background and objectives, A:480, 482  
 bathymetric map, A:481  
 biostratigraphy, A:499–500; B:218–219  
 compressional wave velocity, B:555  
 coring summary, A:488–489  
 diagenesis, B:112, 114–116, 119–120  
 downhole measurements, A:518–520, 524–526  
 formation microscanner imagery, B:596–597  
 geochemical logs, B:625–643  
 igneous geochemistry, A:502–504  
 igneous petrology, A:500–502  
 lithostratigraphy, A:490–498  
 magmas, B:383–401  
 magnetic susceptibility, B:494–495  
 magnetostratigraphy, B:464–465  
 operations, A:487, 489–490  
 paleomagnetism, A:509, 511, 514  
 petrology, B:375–392  
 physical properties, A:515–518  
 sediment accumulation rates, A:514  
 sediment and fluid geochemistry, A:505–508  
 sedimentary record, B:103–104  
 seismic stratigraphy, A:482–487  
 structural analysis, B:436–439  
 structural studies, A:508–509  
 summary and conclusions, A:526–527, 529–530  
 trackline map, A:483  
 volcanic ash, B:403–412  
 volcanoclastics, B:131–176
- skewness, lithologic units, B:80
- slickensides  
 kinematics, B:421  
 lineation, B:432  
 photographs, A:431, 516
- slope swells, seismic profiles, B:15–16
- slump folds  
 photographs, A:430, 495, 514  
 Pliocene, B:38
- slump microfolds, formation microscanner imagery, B:600
- slumping  
 New Hebrides Island Arc, B:25–26, 29  
 orientation, A:419–420, 508–519; B:433–434, 436–437
- smectites  
 lithologic units, B:83–84  
 volcanoclastics, B:133–144
- sodium  
 interstitial waters, A:112–114, 156–157, 279, 347, 416, 506–507  
 vs. depth, A:113, 160, 207, 282, 422, 424, 506–507; B:113, 117–118, 124–126
- sodium + potassium, vs. calcium–magnesium, B:127
- sodium atomic emission, vs. sodium charge balance, A:114
- sodium charge balance, vs. sodium atomic emission, A:114
- sodium oxide  
 vs. silica, A:278; B:384  
 vs. zirconium, A:346, 417
- soft sediment deformation, lithologic units, A:405
- soils, oxidized, photograph, A:334
- sonic velocity  
 Hamilton Frame data, A:220–221, 353, 449–450  
 Site 828, A:163  
 Site 830, A:285–286, 299  
 Site 831, A:349–350  
 Site 832, A:427, 430  
 Site 833, A:516–517  
 vs. depth, A:444; B:515, 517, 521, 523, 525, 527  
 vs. lithostratigraphic units, A:120
- sorting, lithologic units, B:80
- South Aoba Basin, B:21, 24, 27–29  
 sedimentation, A:16; B:37  
 tectonics, B:27–31
- South d'Entrecasteaux Chain  
 collision, B:31, 613–615  
 petrology, B:337, 353, 357, 363  
 sediment water content, B:536  
 tectonics, B:19, 22–23, 27–31  
 volcanic ash, B:403
- Spearman rank-order correlation coefficients, magnetic logs, B:588
- spectral gamma-ray data, compared with borehole televiwer, A:360
- spinel, composition, B:344–347
- Spiroclypeus margaritatus*, photograph, A:338
- sponge spicules, Cenozoic, B:309
- spumellarians, Quaternary, B:315
- stable isotopes, interstitial waters, B:116
- stress  
 borehole televiwer data, B:565–576  
 formation microscanner imagery, B:591–606
- stress, circumferential, with respect to maximum horizontal stress, B:573
- stress, compressive, induced fractures, B:605
- stress tensor, fault planes, B:433
- strike, formation microscanner imagery, B:593, 597, 599
- strontium  
 basalt, A:199–200  
 carbonates, B:91–93  
 volcanoclastics, B:164  
 vs. depth, B:113, 117–118, 124–127  
 vs. silica, B:385  
 vs. zirconium, A:279
- strontium/calcium ratio, volcanoclastics, B:164
- strontium isotopes  
 dating, B:47–48, 89–95  
 igneous rocks, B:355
- interstitial waters, B:116  
 volcanic rocks, B:383–401  
 vs. depth, B:122  
 vs. 1/strontium ratio, B:123
- structural analysis  
 bedding planes, Site 827, A:115  
 deformation, B:431–444  
 Site 827, A:116  
 Site 828, A:158  
 Site 829, A:206, 208–214  
 Site 830, A:281  
 Site 832, A:419–420  
 Site 833, A:508–509  
 stress, B:591–606
- structural logs  
 Site 828, A:162  
 Site 830, A:286–288  
 Site 832, A:428–429  
 Site 833, A:512–513
- structural style, accretionary wedges, B:417–429
- structural units  
 Site 832, A:419–420  
 Site 833, A:508–509  
 See also tectonic units
- subduction  
 island arcs, A:5–18  
 New Hebrides Island Arc, B:22, 24–29  
 oceanic crust, A:19  
 Quaternary, A:33, 39–41  
 seamounts, B:48–52  
 sedimentation, B:86–87
- subduction polarity reversal, New Hebrides Island Arc, B:22, 25, 30, 610
- subduction zones  
 conceptual model, B:614  
 dewatering, B:605  
 dip, A:165  
 evolution, A:576  
 guyots, A:29–30  
 New Hebrides Island Arc, B:418–420  
 stress, B:569
- submarine canyons, deposition, A:107–108
- submergence  
 reefs, B:53  
 volcanism, A:38
- submersible observations, deformation, A:43–53
- sulfate  
 interstitial waters, A:114, 157–158, 204, 279–280, 347, 417  
 vs. depth, A:113, 160, 207, 282, 422, 506; B:113, 117–118, 124–126
- synthetic seismograms, stratigraphy, B:61–64
- Tafwutmuto Group, Cenozoic, B:23–24
- Tanna, lava, B:398
- Tawoli Formation, Pliocene, A:37
- tectonic erosion, mass wasting, A:29–30
- tectonic maps, New Hebrides Island Arc, A:8
- tectonic stress, vs. water content, B:544–545
- tectonic units  
 evolution, A:230–236  
 formation microscanner imagery, B:593, 597, 599  
 New Hebrides Island Arc, B:418–427  
 Pleistocene, A:281  
 seismic reflection, B:8–11  
 Site 829, A:206, 208–211
- tectonics  
 accretion, B:5–18  
 magnetostratigraphy, B:447–456  
 New Hebrides Island Arc, B:19–46  
 North Aoba Basin, B:431–444  
 subduction zones, A:229–250  
 See also vertical tectonics

- tectono-magmatic discrimination diagrams  
   basaltic rocks, A:418  
   titanium-zirconium, A:157-158  
   volcanic ash, A:419  
 telocochs, specific characteristics, B:326  
 temperature  
   downhole measurements, A:122-123  
   reduction to equilibrium, A:132-133  
   vs. depth, A:243, 362  
   vs. depth integral of thermal resistivity, A:303  
   vs. integrated thermal resistivity, A:457  
   vs. thermal resistivity, A:535  
   vs. time, A:301-302, 361, 455-457, 534-535  
   vs. time for water sampler temperature probe,  
   A:132-133  
 tension gashes, sigmoidal, photographs, A:431,  
   515  
 Terra Rosa, photograph, A:334  
 Thecosomata, Quaternary, B:319-334  
 thermal conductivity  
   cores, A:163, 165  
   sediments, A:121-122, 222  
   Site 827, A:131  
   Site 830, A:286  
   Site 831, A:350, 354  
   Site 832, A:431, 451  
   Site 833, A:517-518  
   vs. depth, A:130, 174-175, 237, 301, 451, 532  
 thermal resistivity, vs. temperature, A:133, 535  
 thermal resistivity, integrated, vs. temperature,  
   A:457  
 thermomagnetic experiments, volcanoclastics,  
   B:495-496  
 tholeiite  
   composition, B:363-373  
   rare earths, B:155-156  
 tholeiite, island-arc, geochemistry, A:278  
 thomsonite  
   spectra, B:146  
   volcanoclastics, B:137-144  
 thorium logs, recording, B:628  
 thrust faults, sediments, B:82, 85  
 thrusting, evidence, B:224-231  
 thrust sheets  
   accretionary wedges, B:13-18  
   evolution, A:576  
   New Hebrides Island Arc, B:22-24, 28-29,  
   419-427  
 thrust zones  
   formation microscanner imagery, B:593  
   New Hebrides Island Arc, B:613-615  
   water content, B:544-545  
 tilting  
   orientation, B:433-434, 436-437  
 titanium  
   seawater-rock alteration, A:155-156  
   vs. aluminum, B:344, 356  
   vs. chromium, B:345  
   vs. nickel, A:201  
   vs. zirconium, A:157, 418; B:347, 358  
   vs. zirconium and yttrium, A:419  
 titanium-zirconium-yttrium tectonomagmatic  
   discrimination diagrams, basalt, A:158  
 titanium oxide  
   volcanoclastics, B:151, 164  
   vs. depth, B:368  
   vs. silica, B:370, 384  
   vs. zirconium, A:279, 346  
 titanomagnetite  
   crystal chemistry, B:371  
   volcanic clasts, B:381-382  
 Tonga Trench, Cenozoic evolution, B:26  
 Torres  
   lava, B:388-390  
   petrology, B:342  
   tectonic setting, A:5  
 Torres Group, tectonics, B:23  
 total magnetic field  
   vs. depth, B:586-588  
   *See also* magnetic field logs  
 trace elements  
   basalt, A:199-200  
   igneous rocks, B:340-341, 355  
   lava, A:277-278  
   volcanic ash, A:342, 503  
   volcanic rocks, A:153, 415; B:383-387  
 trace elements, incompatible, basalt, A:200  
 trace elements, MORB-normalized  
   andesitic blebs, A:346  
   basaltic sills, A:504  
   tuff, Site 833, A:504  
   volcanic ash, A:345, 504  
   volcanic rocks, A:280  
 transgression, Neogene, A:37  
 traveltime, seismic refraction, B:558  
 trenches, New Hebrides Island Arc, B:21-23  
 triple junctions, spreading zones, A:9  
 tuff, volcanic, lithologic units, A:492  
 turbidites  
   debris flows, A:45  
   deposition, A:127; B:100  
   lithologic units, B:75-84  
   sedimentation, A:194  
   volcanic ash, B:409, 411-412  
 ultracataclasite, foliation, B:427  
 ultrastructure, pteropod shells, B:321-322  
 unconformities  
   Cenozoic, B:28-31  
   correlation, B:471-474  
   magnetostratigraphy, A:159-160  
   Miocene, A:14  
   Neogene, B:61-64  
   New Hebrides Island Arc, B:24-25, 27, 29  
   orientation, B:433-434  
   Quaternary, B:51  
   sedimentary sequence, A:165, 167  
   tectonics, A:438; B:617  
 underplating, accretionary wedges, B:13-18  
 uplifts  
   deformation, A:43  
   Quaternary, A:33-42  
   rates, A:37, 39-41  
   sedimentation, B:86-87  
 upwelling, dissolution, B:302-303  
 uranium logs, recording, B:628  
 uranium series, dating, B:47-48  
 Vanuatu  
   basins, A:13  
   biostratigraphy, B:309-317  
   collisions, B:610  
   comparison of sediment water content with  
   Nankai Trough and Barbados Ridge,  
   B:531-547  
   geochemical logs, B:625-643  
   magnetostratigraphy, B:577-585  
   paleobathymetry, B:276-283  
   petrology, B:375-392  
   physical properties, B:511-530  
   Pleistocene, B:293-308  
   stratigraphy, B:60  
   vertical tectonics, A:33-42  
   volcanoclastics, B:131-176  
 veins, mineralization, A:45  
 velocity  
   Site 827, A:128  
   Site 833, A:528-529  
   vs. depth, A:521  
   *See also* sonic velocity  
 velocity, horizontal, vs. depth, A:126, 170, 172,  
   231-235, 298, 355  
 velocity, vertical, vs. depth, A:126, 170, 172, 231-  
   235, 298, 355  
 velocity anisotropy, vs. depth, B:518, 521, 525  
 vertical tectonics  
   Quaternary, A:33-42  
   reefs, B:48-50  
   *See also* uplifts  
 Vitiaz Arc  
   magnetic anomalies, B:31-32  
   upper Eocene, A:5  
 Vitiaz Trench  
   Cenozoic evolution, B:26  
   sedimentation, A:15  
   subduction, B:609-610  
   tectonics, B:48  
 vitric components, volcanoclastics, B:133-144  
 volcanic arcs, tectonics, A:5  
 volcanic ash  
   diagenesis, B:127-129  
   geochemistry, A:341-342, 414, 502-504  
   lithologic units, A:146, 336-338  
   lithology, A:125  
   magnetic susceptibility, B:448  
   modal analysis, A:412  
   petrology, A:500-501  
   photograph, A:500  
   provenance, B:403-412  
   thermomagnetic behavior, B:498  
   trace elements, A:154  
 volcanic ash, vitric  
   lithologic units, A:400, 490  
   photograph, A:494  
 volcanic centers, New Hebrides Island Arc, A:8;  
   B:616  
 volcanic components  
   vs. depth, A:104, 147, 190, 270-271, 403, 492  
 volcanic glass, geochemistry, B:407-409  
 volcanic gravel, lithologic units, A:148  
 volcanic minerals, volcanoclastics, B:133-144  
 volcanic rocks  
   classification, A:345  
   clasts, A:152-154  
   geochemistry, B:337-352, 383-401  
   petrology, B:363-373  
   thrust sheets, B:21-26  
 volcanoclastics  
   deposition, B:97-107  
   geochemistry, B:383-401  
   hydrothermal alteration, B:131-176  
   magnetic properties, B:475-490, 491-507  
   petrology, A:501  
 volcanism, island-arc, deformation, A:438  
 volcanism, submarine, A:414  
   Miocene, A:9  
   Neogene, A:38  
 wackestone, foraminiferal, lithologic units, A:326,  
   333  
 Wadati-Benioff zone, modification, A:33  
 Wailapa Fault, Neogene, A:37  
 water content  
   decrease, A:222-223  
   sediments, B:531-547  
   vs. depth, A:126, 158, 170, 231-233, 298, 355,  
   444, 521; B:514, 516, 520, 522, 524,  
   526, 536-539, 542-543, 545  
   vs. tectonic stress, B:544-545  
 water yield  
   vs. depth, A:203, 283, 423  
 well logging

## well logging (cont.)

compared to core lithology, A:224–227, 432–433  
 Site 829, A:223–229  
 Site 830, A:286, 288–291, 293  
 Site 831, A:351–354  
 Site 832, A:431–435  
 Site 833, A:518–520, 524–526  
 vs. depth, A:533; B:497  
 Western Belt, tectonics, B:20–21, 23–30  
 West Santo Basin  
 age, A:22  
 morphology, A:11  
 subduction, B:13  
 submersible observations, A:45  
 West Torres Massif, subduction, A:33  
 windows, Miocene, A:37  
 Wintua Formation, Neogene, A:35  
 Wousi Bank  
 accretionary complexes, B:528  
 collision, B:25

## TAXONOMIC INDEX

deposition, A:107–108  
 petrology, B:337  
 sedimentation, A:126–129  
 subduction zones, A:576  
 submersible observations, A:43–45  
 tectonics, B:21, 23, 28, 30  
 uplifts, B:18  
 X-ray-diffraction data, igneous rocks, A:345  
 yttrium  
 seawater–rock alteration, A:155–156  
 vs. chromium, A:346  
 vs. silica, B:385  
 vs. zirconium, A:279, 417  
 vs. zirconium and titanium, A:419  
 zeolites  
 fracture fillings, A:501  
 hydrothermal alteration, B:165

veins, A:273  
 volcanoclastics, B:133–144  
 X-ray-diffraction data, B:114–116, 119  
 zirconium  
 lava, A:277–278  
 seawater–rock alteration, A:155–156  
 vs. barium, A:279  
 vs. major elements, A:346, 417  
 vs. niobium, A:200–201, 279  
 vs. rubidium, A:279  
 vs. silica, B:385  
 vs. strontium, A:279  
 vs. titanium, A:157, 418; B:347, 358  
 vs. titanium and yttrium, A:419  
 vs. titanium oxide, A:279  
 vs. trace elements, A:417  
 vs. yttrium, A:279  
 zoning, biostratigraphy, B:179–263, 269  
 zoning, oscillatory, andesitic clasts, A:338–339

## TAXONOMIC INDEX

*Abditodentrix asketocomptella*  
 North d'Entrecasteaux Ridge, B:283  
 Site 832, B:289  
*abies*, *Sphenolithus*  
 Site 828, A:150  
 Site 832, A:409–411, 422, 443  
 Site 833, A:499  
*abies*, *Sphenolithus/neoabies*, *Sphenolithus*  
 Site 828, B:189  
 Site 829, B:200  
 Site 832, B:208, 217  
 Site 833, B:219  
*abisectus*, *Cycliargolithus*  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
 Site 830, A:273–276  
*abyssorum*, *Rhabdammina*  
 North d'Entrecasteaux Ridge, B:278  
 Site 832, B:275  
*acicula*, *Creseis*, New Hebrides Island Arc,  
 B:322–323, 328  
*acostaensis*, *Neogloboquadrina*, Site 832, B:255,  
 259  
*acostaensis pseudopima*, *Globorotalia*, Site 832,  
 B:249  
*Acropora*, Site 851, A:571  
*aculeata*, *Bulimina*  
 North d'Entrecasteaux Ridge, B:283  
 Site 829, A:195–198; B:273  
*advena*, *Elphidium*  
 Site 828, A:152  
 Site 832, A:409–411, 422, 443  
*aequilateralis*, *Globigerinella*  
 Site 830, A:273–276  
 Site 831, A:334–335  
*aglaolampa*, *Cyrtolagena*, Site 832, B:317  
*aknerianus*, *Cibicides*  
 Site 829, A:195–198  
 Site 830, A:273–276  
*Alabama dissonata*, North d'Entrecasteaux  
 Ridge, B:283  
*Alabama tubulifera*, North d'Entrecasteaux  
 Ridge, B:283  
*alternans*, *Pleurostomella*  
 Site 828, A:152

Site 829, A:195–198  
*altiformis*, *Gyroidina*, Site 829, A:195–198; B:290  
*altispira*, *Dentoglobigerina*  
 Site 828, A:152  
 Site 829, A:195–198  
 Site 832, B:254  
 Site 833, A:499–500  
*altispira altispira*, *Dentoglobigerina*, Site 832,  
 B:261, 296  
*altispira altispira*, *Discoaster*  
 Site 828, A:152  
 Site 832, B:252, 255  
*Amaurolithus amplifucus*, New Hebrides Island  
 Arc, B:243  
*Amaurolithus delicatus*  
 Site 828, B:189  
 Site 829, B:200  
*Amphicoryna hirsuta*, Site 832, B:291  
*Amphicoryna scaralis*, Site 832, B:291  
*Amphistegina madagascariensis*, Site 831, A:334–  
 335  
*Amphistegina radiata*  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 443  
 Site 833, A:500  
*Amphistegina* spp., Site 832, B:256  
*ampliapertura*, *Globigerina*, Site 828, A:152  
*amplifucus*, *Amaurolithus*, New Hebrides Island  
 Arc, B:243  
*angelinum*, *Axoprunum*, Site 832, B:310  
*angulosa*, *Trifarina*  
 Site 829, B:273  
 Site 832, B:289  
*apertura*, *Ceratulithus*, Site 829, A:195–198  
*armatus*, *Ceratulithus*, New Hebrides Island Arc,  
 B:243  
*asketocomptella*, *Abditodentrix*  
 North d'Entrecasteaux Ridge, B:283  
 Site 832, B:289  
*asymmetricus*, *Discoaster*, Site 828, A:150; B:189,  
 200  
*Austrotrillina howchini*  
 New Hebrides Island Arc, B:186  
 Site 831, A:334–335  
*Austrotrillina striata*, Site 831, A:334–335

*Axoprunum angelinum*, Site 832, B:310  
*barbadiensis*, *Discoaster*  
 New Hebrides Island Arc, B:226  
 Site 827, A:108  
 Site 828, A:150; B:189  
 Site 829, A:195–198  
*barleanus*, *Melonis*  
 Site 829, A:195–198  
 Site 830, A:273–276  
 Site 832, A:409–411, 422, 425, 443  
 Site 833, A:500  
*baroemoenensis*, *Globoquadrina*, Site 832, B:263  
*berggrenii*, *Discoaster*, Site 832, B:217  
*bicornis*, *Theocalyptra*, Site 832, B:310  
*binaiensis*, *Globoquadrina*  
 Site 828, A:152  
 Site 829, A:195–198  
*bisectus*, *Dictyococcites*, Site 828, A:150; B:189  
*Bolivinella elegans*, North d'Entrecasteaux Ridge,  
 B:283  
*Bolivinita quadrilatera*  
 Site 827, A:110  
 Site 828, A:152  
 Site 829, B:273  
*Borelis* sp., Site 831, A:334–335  
*bradyi*, *Eggerella*, Site 832, B:291  
*bradyi*, *Karrieriella*, Site 829, A:195–198  
*bradyi*, *Parrelloides*, North d'Entrecasteaux  
 Ridge, B:278  
*brazieri*, *Globigerina*, Site 829, A:195–198  
*brevispira*, *Turrilina*  
 Site 828, B:273  
 Site 832, B:276  
*Brizalina hantkeniana*  
 North d'Entrecasteaux Ridge, B:282  
 Site 832, B:289  
*Brizalina vesicistriata*, Site 832, B:289  
*brouweri*, *Discoaster*  
 Site 827, A:108; B:193, 195  
 Site 828, A:150; B:189  
 Site 829, B:200  
 Site 830, A:273–276  
 Site 832, A:409–411, 422, 425, 443; B:208,  
 217

- Site 833, B:218  
*Buccinosphaera invaginata*, Site 832, B:310, 317  
*Buccinosphaera invaginata* Zone  
 Site 832, B:310  
 Vanuatu, B:309  
*Bulimina aculeata*  
 North d'Entrecasteaux Ridge, B:283  
 Site 829, A:195–198; B:273  
*Bulimina marginata*, Site 827, A:110  
*Bulimina* sp., Site 829, A:195–198  
*Bulimina striata*  
 Site 827, A:110  
 Site 830, A:273–276  
*bulimoides, Limacina*, New Hebrides Island Arc,  
 B:322, 330, 332  
*bulloides, Globigerina*  
 Site 830, A:273–276  
 Site 832, B:298, 301  
*bulloides, Pullenia*  
 Site 830, A:273–276  
 Site 832, B:288  
*bulloides, Sphaeroidina*  
 Site 831, A:334–335  
 Site 833, A:500  
*butschlii, Larcopyle*, Site 832, B:310  
  
*Calcarina spengleri*, Site 831, A:334–335  
*Calcidiscus japonica*, Site 832, B:310  
*Calcidiscus leptoporus*  
 Site 827, A:108  
 Site 828, A:150; B:189  
 Site 829, B:200  
 Site 830, A:273–276; B:207  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443; B:216  
 Site 833, A:499  
*Calcidiscus macintyre*  
 New Hebrides Island Arc, B:220, 240  
 Site 827, B:193  
 Site 828, A:150; B:189  
 Site 829, B:200  
 Site 832, A:409–411, 422, 425, 443; B:208–  
 209, 216–217  
 Site 833, A:499  
*Calocycletta* sp., Site 829, B:310  
*Calocycletta* sp(p), Site 832, B:310  
*calvertense, Eucyrtidium*, Site 832, B:317  
*Calypptogena*, Site 827, A:110  
*Candeina nitida*  
 Site 830, A:273–276  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443  
*caribbeanica, Gephyrocapsa*  
 Site 827, A:108  
 Site 828, A:150  
 Site 829, A:195–198  
 Site 830, A:273–276  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443  
 Site 833, A:499  
*carinata, Cassidulina*, Site 829, A:195–198  
*Cassidulina carinata*, Site 829, A:195–198  
*Cassidulina norvangi*, Site 829, B:273  
*Catapsydrax dissimilis*  
 Site 828, A:152  
 Site 829, A:197  
*Cavolinia gibbosa*, New Hebrides Island Arc,  
 B:329, 334  
*Cavolinia globulosa*, New Hebrides Island Arc,  
 B:329, 334  
*Cavolinia inflexa*, New Hebrides Island Arc,  
 B:329, 334  
*Cavolinia longirostris*, New Hebrides Island Arc,  
 B:321–322, 329  
  
*Cavolinia tridentata*, New Hebrides Island Arc,  
 B:329  
*Cavolinia uncinata*, New Hebrides Island Arc,  
 B:321, 329  
*Ceratolithus armatus*, New Hebrides Island Arc,  
 B:243  
*Ceratolithus* cf. *separatus*, New Hebrides Island  
 Arc, B:243  
*Ceratolithus cristatus*  
 New Hebrides Island Arc, B:243  
 Site 828, B:189  
 Site 830, B:207  
*Ceratolithus primus*, Site 828, A:150  
*Ceratolithus telesmus*  
 New Hebrides Island Arc, B:243  
 Site 829, A:195–198  
 Site 830, A:273–276  
*Chiasmolithus grandis*, Site 827, A:108  
*Chilostomella oolina*, Site 829, A:195–198  
*Cibicides aknerianus*  
 Site 829, A:195–198  
 Site 830, A:273–276  
*Cibicides* sp., Site 831, A:334–335  
*Cibicides wuellerstorfi*  
 Site 829, A:195–198  
 Site 830, A:273–276  
 Site 832, A:409–411, 422, 425, 443; B:248,  
 275  
 Site 833, A:500  
*Cibicidoides mediocris*, Site 832, B:275  
*ciperoensis, Sphenolithus*  
 Site 828, B:189  
 Site 829, A:195–198  
*Clausiococcolithus fenestrata*  
 Site 828, A:150  
 Site 829, A:195–198  
*Clausiococcus fenestrata*  
 Site 828, B:189  
 Site 829, B:200  
*claviger, Rhabdosphaera*  
 New Hebrides Island Arc, B:245  
 Site 827, A:108  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
 Site 830, A:273–276; B:207  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443; B:208  
 Site 833, A:499; B:219  
*Clio convexa*, New Hebrides Island Arc, B:334  
*Clio cuspidata*, New Hebrides Island Arc, B:328  
*Clio polita*, New Hebrides Island Arc, B:328  
*Clio pyramidata*, New Hebrides Island Arc, B:328  
*Coccolithus miopelagicus*, Site 829, A:195–198  
*Coccolithus pelagicus*, Site 828, B:189  
*Collosphaera tuberosa*, Site 832, B:310, 317  
*Collosphaera tuberosa* Zone, Site 832, B:310  
*columnellaris, Rectobolovina*, Site 832, B:289  
*columnella, Cuvierina*, New Hebrides Island Arc,  
 B:321–322, 328  
*compacta, Sphaeroidina*, Site 832, B:291  
*conglobatus, Globigerinoides*  
 Site 827, A:109  
 Site 829, A:195–198  
 Site 830, A:273–276  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443; B:261  
 Site 833, A:499–500  
*conica, Creseis*, New Hebrides Island Arc, B:328  
*convexa, Clio*, New Hebrides Island Arc, B:334  
*Cornutella profunda*, Site 832, B:310  
*crassiformis, Globorotalia*  
 Site 827, A:110  
 Site 828, A:152  
 Site 829, A:195–198  
  
 Site 830, A:273–276  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443  
 Site 833, A:499–500  
*crassiformis, Globorotalia (Truncorotalia)*, Site  
 832, B:249, 256, 258  
*crassiformis ronda, Globorotalia (Truncorotalia)*,  
 Site 832, B:254, 258  
*crassula, Globorotalia*, Site 827, A:110  
*Creseis acicula*, New Hebrides Island Arc, B:322–  
 323, 328  
*Creseis conica*, New Hebrides Island Arc, B:328  
*Creseis virgula*, New Hebrides Island Arc, B:321,  
 328  
*cressa, Globocassidulina*, Site 832, B:288  
*Cribocentrum reticulatum*  
 New Hebrides Island Arc, B:243  
 Site 828, B:189  
*crispum, Elphidium*, Site 833, A:500  
*cristatus, Ceratolithus*  
 New Hebrides Island Arc, B:243  
 Site 828, B:189  
 Site 830, B:207  
*cuspidata, Clio*, New Hebrides Island Arc, B:328  
*Cuvierina columnella*, New Hebrides Island Arc,  
 B:321–322, 328  
*Cycladophora davisiana*, Site 832, B:310  
*Cyclampterium milowi*, Site 829, B:310  
*Cyclicargolithus abisectus*  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
 Site 830, A:273–276  
*Cyclicargolithus floridanus*  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
 Site 830, A:273–276  
 Site 832, B:208  
 Site 833, B:219  
*Cycloclypeus* sp., Site 831, A:334–335  
*Cyrtocapsella tetrapera*, Site 832, B:310  
*Cyrtolagena aglaolampa*, Site 832, B:317  
  
*davisiana, Cycladophora*, Site 832, B:310  
*davisiana, Thecalyptra*, Site 832, B:310  
*decoraptera, Globigerinoides (Zeaglobigerina)*,  
 Site 832, B:262  
*deflandrei, Discoaster*  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
*dehaarti, Miogypsinoides*, North d'Entrecasteaux  
 Ridge, B:278  
*dehiscens, Globoquadrina*  
 Site 829, A:195–198  
 Site 832, B:263  
*dehiscens, Sphaeroidinella*  
 Site 828, A:152  
 Site 830, A:273–276  
 Site 832, A:409–411, 422, 425, 443; B:260  
 Site 833, A:499–500  
*delicatus, Amaurolithus*  
 Site 828, B:189  
 Site 829, B:200  
*Dentoglobigerina altispira*  
 Site 828, A:152  
 Site 829, A:195–198  
 Site 832, B:254  
 Site 833, A:499–500  
*Dentoglobigerina altispira altispira*, Site 832,  
 B:261, 296  
*depressa, Heterostegina*, Site 831, A:334–335  
*Diacria quadridentata*, New Hebrides Island Arc,  
 B:328–329, 334  
*Diacria trispinosa*, New Hebrides Island Arc,  
 B:321–322, 328–329

## Dictyococcites

## TAXONOMIC INDEX

- Dictyococcites*, Site 833, A:499–500  
*Dictyococcites bisectus*, Site 828, A:150; B:189  
*Dictyococcites* cf. *scrippsae*, New Hebrides Island Arc, B:245  
*Dictyococcites scrippsae*, Site 829, A:195–198  
*Dictyococcites* sp., Site 832, A:409–411, 422, 425, 443  
*Didymocyrtilis*, Site 832, B:310  
*Didymocyrtilis tubaria*, Site 829, B:310  
*Discoaster altispira*, Site 829, A:195–198  
*Discoaster altispira altispira*  
 Site 828, A:152  
 Site 832, B:252, 255  
*Discoaster asymmetricus*  
 Site 828, A:150; B:189  
 Site 829, B:200  
*Discoaster barbadiensis*  
 New Hebrides Island Arc, B:226  
 Site 827, A:108  
 Site 828, A:150; B:189  
 Site 829, A:195–198  
*Discoaster berggrenii*, Site 832, B:217  
*Discoaster brouweri*  
 Site 827, A:108; B:193, 195  
 Site 828, A:150; B:189  
 Site 830, A:273–276  
 Site 832, A:409–411, 422, 425, 443; B:208, 217  
 Site 833, B:218  
*Discoaster deflandrei*  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
*Discoaster lodoensis*, Site 827, A:108  
*Discoaster pentaradiatus*  
 Site 827, B:193, 195  
 Site 828, B:189  
 Site 830, A:273–276  
 Site 832, B:208, 216  
 Site 833, B:218–219  
*Discoaster quinqueramus*  
 Site 828, B:189  
 Site 832, A:409–411, 422, 425, 443  
*Discoaster saipanensis*  
 Site 828, A:150; B:189  
 Site 829, A:195–198; B:200  
*Discoaster* sp. cf. *Discoaster brouweri*, Site 829, B:200  
*Discoaster tamalis*, Site 832, B:216–217  
*Discoaster triradiatus*  
 New Hebrides Island Arc, B:243  
 Site 827, B:193, 195  
 Site 833, A:499  
*Discoaster variabilis*  
 Site 828, B:189  
 Site 829, B:200  
 Site 832, B:208, 217  
 Site 833, B:219  
*Discosphaera tubifer*, New Hebrides Island Arc, B:245  
*disjuncta*, *Sphaeroidinella llopsis*, Site 832, A:409–411, 422, 425, 443  
*dissimilis*, *Catapsydrax*  
 Site 828, A:152  
 Site 829, A:195–198  
*dissimilis*, *Sphenolithus*, Site 829, B:200  
*dissonata*, *Alabamina*, North d'Entrecasteaux Ridge, B:283  
*distentus*, *Sphenolithus*  
 New Hebrides Island Arc, B:239, 244  
 Site 828, A:150; B:189  
*Dorcadospyrus* sp., Site 829, B:310  
*druryi*, *Globigerina*, Site 829, A:195–198  
*druryi*, *Globigerina* (*Zeaglobigerina*), Site 832, B:249  
*duretrei*, *Neogloboquadrina*  
 Site 827, A:110  
 Site 828, A:152  
 Site 829, A:195–198  
 Site 830, A:273–276  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443; B:249, 253  
 Site 833, A:499–500  
*Eggerella bradyi*, Site 832, B:291  
*Ehrenbergina pacifica*, Site 832, B:288  
*elegans*, *Bolivina*, North d'Entrecasteaux Ridge, B:283  
*elegans*, *Hoeglundina*  
 Site 829, A:195–198  
 Site 831, A:334–335  
*elliptica*, *Spongurus*, Site 832, B:310  
*Elphidium advena*  
 Site 828, A:152  
 Site 832, A:409–411, 422, 443  
*Elphidium crispum*, Site 833, A:500  
*Emiliania huxleyi*  
 New Hebrides Island Arc, B:225, 239, 244–245  
 Site 827, A:108  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
 Site 830, A:273–276; B:207  
 Site 831, B:190  
 Site 832, A:409–411, 422, 425, 443  
 Site 833, A:499  
*Emiliania huxleyi* Zone (CN15)  
 Site 832, B:208  
 Site 833, B:218  
*Ericsonia formosa*  
 Site 828, B:189  
 Site 829, A:195–198  
*Ethmodiscus rex*, Site 832, B:310  
*Euclio pyramidata*, New Hebrides Island Arc, B:321–322  
*Eucyrtidium calvertense*, Site 832, B:317  
*Eulepidina–Spirochypus* fauna, New Hebrides Island Arc, B:185  
*exigua*, *Pseudoparrrella*, Site 828, A:152  
*extremus*, *Globigerinoides*  
 Site 830, A:273–276  
 Site 833, A:499–500  
*Favocassidulina favus*  
 North d'Entrecasteaux Ridge, B:278  
 Site 832, B:288  
*favus*, *Favocassidulina*  
 North d'Entrecasteaux Ridge, B:278  
 Site 832, B:288  
*fenestrata*, *Clausicoccolithus*  
 Site 828, A:150  
 Site 829, A:195–198  
*fenestrata*, *Clausicoccus*  
 Site 828, B:189  
 Site 829, B:200  
*fitulosus*, *Globigerinoides*  
 Site 832, A:409–411, 422, 425, 443; B:250–251, 254  
 Site 833, A:499–500  
*floridanus*, *Cyclicargolithus*  
 Site 828, B:189  
 Site 829, A:195–198; B:200  
 Site 830, A:273–276  
 Site 832, B:208  
 Site 833, B:219  
*fohsi peripheroronda*, *Globorotalia*, Site 829, A:195–198  
*formosa*, *Ericsonia*  
 Site 828, B:189  
 Site 829, A:195–198  
*fossilis*, *Scapholithus*  
 Site 828, B:189  
 Site 829, B:200  
 Site 830, B:207  
 Site 833, B:219  
*Gavelinopsis praegeri*, Site 832, B:275  
*Gephyrocapsa*  
 New Hebrides Island Arc, B:239  
 Site 832, A:409–411, 422, 443  
*Gephyrocapsa caribbeanica*  
 Site 827, A:108  
 Site 828, A:150  
 Site 829, A:195–198  
 Site 830, A:273–276  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443  
 Site 833, A:499  
*Gephyrocapsa oceanica*  
 New Hebrides Island Arc, B:220  
 Site 827, A:108; B:191  
 Site 828, A:149–150; B:189  
 Site 829, A:195–198; B:200  
 Site 830, A:273–276; B:207  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443; B:208–209, 216  
 Site 833, A:499; B:219  
*Gephyrocapsa protohuxleyi*, New Hebrides Island Arc, B:244  
*gibbosa*, *Cavolinia*, New Hebrides Island Arc, B:329, 334  
*glacialis*, *Spongotrochus*, Site 832, B:310  
*Globigerina ampliapertura*, Site 828, A:152  
*Globigerina apertura*, Site 829, A:195–198  
*Globigerina brazieri*, Site 829, A:195–198  
*Globigerina bulloides*  
 Site 830, A:273–276  
 Site 832, B:298, 301  
*Globigerina druryi*, Site 829, A:195–198  
*Globigerina glutinata*  
 Site 827, A:109  
 Site 830, A:273–276  
*Globigerina gortanii*  
 Site 828, A:152  
 Site 829, A:195–198  
*Globigerina nepenthes*, Site 829, A:195–198  
*Globigerina preturillina*, Site 828, A:152  
*Globigerina rubescens*  
 Site 827, A:110  
 Site 830, A:273–276  
*Globigerina tapuriensis*, Site 828, A:152  
*Globigerina tripartita*  
 Site 828, A:152  
 Site 829, A:195–198  
*Globigerina venezuelana*  
 Site 828, A:152  
 Site 829, A:195–198  
*Globigerina* (*Zeaglobigerina*) *druryi*, Site 832, B:249  
*Globigerinella aequilateralis*  
 Site 830, A:273–276  
 Site 831, A:334–335  
*Globigerinoides conglobatus*  
 Site 827, A:109  
 Site 829, A:195–198  
 Site 830, A:273–276  
 Site 831, A:334–335  
 Site 832, A:409–411, 422, 425, 443; B:261  
 Site 833, A:499–500  
*Globigerinoides crassaformis*, Site 833, A:499–500

- Globigerinoides extremus*  
Site 830, A:273–276  
Site 833, A:499–500
- Globigerinoides fistulosus*  
Site 832, A:409–411, 422, 425, 443; B:250–251, 254  
Site 833, A:499–500
- Globigerinoides immaturus*, Site 830, A:273–276
- Globigerinoides multicamerata*, Site 833, A:499–500
- Globigerinoides nepenthes*, Site 833, A:499–500
- Globigerinoides obliquus*, Site 829, A:195–198
- Globigerinoides ruber*  
Site 827, A:109  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, B:296, 301
- Globigerinoides sacculifer*  
Site 828, A:152; B:302  
Site 830, A:273–276  
Site 831, A:334–335
- Globigerinoides sicanus*, Site 832, B:247, 262
- Globigerinoides tumida*, Site 833, A:499–500
- Globigerinoides (Zeaglobigerina) decoraptera*, Site 832, B:262
- Globigerinoides (Zeaglobigerina) nepenthes*, Site 832, B:261, 263
- Globobulimina pacifica*, Site 828, A:152
- Globobulimina pupoides*  
Site 827, A:110  
Site 829, A:195–198
- Globocassidulina cressa*, Site 832, B:288
- Globocassidulina moluccensis*, Site 832, B:275, 288
- Globocassidulina ornata*, Site 832, B:288
- Globocassidulina* sp., Site 831, A:334–335
- Globocassidulina subglobosa*  
Site 828, B:273–274  
Site 829, B:273  
Site 832, B:275
- Globoquadrina baroemoensis*, Site 832, B:263
- Globoquadrina binaiensis*  
Site 828, A:152  
Site 829, A:195–198
- Globoquadrina dehiscens*  
Site 829, A:195–198  
Site 832, B:263
- Globorotalia acostaensis pseudopima*, Site 832, B:249
- Globorotalia conglobatus*, Site 833, A:499–500
- Globorotalia crassaformis*  
Site 827, A:110  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443  
Site 833, A:499–500
- Globorotalia crassula*, Site 827, A:110
- Globorotalia extremus*, Site 833, A:499–500
- Globorotalia fohsi peripheroronda*, Site 829, A:195–198
- Globorotalia increbescens*, Site 828, A:152
- Globorotalia inflata*  
Site 827, A:110  
Site 830, A:273–276  
Site 832, B:301
- Globorotalia juanai*  
Site 828, A:152  
Site 832, A:409–411, 422, 425, 443
- Globorotalia kugleri*, Site 829, A:195–198
- Globorotalia limbata*  
Site 828, A:152  
Site 832, B:296
- Globorotalia margaritae primitiva*, Site 832, A:409–411, 422, 425, 443
- Globorotalia menardii*  
Site 827, A:110  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443  
Site 833, A:499–500
- Globorotalia multicamerata*, Site 833, A:499–500
- Globorotalia opima*, Site 828, A:152
- Globorotalia tosaensis*  
Site 827, A:109  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:296
- Globorotalia truncatulinoides*  
New Hebrides Island Arc, B:186  
Site 827, A:109  
Site 828, A:150, 152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:301  
Site 833, A:499–500
- Globorotalia tumida*  
Site 827, A:110  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443
- Globorotalia tumida flexuosa*  
Site 829, A:195  
Site 830, A:273–276
- Globorotalia tumida tumida*  
Site 832, B:249, 251  
Site 833, A:499–500
- Globorotalia unguata*  
Site 828, A:152  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443
- Globorotalia (Globorotalia) tumida tumida*, Site 832, B:252, 256, 259
- Globorotalia (Hirsutella) margaritae*, Site 832, B:249
- Globorotalia (Menardella) multicamerata*  
Site 254, B:254  
Site 832, B:249, 259
- Globorotalia (Truncorotalia) crassaformis*, Site 832, B:249, 256
- Globorotalia (Truncorotalia) crassaformis ronda*, Site 832, B:254, 258
- Globorotalia (Truncorotalia) crassaformis s.s.*, Site 832, B:258
- Globorotalia (Truncorotalia) crassula*, Site 832, B:258
- Globorotalia (Truncorotalia) tosaensis*, Site 832, B:253
- Globorotalia (Truncorotalia) truncatulinoides*, Site 832, B:247, 249, 253–254, 258
- Globorotalina*, Site 832, B:256
- globulosa*, *Cavolinia*, New Hebrides Island Arc, B:329, 334
- Glomospira goldialis*, Site 827, A:110
- glutinata*, *Globigerinita*  
Site 827, A:109  
Site 830, A:273–276
- goldialis*, *Glomospira*, Site 827, A:110
- gortanii*, *Globigerina*  
Site 828, A:152  
Site 829, A:195–198
- grandis*, *Chiasmolithus*, Site 827, A:108
- gunjii*, *Valvulinera*  
Site 828, B:274  
Site 829, B:273  
Site 832, B:276
- Gyroidina altiformis*, Site 829, A:195–198; B:290
- Gyroidina orbicularis*, Site 827, B:290
- Gyroidina soldanii*  
Site 827, B:290  
Site 829, A:195–198
- Gyroidinoides nipponicus*, Site 829, B:273
- hantkeniana*, *Brizalina*  
North d'Entrecasteaux Ridge, B:282  
Site 832, B:289
- hanzawai*, *Tosata*  
Site 832, B:275, 289  
Site 833, A:500
- Helicosphaera kamptneri*  
Site 827, A:108  
Site 828, A:150; B:189  
Site 829, A:195–198; B:200  
Site 830, A:273–276; B:207  
Site 832, A:409–411, 422, 425, 443; B:208, 216–217  
Site 833, A:499; B:219
- heteromorphus*, *Sphenolithus*  
New Hebrides Island Arc, B:222  
Site 828, B:189  
Site 829, A:195–198; B:200  
Site 832, A:409–411, 422, 425, 443; B:217
- Heterostegina depressa*, Site 831, A:334–335
- Heterostegina* sp., Site 831, A:334–335
- hirsuta*, *Amphicoryna*, Site 832, B:291
- hispida*, *Uvigerina*, Site 831, A:334–335
- hispidocostata*, *Uvigerina*  
Site 827, A:110  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, A:409–411, 422, 443; B:248
- Hoeglundina elegans*  
Site 829, A:195–198  
Site 831, A:334–335
- howchini*, *Austrorillina*  
New Hebrides Island Arc, B:186  
Site 831, A:334–335
- humerosa*, *Neogloboquadrina*, Site 832, B:259–260
- huxleyi*, *Emiliana*  
New Hebrides Island Arc, B:225, 239, 244–245  
Site 827, A:108  
Site 828, B:189  
Site 829, A:195–198; B:200  
Site 830, A:273–276; B:207  
Site 831, B:190  
Site 832, A:409–411, 422, 425, 443  
Site 833, A:499
- Hyalocylis striata*, New Hebrides Island Arc, B:321, 328, 333
- immaturus*, *Globigerinoides*, Site 830, A:273–276
- increbescens*, *Globorotalia*, Site 828, A:152
- inflata*, *Globorotalia*  
Site 827, A:110  
Site 830, A:273–276  
Site 832, B:301
- inflata*, *Limacina*, New Hebrides Island Arc, B:321–323, 325, 331–332
- inflexa*, *Cavolinia*, New Hebrides Island Arc, B:329, 334
- invaginata*, *Buccinosphaera*, Site 832, B:310, 317
- japonica*, *Calcidiscus*, Site 832, B:310



- juanai, *Globorotalia*, Site 828, A:152
- kamptneri*, *Helicosphaera*  
Site 827, A:108  
Site 828, A:150; B:189  
Site 829, A:195–198; B:200  
Site 830, A:273–276; B:207  
Site 832, A:409–411, 422, 425, 443; B:208, 216–217  
Site 833, A:499; B:219
- Karriella bradyi*, Site 829, A:195–198
- kochi*, *Sphaeroidinellopsis*  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, B:260  
Site 833, A:499–500
- kugleri*, *Globorotalia*, Site 829, A:195–198
- lacunosa*, *Pseudoemiliana*  
New Hebrides Island Arc, B:239, 245  
Site 827, B:193  
Site 828, B:189  
Site 832, B:208–209, 216  
Site 833, A:499; B:219
- Lamprocyclus*, Site 832, B:310
- Larcopele butschlii*, Site 832, B:310
- Lenticulina* sp., Site 831, A:334–335
- Lepidocyclina*, Site 832, B:256
- Lepidocyclina martini*, North d'Entrecasteaux Ridge, B:278
- Lepidocyclina* sp., Site 827, A:110
- lepidula*, *Stilostomella*  
Site 827, A:110  
Site 828, A:152; B:273
- leptoporus*, *Calcidiscus*  
Site 827, A:108  
Site 828, A:150; B:189  
Site 829, B:200  
Site 830, A:273–276; B:207  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:216  
Site 833, A:499
- lesueuri*, *Limacina*, New Hebrides Island Arc, B:330, 332
- Limacina bulimoides*, New Hebrides Island Arc, B:322, 330, 332
- Limacina inflata*, New Hebrides Island Arc, B:321–323, 325, 331–332
- Limacina lesueuri*, New Hebrides Island Arc, B:330, 332
- Limacina trochiformis*, New Hebrides Island Arc, B:323, 330, 332
- limbata*, *Globorotalia*  
Site 828, A:152  
Site 832, B:296
- Lithopera neotera*, Site 832, B:310
- lodoensis*, *Discoaster*, Site 827, A:108
- longirostris*, *Cavolinia*, New Hebrides Island Arc, B:321–322, 329
- longiscata*, *Nodosaria*, Site 827, A:110
- macintyreii*, *Calcidiscus*  
New Hebrides Island Arc, B:220, 240  
Site 827, B:193  
Site 828, A:150; B:189  
Site 829, B:200  
Site 832, A:409–411, 422, 425, 443; B:208–209, 216–217  
Site 833, A:499
- madagascariensis*, *Amphistegina*, Site 831, A:334–335
- margaritae*, *Globorotalia* (*Hirsutella*), Site 832, B:249
- margaritae*, *Globorotalia*, Site 832, A:409–411, 422, 425, 443
- margaritatus*, *Spiroclypeus*, Site 831, A:334–335
- marginata*, *Bulimina*, Site 827, A:110
- martini*, *Lepidocyclina*, North d'Entrecasteaux Ridge, B:278
- mediocris*, *Cibicidoides*, Site 832, B:275
- Melonis barleanus*  
Site 829, A:195–198; B:273  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:275, 288  
Site 833, A:500
- Melonis barleanus*–*Melonis sphaeroides* biofacies, North d'Entrecasteaux Ridge, B:278, 282–283
- Melonis pacificus*  
Site 827, A:110  
Site 828, A:152  
Site 829, A:195–198  
Site 832, A:409–411, 422, 425, 443  
Site 833, A:500
- Melonis parkerae*, Site 832, B:288
- Melonis pompilioides*, Site 832, B:248
- Melonis sphaeroides*  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:275, 288  
Site 833, A:500
- menardii*, *Globorotalia*  
Site 827, A:110  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443  
Site 833, A:499–500
- mexicanus*, *Rutherfordoides*, Site 827, A:110
- milowi*, *Cyclampterium*, Site 829, B:310
- Miogypsina polymorpha*, North d'Entrecasteaux Ridge, B:278
- Miogypsina* sp.  
Site 827, A:110  
Site 832, B:256
- Miogypsina thecideaeformis*, North d'Entrecasteaux Ridge, B:278
- Miogypsinoidea dehaarti*, North d'Entrecasteaux Ridge, B:278
- miopelagicus*, *Coccolithus*, Site 829, A:195–198
- mirabilis*, *Umbilicosphaera*  
Site 828, B:189  
Site 829, B:200  
Site 830, B:207  
Site 833, B:219
- moluccensis*, *Globocassidulina*, Site 832, B:275, 288
- multicamerata*, *Globigerinoides*, Site 833, A:499–500
- multicamerata*, *Globorotalia*, Site 833, A:499–500
- multicamerata*, *Globorotalia* (*Menardella*)  
Site 254, B:254  
Site 832, B:249, 259
- murrhina*, *Pyrgo*  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:248
- neoabies*, *Sphenolithus*, Site 833, A:499
- Neogloboquadrina acostaensis*, Site 832, B:255, 259
- Neogloboquadrina dutertrei*  
Site 827, A:110
- Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:249, 253  
Site 833, A:499–500
- Neogloboquadrina humerosa*, Site 832, B:259–260
- neotera*, *Lithopera*, Site 832, B:310
- nepenthes*, *Globigerinoides*  
Site 829, A:195–198  
Site 833, A:499–500
- nepenthes*, *Globigerinoides* (*Zeaglobigerina*), Site 832, B:261, 263
- nigriinae*, *Theocotyle*, Vanuatu, B:309
- nipponicus*, *Gyroidinoides*, Site 829, B:273
- nitida*, *Candeina*  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443
- Nodosaria longiscata*, Site 827, A:110
- norvangi*, *Cassidulina*, Site 829, B:273
- Nuttallides umbonifera*  
North d'Entrecasteaux Ridge, B:278, 283  
Site 829, B:273  
Site 832, B:275
- obliquiloculata*, *Pulleniatina*  
Site 827, A:110  
Site 828, A:152  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:249–250, 255  
Site 833, A:499–500
- obliquus*, *Globigerinoides*, Site 829, A:195–198
- occidentalis*, *Trifarina*, Site 832, B:289
- oceanica*, *Gephyrocapsa*  
New Hebrides Island Arc, B:220  
Site 827, A:108; B:191  
Site 828, A:149–150; B:189  
Site 829, A:195–198; B:200  
Site 830, A:273–276; B:207  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:208–209, 216  
Site 833, A:499; B:219
- octacantha*, *Tetrapyle*, Site 832, B:310
- oolina*, *Chilostomella*, Site 829, A:195–198
- opima*, *Globorotalia*, Site 828, A:152
- orbicularis*, *Gyroidina*, Site 827, B:290
- Orbulina* spp., Site 832, B:249
- Orbulina suturalis*  
New Hebrides Island Arc, B:186  
Site 832, A:409–411, 422, 425, 443; B:262
- Orbulina universa*  
Site 827, A:109  
Site 828, A:152  
Site 831, A:334–335  
Site 833, A:499–500
- Oridorsalis tener*, Site 828, B:274
- Oridorsalis umbonatus*, Site 829, A:195–198
- ornata*, *Globocassidulina*, Site 832, B:288
- pacifica*, *Ehrenbergina*, Site 832, B:288
- pacifica*, *Globobulimina*, Site 828, A:152
- pacificus*, *Melonis*  
Site 827, A:110  
Site 828, A:152  
Site 829, A:195–198  
Site 832, A:409–411, 422, 425, 443  
Site 833, A:500
- paenedehiscens*, *Sphaeroidinellopsis*  
Site 829, A:195–198

- Site 832, B:253, 296  
Site 833, A:499–500  
*Parafissurina pseudomarginata*, Site 832, B:291  
*parkeri*, *Melonis*, Site 832, B:288  
*Parrelloides bradyi*, North d'Entrecasteaux Ridge, B:278  
*pelagicus*, *Coccolithus*, Site 828, B:189  
*pentaradiatus*, *Discoaster*  
Site 827, B:193, 195  
Site 828, B:189  
Site 830, A:273–276  
Site 832, B:208, 216  
Site 833, B:218–219  
*peregrina*, *Uvigerina*, Site 829, B:273  
*Phormocyrtis striata*, Vanuatu, B:309  
*Phormocyrtis striata* Zone, Vanuatu, B:309  
*Phormocyrtis striata striata* Zone, Site 827, A:108  
*Pleurostomella alternans*  
Site 828, A:152  
Site 829, A:195–198  
*polita*, *Clio*, New Hebrides Island Arc, B:328  
*polymorpha*, *Miogypsina*, North d'Entrecasteaux Ridge, B:278  
*polysiphonia*, *Siphonosphaera*, Site 832, B:310  
*pompilioides*, *Melonis*, Site 832, B:248  
*Porites*, Site 851, A:571  
*praecursor*, *Pulleniatina*  
Site 832, B:251–252, 254–255  
Site 833, A:499–500  
*praegeri*, *Gavelinopsis*, Site 832, B:275  
*Praeorbulina transitoria*, Site 832, B:249, 262  
*predistentus*, *Sphenolithus*, Site 828, A:150  
*preturilina*, *Globigerina*, Site 828, A:152  
*primalis*, *Pulleniatina*  
Site 830, A:273–276  
Site 832, B:253–255  
*primitiva juanai*, *Globorotalia*, Site 832, A:409–411, 422, 425, 443  
*primus*, *Ceratolithus*, Site 828, A:150  
*proboscidea*, *Uvigerina*  
Site 830, A:273–276  
Site 833, A:500  
*profunda*, *Cornutella*, Site 832, B:310  
*protohuxleyi*, *Gephyrocapsa*, New Hebrides Island Arc, B:244  
*Pseudoemiliania lacunosa*  
New Hebrides Island Arc, B:239, 245  
Site 827, B:193  
Site 828, B:189  
Site 832, B:208–209, 216  
Site 833, A:499; B:219  
*pseudomarginata*, *Parafissurina*, Site 832, B:291  
*Pseudoparella exigua*, Site 828, A:152  
*pseudoradians*, *Sphenolithus*, Site 828, B:189  
*pseudumbilica*, *Reticulofenestra*  
New Hebrides Island Arc, B:240  
Site 828, A:149–150; B:189  
Site 829, B:200  
Site 832, B:217  
Site 833, A:499; B:219  
*pulchra*, *Syracosphaera*  
Site 828, B:189  
Site 829, B:200  
Site 830, B:207  
Site 833, B:219  
*Pullenia bulloides*  
Site 830, A:273–276  
Site 832, B:288  
*Pulleniatina obliquiculata*  
Site 827, A:110  
Site 828, A:152  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:249–250, 254–255, 260  
Site 833, A:499–500  
*Pulleniatina praecursor*  
Site 832, B:251–252, 254–255  
Site 833, A:499–500  
*Pulleniatina primalis*  
Site 830, A:273–276  
Site 832, B:253–255  
*pupoides*, *Globobulimina*  
Site 827, A:110  
Site 829, A:195–198  
*pyramidata*, *Clio*, New Hebrides Island Arc, B:328  
*pyramidata*, *Euclio*, New Hebrides Island Arc, B:321–322  
*Pyrgo murrhina*  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:248  
*quadridentata*, *Diacria*, New Hebrides Island Arc, B:328–329, 334  
*quadrilatera*, *Bolivinita*  
Site 827, A:110  
Site 828, A:152  
Site 829, B:273  
*Quinqueloculina tricarinata*, Site 832, B:291  
*quinqueramus*, *Discoaster*  
Site 828, B:189  
Site 832, A:409–411, 422, 443  
*radiata*, *Amphistegina*  
Site 831, A:334–335  
Site 832, A:409–411, 422, 443  
Site 833, A:500  
*Rectobolivina columellaris*, Site 832, B:289  
*reticulatum*, *Cribo centrum*  
New Hebrides Island Arc, B:243  
Site 828, B:189  
*Reticulofenestra pseudumbilica*  
New Hebrides Island Arc, B:240  
Site 828, A:149–150; B:189  
Site 829, B:200  
Site 832, B:217  
Site 833, A:499; B:219  
*Reticulofenestra* sp., Site 832, A:409–411, 422, 425, 443; B:217  
*Reticulofenestra umbilica*  
Site 828, A:150; B:189  
Site 829, A:195–198; B:200  
*rex*, *Ethmodiscus*, Site 832, B:310  
*Rhabdammina abyssorum*  
North d'Entrecasteaux Ridge, B:278  
Site 832, B:275  
*Rhabdosphaera claviger*  
New Hebrides Island Arc, B:245  
Site 827, A:108  
Site 828, B:189  
Site 829, A:195–198; B:200  
Site 830, A:273–276; B:207  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:208  
Site 833, A:499; B:219  
*rhizodon*, *Thyrsocyrtis*, Vanuatu, B:309  
*ruber*, *Globigerinoides*  
Site 827, A:109  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, B:296, 301  
*rubescens*, *Globigerina*  
Site 827, A:110  
Site 830, A:273–276  
*Rutherfordoides mexicanus*, Site 827, A:110  
*Rutherfordoides* sp. A, Site 830, A:273–276  
*sacculifer*, *Globigerinoides*  
Site 828, A:152; B:302  
Site 830, A:273–276  
Site 831, A:334–335  
*saipanensis*, *Discoaster*  
Site 828, A:150; B:189  
Site 829, A:195–198; B:200  
*Scapholithus fossilis*  
Site 828, B:189  
Site 829, B:200  
Site 830, B:207  
Site 833, B:219  
*scaralis*, *Amphicoryna*, Site 832, B:291  
*schlumbergeri*, *Sigmoidopsis*, Site 832, B:291  
*scrippsae*, *Dictyococcites*  
New Hebrides Island Arc, B:245  
Site 829, A:195–198  
*seminulina seminulina*, *Sphaeroidinellopsis*  
Site 830, A:273–276  
Site 832, B:253, 261, 263  
Site 833, A:499–500  
*separatus*, *Ceratolithus*, New Hebrides Island Arc, B:243  
*sicanus*, *Globigerinoides*, Site 832, B:247, 262  
*Sigmoidopsis schlumbergeri*, Site 832, B:291  
*Siphonosphaera polysiphonia*, Site 832, B:310  
*soldanii*, *Gyrodina*  
Site 827, B:290  
Site 829, A:195–198  
*Sorites* sp., Site 831, A:334–335  
*spengleri*, *Calcarina*, Site 831, A:334–335  
*sphaeroides*, *Melonis*  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:275, 288  
Site 833, A:500  
*Sphaeroidina bulloides*  
Site 831, A:334–335  
Site 833, A:500  
*Sphaeroidina compacta*, Site 832, B:291  
*Sphaeroidinella dehiscens*  
Site 828, A:152  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:260  
*Sphaeroidinella paenedehiscens*, Site 832, B:253, 296  
*Sphaeroidinellopsis disjuncta*, Site 832, A:409–411, 422, 425, 443  
*Sphaeroidinellopsis kochi*  
Site 830, A:273–276  
Site 832, B:260  
Site 833, A:499–500  
*Sphaeroidinellopsis paenedehiscens*, Site 833, A:499–500  
*Sphaeroidinellopsis seminulina seminulina*  
Site 830, A:273–276  
Site 832, B:253, 261, 263  
Site 833, A:499–500  
*Sphaeroidinellopsis* spp., Site 832, B:255  
*Sphenolithus abies/Sphenolithus neoabies*  
Site 828, B:189  
Site 829, B:200  
Site 832, B:208, 217  
Site 833, B:219  
*Sphenolithus abies*  
Site 828, A:150  
Site 832, A:409–411, 422, 443  
Site 833, A:499  
*Sphenolithus ciperiensis*  
Site 828, B:189  
Site 829, A:195–198  
*Sphenolithus dehiscens*, Site 833, A:499–500  
*Sphenolithus dissimilis*, Site 829, B:200

*Sphenolithus distentus*

## TAXONOMIC INDEX

- Sphenolithus distentus*  
New Hebrides Island Arc, B:244  
Site 828, A:150; B:189
- Sphenolithus distentus* s.l., New Hebrides Island Arc, B:239
- Sphenolithus heteromorphus*  
New Hebrides Island Arc, B:222  
Site 828, B:189  
Site 829, A:195–198; B:200  
Site 832, A:409–411, 422, 425, 443; B:217
- Sphenolithus kochi*, Site 829, A:195–198
- Sphenolithus neoabies*, Site 833, A:499
- Sphenolithus paenedehiscens*, Site 829, A:195–198
- Sphenolithus predistentus*, Site 828, A:150; B:189
- Sphenolithus pseudoradians*, Site 828, B:189
- Spirillina* sp., Site 831, A:334–335
- Spiroclypeus margaritatus*, Site 831, A:334–335
- Spongotochus glacialis*, Site 832, B:310
- Spongurus* cf. *elliptica*, Site 832, B:310
- Spongurus* sp., Site 832, B:310
- Stichocorys*, Site 832, B:310
- Stilostomella lepidula*  
Site 827, A:110  
Site 828, A:152; B:273
- Stilostomella* sp., Site 829, A:195–198
- striata*, *Austrotrillina*, Site 831, A:334–335
- striata*, *Bulimina*  
Site 827, A:110  
Site 830, A:273–276
- striata*, *Hyalocyclus*, New Hebrides Island Arc, B:321, 328, 333
- striata*, *Phormocyrtis*, Vanuatu, B:309
- Stylatractus universus*, Site 832, B:310
- Styliola subula*, New Hebrides Island Arc, B:321, 323, 325, 328, 333
- subglobosa*, *Globocassidulina*  
Site 828, B:273–274  
Site 829, B:273  
Site 832, B:275  
*subula*, *Styliola*, New Hebrides Island Arc, B:321, 323, 325, 328, 333
- suturalis*, *Orbulina*  
New Hebrides Island Arc, B:186  
Site 832, A:409–411, 422, 425, 443; B:262
- Syracosphaera pulchra*  
Site 828, B:189  
Site 829, B:200  
Site 830, B:207  
Site 833, B:219
- tamalis*, *Discoaster*  
Site 832, B:216–217
- tapuriensis*, *Globigerina*, Site 828, A:152
- telesmus*, *Ceratolithus*  
New Hebrides Island Arc, B:243  
Site 829, A:195–198  
Site 830, A:273–276
- tener*, *Oridorsalis*, Site 828, B:274
- tetrapera*, *Cyrtocapsella*, Site 832, B:310
- Tetrapyle octacantha*, Site 832, B:310
- thecidaeiformis*, *Miogypsina*, North d'Entrecasteaux Ridge, B:278
- Theocalyptra bicornis*, Site 832, B:310
- Theocalyptra davisiana*, Site 832, B:310
- Theocotyle*, Vanuatu, B:309
- Theocotyle cryptocephala* Zone  
Site 827, A:109  
Vanuatu, B:309
- Theocotyle nigrinae*, Vanuatu, B:309
- Theocotylissa*, Vanuatu, B:309
- Thyrsoyrtis*, Vanuatu, B:309
- Thyrsoyrtis rhizodon*, Vanuatu, B:309
- tosaensis*, *Globorotalia*  
Site 827, A:109  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:296  
*tosaensis*, *Globorotalia* (*Truncorotalia*), Site 832, B:253
- Tosaia hanzawai*  
Site 832, B:275, 289  
Site 833, A:500
- Tosaia hanzawai*–*Globocassidulina moluccensis* biofacies, North d'Entrecasteaux Ridge, B:283
- transitoria*, *Praeorbulina*, Site 832, B:249, 262
- tricarinata*, *Quinqueloculina*, Site 832, B:291
- tricarinata*, *Triloculina*, Site 832, B:291
- triceros*, *Tristylospyris*, Site 829, B:310
- tridentata*, *Cavolinia*, New Hebrides Island Arc, B:329
- Trifarina angulosa*  
Site 829, B:273  
Site 832, B:289
- Trifarina occidentalis*, Site 832, B:289
- Triloculina tricarinata*, Site 832, B:291
- tripartita*, *Globigerina*  
Site 828, A:152  
Site 829, A:195–198
- triradiatus*, *Discoaster*  
New Hebrides Island Arc, B:243  
Site 827, B:193, 195  
Site 833, A:499
- trispinosa*, *Diacria*, New Hebrides Island Arc, B:321–322, 328–329
- Tristylospyris triceros*, Site 829, B:310
- trochiformis*, *Limacina*, New Hebrides Island Arc, B:323, 330, 332
- truncatulinoides*, *Globorotalia*  
New Hebrides Island Arc, B:186  
Site 827, A:109  
Site 828, A:150, 152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443; B:301  
Site 833, A:499–500
- truncatulinoides*, *Globorotalia* (*Truncorotalia*), Site 832, B:247, 249, 253–254, 258
- tubaria*, *Didymocyrtis*, Site 829, B:310
- tuberosa*, *Collosphaera*, Site 832, B:310, 317
- tubifer*, *Discosphaera*, New Hebrides Island Arc, B:245
- tubulifera*, *Alabama*, North d'Entrecasteaux Ridge, B:283
- tumida*, *Globorotalia*  
Site 827, A:110  
Site 829, A:195–198  
Site 830, A:273–276  
Site 831, A:334–335  
Site 832, A:409–411, 422, 425, 443  
Site 833, A:499–500
- tumida flexuosa*, *Globorotalia*  
Site 829, A:195  
Site 830, A:273–276
- tumida tumida*, *Globorotalia*  
Site 832, B:249, 251  
Site 833, A:499–500
- tumida tumida*, *Globorotalia* (*Globorotalia*), Site 832, B:252, 256, 259
- Turrilina brevispira*  
Site 828, B:273  
Site 832, B:276
- umbilica*, *Reticulofenestra*  
Site 828, A:150; B:189  
Site 829, A:195–198; B:200
- Umbilicosphaera mirabilis*  
Site 828, B:189  
Site 829, B:200  
Site 830, B:207  
Site 833, B:219
- umbonatus*, *Oridorsalis*, Site 829, A:195–198
- umbonifera*, *Nuttallides*  
North d'Entrecasteaux Ridge, B:278, 283  
Site 829, B:273  
Site 832, B:275
- uncinata*, *Cavolinia*, New Hebrides Island Arc, B:321, 329
- ungulata*, *Globorotalia*  
Site 828, A:152  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443
- universa*, *Orbulina*  
Site 827, A:109  
Site 828, A:152  
Site 831, A:334–335  
Site 833, A:499–500
- universus*, *Stylatractus*, Site 832, B:310
- Uvigerina hispida*, Site 831, A:334–335
- Uvigerina hispidocostata*  
Site 827, A:110  
Site 828, A:152  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, A:409–411, 422, 443; B:248
- Uvigerina peregrina*, Site 829, B:273
- Uvigerina proboscidea*  
Site 830, A:273–276  
Site 833, A:500
- Valvulineria gunjii*  
Site 828, B:274  
Site 829, B:273  
Site 832, B:276
- Valvulineria gunjii* biofacies, North d'Entrecasteaux Ridge, B:283
- Valvulineria* sp., Site 827, A:110
- variabilis*, *Discoaster*  
Site 828, B:189  
Site 829, B:200  
Site 832, B:208, 217  
Site 833, B:219
- venezuelana*, *Globigerina*  
Site 828, A:152  
Site 829, A:195–198
- vesicstriata*, *Brizalina*, Site 832, B:289
- virgula*, *Creseis*, New Hebrides Island Arc, B:321, 328
- wuellerstorfi*, *Cibicides*  
Site 829, A:195–198  
Site 830, A:273–276  
Site 832, A:409–411, 422, 425, 443; B:248, 275  
Site 833, A:500
- zones and subzones (with letter prefixes)  
CN1, New Hebrides Island Arc, B:231  
CN1, Site 829, A:195–198  
CN1/CP19, New Hebrides Island Arc, B:224, 231  
CN1/CP19, Site 829, A:195–198; B:200, 206  
CN3, Site 829, A:195–198  
CN3, Site 832, B:217  
CN4, New Hebrides Island Arc, B:222, 231  
CN4, Site 829, B:200, 206  
CN4, Site 832, A:409–411, 422, 425, 443; B:217  
CN5a, Site 832, B:217–218

## TAXONOMIC INDEX

## zones and subzones

CN9, Site 832, A:409–411, 422, 425, 443  
 CN11, New Hebrides Island Arc, B:231  
 CN11, Site 828, A:150; B:189  
 CN11, Site 832, A:409–411, 422, 425, 443  
 CN11, Site 833, B:218–219  
 CN12, Site 833, A:499–500; B:219  
 CN12a, Site 832, B:217  
 CN12b, Site 832, B:216  
 CN12c, Site 827, B:191  
 CN12d, Site 827, A:108  
 CN12d, Site 832, B:216  
 CN13, New Hebrides Island Arc, B:220  
 CN13, Site 832, A:409–411, 422, 425, 443;  
 B:209, 216  
 CN13, Site 833, A:499–500  
 CN14, New Hebrides Island Arc, B:226–227  
 CN14, Site 827, B:193  
 CN14, Site 828, A:149–150  
 CN14, Site 829, B:200, 206  
 CN14, Site 830, A:273–276  
 CN14, Site 831, A:334–335  
 CN14, Site 832, A:409–411, 422, 425, 443  
 CN14a, New Hebrides Island Arc, B:220, 321  
 CN14a, Site 827, B:191  
 CN14a, Site 828, B:189  
 CN14a, Site 832, B:216  
 CN14b, New Hebrides Island Arc, B:224, 321,  
 322  
 CN14b, Site 830, B:207  
 CN15, New Hebrides Island Arc, B:224–225,  
 321–322  
 CN15, Site 827, A:108; B:191, 193  
 CN15, Site 828, B:189

CN15, Site 829, A:195–198; B:197, 200  
 CN15, Site 830, A:273–276; B:207  
 CN15, Site 831, B:190  
 CN15, Site 833, B:218  
 CN17/18 boundary, New Hebrides Island Arc,  
 B:227  
 CN17/18 boundary, Site 829, B:206  
 CP15, Site 828, B:189  
 CP15, Site 829, A:195–198; B:197, 200  
 CP15b, Site 828, B:189  
 CP16, New Hebrides Island Arc, B:231  
 CP16, Site 829, B:200  
 CP16b, Site 828, B:189  
 CP17, Site 828, B:189  
 CP17, Site 829, B:200  
 CP18, Site 828, B:189, 200  
 CP18/17 boundary, Site 828, B:189  
 CP19, Site 829, A:195–198  
 CP19/CN1, New Hebrides Island Arc, B:227  
 N3, Site 828, A:152  
 N3, Site 829, A:195–198  
 N4, Site 829, A:195–198  
 N8, New Hebrides Island Arc, B:186  
 N8, Site 829, A:195–198  
 N8, Site 832, A:409–411, 422, 425, 443  
 N9, New Hebrides Island Arc, B:186, 222  
 N9, Site 832, A:409–411, 422, 425, 443  
 N11–N14, New Hebrides Island Arc, B:186  
 N15, Site 832, B:256  
 N16, Site 832, B:256  
 N17, New Hebrides Island Arc, B:186  
 N17, Site 832, A:409–411, 422, 425, 443;  
 B:256

N17a, Site 832, B:247, 256  
 N17b, Site 832, B:247, 249, 252  
 N18, Site 832, A:409–411, 422, 425, 443;  
 B:252–253, 256  
 N19, Site 828, A:152  
 N19, Site 832, A:409–411, 422, 425, 443;  
 B:249–250, 253, 255–256  
 N19, Site 833, A:499–500  
 N20, Site 829, A:195–198  
 N20, Site 832, B:249, 252, 256  
 N20, Site 833, A:499–500  
 N20/N19 boundary, Site 832, B:249, 255  
 N21, Site 832, A:409–411, 422, 425, 443;  
 B:251, 256  
 N21, Site 833, A:499–500  
 N21/N20 boundary, Site 832, B:255  
 N22, New Hebrides Island Arc, B:186  
 N22, Site 828, A:149, 152  
 N22, Site 829, A:195–198  
 N22, Site 831, A:334–335  
 N22, Site 832, A:409–411, 422, 425, 443;  
 B:249, 251, 253, 256  
 N22, Site 833, A:499–500  
 N22/N21 boundary, Site 832, B:249  
 NP22, Site 828, A:150  
 NP23, Site 828, A:150  
 P18, Site 828, A:152  
 P19, Site 828, A:152  
 P19, Site 829, A:197  
 P20, Site 828, A:152  
 P20, Site 829, A:197  
 P22, Site 828, A:152  
 P22, Site 829, A:195–198