

INDEX TO VOLUME 138

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 138 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:), and to those in the *Scientific Results* (this book), by “B” with a colon (B:). In addition, reference to material in a back-pocket foldout is shown as “bp,” and reference to material on CD-ROM is shown as “bp:CD-ROM.”

The index was prepared by tgB, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, or smear-slide data; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as nannofossils and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 844, for example, is given as “Site 844, A:119–188.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.; e-mail: pub_production@ODP.TAMU.EDU.

SUBJECT INDEX

absolane-buserite, manganese nodules, B:807–810
 acoustic impedance. See impedance
 advection
 oxygen isotopes, B:306–307
 strontium isotopes, B:813–819
 water masses, B:380
 age, bibliographic vs. estimated, B:519, 532
 age-depth plots, Neogene, B:521
 age models
 GRAPE density, B:451
 Pleistocene, B:853–854
 Site 607, B:410–411
 Site 677, B:407–409
 Site 704, B:412
 Site 847, B:697
 Site 849, B:401–402
 stable isotopes, B:373–374, 378
 stratigraphy, B:840–843
 time scales, B:827
 age vs. depth
 control points for the interval to 1 Ma, B:81
 GRAPE density data, A:90
 Pacific Ocean E, B:526–528
 Site 844, A:157
 Site 845, A:230
 Site 846, A:296; B:843
 Site 847, A:358
 Site 848, A:707
 Site 850, A:845
 Site 851, A:934
 Site 853, A:1045
 Site 854, A:1082
 algae, prymnesiophyte, ketones, A:303
 alkalinity
 comparison of Sites 849 and 850, A:854
 interstitial waters, A:222, 297, 355, 920
 vs. depth, A:159, 232, 298, 360, 710, 775, 778,
 936, 998, 1047, 1084; B:603
 alkenones, sediments, B:605–613
 alteration, interstitial waters, A:228
 aluminum
 modern surface sediments, B:824–826
 sources, A:700
 vs. depth, A:714, 953
 See also iron/aluminum ratio
 aluminum accumulation rate
 Pacific Ocean E, A:106
 Site 848, A:701, 716
 Site 850, A:839
 vs. age, A:716
 aluminum logs
 vs. depth, A:206, 1014, 1016
 vs. depth and noncarbonate percentage,
 A:1013
 aluminum oxide
 comparison of XRF and geochemical log
 concentrations, A:859
 geochemistry, A:837–838
 ignited sediments, A:846–847
 vs. depth, A:857
 aluminum oxide accumulation rate
 Site 850, A:849
 vs. age, A:862
 vs. depth, A:862
 aluminum yield
 vs. depth, A:726
 vs. natural gamma-ray activity, A:727
 ammonium
 comparison of Sites 849 and 850, A:854

interstitial waters, A:223–224, 299
 vs. depth, A:233, 299, 361, 777, 780, 853;
 B:603
 amplitude time series analysis, carbonate content,
 B:329
 anorthite, lithologic units, A:193
 Antarctic Bottom Water, carbonate sedimentation,
 B:14
 Antarctic circum-polar ocean, laminated diatom
 ooze, B:644
 Antarctica, middle Pliocene glaciation, B:349–352
 apparent oxygen utilization, B:831, 833
 asterolith accumulation rate, vs. age, B:172–173
 asteroliths
 abundance relative to total nannofossils, B:173
 biostratigraphy, B:166
 Miocene, B:168–169
 astronomical calibration, time scales, B:88–89
 Atlantic Ocean
 carbon isotopes, B:381–383
 sea-floor spreading, B:84–85
 Atlantic Ocean S, spreading rates, B:97
 atmospheric circulation, Cenozoic, B:615–625
 authigenic minerals, phosphorus, B:760–761
 backtracked path
 drilling sites, B:9
 Pacific Ocean E, B:718, 831
 Site 849, A:790
 Site 850, A:859
 Site 851, A:946
 Site 852, A:1006
 Site 853, A:1059
 Site 854, A:1089
 using pole of rotation, A:731
 bacteria, deep sediment layers, B:599–604
 bacterial cells, dividing/divided ratio, vs. depth,
 B:602
 bacterial counts, vs. depth, B:601
 barite, lithologic units, A:193
 barium, metalliferous sediments, B:771, 774
 basalt, clasts, A:199, 208
 basement
 age, A:122, 241; B:9
 strontium isotopes, B:817
 bathymetry
 Pacific Ocean, equatorial, A:43, 55, 57
 Site 848, A:680
 Site 849, A:738
 Site 850, A:812
 Site 851, A:894
 Site 852, A:970
 Site 853, A:1026
 Site 854, A:1066
 Bauer Basin
 deep water, B:831
 surface sediments, A:101–102
 tectonics, B:723
 Berlanga Rise, fossil spreading center, A:242
 biochronology
 calcareous nannofossils, B:236, 249, 500–501
 diatoms, B:105–106
 biogenic bloom
 causes, B:747–748
 sedimentation, B:727, 745–748
 biogenic components, vs. depth, A:858
 biogenic sediments, phosphorus, B:760–761
 biogenic silica accumulation rate, A:838–839
 biohorizons, calcareous nannofossils, B:481
 biological productivity
 ocean circulation, B:722–723
 planktonic foraminifers, B:576–578
 sedimentation, B:14–16
 See also paleoproduction
 biological productivity, primary
 carbonate compensation depth, B:831–833
 Pacific Ocean E, B:718
 rates, A:103–104, 115
 See also paleoproduction
 biomagnetostratigraphy, calcareous nannofossils,
 B:479–502
 biomarkers, ketones, A:302
 biostratigraphic datums
 foraminifers, B:339
 Neogene, B:518
 reflectors, B:546
 biostratigraphy
 calcareous nannofossils, B:234–249, 479–502
 correlation with GRAPE density events,
 A:88–90
 diatoms, B:105–128
 Miocene, B:bp
 Neogene, B:517–536
 planktonic foraminifers, equatorial,
 B:558–559
 Pliocene, B:339
 radiolarians, B:191–232
 silicoflagellates, B:129–162
 Site 844, A:131, 134–135, 138–142
 Site 845, A:208–216
 Site 846, A:285–293
 Site 848, A:685–688, 690–692
 Site 849, A:744–745, 748
 Site 850, A:817, 820–822, 825
 Site 851, A:903, 906–907, 909
 Site 852, A:980–985
 Site 853, A:1029–1032
 Site 854, A:1068–1071
 time scales, B:74
 biotic events, foraminiferal datums, B:556
 bioturbation
 clay, A:204–205
 ichnofacies, B:177–178
 laminated diatom ooze, B:648
 lithologic units, A:127, 340–344
 mottling, A:195
 photograph, A:688, 692, 834, 849, 908, 913,
 978, 1034
 sediments, A:281–285, 1029
 suppression, Pacific Ocean E, B:643–644
 biozones
 vs. depth, A:914–916, 982, 1035, 1074
 See also zonation
 birnessite, manganese nodules, B:807–809
 borehole width, vs. depth, A:315
 bottom currents, current speed vs. relative
 frequency, A:107
 Brunhes Chron
 Pacific Ocean E, B:788
 Site 848, A:695
 Site 851, A:912–916, 924–925, 927
 Site 852, A:993
 Site 853, A:1038–1041
 Site 854, A:1075–1077, 1080
 Brunhes/Matuyama boundary
 correlation with GRAPE density events, A:87
 magnetostratigraphy, B:785, 791, 794
 Site 852, A:987

burrows

burrows
 lithologic units, A:125, 193, 199
 lithology, B:628
 photograph, A:209–211, 350, 352, 688, 691, 913, 978–980, 1034; B:188–190
 sediments, A:281–285
 zonation, B:178
See also echiuian burrows
 burrows, rind and halo, ichnofacies, B:183
 burrows, solid, ichnofacies, B:180–181, 183
 burrows, subvertical and open, ichnofacies, B:183–184
 buserite. *See* absolane-buserite
 buserite-I, manganese nodules, B:807–810
 butane, headspace analyses, A:152–153
 calcareous nannofossil events
 sample and depth constraints, A:142, 698–699, 762–763, 825, 916–917, 981, 1036, 1071
 calcification, gametogenic, oxygen isotopes, B:304
 calcite
 comparison of GST log and shipboard data, A:161–162
 comparison of GST yield with log bulk density data estimate, A:179
 comparison of GST yield with shipboard data, A:178
 duplicate analyses, A:162
 lithologic units, A:199
 normative from XRF analysis vs. LECO analysis, A:104
 scatter plot concentrations with coulometric and gasometric techniques, B:441
 sediments, B:431, 440, 442–450
 time series analysis, B:452, 454
 veins, A:208
 vs. GRAPE density, B:451
 vs. opal, B:451
See also calcium carbonate; carbonates; carbonate sediments; ooze
 calcite, opal-free, sediments, A:108
 calcite compensation depth. *See* carbonate compensation depth
 calcite overgrowths, sedimentation, B:727
 calcium
 comparison of GST yield with shipboard data, A:178
 comparison of Sites 849 and 850, A:855
 geochemistry, A:836
 interstitial waters, A:225, 299, 355–356
 recrystallization, A:699
 vs. depth, A:160, 174, 234, 300, 362, 711, 776, 779, 937, 999, 1048, 1085
 calcium, unprocessed log yield
 vs. depth, B:27
 vs. laboratory calcium carbonate, B:27
 calcium carbonate
 geochemistry, A:836–837
 high-resolution stratigraphy, B:25–30
 sediments, A:148–153, 300–302
 vs. composite depth and age, A:303
 vs. depth, A:163, 302
See also calcite; carbonate; carbonate sediments; ooze
 calcium carbonate, biogenic, color reflectance, B:416
 calcium carbonate, laboratory-measured
 vs. depth, B:27
 vs. processed log calcium carbonate, B:28
 vs. raw calcium yield, B:27
 calcium carbonate, log estimates, vs. laboratory calcium carbonate, B:29

SUBJECT INDEX

calcium carbonate, log estimates and laboratory values, vs. depth, B:28–29
 calcium carbonate, normalized log yield residuals, vs. depth, B:29
 calcium carbonate, processed log, vs. laboratory log calcium carbonate, B:28
 calcium oxide
 ignited sediments, A:846–847
 vs. depth, A:713, 857
 calcium yield
 Site 852, A:1000–1001
 vs. depth, A:250, 316, 794, 950, 952
 calcium yield, smoothed, vs. depth, A:872, 875
 calcium yield logs, vs. depth, A:320, 377
 calibration, color reflectance, B:416, 418–420
 California Current, oceanic circulation, A:191; B:6–8
 caliper distance, vs. depth, A:947
 caliper logs
 Pacific Ocean E, B:54
 Site 847, A:379
 vs. depth, A:795, 873–874
 carbon, carbonate
 cores, A:752–753, 843, 996–997, 1042, 1083
 logs, A:309–310
 modern surface sediments, B:824–826
 sediments, A:148–153, 607–609
 vs. age, A:164, 940, 1002, 1051
 vs. composite depth and age, A:164, 237, 303, 364
 vs. depth, A:163, 236, 302, 363, 783–785, 863–864, 939, 940, 1000, 1002, 1050–1051; B:602, 610
See also organic carbon accumulation rate
 carbon burial, sea-surface temperature, B:605–613
 carbon cycle, orbital parameters, B:843
 carbon flux, vs. water residence time, B:385
 carbon isotopes
 Atlantic Ocean–Pacific Ocean, B:381–383
 benthic foraminifers, B:374–375, 377–387
 chronostratigraphy, B:839–854
 foraminifers, B:340, 508–510; bp:CD-ROM
 Panama Basin–Pacific Ocean, B:377, 379–381
 planktonic foraminifers, B:289–319
 power spectra, B:843
 stages, B:341–342, 345, 348
 Subantarctic–Pacific Ocean, B:383–385
 vs. age, B:347, 379, 386–387, 390–391, 789, 800–802, 842
 vs. depth, B:374, 376–378
 vs. depth rmcd, B:342
 carbonate. *See* calcite; calcium carbonate; carbonates; carbonate sediments; ooze
 carbonate, silicified
 ooze, A:743
 photograph, A:761
 carbonate accumulation rate
 maps, B:834–835
 maps of mean concentration, B:736–742
 Miocene, B:13–14
 Neogene, B:452–455
 Pacific Ocean E, A:102, 109–110; B:14–16, 324–333
 paleobathymetry, B:827–830
 Site 846, A:305
 Site 850, A:843
 vs. age, A:721, 732, 735, 743, 746, 750, 786, 866, 942, 1054, 1089; B:611
 vs. depth, A:109, 720, 785, 865, 941, 1004, 1053, 1086
 vs. water depth, Peru Basin, B:832
 carbonate carbon accumulation rate, vs. age, A:1005
 carbonate compensation depth
 carbonate dissolution, B:732–735
 carbonate stratigraphy, A:87
 laminated diatom oozes, B:12–13
 ooze, A:713–714
 Pleistocene, B:750–751
 reflectors, B:545–548
 sedimentation, B:172–174, 830–836
 sedimentation rates, A:243, 316–317
 surface sediments, Pacific Ocean E, A:102
 vs. paleodepth, B:836
 carbonate content
 comparison of XRF with coulometric measurements, A:712, 721, 856
 duplicate analyses, A:728, 781, 932, 1001, 1049, 1084
 geochemical logs, B:862, 864, 868–869, 872, 873, 876–877, 880–881, 883, 884
 modern surface sediments, B:824–826
 nannofossils, B:170–173
 paleoclimatology, B:300–301
 piston cores, B:885–893
 sediments, A:228; B:607–609, 719, 725–748, 750–751, 754, 822–836
 stratigraphic correlation, B:887
 vs. age, A:164, 324, 731, 801, 880, 940, 1002, 1019, 1051, 1061, 1087, 1092; B:728, 735, 745, 750
 vs. composite depth and age, A:164, 237, 364
 vs. depth, A:235–236, 363, 713, 718–720, 783–785, 794, 828, 830, 858, 863–864, 939–940, 952, 1000, 1002, 1050–1051, 1085–1086; B:545, 547–549, 610, 827
 vs. dry-bulk density, A:165; B:886
 carbonate crash
 causes, B:743–745
 Miocene, B:13–14, 821–838
 sedimentation, B:731–735, 743–745
 carbonate deposition, climate variability, B:16–17, 19
 carbonate dissolution cycles, sediments, B:629
 carbonate minimum, A:714
 carbonate sediments
 sedimentation rates, equatorial, A:87–91
 strontium isotopes, B:813–819
 surface sediments, A:102
 carbonate/silica cycles
 laminated diatom ooze, B:644
 pale/dark interbeds, B:628–629
 photograph, B:636–637
 carbonate variability, evolution, B:326–335
 carbonates
 color reflectance vs. GRAPE density, B:421, 424, 427
 composition, B:11–16
 measured and estimated percentages in cores, B:426
 radiolarians, B:461–478
 upper Neogene, B:321–336
 Caribbean Sea, geologic history, B:748–749
 Carnegie Ridge
 deep water, B:831
 ocean circulation, B:864
 sedimentation, B:8
 sedimentation rates, A:313–317
 spreading centers, A:6–8
 surface sediments, A:101–102
 tectonics, B:381
 CCD. *See* carbonate compensation depth
 CD-ROM, Leg 138 data, A:11

SUBJECT INDEX

Costa Rica Dome

- cells, bacterial, division, B:601–602
Cenozoic
 biostratigraphy, B:129–162
 paleomagnetic intensity, B:779–795
Cenozoic, upper
 atmospheric circulation, B:615–625
 planktonic foraminifers, B:555–597
Central American seaway
 closing, B:575
See also Panamanian Seaway
ceratolithids, Pacific Ocean E, B:279
chalk, nannofossil, lithologic units, A:275, 280
chert
 comparison of Sites 846 and 847, A:369–370
 diagenesis, A:367–369
 geochemistry, A:850
 interstitial waters, A:920
 lithologic units, A: 275, 344
 logs, A:308–309
 photograph, A:826
 resistivity, A:846–847
 well logs, A:929–930
chert, laminated, photograph, A:827
chert layers, vs. depth, A:954
Chile Current, oceanic circulation, A:6–7, 191; B:6–8
Chile Ridge, deep water, B:831
chloride
 interstitial waters, A:221–225, 228, 297, 355
 vs. depth, A:159, 232, 298, 360, 710, 775, 778, 936, 998, 1047, 1084
chlorine yield, vs. neutron porosity, A:1015
chlorophyll, paleoproductivity, A:96–98
Chron 5r.2r-1, B:68
Chron C2An, B:65
Chron C3A, paleomagnetism, A:216
Chron C3A-n1, correlation with GRAPE density events, A:88
Chron C3A-n3, correlation with GRAPE density events, A:89
Chron C3A.n1, time scales, B:87
Chron C3A.n2, time scales, B:87
Chron C3Br.1n, B:67
Chron C3Br.2n, B:67
Chron C3n, B:65
Chron C3r, B:65
Chron C4
 paleomagnetism, A:216
 Site 844, B:630
 Site 845, B:65
Chron C4-n3, correlation with GRAPE density events, A:90
Chron C4A
 Site 844, B:629
 Site 852, A:987
Chron C4A-n1, correlation with GRAPE density events, A:89
Chron C4A-n2, correlation with GRAPE density events, A:89
Chron C4A-n3, B:630
Chron C4Ar, B:65
Chron C4Ar.1r-1, B:68
Chron C4r.2r-1, B:66, 68
Chron C5
 correlation with GRAPE density events, A:89
 Site 844, B:629
 Site 845, B:66
 Site 848, B:630
 Site 852, A:987
Chron C5-n1, correlation with GRAPE density events, A:89–90
Chron C5A, paleomagnetism, A:216
Chron C5AA, B:66
Chron C5AB, B:66
- Chron C5n**, B:65
Chron CN4/CN5A boundary, sedimentation, A:207
chronostratigraphy
 calcareous nannofossils, B:236–240, 242–245, 247, 249–250
Cenozoic, B:798–805
GRAPE density, B:40–42, 324
Neogene, B:8–9, 73–101, 431
Pleistocene, B:839–854
Pliocene, B:339
 stable isotopes, B:294–296, 373–374
chrons. *See* cryptochrons
Circumpolar Deep Water, ocean circulation, B:383–385
Clarion–Clipperton Nodule Province, nodules, B:807
clay
 lithologic units, A:681–684
 percentage vs. depth, A:198
 vs. depth, A:275, 344, 687, 753, 822, 907, 953, 975, 1032, 1071
 well logs, A:1001–1002
See also diatoms + radiolarians + clay
clay, diatom, radiolarian, lithologic units, A:126
clay, diatomaceous, lithologic units, A:124–126
clay, foraminifer, diatom, lithologic units, A:1065–1066
clay, oxide-rich, lithologic units, A:971–972, 974, 1065–1066
clay, radiolarian, diatom, lithologic units, A:192–193, 195–198
clay, radiolarian, photograph, A:913
clay, siliceous, consolidation, B:362–363
climate variability. *See* paleoclimatology
cobalt, manganese nodules, B:808
Cobb Mountain Subchron
 magnetostratigraphy, B:785, 788, 791, 794
 Site 852, A:992
Cochiti Subchron
 correlation with GRAPE density events, A:88
 magnetostratigraphy, B:781
 Site 846, B:348
 Site 851, A:912–916, 924–925, 927; B:84
 Site 852, A:990–993
 Site 853, A:1038–1041
 time scales, B:86–87
Cocos Plate
 absolute poles, A:242
 geochemical logs, B:857–884
 paleoceanography, B:8–9
 spreading centers, A:6–8
 tectonics, A:120; B:723
coefficient of rebound, vs. void ratio, B:364
color, sediments, A:67–77
color banding
 diagenesis, A:199, 204–205
 lithologic units, A:124–127, 131, 340–344
 ooze, A:741, 743
 photograph, A:346, 849, 908–909
 sediments, Site 846, A:280, 285
 vs. color reflectance, A:755
 vs. depth, A:345
See also compositional banding; redox banding
color reflectance
 color spectroscopy, A:67–77
 correlation with magnetic susceptibility and GRAPE density, A:75
 lithologic units, A:199–202, 204, 340–344, 975, 980
 ooze, A:683–685, 741
 oxidized sediments, A:1028–1029
 percentage in the “red” band, B:415
sediments, A:67–77, 130, 216–217, 220, 280, 899, 902, 1066–1067
 vs. composite depth, B:34, 39
 vs. depth, A:72, 202, 276–281, 342–343, 345, 686, 689–690, 750–752, 755, 758, 818–820, 823, 904–906, 976–977, 994, 1031, 1033, 1070, 1072
 vs. lithology, A:814
 vs. sediment age, A:257
color reflectance, near-infrared/red ratio, vs. depth, A:912, 1073
color reflectance, red/blue ratio, vs. depth, A:994, 1044
communality
 modern species and fossil foraminifers, B:707
 radiolarians, B:465, 467–471
composite depth sections
 cores, A:79–85; B:32–37
 correlation of each core to shipboard splice reference before and after mapping, B:38–39
Neogene, B:430–431, 440–441
sediment consolidation, B:357–369
sediment depth, B:47–48
Site 847, B:451, 696–697
 vs. nannofossil preservation indexes, B:540
compositional banding
 sediments, A:131
See also color banding; redox banding
compressional wave velocity
 sediments, A:230–231, 306, 360
 Site 844, A:156
 Site 848, A:704
 Site 849, A:754, 756
 Site 850, A:844
 Site 851, A:924
 Site 852, A:998
 Site 853, A:1044
 vs. depth, A:172, 723, 788, 868, 945, 1010, 1056
See also sonic velocity; velocity
compressional wave velocity, vertical, vs. depth, A:313, 370
conglomerate
 lithologic units, A:127
 photograph, A:136
consolidation
 physical properties, A:366–367
 sediments, B:357–369
convergence zone, planktonic foraminifers, B:561
copper
 manganese nodules, B:808
 metalliferous sediments, B:771, 774
core–log correlation
 Pacific Ocean E, B:872
 sediment depth, B:48–51
core orientations
 Site 851, A:922
 Site 852, A:987
 Site 853, A:1042
core–reflection data, correlation, B:540–543
cores
 composite depth sections, A:79–85
 depths of top and bottom in composite section, A:712, 772, 838, 930, 989, 1044, 1081
 shortening and lengthening, B:296
coring
 gaps, A:848
 strategy, B:11
Coriolis force, B:6
correlation, Neogene, B:628
Costa Rica Coastal Current, oceanic circulation, A:6–7; B:7
Costa Rica Dome

Costa Rica Dome (cont.)

SUBJECT INDEX

geochemical logs, B:860
 organic carbon, A:103
 productivity, A:120
 sedimentation, B:729
 thermocline, A:163
 cryptochronozones. See cryptochrons
 cryptochrons
 estimated ages, B:68
 Miocene, B:66–69, 71
 crystallization, ooze, A:699
 currents, ocean circulation, B:503–504

datum ages, B:522–527, 530–532, 534–536
 datum calibration, B:536
 datum depths, B:520
 datum placement, B:529
 deep water
 carbonate crash, B:835–836
 Pacific Ocean, B:379–381
 demagnetization
 cores, A:926
 ooze, A:695
 polarity zones, A:146
 sediments, A:220; B:65
 demagnetized intensity, vs. depth, A:1078
 density
 comparison of laboratory and logging data, A:161
 comparison of logging and GRAPE measurements, A:382
 scatter plots vs. measured wet-bulk density, B:325
 synthetic seismograms, A:181
 vs. depth, A:276–278, 315, 947
 density, bulk
 comparison of HLDT log data and GRAPE data, A:177
 comparison of Sites 846 and 847, A:381
 piston cores, B:885–893
 vs. depth, A: 175, 248, 251, 373–375, 367, 790–791, 796–797, 951
 vs. resistivity, A:378
 density, difference between log density and GRAPE density, vs. depth, A:798
 density, difference between log density and gravimetric density, vs. depth, A:798
 density, dry-bulk
 equations to predict from calcium carbonate percentage, B:723
 piston cores, B:885
 sediments, B:440, 442–450, 607–609
 vs. age, B:618
 vs. carbonate content, A:165; B:886
 vs. depth, B:610
 vs. GRAPE density, B:441, 606
 density, grain
 Sites 846–853, B:325
 vs. depth, A:170, 241, 311, 370, 722, 787, 868, 945, 1009, 1055, 1091
 density, GRAPE
 age model, B:294
 average number of measurements in each 2-cm bin for Sites 846–852, B:40
 carbonate proxy, B:323–324
 change in mcd/change in rmcd ratio as a function of rmcd, B:44
 conversion to carbonate content, B:822–823
 correlation with magnetic susceptibility and reflectance, A:75
 cross-spectra and log variance, B:52
 differences between mcd and rmcd for each measurement, B:43
 errors in inverse correlation, B:39–42
 Event “F” at Sites 846–852, B:42

evolutionary spectra, A:387
 frequency distributions of change in mcd/change in rmcd ratio, B:43
 laminated diatom ooze, B:644
 sediment depth, B:47–57
 sedimentation rates, equatorial, A:87–91
 sediments, B:79–82, 344–345, 442–450
 stacked records from Sites 846–852 after averaging records, B:40
 stacked records from Sites 846–852 with 1 standard deviation envelopes, B:41
 statistics for stacked records from Sites 846–852 over Event “F”, B:41
 tie points used to construct shipboard splices, B:36
 time series, A:386
 time series and red reflectance, A:76
 time slice studies vs. age, B:466, 470–471, 473
 time slice studies vs. composite depth, B:464 vs. age, A:324, 731, 801; B:17–18, 82–87, 89, 91, 93–94
 vs. calcite, B:451
 vs. color reflectance of carbonates, B:421, 424, 427
 vs. composite depth, B:32, 34, 35, 37, 39, 80–81
 vs. density logs, A:91, bp
 vs. depth, A:342–343, 686, 688, 725, 732, 750–752, 756, 818–820, 904–906, 976, 1031, 1070; B:26, 789
 vs. dry-bulk density, B:441, 606
 vs. lithology, A:813–814
 vs. log density, A:84
 vs. measured carbonate percent, B:324
 vs. opal, B:451
 vs. oxygen isotopes, B:351–352
 vs. sediment age, A:256
 vs. summer insolation, B:95
 density, log–GRAPE, vs. depth, A:956
 density, log–laboratory, vs. depth, A:956
 density, merged vs. depth, A:255, 323, 384, 800, 879, 958, 1018, 1060; B:545, 547–549
 density, smoothed, GRAPE, vs. depth, A:828, 830–831
 density, wet-bulk
 comparison of log data and shipboard data, A:178
 paleobathymetry, B:827–830
 vs. depth, A:168, 240, 309, 316, 367, 722, 787, 867, 870–871, 944, 948, 1006, 1055, 1058, 1089; B:823
 vs. porosity, B:617
 vs. sonic velocity, A:176
 density logs
 compared with laboratory density, A:762
 Site 845, A:234–236
 vs. depth, A:253
 vs. GRAPE density, A:bp
 density–natural gamma ray logs
 Site 844, A:185–186
 Site 845, A:260–261
 Site 846, A:328–330
 Site 847, A:390–391
 Site 849, A:804–805
 Site 850, A:884–886
 Site 851, A:962–963
 depth habitat, planktonic foraminifers, B:576
 depth models, stratigraphy, B:840
 depth offsets
 consolidation, B:364–367
 vs. depth, A:82–83; B:366, 368
 depth sections. See composite depth sections
 depth stratification, planktonic foraminifers, B:559, 565, 573
 detectors, reflectance spectroscopy, A:69
 diachrony
 Neogene, B:528–529
 radiolarians, B:230, 911–930
 diagenesis
 chemical indicators, A:698–699
 chert, A:367–369
 geochemistry, B:760
 interstitial waters, A:228, 920
 laminations, A:204
 lithologic units, A:340–344
 manganese nodules, B:808–809
 ooze, A:741, 743
 pore water, A:996
 sediments, A:10, 131, 285
 diatom calibrations, Neogene, B:521
 diatom events
 age estimates, B:107
 calibration to magnetostratigraphic results, B:122
 correlation with paleomagnetic results, B:119–121, 123–125
 depth constraints, B:109–110, 114–117
 sample and depth constraints, A:145, 704–705, 766–767, 833, 920–921, 986
 sample constraints, B:108, 112–113
 diatom flux cycles, sediments, B:629
 diatom mats
 laminations, B:657
 sedimentology, B:668
 diatoms
 biostratigraphy, A:139–142, 691–692, 745, 748, 907, 909, 984–985, 1031–1032, 1071; B:105–128
 deposition, B:11–13
 geochemistry, B:763
 laminated diatom ooze, B:647–648
 lithologic units, A:192–208
 paleoceanography, B:641–645
 percentage vs. depth, A:198
 productivity, B:749–750
 sediments, B:635
 vs. depth, A:275, 344, 687, 753, 822, 907, 975, 1032, 1071
 diatoms + radiolarians + clay, vs. depth, A:952
 dinoflagellates, endoskeletal, Cenozoic, B:142–143
 discoasterids, Pacific Ocean E, B:278–279
 discoasters. See asteroliths
 dissolution
 carbonate crash, B:13–14, 731–735, 743–745
 carbonate cycles, B:629
 carbonates, B:685
 foraminifers, B:300–301, 676–678
 laminated diatom ooze, B:648
 paleoproduction, B:334–335
 reflectors, B:546–547
 sedimentation, B:172–174
 vs. silica productivity, B:633–635
 dissolution indexes, carbonates, B:697–699, 712–714
 distinctly magnetized zone, A:826
 divergence, sedimentation rates, A:766
 divergence zone
 photic zones, B:576
 planktonic foraminifers, equatorial, B:561
 diversity, planktonic foraminifers, equatorial, B:560, 566–567, 574
 dolomite, nodules, A:204
 downhole measurements
 sedimentary percentages, B:421
 Site 844, A:159–162
 Site 845, A:232–236
 Site 846, A:307–311

SUBJECT INDEX

Gilbert Chron

- Site 847, A:362–370
 Site 848, A:705, 709–711
 Site 849, A:756–757, 760–762
 Site 850, A:844, 846–848
 Site 851, A:926, 928–930
 Site 852, A:999–1002
 drilling, planning of high-resolution methods, A:1095–1096
- Earth rotation, paleoclimatology, B:16–17, 19
 East Pacific Rise
 bottom currents, A:107
 equatorial circulation systems, A:712–714
 hydrothermal activity, B:769–778
 oceanic crust, A:1005; B:867
 paleceanography, B:8–9
 plate movement, A:850–851
 sedimentation, A:764
 spreading centers, A:242
 surface sediments, A:101
 tectonics, A:313–317; B:723
- Eastern Boundary Current, ocean circulation, B:467, 469–471
 ebridians
 abundance, B:132–133, 136–145
 Cenozoic, B:129–162
 eccentricity
 paleceanography, B:83
 stable isotopes, B:844, 846
 time scales, B:86–88
 echiuran burrows, ichnofacies, B:184–185
 ecology
 foraminifers, B:291–293
 oxygen isotopes, B:306–307
 El Niño
 oceanic circulation, A:6–7; B:512–513
 sedimentation, B:727
 El Niño Southern Oscillations, ocean circulation, B:289–292
 empirical orthogonal function analysis, mass accumulation rates, B:323, 325–326
 eolian deposition
 Cenozoic, B:615–625
 mass accumulation rates, B:619–623
 sediments, B:575–578
 eolian flux
 vs. age, B:618
 vs. paleolatitude, B:618
 Epoch 5, time scales, B:87
 Equatorial Countercurrent, ocean circulation, A:10; B:504, 512, 615–625, 675
 Equatorial Pacific Current, ocean circulation, B:537
 equatorial region, sedimentation, B:5–21
 Equatorial Undercurrent, ocean circulation, A:6–7, 191, 372; B:6–8, 290–292, 504, 512, 605, 612–613, 723, 865
 EUC. See Equatorial Undercurrent
 Event A, GRAPE density, A:87
 Event B, GRAPE density, A:87
 Event C, GRAPE density, A:87–88
 Event D, GRAPE density, A:88
 Event E, GRAPE density, A:88
 Event F, GRAPE density, A:88; B:40–42
 Event G, GRAPE density, A:88
 Event H, GRAPE density, A:88
 Event I, GRAPE density, A:88
 Event J, GRAPE density, A:88
 Event K, GRAPE density, A:88
 Event L, GRAPE density, A:88
 Event M, GRAPE density, A:89
 Event N, GRAPE density, A:89
 Event O, GRAPE density, A:89
 Event P, GRAPE density, A:89
- Event Q, GRAPE density, A:89
 Event R, GRAPE density, A:89
 Event S, GRAPE density, A:90
- faults, orientation, A:205–206
 fluid flow, strontium isotopes, B:814–815, 817
 fluorapatite, geochemistry, B:761–762
 fluorescence
 plankton, A:96–98
 See also fluorometry
- fluorometry
 paleoproductivity, A:96–97
 See also fluorescence
- foraminifer events, sample and depth constraints, A:829, 1036
- foraminifer isotope record, smoothed, interpolated data, B:403–406
- foraminifer datums
 Cenozoic, equatorial, B:556
 Neogene, B:521
- foraminifers
 biostratigraphy, A:744
 carbon isotopes, B:798
 laminated diatom ooze, B:648
 Pleistocene, B:695–714
 relative abundance, B:699–701
 sediments, B:442–450
 statistical summary of each species, B:700
 vs. depth, A:198, 275, 344, 687, 753, 822, 907, 975, 1032, 1071
 See also foraminifer events; nannofossils + foraminifers; planktonic foraminifer events
- foraminifers, benthic
 assemblages, B:665–673
 oxygen isotopes, B:337–355, 611, 613
 stable isotope stratigraphy, B:839–854
 stable isotopes, B:337–355, 371–412
- foraminifers, planktonic
 abundance, B:171–172, 561–573, 575, 582–583
 assemblages, Pacific Ocean, equatorial, B:555–597
 biostratigraphy, A:134–135, 138–139, 687, 903, 906, 983, 1030–1031, 1069–1070
 correlation of whole species with dissolution-resistant species, B:703
 Miocene, B:895–907
 paleceanography, B:749
 Pleistocene, B:289–319
 Quaternary, B:675–693
 relative abundance, B:688–693
 species richness, B:578, 581
 vertical stratification, B:504–505
- formation factor, vs. porosity, A:247
 formation microscanning imagery
 cherts, A:318
 Site 845, A:234
 Site 847, A:379
 Site 849, A:761, 795
 Site 850, A:827, 873–874
 Site 851, A:954
- fractionation, carbon isotopes, B:801
 fractures, sediments, A:367
 fragmentation, foraminifers, B:685–686
 frequency domain analysis, carbonate content, B:330–332
- Galapágos
 crust, B:864
 sedimentation, B:729, 749–750
 tectonics, B:723
- Galapágos Platform, surface sediments, A:101–102
- Galapágos Spreading Center
 paleobathymetry, B:827
 pole rotations, B:8
 spreading centers, A:6–8
 tectonics, A:313–317, 372–373
- gamma-ray attenuation porosity evaluator, composite sections, A:79–85
- gamma rays. See natural gamma ray logs
- gases, headspace analyses, A:152–153, 229–230, 302, 357, 359, 704, 753–754, 843, 921–922
- Gauss Chron
 magnetostratigraphy, A:216; B:781, 788
 Pacific Ocean E, B:85
 Site 846, B:342, 344–345, 348
 Site 850, A:840–842
 Site 851, A:912–916, 924–925, 927
 Site 852, A:993
 Site 853, A:1041
 Site 854, A:1075–1077, 1080
 time scales, B:86–87
 See also Gilbert/Gauss boundary
- Gauss/Gilbert boundary, magnetostratigraphy, B:794–795
- Gauss/Matuyama boundary, correlation with GRAPE density events, A:88
- general circulation models, ocean circulation, B:503, 512–513
- geochemical logs
 compared to cores, B:860–869
 interpretation, B:26–27
 lithospheric plates, B:857–884
 Site 844, A:187–188
 Site 845, A:262–263
 Site 846, A:331–333
 Site 847, A:392–393
 Site 848, A:733
 Site 849, A:806–807
 Site 850, A:887–889
 Site 851, A:964–965
 Site 852, A:1021
- geochemistry, inorganic
 Site 845, A:221–225, 228
 Site 846, A:295–300
 Site 847, A:353, 355–357
 Site 848, A:698–701, 703
 Site 849, A:749, 752
 Site 850, A:830–831, 833–834, 836–843
 Site 851, A:917, 919–921
 Site 852, A:990–992, 994, 996
 Site 853, A:1036–1037, 1042
 Site 854, A:1081–1083
- geochemistry, organic
 Site 844, A:148–153
 Site 845, A:228–230
 Site 846, A:300–304
 Site 847, A:357–359
 Site 848, A:703–704
 Site 849, A:752–754
 Site 850, A:843
 Site 851, A:921–922
 Site 852, A:996–997
 Site 853, A:1042
 Site 854, A:1083
- geochemistry, Pacific Ocean E, A:9–10
- geomagnetic events, short, Miocene, B:66–71
- geomagnetic field, intensity, equatorial, B:779–795
- gephyrocapsids, Pacific Ocean E, B:278
- Gilbert Chron
 magnetostratigraphy, B:788
 Site 846, B:344–345, 348
 Site 848, A:695
 Site 850, A:840–842

Gilbert Chron (cont.)

SUBJECT INDEX

- Site 851, A:912–916, 924–925, 927
 Site 852, A:993; B:84
 Site 853, A:1041
 Site 854, A:1080
 time scales, B:87
 Gilbert/Gauss boundary
 correlation with GRAPE density events, A:88
 Pacific Ocean E, B:40
 Site 848, A:695
 glacial/interglacial cycles
 carbonate content, B:332–333
 Miocene/Pliocene boundary, B:348–349
 Pleistocene, B:300, 305–308
 Pliocene, Antarctica, B:349–352
 Quaternary, B:379–385, 685–686
 Site 847, B:708–709
 stable isotopes, B:510–513, 843–844
 glaciation
 Antarctica, B:349–352
 foraminifer isotope record, B:308
 Messinian, B:348
 Northern Hemisphere, B:575–578, 635, 751
 paleoclimatology, B:16–17, 19
 paleoproduction, B:334–335
 global carbon system, carbonates, B:351
 golden spike, A:714
 grain size
 vs. age, B:618
 vs. paleolatitude, B:618
 GRAPE. *See* gamma-ray attenuation porosity evaluator
 gravimetric data, vs. depth, A:253
 Great American Interchange, geologic history, B:748–749
 grunierite, lithologic units, A:199
 Guatemala Basin
 carbonate dissolution, B:732–734
 carbonate mass accumulation rates, B:832
 carbonate sediments, B:813–819
 deep water, B:831
 geochemical logs, B:860
 site description, A:119–263
 surface sediments, A:101–102
 tectonics, B:723
 Gulf of Tehuantepec, oceanic circulation, A:6

 heat flow, strontium isotopes, B:815
 helioliths, Pacific Ocean E, B:280
 Hess Rise, carbonate dissolution, B:732
 hexane, headspace analyses, A:152–153
 hiatuses, carbonate dissolution, A:1090; B:732–735, 743–745
 high-resolution methods
 calcium carbonate stratigraphy, B:25–30
 data refinement, B:31–46
 hot spots, Galápagos Spreading Center, A:372
 hybridization, silicoflagellates, B:142–143, 145–148
 hydrocarbons, volatile, geochemistry, A:152–153, 704, 753–754, 843, 921–922
 hydrogen sulfide, sediments, A:297
 hydrogen yield, vs. neutron porosity, A:1015
 hydrography, Pacific Ocean E, B:503–504
 hydrothermal activity
 Neogene history, B:774–777
 sediments, A:1037; B:769–778
 hydrothermal alteration, geochemistry, A:840–842
 hydrothermal iron accumulation rate
 metalliferous sediments, B:774–777
 vs. age, A:716
 hydrothermal processes, geochemistry, B:760

 ice sheets
 laminated diatom ooze, B:644

- Northern Hemisphere, B:352
 sedimentation, B:727–728
 ice volume
 carbonate content, B:332–333
 carbonate variability, B:327–328
 foraminifer isotope record, B:308
 Neogene, B:511–513
 variability, B:612–613
 ichnofabric indexes, ichnofacies, B:177–178
 ichnofacies
 lithologic units, A:199
 trace fossils, B:177–190
 ichnofossils. *See* trace fossils
 impedance
 synthetic seismograms, A:181
 vs. depths of reflectors, B:550–551
 impedance, merged, vs. depth, A:255, 323, 384, 730, 800, 879, 958, 1018, 1060; B:545, 547–549
 index properties
 Site 844, A:153, 156
 Site 845, A:230–232
 Site 846, A:304–306
 Site 847, A:360
 Site 848, A:704
 Site 849, A:754
 Site 850, A:844
 Site 851, A:923–924
 Site 852, A:998
 Site 853, A:1042
 Site 854, A:1084
 Indian Ocean, equatorial, calcareous nannofossils, B:479–502
 Indian Ocean Monsoon, sedimentation, B:15–16
 insolation
 carbonate content, B:331
 climate variability, B:16
 paleoproduction, B:335
 stable isotopes, B:844
 vs. GRAPE density, B:95
 vs. oxygen isotopes, B:350–351
 instruments, reflectance spectroscopy, A:67–70
 interstitial waters
 comparison with Site 849, Site 850, A:833–834
 geochemistry, A:158, 221–225, 228, 231–232, 698–699, 716–717, 749, 752, 774–775, 830, 833, 843–844, 917, 919–921, 932–933, 990–992, 994–995, 997, 1037, 1047; B:602
 Site 846, A:295–300
 Site 847, A:353, 355–357
 strontium isotopes, B:813–819
 Intertropical Convergence Zone
 ocean circulation, A:1085; B:6–8, 289–292, 503, 512–513, 615–625, 722–723
 sedimentation rates, B:14
 tectonics, A:6
 iron
 metalliferous sediments, B:771, 774
 modern surface sediments, B:824–826
 sources, A:700–701
 vs. age, B:771
 vs. depth, A:714
 See also hydrothermal iron accumulation rate
 iron, hydrothermal
 vs. depth, A:715, 861
 iron accumulation rate
 Site 848, A:701, 716
 Site 850, A:839
 vs. age, A:716
 iron/aluminum ratio
 geochemistry, A:838
 sources, A:700–701
 vs. depth, A:715, 861
 iron–manganese oxides, metalliferous sediments, B:771, 774
 iron/manganese ratio
 geochemistry, A:838
 sources, A:700–701
 vs. depth, A:715, 861
 iron oxide
 comparison of XRF and geochemical log tool concentrations, A:860
 geochemistry, A:838; B:760
 ignited sediments, A:846–847
 vs. depth, A:857, 861, 1032, 1071
 iron oxide accumulation rate
 Site 850, A:840–842, 849
 vs. age, A:862
 vs. depth, A:861–862
 iron oxyhydroxides, geochemistry, B:760
 iron–vernadite, manganese nodules, B:808–810
 iron yield, smoothed
 vs. depth, A:316, 724, 872, 1012
 vs. neutron porosity, A:1015
 isotope offsets, benthic foraminifers, B:373, 841
 isotopes, vs. age, B:17–18
 ITCZ. *See* Intertropical Convergence Zone

 Jaramillo Subchron
 magnetostratigraphy, B:781, 785, 787–788, 791, 792, 794–795
 Site 851, A:912–916, 924–925, 927
 Site 852, A:990–993
 Site 853, A:1038–1041
 Site 854, A:1075–1077
 time scales, B:87

 Kaena Subchron
 correlation with GRAPE density events, A:88
 magnetostratigraphy, A:216; B:781, 788, 794–795
 Site 846, B:342, 344–345, 348
 Site 850, A:840–842; B:84
 Site 852, A:990–993
 Site 853, A:1038–1041
 Site 854, A:1075–1077
 time scales, B:86
 ketones, ratios, A:303–304
 ketones, unsaturation ratio, vs. depth, B:610

 laminated diatom ooze
 benthic foraminifers, B:665–673
 correlation, B:12–13
 depositional model, B:643
 downhole positions, B:649
 high-resolution sedimentology, B:647–663
 ichnofacies, B:178–179
 Miocene, B:631–632
 Neogene, B:635
 paleoceanography, B:641–645
 photography, B:638
 plate-motion backtracked diagram, B:642
 sedimentary record, B:650
 laminated mats
 diatoms, B:629
 paleoceanography, B:641–645
 sedimentation, B:727
 lamination style, laminated diatom ooze, B:651–654
 laminations
 diagenesis, A:204
 effects of core-cutting methods, B:186
 lithologic units, A:124–127, 131
 photograph, A:207, 348, 832, 908–910
 preservation, B:643
 reflectors, B:539, 541, 545–547

SUBJECT INDEX

microfossil events

- sedimentology, B:668
 laminations, diagenetic, photograph, A:138
 laminations, post-depositional, photograph, A:760
 lead, manganese nodules, B:808
 Liesegang, sediments, A:285
 lithium
 comparison of Sites 849 and 850, A:855
 interstitial waters, A:228, 300, 357
 recrystallization, A:699
 vs. depth, A:161, 233, 299, 361, 712, 777, 780,
 938, 1000, 1049, 1085
 lithium, interstitial, vs. interstitial strontium,
 A:939
 lithofacies
 deposition history, B:629–633
 laminated diatom ooze, B:656–657
 photograph, B:639
 lithologic units
 Site 846, A:269–280
 Site 847, A:338–344
 Site 848, A:681–683
 Site 849, A:740–741, 743
 Site 850, A:811–813
 Site 851, A:896–897
 Site 852, A:971–972, 974
 Site 853, A:1027–1028
 Site 854, A:1065–1066
 Unit I, A:124–126, 192–198, 269–271, 275,
 339–344, 681–683, 740–741, 743,
 811–813, 896–897, 971–972, 974,
 1027–1028, 1065–1066
 Unit II, A:126–127, 198–199, 275, 280
 lithology
 nonintrusive reflectance spectra, B:413–427
 reflectance vs. depth, A:71
 relation to continuously measured parameters,
 A:813–815
 relation to magnetic susceptibility, A:1067
 lithospheric plates, geochemical logs, B:857–884
 lithostratigraphy
 Pacific Ocean E, B:630–632
 Site 844, A:122–131
 Site 845, A:191–208
 Site 846, A:268–285
 Site 848, A:680–685
 Site 849, A:740–741, 743–744
 Site 850, A:811–817
 Site 851, A:895–897, 899–903
 Site 852, A:970–972, 974–975, 980
 Site 853, A:1026–1029
 Site 854, A:1064–1068
 lizardite, lithologic units, A:199
 log–core correlation
 Pacific Ocean E, B:872
 sediment depth, B:48–51
 logs. See well-log lithologic units; well-log
 stratigraphic units; well logging; well
 logs
 lysocline
 carbonate stratigraphy, A:87
 sedimentation, B:172–174
 magnesium
 comparison of Sites 849 and 850, A:855
 interstitial waters, A:224, 299, 355
 vs. depth, A:160, 234, 300, 362, 711, 776, 779,
 937, 999, 1048, 1085
 magnetic anomalies
 ages for those between C3An.1n (t) and
 C5Bn.1n (t), B:91
 chronostratigraphy, A:240–245
 magnetic declination
 Miocene, B:68–69
 polarity sense, B:60–62, 65
 Site 844, 149–152
 vs. age, B:89, 91, 93–94
 vs. depth, A:221–225, 696–697, 702, 840–841,
 923–925, 990–992, 1038, 1040,
 1075–1077; B:782
 magnetic inclination
 histograms after demagnetization, A:703
 polarity sense, B:60–62, 65
 vs. depth, A:147, 149–152, 696, 697, 702,
 840–841, 923–925, 990–992,
 1038–1040, 1075–1077; B:782
 magnetic intensity
 Cenozoic, B:779–795
 vs. depth, A:144, 147–148, 221–225, 294, 694,
 771, 839, 922, 994
 See also demagnetized intensity; natural
 remanent magnetization intensity;
 remanent intensity
 magnetic polarity
 excursions, B:788–790
 fossil spreading centers, B:60–62, 65
 sediments, A:1032, 1034
 Site 844, A:146
 time scales, B:519
 magnetic polarity stratigraphy
 short events, B:67–69
 Site 844, B:70–71
 vs. depth, A:842
 magnetic polarity time scale
 calibration from 0 to 6 Ma, B:84–85
 Site 854, A:1073, 1079
 magnetic reversals
 ages, B:86–87
 boundary depths, A:155, 708–709, 928,
 988–989, 1043, 1079; B:61, 71
 chronozones, A:695
 paleointensity, B:790
 Site 851, B:84
 magnetic surveys, Pacific Ocean, equatorial, A:43
 magnetic susceptibility
 correlation with reflectance and GRAPE
 density, A:72
 relation to lithology, A:1067
 sediments, A:95–96, 216–217, 220, 353, 902
 Site 844, A:144, 147
 Site 850, A:826, 830
 vs. age, A:257, 324, 731, 880, 1019, 1061,
 1092
 vs. composite depth, B:34, 39
 vs. depth, A:221–225, 276–278, 294, 342–343,
 356–357, 686, 688, 694, 750–752, 771,
 818–820, 831, 839, 842, 904–906, 922,
 929, 976, 994, 1031, 1037, 1070, 1073,
 1078; B:789
 vs. lithology, A:814–815
 vs. natural gamma-ray activity, A:727
 See also remanent magnetization,
 natural/susceptibility ratio
 magnetized zones. See distinctly magnetized zone
 magnetostratigraphy
 Cenozoic, B:781–783
 chronozones, A:695
 correlation with GRAPE density events,
 A:87–90
 Miocene, B:59–72, 479–502
 Neogene, A:216
 Site 844, A:144–145, 154
 Site 848, A:706
 Site 851, A:912–916, 924–925, 927
 time scales, B:74, 84–85
 vs. depth, A:842, 927, 993, 1041, 1080
 See also biomagnetostratigraphy
 major oxides
 geochemical logs, B:862, 864, 868–869, 872,
 873, 876–877, 880–881, 883, 884
 sediments, A:717
 Mammoth Subchron
 magnetostratigraphy, B:781, 788, 794–795
 Site 846, B:348
 Site 850, A:840–842; B:84
 Site 851, A:912–916, 924–925, 927
 Site 852, A:990–993
 Site 853, A:1038–1041
 Site 854, A:1075–1077
 time scales, B:86–87
 manganese
 manganese nodules, B:808
 metalliferous sediments, B:771, 774
 nodules, B:807–811
 vs. depth, A:714
 See also iron/manganese ratio
 manganese accumulation rate
 Site 848, A:701, 716
 Site 850, A:839–840
 vs. age, A:716
 manganese oxide
 ignited sediments, A:846–847
 photograph, A:978
 vs. depth, A:857
 manganese oxide accumulation rate
 Site 850, A:840–842, 849
 vs. age, A:862
 vs. depth, A:862
 manganese-oxide dendrites, photograph, A:757,
 849, 1032, 1071
 mapping function, depth in core vs. depth in
 shipboard splice, B:37
 mass accumulation rates
 bulk sediments, A:238–239
 chronostratigraphy, A:229, 357
 comparison of Sites 844, 845, and 846, A:301
 control points, A:357, 715
 eolian material, B:619–623
 Site 848, A:701, 703–704
 Site 849, A:753
 Site 850, A:838–843
 surface sediments, A:101–115
 time intervals, B:730–731
 vs. age, A:306, 366
 vs. composite depth, A:305
 vs. depth, A:166–167, 365
 See also accumulation rates; sedimentation
 rates
 Matuyama Chron
 magnetostratigraphy, B:788
 Site 851, A:912–916, 924–925, 927
 Site 852, A:993
 Site 853, A:1041
 Site 854, A:1075–1077, 1080
 See also Brunhes/Matuyama boundary;
 Gauss/Matuyama boundary
 Matuyama/Gauss boundary, magnetostratigraphy,
 B:794–795
 Mediterranean Sea, Miocene/Piocene boundary,
 B:348–349
 Messinian
 glaciation, B:348
 salinity crisis, B:748
 methane
 headspace analyses, A:299, 302, 359, 729, 782,
 939
 vs. depth, A:307, 367, 787, 867, 944; B:603
 methanogenesis, dividing cells, B:602
 microbial activity, methane, A:302
 microconglomerate
 lithologic units, A:199
 photograph, A:207
 microfossil events

microfossil events (cont.)

sample and depth constraints, A:212–215
 Site 846, A:286–287
 Site 847, A:350–351

microfossils, smear slide data vs. depth, A:134
 micropaleontology, laminated diatom ooze, B:647–663

Mid Epoch 10, carbonate dissolution, B:732–733, 735

Milankovitch cycles
 Pacific Ocean E, A:9
 sedimentation rates, A:280–281
 Site 847, A:373–374
 stable isotopes, B:385–387

Miocene
 biostratigraphy, A:131, 134–135, 138–142, 346–352
 calcareous nannofossil assemblages, B:163–176
 calcareous nannofossils, B:233–286
 carbonate/silica cycles, B:633–635
 laminated diatom ooze, B:641–645
 lithologic units, A:124–127, 269–271, 275, 681–683, 740–741, 743, 811–813, 896–897, 971–972, 974
 lithostratigraphy, A:191–208
 magnetostratigraphy, A:695; B:59–72, 85–88, 479–502
 oxide-rich sediments, B:639
 planktonic foraminifers, B:895–907
 radiolarians, B:191–232
 sedimentation, A:165, 167

Miocene, lower/middle boundary, calcareous nannofossils, B:250

Miocene, middle, magnetostratigraphy, B:64–66

Miocene, middle/upper boundary
 calcareous nannofossils, B:250
 carbonate transition, B:13–14

Miocene, upper
 carbonate crash, B:821–838
 magnetostratigraphy, B:63, 65
 sedimentation rate maximum, B:14–16

Miocene, uppermost, age model, B:343; bp:CD-ROM

Miocene/Pliocene boundary
 calcareous nannofossils, B:250
 stable isotope stratigraphy, B:348–349

modern analog technique, foraminifers, B:699

monsoon, sedimentation, B:15–16

morphology, silicoflagellates, B:142–143, 145–148

morphotypes, epifaunal, benthic foraminifers, B:667–668

morphotypes, infaunal, benthic foraminifers, B:667–668

mottling
 bioturbation, A:195
 lithologic units, A:196

multishot orientation
 correlation, A:705
 Site 850, A:834

nannofossil accumulation rates, vs. age, B:168, 171

nannofossil assemblages, sediments, B:721–725, 756

nannofossil calibrations, Neogene, B:518, 520–521

nannofossil etching, vs. age, B:726

nannofossil events
 age estimates and position, B:234–235, 239, 241, 243, 246–247
 calibrated ages, B:174
 Miocene, B:482, 484–486
 vs. sedimentation rates, B:165

SUBJECT INDEX

nannofossil overgrowths, vs. age, B:727
 nannofossil preservation, vs. age, B:725
 nannofossil preservation indexes
 dissolution, B:543, 545–547
 vs. composite depth sections, B:540

nannofossil signal, Miocene, B:167–169

nannofossils
 deposition, B:11–13
 lithologic units, A:192–208
 vs. age, B:724
 vs. calcium yield, A:794
 vs. depth, A:198, 275, 344, 687, 753, 794, 822, 907, 975, 1032, 1071

nannofossils, calcareous
 abundance patterns, B:482–485, 487–489, 490–495, 497
 assemblages, B:163–176
 biostratigraphy, A:131, 134, 685–687, 744, 903, 981–983, 1029–1030, 1069–1070

Cenozoic, B:233–286
 Miocene distribution, B:256–261, 274–277, 479–502
 Pleistocene–Pliocene distribution, B:252–255, 262–266, 270–273

Pliocene–Miocene distribution, B:266–269
See also calcareous nannofossil events

nannofossils + foraminifers, vs. depth, A:952

natural gamma ray logs
 clays, A:1001–1002
 compared with uranium or thorium, A:876
 Site 848, A:734
 Site 852, A:1020
 uranium accumulation, A:847
 vs. aluminum yield, A:726
 vs. depth, A:174, 249, 319, 793, 876, 949, 955, 1016
 vs. magnetic susceptibility, A:727
See also density–natural gamma ray logs; resistivity–sonic–natural gamma ray logs

natural gamma ray logs, processed
 Site 844, B:861
 Site 845, B:863
 Site 846, B:866–867
 Site 847, B:870
 Site 848, B:873
 Site 849, B:874–875
 Site 850, B:878–879
 Site 851, B:882
 Site 852, B:884

natural remanent magnetization intensity
 sediments, A:1032, 1034
 vs. depth, A:922, 1037, 1078

Nazca Plate
 geochemical logs, B:857–884
 paleoceanography, B:8–9
 spreading centers, A:6–8
 tectonics, B:723

NEC. See North Equatorial Current

NECC. See North Equatorial Countercurrent

Neogene
 benthic foraminifers, B:665–673
 biogenic sedimentation, B:429–459
 biostratigraphy, A:208–216; B:105–128, 517–636
 hydrothermal activity, B:774–777
 ichnofacies, B:177–190
 lithologic units, B:860–870
 paleoceanography, A:372–374; B:5–21
 paleoclimatology, B:16–17, 19
 pelagic sediments, B:627–639
 plate tectonics, A:7–9
 radiolarians, B:461–478
 sedimentation regimes, A:207–208

surface-water circulation, B:503–514

Neogene, upper
 carbonates, B:321–336
 new time scale, B:73–101
 sedimentation patterns, B:717–756

neogloboquadrinids, Pacific Ocean, B:572

neutron porosity logs
 vs. chlorine yield, A:1015
 vs. depth and noncarbonate percentage, A:1013
 vs. hydrogen yield, A:1015
 vs. iron yield, A:1015
 vs. silicon yield, A:1015

new combinations, silicoflagellates, B:143, 145–147

new forms, silicoflagellates, B:143

NH₄ hiatus, carbonate dissolution, B:732

nickel
 manganese nodules, B:808
 metalliferous sediments, B:771, 774

nodules
 chert, A:285
 manganese, B:807–811

North Atlantic Deep Water
 carbonate accumulation, B:14–16
 carbonate crash, B:743–745, 835–836
 ocean circulation, B:383–385

North Equatorial Countercurrent
 ocean circulation, A:6–7, 120, 191; B:6–8, 469, 558, 615–625, 695–696, 722–723, 860
 plankton, A:96
 sedimentation, B:726
 sediments, A:101–102

North Equatorial Current, ocean circulation, A:6–7, 191; B:6–8, 469, 558, 675, 695–696, 860

North Equatorial Undercurrent, ocean circulation, B:869

Nunivak Subchron
 magnetostratigraphy, B:781
 Site 851, B:84
 Site 853, A:1038–1041
 time scales, B:87

nutrients, upper ocean temperature, B:289–319

obliquity
 climate variability, B:16–17, 19
 oxygen isotope variability, B:352

ocean circulation
 currents, B:615–625
 Pacific Ocean E, A:6–7, 679; B:6–8, 289–290, 381–385, 718
 radiolarians, B:461–478
 Site 851, B:503–514
 surface water, B:722–723
See also bottom currents

ocean circulation, deep-water, upper Miocene, B:821–838

ocean currents, Pacific Ocean E, B:289–292

oceanic crust, strontium isotopes, B:813–819

Oduvai Subchron
 correlation with GRAPE density events, A:87–88
 magnetostratigraphy, B:781, 786–788, 791, 794–795
 Site 851, A:912–916, 924–925, 927
 Site 852, A:990–993
 Site 853, A:1038–1041
 Site 854, A:1075–1077
 time scales, B:87

ooze
 bioturbation, A:206

SUBJECT INDEX

Panama Basin

- lithologic units, A:193, 195
 photograph, A:137, 754
See also laminated diatom ooze
- ooze, calcareous, consolidation, B:358–359
 ooze, clayey, nannofossil, foraminifer, lithologic units, A:1028
 ooze, diatom, clayey, lithologic units, A:124–126
 ooze, diatom, nannofossil, clayey lithologic units, A:124–126, 269–271, 275, 740–741, 743, 896–897; B:811–813, 866
 photograph, A:834
 ooze, diatom, radiolarian, clayey, lithologic units, A:124–126, 269–271, 275
 ooze, diatom, radiolarian, nannofossil, lithologic units, A:681–684
 ooze, diatom, radiolarian, photograph, A:138
 ooze, foraminifer, clayey, nannofossil, lithologic units, A:1028
 ooze, foraminifer, nannofossil lithologic units, A:811–813, 896–897, 971–972, 974
 photograph, B:636
 ooze, laminated, diatom lithologic units, A:896–897
 photograph, A:849
 ooze, metalliferous, sedimentation rates, A:314–315
 ooze, nannofossil lithologic units, A:126–127, 198, 269–271, 275, 280, 339–344, 681–684, 1065–1066
 photograph, A:688, 690–692, 913, 978
 reflectance spectra, A:74
 ooze, nannofossil, diatom lithologic units, A:339–344, 740–741, 743, 896–897
 photograph, A:849
 ooze, nannofossil, foraminifer, lithologic units, A:126–127, 199
 ooze, nannofossil, radiolarian, clayey, reflectance spectra, A:74
 ooze, nannofossil, radiolarian, foraminifer, diatom, reflectance spectra, A:74
 ooze, photograph, A:908–910
 ooze, radiolarian, burrows, A:135
 ooze, radiolarian, nannofossil, lithologic units, A:811–813, 971–972, 974
 ooze, siliceous, calcareous, consolidation, B:359, 362
 opal
 comparison of data from three laboratories, B:720
 extraction tests, B:457–459
 laminated diatom ooze, B:644
 modern surface sediments, B:824–826
 sediments, B:431, 440, 442–450, 719, 725–751, 755
 time series analysis, B:452, 454
 vs. age, B:729
 vs. calcite, B:451
 vs. GRAPE density, B:451
 opal, biogenic
 color reflectance, B:416–417
 estimated vs. measured percentages, B:420
 opal accumulation rate
 maps of mean concentration, B:736–742
 Neogene, B:452–455
 Pacific Ocean E, A:102–103, 111–112; B:14–16
 Site 848, A:726
 Site 850, A:840–842
 vs. age, A:716, 862; B:733, 743, 749
 vs. depth, A:862
- opal productivity. *See* silica productivity
 opal shift, closure of Panama Isthmus, B:748–750
 orbital forcing
 carbonate content, B:332–333
 carbonates, B:351–352
 sedimentation rates, B:846
 time scales, B:88–89
 orbital parameters, stable isotopes, B:843
 organic carbon accumulation rate
 geochemistry, A:921
 Pacific Ocean E, A:103, 113–114
 Site 846, A:305
 Site 848, A:703–704, 720–721
 Site 850, A:843
 vs. age, A:721, 786, 866, 942, 1005, 1054; B:611
 vs. depth, A:720, 785, 865, 941, 1004, 1053
 vs. latitude, A:11
 organic matter
 decomposition, B:380
 sediments, B:600
 organic matter accumulation rate
 Site 851, A:921
 Site 852, A:997
 Site 853, A:1042
 Site 854, A:1083
 overconsolidation, porosity, B:367–368
 oxidation, photograph, A:910
 oxide factors, geochemical logs, B:860
 oxides
 photograph, A:1034
 vs. depth, A:975
 oxygen isotope stratigraphy, time scales, B:74–75
 oxygen isotopes
 age models, B:297
 age models vs. GRAPE age models, B:297
 benthic foraminifers, B:374–375, 377
 chronostratigraphic control points, B:298
 chronostratigraphy, B:839–854
 cross spectra, B:678–679, 685
 foraminifers, B:340, 505–508, 698, 701, 711; B:CD-ROM
 paleoceanography, B:676
 paleoclimatology, B:16–17, 19
 planktonic foraminifers, B:289–319
 power spectra, B:843
 vs. age, B:302–305, 307, 346, 349, 352, 379, 386, 390, 509–510, 611, 677, 802–803, 805, 842, 844
 vs. depth, B:374, 376–378, 677, 842
 vs. depth rmcd, B:341
 vs. GRAPE density, B:351–352
 vs. insolation, B:350–351
- Pacific Basin, carbonate mass accumulation rates, B:832
 Pacific Ocean, water residence time, B:385
 Pacific Ocean E
 calcareous nannofossils, B:479–502
 calcium carbonate stratigraphy, B:25–30
 Neogene, B:5–21, 321–336
 Neogene time scales, B:73–101
 paleoceanography, A:1095–1096; B:5–21
 Pacific Ocean E, equatorial
 oceanography, A:6
 paleoceanography, B:31–46
 site description, A:119–188, 677–734, 735–807, 809–889
 surface sediments, A:101–115
 tectonics, A:6–8, 269
 Pacific Plate
 geochemical logs, B:857–884
 paleoceanography, B:8–9
 paleomagnetism, B:61
- plate movement, A:850–851
 poles of rotation, A:932
 spreading centers, A:6–8
 paleobathymetry, Pacific Ocean E, B:827
 paleoceanography
 calcareous nannofossil assemblages, B:163–176
 chart indicators, A:929–930
 foraminifers, B:695–714
 geochemistry, B:763–764
 laminated diatom ooze, B:641–645
 Neogene, B:5–21, 461–478
 Pacific Ocean E, A:6–9; B:31–46
 paleoproductivity, B:333–335
 Panama Isthmus, B:748–750
 planktonic foraminifers, B:555–597, 675–693
 planning and execution of high-resolution drilling, A:1095–1096
 Pleistocene, B:605–613
 radiolarians, B:911–930
 seismic stratigraphy, B:537–553
 silica productivity, B:633–635
 Site 847, A:372–374
 paleoclimatology
 carbonate content, B:332–333
 carbonates, B:351
 Cenozoic, B:615–625
 Neogene, A:9; B:5–21
 Pleistocene, B:300, 305–308, 371–412, 612–613, 695–714
 stable isotopes, B:843–844
 paleodepth, vs. age, B:837
 paleoecology
 foraminiferal datums, B:556
 laminated mats, B:641–643
 oxygen isotopes, B:306–307
 planktonic foraminifers, B:559–560
 paleoichnogenesis, sediments, B:184–185
 paleointensity
 composite records, B:784–786
 vs. age, B:785–787, 790–792, 794–795
 See also magnetic intensity
 paleolatitude
 estimates for cores, B:72
 Site 844, A:182
 Site 845, A:251
 Site 846, A:321
 vs. grain size, B:618
 paleomagnetism
 Cenozoic, B:779–795
 Neogene, A:9
 sediments, B:59–72
 Site 844, A:142–145
 Site 845, A:216
 Site 846, A:293
 Site 847, A:352–353
 Site 848, A:692–695
 Site 849, A:748
 Site 850, A:825–826, 830
 Site 851, A:909, 912–913
 Site 852, A:986–987
 Site 853, A:1032, 1034–1035
 Site 854, A:1073–1079
 paleoproductivity
 carbonates, B:333–335
 manganese nodules, B:809
 sedimentation, B:172–174
 See also biological productivity
 paleotemperature, reconstruction, A:302–304
 Pan-American Seaway, laminated diatom ooze, B:644–645
 Panama Basin
 carbonate dissolution, B:732
 carbonate mass accumulation rates, B:832

Panama Basin (cont.)

deep water, B:831
 oceanic circulation, A:6
 paleoclimatology, B:377, 379–381
 stable isotopes, B:385–387
 surface sediments, A:101–102
 thermocline, B:296
 water residence time, B:385

Panama Gateway
 carbonate accumulation, B:14–16
 closure, B:821–838
 restriction, B:835–836

Panama Isthmus
 closing, B:15, 381, 748–750
 closing chronology, B:744

Panama sill, geologic history, B:748–749

Panamanian Seaway
 carbonate crash, B:743–745
 deep-water circulation, B:750
 paleoceanography, B:170–172
 sedimentation, B:729
See also Central American seaway; Panama Gateway

Papagayo upwelling event, organic carbon, A:103

pentane, headspace analyses, A:152–153

Peru Basin
 carbonate mass accumulation rates, B:832
 deep water, B:831
 surface sediments, A:101–102
 tectonics, B:723

Peru–Chile Trench, deep water, B:831

Peru Current
 biomarkers, A:302
 ecology, B:306–307
 ocean circulation, A:6–7, 10, 191; B:6–8,
 503–504, 558, 605, 611–613, 675, 864
 sedimentation rates, A:313

pH, interstitial waters, A:297

phosphorus
 geochemistry, B:757–767
 vs. age, B:761

phosphorus, absorbed, sediments, B:759–760

phosphorus, authigenic/biogenic, sediments,
 B:760–761

phosphorus, detrital, sediments, B:761–762

phosphorus, iron-bound, sediments, B:760

phosphorus, organic, sediments, B:762

phosphorus, total, sediments, B:762

phosphorus accumulation rate, vs. age, B:762–763

phosphorus oxide
 geochemistry, A:838
 ignited sediments, A:846–847
 vs. depth, A:857

phosphorus oxide accumulation rate
 Site 850, A:840–842, 849
 vs. age, A:862
 vs. depth, A:862

photic zones, divergence, B:576

physical properties
 Pacific Ocean E, B:539
 relation to lithology, A:156, 361, 704–705,
 756, 844, 926, 998–999, 1045, 1085
 Site 844, A:153, 156
 Site 845, A:230–232
 Site 846, A:304–307
 Site 847, A:359–362
 Site 848, A:704–705
 Site 849, A:754, 756
 Site 850, A:843–844
 Site 851, A:922–924, 926
 Site 852, A:997–999
 Site 853, A:1042, 1044–1045
 Site 854, A:1083–1085

plankton, paleoproductivity, A:96–98

planktonic foraminifer accumulation rates, Site

SUBJECT INDEX

847, B:455
 planktonic foraminifer events, sample and depth
 constraints, A:142, 762, 918, 983
 plate tectonics, Pacific Plate, A:6–8

Pleistocene
 biostratigraphy, A:131, 134–135, 138–142,
 346–352
 calcareous nannofossils, B:233–286
 carbonate content, B:332–333
 chronostratigraphy, B:839–854
 diatom flux, B:635
 foraminifers, B:371–412
 lithologic units, A:124–127, 269–271, 275,
 681–683, 740–741, 743, 811–813,
 896–897, 971–972, 974, 1028,
 1065–1066
 lithostratigraphy, A:191–208
 planktonic foraminifers, B:289–319
 sedimentation, A:165, 167
 thermocline, B:511–512

Pleistocene, upper, foraminifers, B:695–714

Pliocene
 age model, B:343; bp:CD-ROM
 biostratigraphy, A:131, 134–135, 138–142,
 346–352; B:163–176
 calcareous nannofossils, B:233–286
 carbonate/silica cycles, B:633–635
 chronostratigraphy, B:839–854
 diatom flux, B:635
 lithologic units, A:124–127, 269–271, 275,
 681–683, 740–741, 743, 811–813,
 896–897, 971–972, 974, 1028,
 1065–1066
 lithostratigraphy, A:191–208
 magnetostratigraphy, B:62, 65, 84–85
 radiolarian assemblages, B:474
 radiolarians, B:191–232
 sedimentation, A:165, 167
 stable isotope stratigraphy, B:337–355
 thermocline, B:511–512

Pliocene, lower, sedimentation rate maximum,
 B:14–16

Pliocene, middle, Antarctic glaciation, B:349–352

pole rotation, Neogene, B:8–9

porosity
 consolidation, B:363–364
 effects on raw chemical logs, A:1001
 lithology, A:307
 paleobathymetry, B:827–830
 sediments, B:600
 vs. density, A:366–367
 vs. depth, A:171, 243, 312, 369, 722, 788, 792,
 868, 945, 1008, 1055, 1090; B:365
 vs. formation factor, A:247
 vs. sonic velocity, A:252
 vs. wet-bulk density, B:617
See also neutron porosity logs; void ratio

porosity, estimated, vs. depth, A:951

porosity, fractional, vs. velocity, A:376

porosity, logarithm, vs. logarithm formation
 factor, A:252

porosity, neutron-derived, geochemical logs,
 B:870

potassium
 interstitial waters, A:299, 355
 modern surface sediments, B:824–826
 vs. depth, A:160, 234, 300, 362, 711, 776, 779,
 937, 953, 999, 1048, 1085

potassium logs
 vs. depth, A:1016
See also natural gamma ray logs

potassium oxide, ignited sediments, A:846–847

precession
 carbonate content, B:332

climate variability, B:16–17, 19
 paleoproductivity, B:335
 stable isotopes, B:844
 time scales, B:84–85

preservation
 laminated diatom ooze, B:648
 nannofossils, B:169–170

preservation indexes, foraminifers, B:702

pulleniatinids, Pacific Ocean, B:564–565,
 572–573

pyrite
 diagenesis, A:205
 sediments, A:285

Q-mode factor analysis
 foraminifers, B:698–699, 703–708, 711
 planktonic foraminifers, B:681–685

quartz, lithologic units, A:193

Quaternary
 ichnofacies, B:177–190
 pelagic sediments, B:627–639
 sea-surface temperature, B:605–613
 sedimentation, A:105
 stratigraphy, B:887

Quaternary, upper, paleoceanography, B:675–693

radiolarian assemblages
 distribution, B:465, 467–471
 factor loadings, B:467–474
 factor score matrix, B:474
 mean loadings, B:472, 476

radiolarian calibrations, Neogene, B:521

radiolarian datums
 material older than about 10 Ma, B:232
 minimum age range, B:229, 231
 reliability, B:203

radiolarian events, sample and depth constraints,
 A:143–144, 700–701, 764–765, 829,
 918–919, 984–985, 1036, 1071

radiolarians
 biostratigraphy, B:191–232, 139, 688, 690,
 745, 906–907, 983–984, 1031, 1070
 factor-loading matrix, B:477–478
 laminated diatom ooze, B:648
 lithologic units, A:192–208
 Neogene, B:462–478, 521, 526, 528–529
 paleoceanography, B:911–930
 paleoproductivity, B:333–335
 percentage vs. depth, A:198
 sediments, B:442–450
 species datums, B:213, 216–217, 222–230,
 232
 species range chart, B:192–194, 196–198,
 200–202, 204–209, 214–215, 218–222,
 228
 vs. depth, A:275, 344, 687, 753, 822, 907, 975,
 1032, 1071
See also diatoms + radiolarians; diatoms +
 radiolarians + clay

rebound. See coefficient of rebound

recrystallization, interstitial waters, A:228

redox banding
 sediments, A:131
See also color banding; compositional banding

reflectance. See color reflectance

reflectance spectra
 ground-truth data, B:414–416
See also color reflectance

reflectance spectroscopy, nonintrusive, deep-sea
 sediment analysis, B:413–427

refractors
 acoustic impedance, A:711–714
 paleoceanography, B:544–547
 seismograms, A:1046

SUBJECT INDEX

seismic stratigraphy

- Site 846, A:321
traveltimes, depths, and ages, A:730, 789, 859,
1006, 1059; B:546
vs. age, B:550
- regression analysis, calcium carbonate, B:28–29
- remanent magnetization
sediments, B:779–781, 783–788
See also distinctly magnetized zone
- remanent magnetization, anhysteretic
sediments, B:779–781, 783–788
See also remanent magnetization;
natural/anhysteretic remanent
magnetization ratio
- remanent magnetization, natural
chrons, A:216
sediments, A:293, 352, 692–695, 748, 826;
B:779–781, 783–788
vs. depth, A:771; B:832–834
See also natural remanent magnetization
intensity
- remanent magnetization, natural/anhysteretic
remanent magnetization ratio, vs. age,
B:785–787, 790–792, 794–795
- remanent magnetization, natural/susceptibility
ratio, vs. age, B:785–787, 790–792,
794–795
- resistivity, intermediate
comparison of Sites 846 and 847, A:381
vs. depth, A:793
- resistivity, shallow
compared with silicon yield, A:875
vs. depth, A:875
- resistivity logs
vs. bulk density, A:378
vs. depth, A:175, 249, 315, 373, 380, 870, 949,
955
- resistivity–sonic–natural gamma ray logs
Site 844, A:183–184
Site 845, A:258–259
Site 846, A:325–327
Site 847, A:388–389
Site 849, A:802–803
Site 850, A:881–883
Site 851, A:960–961
- reticulofenestrid accumulation rate, vs. age,
B:169–170
- reticulofenestrids
Miocene, B:167
Pacific Ocean E, B:167, 175, 278
taxonomy, B:176
- Réunion Subchron
magnetostratigraphy, B:786, 788, 791
Site 852, A:987, 990–993
Site 854, A:1075–1077
- reworking
nannofossils, B:169–170
radiolarians, B:203, 205, 231
- Sala y Gomez/Nazca Ridge Complex, deep water,
B:831
- sea-floor spreading, magnetic polarity, B:68–71
- sea-level changes
carbonate compensation depth, B:833
Miocene, B:13–14
- sea surface, temperature, B:605–613
- sea water, strontium isotopes, B:813–819
- sea-water properties, oxygen isotopes, B:306–307
- SeaBeam contour map
Site 848, A:682
Site 849, A:739
Site 850, A:813
Site 851, A:895
Site 852, A:971
Site 853, A:1027
- Site 854, A:1067
SEC. See South Equatorial Current
sediment accumulation rate
modern surface sediments, B:824–826
Pacific Ocean E, B:92, 96–101, 730–731
Site 844, A:150–151
stable isotopes, B:803–805
vs. age, A:721, 786, 866, 942, 1005, 1054,
1089
vs. depth, A:720, 785, 865, 941, 1004, 1053,
1086
- sediment flux
phosphorus, B:757
spatial variability, B:728–729, 731–732
temporal variability, B:726–728
- sediment thickness
iron-bearing sediments, A:103
strontium isotopes, B:815
vs. latitude, A:10, 95
- sediment thickness, between reflectors, vs. water
depth, B:552–553
- sedimentary components, vs. age, B:425
- sedimentary parameters, calculated over time
intervals defined by
chronostratigraphic levels, A:728, 782,
850, 933, 1003, 1052, 1088
- sedimentary sections, depth scale variability, B:42
- sedimentation
carbonates, B:333–335
Neogene, A:207–208
radiolarians, B:461–478
upper Neogene, B:717–756
variability, B:31–46
- sedimentation, biogenic, Neogene, B:429–459
- sedimentation, pelagic, A:932–933
- sedimentation maps, Neogene, B:736–742
- sedimentation rates
control points, A:772, 839, 931, 989, 1044,
1081
GRAPE and log data, B:54–55
GRAPE density stratigraphy, A:87–91
laminated diatom ooze, B:648
local variability, B:42–44
log depths, A:80–81
magnetostratigraphy, A:240–245
Miocene, B:629–633
modern surface sediments, B:824–826
Neogene, B:11–16, 431–440
Pacific Ocean E, B:10, 98
paleobathymetry, B:827–830
Pleistocene, B:853–854
Site 844, A:145–147
Site 845, A:216–220
Site 846, A:293–295
Site 847, A:353
Site 848, A:695, 698
Site 849, A:748–749
Site 850, A:830, 850–851
Site 851, A:913, 916–917
Site 852, A:987, 990
Site 853, A:1035–1036
Site 854, A:1079, 1081
stable isotopes, B:844–845
statistics for Sites 846–852, B:45
surface sediments, A:101, 105
time scales, B:88
vs. age, A:89, 158, 256, 324, 385, 709, 731,
774, 801, 848, 880, 935, 959, 996,
1019, 1045, 1061, 1082, 1092, 1096;
B:15, 750, 837, 845–846
vs. composite depth, A:158
vs. depth, A:774, 848, 996, 1046, 1083
vs. nannofossil events, B:165
vs. temperature, B:802–803
- See also* mass accumulation rates
sedimentation rates, linear
vs. age, A:230, 297, 359; B:618
vs. composite depth, A:231
vs. depth, A:935
- sedimentology, high-resolution, laminated diatom
ooze, B:647–663
- sedimentology, ichnofacies, B:177
- sediments, basal metalliferous
chemical composition, B:770
geochemistry, B:770–774
- sediments, black, metalliferous, lithologic units,
A:1065–1066
- sediments, metalliferous, clayey, reflectance
spectra, A:74
lithologic units, A:199
oxides, A:127
photograph, A:136
- sediments, nonbiogenic
color reflectance, B:417, 420–421
estimated vs. measured percentages, B:421
- sediments, oxide-rich, lithologic units,
A:896–897, 971–972, 974
- sediments, pelagic
ichnofacies, B:177–190
Quaternary, B:627–639
- sediments, siliceous, clayey, lithologic units,
A:124
- sediments, siliceous–carbonate, geochemistry,
B:769–770, 772
- sediments, siliceous–clayey
composition, B:11–16, 723
composition maps, A:101–115
consolidation, B:357–369
depth, B:47–57
diagenesis, A:10
elemental composition on a carbonate-free
basis, A:723–724
geochemistry, A:699–700, 834, 836;
B:769–770
- hydrothermal activity, B:769–778
- lithostratigraphy, A:191–208
- paleomagnetism, B:59–72
- reflectance spectroscopy, A:67–77
- stable isotopes, B:797–805
- See also* surface sediments
- seismic correlation
Pacific Ocean E, B:539
reflectors, B:544
- seismic lines, Pacific Ocean, equatorial, A:43–63
- seismic profiles
Site 845, A:194
Site 846, A:271
Site 847, A:340
Site 848, A:682–683
Site 849, A:740
Site 850, A:814
Site 851, A:896
Site 852, A:972
Site 853, A:1028
Site 854, A:1068–1069
See also seismic lines; seismic reflection data
- seismic reflection, Pacific Ocean E, A:43–54,
56–63; B:538–539
- seismic reflectors. *See* reflectors
- seismic stratigraphy
logs, A:236, 239–240
paleoceanography, B:537–553
Site 844, A:162–163
Site 846, A:311–313
Site 847, A:371–372
Site 848, A:711–712
Site 849, A:762–763
Site 850, A:848–849

seismic stratigraphy (cont.)

Site 851, A:930–931
 Site 852, A:1002–1003, 1005
 Site 853, A:1045–1046
 two-way traveltimes vs. distance along ship track, B:551–552
seismograms, synthetic
 comparison with field record, A:180, 254, 729, 957, 1017, 1059
 comparison with seismic profiles, A:239–240
 Pacific Ocean E, B:539–540, 542–543
 Site 846, A:322–323
 Site 847, A:383
 velocity, density and impedance data, A:181
 velocity model, A:711–714
shear strength
 sediments, A:156, 231, 306, 360, 704, 756, 844, 924, 926, 998, 1045, 1085
 vs. depth, A:172, 245, 314, 723, 789, 868, 946, 1011, 1057, 1091
shear strength, undrained, vs. depth, A:371
shear strength, vane, A:1057
short events. *See* cryptochrons
Sidfjall Subchron
 correlation with GRAPE density events, A:88
 magnetostratigraphy, B:781
 Site 852, A:990–993
 Site 853, A:1038–1041
 time scales, B:87
silica
 comparison of Sites 849 and 850, A:854
 deposition, B:11–13
 ignited sediments, A:846–847
 interstitial waters, A:228, 299, 356
 productivity, B:546–547
 recrystallization, A:699
 vs. depth, A:160, 234, 300, 362, 711, 776, 779, 857, 937, 999, 1048, 1085
See also biogenic silica accumulation rate; carbonate/silica cycles
silica, biogenic
 geochemistry, A:700, 837
 lithologic units, A:275, 280
 sedimentation, B:14–16
 sediments, B:617
 vs. depth, A:713, 858
silica accumulation rate
 Site 848, A:701, 716
 Site 850, A:849
silica productivity
 geochemistry, B:763
 laminated diatom ooze, B:644–645
 vs. carbonate dissolution, B:633–635
See also biological productivity; opal productivity; paleoproduction
silicoflagellates
 abundance, B:132–133, 136–145
 biostratigraphy, B:129–162
silicon
 modern surface sediments, B:824–826
 sediments, B:459
silicon yield
 vs. depth, A:250, 316, 380, 875, 950, 952, 1012
 vs. neutron porosity, A:1015
silicon yield, smoothed, vs. depth, A:872
Siqueiros Fracture Zone, hydrothermal activity, B:776–777
 Site 552, Pliocene stages, B:345
 Site 572, planktonic foraminifer mass accumulation rates, B:455
 Site 575, calcareous nannofossils, B:482
 Site 606, Pliocene stages, B:345
 Site 607, Quaternary, B:386–387, 389, 391
 Site 658, Pliocene stages, B:345

SUBJECT INDEX

Site 677
 oxygen isotopes, B:296–300, 508
 paleoclimatology, B:377, 379–381
 stable isotopes, B:380
 Site 704, Quaternary, B:383–384, 391
 Site 709, calcareous nannofossils, B:486, 488
 Site 710, calcareous nannofossils, B:489
 Site 711, calcareous nannofossils, B:486, 495
 Site 714, calcareous nannofossils, B:482–483, 485, 487
Site 806
 calcareous nannofossils, B:483–484
 planktonic foraminifers, B:561–578, 581–583
Site 844, A:119–188
 age model, B:75
 biostratigraphy, A:131–142
 calcareous nannofossils, B:250–251, 486, 490–491
 coring summary, A:125
 diatoms, B:106–111
 downhole measurements, A:121–122, 159–162
 geochemical logs, B:860
 inorganic geochemistry, A:147–148
 lithofacies, B:629–630
 lithologic summary, A:128–129
 lithostratigraphy, A:122–131
 microfossils, B:657
 operations, A:120–122
 organic geochemistry, A:148–153
 paleomagnetism, A:142–145
 physical properties, A:153–159
 radiolarians, B:195
 SeaBeam map, A:123
 sedimentation rates, A:145–147
 seismic profiles, A:124
 seismic stratigraphy, A:162–163
 shipboard magnetic polarity stratigraphy, B:70
 silicoflagellates, B:131–134
 site description, A:119–188
 stratigraphic summary, A:140–141
 summary and conclusions, A:163–167
 tectonic setting and basement ages, A:122
Site 845, A:189–263
 age model, B:75
 background and scientific results, A:190
 biostratigraphy, A:208–216
 calcareous nannofossils, B:251, 484–485, 492–493, 497
 core orientation corrections, A:217
 depths of top and bottom of each core, A:229
 diatoms, B:111–112
 downhole measurements, A:232–236
 geochemical logs, B:860–867
 inorganic geochemistry, A:220–228
 lithofacies, B:630
 lithostratigraphy, A:191–208
 logging operations, A:196
 magnetostratigraphic synthesis, A:226
 magnetostratigraphy, B:59–66
 operations, A:190–191
 organic geochemistry, A:228–230
 paleomagnetism, A:216
 physical properties, A:230–232
 radiolarians, B:195
 reversal boundary depths, A:227–228
 SeaBeam map, A:193
 sedimentation rates, A:216–217, 220
 seismic lines, A:194
 seismic stratigraphy, A:236–240
 site description, A:189–263
 summary and conclusions, A:240–245
 tectonic setting, A:192
Site 846, A:265–333

age model, B:76
 background and scientific objectives, A:267
 biostratigraphy, A:285–293
 calcareous nannofossils, B:251
 calcium carbonate stratigraphy, B:25–29
 coarse fraction data, B:338
 control points for accumulation rates, A:295
 coring operations, A:266
 depths of top and bottom of cores, A:295
 diatoms, B:112–113
 downhole measurements, A:307–311
 geochemical logs, B:864–865
 inorganic geochemistry, A:295, 297–300
 lithofacies, B:633
 lithostratigraphy, A:268–285
 logging operations, A:271
 operations, A:267–268
 organic geochemistry, A:300–304
 paleomagnetism, A:293
 physical properties, A:304–307
 planktonic foraminifers, B:675–693
 radiolarians, B:195
 sea-surface temperature, B:605–613
 SeaBeam map, A:270
 sedimentation rates, A:293–295
 seismic stratigraphy, A:311–313
 site description, A:265–333
 smear-slide data, A:275
 stable isotope stratigraphy, B:337–355, 839–854
 tectonic setting and basement ages, A:269
Site 847, A:335–393
 age model, B:76
 background and scientific objectives, A:336
 biogenic sedimentation, B:429–459
 biostratigraphy, A:346–352
 calcareous nannofossils, B:251, 254–255
 depths of top and bottom of cores, A:356
 diatoms, B:113–114
 downhole measurements, A:362–370
 foraminifer stable isotope record, B:312–319
 foraminifers, B:695–714
 geochemical logs, B:865
 inorganic geochemistry, A:353–357
 lithofacies, B:633
 lithostratigraphy, A:338–345
 logging data, A:372
 operations, A:336–338
 organic geochemistry, A:357–359
 oxygen isotopes, B:296–300
 paleomagnetism, A:352–353
 physical properties, A:359–362
 radiolarians, B:195, 198–199
 SeaBeam map, A:339
 sedimentation rates, A:353
 seismic stratigraphy, A:370–372
 silicoflagellates, B:134
 site description, A:335–393
 tectonic setting and basement ages, A:338
Site 848, A:677–734
 age model, B:77
 background and objectives, A:678
 biostratigraphy, A:685–688, 690–692
 calcareous nannofossils, B:261, 486, 494
 coring summary, A:681
 diatoms, B:114–115
 downhole measurements, A:705, 709–711
 geochemical logs, B:865
 inorganic geochemistry, A:698–701, 703
 lithofacies, B:630
 lithostratigraphy, A:680–685
 operations, A:678–680
 organic geochemistry, A:703–704
 paleomagnetism, A:692–695

SUBJECT INDEX

strontium

- physical properties, A:704–705
radiolarians, B:199
sedimentation rates, A:695, 698
seismic stratigraphy, A:711–712
silicoflagellates, B:134–135
site description, A:677–734
summary and conclusions, A:712–714
- Site 849, A:735–807
age model, B:77
background and objectives, A:736
biostratigraphy, A:744–745, 748
calcareous nannofossil assemblages, B:164,
261–264
composite depth sections, B:32, 35
coring summary, A:741–742
diatoms, B:115–116
downhole measurements, A:756–757,
760–762
foraminifers, B:371–412
geochemical logs, B:865–869
inorganic geochemistry, A:749, 752
lithofacies, B:631–633
lithostratigraphy, A:740–741, 743–744
logging summary, A:742
operations, A:736–738, 740
organic geochemistry, A:752–754
paleomagnetism, A:748
physical properties, A:754, 756
radiolarians, B:199
sedimentation rates, A:748–749
seismic stratigraphy, A:762–763
silicoflagellates, B:135
site description, A:735–807
summary and conclusions, A:763–766
well logging, A:756–757, 760–762
- Site 850, A:809–889
age model, B:78
background and scientific objectives, A:810
biostratigraphy, A:817, 820–822, 825
calcareous nannofossils, B:264–265, 268
coring summary, A:815
diatoms, B:116–117
downhole measurements, A:844, 846–848
geochemical logs, B:867
inorganic geochemistry, A:830–831,
833–834, 836–843
lithofacies, B:631–633
lithostratigraphy, A:811–817
operations, A:810–811
organic geochemistry, A:843
paleomagnetism, A:825–826, 830
physical properties, A:843–844
radiolarians, B:199
sedimentation rates, A:830
seismic stratigraphy, A:848–849
silicoflagellates, B:135
site description, A:809–889
summary and conclusions, A:849–851
- Site 851, A:891–965
age model, B:79
background and scientific objectives, A:892
bacteria, B:599–604
biostratigraphy, A:903, 906–907, 909
calcareous nannofossils, B:268
composite depth sections, B:32
coring summary, A:898–899
diatoms, B:117
downhole measurements, A:926, 928–930
geochemical logs, B:867
inorganic geochemistry, A:917, 919–921
lithofacies, B:631–633
lithostratigraphy, A:895–897, 899–903
ocean circulation, B:503–514
operations, A:892–895
- organic geochemistry, A:921–922
paleomagnetism, A:909, 912–913
physical properties, A:922–924, 926
radiolarians, B:199
sedimentation rates, A:913, 916–917
seismic stratigraphy, A:930–931
silicoflagellates, B:135, 138
site description, A:891–965
summary and conclusions, A:931–933
- Site 852, A:967–1021
age model, B:80
background and scientific objectives, A:968
biostratigraphy, A:980–985
calcareous nannofossil assemblages, B:164,
268–269
composite depth sections, B:34, 39
coring, A:973
diatoms, B:118
downhole measurements, A:999–1002
geochemical logs, B:869
inorganic geochemistry, A:990–992, 994, 996
lithofacies, B:633
lithostratigraphy, A:970–972, 974–975, 980
operations, A:968–970
organic geochemistry, A:996–997
paleomagnetism, A:986–987
physical properties, A:997–999
radiolarians, B:202
sedimentation rates, A:987, 990
seismic stratigraphy, A:1002–1003, 1005
silicoflagellates, B:138–139
site description, A:967–1021
summary and conclusions, A:1005,
1007–1008
well logging, A:969–970
- Site 853, A:1023–1061
age model, B:80
background and objectives, A:1024
biostratigraphy, A:1029–1032
calcareous nannofossils, B:269, 486, 496
coring, A:1029
inorganic geochemistry, A:1036–1037, 1042
lithofacies, B:633
lithostratigraphy, A:1026–1029
operations, A:1024–1025
organic geochemistry, A:1042
paleomagnetism, A:1032, 1034–1035
physical properties, A:1042, 1044–1045
radiolarians, B:202–203
sedimentation rates, A:1035–1036
seismic stratigraphy, A:1045–1046
site description, A:1023–1061
summary and conclusions, A:1046–1047
- Site 854, A:1063–1092
age model, B:80
background and scientific objectives, A:1064
biostratigraphy, A:1068–1071
coring, A:1069
inorganic geochemistry, A:1081–1083
lithostratigraphy, A:1064–1068
manganese nodules, B:807–811
operations, A:1064
organic geochemistry, A:1083
paleomagnetism, A:1073–1079
physical properties, A:1083–1085
radiolarians, B:203
sedimentation rates, A:1079, 1081
silicoflagellates, B:139
site description, A:1063–1092
summary and conclusions, A:1085–1086,
1088–1090
- site surveys, Pacific Ocean E, A:93–100
Skolithos
ichnofacies, B:179–180
- lithologic units, A:344
photograph, A:913, 1034
sediments, A:281–285
smectite, lithologic units, A: 125–127, 193
sodium
interstitial waters, A:221–225, 228, 297, 355
vs. depth, A:159, 232, 298, 360, 710, 775, 778,
936, 998, 1047, 1084
sodium oxide, ignited sediments, A:846–847
sonic velocity
vs. depth, A:248, 315
vs. porosity, A:252
vs. wet-bulk density, A:176
See also compressional wave velocity;
resistivity–sonic–natural gamma ray
logs; velocity
- South Equatorial Current
ocean circulation, A:6–7, 191, 372; B:6–8,
503, 512–513, 558, 605, 612–613,
615–625, 675, 695–696, 722–723,
863–865, 869
plankton, A:96–97
sedimentation, A:242
sedimentation rates, A:313
sediments, A:101–102, 163
- spectrographs, reflectance spectroscopy, A:69
sphenoliths, Pacific Ocean E, B:280
spinosity, planktonic foraminifers, B:560, 566,
573–574
splice depth, composite, vs. log depth, A:317
split-core sensig, reflectance spectra, A:76
spreading centers
absolute poles, A:242
magnetic polarity, B:60–62, 65
Pacific Plate, A:6–8
paleoceanography, B:8–9
spreading rates, Miocene, B:85–86
stable isotope stratigraphy
benthic foraminifers, B:839–854
Pliocene, B:337–355
- stable isotopes
benthic foraminifers, B:371–412
foraminifers, B:292–308
power spectra, B:389
sediments, B:797–805
three depth scales, B:392–400
vs. depth, B:294–296
- Stage G1, Pliocene, B:342
Stage G22, Pliocene, B:342
Stage Gi2, Pliocene, B:345, 348
Stage Gi22, Pliocene, B:348
Stage GM2, Pliocene, B:348
Stage K1, Pliocene, B:345
Stage KM1, Pliocene, B:348
Stage KM2, Pliocene, B:348
Stage KM6, Pliocene, B:348
Stage MG2, Pliocene, B:349
Stage TG5, Miocene/Pliocene boundary, B:348
Stage TG9, Miocene/Pliocene boundary, B:348
stratigraphic markers, correlation, B:118
stratigraphy, composite summary, Site 844,
A:132–133
stratigraphy, high-resolution, calcium carbonate,
B:25–30
strength, tensile, laminated mats, B:643
stress, effective
vs. depth, B:365
vs. void ratio, B:358, 360–363
stresses, sediment consolidation, B:357–369
strontium
comparison of Sites 849 and 850, A:855
interstitial waters, A:228, 299, 356
recrystallization, A:699
vs. depth, A:160, 233, 299, 361, 712, 777, 780,

strontium (cont.)

938, 1000, 1049, 1085; B:816–817
 strontium, interstitial, vs. interstitial lithium, A:939
 strontium isotopes
 pore waters, B:813–819
 vs. depth, B:816–817
 Subantarctic Mode Water, B:709
 subsurface Equatorial Undercurrent, ocean circulation, B:695–696
 subsurface water, Pacific Ocean, equatorial, B:290–292
 sulfate
 comparison of Sites 849 and 850, A:854
 interstitial waters, A:223, 297, 355
 vs. depth, A:159, 232, 298, 307, 360, 710, 775, 778, 936, 998, 1047, 1084; B:603
 sulfate reduction
 methane, A:302
 sediments, A:245
 surface sediments, composition maps, A:101–115
 surface water, Neogene, B:503–513
 synchrony
 Neogene, B:521, 526, 528–529
 radiolarians, B:230, 922–924
 synthetic seismograms. *See* seismograms, synthetic
 techniques, reflectance spectroscopy, A:67–70
 tectonics
 basement ages, A:269, 338
 Pacific Ocean E, B:8–9, 380–381, 718, 723
 Tehuanapecker upwelling event, organic carbon, A:103
 temperature, sea-surface
 foraminifers, B:702–704
 ocean circulation, B:722–723
 vs. age, A:308; B:611
 temperature, upper ocean, nutrients, B:289–319
 temperature, upper oceans
 oxygen isotopes, B:804
 sea surface, B:605–613
 vs. age, B:611
 vs. depth, B:505
 terrigenous accumulation rate
 maps of mean concentration, B:736–742
 vs. age, B:734, 743
 terrigenous component
 sediments, A:101; B:719–721, 725–748
 vs. age, B:731, 735
 terrigenous sedimentary parameters, comparison of measured and estimated percentage, B:720–721
 thermal conductivity
 Site 844, A:156
 Site 845, A:231
 Site 846, A:306–307
 Site 847, A:360–361
 Site 848, A:704
 Site 849, A:756
 Site 850, A:844
 Site 851, A:926
 Site 852, A:998
 Site 853, A:1045
 Site 854, A:1085
 vs. depth, A:173, 245, 314, 371, 724, 789, 869, 946, 1011, 1056, 1092
 thermocline
 Costa Rica Dome, A:163
 depth, B:511–512
 foraminifers, B:292–293
 ground-truth data, B:505
 indicators, B:709
 ocean circulation, B:504, 507–513, 616
 oxygen isotopes, B:303

SUBJECT INDEX

Panama Basin, B:296
 photic zones, B:576–578
 planktonic foraminifers, B:560
 Site 847, B:290
 thorium, vs. depth, A:955
 thorium logs
 vs. depth, A:1016
 See also natural gamma ray logs
 Thvera Subchron
 correlation with GRAPE density events, A:88
 magnetostratigraphy, B:781
 Pacific Ocean E, B:85
 Site 848, A:695, 698
 Site 852, A:990–993
 Site 853, A:1038–1041
 time scales, B:87
 time scales
 age models, B:827
 comparison, B:723
 Neogene, B:628
 Pliocene, B:342, 344–345, 348
 upper Neogene, B:73–101
 time series analysis
 time scales, B:348
 See also amplitude time series analysis
 titanium, modern surface sediments, B:824–826
 todorokite, manganese nodules, B:807
 trace fossils
 bioturbation, A:1029
 depth distribution, B:179–182
 ichnofacies, B:177–190
 lithologic units, A:124–127, 199, 344, 974–975
 ooze, A:685, 741, 815, 817
 photograph, A:759–760, 832, 913, 978–979
 sediments, A:281–285, 902
 Site 854, A:1068
 trade winds
 direction, B:384–385
 ocean circulation, B:289–290, 512, 616–625, 695–697, 722–723
 planktonic foraminifers, B:575–578
 traveltimes
 compared with age and depth data, A:182
 Site 851, A:943
 trophic level, planktonic foraminifers, B:559–560, 566, 573–574, 577
 triquetrorhabdulids, Pacific Ocean E, B:279–280
 tropical assemblages, radiolarians, B:468–471
 tropical regions
 ocean circulation, B:503–512
 sediments, B:575–578
 underway geophysics, Pacific Ocean, equatorial, A:43–63
 upwelling
 hydrography, B:512
 indicators, B:708–709
 ocean circulation, B:675
 sedimentation rates, B:846
 upwelling, equatorial, stable isotopes, B:803–804
 upwelling rates, oxygen isotopes, B:305–306
 uranium, vs. depth, A:955
 uranium accumulation rate, A:847
 uranium logs
 Site 846, A:309–310
 Site 852, A:1016
 See also natural gamma ray logs
 vanadium, metalliferous sediments, B:771, 774
 veins, calcite, A:208
 velocity
 comparison of Sites 846 and 847, A:381
 corrections, B:541
 synthetic seismograms, A:181
 vs. depth, A:244, 790–792, 796–797, 870, 948
 vs. fractional porosity, A:376
 See also sonic velocity
 velocity, long-spaced, vs. depth, A:373
 velocity, merged, vs. depth, A:255, 323, 384, 730, 800, 879, 958, 1018, 1060; B:545, 547–549
 velocity logs
 Site 844, A:175
 Site 845, A:234–236
 vernadite. *See* iron-vernadite
 virtual axial dipole moments, remanent magnetization, B:786, 791–792, 794–795
 vitric ash, lithologic units, A:124–126
 void ratio
 vs. coefficient of rebound, B:364
 vs. effective stress, B:358, 360–363
 water content, vs. depth, A:169, 242, 310, 369, 722, 788, 867, 945, 1007, 1055, 1090
 water flow, Panama Gateway, B:836
 water residence, Panama Basin, B:379–380
 water residence time, vs. carbon flux, B:385
 well-log lithologic units
 Site 846, A:307–308
 Site 847, A:362–363, 366
 stratigraphy, A:846
 See also well-log stratigraphic units
 well-log properties
 lithologic controls, A:761, 928–930
 means and standard deviations, A:786, 943
 well-log stratigraphic units
 Site 844, A:159–162
 Site 845, A:232–233
 Site 849, A:757, 760–761
 Site 851, A:926, 928
 See also well-log units
 well logging
 conversion to carbonate content, B:822–823
 depth intervals of reliable data, A:942
 high-resolution calcium carbonate stratigraphy, B:25–30
 sediment depth, B:47–57
 Site 844, A:159–162
 Site 845, A:232–236
 Site 846, A:307–311
 Site 847, A:362–370
 Site 848, A:705, 709–711
 Site 849, A:756–757, 760–762
 Site 850, A:844, 846–848
 Site 851, A:899, 926, 928–930
 Site 852, A:969–970, 973, 999–1002
 velocity, B:541
 well logs
 compared to laboratory values, A:930
 comparison with core data, A:160–161
 depth intervals over which data are reliable, A:782
 Site 844, A:182
 Site 850, A:859
 vs. laboratory physical properties, A:236
 winnowing, nannofossils, B:169–170
 Zijderveld diagrams, polarity zones, A:146
 zinc
 manganese nodules, B:808
 metalliferous sediments, B:771, 774
 zonation
 biostratigraphy, A:693
 calcareous nannofossils, B:234, 239–249, 481–493, 495–500
 diatom events, B:118–127

radiolarians, B:192–194, 205, 210
silicoflagellates, B:129–131, 134
vs. depth, A:768–770, 835–837
see also individual zones and subzones in

Taxonomic Index	Zoophycos
	burrows, A:135, 203
	ichnofacies, B:183–184

lithologic units, A:125–127, 193, 344
sediments, A:281–285

TAXONOMIC INDEX

- abies, Sphenolithus*
Pacific Ocean E, B:40, 280
Site 851, A:88
Site 853, A:1030; B:269
- acostaensis, Neogloboquadrina*
Pacific Ocean E, B:250, 563, 572–574, 576,
582, 906
Site 851, A:906
- acuilonaris, Botryostrobus*, Pacific Ocean E,
B:467
- Acrobotrys tritubus*
Site 846, A:292
Site 847, A:350; B:198
Site 848, A:688; B:199
Site 849, B:199
Site 850, A:822
Site 851, B:199
Site 852, A:983
- Actinocyclus ellipticus*
Site 846, A:292
Site 847, A:351
Site 848, A:691
- Actinocyclus ingens*
Site 844, A:139
Site 845, A:215
- Actinocyclus moronensis*
Pacific Ocean E, B:105, 654
Site 844, A:142; B:111
Site 845, B:112
Site 846, A:293
Site 849, A:748; B:116
Site 850, A:825; B:117
Site 851, B:117
- Actinocyclus moronensis* Zone
Site 844, B:107, 111
Site 849, A:744, 748; B:115
Site 850, B:117
Site 851, B:117
- aculeata, Dictyocha*
Site 847, B:134
Site 849, B:135
- aculeata aculeata, Dictyocha*
Site 849, B:161
Site 854, B:145
- aculeata subaculeata, Dictyocha*, Site 854, B:146
- acuta, Thalassiothrix*, Pacific Ocean E, B:641
- acutus, Ceratolithus*
Pacific Ocean E, B:242–243, 250, 279
Site 844, A:134
Site 847, A:348
Site 848, A:686
Site 853, A:1030
- adriaticum, Hermesinum*, Site 854, B:150
- africana, Azpeitia*, Site 848, A:691
- Alabaminella weddellensis*, Site 844, B:666, 668
- alata, Dorcadospyris*
Site 844, A:139; B:195
Site 845, A:214–215
- altispira, Dentoglobigerina*
Pacific Ocean E, B:560, 905
- Amaurolithus*
Site 844, A:135, 138
Site 845, A:214
Site 847, A:350
Site 848, A:687
Site 849, A:744
- Amaurolithus amplificus*
Pacific Ocean E, B:242, 244
Site 847, B:254
Site 848, B:261
- Amaurolithus amplificus* Zone, Pacific Ocean E,
B:282
- Amaurolithus delicatus*
Pacific Ocean E, B:279
Site 844, A:134
Site 845, A:212
Site 846, B:251
Site 848, A:686–687
Site 850, A:821
Site 852, A:983
Site 853, A:1029–1030
- Amaurolithus delicatus* Zone, Pacific Ocean E,
B:282
- Amaurolithus extensus*, Pacific Ocean E, B:286
- Amaurolithus primus*
Pacific Ocean E, B:242, 244, 278, 285–286,
500
Site 709, B:488
Site 710, B:489
Site 711, B:495
Site 844, B:490–491
Site 845, A:212; B:492–493
Site 846, A:88, 295; B:251
Site 847, A:348
Site 848, A:686–687; B:494
Site 849, B:631, 633
Site 850, A:821; B:268
Site 851, A:903
Site 852, A:983, 987
Site 853, A:1029–1030; B:496
- Amaurolithus primus* Zone, Pacific Ocean E,
B:282
- Amaurolithus spp.*
Site 846, A:286; B:251
Site 854, A:1068
- Amaurolithus tricorniculatus*
Pacific Ocean E, B:242, 244, 279
Site 848, A:686
Site 853, A:1029
- Ammonochium serotinum*, Site 854, B:150
- Amphirhopalum ypsilon*
Pacific Ocean E, B:912–914, 916, 926
- Site 846, A:292*
Site 847, A:350
Amphirhopalum ypsilon Zone
Pacific Ocean E, B:193
Site 853, B:202
Site 854, A:1070; B:203
- ampliaperita, Helicosphaera*
Pacific Ocean E, B:248–250, 280
Site 844, A:134
Site 845, A:212
Site 846, A:291, 295
- amplificus, Amaurolithus*
Pacific Ocean E, B:247, 278–279, 285,
500–501
Site 844, A:134
Site 845, B:251
Site 846, B:251
Site 849, B:263, 631, 633
Site 852, A:983
Site 853, A:1030
- angulare, Anthocyrtidium*
Pacific Ocean E, B:912–914, 916
Site 844, B:195
Site 849, B:229
- angulata, Dictyocha*
Site 849, B:161
Site 854, B:146
- Annellus californicus*, Site 844, A:142
- antarctica, Prunopyle*, Pacific Ocean E, B:467
- antarctica, Thalassiothrix*, Pacific Ocean E, B:641
- antarcticus, Dictyococcites*, Pacific Ocean E,
B:175
- Anthocyrtidium angulare*
Pacific Ocean E, B:912–914, 916
Site 844, B:195
Site 849, B:229
- Anthocyrtidium angulare* Zone, Pacific Ocean E,
B:193
- Anthocyrtidium jenghisi* Zone
Pacific Ocean E, B:194
Site 847, A:350
Site 848, A:688
- Anthocyrtidium pliocenica*, Pacific Ocean E,
B:912–914, 916, 928
- Anthocyrtidium? pliocenica*, Site 847, A:350;
B:198
- Anthocyrtidium prolatum*
Site 846, B:195
Site 847, B:198
- antiqua antiqua, Ebriopsis*, Site 854, B:150
- apertura, Globigerina*, Pacific Ocean E, B:560,
563, 568–569, 574
- apiculata curvata, Bachmannocena*
Site 844, B:156
Site 854, B:142
- archomenardi*, *Globorotalia*, Pacific Ocean E,
B:906
- armatus, Ceratolithus*
Pacific Ocean E, B:279
Site 848, A:686

armatus, Ceratolithus (cont.)

TAXONOMIC INDEX

Site 853, A:1030
astericus, Stylochlamydium, Pacific Ocean E, B:467
Asteromphalus elegans
 Site 850, A:825
 Site 852, B:126
asymmetricus, Discoaster
 Pacific Ocean E, B:279, 481
 Site 849, B:166
 Site 850, B:268
 Site 852, B:168
audax, Lychnodictyum, Pacific Ocean E, B:912–914, 916, 926, 928
Azpeitia africana, Site 848, A:691
Azpeitia nodulifer
 Site 844, A:139
 Site 845, A:215
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 850, A:822
 Site 851, A:907
 Site 852, A:984
 Site 853, A:1032
 Site 854, A:1071

bacca, Lithopera, Site 848, A:690
Bachmannocena apiculata curvata
 Site 844, B:156
 Site 854, B:142
Bachmannocena circulus
 Site 847, B:156
 Site 849, B:160
 Site 854, B:142
Bachmannocena diodon diodon
 Site 844, B:156
 Site 854, B:143
Bachmannocena diodon nodosa
 Pacific Ocean E, B:130
 Site 844, B:133
 Site 847, B:134, 156
 Site 848, B:135, 153
 Site 849, B:135, 160
 Site 850, B:135
 Site 851, B:138
 Site 854, B:143
Bachmannocena diodon nodosa forma cocoensis
 n. comb., Site 854, B:143
Bachmannocena diodon nodosa forma neonautica
 n. forma, Site 854, B:143
Bachmannocena diodon nodosa forma transenna
 n. comb., Site 854, B:143
Bachmannocena diodon triodon n. comb., Site 854, B:145
Bachmannocena elliptica, Site 854, B:145
Bachmannocena/Neonaviculopsis Plexus, Site 854, B:142
Bachmannocena quadrangula
 Site 844, B:156
 Site 847, B:134
 Site 848, B:160
 Site 850, B:135
 Site 851, B:135
 Site 854, B:139, 145
Bachmannocena quadrangula Range Zone,
 Pacific Ocean E, B:131
Bachmannocena quadrangula Zone
 Site 844, B:133
 Site 848, B:135
 Site 849, B:135
 Site 852, B:138
baroemoenensis, Globoquadrina, Pacific Ocean E, B:905
belemnos, Sphenolithus, Site 847, A:348

belemnos—dissimilis, Sphenolithus, Site 847, B:255
bellus, Discoaster
 Pacific Ocean E, B:247, 279, 495–496
 Site 853, A:1030; B:269
bellus group, *Discoaster*, Pacific Ocean E, B:248
berggrenii, Discoaster
 Pacific Ocean E, B:243–244, 279, 284, 499–500
 Site 709, B:488
 Site 710, B:489
 Site 711, B:495
 Site 844, A:134; B:490–491
 Site 845, A:212; B:492–493
 Site 846, A:286, 294–295; B:633
 Site 847, B:254
 Site 848, B:261, 494
 Site 849, A:744
 Site 850, A:821
 Site 851, A:89, 903
 Site 852, A:983, 987; B:269
 Site 853, A:1030, 1036; B:496
 Site 854, A:1081
bergonii, Rhizosolenia
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 850, A:822
berminghami, Spongaster
 Site 844, A:139; B:195
 Site 846, A:292; B:195
 Site 847, A:350; B:198
 Site 848, A:688; B:199
 Site 849, A:745; B:199
 Site 850, A:821
 Site 851, B:199
 Site 852, B:202
bermudezi, Clavatrella, Pacific Ocean E, B:907
bisecta delicata, Dictyocha, Site 849, B:161
blackstockae, Discoaster, Pacific Ocean E, B:279
boliviensis, Distephanus, Site 849, B:162
boliviensis boliviensis, Distephanus
 Site 844, B:158
 Site 854, B:148
Bolivinellina spp., Site 844, B:667–668
bollii, Discoaster
 Pacific Ocean E, B:492–493, 498–499
 Site 846, A:286
Botryostrobus acutlonaris, Pacific Ocean E, B:467
Botryostrobus miralestensis
 Pacific Ocean E, B:927
 Site 849, A:89
braarudii, Discoaster, Pacific Ocean E, B:279
brouweri, Discoaster
 Pacific Ocean E, B:241–242, 248, 278, 481
 Site 844, A:134
 Site 845, A:211–212
 Site 849, B:166
 Site 852, A:983
 Site 853, A:1029
brunii, Thalassiosira
 Site 844, B:111
 Site 845, B:112
Bruniopsis mirabilis, Pacific Ocean E, B:644
Buccinosphaera invaginata
 Site 845, A:214
 Site 846, A:292
 Site 848, A:688
 Site 849, A:745
 Site 852, A:983
Buccinosphaera invaginata Zone
 Pacific Ocean E, B:192
 Site 847, A:350

bukyri, Thalassiosira, Site 844, B:111
Bulimina spp., Site 844, B:667
bulloides, Globigerina
 Pacific Ocean E, B:560, 574
 Site 846, A:292; B:678, 681–682, 684
 Site 847, B:700, 707
bulloides, Sphaeroidina, Site 846, B:337, 341
burckiana, Thalassiosira
 Site 844, B:111
 Site 845, A:215
 Site 849, A:745; B:116
 Site 850, A:825; B:117
 Site 851, A:909
butschlii, Larcopyle, Pacific Ocean E, B:467

caepa, Calocyctetta
 Pacific Ocean E, B:211
 Site 846, B:195
 Site 847, A:350
calcaris, Discoaster
 Pacific Ocean E, B:245, 283, 495
 Site 852, B:269
Calcidiscus
 Pacific Ocean E, B:278
 Site 847, A:347
Calcidiscus leptopus
 Pacific Ocean E, B:278
 Site 849, B:167, 171
Calcidiscus macintyrei
 Pacific Ocean E, B:239, 249, 278, 480, 490
 Site 845, B:497
 Site 846, A:286
 Site 847, A:348
Calcidiscus premacintyrei
 Pacific Ocean E, B:278, 480, 488–489, 501
 Site 844, B:251
Calcidiscus spp.
 Site 847, A:347
 Site 848, A:685–686
 Site 849, A:744
 Site 850, A:820
 Site 851, A:903
 Site 852, A:983
 Site 853, A:1029
calida ampliata, Dictyocha
 Site 849, B:135, 161
 Site 854, B:146
calida calida, Dictyocha, Site 854, B:146
californicus, Annulus, Site 844, A:142
Calocyctetta caepa
 Pacific Ocean E, B:211
 Site 846, B:195
 Site 847, A:350
Calocyctetta costata, Site 844, B:195
Calocyctetta costata Zone
 Pacific Ocean E, B:194
 Site 844, A:139; B:195
 Site 845, A:214; B:195
Calocyctetta robusta, Pacific Ocean E, B:211
calculus, Catinaster
 Pacific Ocean E, B:247, 269, 496–498
 Site 845, A:212
 Site 849, B:263
 Site 851, A:903
caribbeanica, Gephyrocapsa, Pacific Ocean E, B:239
Carpocanum cristata
 Site 849, A:745
 Site 850, A:817
 Site 851, A:907
 Site 852, A:984
Carpocanopsis cristata
 Pacific Ocean E, B:211
 Site 851, B:199

TAXONOMIC INDEX

Craspedodiscus coscinodiscus Zone

- Site 852, B:202
carteri, *Helicosphaera*
 Pacific Ocean E, B:280
 Site 849, B:171
 Site 852, B:167
Cassidulina spp., Site 844, B:667
Catapsydrax dissimilis
 Site 844, A:139
 Site 845, A:214
 Site 846, A:292
Catinaster calyculus
 Pacific Ocean E, B:247, 269, 496–498
 Site 845, A:212
 Site 849, B:263
 Site 851, A:903
Catinaster coalitus
 Pacific Ocean E, B:247–248, 269, 278, 493,
 497–498, 500, 520
 Site 709, B:488
 Site 714, B:487
 Site 844, A:134; B:629, 631
 Site 845, A:212; B:484, 492–493
 Site 849, A:744
 Site 850, A:821; B:268
 Site 851, A:903; B:68
 Site 852, A:983; B:269
Ceratolithus
 Pacific Ocean E, B:286
 Site 848, B:261
Ceratolithus acutus
 Pacific Ocean E, B:242–243, 250, 279
 Site 844, A:134
 Site 847, A:348
 Site 848, A:686
 Site 853, A:1030
Ceratolithus armatus
 Pacific Ocean E, B:279
 Site 848, A:686
 Site 853, A:1030
Ceratolithus macintyrei, Site 847, A:348
Ceratolithus rugosus
 Pacific Ocean E, B:242–243, 279
 Site 847, A:348
 Site 848, A:686
 Site 853, A:1030
Cestodiscus peplum
 Pacific Ocean E, B:654
 Site 844, A:142; B:111
 Site 845, B:112
Cestodiscus peplum Zone
 Site 844, A:142; B:111
 Site 845, A:215
Cestodiscus pulchellus
 Site 844, A:139
 Site 845, A:215
 Site 846, A:292
challengeri, *Discoaster*, Pacific Ocean E, B:279
Chondrites
 ichnofacies, B:183–184
 lithologic units, A:344
 Pacific Ocean E, B:178, 183–185, 187
 photograph, A:137
 sediments, A:281–285
 Site 844, A:127, 137
 Site 845, A:199, 209–210
 Site 846, A:282–285
 Site 847, A:344
 Site 850, A:817
 Site 851, A:902
 Site 852, A:975
 Site 853, A:1029
 Site 854, A:1068
Cibicides spp.
 Pacific Ocean E, B:651
 Site 844, B:666–668
Cibicides wuellerstorfi
 Site 846, B:839–842, 845, 848–852
 Site 849, B:371–412
Cibicidoides kullenbergi, Site 846, B:337, 341,
 352
Cibicidoides wuellerstorfi, Site 846, B:337, 341,
 352, 677
circulus, *Bachmannocena*
 Site 847, B:156
 Site 849, B:160
 Site 854, B:142
clausus, *Pterocorys*, Pacific Ocean E, B:467
Clavatorella bermudezi, Pacific Ocean E, B:907
clinata n. comb., *Dictyocha*, Site 854, B:146
coalitus, *Catinaster*
 Pacific Ocean E, B:247–248, 269, 278, 493,
 497–498, 500, 520
 Site 709, B:488
 Site 714, B:487
 Site 844, A:134; B:629, 631
 Site 845, A:212; B:484, 492–493
 Site 849, A:744
 Site 851, A:903; B:268
 Site 852, A:983; B:269
Coccolithus huxleyi, Pacific Ocean E, B:800
Coccolithus miopelagicus
 Pacific Ocean E, B:248, 283, 496, 501, 520
 Site 844, A:134; B:630–631
 Site 846, A:294
 Site 848, A:687; B:261
 Site 849, A:744
 Site 851, A:903
 Site 852, A:983, 987; B:269
Coccolithus pelagicus
 Pacific Ocean E, B:164
 Site 849, A:744
 Site 851, A:903
 Site 852, A:983; B:167, 173–174
Coccolithus spp.
 Site 844, A:131
 Site 845, A:211
 Site 846, A:286
 Site 848, A:686
Collospheara tuberosa
 Site 844, B:195
 Site 850, B:229
Collospheara tuberosa Zone
 Pacific Ocean E, B:192
 Site 844, A:139; B:195
 Site 845, A:214; B:195
 Site 846, A:292; B:195
 Site 847, A:350; B:195
 Site 848, A:688; B:199
 Site 849, A:745; B:199
 Site 850, A:821; B:199
 Site 851, B:199
 Site 852, A:983; B:202
conglomerata, *Globotruncina*, Pacific Ocean E,
 B:565
conicus, *Sphenolithus*, Site 847, A:348
convallis, *Minylitha*
 Pacific Ocean E, B:245, 480, 498
 Site 844, A:134
 Site 845, A:212
 Site 848, B:261
 Site 853, A:1030; B:269
convexa, *Thalassiosira*
 Site 844, A:139, 141
 Site 845, A:215; B:111
 Site 846, A:292–293; B:113
 Site 847, A:351–352; B:114
 Site 848, A:692
 Site 850, A:88, 822, 825; B:116
 Site 851, A:907
 Site 852, A:984–985; B:118, 122, 127
convexa var. *aspinosa*, *Thalassiosira*
 Site 848, B:115
 Site 850, A:825
 Site 851, B:117
convexa var. *convexa*, *Thalassiosira*
 Site 846, B:124
 Site 847, A:351
 Site 848, A:692
 Site 849, B:115
 Site 850, B:116
 Site 851, A:909
 Site 854, A:1071
Corbisema triacantha
 Site 844, B:134
 Site 854, B:145
Corbisema triacantha Range Zone, Pacific Ocean
 E, B:130
Corbisema triacantha Zone, Site 844, B:133
Coronocyclus nitescens
 Pacific Ocean E, B:248, 278, 480, 489–490,
 501, 520
 Site 844, A:134; B:251
 Site 845, A:212
Coscinodiscus, Pacific Ocean E, B:647–648
Coscinodiscus coscinodiscus
 Site 846, A:293; B:113
 Site 850, B:117
 Site 851, B:117
Coscinodiscus coscinodiscus/Coscinodiscus
gigas var. *diorama* zonal boundary, Site
 846, A:293
Coscinodiscus coscinodiscus Zone, Site 851,
 A:907
coscinodiscus, *Craspedodiscus*
 Pacific Ocean E, B:648, 654
 Site 844, A:139, 142; B:111
 Site 845, A:215
 Site 846, A:292
 Site 849, A:748
Coscinodiscus gigas var. *diorama*
 Site 845, A:215
 Site 846, B:113
 Site 850, A:825
Coscinodiscus gigas var. *diorama* Zone, Site 844,
 B:111
Coscinodiscus lewisiyanus
 Site 844, A:142; B:111
 Site 846, A:292–293; B:113
Coscinodiscus lewisiyanus Zone
 Site 844, A:142
 Site 845, A:215
 Site 846, B:112
Coscinodiscus marginatus, Site 845, A:215
costata, *Calocyctella*, Site 844, B:195
Craspedodiscus, Pacific Ocean E, B:647–648
Craspedodiscus coscinodiscus
 Pacific Ocean E, B:648, 654
 Site 844, A:139, 142; B:111
 Site 845, A:215
 Site 846, A:292
 Site 849, A:748
Craspedodiscus coscinodiscus/Craspedodiscus
gigas var. *diorama*, Site 844, A:142
Craspedodiscus coscinodiscus Zone
 Site 844, A:142
 Site 845, A:215
 Site 850, A:817, 822, 825; B:116
 Site 851, A:909

*crassaformis, Globigerina**crassaformis, Globigerina*, Site 846, B:682*cristata, Carpoconium*

Site 849, A:745

Site 850, A:817

Site 851, A:907

Site 852, A:984

cristata, Carpocanopsis

Pacific Ocean E, B:211

Site 851, B:199

Site 852, B:202

Crucidenticula kanayae

Site 844, B:111

Site 845, A:216; B:112

Crucidenticula nicobarica

Site 844, A:139, 142

Site 845, A:215–216

Site 846, A:292

Crucidenticula nicobarica Zone

Site 844, A:142; B:106

Site 845, A:216; B:111

crux carolae, Distephanus

Site 850, B:154

Site 854, B:148

crux crux, Distephanus

Site 844, B:159

Site 847, B:159

Site 854, B:148

cuneiformis, Hemidiscus

Site 844, A:139

Site 845, A:215

Site 846, A:292

Site 848, A:691

Site 851, A:907

Site 852, A:984

Site 854, A:1071

Cycladophora davisihana, Pacific Ocean E, B:75*Cyclicargolithus floridanus*

Pacific Ocean E, B:278, 480, 486–487, 501,

520

Site 844, B:251

Site 845, A:212; B:66

Site 846, A:286

cylindrica, Nitzschia

Pacific Ocean E, B:521

Site 844, A:844; B:521

Site 846, A:292

Site 847, A:351

Site 849, A:88–89; B:115

Site 850, B:116–117

Site 851, A:907, 909; B:117

Site 852, B:126

Cyrtocapsella japonica, Site 852, A:983*davisihana, Cycladophora*, Pacific Ocean E, B:75*davisihana davisihana, Theocalyptera*, Pacific

Ocean E, B:647

deflandrei, Discoaster

Pacific Ocean E, B:249

Site 845, B:251

Site 846, A:291

dehiscens, Globoquadrina

Pacific Ocean E, B:905

Site 845, A:214

Site 848, A:687

delicata bisecta, Dictyocha

Site 844, B:134

Site 847, B:157

Site 848, B:154

delicata bisecta n. comb., *Dictyocha*, Site 854, B:146*delicatum, Echinomma*, Pacific Ocean E, B:467*delicatus, Amaurolithus*

Pacific Ocean E, B:279

Site 844, A:134

TAXONOMIC INDEX

- Site 845, A:212
 Site 846, B:251
 Site 848, A:686–687
 Site 850, A:821
 Site 852, A:983
 Site 853, A:1029–1030
delmontensis, Stichocorys, Site 847, A:350–351; B:199
dentata, Dorcadospyris, Site 844, B:195
Denticulopsis, Pacific Ocean E, B:647, 654
Denticulopsis hustedtii
 Site 844, A:139, 142
 Site 845, A:215
 Site 846, A:292
 Site 849, A:745, 748
 Site 850, A:825
 Site 851, A:907, 909
Denticulopsis simonsenii
 Pacific Ocean E, B:105
 Site 844, B:11
 Site 845, B:112
 Site 851, B:117
Dentoglobigerina alispira
 Pacific Ocean E, B:560, 905
 Site 844, A:135, 138
 Site 845, A:214
 Site 847, A:350
 Site 848, A:687
 Site 849, A:744
Diarthus hughesi
 Pacific Ocean E, B:192
 Site 848, A:690; B:199
 Site 849, A:89
Diarthus hustedti, Site 849, A:89
Diarthus pettersoni
 Pacific Ocean E, B:192, 521
 Site 844, B:195
 Site 845, B:195
 Site 848, A:690
 Site 849, A:89, 745
Diarthus pettersoni Zone
 Site 844, A:139
 Site 845, A:214
 Site 847, B:195
 Site 848, A:688
 Site 849, A:744–745; B:199
 Site 850, A:817, 821; B:199
 Site 851, A:907; B:199
 Site 852, A:983; B:202
 Site 854, A:1070; B:203
Dictyocha, Pacific Ocean E, B:654
Dictyocha aculeata
 Site 844, B:133
 Site 847, B:134
 Site 849, B:135
Dictyocha aculeata aculeata
 Site 849, B:161
 Site 854, B:145
Dictyocha aculeata Interval Zone, Pacific Ocean E, B:131
Dictyocha aculeata subaculeata, Site 854, B:146
Dictyocha aculeata Zone
 Site 844, B:132
 Site 848, B:134
 Site 849, B:135
 Site 851, B:135
Dictyocha angulata
 Site 849, B:161
 Site 854, B:146
Dictyocha bisecta delicata, Site 849, B:161
Dictyocha calida ampliata
 Site 849, B:135, 161
 Site 854, B:146
Dictyocha calida calida, Site 854, B:146

- Dictyocha clinata* n. comb., Site 854, B:146
Dictyocha delicata bisecta
 Site 847, B:157
 Site 848, B:154
Dictyocha delicata bisecta n. comb., Site 854, B:146
Dictyocha extensa
 Site 844, B:134
 Site 847, B:157
Dictyocha extensa extensa
 Site 848, B:155
 Site 849, B:160
 Site 854, B:146
Dictyocha extensa extensa forma medusa, Site 844, B:157
Dictyocha extensa Interval Zone, Pacific Ocean E, B:131
Dictyocha extensa longa, Site 844, B:157
Dictyocha extensa longa n. comb., Site 854, B:146
Dictyocha extensa Zone
 Site 844, B:133
 Site 849, B:135
Dictyocha fibula, Site 854, B:147
Dictyocha fibula ausonia
 Site 844, B:157
 Site 850, B:154
 Site 851, B:155
Dictyocha fibula ausonia n. comb., Site 854, B:147
Dictyocha fibula fibula
 Site 847, B:157
 Site 850, B:154
 Site 854, B:147
Dictyocha fibula mutabilis n. comb., Site 854, B:147
Dictyocha lingii, Site 854, B:147
Dictyocha messanensis
 Site 844, B:133
 Site 848, B:135
 Site 851, B:155
 Site 854, B:147
Dictyocha messanensis Partial Range Zone, Pacific Ocean E, B:131
Dictyocha messanensis Zone
 Site 847, B:134
 Site 849, B:135
Dictyocha perlævis, Site 847, B:157
Dictyocha perlævis flexatella
 Site 851, B:154
 Site 854, B:148
Dictyocha perlævis ornata
 Site 849, B:161
 Site 854, B:148
Dictyocha perlævis perlævis
 Site 849, B:160–161
 Site 854, B:148
Dictyocha sp.
 Site 851, B:135
 Site 854, B:148
Dictyocha subclinata, Site 854, B:148
Dictyocha tameræ, Site 854, B:148
Dictyocha varia
 Site 844, B:134, 157
 Site 851, B:155
 Site 852, B:160
 Site 854, B:148
Dictyococcites antarcticus, Pacific Ocean E, B:175
Dictyococcites spp.
 Site 847, A:348
 Site 849, A:744
 Site 850, A:821

TAXONOMIC INDEX

Distephanus speculum minutus

- Dictyocorne?*, Site 847, A:350
- Didymocyrta*, Pacific Ocean E, B:192
- Didymocyrta antepenultima* Zone
 Pacific Ocean E, B:194
- Site 848*, B:199
- Didymocyrta penultima*
 Site 846, B:195
- Site 851*, A:88
- Didymocyrta penultima* Zone
 Pacific Ocean E, B:194
- Site 845*, A:214
- Site 846*, A:292
- Site 847*, A:350; B:198
- Didymocyrta prismatica*, Site 845, A:214; B:195
- Didymocyrta tetrathalamus*, Pacific Ocean E,
 B:467
- diodon diodon*, *Bachmannocena*
 Site 844, B:156
- Site 854*, B:143
- diodon nodosa*, *Bachmannocena*
 Pacific Ocean E, B:130
- Site 844*, B:133
- Site 847*, B:134, 156
- Site 848*, B:135, 153
- Site 849*, B:135, 160
- Site 850*, B:135
- Site 851*, B:138
- Site 854*, B:143
- diodon nodosa* forma *cocoensis* n. comb.,
 Bachmannocena, Site 854, B:143
- diodon nodosa* forma *neonautica* n. forma,
 Bachmannocena, Site 854, B:143
- diodon nodosa trodon* n. comb., *Bachmannocena*,
 Site 854, B:143
- Discoaster aff. calcaris*, Pacific Ocean E, B:279,
 481
- Discoaster altispira*, Site 844, A:138
- Discoaster asymmetricus*
 Pacific Ocean E, B:242, 278
- Site 849*, B:166
- Site 850*, B:268
- Site 852*, B:168
- Discoaster bellus*
 Pacific Ocean E, B:247, 279, 495–496
- Site 853*, A:1030; B:269
- Discoaster bellus* group, Pacific Ocean E, B:248
- Discoaster berggrenii*
 Pacific Ocean E, B:243–244, 279, 284,
 499–500
- Site 709*, B:488
- Site 710*, B:489
- Site 711*, B:495
- Site 844*, A:134; B:490–491
- Site 845*, A:212; B:492–493
- Site 846*, A:286, 294–295; B:633
- Site 847*, B:254
- Site 848*, B:261, 494
- Site 849*, A:744
- Site 850*, A:821
- Site 851*, A:89, 903
- Site 852*, A:983, 987; B:269
- Site 853*, A:1030, 1036; B:496
- Site 854*, A:1081
- Discoaster blackstockae*, Pacific Ocean E, B:279
- Discoaster bollii*
 Pacific Ocean E, B:492–493, 498–499
- Site 846*, A:286
- Discoaster braarudii*, Pacific Ocean E, B:279
- Discoaster brouweri*
 Pacific Ocean E, B:241–242, 248, 278, 481
- Site 844*, A:134
- Site 845*, A:211–212
- Site 849*, B:166
- Site 852*, A:983
- Site 853*, A:1029
- Discoaster brouweri* group, Pacific Ocean E,
 B:175
- Discoaster calcaris*
 Pacific Ocean E, B:245, 283, 495
- Site 852*, B:269
- Discoaster challengerii*, Pacific Ocean E, B:279
- Discoaster deflandrei*
 Pacific Ocean E, B:249
- Site 845*, B:251
- Site 846*, A:291
- Discoaster exilis*, Pacific Ocean E, B:248, 279,
 495
- Discoaster extensus*, Pacific Ocean E, B:279
- Discoaster hamatus*
 Pacific Ocean E, B:245, 249, 269, 279, 283,
 497–498, 500, 520–521
- Site 709*, B:488
- Site 710*, B:489
- Site 714*, B:487
- Site 844*, A:134; B:490–491
- Site 845*, A:212; B:492–493
- Site 846*, A:286
- Site 848*, A:687; B:261, 494
- Site 849*, A:89
- Site 850*, A:821
- Site 851*, B:631
- Site 852*, A:983
- Site 853*, A:1036
- Discoaster hamatus*–*Discoaster bellus* group, Site
 848, A:687
- Discoaster icarus*, Pacific Ocean E, B:279
- Discoaster intercaralis*, Pacific Ocean E, B:279
- Discoaster kugleri*
 Pacific Ocean E, B:248, 279, 283, 492–493,
 501, 521
- Site 844*, A:134; B:251
- Site 845*, A:212; B:484
- Site 849*, A:744; B:264
- Site 850*, A:821; B:268
- Site 851*, B:268
- Discoaster loeblichii*
 Pacific Ocean E, B:245, 499
- Site 848*, B:261
- Discoaster musicus*
 Pacific Ocean E, B:279, 481
- Site 846*, A:286
- Site 849*, A:744
- Discoaster neohamatus*
 Pacific Ocean E, B:498, 501
- Site 846*, A:286
- Site 848*, B:261
- Site 853*, A:1030; B:269
- Discoaster neorectus*, Pacific Ocean E, B:279,
 284, 499
- Discoaster pentaradiatus*
 Pacific Ocean E, B:242, 244–245, 278, 499
- Site 844*, A:134
- Site 845*, A:212
- Site 846*, A:286
- Site 847*, A:347; B:254
- Site 851*, B:268
- Site 852*, B:169
- Discoaster perclarus*, Pacific Ocean E, B:279
- Discoaster prepentaradiatus*, Pacific Ocean E,
 B:245, 498
- Discoaster quinqueramus*
 Pacific Ocean E, B:243–244, 250, 278, 284
- Site 709*, B:488
- Site 710*, B:489
- Site 711*, B:495
- Site 844*, A:134; B:490–491
- Site 845*, A:212; B:492–493
- Site 846*, A:88, 286; B:633
- Site 847*, A:348; B:254
- Site 848*, A:687; B:61, 494
- Site 849*, A:744
- Site 850*, A:821
- Site 851*, A:903
- Site 852*, A:983; B:269
- Site 853*, A:1030, 1032; B:496
- Discoaster signus*
 Pacific Ocean E, B:249, 487–488
- Site 844*, B:251
- Site 846*, A:291
- Discoaster sp. 2*, Pacific Ocean E, B:481
- Discoaster surculus*
 Pacific Ocean E, B:242, 244, 499–501
- Site 844*, A:134
- Site 845*, A:212
- Site 846*, A:88, 294
- Site 847*, A:347
- Site 849*, B:166
- Site 851*, B:268
- Site 852*, B:169
- Discoaster tamalis*
 Pacific Ocean E, B:242, 278
- Site 847*, A:347
- Site 849*, B:166
- Site 851*, B:268
- Site 852*, B:168
- Discoaster triradiatus*
 Pacific Ocean E, B:241–242
- Site 847*, A:347
- Site 849*, B:166
- Discoaster variabilis*, Pacific Ocean E, B:242
- Discoaster variabilis* group
 Pacific Ocean E, B:175, 247
- Site 849*, B:166
- disjuncta*, *Sphaeroidinellopsis*
 Pacific Ocean E, B:907
- Site 845*, A:214
- dissimilis*, *Catapsydrax*
 Site 844, A:139
- Site 845*, A:214
- Site 846*, A:292
- dissimilis*, *Sphenolithus*, Site 847, A:348; B:255
- Distephanus*, Pacific Ocean E, B:654
- Distephanus boliviensis*, Site 849, B:162
- Distephanus boliviensis boliviensis*
 Site 844, B:158
- Site 854*, B:148
- Distephanus crux carolae*
 Site 850, B:154
- Site 854*, B:148
- Distephanus crux crux*
 Site 844, B:159
- Site 847*, B:159
- Site 854*, B:148
- Distephanus hemisphaericus*, Site 848, B:158
- Distephanus longispinus*, Site 854, B:149
- Distephanus polyactis*, Site 854, B:149
- Distephanus pulchra*
 Site 849, B:162
- Site 854*, B:149–150
- Distephanus quinquangellus*
 Site 849, B:162
- Site 854*, B:149
- Distephanus speculum*, Site 850, B:135
- Distephanus speculum giganteus*
 Site 844, B:158
- Site 854*, B:149
- Distephanus speculum hemisphaericus*
 Site 844, B:159
- Site 847*, B:158
- Site 854*, B:149
- Distephanus speculum minutus*
 Site 847, B:159

Distephanus speculum minutus (cont.)

TAXONOMIC INDEX

- Site 854, B:149
Distephanus speculum pentagonus
 Site 844, B:159
 Site 854, B:149
Distephanus speculum speculum
 Site 847, B:158
 Site 849, B:135, 162
 Site 854, B:149
Distephanus speculum tenuis
 Pacific Ocean E, B:130
 Site 847, B:157
 Site 850, B:153
 Site 851, B:138
 Site 854, B:149
Distephanus speculum tenuis Zone
 Site 847, B:134
 Site 849, B:135
 Site 852, B:138
Distephanus stauracanthus, Site 844, B:134
Distephanus stauracanthus forma *octagonus*
 Site 844, B:158
 Site 854, B:150
Distephanus stauracanthus forma *stauracanthus*
 Site 844, B:158
 Site 854, B:150
Distephanus xenus
 Site 849, B:162
 Site 854, B:150
doliolum, *Phormostichoartus*, Site 847, A:350
doliolus, *Pseudoeunotia*
 Pacific Ocean E, B:105, 529
 Site 844, A:139; B:107
 Site 845, A:215; B:111
 Site 846, A:292; B:112–113
 Site 847, A:351; B:114
 Site 848, A:691
 Site 849, A:745; B:115
 Site 850, A:822
 Site 851, A:907
 Site 852, A:984; B:122
 Site 853, A:1032
Dorcadospyris alata
 Site 844, A:139; B:195
 Site 845, A:214–215
Dorcadospyris alata Zone
 Pacific Ocean E, B:194
 Site 845, B:195
 Site 846, A:292; B:195
Dorcadospyris dentata, Site 844, B:195
dutertrei, *Neogloboquadrina*
 Pacific Ocean E, B:564, 568, 572, 574,
 576–577, 582
 Site 844, A:135
 Site 845, A:213
 Site 846, B:678, 682–683
 Site 847, B:289, 292–308, 312–315, 697–699,
 705, 709
 Site 851, B:504–513
Ebriopsis antiqua antiqua, Site 854, B:150
eccentrica, *Thalassiosira*, Site 848, A:692
Echinomma delicatum, Pacific Ocean E, B:467
Echiurus echium, Pacific Ocean E, B:184
echiurus, *Echiurus*, Pacific Ocean E, B:184
elegans, *Asteromphalus*
 Site 850, A:825
 Site 852, B:126
elliptica, *Bachmannocena*, Site 854, B:145
ellipticus, *Actinocyclus*
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
Emiliania huxleyi
 Pacific Ocean E, B:239, 269
 Site 846, A:304
Epistominella exigua, Site 844, B:666, 668
Eponides spp., Site 844, B:666–668
Ethmodiscus fragments, Site 852, A:984
Ethmodiscus rex
 Pacific Ocean E, B:644
 Site 848, A:691
 Site 850, A:822
 Site 853, A:1032
exigua, *Epistominella*, Site 844, B:666, 668
exilis, *Discoaster*, Pacific Ocean E, B:248, 279,
 495
extensa, *Dictyocha*
 Site 844, B:134
 Site 847, B:157
extensa extensa, *Dictyocha*
 Site 848, B:155
 Site 849, B:160
 Site 854, B:146
extensa extensa forma *medusa*, *Dictyocha*, Site
 844, B:157
extensa longa, *Dictyocha*, Site 844, B:157
extensa longa n. comb., *Dictyocha*, Site 854,
 B:146
extensus, *Amaurolithus*, Pacific Ocean E, B:286
extensus, *Discoaster*, Pacific Ocean E, B:279
extensus, *Triquetrorhabdulus*, Pacific Ocean E,
 B:279, 285–286
farnsworthii, *Triquetrorhabdulus*, Pacific Ocean
 E, B:280
fibula, *Dictyocha*, Site 854, B:147
fibula ausonia, *Dictyocha*
 Site 844, B:157
 Site 850, B:154
 Site 851, B:155
fibula ausonia n. comb., *Dictyocha*, Site 854,
 B:147
fibula fibula, *Dictyocha*
 Site 847, B:157
 Site 850, B:154
 Site 854, B:147
fibula mutabilis n. comb., *Dictyocha*, Site 854,
 B:147
fistula, *Phormostichoartus*
 Site 847, B:198
 Site 848, B:199
 Site 849, A:745; B:199
flustulosus, *Globigerinoides*
 Pacific Ocean E, B:521
 Site 851, A:906
floridanus, *Cyclicargolithus*
 Pacific Ocean E, B:278, 480, 486–487, 501,
 520
 Site 844, B:251
 Site 845, A:212; B:66
 Site 846, A:286
fohsii foehsi, *Globorotalia*
 Site 844, A:138
 Site 845, A:214
fohsii lobata, *Globorotalia*
 Site 844, A:138
 Site 845, A:214
fohsii robusta, *Globorotalia*, Pacific Ocean E,
 B:905
fossilis, *Nitzschia*
 Pacific Ocean E, B:529
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 849, B:115
 Site 850, A:822
 Site 851, A:907
 Site 852, A:984; B:122
 Site 853, A:1032
fraga, *Thalassiosira*, Site 844, A:142
Geminilithella rotula
 Site 849, B:172
 Site 852, B:168
Gephyrocapsa, Site 846, A:286
Gephyrocapsa caribbeanica, Pacific Ocean E,
 B:239
Gephyrocapsa oceanica
 Site 844, A:131
 Site 846, A:286
 Site 848, A:685
Gephyrocapsa oceanica s.l.
 Site 845, A:211
 Site 849, A:744
 Site 851, A:903
 Site 852, A:982
 Site 853, A:1029
 Site 854, A:1068
Gephyrocapsa oceanica s.s., Pacific Ocean E,
 B:239
Gephyrocapsa omega, Pacific Ocean E, B:239,
 278
Gephyrocapsa omega–*Gephyrocapsa parallela*
 morphotypes, Pacific Ocean E, B:239
Gephyrocapsa spp.
 Pacific Ocean E, B:239, 241, 249, 529
 Site 847, A:347
 Site 848, A:685
 Site 849, A:744
 Site 850, A:820
 Site 852, A:982
 Site 853, A:1029
gigas var. *diorama*, *Coscinodiscus*
 Site 845, A:215
 Site 846, B:113
 Site 850, A:825
Globigerina, Pacific Ocean E, B:567
Globigerina apertura, Pacific Ocean E, B:560,
 563, 568–569, 574
Globigerina bulloides
 Pacific Ocean E, B:560, 574
 Site 846, A:292; B:678, 681–682, 684
 Site 847, B:700, 707
Globigerina crassiformis, Site 846, B:682
Globigerina nepenthes, Pacific Ocean E,
 B:560–561, 564, 567–570
Globigerina rubescens, Pacific Ocean E, B:569,
 574
Globigerina woodi, Pacific Ocean E, B:560, 562,
 564, 567–569, 574
Globigerinatella insueta, Pacific Ocean E, B:904
Globigerinita glutinata
 Pacific Ocean E, B:561–562, 569–570, 573
 Site 846, B:678, 680, 683–685
Globigerinoides diminutus, Pacific Ocean E,
 B:904
Globigerinoides fistulosus
 Pacific Ocean E, B:521
 Site 851, A:906
Globigerinoides obliquus
 Pacific Ocean E, B:561, 565, 569, 574
 Site 845, A:213–214
 Site 850, A:821
Globigerinoides quadrilobatus trilobus, Pacific
 Ocean E, B:904
Globigerinoides ruber
 Pacific Ocean E, B:561, 566, 569–570, 574
 Site 845, A:213
 Site 846, A:292; B:678, 683, 685
 Site 847, A:349; B:699, 703–704
Globigerinoides ruber–*Globigerinoides*

TAXONOMIC INDEX

invaginata, Buccinosphaera

- subquadratus* group, Pacific Ocean E, B:904
- Globigerinoides saccifer*
Pacific Ocean E, B:559, 561, 567–568, 798
Site 845, A:213–214
Site 846, A:292; B:678, 680–681, 683–685
Site 847, B:289, 292–308, 316–319, 431, 453,
697–699, 703–704, 709
Site 848, A:687
Site 850, A:821
Site 851, B:504–513
- Globigerinoides* spp., Site 844, A:138
- Globobulimina pacifica*, Site 846, B:337, 341
- Globocassidulina* spp., Site 844, B:667
- Globocassidulina subglobosa*, Site 846, B:337,
341
- Globoquadrina*, Site 848, A:687
- Globoquadrina baroemoenensis*, Pacific Ocean E,
B:905
- Globoquadrina conglomerata*, Pacific Ocean E,
B:565
- Globoquadrina dehiscens*
Pacific Ocean E, B:905
Site 845, A:214
Site 848, A:687
- Globoquadrina pseudofoliata/conglomerata*,
Pacific Ocean E, B:574
- Globoquadrina venezuelana*
Pacific Ocean E, B:574
Site 844, A:138
Site 845, A:214
Site 847, A:350
Site 848, A:687
Site 850, A:821
Site 853, A:1031
- Globorotalia archeomenardii*, Pacific Ocean E,
B:906
- Globorotalia fohsi fohsi*
Site 844, A:138
Site 845, A:214
- Globorotalia fohsi lobata*
Site 844, A:138
Site 845, A:214
- Globorotalia fohsi robusta*, Pacific Ocean E,
B:905
- Globorotalia inflata*
Site 846, B:681, 683
Site 847, B:697, 699, 706
- Globorotalia inflata*–*Globorotalia puncticulata*
group, Site 846, A:292
- Globorotalia limbata*
Pacific Ocean E, B:906
Site 844, A:135
Site 846, A:292
Site 847, A:349–350
Site 849, A:744
Site 850, A:821
Site 851, A:906
Site 852, A:983
Site 853, A:1031
- Globorotalia mayeri*
Site 844, A:138
Site 845, A:214
Site 846, A:292
- Globorotalia mayeri*–*Globorotalia siakensis*
group, Pacific Ocean E, B:906
- Globorotalia menardii*
Pacific Ocean E, B:559, 563, 571
Site 845, A:213
Site 846, A:292; B:682, 678, 682–685
Site 847, B:699–700, 703–704
- Globorotalia peripheroacuta*, Site 844, A:138
- Globorotalia peripheroronda*, Pacific Ocean E,
B:905
- Globorotalia plesiotumida*
Pacific Ocean E, B:906
Site 845, A:213
Site 849, A:744
Site 850, A:821
Site 851, A:906
Site 852, A:983
- Globorotalia praemenardii*
Pacific Ocean E, B:906
Site 844, A:138
Site 845, A:214
Site 848, A:687
- Globorotalia scitula*
Pacific Ocean E, B:906
Site 847, B:697
- Globorotalia siakensis*
Site 848, A:687
Site 851, A:906
- Globorotalia tosaensis*, Pacific Ocean E, B:556
- Globorotalia truncatulinoides*
Pacific Ocean E, B:556
Site 847, A:349
Site 849, A:744
- Globorotalia tumida*
Pacific Ocean E, B:556, 559, 562–563,
570–571, 576–577
Site 844, A:135, 138
Site 845, A:213
Site 846, A:292
Site 847, A:349
Site 850, A:821
Site 851, A:906; B:504–513
Site 852, A:983
Site 853, A:1030
Site 854, A:1070
- Globorotaloides hexagona*, Pacific Ocean E,
B:565, 907
- Globorotaloides suteri*, Pacific Ocean E, B:907
- Globorotaloides variabilis*, Pacific Ocean E,
B:907
- glomerosa circularis, Praebulina*
Pacific Ocean E, B:904
Site 844, A:138
Site 846, A:292
- glomerosa curva, Praebulina*, Pacific Ocean E,
B:250, 904
- glomerosa glomerosa, Praebulina*, Pacific
Ocean E, B:904
- glutinata, Globigerinita*
Pacific Ocean E, B:561–562, 569–570, 573
Site 846, B:678, 680, 683–685
- granulata, Helicosphaera*, Pacific Ocean E, B:280
- Gyroidina* spp.
Pacific Ocean E, B:651
Site 844, B:665–668
- hamatus, Discoaster*
Pacific Ocean E, B:245, 249, 269, 279, 283,
497–498, 500, 520–521
Site 709, B:488
Site 710, B:489
Site 714, B:487
Site 844, A:134; B:490–491
Site 845, A:212; B:492–493
Site 846, A:286
Site 848, A:687; B:261, 494
Site 849, A:89
Site 850, A:821
Site 851, B:631
Site 852, A:983
Site 853, A:1036
- Hastigerina pelagica*, Pacific Ocean E, B:559
- Helicosphaera*
Pacific Ocean E, B:248
- Site 846, A:291
- Helicosphaera ampliaperta*
Pacific Ocean E, B:248–250, 280
Site 844, A:134
Site 845, A:212
Site 846, A:291, 295
- Helicosphaera carteri*
Pacific Ocean E, B:280
Site 849, B:171
Site 852, B:167
- Helicosphaera granulata*, Pacific Ocean E, B:280
- Helicosphaera intermedia*, Site 847, A:348; B:255
- Helicosphaera sellii*
Pacific Ocean E, B:240–241
Site 849, B:167
- Hemidiscus cuneiformis*
Site 844, A:139
Site 845, A:215
Site 846, A:292
Site 848, A:691
Site 850, A:822, 825
Site 851, A:907
Site 852, A:984
Site 854, A:1071
- hemisphaericus, Distephanus*, Site 848, B:158
- Hermesinum adriaticum*, Site 854, B:150
- heteromorpha, Thalassiothrix*, Pacific Ocean E,
B:642
- heteromorphus, Sphenolithus*
Pacific Ocean E, B:248–250, 280, 480, 484,
500, 520–521
Site 844, A:134
Site 845, A:212; B:251, 484
Site 846, A:286, 291; B:251
- heteroporous, Lamprocyclas*, Site 844, A:139
- hexagona, Globorotaloides*, Pacific Ocean E,
B:565, 907
- hughesi, Diartus*
Site 848, A:690; B:199
Site 849, A:89
- humerosa, Neogloboquadrina*
Pacific Ocean E, B:582
Site 844, A:138
Site 845, A:213
- humerosa/dutertrei, Neogloboquadrina*, Pacific
Ocean E, B:574
- hustedtii, Denticulopsis*
Site 844, A:139, 142
Site 845, A:215
Site 846, A:292
Site 849, A:745, 748
Site 850, A:825
Site 851, A:907, 909
- huxleyi, Coccolithus*, Pacific Ocean E, B:800
- huxleyi, Emiliania*
Pacific Ocean E, B:239, 269
Site 846, A:304
- icarus, Discoaster*, Pacific Ocean E, B:279
- inflata, Globorotalia*
Site 846, A:292; B:681, 683
Site 847, B:697, 699, 706
- ingens, Actinocyclus*
Site 844, A:139
Site 845, A:215
- insueta, Globigerinatella*, Pacific Ocean E, B:904
- intercalaris, Discoaster*, Pacific Ocean E, B:279
- intermedia, Helicosphaera*, Site 847, A:348;
B:255
- invaginata, Buccinosphaera*
Site 845, A:214
Site 846, A:292
Site 848, A:688
Site 849, A:745

invaginata, *Buccinosphaera* (cont.)

TAXONOMIC INDEX

- Site 852, A:983
- japonica*, *Cyrtocapsella*, Site 852, A:983
- johnsoni*, *Stichocorys*, Pacific Ocean E, B:927–928
- jouseae*, *Nitzschia*
Pacific Ocean E, B:521
Site 844, A:139, 141
Site 846, A:293–294
Site 847, A:351–352; B:114
Site 848, A:691; B:114
Site 849, A:745; B:115
Site 850, A:822, 825; B:822, 825
Site 851, A:907
Site 852, A:984–985; B:122, 126
- kanayae*, *Crucidenticula*
Site 844, B:111
Site 845, A:216; B:112
- kochii*, *Sphaeroidinellopsis*, Pacific Ocean E, B:907
- kugleri*, *Discoaster*
Pacific Ocean E, B:248, 279, 283, 492–493, 501, 521
Site 844, A:134; B:251
Site 845, A:212; B:484
Site 849, A:744; B:264
Site 850, A:821; B:268
Site 851, B:268
- kullenbergii*, *Cibicidoides*, Site 846, B:337, 341, 352, 677
- lacunosa*, *Pseudoemiliania*
Pacific Ocean E, B:175
Site 844, A:211
Site 845, A:211
Site 846, A:286
Site 847, A:87, 347
Site 848, A:685
Site 849, A:744; B:167
Site 850, A:820
Site 851, A:903
Site 852, A:982; B:173
Site 854, A:1068
- laevigata*, *Valvularia*, Site 844, B:667
- Lamprocyclas*, Site 847, A:350
- Lamprocyclas heteroporous*, Site 844, A:139
- Lamprocyclas neo heteroporous*, Site 844, A:139
- Lamprocyrts nigrinaria*, Pacific Ocean E, B:467
- lankesteri*, *Maxmuelleria*, Pacific Ocean E, B:184
- Larcopyle butschlii*, Pacific Ocean E, B:467
- Laticarinina pauperata*, Site 844, B:667
- leptotorus*, *Calcidiscus*
Pacific Ocean E, B:278
Site 849, B:167, 171
- lewisianus*, *Coscinodiscus*
Site 844, A:142; B:111
Site 846, A:292–293; B:113
- limbata*, *Globorotalia*
Pacific Ocean E, B:906
Site 844, A:135
Site 846, A:292
Site 847, A:349–350
Site 849, A:744
Site 850, A:821
Site 851, A:906
Site 852, A:983
Site 853, A:1031
- lingii*, *Dictyocha*, Site 854, B:147
- Lithelius minor*, Pacific Ocean E, B:467
- Lithopera bacca*, Site 848, A:690
- Lithopera neotera*, Site 848, A:690
- Lithopera thornburgi*
Site 846, B:195
- Site 852, A:984; B:202
- loeblichii*, *Discoaster*
Pacific Ocean E, B:245, 499
Site 848, B:261
- longispinus*, *Distephanus*, Site 854, B:149
- longissima*, *Thalassiothrix*
Pacific Ocean E, B:12, 179, 181, 539, 541, 545–547, 628, 630–631, 634–635, 638, 641–645, 651, 654, 656–657, 662–663
Site 844, A:139; B:668, 672
Site 845, A:196, 215
Site 846, A:292
Site 847, A:343, 351
Site 848, A:692
Site 849, A:754, 765
Site 850, A:822, 825
Site 851, A:907
Site 852, A:974, 984
- longissima* group, *Thalassiothrix*, Pacific Ocean E, B:647, 660–661
- Lychnodictyum audax*, Pacific Ocean E, B:912–914, 916, 926, 928
- macyntyrei*, *Calcidiscus*
Pacific Ocean E, B:239, 249, 278, 480, 490
Site 845, B:497
Site 846, A:286
Site 847, A:348
- malinterpretaria*, *Nitzschia*, Site 844, A:142
- marginatus*, *Coscinodiscus*, Site 845, A:215
- marina*, *Nitzschia*
Site 844, A:139; B:107
Site 846, A:292
Site 847, A:351
Site 848, A:691
Site 852, B:127
- marylandicus*, *Raphidodiscus*, Site 844, A:142
- matuyama*, *Rhizosolenia*, Pacific Ocean E, B:529
- Maxmuelleria lankesteri*, Pacific Ocean E, B:184
- mayeri*, *Globorotalia*
Pacific Ocean E, B:906
Site 844, A:138
Site 845, A:214
Site 846, A:292
- Melonis* spp.
Pacific Ocean E, B:665
Site 844, B:667
- menardii*, *Globorotalia*
Pacific Ocean E, B:559, 563, 571
Site 845, A:213
Site 846, A:292; B:682–685, 678
Site 847, B:699–700, 703–704
- Mesocena quadrangula*
Site 847, A:351
Site 853, A:1032
- messanensis*, *Dictyocha*
Site 844, B:133
Site 848, B:135
Site 851, B:155
Site 854, B:147
- milowii*, *Triquetrorhabdulus*, Pacific Ocean E, B:279–280
- minithorax*, *Pterocorys*, Pacific Ocean E, B:467
- minor*, *Lithelius*, Pacific Ocean E, B:467
- minutula*, *Reticulofenestra*, Pacific Ocean E, B:175
- Minylitha convallis*
Pacific Ocean E, B:245, 480, 498
Site 844, A:134
Site 845, A:212
Site 848, B:261
Site 853, A:1030; B:269
- miocenica*, *Nitzschia*
Site 844, A:141; B:107
- Site 845, A:215
- Site 846*, A:292
- Site 847*, A:351
- Site 849*, A:89
- Site 850*, A:88
- Site 851*, A:907; B:117
- Site 852*, A:985; B:118, 126–127
- miocenica*, *Thalassiosira*
Site 845, B:111
- Site 846*, B:113
- Site 847*, A:352
- Site 849*, A:745; B:115
- Site 850*, A:88
- Site 851*, A:907
- Site 852*, B:126
- miocenica* var. *elongata*, *Nitzschia*
Site 844, A:139
- Site 846*, A:293; B:113
- miopelagicus*, *Coccilithus*
Pacific Ocean E, B:248, 283, 496, 501, 520
Site 844, A:134; B:630–631
- Site 846*, A:294
- Site 848*, A:687; B:261
- Site 849*, A:744
- Site 851*, A:903
- Site 852*, A:983, 987; B:269
- mirabilis*, *Bruniopsis*, Pacific Ocean E, B:644
- miralestensis*, *Botryostrobus*
Pacific Ocean E, B:927
Site 849, A:89
- moronensis*, *Actinocyclus*
Pacific Ocean E, B:105, 654
Site 844, A:142; B:111
- Site 845*, B:112
- Site 846*, A:293
- Site 849*, A:748; B:116
- Site 850*, A:825; B:117
- Site 851*, B:117
- murrayana*, *Polysolenia*, Pacific Ocean E, B:467
- musicus*, *Discoaster*
Pacific Ocean E, B:279, 481
Site 846, A:286
Site 849, A:744
- neoabies*, *Sphenolithus*
Pacific Ocean E, B:242, 280
Site 853, B:269
- Neogloboquadrina*, Pacific Ocean E, B:582
- Neogloboquadrina acostaensis*
Pacific Ocean E, B:250, 563, 572–574, 576, 582, 906
Site 851, A:906
- Neogloboquadrina continuosa-acostaensis-humerosa-dutertrei*, Site 846, A:292
- Neogloboquadrina dutertrei*
Pacific Ocean E, B:564, 568, 572, 574, 576–577, 582
- Site 844*, A:135
- Site 845*, A:213
- Site 846*, B:678, 682–683
- Site 847*, B:289, 292–308, 312–315, 697–699, 705, 709
- Site 851*, B:504–513
- Neogloboquadrina humerosa*
Pacific Ocean E, B:582
Site 844, A:138
Site 845, A:213
- Neogloboquadrina humerosa dutertrei*, Pacific Ocean E, B:574
- Neogloboquadrina pachyderma*
Site 846, A:292; B:682–684
Site 847, B:700, 705, 707
- neohamatus*, *Discoaster*
Pacific Ocean E, B:498, 501

TAXONOMIC INDEX

pelagicus, Coccolithus

- Site 846, A:286
 Site 848, B:261
 Site 853, A:1030; B:269
neoheteroporous, Lamprocyclas, Site 844, A:139
neonautica neonautica, Neonaviculopsis, Site 854, B:150
neonautica praenautica, Neonaviculopsis
 Site 850, B:153
 Site 854, B:150
Neonaviculopsis neonautica neonautica, Site 854, B:150
Neonaviculopsis neonautica praenautica
 Site 850, B:153
 Site 854, B:150
neorectus, Discoaster, Pacific Ocean E, B:279, 284, 499
neotera, Lithopera, Site 848, A:690
nepenthes, Globigerina, Pacific Ocean E, B:560–561, 564, 567–570
nicobarica, Crucidenticula
 Site 844, A:139, 142
 Site 845, A:215–216
 Site 846, A:292
nigrinia, Lamprocyclis, Pacific Ocean E, B:467
nitescens, Coronocyclus
 Pacific Ocean E, B:248, 278, 480, 489–490, 501, 520
 Site 844, A:134; B:251
 Site 845, A:212
Nitzschia, Pacific Ocean E, B:647–648
Nitzschia cylindrica
 Pacific Ocean E, B:521
 Site 844, A:844; B:107
 Site 846, A:292
 Site 847, A:351
 Site 849, A:88–89; B:115
 Site 850, B:116–117
 Site 851, A:907, 909; B:117
 Site 852, B:126
Nitzschia fossilis
 Pacific Ocean E, B:529
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 849, B:115
 Site 850, A:822
 Site 851, A:907
 Site 852, A:984; B:122
 Site 853, A:1032
 Site 854, A:1071
Nitzschia jouseae
 Pacific Ocean E, B:521
 Site 844, A:139, 141
 Site 846, A:293–294
 Site 847, A:351–352; B:114
 Site 848, A:691; B:114
 Site 849, A:745; B:115
 Site 850, A:822, 825; B:822, 825
 Site 851, A:907
 Site 852, A:984–985; B:122, 126
Nitzschia jouseae Zone
 Pacific Ocean E, B:105
 Site 844, A:139; B:107
 Site 845, A:215; B:111
 Site 848, B:115
 Site 850, A:820, 822, 825
 Site 851, A:909; B:117
 Site 852, A:985; B:127
Nitzschia maleinterpretaria, Site 844, A:142
Nitzschia marina
 Site 844, A:139; B:107
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 852, B:127
Nitzschia marina Zone
 Pacific Ocean E, B:105
 Site 845, B:111
 Site 847, B:114
 Site 848, B:114
 Site 849, B:115
 Site 851, B:117
Nitzschia miocenica
 Site 844, A:141; B:107
 Site 845, A:215
 Site 846, A:292
 Site 847, A:351
 Site 849, A:89
 Site 850, A:88
 Site 851, A:907; B:117
 Site 852, A:985; B:118, 126–127
Nitzschia miocenica/Nitzschia porteri boundary
 Site 850, A:825
 Site 851, A:909
Nitzschia miocenica var. *elongata*
 Site 844, A:139
 Site 846, A:293; B:113
Nitzschia miocenica Zone
 Site 846, B:113
 Site 849, A:745
 Site 850, B:116
 Site 851, A:909
Nitzschia porteri
 Site 844, A:142
 Site 851, A:909
Nitzschia porteri Zone
 Site 844, A:139
 Site 845, A:215; B:112
 Site 846, B:113
 Site 848, A:691; B:114–115
 Site 849, A:745; B:115
 Site 850, B:116
 Site 851, B:117
 Site 852, B:118
Nitzschia reinholdii
 Pacific Ocean E, B:529
 Site 844, A:139; B:106–107
 Site 845, A:215; B:111
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 849, A:745; B:115–116
 Site 850, A:822; B:116
 Site 851, A:907; B:117
 Site 852, A:984; B:118, 121–122, 127
 Site 853, A:1032
Nitzschia reinholdii Zone
 Site 844, A:139; B:106–107
 Site 845, A:215
 Site 846, A:292; B:112
 Site 847, A:351; B:113–114
 Site 848, A:692; B:114
 Site 849, A:745; B:115
 Site 850, B:116
 Site 851, A:907; B:117
 Site 852, A:984–985; B:122, 126
nitzschioides, Thalassionema
 Site 844, A:139
 Site 845, A:215
 Site 846, A:292
 Site 847, A:351
 Site 848, A:692
 Site 850, A:822
 Site 851, A:907
 Site 853, A:1032
nitzschioides var. *parva*, *Thalassionema*
 Site 844, A:139, 142
 Site 845, A:215
 Site 850, A:825
 Site 851, A:909
 Site 852, B:127
Parathrainium tenuipes, Site 854, B:150
pelagica, Hastigerina, Pacific Ocean E, B:559
pelagicus, Coccolithus
 Pacific Ocean E, B:164
 Site 849, A:744

pelagicus, Coccolithus (cont.)

Site 851, A:903
 Site 852, A:983; B:167, 173–174
pentaradiatus, Discoaster
 Pacific Ocean E, B:242, 244–245, 278, 499
 Site 844, A:134
 Site 846, A:286
 Site 847, A:347; B:254
 Site 851, B:268
 Site 852, B:169
pentas, Spongaster
 Site 845, B:195
 Site 846, B:195
 Site 847, A:350; B:198
 Site 848, A:688; B:199
 Site 849, A:745; B:199
 Site 850, A:821
 Site 851, B:199
 Site 852, A:983; B:202
penultima, Didymocystis
 Site 846, B:195
 Site 851, A:88
peplum, Cestodiscus
 Pacific Ocean E, B:654
 Site 844, A:142; B:111
 Site 845, B:112
perclarus, Discoaster, Pacific Ocean E, B:279
peregrina, Stichocorys, Site 847, B:198
peregrina, Uvigerina
 Site 846, B:677, 839–842, 845, 848–852
 Site 849, B:371–412
peripheroacuta, Globorotalia, Site 844, A:138
peripheroranda, Globorotalia, Pacific Ocean E, B:905
perlaevis, Dictyocha, Site 847, B:157
perlaevis flexatella, Dictyocha
 Site 851, B:154
 Site 854, B:148
perlaevis ornata, Dictyocha
 Site 849, B:161
 Site 854, B:148
perlaevis perlaevis, Dictyocha
 Site 849, B:160–161
 Site 854, B:148
perplexa, Reticulofenestra, Pacific Ocean E, B:175
pettersoni, Diartus
 Pacific Ocean E, B:192, 521
 Site 844, B:195
 Site 845, B:195
 Site 848, A:690; B:199
 Site 849, A:89, 745
Phormostichoartus doliolum, Site 847, A:350
Phormostichoartus doliolum Zone
 Pacific Ocean E, B:194
 Site 849, A:745
 Site 850, A:820–822
Phormostichoartus doliolus Zone, Site 852, A:984; B:118
Phormostichoartus fistula
 Site 847, B:198
 Site 848, B:199
 Site 849, A:745; B:199
Phormostichoartus fistula Zone
 Site 844, A:139
 Site 847, A:350
 Site 848, A:688
 Site 850, A:821
Planolites
 ichnofacies, B:180–181, 183
 lithologic units, A:125–127, 344
 Pacific Ocean E, B:178, 180, 184, 187
 photograph, A:138
 sediments, A:281–285
 Site 844, A:125–127

TAXONOMIC INDEX

Site 845, A:199, 209–210
 Site 846, A:281–284
 Site 847, A:344
 Site 849, A:759
 Site 850, A:815
 Site 851, A:902
 Site 852, A:975, 978
 Site 853, A:1029
 Site 854, A:1068
plesiotumida, Globorotalia
 Pacific Ocean E, B:906
 Site 845, A:213
 Site 849, A:744
 Site 850, A:821
 Site 851, A:906
 Site 852, A:983
plicatus, Thalassiosira, Site 846, B:113
pliocenica, Anthocyrtidium
 Pacific Ocean E, B:912–914, 916, 928
 Site 847, A:350; B:198
polyactis, Distephanus, Site 854, B:149
Polysolenia murrayana, Pacific Ocean E, B:467
porteri, Nitzschia
 Site 844, A:142
 Site 845, A:215; B:112
 Site 846, B:113
 Site 848, A:691; B:114–115
 Site 849, A:745; B:115
 Site 850, B:116
 Site 851, A:909
praebergonii, Rhizosolenia
 Pacific Ocean E, B:105
 Site 844, A:141; B:107
 Site 845, B:111
 Site 846, A:292–293; B:113
 Site 847, A:88, 351; B:114
 Site 848, A:691–692
 Site 849, A:745
 Site 850, A:825
 Site 851, A:907, 909; B:117
 Site 852, A:984–985; B:122, 127
 Site 853, A:1032
praebergonii var. robusta, Rhizosolenia, Pacific Ocean E, B:529
praebergonii var. robustus, Rhizosolenia, Site 849, A:745
praeconvexa, Thalassiosira
 Site 844, A:139; B:107
 Site 845, B:112
 Site 846, A:293; B:113
 Site 847, A:352
 Site 849, A:745; B:115
 Site 851, A:907, 909
 Site 852, A:985; B:127
praemenardii, Globorotalia
 Pacific Ocean E, B:906
 Site 844, A:138
 Site 845, A:214
 Site 848, A:687
Praeorbulina glomerosa circularis
 Pacific Ocean E, B:904
 Site 844, A:138
 Site 846, A:292
Praeorbulina glomerosa curva, Pacific Ocean E, B:250
Praeorbulina glomerosa glomerosa, Pacific Ocean E, B:904
Praeorbulina sicana
 Pacific Ocean E, B:904
 Site 844, A:139
 Site 845, A:214
praepaleacea, Rossella, Site 846, A:292
premacintyreai, Calcidiscus
 Pacific Ocean E, B:278, 480, 488–489, 501
 Site 844, B:251
preparadiatus, Discoaster, Pacific Ocean E, B:245, 498
primalis, Pulleniatina, Pacific Ocean E, B:565–556, 564, 572, 574–575, 583, 907
primus, Amaurolithus
 Pacific Ocean E, B:242, 244, 278, 285–286, 500
 Site 709, B:488
 Site 710, B:489
 Site 711, B:495
 Site 844, B:490–491
 Site 845, A:212; B:492–493
 Site 846, A:88, 295; B:251
 Site 847, A:348
 Site 848, A:686–687; B:494
 Site 849, B:631, 633
 Site 850, A:821; B:268
 Site 851, A:903
 Site 852, A:983, 987
 Site 853, A:1029–1030; B:496
prismatica, Didymocystis, Site 851, A:214; B:195
prismatum, Pterocanum
 Site 844, A:139
 Site 846, A:88
 Site 854, B:203
prolatum, Anthocyrtidium
 Site 846, B:195
 Site 847, B:198
Prunopyle antarctica, Pacific Ocean E, B:467
Pseudoeemilia lacunosa
 Pacific Ocean E, B:175
 Site 844, A:131
 Site 845, A:211
 Site 846, A:286
 Site 847, A:87, 347
 Site 848, A:685
 Site 849, A:744; B:167
 Site 850, A:820
 Site 851, A:903
 Site 852, A:982; B:173
 Site 854, A:1068
Pseudoeunotia doliolus
 Pacific Ocean E, B:105, 529
 Site 844, A:139; B:107
 Site 845, A:215; B:111
 Site 846, A:292; B:112–113
 Site 847, A:351; B:114
 Site 848, A:691
 Site 849, A:745; B:115
 Site 850, A:822
 Site 851, A:907
 Site 852, A:984; B:122
 Site 853, A:1032
Pseudoeunotia doliolus Zone
 Site 844, A:139
 Site 845, A:215; B:111
 Site 847, B:114
 Site 848, A:691–692; B:114
 Site 849, A:744
 Site 850, A:822; B:116
 Site 851, A:907; B:117
 Site 854, A:1071
pseudofoliata/conglomerata, Globoquadrina, Pacific Ocean E, B:574
pseudoumbilicus, Reticulofenestra
 Pacific Ocean E, B:40, 164, 242, 246, 250, 278, 286, 480, 484–485, 499, 521
 Site 844, A:134
 Site 845, A:212
 Site 846, A:291
 Site 847, A:348
 Site 848, A:686–687
 Site 849, A:744; B:167, 263

TAXONOMIC INDEX

spectabilis, Pulleniatina

- Site 851, A:88, 903
 Site 852, A:983
 Site 853, A:1029; B:269
- Pterocanium prismaticum*
 Site 844, A:139
 Site 846, A:88
 Site 854, B:203
- Pterocanium prismaticum* Zone
 Pacific Ocean E, B:193
 Site 848, A:688
 Site 853, A:1031
- Pterocorys clausus*, Pacific Ocean E, B:467
- Pterocorys minithorax*, Pacific Ocean E, B:467
- pulchellus, Cestodiscus*
 Site 844, A:139
 Site 845, A:215
 Site 846, A:292
- pulchra, Distephanus*
 Site 849, B:162
 Site 854, B:149–150
- Pulleniatina*, Pacific Ocean E, B:556, 559
- Pulleniatina obliquiloculata*
 Pacific Ocean E, B:565–566, 574, 577, 583
 Site 853, A:1030
- Pulleniatina primalis*, Pacific Ocean E, B:556–565, 564, 572, 574–575, 583, 907
- Pulleniatina spectabilis*, Pacific Ocean E, B:583
- Pulleniatina* spp., Site 846, A:292
- quadrangula, Bachmannocena*
 Site 844, B:156
 Site 847, B:134
 Site 848, B:160
 Site 850, B:135
 Site 851, B:135
 Site 854, B:139, 145
- quadrangula, Mesocena*
 Site 847, A:351
 Site 853, A:1032
- quadrilobatus trilobus, Globigerinoides*, Pacific Ocean E, B:904
- quinquagellus, Distephanus*
 Site 849, B:162
 Site 854, B:149
- quinqueramus, Discoaster*
 Pacific Ocean E, B:243–244, 250, 278, 284
 Site 709, B:488
 Site 710, B:489
 Site 711, B:495
 Site 844, A:134; B:490–491
 Site 845, A:212; B:492–493
 Site 846, A:88, 286; B:633
 Site 847, A:348; B:254
 Site 848, A:687; B:61, 494
 Site 849, A:744
 Site 850, A:821
 Site 851, A:903
 Site 852, A:983; B:269
 Site 853, A:1030, 1032; B:496
- Raphidodiscus marylandicus*, Site 844, A:142
- reinholdii, Nitzschia*
 Pacific Ocean E, B:529
 Site 844, A:139; B:106–107
 Site 845, A:215; B:111
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 849, A:745; B:115–116
 Site 850, A:822; B:116
 Site 851, A:907; B:117
 Site 852, A:984; B:118, 121–122, 127
 Site 853, A:1032
- Reticulofenestra*, Pacific Ocean E, B:247
- Reticulofenestra minutula*, Pacific Ocean E, B:175
Reticulofenestra perplexa, Pacific Ocean E, B:175
Reticulofenestra pseudoumbilicus
 Pacific Ocean E, B:40, 164, 242, 246, 250,
 278, 286, 480, 484–485, 499, 521
 Site 844, A:134
 Site 845, A:212
 Site 846, A:291
 Site 847, A:348
 Site 848, A:686–687
 Site 849, A:744; B:167, 263
 Site 851, A:88, 903
 Site 852, A:983
 Site 853, A:1029; B:269
- Reticulofenestra* spp.
 Pacific Ocean E, B:278
 Site 844, A:131
 Site 845, A:211
 Site 846, A:286
 Site 847, A:347
 Site 848, A:685
- rex, Ethmodiscus*
 Pacific Ocean E, B:644
 Site 848, A:691
 Site 850, A:822
 Site 853, A:1032
- Rhizosolenia*, Pacific Ocean E, B:12, 642, 644
- Rhizosolenia bergenii*
 Site 846, A:292
 Site 847, A:351
 Site 848, A:691
 Site 850, A:822
- Rhizosolenia matuyama*, Pacific Ocean E, B:529
- Rhizosolenia paleacea*, Site 844, A:142
- Rhizosolenia paebergonii*
 Pacific Ocean E, B:105
 Site 844, A:141; B:107
 Site 845, B:111
 Site 846, A:292; B:113
 Site 847, A:88, 351; B:114
 Site 848, A:691–692
 Site 849, A:745
 Site 850, A:825
 Site 851, A:907, 909; B:117
 Site 852, A:984–985; B:122, 127
 Site 853, A:1032
- Rhizosolenia paebergonii* var. *robusta*, Pacific Ocean E, B:529
- Rhizosolenia paebergonii* var. *robustus*, Site 849, A:745
- Rhizosolenia paebergonii* Zone
 Site 844, A:139
 Site 845, A:215
 Site 846, B:112–113
 Site 847, B:114
 Site 850, A:825
 Site 852, A:985
- rioensis, Triquetrorhabdulus*, Pacific Ocean E, B:243, 280, 488
- robusta, Calocyctetta*, Pacific Ocean E, B:211
- Roperia tesselata*
 Site 846, A:292
 Site 847, A:351
 Site 848, A:692
- Rossiella*, Pacific Ocean E, B:648
- Rossiella paleacea*
 Site 844, A:139
 Site 845, A:215
 Site 850, A:825
 Site 851, A:909
 Site 852, B:127
- Rossiella paebergonii*, Site 846, A:293
- Rossiella paebergonii* Zone, Site 846, A:292
- Rossiella praepaleacea*, Site 846, A:292
- rotula, Geminilithella*
 Site 849, B:172
 Site 852, B:168
- ruber, Globigerinoides*
 Pacific Ocean E, B:561, 566, 569–570, 574,
 904
 Site 845, A:213
 Site 846, A:292; B:678, 683, 685
 Site 847, A:349; B:699, 703–704
- rubescens, Globigerina*, Pacific Ocean E, B:569,
 574
- rugosus, Ceratolithus*
 Pacific Ocean E, B:242–243, 279
 Site 847, A:348
 Site 848, A:686
 Site 853, A:1030
- rugosus, Triquetrorhabdulus*
 Pacific Ocean E, B:243, 279, 488, 501, 521
 Site 844, A:134; B:251
 Site 845, A:212
- sacculifer, Globigerinoides*
 Pacific Ocean E, B:559, 561, 567–568, 798
 Site 845, A:213–214
 Site 846, A:292; B:678, 680–681, 683–685
 Site 847, B:289, 292–308, 316–319, 431, 453,
 697–699, 703–704, 709
 Site 848, A:687
 Site 850, A:821
 Site 851, B:504–513
- scitula, Globorotalia*
 Pacific Ocean E, B:906
 Site 847, B:697
- sellii, Helicosphaera*
 Pacific Ocean E, B:240–241
 Site 849, B:167
- seminudina, Sphaeroidinellopsis*, Pacific Ocean E, B:907
- senticosa, Uvigerina*, Site 846, B:337, 341
- serotonin, Ammonochium*, Site 854, B:150
- serratus, Triquetrorhabdulus*, Pacific Ocean E, B:279, 488–490
- siakensis, Globorotalia*
 Site 848, A:687
 Site 851, A:906
- sicana, Praeorbulina*, Pacific Ocean E, B:904
- signus, Discoaster*
 Pacific Ocean E, B:249, 487–488
 Site 844, B:251
 Site 846, A:291
- simonsenii, Denticulopsis*
 Pacific Ocean E, B:105
 Site 844, B:111
 Site 845, B:112
 Site 851, B:117
- Skolithos*
 Pacific Ocean E, B:178–180, 184–185, 187
 Site 844, A:126–127
 Site 845, A:199, 210
 Site 846, A:281, 284
 Site 849, A:759
 Site 851, A:902, 913
 Site 852, A:975
 Site 853, A:1029, 1034
 Site 854, A:1068
- Solenosphaera omnibus*
 Site 845, A:214
 Site 846, A:88
- Solenosphaera omnibus* Zone
 Site 846, A:292
 Site 847, A:350
 Site 849, A:745
 Site 850, A:821
- spectabilis, Pulleniatina*, Pacific Ocean E, B:583

speculum, Distephanus

speculum, Distephanus, Site 850, B:135
speculum giganteus, Distephanus
 Site 844, B:158
 Site 854, B:149
speculum hemisphaericus, Distephanus
 Site 844, B:159
 Site 847, B:158
 Site 854, B:149
speculum minutus, Distephanus
 Site 847, B:159
 Site 854, B:149
speculum pentagonus, Distephanus
 Site 844, B:159
 Site 854, B:149
speculum speculum, Distephanus
 Site 847, B:158
 Site 849, B:135, 162
 Site 854, B:149
speculum tenuis, Distephanus
 Pacific Ocean E, B:130
 Site 847, B:157
 Site 850, B:153
 Site 851, B:138
 Site 854, B:149
Sphaeroidina bulloides, Site 846, B:337, 341
Sphaeroidinellopsis disjuncta
 Pacific Ocean E, B:907
 Site 845, A:214
Sphaeroidinellopsis kochi, Pacific Ocean E, B:907
Sphaeroidinellopsis seminulina, Pacific Ocean E,
 B:907
Sphaeroidinellopsis spp.
 Site 844, A:135, 138
 Site 846, A:292
 Site 847, A:349–350
 Site 848, A:687
 Site 849, A:744
 Site 850, A:821
 Site 851, A:906
 Site 852, A:983
 Site 853, A:1031
Sphaeroidinellopsis subdehiscens, Site 844, A:138
Sphaeroidinellopsis subquadratus, Site 845,
 A:214
Sphenolithus abies
 Pacific Ocean E, B:40, 280
 Site 851, A:88
 Site 853, A:1030; B:269
Sphenolithus belemnos-dissimilis, Site 847, B:255
Sphenolithus cf. belemnos, Site 847, A:348
Sphenolithus conicus, Site 847, A:348
Sphenolithus dissimilis, Site 847, A:348; B:255
Sphenolithus heteromorphus
 Pacific Ocean E, B:248–250, 280, 480, 484,
 500, 520–521
 Site 844, A:134
 Site 845, A:212; B:251, 484
 Site 846, A:286, 291; B:251
Sphenolithus neobabies
 Pacific Ocean E, B:242, 280
 Site 853, B:269
Sphenolithus spp., Site 847, A:348
Spongaster berminghami
 Site 844, A:139; B:195
 Site 846, A:292; B:195
 Site 847, A:350; B:198
 Site 848, A:688; B:199
 Site 849, A:745; B:199
 Site 850, A:821
 Site 851, B:199
 Site 852, B:202
Spongaster pentas
 Site 845, B:195
 Site 846, B:195

TAXONOMIC INDEX

Site 847, A:350; B:198
 Site 848, A:688; B:199
 Site 849, A:745; B:199
 Site 850, A:821
 Site 851, B:199
 Site 852, A:983; B:202
Spongaster tetras
 Site 844, A:139
 Site 846, A:292
 Site 847, A:350
Spongurus sp., Pacific Ocean E, B:467
stauracanthus, Distephanus, Site 844, B:134
stauracanthus forma octagonus, Distephanus
 Site 844, B:158
 Site 854, B:150
stauracanthus forma stauracanthus, Distephanus
 Site 844, B:158
 Site 854, B:150
stenozoa, Octopyle, Pacific Ocean E, B:467
Stichocorys delmontensis, Site 847, A:350–351;
 B:199
Stichocorys johnsoni, Pacific Ocean E, B:927–928
Stichocorys peregrina, Site 847, B:198
Stichocorys peregrina Zone
 Pacific Ocean E, B:192, 194
 Site 854, A:1070
Stichocorys wolffii, Site 849, A:89
Stylatractus universus, Site 847, A:87
Stylatractus universus Zone
 Pacific Ocean E, B:192
 Site 854, B:203
Stylechlamydium astericum, Pacific Ocean E,
 B:467
Stylocladia validispina, Pacific Ocean E, B:467
subclinata, Dictyocha, Site 854, B:146
subdehiscens, Sphaeroidinellopsis
 Site 844, A:138
 Site 845, A:214
subglobosa, Globocassidulina, Site 846, B:337,
 341
surculus, Discoaster
 Pacific Ocean E, B:242, 244, 499–501
 Site 844, A:134
 Site 845, A:212
 Site 846, A:88, 294
 Site 847, A:347
 Site 849, B:166
 Site 851, B:268
 Site 852, B:169
suteri, Globorotaloides, Pacific Ocean E, B:907
suturalis, Orbolina
 Pacific Ocean E, B:904
 Site 844, A:139
 Site 845, A:214
Syracosphaera
 Site 849, B:170
 Site 852, B:169
tamalis, Discoaster
 Pacific Ocean E, B:242, 278
 Site 847, A:347
 Site 849, B:166
 Site 851, B:268
 Site 852, B:168
tamerae, Dictyocha, Site 854, B:148
temperi var. delicata, Thalassiosira
 Site 844, A:142
 Site 846, A:293
tenuipes, Paratrhanium, Site 854, B:150
tesselata, Roperia
 Site 846, A:292
 Site 847, A:351
 Site 848, A:692
Tetrapyle octacantha, Pacific Ocean E, B:467
tetras, Spongaster
 Site 844, A:139
 Site 846, A:292
 Site 847, A:350
tetrathalamus, Didymocystis, Pacific Ocean E,
 B:467
Thalassinoides, Pacific Ocean E, B:178
Thalassionema nitzschiooides
 Site 844, A:139
 Site 845, A:215
 Site 846, A:292
 Site 847, A:351
 Site 848, A:692
 Site 850, A:822
 Site 851, A:907
 Site 853, A:1032
Thalassionema nitzschiooides var. *parva*
 Site 846, A:292
 Site 847, A:351
 Site 848, A:692
 Site 850, A:822
 Site 851, A:907
Thalassiosira
 Pacific Ocean E, B:647–648
 Site 846, B:113
Thalassiosira brunii
 Site 844, B:111
 Site 845, B:112
Thalassiosira bukyri, Site 844, B:111
Thalassiosira burckiana
 Site 844, B:111
 Site 845, A:215
 Site 849, A:745; B:116
 Site 850, A:825; B:117
 Site 851, A:909
Thalassiosira convexa
 Site 844, A:139, 141
 Site 845, A:215; B:111
 Site 846, A:292–293; B:113
 Site 847, A:351–352; B:114
 Site 848, A:692
 Site 850, A:88, 822, 825; B:116
 Site 851, A:907
 Site 852, A:984–985; B:118, 122, 127
Thalassiosira convexa var. *aspinosa*
 Site 848, B:115
 Site 850, A:825
 Site 851, B:117
Thalassiosira convexa var. *convexa*
 Site 846, B:124
 Site 847, A:351
 Site 848, A:692
 Site 849, B:115
 Site 850, B:116
 Site 851, A:909
 Site 854, A:1071
Thalassiosira convexa Zone
 Site 844, A:139
 Site 845, A:215
 Site 846, B:113
 Site 847, A:352
 Site 848, B:115
 Site 849, B:115
 Site 850, A:825
 Site 851, A:907; B:117
Thalassiosira eccentrica, Site 848, A:692
Thalassiosira fraga, Site 844, A:142
Thalassiosira miocenica
 Site 845, B:111
 Site 846, B:113
 Site 847, A:352
 Site 849, A:745; B:115
 Site 850, A:88
 Site 851, A:907

TAXONOMIC INDEX

zones and subzones

- Site 852, B:126
Thalassiosira oestrupii
 Pacific Ocean E, B:521
 Site 844, A:139
 Site 845, A:215
 Site 846, A:292
 Site 847, A:351
 Site 848, A:692
 Site 852, A:984; B:126
Thalassiosira plicatus, Site 846, B:113
Thalassiosira paeconvexa
 Site 844, A:139; B:107
 Site 845, B:112
 Site 846, A:293; B:113
 Site 847, A:352
 Site 849, A:745; B:115
 Site 851, A:907, 909
 Site 852, A:985; B:127
Thalassiosira temperi var. *delicata*
 Site 844, A:142
 Site 846, A:293
Thalassiosira yabei
 Site 844, A:139; B:107
 Site 845, A:215; B:112
 Site 849, A:748
 Site 850, A:825; B:116
 Site 851, A:907
Thalassiosira yabei group, Site 846, A:292
Thalassiosira yabei/Nitzschia porteri zonal boundary, Site 844, A:139
Thalassiosira yabei Zone
 Site 844, A:142
 Site 846, A:293
 Site 849, A:745; B:116
 Site 850, A:825; B:117
 Site 851, A:909
 Site 852, B:118
Thalassiothrix acuta, Pacific Ocean E, B:641
Thalassiothrix antarctica, Pacific Ocean E, B:641
Thalassiothrix heteromorpha, Pacific Ocean E, B:642
Thalassiothrix longissima
 Pacific Ocean E, B:12, 179, 181, 539, 541, 545–547, 628, 630–631, 634–635, 638, 641–645, 651, 654, 656–657, 662–663
 Site 844, A:139; B:668, 672
 Site 845, A:196, 215
 Site 846, A:292
 Site 847, A:343, 351
 Site 848, A:692
 Site 849, A:754, 765
 Site 850, A:822, 825
 Site 851, A:907
 Site 852, A:974, 984
Thalassiothrix longissima group, Pacific Ocean E, B:647, 660–661
Theocalyptrera davisiана davisiана, Pacific Ocean E, B:467
Theocorythium trachelium
 Pacific Ocean E, B:912–914, 916, 925
 Site 845, A:214; B:195
Theocorythium vetulum, Pacific Ocean E, B:912–914, 916
thornburgi, *Lithopera*
 Site 846, B:195
 Site 852, A:984; B:202
tosaensis, *Globorotalia*, Pacific Ocean E, B:555
trachelium, *Theocorythium*
 Pacific Ocean E, B:912–914, 916, 925
 Site 845, A:214; B:195
tricantha, *Corbisema*
 Site 844, B:134
 Site 854, B:145
tricorniculatus, *Amaurolithus*
 Pacific Ocean E, B:242, 244, 279
 Site 848, A:686
 Site 853, A:1029
Triquetrorhabdulus, Pacific Ocean E, B:244, 279
Triquetrorhabdulus-Amaurolithus intergrade, Pacific Ocean E, B:285
Triquetrorhabdulus extensus, Pacific Ocean E, B:279
Triquetrorhabdulus extensus-Amaurolithus amplificus intergrade, Pacific Ocean E, B:285–286
Triquetrorhabdulus farnsworthii, Pacific Ocean E, B:280
Triquetrorhabdulus milowii, Pacific Ocean E, B:279–280
Triquetrorhabdulus rioensis, Pacific Ocean E, B:243, 280, 488
Triquetrorhabdulus rugosus
 Pacific Ocean E, B:243, 279, 488, 501, 521
 Site 844, A:134; B:251
 Site 845, A:212
Triquetrorhabdulus serratus, Pacific Ocean E, B:279, 488–490
triradiatus, *Discoaster*
 Pacific Ocean E, B:241–242
 Site 847, A:347
 Site 849, B:166
tributus, *Acrobotrys*
 Site 846, A:292
 Site 848, A:688; B:199
 Site 849, B:199
 Site 850, A:822
 Site 851, B:199
 Site 852, A:983
truncatulinoides, *Globorotalia*
 Pacific Ocean E, B:556
 Site 847, A:349
 Site 849, A:744
tuberosa, *Collospheara*
 Site 844, B:195
 Site 850, B:229
tumida, *Globorotalia*
 Pacific Ocean E, B:556, 559, 562–563, 570–571, 576–577
 Site 844, A:135, 138
 Site 845, A:213
 Site 846, A:292
 Site 847, A:349
 Site 850, A:821
 Site 851, A:906; B:504–513
 Site 852, A:983
 Site 853, A:1030
 Site 854, A:1070
umbonifera, *Oridorsalis*, Site 846, B:337, 341
universa, *Orbulina*, Site 846, B:678
universus, *Stylatractus*, Site 847, A:87
Uvigerina, Site 846, B:611
Uvigerina peregrina
 Site 846, B:677, 839–842, 845, 848–852
 Site 849, B:371–412
Uvigerina senticosa, Site 846, B:337, 341
Uvigerina spp.
 Site 844, B:665, 667
 Site 846, B:337, 341, 352
validispina, *Stylocictya*, Pacific Ocean E, B:467
Valvularineria laevigata, Site 844, B:667
varia, *Dictyocha*
 Site 844, B:134, 157
 Site 851, B:155
 Site 852, B:160
 Site 854, B:148
variabilis, *Globorotaloides*, Pacific Ocean E, B:907
variabilis group, *Discoaster*
 Pacific Ocean E, B:175, 247
 Site 849, B:166
venezuelana, *Globoquadrina*
 Pacific Ocean E, B:574
 Site 844, A:138
 Site 845, A:214
 Site 847, A:350
 Site 848, A:687
 Site 850, A:821
 Site 853, A:1031
vetulum, *Theocorythium*, Pacific Ocean E, B:912–914, 916
weddellensis, *Alabaminella*, Site 844, B:666, 668
wolfii, *Stichocorys*, Site 849, A:89
woodi, *Globigerina*, Pacific Ocean E, B:560, 562, 564, 567–569, 574
wuellerstorfi, *Cibicides*
 Site 846, B:839–842, 845, 848–852
 Site 849, B:371–412
wuellerstorfi, *Cibicidoides*, Site 846, B:337, 341, 352, 677
xenus, *Distephanus*
 Site 849, B:162
 Site 854, B:149
yabei, *Thalassiosira*
 Site 844, A:139; B:107
 Site 845, A:215; B:112
 Site 849, A:748
 Site 850, A:825; B:116
 Site 851, A:907
yabei group, *Thalassiosira*, Site 846, A:292
ypsilon, *Amphirhopalum*
 zones and subzones (with letter prefixes)
 CN2, B:348
 CN3, A:131, 134, 251, 285, 291; B:248, 249–250, 278
 CN4, A:134, 212, 286; B:246, 248–249, 278, 482
 CN4–CN3 interval, B:487
 CN4/CN3 boundary, A:134
 CN5, A:134, 212, 251, 821; B:248, 278, 280, 489, 490–491
 CN5a, A:212, 488
 CN5a/CN4 boundary, A:134
 CN5a/CN5b boundary, B:486
 CN5b, A:744, 817–821; B:268, 492, 497
 CN5b/CN5a boundary, A:134, 212
 CN6, A:134, 212, 286, 685, 687, 903, 982–983, 1029; B:65, 251, 268–269
 CN6/CN5 boundary, A:134
 CN6/CN5b boundary, B:493
 CN7, A:286, 678, 744, 821, 903, 982–983, 1029; B:250–251, 268, 269
 CN7/CN6 boundary, B:497–498
 CN7a/CN7b boundary, B:243
 CN7b, A:212
 CN8, A:982, 1029–1030; B:245–246, 251, 269, 278, 499
 CN8/CN7 boundary, A:134, 983
 CN8a, B:498–499
 CN8a/CN8b boundary, B:261
 CN8b, B:499
 CN9, A:131, 212, 286, 821, 902–903, 1029–1030; B:243–244, 247, 251, 268–169, 499
 CN9/CN8 boundary, A:1030; B:261
 CN9a, A:212, 983, 1068; B:65
 CN9a/CN8 boundary, A:286

zones and subzones (cont.)

TAXONOMIC INDEX

CN9b, A:212, 347, 687, 744, 1030, 1068; B:244, 247, 278, 500
 CN9bA, B:263, 282
 CN9bB, B:282
 CN9bC, B:282
 CN10, A:348, 821, 1068; B:242
 CN10a/CN9b boundary, A:983
 CN10b, A:348; B:250
 CN10c, B:250
 CN11, A:268, 269, 348, 744, 820, 1068; B:241–242, 261
 CN11a, B:250
 CN11b, B:250
 CN12, A:134, 212, 348, 268, 269, 1068; B:241, 269
 CN12a, A:348, 686; B:242, 268
 CN12b, B:242, 254
 CN12d, A:208, 211
 CN12d–CN12c interval, B:242
 CN13, A:208, 211
 CN13/CN12 boundary, B:241
 CN13b/CN13a boundary, B:239
 CN14, A:131, 211
 CN14a, A:131
 CN14a–CN13 interval, A:347
 CN14a–CN14b interval, A:347
 CN14b, A:131, 208, 210–211, 285, 347, 685, 744, 820, 981, 1029
 CN15, A:285
 CN15–CN14b interval, A:744; B:239, 269
 N5, A:286
 N7, A:139, 292
 N8, A:139, 292
 N9, A:138
 N10, A:138, 214, 687

N11, A:214
 N12, A:138, 214, 687
 N12–N11 interval, A:138
 N13, Site 844, A:138
 N14, A:903, 983
 N17, A:138, 213, 292, 350, 744, 821, 906, 983
 N17b, B:560, 562, 565, 572
 N18, A:292, 687, 1031
 N19, A:687
 N19–N18 interval, A:138, 744
 N19/N18 boundary, B:241, 560, 562, 565, 572
 N20/N19 boundary, B:558, 560–562, 565–566, 569
 N21, A:687, 744; B:563–564
 N22, A:135, 292, 349, 744, 821, 906, 983; B:564–565, 567, 572
 NN1, A:983
 NN3, Site 845, A:210
 NN4, A:131, 134, 210, 212, 285, 291; B:248, 250–251
 NN5, A:286; B:246, 248, 482
 NN5/NN4 boundary, A:134; B:487
 NN6, A:212, 286; B:248, 251, 488
 NN6/NN5 boundary, A:134
 NN7, A:212, 286, 744, 820–821, 903; B:248, 251
 NN7/NN6 boundary, A:134
 NN8, A:212, 286, 685, 687, 821, 983; B:243, 247, 250, 493
 NN9, A:212, 286, 687, 744, 821, 903, 982–983; B:243, 247, 250–251, 268
 NN9/NN8 boundary, A:134; B:497–498
 NN10, A:982, 1029–1030; B:245, 426
 NN10/NN9 boundary, A:134, 983
 NN11, A:212, 286, 347, 687, 744, 982–983, 1030, 1068; B:251, 268
 NN11/NN10 boundary, A:286, 1030
 NN11a, Pacific Ocean E, B:244
 NN12, A:1068; B:269
 NN12/NN11 boundary, A:821, 983
 NN13, A:1068
 NN13, pars-NN12, B:242
 NN14, A:1068
 NN15, A:1068
 NN15–NN14 interval, A:744
 NN16, A:686, 1068; B:241–242
 NN16, Pacific Ocean E, B:241–242
 NN16/NN15 boundary, A:348
 NN17, A:1068; B:241, 254
 NN17/NN16 boundary, A:212
 NN18, B:211, 241, 269
 NN18/NN17 boundary, B:242
 NN19, A:347
 NN20, A:131, 210, 285, 685, 820, 981, 1029
 NN21, Site 846, A:285
 NN21–NN20 interval, A:744
 NN21/NN20 boundary, B:239, 269
Zoophykos
 Pacific Ocean E, B:178, 183–185, 188–190
 Site 844, A:125–127, 137
 Site 845, A:199, 209
 Site 846, A:281–285
 Site 847, A:344
 Site 850, A:817
 Site 851, A:902
 Site 852, A:975, 979
 Site 853, A:1029
 Site 854, A:1068