

## INDEX TO VOLUME 139

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 139 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and to those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by DBA, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets"), core photographs, smear-slide data, or thin-section descriptions; these are given in separate sections in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as foraminifers and nannofossils. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 855, for example, is given as "Site 855, A:101–160."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

- abyssal hills, morphology, A:19–20  
accretionary prisms, drilling, A:44  
acoustic imagery  
  Bent Hill, B:682  
  Middle Valley, B:700–701  
  Site 855, A:106  
  Site 856, A:167–169  
  Site 857, A:293  
  Site 858, A:437, 443  
  surface deformation, A:21  
advection, fluid flow, B:328  
albite  
  hydrothermal alteration, B:214  
  precipitation, B:406  
  sills, B:116–117  
alkaline earths, hydrothermal fluids, B:401–402  
alkalinity  
  hydrothermal fluids, B:398–399  
  interstitial waters, A:115, 188  
  vs. depth, A:125, 194, 333, 475; B:435, 688  
  vs. magnesium, B:402  
alkali systematics, sedimented hydrothermal systems, B:407  
alkalis, hydrothermal fluids, B:399–401  
alkanes  
  geochemistry, A:197–200  
  sediments, B:331–336, 449–454  
  *See also n-alkanes*  
alkenones  
  alteration, B:456  
  markers, A:325–326, 490–491  
  sediments, A:124, 200; B:479–484  
  unsaturation index vs. sub-bottom depth, B:481  
  vs. depth, A:349, 493  
  vs. temperature, A:208  
alkyl naphthalenes, maturation, B:458  
alkyl phenanthrenes, maturation, B:458  
alteration. *See* hydrothermal alteration; metamorphism  
alteration minerals  
  vs. compressional wave velocity, B:608  
  vs. density, B:608  
aluminum  
  vs. iron, B:171  
  vs. iron/(iron + magnesium) ratio, B:184  
  *See also* chromium/(chromium + aluminum) ratio; silicon/aluminum ratio  
aluminum/(aluminum + iron + manganese) ratio, vs. iron/titanium ratio, B:295  
aluminum oxide  
  basalt, A:137–138  
  sediments, A:327–328  
  vs. depth, A:223, 225, 354, 356, 515–518; B:228–250, 359–367  
  vs. magnesium number, B:87  
  vs. silica, B:225  
  *See also* calcium oxide/aluminum oxide ratio  
ammonia  
  hydrothermal fluids, B:399  
  vs. depth, A:129; B:489–490  
  vs. vitrinite reflectance, B:490  
ammonia, mineral, time–temperature history, B:485–494  
ammonium  
  interstitial waters, A:115, 191  
  vs. depth, A:196, 339, 477; B:688  
amphibole, sediments, B:115–116  
amyriins, maturation, B:458  
amyrones, maturation, B:458  
analcime  
  alteration minerals, A:498, 500–510  
  sediments, B:127  
analcime, euhedral, photograph, A:499  
anatase, sediments, B:116  
anhydrite  
  alteration minerals, A:96–510; B:155–201  
  fluid inclusions, B:413–416  
  hydrothermal alteration, B:214  
  lithologic units, A:456  
  massive sulfides, B:377  
  nodules, A:448  
  photograph, A:178  
  sediments, A:208–209; B:115–116  
  sulfur isotopes, B:739–748  
anhydrite, euhedral, photograph, A:496  
anisotropy, vs. depth, A:547; B:587  
aromaticity, vs. vitrinite reflectance, B:492  
arsenic, vs. depth, B:229–250, 359–367  
authigenic minerals  
  concretions, B:140–142  
  diagenesis, B:109–110  
  hydrothermal alteration, B:295–298  
bacteria  
  profiles, B:509–516  
  vs. depth, B:511–515  
  *See also* dividing/divided bacterial cells  
bacterial degradation, sediments, A:316–318  
barite  
  diagenesis, B:109–110  
  geochemistry, B:737–738  
  hydrothermal alteration, B:215  
  massive sulfides, B:377  
  sulfur isotopes, B:739–748  
barium  
  hydrothermal fluids, B:402  
  vs. chlorinity, B:435  
  vs. depth, A:224, 226, 228, 360; B:229–250, 359–367, 435, 689, 749–750, 755  
  vs. magnesium, B:404  
basalts  
  chemical composition, B:429–438  
  composition, A:146–149, 332  
  geochemistry, A:117–118  
  geochemistry of alteration water, A:478  
  lithostratigraphy, A:141  
  modal composition, A:142  
  permeability, B:671–674  
  recovery, A:140  
  reflectors, B:593  
  rock magnetism, B:531  
  secondary minerals, B:116–117  
  seismic velocity, B:597–612  
  sulfur isotopes, B:739–748  
basalts, altered, A:362  
basalts, mid-ocean-ridge, geochemistry, A:136–140  
basalts, porphyritic  
  petrography, B:81–84  
  petrology, A:130, 132, 135–140  
basalts, variolitic, lithology, A:507–513  
basement  
  outcrops, A:11–12  
  petrology, A:130  
  sediment–rock interface, B:671–675  
  seismic reflection, A:103–104  
basement, acoustic, A:164–165  
basement, hydrothermal  
  maturation, B:568–569  
  seismic velocity, B:597–612  
  Site 857, B:700–704  
basement, igneous  
  bulk permeability, B:622–623  
  structure, B:573–583  
bathymetry  
  drilling sites, A:6  
  Juan de Fuca Ridge, A:18  
  Middle Valley, B:4, 20, 30, 699  
  Site 855, A:104–105  
  Site 856, A:166  
  Site 857, A:290–291  
  Site 858, A:436  
Bent Hill vent field  
  acoustic images, B:682  
  fluid inclusions, B:411–412  
  geochemistry, B:210–211  
  heat flow, A:33  
  hydrothermal alteration, A:230; B:134, 157, 226, 230–231  
  igneous rocks, B:84–97  
  magnetic surveys, B:30–33  
  reaction zones, B:715  
  thermal conductivity, B:724  
  vent site map, B:398  
benzofluoranthenes  
  maturation, B:459  
  sediments, B:331–336  
benzopyrenes  
  maturation, B:460  
  sediments, B:336–337  
beryllium, vs. depth, B:229–250  
biogenic structures, turbidite, B:107–108  
biogeography, planktonic foraminifers, B:40–41  
biomarkers  
  hydrocarbons, B:334–335  
  maturity parameters, B:457  
  sediments, A:200  
biostratigraphy  
  nannofossils, B:61–64  
  Quaternary, B:39–58  
  Site 855, A:110, 113  
  Site 856, A:180–188  
  Site 857, A:300, 302–305  
  Site 858, A:457–459  
bioturbation  
  lithologic units, A:301  
  photograph, A:111  
  turbidite, B:107  
bismuth, vs. depth, B:359–367  
bitumens  
  extracts vs. depth, A:491–493; B:454  
  fluorescence, A:321  
  gas chromatographs, A:131, 203, 206  
  geochemistry, A:197–200, 487–490  
  maturity vs. depth, A:204–205  
  sediments, B:331–336  
  thermal maturation, A:121, 124–125  
  *See also* lipid/bitumen ratio  
black soot, sediments, A:487  
Blanco Fracture Zone, tectonics, A:10–11  
boreholes, tools, A:43–53  
borehole seals, CORK, A:370–380  
boron  
  hydrothermal fluids, B:399  
  vs. chlorinity, B:437  
  vs. depth, B:437, 749–750, 755

## boron (cont.)

## SUBJECT INDEX

- vs. magnesium, B:402  
 Bouma units, lithologic units, A:110  
 breccia, lithologic units, A:449–450  
 breccia, hydrothermal  
   composition, B:200–201  
   fluid flow, B:663–664  
 brecciation  
   photograph, A:179  
   Site 856, A:177  
   zones, B:231–247  
 brecciation, crackle, sediments, A:205  
 bromide  
   hydrothermal fluids, B:398  
   vs. magnesium, B:401  
 Brunhes–Matuyama boundary, magnetic anomalies, B:22  
 Brunhes Chron  
   magnetostratigraphy, A:188  
   Middle Valley, A:305  
   rifts, B:19–21  
   spreading centers, A:10–11  
   spreading rates, A:434  
 burrows  
   carbonates, B:141–142  
   diagenesis, B:109  
   lithologic units, A:451  
   photograph, A:180  
 C<sub>1</sub>/C<sub>2</sub> ratio, vs. depth, A:485  
 cadmium, vs. depth, B:359–367  
 calcite  
   alteration minerals, A:136, 498, 500–510  
   concretions, B:141–142  
   cracks, A:304  
   fluid inclusions, B:413–416  
   hydrothermal alteration, B:214  
   sediments, A:208–209  
 calcium  
   basalt, A:117–118  
   hydrothermal fluids, B:402  
   interstitial waters, A:116  
   vs. chlorinity, B:434  
   vs. depth, A:128, 195, 338, 476; B:434, 686, 689  
   vs. magnesium, B:404  
   vs. sulfate, A:197  
   *See also* sodium/calcium ratio; strontium/calcium ratio  
 calcium/chlorine ratio, hydrothermal fluids, B:406  
 calcium/chlorinity ratio, vs. depth, A:482  
 calcium oxide  
   sediments, A:329  
   sills, B:95  
   vs. carbon dioxide, B:224  
   vs. depth, A:139, 223, 225, 227, 515–518; B:228–250, 301, 359–367, 445  
   vs. magnesium number, B:87  
   calcium oxide/aluminum oxide ratio, vs. magnesium number, A:148, 264, 377, 529  
 calcium oxide–calcium carbonate, vs. depth, A:359  
 carbon  
   carbonates, B:322  
   geochemistry, A:486–487  
   sediments, A:125–128, 201–203, 326; B:307–312  
   vs. depth, A:133–137, 202, 212, 341, 349–350, 483–485, 491–495; B:309  
   vs. sulfur, B:311  
   weight percentage vs. depth, A:209–210  
 carbon/hydrogen ratio  
   geochemistry, A:486–487  
 carbon/nitrogen ratio  
   geochemistry, A:486–487  
   sediments, A:127–128  
   vs. depth, A:133–137, 211, 491–495  
 carbon/sulfur ratio  
   geochemistry, A:486–487  
   sediments, A:127–128  
   vs. depth, A:133–137, 211, 229, 491–495  
   vs. sulfur, B:311  
   weight percentage vs. depth, A:209–210  
 carbon, inorganic  
   hydrothermal alteration, B:307–312  
   vs. depth, A:229, 515–518  
   vs. organic carbon, B:311  
 carbon, organic  
   hydrothermal alteration, B:298–300, 307–312  
   sediments, B:449–454, 468  
   vs. depth, B:228–250, 444–445, 453, 689  
   vs. inorganic carbon, B:311  
 carbon, organic, dissolved, interstitial waters, B:441–446  
 carbon, organic, total, vs. depth, A:223, 225, 515–518  
 carbon, organic/total sulfur, vs. depth, B:311  
 carbon, total, sediments, B:331–336  
 carbon dioxide  
   alteration, A:136–140  
   gases, A:489  
   geochemistry, A:197  
   sediments, A:121, 319–320, 479–482  
   vs. calcium oxide, B:224  
   vs. depth, A:202, 223, 225, 228–250, 341, 483–485  
 carbon dioxide, free, vs. depth, A:130  
 carbon isotopes  
   carbonates, B:322  
   gases, B:469–470  
   hydrocarbons, B:470, 473  
   hydrothermal fluids, B:291–305, 421–423  
   nodules, B:333  
   sediments, B:329–339  
   vs. depth, B:296–297, 299, 304, 322–323  
   vs. iron, B:327  
   vs. manganese, B:327  
 carbon preference index  
   sediments, B:449–454  
   vs. depth, B:455  
 carbonate compensation depth  
   nannofossils, B:64–69  
   Quaternary, B:40, 50, 53  
 carbonates  
   alteration minerals, A:496  
   composition, B:296–297, 300  
   concretions, B:140–142, 294–295  
   diagenesis, B:108–109  
   massive sulfides, B:377  
   nodules, B:313–339  
   secondary minerals, B:155–201  
   sediments, B:116  
   ternary diagrams, B:188  
 carbonyl compounds, mass fragmentograms, B:456  
 cassiterite, massive sulfides, B:377  
 catagenesis  
   hydrothermal alteration, B:337  
   maturation, B:447–465  
 celadonite, alteration, A:136  
 cements, hydrothermal alteration, B:313–328  
 cerium  
   vs. depth, A:224, 226  
   *See also* lanthanum/cerium ratio  
 cerium/ytterbium ratio, vs. titanium oxide, B:88  
 cesium  
   hydrothermal fluids, B:401  
   vs. magnesium, B:403  
   *See also* rubidium/cesium ratio  
 chalcidony, sills, B:116–117  
 chalcopyrite  
   diagenesis, B:109–110  
   hydrothermal alteration, A:213–231; B:214  
   igneous rocks, A:511  
   magnetic properties, B:539–540  
   massive sulfides, B:376–377  
   sills, B:94  
   veins, A:206  
 chemical alteration, sediments, B:711–713  
 chemical techniques, ground rock interstitial normative determination, B:429–438  
 chloride, vs. magnesium, B:401  
 chlorine. *See* calcium/chlorine ratio; sodium/chlorine ratio  
 chlorinity  
   hydrothermal fluids, B:397  
   interstitial waters, A:118, 120, 188; B:433–437  
   profiles, A:479  
   vent fields, B:408–409  
   vs. depth, A:125, 194, 333, 475; B:433, 513, 687  
   *See also* calcium/chlorinity ratio; magnesium/chlorinity ratio; sodium/chlorinity ratio  
 chlorite  
   alteration minerals, A:498, 500–510; B:155–201  
   high temperature, A:212  
   hydrothermal alteration, B:214, 298–302  
   igneous rocks, A:511  
   metamorphism, A:236  
   photograph, A:526  
   sediments, A:129, 208–209, 328–329; B:115–116  
   sills, B:94, 116–117  
   ternary diagrams, B:182–183  
   veins, A:338–340  
   X-ray-diffraction data, B:116–117, 142–146  
   zoning, B:355–358  
 chloritization, hydrothermal alteration, B:127  
 cholesterol, alteration, B:457  
 Chondrites, turbidite, B:107–108  
 Chowder Hill, hydrothermal mounds, B:396  
 chromium  
   basalt, A:137–138  
   spinel, B:90  
   vs. depth, A:224, 226; B:230–250  
   chromium/chromium + aluminum ratio, vs. magnesium (magnesium + iron) ratio, B:90  
 circulation obviator retrofit kit (CORK)  
   formation pressure, B:651–668  
   logs, A:535–536  
   tools, A:43–53  
 clay, silty, lithologic units, A:173, 297–298, 446–447  
 clay minerals  
   alteration minerals, A:498, 500–510  
   hydrothermal alteration, B:118, 298–302  
   sediments, A:129; B:115–116  
   seismic velocity, A:23, 27, 31  
   ternary diagrams, B:182–183  
   X-ray-diffraction data, B:119–121, 142–146  
   *See also* chlorite; illite  
 claystone, silty, lithologic units, A:449–454  
 clinopyroxene  
   composition, B:100  
   igneous rocks, A:337  
   petrography, B:81–84

- petrology, A:130, 132, 135–138  
 photograph, A:142–144  
 sills, B:86, 94  
 cobalt, vs. depth, B:230–250, 359–367  
 Cobb propagator, geochemistry, A:136  
 coiling direction zones, foraminifers, B:47–50, 53  
 colloform texture, sulfides, A:242–243  
 compressional wave velocity  
   basalts, B:598–600  
   massive sulfides, B:722  
   Site 856, A:242, 245  
   Site 857, A:355–359, 385–387, 389–391, 394–396  
   Site 858, A:521–522  
   vs. alteration minerals, B:608  
   vs. density, B:606–607  
   vs. depth, A:149–151, 154–156, 265, 267–271, 378–381, 398–400, 531–541, 545–546  
   vs. oxides + sulfides, B:608  
   vs. porosity, B:605  
   vs. pressure, B:605  
   vs. void ratio, B:636  
 compressional wave velocity, PWL, A:517–518  
 concretions  
   alteration minerals, A:496  
   carbonates, A:204; B:140–142, 294–295  
   *See also* nodules  
 consolidation index, vs. unloading slope, B:635  
 consolidation testing, sediments, B:630–634  
 constant-rate injection tests, permeability, B:615–616  
 convection, supercritical, sediment/basalt interface, B:667–675  
 convective circulation, hydrothermal alteration, B:303–305  
 convolute bedding, lithologic units, A:452  
 copper  
   hydrothermal fluids, B:404–405  
   massive sulfides, A:233  
   sills, B:95  
   vs. depth, A:224, 226, 360; B:229–250, 359–367  
   vs. magnesium, B:405  
   vs. zinc, A:139  
 core locations, with respect to fault scarps, A:140  
 CORK units. *See* circulation obviation retrofit kit  
 coronene, sediments, B:331–336  
 correlation, lithostratigraphic units, A:176  
 corensite  
   hydrothermal alteration, B:298–302  
   sediments, B:115–116  
 cracks  
   modal composition of fillings, B:603  
   *See also* microcracks  
 cross laminations, photograph, A:180  
 crust. *See* oceanic crust  
 crust, lower, magnetization, B:19–27  
 crustal burial, faults, B:25–26  
 crystal molds, photograph, A:178  
 Curie temperature  
   magnetic properties, B:529  
   sediments, B:728  
 Dead Dog vent field  
   geology, A:435–436  
   heat flow, A:33  
   hydrothermal mounds, B:396  
   magnetic surveys, B:29–30  
 debris flows, diagenesis, B:109–110  
 deformation, lithologic units, A:300  
 demagnetization  
   sediments, A:191–192  
   Site 858, A:468–469  
   vs. depth, A:327–331  
 demagnetization, alternating-field  
   cores, A:305–307  
   plots, A:122–123  
   sediments, A:185–197; B:726  
   vs. normalized remanence, B:528  
 demagnetization, thermal, orthogonal plots, B:529–530  
 dendrograms, foraminifers, B:57–58  
 density  
   mafic rocks, B:603–606  
   massive sulfides, B:722  
   vs. alteration minerals, B:608  
   vs. compressional wave velocity, B:606–607  
   vs. oxides + sulfides, B:608  
   vs. temperature, B:664  
 density, bulk, GRAPE, A:353  
   sediments, B:586  
   vs. depth, A:403, 552  
 density, grain  
   estimation from smear-slide description, B:556  
   vs. depth, A:149–151, 154–156, 268, 270–271, 536–540, 545  
 density, wet-bulk  
   GRAPE, A:515–517  
   vs. depth, A:149–151, 154–156, 268, 270–271, 378, 400, 531–534, 536–539, 545; B:547, 604, 723  
   vs. void ratio, B:636  
 density–natural gamma-ray logs  
   Site 857, A:418–420  
   Site 858, A:568  
 density logs, synthetic seismograms, B:591–593  
 diabase  
   composition, A:232–238, 332  
   geochemistry, B:88–89  
   geochemistry of alteration water, A:478  
   remanence, B:519–534  
   seismic velocity, B:597–612  
   sulfur isotopes, B:739–748  
 diabase, spherulitic, lithology, A:511  
 diagenesis  
   amorphous silica, B:341–349  
   chemical reactions, B:307–312  
   hydrothermal alteration, B:313–328  
   maturation, B:447–465  
   sediments, A:203–213, 318; B:728  
   silica, B:713  
   turbidite, B:105–111  
 diagenetic structures, turbidite, B:108–109  
 diasteranes, sediments, B:339  
 dissolution  
   nannofossils, B:67–69  
   sphalerite, A:230  
 dividing/divided bacterial cells, vs. depth, B:514  
 dolomite  
   alteration minerals, A:498, 500–510  
   fluid inclusions, B:413–416  
   geochemistry, B:315  
   hydrothermal alteration, B:298–302  
   massive sulfides, B:377  
   zoning, B:355–358  
 downhole flow, vs. depth, A:415, 563  
 downhole logging, A:523–528  
 downhole measurements  
   igneous basement, B:573–583  
   Site 856, A:247–255  
   Site 857, A:359–368  
   tools, A:43–53  
 drilling, tools, A:43–53  
 electrical resistivity  
   Site 857, A:387, 393  
   *See also* resistivity  
 element depletion, hydrothermal alteration, B:231–247  
 Endeavour Ridge  
   spreading centers, B:22  
   tectonics, A:12–15  
 Endeavour Valley, tectonics, A:11  
 epidote  
   alteration minerals, B:155–201  
   hydrothermal alteration, B:214  
   igneous rocks, A:511  
   iron vs. aluminum, B:171  
   sediments, B:116  
   sills, B:116–117  
   veins, A:330–340  
 Escanaba Trough, sediment composition, B:407  
 ethane  
   geochemistry, A:197  
   sediments, A:319–320  
   vs. depth, A:342, 483–485; B:471–472  
   *See also* methane/(ethane + propane) ratio  
 ethane, propene, vs. ethane, propane, B:475  
 ethylalkadienone  
   gas chromatographs, A:206  
   sediments, B:480  
 ethylalkatrienone, gas chromatographs, A:206  
 ethylene, gases, A:289  
 europium, sills, B:95  
 eutectic melting temperature, fluid inclusions, B:416  
 Explorer Plate, tectonics, A:11  
 exposure temperatures, sediments, B:503–504  
 fault zones  
   advection, B:328  
   Middle Valley, B:3–5  
 faults  
   bathymetry, A:11–12  
   geophysics, A:285  
   triple junctions, A:11  
 faults, normal  
   heat flow, A:23, 33  
   scarps, A:434–435  
   seismic structure, B:7–8  
 feldspars  
   alteration minerals, A:498, 500–510; B:155–201  
   crystal chemistry, B:169  
   hydrothermal alteration, B:214  
   sediments, A:208–209; B:115–116  
 fernene, alteration, B:457  
 fissure flows, seismic structure, B:7–8  
 flame structures, lithologic units, A:300  
 flowmeter experiments  
   logs, A:533–535  
   Site 857, A:370  
   vs. depth and resistivity, B:618–621  
 flowmeter/injection experiments, permeability, B:616–617  
 flows, seismic velocity, B:597–612  
 fluid–mineral equilibrium, geochemistry, B:405–409  
 fluid–rock interaction  
   geochemistry, B:405–409  
   helium isotopes, B:389–390  
   hydrothermal alteration, B:298–302, 421–423  
 fluid–sediment interaction, geochemistry, B:405–409  
 fluid flow  
   evidence for, B:475  
   faults, A:114–115  
   heat flow, A:33, 36  
   hydrothermal alteration, B:303–305  
   maturation, B:504  
   permeability, B:616  
   physical properties, B:708–714

## fluid flow (cont.)

pressure, B:660–664  
 sediment/basalt interface, B:667–675  
 sediments, B:581–582  
 thermophilic bacteria, B:512–515  
 vs. distance from vent, B:327  
 fluid geochemistry, A:471–479  
 fluid inclusions  
 helium isotopes, B:389–390  
 petrography, B:411–428  
 photograph, B:426–428  
 temperature, B:230  
 fluid pressure, sediment/basalt interface, B:667–675  
 fluid recharge, B:698–700  
 fluid upflow, zones, B:231–247  
 fluid velocity, convection, B:671  
 fluids, composition, B:155–201  
 fluorescence  
 bitumens, A:321  
 sediments, A:121, 124, 197  
 folds, isoclinal, photograph, A:306  
 foraminifers  
 benthic ratios, B:45  
 biostratigraphy, A:110, 181–182, 300, 302, 457–458  
 range chart, A:114–118  
 vs. depth, B:45  
 foraminifers, planktonic, biostratigraphy, B:39–58  
 formation microscanner imagery  
 igneous rocks, A:367  
 orientation, A:407  
 Site 856, A:254–255  
 Site 858, A:526–527  
 vs. depth, A:551, 553; B:578  
 formation pressures, sedimented rift hydrothermal system, B:649–666  
 formation temperatures, sedimented rift  
 hydrothermal system, B:649–666  
 fossil hydrothermal fluid discharge conduits, models, B:247, 250–251  
 fossil hydrothermal fluid discharges, geochemistry, B:294–295  
 fractional crystallization  
 chilled margin, A:347  
 geochemistry, A:148  
 fractures  
 discharge, B:704  
 logs, B:577  
 photograph, A:179  
 fracturing, brittle, A:177  
 Fresnel zone, hydrothermal vents, B:589  
  
 gabbro, sills, A:337–338  
 gamma-ray analysis data, hydrothermal minerals, B:737–738  
 gamma-ray intensity, vs. depth, A:405, 551–552  
 gamma-ray logs  
 Site 856, A:252, 254  
 vs. depth, B:577  
 gammacerane  
 maturation, B:458  
 sediments, B:339  
 gas chromatograms, geochemistry, A:490–491  
 gases  
 geochemistry, A:197–200  
 headspace analyses, A:130, 340–341  
 sediments, A:121, 319–320, 479–482  
 gases, bacterial  
 carbon isotopes, B:475–476  
 free and sorbed, B:467–477  
 gases, free, sediments, B:469–470  
 gases, sorbed, sediments, B:469  
 geochemical logs, A:280  
 geochemical reference sites, A:128–129

## SUBJECT INDEX

geochemistry  
 hydrothermal alteration, A:128–129; B:207–289, 313–328  
 hydrothermal circulation, B:291–305  
 hydrothermal vent fluids, B:395–410  
 sedimented rift, B:695–717  
 sediments, B:307–312  
 Site 855, A:128–140  
 Site 856, A:189, 191–238  
 Site 857, A:313–348  
 geochemistry, fluid, A:114–118, 120–121  
 geochemistry, organic, A:121, 124–128, 197–203, 479–493; B:467–468  
 geochronology, minerals, B:737–738  
 geologic maps, A:172, 444  
 geophysical surveys, sedimented rift, B:695–717  
 geotechnical properties  
 sediments, B:627–647  
 See also index properties; physical properties  
 geothermal gradient  
 bitumens, A:198–200  
 extrapolation of the near-surface gradients, A:23, 27, 31  
 hydrothermal alteration, B:298–302  
 nanofossils, B:65–69  
 organic materials, A:124–125  
 Site 858, A:539  
 thermophilic bacteria, B:511–515  
 vs. depth, B:683  
 geothermometry  
 carbonates, B:315–322  
 fluid inclusions, B:411–428  
 germanium, vs. depth, B:359–367  
 glass  
 distribution, A:232  
 petrography, B:81–84  
 glomerocrysts, basalt, A:138–139  
 goethite, massive sulfides, B:377  
 gold, vs. depth, B:359–367  
 grain-size data, physical-properties residues, B:644–645  
 greenschist facies, lithology, A:511  
 GRIND. See ground rock interstitial normative determination  
 ground rock interstitial normative determination (GRIND), techniques, B:429–438  
 Guaymas Basin, sediment composition, B:407  
 gypsum  
 alteration minerals, A:498, 500–510  
 sediments, B:115–116  
  
 heat flow  
 contours, B:574  
 Juan de Fuca Ridge, A:20–31  
 maps, A:441–442  
 Middle Valley, A:174–175; B:134  
 models, B:704  
 Site 855, A:109, 144–145  
 Site 856, A:255–259  
 Site 857, A:296, 368–369  
 Site 858, A:528–532  
 vent fields, A:40  
 vs. depth, B:707  
 vs. two-way traveltime, A:34–35  
 heat transport, sills, B:568–569  
 heavy noble gases, sulfides, B:391  
 Heck seamount chain, tectonics, A:12–15  
 Heineken Hollow, hydrothermal mounds, B:396  
 helium isotopes  
 sulfides, B:387–392  
 vs. neon isotope/helium isotope ratios, B:389  
 vs. sulfur isotopes, B:390–391  
 hematite  
 magnetic properties, B:539–540  
  
 zoning, B:356  
 hemipelagite, composition, A:208–209  
 hexane, sediments, A:124  
 Holocene  
 biostratigraphy, B:39–58  
 intrusions, A:36  
 lithologic units, A:109–110, 173, 177, 179, 297, 446–447, 457  
 sediments, B:105–111  
 Holocene–Pleistocene boundary, biostratigraphy, B:46–47  
 hopanes  
 maturation, B:458  
 sediments, B:339  
 homblende  
 alteration minerals, A:498, 500–510  
 sediments, A:208–209  
 hydraulic conductivity, open-hole section, B:620–621  
 hydraulic impedance, cumulative, vs. depth, B:640–641  
 hydrocarbons  
 fluorescence, A:321–322, 324–325  
 gases, A:487–490  
 geochemistry, A:197  
 sediments, A:121, 124–125, 479–482; B:503–504  
 hydrocarbons, aromatic, polynuclear  
 maturation, B:458–461  
 sediments, B:331–336  
 hydrocarbons, thermogenic, free and sorbed, B:467–477  
 hydrogen  
 geochemistry, A:486–487  
 sediments, A:125–128, 201–203, 326  
 vs. depth, A:133–137, 349–350, 491–495  
 weight percentage vs. depth, A:209–210  
 See also carbon/hydrogen ratio  
 hydrogen isotopes, hydrothermal alteration, B:291–305  
 hydrogen sulfide  
 gases, A:489  
 geochemistry, A:197  
 hydrothermal fluids, B:398–399  
 interstitial waters, A:479  
 sediments, A:319–320, 479–482  
 hydrogeological properties, sediments, B:627–647  
 hydrography, surface waters, B:40  
 hydrological seals, tools, A:43–53  
 hydrologic regime, sediment/basalt interface, B:667–675  
 hydromica, sediments, B:115–116  
 hydrothermal alteration  
 chemical composition, B:429–438  
 demagnetization, B:535–542  
 geochemistry, A:128–129, 495–499; B:98, 207–289, 291–305, 313–328, 443–446  
 hydrocarbons, B:474  
 interpretative cross section, A:519  
 mafic rocks, B:606–608  
 magnetic properties, B:528–529  
 massive sulfides, B:355–372, 373–385  
 microfossils, A:183  
 Middle Valley, A:259–263  
 mineral assemblages, B:165–187  
 mineralogy, B:113–131, 133–154  
 nanofossils, B:64–69  
 petrology, A:213–231  
 reflectors, B:593  
 regional variations, B:19–21  
 sedimented rift, B:695–717  
 sediments, A:203–213, 326–330; B:41–43, 155–206, 307–312, 447–465, 581–582, 728

- seismic structure, B:7–8  
sill intrusion timing, B:679–693  
sills, B:90–96  
Site 855, A:128–140  
sulfides, A:176–179  
temperature, B:660–664  
zoning, ternary diagrams, B:251
- hydrothermal circulation  
geochemistry, B:313–328  
sedimented rift, B:695–717
- hydrothermal convection, sediment/basalt interface, B:667–675
- hydrothermal fields  
geology, A:435–436  
maturation, B:504
- hydrothermal fluids  
geochemistry, B:395–410  
hydrothermal alteration, B:298–302
- hydrothermal mounds, magnetic surveys, B:29–35
- hydrothermal processes, drilling sites, A:5–7
- hydrothermal reactions, hydrothermal alteration, B:212–213
- hydrothermal solutions, deposition, A:165
- hydrothermal systems  
fluid inclusions, B:411–428  
permeability, B:613–626
- hydrothermal vents. *See* vents
- hysteresis parameters  
mafic rocks, B:522–525  
sediments, B:728  
sulfides, B:537–538  
vs. depth, B:523, 735
- ichnofauna, turbidite, B:107–108
- igneous crust, drilling, A:44
- igneous petrology  
Site 855, A:130–132, 135–140  
Site 856, A:232–238  
Site 858, A:507–513
- igneous rocks  
bulk permeability, B:622–623  
composition, A:232–238, 330, 332–348  
geochemistry, A:371–373  
lithology, A:507–513  
magnetization, A:307, 312–313  
mineralogy, B:113–131  
petrology, B:79–102  
stratigraphic column, A:520  
structure, B:573–583  
units, A:361, 363
- igneous rocks, mafic, lithologic units, A:457
- illite  
hydrothermal alteration, B:214  
sediments, A:129
- ilmenite  
euhedral crystals, B:88  
sills, B:93–94
- indenopyrene  
maturation, B:459  
sediments, B:331–336
- index properties  
Site 855, A:143–144, 154–156  
Site 856, A:244  
Site 857, A:354, 385, 388–389, 393  
Site 858, A:518–520
- injection experiments, permeability, B:624–625
- Inspired Mounds, hydrothermal mounds, B:396
- instrumental borehole seal  
logs, A:535–536  
vs. depth, A:563
- interglacial assemblages, foraminifers, B:46
- interstitial waters  
composition related to ore deposition, B:679–693  
geochemistry, A:114–115, 120–121, 126–127, 188, 191–195, 429–437, 441–446, 471–479
- isotopes, B:390  
reaction zones, B:406  
Site 857, A:313–318  
trace metals, B:749–755  
vertical flow rates, A:121  
*See also* pore water
- intrusions  
Holocene, A:36  
timing of emplacement, A:196
- intrusive activity, seismic profiles, A:19
- intrusive rocks, mafic, lithologic units, A:300
- iodide, vs. magnesium, B:401
- ion exchange, interstitial waters, B:436–437
- iron  
hydrothermal fluids, B:404  
in calcite, B:325–327  
vs. aluminum, B:171  
vs. carbon isotopes, B:327  
vs. depth, B:325–326, 359–367, 749–750, 755  
vs. magnesium, B:405  
vs. oxygen isotopes, B:326  
*See also* aluminum/(aluminum + iron + manganese) ratio; magnesium/iron ratio; magnesium/(magnesium + iron) ratio
- iron/(chromium + aluminum + iron) ratio, vs. magnesium/(magnesium + iron) ratio, B:90
- iron/(iron + magnesium) ratio, vs. aluminum, B:184
- iron/titanium ratio, vs. aluminum/(aluminum + iron + manganese) ratio, B:295
- iron chlorite, sediments, B:115–116
- iron oxide  
vs. depth, A:139, 223, 225, 357, 515–518; B:228–250  
vs. magnesium number, B:87
- iron oxyhydroxides, massive sulfides, B:377
- iron sulfates, amorphous, B:376
- iron sulfides, rock magnetism, B:535–542
- iron yield logs, vs. depth, A:275
- isocubanite  
sills, B:94  
zoning, B:356
- Juan de Fuca Plate, tectonics, A:11
- Juan de Fuca Ridge  
diagenesis, B:341–349  
drilling sites, A:5–7  
fluid flow, B:475  
fluid inclusions, B:411–428  
geochemistry, B:749–755  
geotechnical properties, B:627–647  
hydrothermal alteration, B:155–206, 207–289, 291–305, 307–312  
hydrothermal fluids, B:395–410  
igneous rocks, B:79–102  
interstitial waters, B:429–437  
magnetic surveys, B:29–35  
magnetization, B:17–29  
massive sulfides, B:353–385, 721–724  
mineralogy, B:113–131  
nodules, B:313–339  
paleotemperature, B:565–570  
petrology, A:237–238  
Quaternary, B:59–76  
rock magnetism, B:527–542  
schematic map, B:697  
sedimentary structures, B:105–111  
sediments, B:133–154  
seismic structure, B:3–17  
seismic velocity, B:597–612  
site description, A:101–160
- sulfides, B:387–392
- tectonics, A:9–41
- thermal conductivity, B:553–564
- thermal evolution, B:495–508
- well logging, B:585–596
- kerogen, time–temperature history, B:485–494
- ketones  
markers, A:325–326, 490–491  
sediments, A:200
- Koenigsberger ratio  
mafic rocks, B:525–526  
vs. depth, B:527
- laminations  
lithologic units, A:110, 452  
photograph, A:306  
*See also* cross laminations
- Lamont Seamounts, geochemistry, B:90
- lanthanum, vs. depth, B:229–250
- lanthanum/cerium ratio, vs. titanium oxide, B:88
- lanthanum/samarium ratio, vs. titanium oxide, B:88
- lanthanum/ytterbium ratio, vs. depth, B:97
- laths, diagenesis, B:108–109
- lead  
hydrothermal fluids, B:405  
massive sulfides, A:233  
vs. depth, B:359–367
- lepidocrocite, massive sulfides, B:377
- leucoxene, sills, B:116–117
- limestone breccia, lithologic units, A:449–450
- lipid/bitumen ratio, maturation, B:447–465
- lipids, sediments, A:124; B:331–336
- lithium  
hydrothermal fluids, B:399, 401  
vs. chlorinity, B:436  
vs. depth, B:436, 690, 749–750, 755  
vs. magnesium, B:403  
vs. rubidium, B:408
- lithium/rubidium ratio, vs. rubidium/cesium ratio, B:408
- lithodensity logs, thermal conductivity, B:547–552
- lithologic units  
hole-to-hole correlation, A:448  
igneous rocks, B:93  
percentage of sand and silt, A:302  
petrology, A:130, 132  
Site 856, A:173–174, 176–180  
Site 857, A:297–300  
Site 858, A:446–457  
Unit I, A:109–110, 173, 297, 446–447  
Unit II, A:173–174, 176–177, 297–300, 447–457  
Unit III, A:177, 457  
Unit IV, A:177, 179, 457  
Unit V, A:179–180, 457  
Unit VI, A:180
- lithology, hole-to-hole correlation, A:299
- lithostratigraphy  
alteration zones, B:158–164  
Site 855, A:109–110  
Site 856, A:173–174, 176–180  
Site 857, A:297–300  
Site 858, A:446–457
- log permeability  
vs. depth, B:640–641, 705  
vs. sand layer fraction, B:708  
vs. void ratio, B:637
- log porosity, vs. log permeability, B:635
- loss on ignition, vs. depth, A:356
- mafic rocks  
lithologic units, A:180

## mafic rocks (cont.)

## SUBJECT INDEX

- magnetic properties, B:519–534  
 seismic properties, B:601–608  
 magma aging, helium isotopes, B:389–390  
 magmas, genesis, B:100–101  
 magnesium  
   basalt, A:137–138  
   carbonates, B:315  
   hydrothermal fluids, B:401–402  
   interstitial waters, A:118, 191  
   sediments, A:317  
   vs. alkalinity, B:402  
   vs. barium, B:404  
   vs. boron, B:402  
   vs. bromide, B:401  
   vs. calcium, B:404  
   vs. cesium, B:403  
   vs. chloride, B:401  
   vs. chlorinity, B:434  
   vs. copper, B:405  
   vs. depth, A:128, 195, 338, 476; B:319, 434, 689  
   vs. iodide, B:401  
   vs. iron, B:405  
   vs. lithium, B:403  
   vs. manganese, B:405  
   vs. pH, B:402  
   vs. potassium, B:403  
   vs. rubidium, B:403  
   vs. silicon, B:402  
   vs. sodium, B:403  
   vs. strontium, B:404  
   vs. strontium/calcium ratio, B:325  
   vs. sulfate, B:401  
   vs. zinc, B:405  
   *See also* iron/(iron + magnesium) ratio;  
   silicon/magnesium ratio  
 magnesium/chlorinity ratio, vs. depth, A:482  
 magnesium/iron ratio, vs. depth, A:228  
 magnesium/(magnesium + iron) ratio  
   vs. chromium/(chromium + aluminum) ratio,  
   B:90  
   vs. iron/(chromium + aluminum + iron) ratio,  
   B:90  
 magnesium (iron) silicates, massive sulfides,  
   B:377  
 magnesium number  
   calcium oxide/aluminum oxide ratio, A:377  
   igneous rocks, A:237  
   vs. aluminum oxide, B:87  
   vs. calcium oxide, B:87  
   vs. calcium oxide/aluminum oxide ratio,  
   A:148, 264, 529  
   vs. iron oxide, B:87  
   vs. silica, B:87  
   vs. sodium oxide, B:87  
   vs. titanium, A:264, 530  
   vs. titanium oxide, A:148; B:87, 96  
 magnesium oxide  
   sills, B:95  
   vs. depth, A:139, 223, 225, 227, 357, 515–518;  
   B:228–250, 301, 359–367  
   vs. silica, B:225  
   vs. sodium oxide, B:96  
 magnetic anomalies  
   Juan de Fuca Ridge, B:21  
   seafloor morphology, A:165  
 magnetic anomalies, marine, spreading centers,  
   B:527–529  
 magnetic anomalies, sea-surface, rifts, B:19–27  
 magnetic declination, vs. depth, A:327–330  
 magnetic fields, hydrothermal mounds, B:29–33  
 magnetic inclination  
   histograms, A:124  
   vs. depth, A:120–121, 124, 189–190, 193,  
   327–331, 467, 470–471; B:531, 729  
 magnetic induction  
   vs. magnetization, B:538  
   vs. normalized isothermal remanent  
   magnetization, B:537  
 magnetic intensity  
   vs. depth, A:120–121, 124, 189–190, 193,  
   327–331, 467, 470–471; B:527, 729  
   vs. temperature, B:521  
 magnetic properties  
   mafic rocks, B:519–534  
   sediments, A:183, 185–186  
 magnetic surveys, high-resolution, B:29–35  
 magnetic susceptibility  
   correlation with lithostratigraphy, A:180  
   profiles, A:113–114  
   quiet zone, A:304–305  
   sediments, B:724–726  
   vs. cores, A:112  
   vs. depth, A:327–331; B:538  
   vs. temperature, B:730–733  
 magnetic susceptibility, normalized low-field, vs.  
   temperature, B:523  
 magnetic susceptibility, volume  
   sediments, A:140, 142–143  
   Site 856, A:239–240  
   Site 857, A:349–353  
   Site 858, A:513–515  
   vs. depth, A:120–121, 124, 152–153, 189–190,  
   193, 265–267, 378, 467, 470–471,  
   531–535; B:527, 729  
   vs. saturation remanence, B:537  
 magnetite  
   magnetic properties, B:539–540, 730–733  
   massive sulfides, B:375  
   photograph, B:383  
   remanence, B:520–522  
   vs. pyrite, A:254  
   zoning, B:355–358  
 magnetization, lower crust, B:19–27  
 magnetization, strong-field, vs. temperature,  
   B:520–521  
 magnetostratigraphy, sediments, A:187–188  
 major elements  
   alteration minerals, A:503–507  
   hydrothermal alteration, B:98  
   igneous rocks, A:519; B:80–81, 85–86  
   petrography, B:81–82  
   sediments, A:138, 209–213, 351–352  
   sills, B:96  
 major ions, interstitial waters, B:430–434  
 manganese  
   calcite, B:325–327  
   hydrothermal fluids, B:404  
   vs. carbon isotopes, B:327  
   vs. chlorinity, B:436  
   vs. depth, B:325–326, 359–367, 436, 688,  
   749–750, 755  
   vs. magnesium, B:405  
   vs. oxygen isotopes, B:326  
   *See also* aluminum/(aluminum + iron +  
   manganese) ratio  
 manganese oxide, vs. depth, A:223, 225, 227–250;  
   B:445  
 marcasite  
   hydrothermal alteration, A:213–231  
   massive sulfides, B:375  
   zoning, B:356  
 mass balance, chemistry, B:223–226  
 mass flows, lithologic units, A:110  
 mass fragmentograms, organic matter, B:449–456  
 maturation  
   bitumens, A:487–490  
   hydrocarbons, A:321–322, 324–325  
   lipid/bitumen ratio, B:447–465  
   organic materials, A:124  
   sediments, B:566–569  
   vitrinite reflectance, B:491–493, 499–504  
   *See also* thermal maturation  
 median destructive field, sediments, A:186–187  
 mesostasis  
   igneous rocks, A:337  
   sills, B:94  
 mesostasis, cryptocrystalline, alteration, A:136  
 metals  
   zoning, A:229–230  
   *See also* trace metals  
 metamorphic rocks, lithology, A:511–512  
 metamorphism  
   intrusions, A:236  
   petrology, A:136  
 metasomatism  
   hydrothermal alteration, A:537–538  
   sediments, A:328–329  
 methane  
   gases, A:489  
   geochemistry, A:197  
   sediments, A:121, 319–320, 479–482  
   vs. depth, A:212, 341–342, 483–485; B:471–  
   472  
   vs. vitrinite reflectance, B:492  
 methane/(ethane + propane) ratio, vs. depth, B:472  
 methane oxidation, hydrothermal alteration,  
   B:303–305, 309, 312–322, 336–337  
 methylalkadienone  
   gas chromatographs, A:206  
   sediments, B:480  
 methylalkatrienone  
   gas chromatographs, A:206  
   sediments, B:480  
 methylphenanthrenes, maturation, B:459  
 mica  
   alteration minerals, A:498, 500–510  
   sediments, A:208–209; B:116  
   X-ray-diffraction data, B:142–146  
 microcracks  
   photographs, B:610–612  
   *See also* cracks  
 microfibrils, sediments, B:639  
 microfossils  
   abundance vs. lithology, A:308–322  
   comparison of abundances, A:113  
   range chart, A:460–465  
   sequence zoning, A:466  
   thermal alteration, A:538  
   *See also* foraminifers, nannofossils  
 microgabbro, contacts, A:259–260  
 microthermometry. *See* geothermometry  
 Middle Valley  
   alkenones, B:479–484  
   bacteria, B:509–516  
   crustal magnetization, B:19–27  
   diagenesis, B:341–349  
   drilling sites, A:5–7  
   fluid inclusions, B:411–428  
   formation pressures, B:649–666  
   gamma-ray analysis, B:737–738  
   geochemistry, B:739–755  
   geotechnical properties, B:627–647  
   hydrocarbons, B:467–477  
   hydrothermal alteration, B:155–289, 291–305,  
   307–312  
   hydrothermal circulation, B:695–717  
   hydrothermal fluids, B:395–410  
   igneous basement, B:573–583  
   igneous rocks, B:79–102  
   interstitial waters, B:429–438, 441–446  
   kerogen, B:485–494

- magnetic surveys, B:29–35  
 massive sulfides, B:353–385, 721–724  
 mineralogy, B:113–131  
 nodules, B:313–339  
 paleotemperature, B:565–570  
 permeability, B:613–626  
 rock magnetism, B:519–542, 725–735  
 sedimentary structures, B:105–111  
 sediments, B:133–154, 447–465  
 seismic structure, B:3–17  
 seismic velocity, B:597–612  
 site description, A:101–160, 283–383, 431–569  
 sulfides, B:387–392  
 tectonics, A:9–45  
 thermal conductivity, B:545–564  
 thermal evolution, B:495–508  
 well logging, B:585–596
- Middle Valley magnetic low, rock magnetic properties, B:22–24
- mirolids, range chart, A:114–118
- mineralization  
 extent, A:230–231  
 magnetization, B:32–34  
 sulfides, A:343, 345; B:713–714
- mineralogy  
 hydrothermal alteration, B:113–131  
 mafic rocks, B:606–608  
 massive sulfides, B:373–385
- minor elements  
 igneous rocks, B:86  
 sediments, A:140, 209–213
- minor ions, interstitial waters, B:434–436
- modal composition, igneous rocks, A:361–362
- molds, pyrite, A:204
- molecular stratigraphy, biomarkers, A:200–201, 325–326, 490–491
- MORB. *See* basalt, mid-ocean-ridge
- mud, gossanous, sulfides, A:216
- muscovite  
 alteration minerals, B:155–201  
 hydrothermal alteration, B:214
- n*-alkanes  
 geochemistry, A:490–491  
 vs. ununsaturated *n*-alkanes, B:475  
*See also* alkanes
- nannofossils, calcareous  
 biostratigraphy, A:110, 113, 182–183, 302–305, 458–459  
 Quaternary, B:59–76  
 range chart, A:119
- natural gamma-ray logs  
 Site 856, A:252  
 Site 858, A:566–567  
 vs. depth, B:579  
*See also* gamma-ray logs
- neon isotopes, sulfides, B:388
- neon isotope/helium isotope ratios, vs. helium isotopes, B:392
- neutron activation analysis data, massive sulfides, B:361
- nickel  
 basalt, A:137–138  
 vs. depth, A:224, 226; B:230–250, 749–750, 755
- niobium, vs. depth, A:224, 226; B:230–250
- nitrogen  
 geochemistry, A:197, 486–487  
 sediments, A:121, 125–128, 201–203, 319–320, 326, 479–482; B:307–312  
 vs. depth, A:133–137, 349–350, 491–495; B:310, 689  
 weight percentage vs. depth, A:209–210
- See also* carbon/nitrogen ratio
- nitrogen, organic, sources, B:490–493
- nodules  
 carbonates, A:303; B:141, 313–339  
 concretions, B:294–295  
 diagenesis, B:108–109  
 lithologic units, A:448, 456  
 Nootka fault zone, tectonics, A:11–15  
 NRM. *See* remanent magnetization, natural
- nuclear magnetic resonance data, kerogen, B:488–489
- numerical simulation, sediment/rock interface, B:669–674
- ocean floors, morphology, A:19–20, 165
- oceanic crust, magnetic properties, B:528–529
- oil. *See* petroleum
- oil window, sediments, B:503–504
- oleananes  
 maturation, B:458  
 sediments, B:339
- olivine  
 basalt, B:81–84  
 petrology, A:130, 132, 135–138  
 phenocrysts, A:235; B:84–85  
 photograph, A:142
- ore deposition, timing, B:679–693
- organic materials  
 decomposition, B:408–409  
 sediments, A:124–125, 348; B:329–339, 495–508, 511  
*See also* alkenones; bitumens; hexane; hydrocarbons; lipids; pristane
- organic materials, soluble, properties, A:132
- oxidation  
 massive sulfides, B:378–379  
 sulfides, A:228–229
- oxides  
 composition, B:100  
*See also* modal composition
- oxides + sulfides  
 vs. compressional wave velocity, B:608  
 vs. density, B:608
- oxygen, sediments, A:121
- Oxygen Isotope Stage 5, interglacial correlation, B:47–48
- Oxygen Isotope Stage 7, interglacial correlation, B:48–49
- oxygen isotopes  
 carbonates, B:315–322  
 hydrothermal alteration, B:291–305  
 hydrothermal fluids, B:421–423  
 igneous rocks, B:81, 84  
 nodules, B:333  
 vs. depth, B:296–297, 299, 304, 319–320  
 vs. iron, B:326  
 vs. manganese, B:326
- Pacific Ocean NE, biostratigraphy, B:39–40
- packer experiments  
 logs, A:370, 533–535  
 permeability, B:614–620
- paleoceanography, Quaternary, B:39–58
- paleoecology, foraminifers, B:46–47
- paleoenvironment  
 foraminifers, B:46–47  
 Pleistocene, B:40
- paleohydrography, currents, B:40
- paleomagnetism  
 Site 855, A:113–114  
 Site 856, A:183, 185–188  
 Site 857, A:305–307, 312–313  
 Site 858, A:459–465, 467–470
- paleontologic datums, sedimentation rates, A:326
- paleotemperature  
 alkenone indicators, B:482  
 maturation, B:498–504  
 nannofossils, B:70  
 nuclear magnetic resonance, B:491  
 profiles, B:684–685  
 sediments, B:565–570
- paragenesis  
 carbonates, B:315  
 massive sulfides, B:359, 376–377  
 sulfides, A:222, 227–228
- permeability  
 fluid flow, B:662–664  
 hydrothermal systems, B:613–626  
 logs, B:577  
 sediment/rock interface, B:669–672  
 sediments, B:635–639  
 vs. depth, B:625  
 vs. maximum difference in effective pressure, B:672  
 vs. maximum difference in temperature, B:671, 673  
 vs. void ratio, B:637  
*See also* log permeability
- permeability, in-situ, vs. calculated bulk permeability, B:616
- permeability index, vs. log permeability, B:635
- perylene, maturation, B:459–460
- petrography  
 fluid inclusions, B:413–416  
 sediments, A:129
- petroleum  
 diagenesis, B:461–462  
 migration, A:199–200  
 source rocks, A:539
- pH  
 hydrothermal fluids, B:398–399  
 interstitial waters, A:121, 188  
 sediments, A:318  
 vs. depth, A:125, 194, 333, 475  
 vs. magnesium, B:402
- phase equilibria, fluid inclusions, B:417–419
- phenanthrenes  
 maturation, B:458  
 sediments, B:331–336
- phenocrysts  
 petrology, A:130, 132, 135–138  
 photograph, A:142–146
- phosphate  
 interstitial waters, A:115–116, 191  
 vs. depth, A:129, 196, 339, 477; B:688
- phosphorus oxide  
 basalt, A:137–138  
 vs. depth, A:223, 225, 515–518; B:228–250
- photoelectric absorption index, vs. depth, A:405
- Phycosiphon*, turbidite, B:107–108
- phyllosilicates  
 hydrothermal alteration, B:298–302  
*See also* clay minerals; mica
- physical properties  
 massive sulfides, B:721–724  
 sediments, B:565–566  
 Site 855, A:140, 142–144  
 Site 856, A:238–247  
 Site 857, A:348–359  
 Site 858, A:513–523  
 well logging, B:585–596
- physical properties, average, A:152
- phytane, geochemistry, A:197–200, 490–491
- phytone, alteration, B:456
- plagioclase  
 basalt, A:507–513  
 composition, B:100  
 groundmass, B:85



## plagioclase (cont.)

## SUBJECT INDEX

- igneous rocks, A:335–337  
 petrology, A:130, 132, 135–138  
 phenocrysts, A:235; B:98  
 photograph, A:142–145, 525, 527  
 sediments, A:129, 329  
 sills, B:94  
 planar laminations, photograph, A:180  
*Planolites*, turbidite, B:107–108  
 Pleistocene  
   biostratigraphy, B:39–58  
   lithologic units, A:109–110, 173–174, 176–177, 179–180, 297–300, 447–457  
   sediments, B:559–564  
 Pleistocene, upper, sediments, B:105–111  
 pollen colors, photographs, B:506–508  
 pore water. *See* interstitial waters  
 pore water flow, diagenesis, B:344–348  
 porosity  
   calculation, B:546  
   mafic rocks, B:602–603  
   massive sulfides, B:722  
   sediments, B:511, 560–562, 709–711  
   seismic velocity, A:23, 27, 31  
   vs. chlorinity, B:433  
   vs. compressional wave velocity, B:605  
   vs. depth, A:32, 149–151, 154–156, 268, 270–272, 381–382, 400, 404, 536–540, 545–547; B:433, 566, 604, 705, 709–710, 712, 723  
   vs. resistivity, A:404–405  
   vs. thermal conductivity, A:156, 270, 398; B:555, 561–563  
   vs. velocity, A:31; B:712  
   *See also* log porosity  
 porosity–natural gamma-ray logs, A:425–426  
 porosity, fractional, vs. depth, B:547  
 potassium  
   hydrothermal fluids, B:401  
   interstitial waters, A:121, 191  
   sediments, A:317  
   vs. chlorinity, B:434  
   vs. depth, A:128, 195, 338, 457; B:434, 690  
   vs. magnesium, B:403  
 potassium oxide  
   sediments, A:328  
   vs. depth, A:139, 223, 225, 358, 515–518; B:228–250, 705, 714  
   vs. silica, B:225  
 prehnite  
   sills, B:94, 116–117  
   veins, A:338–340  
 preservation  
   foraminifers, B:45  
   nannofossils, B:64–69  
 pressure  
   measurement tools, A:51  
   vs. compressional wave velocity, B:605  
   vs. depth, B:664–665  
   vs. time, A:413–414, 416, 561–562; B:618–623, 655–656, 658–663  
 pressure, effective, convection, B:671  
 pressure coring system, gas composition, A:482–485  
 pressurized systems, fluid flow, B:616  
 primary structures, turbidite, B:106–107  
 pristane  
   geochemistry, A:197–200, 490–491  
   sediments, A:124  
 propane  
   sediments, A:319–320  
   vs. depth, A:342, 483–485  
   *See also* methane/(ethane + propane) ratio  
 protoliths, lithologic units, A:300  
 pyrenes, sediments, B:339  
 pyrite  
   alteration minerals, A:205, 496–499  
   diagenesis, B:109  
   hydrothermal alteration, A:213–231; B:214  
   igneous rocks, A:511  
   lithologic units, A:451  
   magnetic properties, B:539–540  
   magnetization, B:32  
   massive sulfides, B:374–375, 722  
   photographs, A:232–243  
   sediments, B:116  
   sills, B:94  
   sulfur isotopes, B:737–746  
   veins, A:343, 345–347  
   vs. magnetite, Site 856, A:254  
   zoning, B:353–372  
 pyrite, massive, hydrothermal alteration, A:216–220  
 pyrolysis, vitrinite reflectance, B:491–494  
 pyrrhotite  
   hydrothermal alteration, A:213–231; B:214  
   magnetic properties, B:539–540  
   magnetization, B:32  
   massive sulfides, B:374, 722  
   photographs, A:232–241; B:381–382  
   sills, B:94  
   sulfur isotopes, B:739–748  
   zoning, B:355–358  
 pyrrhotite, homogeneous, hydrothermal alteration, A:216–219  
 pyrrhotite, primary, hydrothermal solutions, B:366–367  
 Q-mode cluster analysis data, foraminifers, B:57–58  
 quartz  
   alteration minerals, A:498, 500–510; B:155–201  
   fluid inclusions, B:413–416  
   hydrothermal alteration, B:214, 298–302  
   massive sulfides, B:377  
   sediments, A:129, 208–209; B:115–116  
   sills, B:116  
 quartz veins, alteration minerals, A:497–499  
 quartzification, hydrothermal alteration, B:127  
 Quaternary  
   biostratigraphy, A:110, 113  
   sediments, B:105–111  
 Quaternary, upper  
   biostratigraphy, B:39–58  
   nannofossils, B:59–76  
 radium isotopes, barite, B:737–738  
 rare earths  
   massive sulfides, B:359  
   normalized to chondrites, B:89, 99, 366  
   normalized to enriched mid-ocean-ridge basalts, B:100–101  
   normalized to normal mid-ocean-ridge basalts, B:100–101  
   normalized to transitional mid-ocean-ridge basalts, B:100–101  
   sills, B:86  
   vs. depth, B:97  
 Rayleigh number, permeability, B:673–674  
 reaction zones  
   geochemistry, B:406  
   hydrothermal alteration, B:231–247  
 recrystallization  
   carbonates, B:327–328  
   massive sulfides, B:358  
   sediments, A:203–213; B:41–43  
   sills, B:94  
 reduction, sulfides, A:228–229  
 reentry holes, tools, A:43–53  
 reflectivity, synthetic seismograms, B:591–592  
 remanence  
   mafic rocks, B:519–534  
   sulfides, B:537  
 remanence directions, sulfides, B:540–541  
 remanent magnetization, profiles, A:113  
 remanent magnetization, isothermal  
   vs. magnetic induction, B:537  
   vs. magnetizing field, B:734  
   vs. temperature, B:521, 730–733  
 remanent magnetization, natural  
   cores, A:305–307  
   equal-area projection, A:122–123  
   oceanic crust, B:22–23  
   sediments, A:185–187; B:726–728  
   Site 858, A:459, 465, 467–470  
   vs. depth, A:120  
 replacement, pseudomorphic, sulfides, A:222, 227–228  
 resistivity  
   vs. depth, A:541, 551–552, 554; B:618  
   vs. total gamma-ray logs, B:577  
 resistivity–natural gamma-ray logs  
   Site 856, A:281  
   Site 857, A:427–429  
   Site 858, A:569  
 resistivity–sonic–natural gamma-ray logs  
   Site 857, A:421–424  
   Site 858, A:564–565  
 resistivity logs  
   Site 856, A:251  
   Site 857, A:362  
   Site 858, A:527–528  
   vs. depth, A:275, 406; B:579  
 retene, maturation, B:459  
 rifts  
   heat flow, A:23  
   seismic structure, B:3–17  
   tectonics, A:10–11  
 rifts, sedimented  
   hydrothermal alteration, B:567  
   reflectors, A:103–104; B:19–27  
   sedimentation, B:19–27  
   subdued magnetic anomalies, B:529–532  
 rock magnetism  
   hydrothermally altered sediments, B:725–735  
   iron sulfides, B:535–542  
   mafic rocks, B:519–534  
 rotalids, range chart, A:114–118  
 rubidium  
   hydrothermal fluids, B:401  
   vs. chlorinity, B:436  
   vs. depth, A:224, 226; B:229–250, 436, 690, 749–750, 755  
   vs. lithium, B:408  
   vs. magnesium, B:403  
   *See also* lithium/rubidium ratio  
 rubidium/cesium ratio, vs. lithium/rubidium ratio, B:408  
 rubidium oxide, vs. depth, A:358  
 rutile  
   alteration minerals, B:155–201  
   hydrothermal alteration, B:214  
   sediments, B:116  
 salinity, fluid inclusions, B:420–421  
 samarium  
   sills, B:95  
   *See also* lanthanum/samarium ratio  
 sand, composition, B:42–43  
 sand + silt, volume percentage, A:453  
 sand, silty  
   lithologic units

- Site 855, A:109–110  
 Site 858, A:447–448  
 sand content, sediments, B:44  
 sandstone, lithologic units, A:298–300  
 sandstone, silty, lithologic units, A:449–454  
 saponite  
   hydrothermal alteration  
   Middle Valley, B:215  
   Site 858, A:136  
 saturation moment, vs. temperature, B:734–735  
 scandium  
   vs. depth  
   Middle Valley, B:359–367  
   Site 856, B:229–250  
 Schlumberger logs  
   Site 857, A:363–369  
   Site 858, A:526–528  
 seafloor spreading  
   Juan de Fuca Ridge, A:9–41  
   rates, B:22  
   seismic structure, B:8  
   *See also* spreading centers  
 seal assemblies, CORK, A:43–53  
 seawater  
   geochemistry, A:117–118  
   sulfide alteration, A:228–229  
 sediment–fluid interaction, mineralogy, B:133–154  
 sediment/basalt interface, fluid flow, B:667–675  
 sediment/basement interface, seismic lines, A:16–17  
 sedimentary structures  
   lithologic units, A:110  
   turbidites, B:105–111  
   *See also* bioturbation; concretions; cross laminations; ichnofauna; laminations; mass flows; nodules  
 sedimentation, thermal history, B:566–567  
 sedimentation rates  
   foraminifers, B:48, 58  
   nannofossils, B:64  
   paleontologic datums, A:304, 326  
   secondary precipitation, B:146  
   thermal history, B:566–567  
 sedimentology  
   Site 855, A:109–110  
   Site 856, A:173–174, 176–180  
   Site 857, A:297–300  
   Site 858, A:446–457  
 sediments  
   chemical composition, B:293, 429–438  
   composition, A:146–149  
   geochemistry, A:203–213; B:207–289, 479–484  
   hydrogeological properties, B:627–647  
   hydrothermal alteration, B:155–206, 307–312, 447–465  
   hydrothermal fields, B:509–516  
   interstitial waters, B:441–446  
   magnetization, A:306–307  
   mineralogy, B:113–131, 133–154  
   paleotemperature, B:565–570  
   sulfur isotopes, B:739–748  
   thermal alteration, B:495–508  
   thickness, A:33  
 sediments, brecciated, lithologic units, A:448–449  
 sediments, hemipelagic, lithologic units, A:446–457  
 sediments, hemiturbiditic, whole-core radiography, B:105–111  
 sediments, hydrothermally altered, magnetic properties, B:725–735  
 sediments, metalliferous, lithologic units, A:177, 457  
 seismic lines, A:108  
 seismic profiles  
   drilling sites, A:7  
   fault blocks, B:567  
   Juan de Fuca Ridge, A:16–17, 19–20  
   Middle Valley, B:5–17, 575, 696–701, 703  
   Site 855, A:103, 107  
   Site 856, A:164, 169–171  
   Site 857, A:289, 292, 294  
   Site 858, A:435, 438–440  
 seismic reflection  
   faults, B:590  
   physical properties, B:585–596  
   seismic structure, B:7–8  
 seismic velocity  
   basalt, B:597–612  
   *See also* velocity  
 seismograms, synthetic, calculation, B:591  
 selenium, vs. depth, B:229–250  
 serpentine, massive sulfides, B:377  
 shear-wave velocity  
   basalts, B:598–600  
   massive sulfides, B:722  
 silica  
   hydrothermal fluids, B:399  
   massive sulfides, B:377  
   Middle Valley, B:344–347, 359–367, 435, 713  
   sediments, A:318, 328  
   Site 855, A:116, 129, 139  
   Site 856, A:191, 196, 223, 225  
   Site 857, A:339, 355  
   Site 858, A:477, 515–518  
   Sites 856–858, B:228–250  
   vs. aluminum oxide, B:225  
   vs. magnesium number, B:87  
   vs. magnesium oxide, B:225  
   vs. potassium oxide, B:225  
   vs. zirconium, B:225  
 silica/aluminum oxide ratio, vs. depth, B:226  
 silica/zirconium ratio, vs. depth, A:228  
 silica, amorphous  
   diagenesis, B:109–110, 341–349  
   zoning, B:355–358  
 siliciclastics, sedimentary structures, B:106–107  
 silicification, hydrothermal alteration, B:127–128  
 silicon  
   vs. depth, B:690  
   vs. magnesium, B:402  
 silicon/aluminum ratio, vs. depth, B:301  
 silicon/magnesium ratio, vs. depth, B:301  
 sill–sediment complexes  
   photograph, A:255  
   seismic structure, B:7–8  
 sill intrusion, timing, B:679–693  
 sills  
   alteration minerals, B:116–117  
   hydrothermal alteration, B:567  
   logs, B:577  
   margins, A:335–337  
   Middle Valley, B:4–5, 101  
   petrology, B:84–97  
   reflectors, B:593  
   seismic velocity, B:597–612  
   Site 857, A:346–347  
   timing of emplacement, A:196  
 sills, basaltic, magnetization, B:32  
 sills, mafic  
   composition, A:232–238  
   remanence, B:519–534  
 silt, sandy, lithologic units, A:109–110  
 siltstone, lithologic units, A:298–300, 449–454  
 silver, vs. depth, B:359–367  
 Site 855, A:101–160  
   alkenones, B:480  
   background and objectives, A:103  
   biostratigraphy, A:110, 113  
   diagenesis, B:345  
   fluid geochemistry, A:114–118, 120–121  
   fluid recharge, B:698–700  
   geochemistry, B:739  
   heat flow, A:144–145  
   hydrothermal alteration, B:161–162  
   igneous petrology and geochemistry, A:130, 132, 135–139  
   igneous rocks, B:81–84  
   lipid/bitumen ratio, B:44  
   lithostratigraphy and sedimentology, A:109–110  
   nannofossils, B:61–63  
   operations, A:105, 107–109  
   organic geochemistry, A:121, 124–128  
   paleomagnetism, A:113–114  
   physical properties, A:140, 142–144  
   sediment geochemistry and alteration, A:128–129  
   seismic structure, B:3–17  
   site geophysics and geology, A:103–104  
   summary and conclusions, A:145–149  
   thermal evolution, B:497–498  
 Site 856, A:161–281  
   alkenones, B:481  
   alteration, A:203–212  
   background and objectives, A:163–164  
   biostratigraphy, A:180–183; B:39–58  
   diagenesis, B:346  
   downhole logging, A:247–255  
   fluid geochemistry, A:188, 191–197  
   fluid inclusions, B:411–412  
   former hydrothermal discharge, B:294–295  
   geochemistry, B:210–211, 739–743  
   heat flow, A:255–258  
   hydrothermal alteration, B:117–118, 134, 157  
   igneous petrology and geochemistry, A:232–238  
   igneous rocks, B:84–86  
   lipid/biomen ratio, B:449–450, 452–453  
   lithostratigraphy, A:173–174, 176–180  
   massive sulfides, B:358, 377–378, 721–724  
   nannofossils, B:63–64  
   nodules, B:331–333  
   operations, A:165–173  
   ore deposition, B:679–693  
   organic geochemistry, A:197–203  
   paleomagnetism, A:183, 185–188  
   physical properties, A:238–247  
   relic discharge and massive sulfides, B:708  
   sediment geochemistry, A:203–212  
   sedimentology, A:173–174, 176–180  
   seismic structure, B:3–17  
   site geophysics and geology, A:164–165  
   sulfide petrology and geochemistry, A:212–231  
   summary of hole depths and locations, A:163  
   thermal evolution, B:499–500  
 Site 857, A:283–429  
   alkenones, B:482  
   background and objectives, A:285  
   bacteria, B:511  
   biostratigraphy, A:300–305; B:39–58  
   coring summary, A:286–287  
   correlation, B:589–590  
   diagenesis, B:346–347  
   downhole logging, A:359–368  
   downhole temperature, B:579–580  
   fluid geochemistry, A:313–318  
   fluid inclusions, B:412  
   formation pressures, B:649–666  
   geochemistry, B:212–217, 744–745

- heat flow, A:368–369  
hydrothermal alteration, B:118–121, 134, 161  
hydrothermal reservoir, B:295–298  
igneous basement, B:573–583  
igneous geochemistry, A:330–348  
igneous petrology, A:330–348  
igneous rocks, B:86–97  
lipid/bitumen ratio, B:453  
lithostratigraphy, A:297–300  
nanofossils, B:64  
nodules, B:333–334  
operations, A:287–297  
organic geochemistry, A:319–326  
paleomagnetism, A:305–313  
permeability, B:617–619  
physical properties, A:348–359  
porosity, B:546  
sealed hydrothermal basement, B:700–704  
sediment alteration, A:326–330  
sediment geochemistry, A:326–330  
sedimentology, A:297–300  
seismic structure, B:3–17  
site geophysics, A:285–287  
special downhole experiments, A:369–375  
summary and conclusions, A:375–383  
thermal evolution, B:500–502  
Site 858, A:431–569  
active discharge, B:704–708  
active hydrothermal field, B:298–302  
alkenones, B:482  
alteration, A:493–502  
background and objectives, A:434  
bacteria, B:511–512, 514  
biostratigraphy, A:457–459  
correlation, B:590–592  
diagenesis, B:347–348  
downhole logging, A:523–528  
downhole temperature, B:580–581  
fluid geochemistry, A:471–479  
fluid inclusions, B:412–413  
formation pressures, B:649–666  
geochemistry, A:471–513; B:210–212, 745–748  
heat flow, A:528–532  
hydrothermal alteration, B:121–126, 134, 157–161  
igneous basement, B:573–583  
igneous petrology, A:507–513  
igneous rocks, B:97–99  
lipid/bitumen ratio, B:453–454  
lithostratigraphy, A:446–457  
massive sulfides, B:378  
nanofossils, B:64  
nodules, B:334–335  
operations, A:436–446  
organic geochemistry, A:479–493  
paleomagnetism, A:459, 465, 467–470  
permeability, B:619–620  
physical properties, A:513–523  
sediment geochemistry, A:493–502  
sedimentology, A:446–457  
seismic structure, B:3–17  
site geophysics and geology, A:434–436  
special downhole experiments, A:523–536  
summary and conclusions, A:536–543  
thermal evolution, B:502–503  
*Skolithos*, turbidite, B:107–108  
slug test procedures, permeability, B:615  
slumping  
correlation with magnetic susceptibility, A:196–197  
sediments, B:690  
smectite  
diagenesis, B:109–110  
high temperature, A:212  
hydrothermal alteration, B:214, 298–302  
metamorphism, A:236  
photograph, A:146  
sediments, B:115–116  
sills, B:94  
Site 855, A:136  
Site 858, A:497–499  
X-ray-diffraction data, B:142–146  
sodium  
hydrothermal fluids, B:401  
interstitial waters, A:191  
Middle Valley, B:433  
sediments, A:317  
Site 855, A:128  
Site 856, A:195; B:689  
Site 857, A:338  
Site 858, A:476  
vs. chlorinity, B:433  
vs. magnesium, B:403  
sodium/calcium ratio, vs. depth, A:228  
sodium/chlorine ratio, hydrothermal fluids, B:406  
sodium/chlorinity ratio, vs. depth, B:685  
sodium oxide  
sediments, A:328  
sills, B:95  
Site 855, A:139  
Site 856, A:223, 225; B:228–250  
Site 857, A:359  
Site 858, A:515–518  
vs. magnesium number, B:87  
vs. magnesium oxide, B:96  
soft sediment deformation, lithologic units, A:300  
sonic logs, igneous rocks, A:361  
Sovanco transform zone, tectonics, A:10–15  
sphalerite  
diagenesis, B:109–110  
fluid inclusions, B:413–416  
igneous rocks, A:511  
magnetic properties, B:539–540  
massive sulfides, B:375  
photograph, B:384  
sills, B:94  
sulfur isotopes, B:739–748  
zoning, B:355–358  
sphalerite, disseminated, silt, A:213  
sphene  
Middle Valley, B:116–117  
Site 857, B:94  
spinel  
composition, B:99–100  
euhedral crystals, B:84–85  
sills, B:93–94  
Site 856, A:235  
Site 858, B:98  
spinel, chromian, basalts, B:90–91  
spontaneous potential, vs. depth, A:551  
spore fluorescence color, organic materials, B:498–499, 503–504  
spreading centers, A:9–41  
spreading centers, sedimented, hydrothermal alteration, B:21–22  
stable isotopes  
hydrothermal circulation, B:291–305  
*See also* carbon isotopes; hydrogen isotopes; oxygen isotopes; strontium isotopes; sulfur isotopes  
steranes  
maturation, B:457–458  
sediments, B:339  
steroids, mass fragmentograms, B:456  
sterols, alteration, B:456–457  
stratigraphy, sill intrusion timing, B:679–693  
stress, effective, vs. void ratio, B:631–633  
strontium  
hydrothermal fluids, B:402  
Middle Valley, B:435, 749–750, 755  
Site 856, A:224, 226–227; B:229–250, 689  
vs. chlorinity, B:435  
vs. magnesium, B:404  
strontium/calcium ratio  
hydrothermal fluids, B:406  
vs. magnesium, B:325  
strontium isotopes  
carbonates, B:322–325  
hydrothermal alteration, B:249–251  
reaction zones, B:406  
vs. depth, B:323–324  
subpolar plankton assemblages, foraminifers, B:49–50  
sulfate  
hydrothermal fluids, B:397–398  
interstitial waters, B:435  
sediments, B:468  
Site 855, A:115, 117, 125  
Site 856, A:188, 191, 194; B:686, 688  
Site 857, A:857  
Site 858, A:475  
vs. calcium, A:197  
vs. chlorinity, B:435  
vs. depth, B:475  
vs. magnesium, B:401  
sulfate, dissolved, vs. depth, B:475  
sulfate reduction, hydrothermal alteration, B:303–305, 308, 312–322  
sulfates, sulfur isotopes, B:739–748  
Sulfide mound magnetic anomaly, mineralization, B:32–33  
sulfide mounds, Bent Hill, A:230  
sulfides  
alteration minerals, A:497–499  
composition, B:100  
geochemistry, B:91, 387–392  
hydrothermal alteration, B:171–172  
igneous rocks, A:511  
lithologic units, A:173–174, 176–177, 457; B:98  
mineralization, B:713–714  
outcrops, A:165  
petrology, A:213–231  
rock magnetism, B:535–542  
sills, B:116–117  
sulfur isotopes, B:739–748  
tabular crystal molds, B:684  
type distribution vs. depth, A:253  
veins, A:339  
*See also* oxides + sulfides  
sulfides, clastic  
diagenesis, B:109–110  
lithologic units, A:177, 179  
sulfides, massive, B:377  
chemical composition, B:353–372  
genesis, A:261–263  
lithologic units, A:179–180  
Middle Valley, B:231–247, 353–372  
mineralogy, B:373–385  
model of genesis, B:362–363  
physical properties, B:721–724  
relic discharge, B:708  
secondary alteration, B:363–366  
sulfur  
alteration, A:136–140  
geochemistry, A:486–487  
sediments  
Middle Valley, B:307–312, 739–748  
Site 855, A:125–128  
Site 856, A:201–203  
Site 857, A:326

- sills, B:95  
 vs. carbon, B:311  
 vs. depth, A:133–137, 223, 225, 229, 349–350, 491–495, 515–518; B:229–250, 310, 359–367  
 weight percentage vs. depth, A:209–210  
*See also* carbon/sulfur ratio
- sulfur isotopes  
 hydrothermal alteration, B:311–312  
 massive sulfides, B:373–385  
 minerals, B:739–748  
 sulfides, B:387–392  
 vs. depth, B:379, 390, 744–747  
 vs. helium isotopes, B:390–391  
 sulfur yield logs, vs. depth, A:275  
 surface deformation, acoustic images, A:21
- talc  
 alteration minerals, B:155–201  
 massive sulfides, B:377  
 metamorphism, A:236  
 zoning, B:355–358
- tantalum, vs. depth, B:359–367
- tectonics, A:9–41
- temperature  
 convection, B:671  
 cores, A:360–363  
 fluid inclusions, B:416–420  
 hydrothermal alteration, B:715–716  
 logs, B:579–581  
 measurement tools, A:50  
 profiles, B:684–685  
 sediments, B:565–570  
 Site 858, A:524–526, 541–543  
 thermophilic bacteria, B:512–515  
 vent fields, A:436  
 vs. decay curves, A:277–279  
 vs. density, B:664  
 vs. depth, A:22, 273–274, 402–403, 410, 412, 493, 548–550, 560; B:296–297, 299, 304, 321, 421–422, 474, 547, 566, 581–583, 705  
 vs. integrated thermal resistance, A:22  
 vs. magnetic intensity, B:521  
 vs. theoretical decay, A:160, 559  
 vs. thermal resistance, A:410  
 vs. time, A:276, 402, 408–409, 411, 548, 555–559; B:655–656, 658, 660–661, 663  
 temperature, in-situ, vs. time, A:158–159  
 temperature profiles, well-logging, A:247, 249–251
- textularids, range chart, A:114–118  
 textures, spherulitic, profiles, A:364  
 TG–FTIR. *See* thermogravimetric Fourier transform infrared data
- Thalassinoïdes*, turbidite, B:107–108
- thermal alteration  
 microfossils, A:538  
 organic materials, B:497–498, 502  
 sediments, B:495–508  
 vitrinite reflectance, B:493–494
- thermal conductivity  
 massive sulfides, B:722–724  
 Site 856, A:246  
 Site 857, A:354–355, 386–387, 392, 397  
 Site 858, A:520–521  
 vs. depth, A:22, 32, 149–151, 154–157, 268–271, 382–383, 536–540, 542; B:549–551, 566, 724  
 vs. drift rates, B:557  
 vs. porosity, A:156, 270, 391; B:561–563  
 vs. temperature, B:567
- thermal conductivity, anisotropic, sediments, B:559–564
- thermal conductivity, grain  
 sediments, B:553–558  
 vs. depth, B:555
- thermal conductivity, in-situ, sediments, B:545–552
- thermal cracking, hydrothermal alteration, B:303–305
- thermal maturation  
 bitumens, A:121, 124, 197–200  
 carbon isotope ratio of methane, B:473–474  
 vs. depth, A:204–205
- thermal sensors, alkenones, B:479–484
- thermal structure  
 Juan de Fuca Ridge, A:9–41  
 sediment/basalt interface, B:667–675  
 Site 857, A:285  
 vent fields, A:435
- thermogravimetric Fourier transform infrared data, ammonia, B:489–490
- thermomagnetic curves, vs. temperature, B:540
- tholeiite, composition, A:260; B:100
- tidal signals, hydrology, B:657–660
- tin, vs. depth, B:229–250, 359–367
- titanite. *See* sphene
- titanium  
 vs. magnesium number, A:264, 530  
 vs. zirconium, A:137–138, 147, 264, 375, 528  
*See also* iron/titanium ratio
- titanium–zirconium–yttrium plots  
 basalt, A:263, 528  
 ocean-floor tholeiite, A:148  
 Site 857, A:375
- titanium oxide  
 basalt, A:137–138  
 sediments, A:327  
 sills, B:95  
 vs. cerium/yttrium ratio, B:88  
 vs. depth, A:223, 225, 355, 515–518; B:228–250  
 vs. lanthanum/cerium ratio, B:88  
 vs. lanthanum/samarium ratio, B:88  
 vs. magnesium number, A:148; B:87, 96  
 vs. zirconium, B:88
- titanomagnetite  
 intergrowths, B:84–85  
 magnetic properties, B:728–731  
 rock magnetism, B:532
- titration alkalinity, vs. dissolved sulfate, B:476
- trace elements  
 basalt, A:136–140  
 hydrothermal alteration, B:98–99  
 igneous rocks, A:519; B:80–81, 86  
 massive sulfides, B:372  
 petrography, B:82–84  
 sedimentary rocks, A:514  
 sediments, A:209–213, 351–352  
 sills, B:96–97
- trace fossils  
 lithologic units, A:454  
 turbidite, B:107–108  
*See also* ichnofauna
- trace ions, interstitial waters, B:434–436
- trace metals, pore water, B:749–755
- transitional metals, hydrothermal fluids, B:402, 404–405
- transitional plankton assemblages, foraminifers, B:49–50
- transmission electron microscopy images, consolidation/permeability  
 samples, B:643, 646
- transmissivity, open-hole section, B:621
- triple junctions, rift zones, A:11
- triterpanes, maturation, B:458
- triterpenoid markers, alteration, B:457
- turbidites  
 composition, A:147–149  
 lithologic units, A:110, 173–174, 176–177, 299, 446–457  
 physical properties, A:243  
 Quaternary, B:39–58  
 reflectors, B:593  
 thermal conductivity, B:553–564  
 whole-core radiography, B:105–111  
*See also* Bouma units
- unblocking temperatures, sediments, B:726
- unloading slope, vs. consolidation index, B:635
- upflow zones, hydrothermal alteration, B:226
- uranium, vs. depth, A:405
- uranium logs, vs. depth, A:275
- vanadium, vs. depth, A:224, 226; B:229–250
- veins  
 alteration, A:338–339  
 alteration minerals, B:155–201  
 mineral composition, B:603  
 sills, B:94  
 sulfides, A:206
- velocity  
 anisotropy, A:357–358  
 anisotropy and temperature corrections, B:588  
 anisotropy vs. depth, A:398–399  
*P*-wave logger, A:353  
 profiles, A:364  
 sediments, B:709–711  
 unlogged section, B:587  
 vs. depth, A:403; B:589, 705, 709, 711–712  
 vs. porosity, A:31; B:712  
 vs. travelttime below seafloor, A:31
- velocity, interval, vs. depth, A:32
- velocity logs  
 Site 856, A:254  
 synthetic seismograms, B:591–593
- vent fields, geology, A:435–436
- vent fluids, relation to pore fluids, B:407–408
- vents  
 basement, B:700–704  
 cross sections, B:683  
 fluid flow, B:514–515  
 geology, A:536–543  
 heat flow, A:36–39  
 hydrothermal alteration, A:230–231; B:157–161, 210–212  
 hydrothermal mounds, B:395–410
- vitrinite reflectance  
 geothermal gradient, B:490–493  
 organic materials, B:499–503  
 vs. carbon isotope ratio, B:474  
 vs. depth, B:500, 502–503
- void ratio  
 vs. compressional wave velocity, B:636  
 vs. effective stress, B:631–633  
 vs. log permeability, B:637  
 vs. wet-bulk density, B:636  
*See also* porosity
- volatiles  
 geochemistry, A:197–200  
 sediments, A:319–320, 479–482  
*See also* gases; hydrocarbons
- vuggy texture, sulfides, A:242–243
- wairakite  
 alteration minerals, A:502; B:155–201  
 fluid inclusions, B:413–416  
 hydrothermal alteration, B:214  
 sediments, B:127
- water/rock ratio, hydrothermal circulation, B:710

## water content

water content, vs. depth, A:139, 149–151, 154–156, 223, 225, 268, 270–271, 381–382, 515–518, 536–540, 545; B:228–250

well logging  
igneous basement, B:573–583  
physical properties, B:585–596  
Site 856, A:247–255  
Site 857, A:359–368  
Site 858, A:523–528  
summary, A:401  
thermal conductivity calculation, B:545–552

West Valley, tectonics, A:10–15

X-ray-diffraction data  
alteration minerals, A:498, 500–510  
bulk basalt samples, A:138  
hydrothermal alteration, A:214–222  
sediments, A:129, 208–209

X-ray radiography, whole-core, sediments, B:105–111

ytterbium

## TAXONOMIC INDEX

vs. depth, B:230–250  
*See also* cerium/ytterbium ratio

yttrium  
vs. depth, A:224, 226; B:230–250  
*See also* titanium–zirconium–yttrium plots

zeolite facies, lithology, A:511–513

zeolites  
igneous rocks, A:511  
sediments, B:116  
sills, B:116–117

Zijderveld plots  
demagnetization, A:192, 329, 332; B:724  
natural remanent magnetization, A:122–123  
Site 858, A:469

zinc  
hydrothermal fluids, B:404  
massive sulfides, A:233  
sediments, A:330  
sills, B:95  
vs. copper, A:139  
vs. depth, A:225, 226, 361; B:229–250, 359–

367, 749–750, 755  
vs. magnesium, B:405

zirconium  
basalt, A:137–138  
vs. depth, A:224, 226; B:230–250  
vs. silica, B:225  
vs. titanium, A:147, 264, 375, 528  
vs. titanium oxide, B:88  
*See also* silica/zirconium ratio; titanium–zirconium–yttrium plots

zoning  
alteration minerals, A:504–505  
foraminifers and nannofossils, A:118, 323–326  
hydrothermal alteration, B:126–128, 165–187, 213–216  
massive sulfides, B:355–358  
metals, A:229–230  
mineral assemblages, B:148  
photograph, B:385  
*Zoophycos*, turbidite, B:107–108

## TAXONOMIC INDEX

*affinis*, *Globobulimina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458

*altiformis*, *Gyroidina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457

*Ammodiscus*  
Site 858, A:458  
Sites 856–857, B:45

*aperta*, *Gephyrocapsa*, Juan de Fuca Ridge, B:61

*barbata*, *Bulimina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457

*bigelowii*, *Braarudosphaera*  
Juan de Fuca Ridge, B:72  
Site 855, A:110, 119  
Site 856, A:183

*Bolivina pacifica*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458

*Braarudosphaera bigelowii*  
Juan de Fuca Ridge, B:72  
Site 855, A:110, 119  
Site 856, A:183

*Bulimina barbata*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457

*Buliminella elegantissima*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458

*Buliminella tenuata*, Site 858, A:458

*bulloides*, *Globigerina*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 857, A:300  
Site 858, A:457

Sites 856–857, B:41, 46–47, 49–50, 53–54

*bulloides*, *Pullenia*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457

*bulloides*, *Sphaeroidina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458

*Calcidiscus leptoporus*  
Juan de Fuca Ridge, B:72–73, 75  
Site 855, A:110, 119  
Site 856, A:183

*caribbeanica*, *Gephyrocapsa*  
Site 855, A:110, 119  
Site 856, A:183

*Cibicides kullenbergi*, Site 856, A:183

*Cibicides wuellerstorfi*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457

*clarkei*, *Globigerina*, Sites 856–857, B:53

*clarkei*, *Turborotalita*, Site 855, A:110, 114–117

*claviger*, *Rhabdosphaera*, Site 855, A:110, 119

*Coccolithus*, Juan de Fuca Ridge, B:68

*Coccolithus crassipons*, Juan de Fuca Ridge, B:72

*Coccolithus pelagicus*  
Juan de Fuca Ridge, B:59, 61–62, 64, 67, 72, 75–76  
Site 855, A:110, 119  
Site 856, A:182–183  
Site 857, A:303–304  
Site 858, A:459

*Coccolithus* sp., Juan de Fuca Ridge, B:73

*Coccolithus streckerii*, Juan de Fuca Ridge, B:72

*complanata*, *Stainforthia*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458

*crassipons*, *Coccolithus*, Juan de Fuca Ridge, B:72

*Crenalithus doronicoides*, Juan de Fuca Ridge, B:72

*Criboelphidium foraminosum*  
Site 856, A:181  
Site 857, A:302

*Cribrostomoides*  
Site 858, A:458  
Sites 856–857, B:45

*Cruciplacolithus tenuis*, Site 855, A:110, 119

*dirupta*, *Uvigerina*  
Site 855, A:110, 119  
Site 856, A:181–183  
Site 857, A:302

*Discoaster* sp., Site 855, A:110, 119

*doronicoides*, *Crenalithus*, Juan de Fuca Ridge, B:72

*duertrei*, *Neogloboquadrina*  
Site 855, A:110, 114–117  
Sites 856–857, B:41

*Eggerella*, Site 858, A:458

*elegans*, *Hoeglunina*  
Site 855, A:110, 119  
Site 856, A:181–182

*elegantissima*, *Buliminella*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458

*Elphidium*  
Site 856, A:181  
Site 857, A:302

*Emiliania huxleyi*  
Juan de Fuca Ridge, B:59, 61–62, 64–68, 70, 72–73, 76, 479–483  
Site 855, A:110, 119  
Site 856, A:182–183  
Site 857, A:304  
Site 858, A:458

*Emiliania huxleyi* Acme Zone  
Juan de Fuca Ridge, B:62, 64–65  
Site 857, A:304  
Site 858, A:458–459

*Emiliania pujosae*  
Juan de Fuca Ridge, B:72

- Site 855, A:110, 119  
Site 856, A:183
- falconensis*, *Globigerina*, Sites 856–857, B:46, 53  
*foraminosum*, *Criboelphidium*  
Site 856, A:181  
Site 857, A:302
- Gephyrocapsa*  
Juan de Fuca Ridge, B:61, 64, 67–69  
Site 856, A:182  
Site 857, A:303–304
- Gephyrocapsa aperta*, Juan de Fuca Ridge, B:61  
*Gephyrocapsa caribbeana*  
Site 855, A:110, 119  
Site 856, A:183
- Gephyrocapsa* Group 1, Juan de Fuca Ridge,  
B:63–64, 72
- Gephyrocapsa* Group 2, Juan de Fuca Ridge, B:72  
*Gephyrocapsa* Group 3, Juan de Fuca Ridge, B:72  
*Gephyrocapsa* Group 4, Juan de Fuca Ridge,  
B:72, 74–75
- Gephyrocapsa oceanica*  
Juan de Fuca Ridge, B:61  
Site 855, A:110, 119
- Gephyrocapsa parallela*, Juan de Fuca Ridge,  
B:61
- Gephyrocapsa* sp., Juan de Fuca Ridge, B:76  
*Globigerina bulloides*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:41, 46–47, 49–50, 53–54
- Globigerina clarkiei*, Sites 856–857, B:53  
*Globigerina falconensis*, Sites 856–857, B:46, 53  
*Globigerinita* cf. *uvula*, Sites 856–857, B:46  
*Globigerinita glutinata*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:41, 46–47, 50, 53
- Globigerinita minuta*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:46, 53
- Globigerinita uvula*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:46–47, 49, 53–54
- Globigerinoides ruber*, Sites 856–857, B:41, 46,  
50, 53–54
- Globobulimina affinis*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- Globobulimina ovula*, Site 856, A:183  
*Globobulimina pacifica*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- Globorotalia hirsuta*, Sites 856–857, B:46, 53–54  
*Globorotalia inflata*, Sites 856–857, B:41, 46, 50,  
53–54
- Globorotalia scitula*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 858, A:457  
Sites 856–857, B:41, 46, 53
- Globorotalia* sp. A, Sites 856–857, B:46  
*Globorotalia theyeri*  
Juan de Fuca Ridge, B:61  
Site 855, A:110, 114–117  
Site 856, A:181  
Sites 856–857, B:46, 53
- Globorotalia truncatuloides*, Sites 856–857,  
B:41
- Globoturborotalita rubescens*, Sites 856–857,  
B:46, 50, 53–54
- glutinata*, *Globigerinita*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:41, 46–47, 50, 53
- Gyroidina altiformis*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457
- Gyroidina planulata*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457
- Haplophragmoides*, Sites 856–857, B:45  
*Helicosphaera inversa*, Juan de Fuca Ridge, B:72  
*Helicosphaera kamptneri*, Juan de Fuca Ridge,  
B:72  
*Helicosphaera wallichii*, Juan de Fuca Ridge,  
B:72–73  
*heteromorphus*, *Sphenolithus*, Site 855, A:110,  
119  
*hirsuta*, *Globorotalia*, Sites 856–857, B:46, 53–54
- Hoeglunina elegans*  
Site 855, A:110, 119  
Site 856, A:181–182
- Hormosira*  
Site 858, A:458  
Sites 856–857, B:45
- humilis*, *Turborotalita*, Sites 856–857, B:46, 53–  
54
- huxleyi*, *Emiliania*  
Juan de Fuca Ridge, B:59, 61–62, 64–68, 70,  
72–73, 76, 479–483  
Site 855, A:110, 119  
Site 856, A:182–183  
Site 857, A:304  
Site 858, A:458
- inflata*, *Globorotalia*, Sites 856–857, B:41, 46, 50,  
53–54
- inversa*, *Helicosphaera*, Juan de Fuca Ridge, B:72  
*iota*, *Tenuitella*  
Site 855, A:110, 114–117  
Sites 856–857, B:46, 53–54
- japonica*, *Pontosphaera*  
Juan de Fuca Ridge, B:72  
Site 855, A:110, 119  
Site 856, A:183
- kamptneri*, *Helicosphaera*, Juan de Fuca Ridge,  
B:72
- Karreriella*, Site 858, A:458  
*kullenbergi*, *Cibicides*, Site 856, A:183
- leptoporus*, *Calcidiscus*  
Juan de Fuca Ridge, B:72–73, 75  
Site 855, A:110, 119  
Site 856, A:183
- Melonis*, Site 855, A:110, 119  
*Melonis pompilioides*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457  
Sites 856–857, B:46, 53
- Neogloboquadrina dutertrei*  
Site 855, A:110, 114–117  
Sites 856–857, B:41
- Neogloboquadrina pachyderma*  
Site 855, A:110, 114–117, 147  
Site 856, A:181  
Site 857, A:300, 302  
Site 858, A:457  
Sites 856–857, B:39–40, 41, 45–50, 53–54
- Nonion*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- Nonionella*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- obliquiloculata*, *Pulleniatina*, Site 856, A:181  
*oceanica*, *Gephyrocapsa*  
Juan de Fuca Ridge, B:61  
Site 855, A:110, 119
- Orbulina universa*  
Site 855, A:110, 114–117  
Site 856, A:181  
Sites 856–857, B:41, 46, 53–54
- Oridorsalis tener*, Site 858, A:458  
*ovula*, *Globobulimina*, Site 856, A:183
- pachyderma*, *Neogloboquadrina*  
Site 855, A:110, 114–117, 147  
Site 856, A:181  
Site 857, A:300, 302  
Site 858, A:457  
Sites 856–857, B:39–40, 41, 45–50, 53–54
- pacifica*, *Bolivina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- pacifica*, *Globobulimina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- parallela*, *Gephyrocapsa*, Juan de Fuca Ridge,  
B:61
- parkeri*, *Tenuitella*  
Site 855, A:110, 114–117  
Sites 856–857, B:46, 53
- pelagicus*, *Coccolithus*  
Juan de Fuca Ridge, B:59, 61–62, 64, 67, 72,  
75–76  
Site 855, A:110, 119  
Site 856, A:182–183  
Site 857, A:303–304  
Site 858, A:459
- planulata*, *Gyroidina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457
- pompilioides*, *Melonis*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:302
- Pontosphaera japonica*

*Pontosphaera japonica* (cont.)

## TAXONOMIC INDEX

- Juan de Fuca Ridge, B:72  
Site 855, A:110, 119  
Site 856, A:183
- Pontosphaera* sp., Juan de Fuca Ridge, B:72  
*pujosae*, *Emiliana*  
Juan de Fuca Ridge, B:72  
Site 855, A:110, 119  
Site 856, A:183
- pulchra*, *Syracosphaera*  
Juan de Fuca Ridge, B:72  
Site 855, A:110, 119  
Site 856, A:183
- Pullenia bulloides*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457
- Pullenia quinqueloba*, Site 858, A:458
- Pullenia salisburyi*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- Pulleniatina obliquiloculata*, Site 856, A:181
- quinqueloba*, *Pullenia*, Site 858, A:458
- quinqueloba*, *Turborotalita*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:41, 46–47, 49–50, 53
- Reticulofenestra* sp., Juan de Fuca Ridge, B:72
- Rhabdosphaera claviger*, Site 855, A:110, 119
- Rosalina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- ruber*, *Globigerinoides*, Sites 856–857, B:41, 46, 50, 53–54
- rubescens*, *Globoturborotalita*, Sites 856–857, B:46, 50, 53–54
- Saccammina*  
Site 858, A:458  
Sites 856–857, B:45
- salisburyi*, *Pullenia*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- scitula*, *Globorotalia*  
Site 855, A:110, 114–117  
Site 856, A:181  
Site 858, A:457  
Sites 856–857, B:41, 46, 53
- sentiosa*, *Uvigerina*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- sibogae*, *Umbilicosphaera*, Site 855, A:110, 119
- Sphaeroidina bulloides*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- Sphenolithus heteromorphus*, Site 855, A:110, 119
- Stainforthia complanata*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- streckerii*, *Coccolithus*, Juan de Fuca Ridge, B:72
- Syracosphaera pulchra*  
Juan de Fuca Ridge, B:72  
Site 855, A:110, 119  
Site 856, A:183
- Syracosphaera* sp., Juan de Fuca Ridge, B:72
- tener*, *Oridorsalis*, Site 858, A:458
- tenuata*, *Buliminella*, Site 858, A:458
- tenuis*, *Cruciplacolithus*, Site 855, A:110, 119
- tenuis*, *Umbellosphaera*, Juan de Fuca Ridge, B:72
- Tenuitella iota*  
Site 855, A:110, 114–117  
Sites 856–857, B:46, 53–54
- Tenuitella parkerae*  
Site 855, A:110, 114–117  
Sites 856–857, B:46, 53
- theyeri*, *Globorotalia*  
Juan de Fuca Ridge, B:61  
Site 855, A:110, 114–117  
Site 856, A:181  
Sites 856–857, B:46, 53
- Thoracosphaera* sp., Site 855, A:110, 119
- truncatulinooides*, *Globorotalia*, Sites 856–857, B:41
- Turborotalita clarkei*, Site 855, A:110, 114–117
- Turborotalita humilis*, Sites 856–857, B:46, 53–54
- Turborotalita quinqueloba*  
Site 855, A:110, 114–117  
Site 856, A:181
- Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:41, 46–47, 49–50, 53
- Umbellosphaera tenuis*, Juan de Fuca Ridge, B:72
- Umbilicosphaera sibogae*, Site 855, A:110, 119
- universa*, *Orbulina*  
Site 855, A:110, 114–117  
Site 856, A:181  
Sites 856–857, B:41, 46, 53–54
- Uvigerina dirupta*  
Site 855, A:110, 119  
Site 856, A:181–183  
Site 857, A:302
- Uvigerina sentiosa*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:458
- uvula*, *Globigerinita*  
Site 855, A:110, 114–117, 181  
Site 857, A:300  
Site 858, A:457  
Sites 856–857, B:46–47, 49, 53–54
- wallichii*, *Helicosphaera*, Juan de Fuca Ridge, B:72–73
- wuellerstorfi*, *Cibicides*  
Site 856, A:181  
Site 857, A:302  
Site 858, A:457
- zones (with letter prefixes)  
CD1, Site 855, A:113, 118  
CD1, Site 856, A:181  
CD1, Site 857, A:302  
CD2, Site 855, A:118  
CD2, Site 856, A:181  
CD2, Site 857, A:302  
CD3, Site 857, A:302  
CD3, Site 858, A:457  
CD4, Site 857, A:302  
NN20, Site 855, A:113  
NN21, Juan de Fuca Ridge, B:64  
NN21, Site 855, A:118  
NN21, Site 856, A:183  
NN21, Site 857, A:304  
NN21, Site 858, A:458