

## INDEX TO VOLUME 142

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 142 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and those in the *Scientific Results* (this volume), by "B" with a colon (B:).

The index was prepared by DBA, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented as a Subject Index. It covers text figures and tables but not core-description forms or thin-section descriptions; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. The principal reference for Site 864, the only site occupied during Leg 142, is this site's chapter in the *Initial Reports*; it is indicated on the first line of the site's listing in the index, as follows: "Site 864, A:55-72."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

- accumulation rates, radiometric dating, B:38  
accuracy, chemical analysis, B:76–77  
alteration. *See also* hydrothermal alteration  
alteration, incipient, secondary mineral coatings,  
B:6–7  
aluminum. *See* silicon/aluminum ratio  
aluminum oxide  
vs. magnesium number, A:71  
vs. magnesium oxide, B:45  
vs. titanium oxide, A:69  
aluminum oxyhydroxide, secondary minerals,  
B:72  
axial summit caldera  
basalts, B:9–10  
tectonics, A:31, 34  
back-off hardware, design, A:157–180  
barium  
accuracy of X-ray fluorescence, B:66  
basalts, B:13, 37–38  
recommended values and found mean values,  
B:64  
standard deviations of mean determinations by  
X-ray fluorescence, B:65  
barium/thorium ratio  
basalts, B:37–38  
vs. cerium, B:16  
vs. zirconium, B:16  
basalt flows, axial summit caldera, A:34–35  
basalt melts, magma chambers, B:28  
basalts  
experimental 1-atmosphere melting, B:41–49  
geochemistry, B:9–29, 75–81, 83–85  
instrumental neutron activation analysis,  
B:87–89  
lithology, A:57–60  
N-MORB composition, A:68  
petrology, B:3–8  
secondary minerals, B:71–74  
seismic experiments, A:35–36  
trace-element analysis, B:61–68  
velocity–porosity relationships, B:51–59  
volatiles, B:31–36  
*See also* mid-ocean-ridge basalts  
basalts, aphyric, petrography, A:58–59  
basalts, aphyric to slightly plagioclase phyrlic,  
petrography, A:59–60  
bathymetry  
East Pacific Rise, A:33  
seismic refraction, A:39  
boehmite, secondary minerals, B:71  
calcium oxide  
vs. magnesium number, A:71  
vs. magnesium oxide, B:45, 47  
vs. titanium oxide, A:69  
carbon dioxide  
basalt glasses, B:32–34  
basalts, B:25–26  
vs. nitrogen, B:26  
carbon/helium-3 ratio, basalts, B:34–35  
carbon monoxide  
basalt glasses, B:32–34  
vs. nitrogen, B:26  
cerium, vs. barium, B:16  
chemical analysis, basaltic rocks, B:75–81  
chromium, vs. zirconium, A:70  
chromium oxide, vs. magnesium number, A:71  
clinopyroxene  
basalt phenocrysts, B:4–5  
basalts, A:57–60  
fractional crystallization, B:42–43  
photograph, A:47  
*See also* olivine–clinopyroxene–quartz  
diagram  
clinopyroxene, poikilitic, photograph, A:67  
Clipperton transform fault, tectonics, A:31, 34  
coercivity, basalts, A:61–63  
columnar jointing, photograph, A:66  
compressional wave velocity  
Site 864, A:64  
vs. bulk density, B:53  
vs. shear velocity, B:53  
contamination, grinding of samples, B:77  
copper  
accuracy of X-ray fluorescence, B:66  
recommended values and found mean values,  
B:64  
standard deviations of mean determinations  
by X-ray fluorescence, B:65  
core barrels, design, A:249–264  
coring bits, diamond and roller-cone, design,  
A:205–247  
coring systems, development, A:8–9  
cracks. *See* microcracks  
crystal fractionation, basalts, B:7, 17–19  
crystal settling, geochemical indicators, B:20–21  
crystal size, microcracks, B:57  
demagnetization, alternating-field  
basalts, A:72  
vs. natural remanent magnetization, A:72  
demagnetization, thermal, basalts, A:63  
density  
basalts, B:53–56  
vs. porosity, B:54  
diamond coring system  
design, A:249–264  
Site 864, A:103–114  
diaspore, secondary minerals, B:71  
dickite, secondary minerals, B:71  
drilling, development, A:8–21  
drilling platforms, A:104–106  
East Pacific Rise  
basalts, B:9–29, 41–49  
drilling, A:5–27  
geochemistry, B:76–77  
geochronology, B:37–39  
geology, A:31–37  
petrology, B:3–8  
seismic experiments, B:51–59  
errors, statistical analysis, B:64  
eruption ages, radiometric dating, B:38  
ferric iron/ferrous iron ratio, basalts, B:25  
flow foliation, basalts, A:59  
fractional crystallization  
basalts, B:41–49  
geochemical indicators, B:20–21  
gabbro, xenoliths, B:5–6  
geochronology, subsurface basalts, B:37–39  
geophysical surveys, lava, B:7  
geostandards, precision and accuracy, B:63  
glass  
electron microprobe data, B:6  
geochemistry, B:83–85  
major elements, B:44  
photograph, A:44  
secondary minerals, B:72  
glass, basaltic  
geochemistry, B:23–29  
Site 864, A:57–60  
volatiles, B:31–36  
hafnium/tantalum ratio, vs. yttrium/zirconium  
ratio, B:13  
helium, vs. nitrogen, B:26  
helium isotopes, basalt glasses, B:31–36  
helium-3. *See* carbon/helium-3 ratio  
hydrogen, basalt glasses, B:32–34  
hydrothermal alteration  
glass, A:59, 64  
helium isotopes, B:32  
secondary minerals, B:71–74  
hydrothermal venting, East Pacific Rise, A:33  
igneous petrology, A:57–60  
inclusions. *See* xenoliths  
index properties, Site 864, A:64  
inductively coupled plasma-optical emission  
spectrometry, basaltic rocks, B:75–81  
instrumental neutron activation analysis, basalts,  
B:87–89  
iron. *See* magnesium/iron ratio  
iron oxide  
vs. magnesium number, A:71  
vs. magnesium oxide, B:45  
vs. titanium oxide, A:69  
iron-oxyhydroxide, basalts, A:59  
isotope ratios  
basalt flows, B:11–12  
lava, B:7  
*See also* individual isotope ratios  
kaolinite, secondary minerals, B:71  
Koenigsberger ratio, basalts, A:62  
lanthanum, vs. zirconium, B:15  
lava  
basalts, A:36–37  
chemical variation along rise axis, A:40  
chemistry, B:6  
secondary minerals, B:72  
lava flows  
geochemistry, B:9–22, 31–36  
petrology, A:57–60  
lead isotopes, basalt flows, B:11–12  
lithologic units  
geochemistry, B:17–19  
Unit I, A:58–59  
Unit II, A:59–60  
lithology, lava flows, A:57–60  
lithospheric pressure, vs. depth below seafloor,  
B:48  
magma chambers  
basalt melts, B:28  
basalts, B:7  
geochemical indicators, B:16–19  
models, A:40  
residence ages, B:38  
magnesium number  
vs. aluminum oxide, A:71  
vs. calcium oxide, A:71  
vs. chromium oxide, A:71

## magnesium number (cont).

vs. iron oxide, A:71  
 vs. sodium oxide, A:71  
 vs. titanium oxide, A:71

magnesium oxide  
 vs. aluminum oxide, B:45  
 vs. calcium oxide, B:45, 47  
 vs. iron oxide, B:45  
 vs. potassium oxide, B:45  
 vs. sodium oxide, B:45  
 vs. titanium oxide, B:45

magnesium/iron ratio, secondary minerals,  
 B:71–72

magnetic susceptibility  
 basalts, A:62  
 thermal treatment, A:72

major elements, basalts, A:60–63; B:23

mantle sources  
 basalts, B:7  
 geochemical indicators, B:16–19

mass pyrograms, volatiles, B:27

melting, basalts, B:41–49

mesostasis, basalts, A:57–60

methane  
 basalt glasses, B:32–34  
 vs. nitrogen, B:26

microcracks  
 basalts, B:57  
 fillings, B:71–72

microlites  
 basalts, A:57–60  
 photograph, A:45–46

mid-ocean-ridge basalts  
 geochemical indicators, B:34–35  
 geochemistry, B:87–89  
 interlaboratory comparison, B:75–81

mid-ocean-ridge basalts, normal  
 composition, B:3–22  
 fractionation, B:41–49  
 magma chambers, B:28

mineral chemistry, basalts, B:3–5

mini-hard-rock guide-base system, design,  
 A:123–135

mini-riser/tensioner system, design, A:136–157

N-MORB. *See* mid-ocean-ridge basalts, normal

neodymium, vs. strontium isotopes, B:14

neodymium isotopes, basalt flows, B:11–12

neodymium/samarium ratio, vs. yttrium/zirconium  
 ratio, B:13

niobium  
 shipboard XRF vs. ICP-MS analysis, B:11  
 vs. zirconium, B:15  
*See also* zirconium/niobium ratio

nitrogen  
 basalt glasses, B:32–34  
 vs. carbon dioxide, B:26  
 vs. carbon monoxide, B:26  
 vs. helium, B:26  
 vs. methane, B:26

“ODP Flow”  
 ages, B:38  
 axial summit caldera, A:34–35

olivine  
 basalt groundmass, B:4  
 basalts, A:57–60  
 fractional crystallization, B:42–43  
 photograph, A:47

olivine-clinopyroxene-quartz diagram, basalts,  
 B:45–46

overlapping spreading centers, tectonics, A:31, 34

oxidation, basalts, B:25–26

oxygen, basalt glasses, B:32–34

## SUBJECT INDEX

oxygen fugacity, vs. inverse absolute temperature,  
 B:25

Pacific Ocean E, drilling, A:5–27

paleomagnetism, basalts, A:61–63

parental melts, basalt flows, B:16–19

petrogenesis, basalts, B:7

petrography  
 basalts, B:3, 84  
 lava flows, A:57–60

phyllosilicates  
 secondary minerals, B:71–74  
*See also* individual minerals

physical properties  
 basalts, B:52  
 Site 864, A:63–64

pillow lava, seismic surveys, A:35–36

plagioclase  
 basalt phenocrysts, B:4–5  
 basalts, A:57–60  
 fractional crystallization, B:42–43  
 glomerocryst, A:60

plagioclase microlites, photograph, A:45

pore aspect ratio, vs. velocity, B:55

porosity  
 basalts, B:51–59  
 vs. density, B:54

porosity, fractional, vs. pore aspect ratio, B:56

positive displacement coring motor, design,  
 A:180–184

potassium oxide  
 vs. magnesium oxide, B:45  
*See also* sodium oxide + potassium oxide

precision, chemical analysis, B:76–77

pressure  
 fractional crystallization, B:43, 45–47  
 vs. temperature, B:48

protactinium-231/uranium-235 ratio, basalts,  
 B:37–38

pyrite  
 globules, A:61  
 photograph, A:68

pyroxene. *See* clinopyroxene

*Q* ratio. *See* Koenigsberger ratio

quartz. *See* olivine-clinopyroxene-quartz diagram

radiometric dating  
 basalts, B:37–39  
 lava, B:7

radium-226/thorium-230 ratio, basalts, B:37–38

rare earths, basalts, B:12–21, 83–85, 88

rare earths, chondrite-normalized, basalts, B:13

remanent magnetization  
 anhysteretic, basalts, A:62  
 isothermal, basalts, A:63  
 natural, basalts, A:61–62  
 saturation isothermal, basalts, A:63

rock magnetism, basalts, A:62–63

samarium  
 vs. zirconium, B:15  
*See also* neodymium/samarium ratio

scanning electron microscopy images, porosity,  
 B:56–57

secondary minerals, basalts, B:71–74

seismic experiments, basalts, B:51–59

seismic surveys, reflectors, A:35–36

shear wave velocity, basalts, B:54

silica, vs. sodium oxide + potassium oxide, B:85

silicates, mineral chemistry, B:4–5

silicon/aluminum ratio, secondary minerals,  
 B:71–72  
 Site 864, A:55–72

coring summary, A:58

drilling, A:21–23

geochemistry, A:60–61

igneous petrology, A:57–60

magnetism, A:61–63

physical properties, A:63–64

stratigraphy, A:56–57

smectite, secondary minerals, B:72

sodium oxide  
 vs. magnesium number, A:71  
 vs. magnesium oxide, B:45  
 vs. titanium oxide, A:69

sodium oxide + potassium oxide, vs. silica, B:85

spherulitic texture, photograph, A:45

spreading ridges, drilling, A:5–27

statistical analysis  
 chemical analysis, B:76–80  
 trace-element analysis, B:61–68

strontium  
 accuracy of X-ray fluorescence, B:66  
 recommended values and found mean values,  
 B:64  
 standard deviations of mean determinations by  
 X-ray fluorescence, B:65

strontium isotopes  
 basalt flows, B:11–12  
 lava, B:7  
 vs. neodymium, B:14

subsea hardware, design, A:115–203

sulfide globules, basalts, A:57, 61

sulfur  
 basalts, B:25–26  
 vs. sulfur fugacity, B:26

tantalum  
 basalts, B:13–14  
*See also* hafnium/tantalum ratio

tectonics, Site 864, A:31–35

thin sections, basalts, A:89–99

thorium  
 basalts, B:37–38  
*See also* barium/thorium ratio

thorium-230. *See* radium-226/thorium-230 ratio

thorium/uranium ratio, basalts, B:37–38

titanium, vs. zirconium, A:70

titanium oxide  
 vs. aluminum oxide, A:69  
 vs. calcium oxide, A:69  
 vs. iron oxide, A:69  
 vs. magnesium number, A:71  
 vs. magnesium oxide, B:45  
 vs. sodium oxide, A:69

titanomagnetite  
 basalts, A:57–60  
 magnetization, A:63

trace elements  
 basalts, A:60–63; B:10–11, 87–89  
 lava, B:18–19  
 X-ray-fluorescence analysis, B:61–68

transform faults, offsets, A:31, 34

ultrasonic velocity, basalts, B:57

uranium  
 basalts, B:37–38  
*See also* thorium/uranium ratio

uranium-235. *See* protactinium-231/uranium-235  
 ratio

uranium-series chronology, subsurface basalts,  
 B:37–39

velocity  
 basalts, B:53–56  
 ultrasonic, basalts, B:57  
 vs. fractional porosity, B:56

velocity–porosity relationships, basalts, B:51–59  
 velocity profiles, seismic refraction, A:40  
 vents, axial summit caldera, A:34–35  
 vesicles  
   basalts, A:59  
   fillings, B:72  
   gas composition, B:27  
 volatiles  
   basalt glasses, B:31–36  
   basalts, B:23–29  
 volcanic glass. *See* glass  
 water  
   basalt glasses, B:32–34  
   basalts, B:25–26  
 xenoliths, poikilitic clinopyroxene and plagioclase, B:5–6

X-ray fluorescence data, statistical analysis, B:61–68  
 X-ray fluorescence spectrometry, basaltic rocks, B:75–81  
 yttrium  
   accuracy of X-ray fluorescence, B:66  
   recommended values and found mean values, Site 864, B:64  
   shipboard XRF vs. ICP-MS analysis, Site 864, B:11  
   standard deviations of mean determinations by X-ray fluorescence, B:65  
   vs. zirconium, Site 864, A:70  
 yttrium/zirconium ratio  
   vs. hafnium/tantalum ratio, B:13  
   vs. neodymium/samarium ratio, B:13  
   vs. zirconium/niobium ratio, B:13

Zijderveld plots, natural remanent magnetization, A:72  
 zirconium  
   shipboard XRF vs. ICP-MS analysis, B:11  
   vs. barium, B:16  
   vs. chromium, A:70  
   vs. lanthanum, B:15  
   vs. niobium, B:15  
   vs. samarium, B:15  
   vs. titanium, A:70  
   vs. yttrium, A:70  
   vs. zirconium/niobium ratio, B:15  
   *See also* yttrium/zirconium ratio  
 zirconium/niobium ratio  
   vs. yttrium/zirconium ratio, B:13  
   vs. zirconium, B:15  
 zonation, mineral chemistry, B:5–6