

INDEX TO VOLUME 145

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 145 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and to those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear-slide data, or thin-section descriptions; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as nannofossils and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 881, for example, is given as "Site 881, A:37-83."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU.

SUBJECT INDEX

- accessory minerals abundance, vs. depth, A:308
advection, calcium carbonate, B:299–300
age model
 Neogene, B:294–295
 time scale, B:318
age vs. depth
 Eocene through Miocene, B:571
 Maestrichtian through Miocene, B:567
 Miocene through Quaternary, B:566, 570
 Pacific Ocean N, B:514, 521
 Pacific Ocean NW, B:586
 Site 881, A:49; B:562
 Site 882, A:104; B:564
 Site 883, A:150; B:260
 Site 884, A:237, 240; B:27, 468
 Site 887, A:357–358; B:250, 574
 Sites 885/886, A:317; B:221
Alaska, glaciation, B:323
Alaska Gyre
 Neogene, B:254–255
 shifts, B:322
Alaskan Stream, subpolar gyre, B:323
alkalinity
 interstitial waters, A:52, 96, 150, 152, 239, 312
 vs. depth, A:64, 105, 152, 244, 360
alteration, logs, A:160
aluminum/potassium ratio logs, vs. depth, A:187
aluminum logs
 concentration calculation, B:679
 vs. depth, A:186, 280
ammonium
 interstitial waters, A:53, 97, 151, 239,
 312–313, 352; B:671
 vs. depth, A:64, 152, 244, 321, 360
amphibole, volcanic ash, B:349, 381
andesite, basaltic, volcanic ash, B:371
andesite, geochemistry, B:664–665
andesite dropstones, lithology, B:196–203
anhysteretic remanent magnetization. See
 remanent magnetization
antimony, hydrothermal sequences, B:418,
 421–422
apatite, hydrothermal sequences, B:417–419,
 421–424
arc magmas, subduction, B:386
Arcto–Boreal region, biostratigraphy, B:9
argon dating, apparent age spectrum, B:338–340,
 342
argon isotopes, basalt geochronology, B:333–344
aridity, continental climate, B:228–229
arsenic, hydrothermal sequences, B:418, 421–422
Asia NE, glaciation, B:323
astronomical calibration, stratigraphy, B:283–292
atacamite, haloes, B:391–395
Atlantic Ocean, calcium carbonate, B:314
Atlantic Ocean N, radiolarians, B:134
atmospheric circulation, shifts, B:322
atmospheric composition, glaciation, B:316–317
authigenesis, interstitial waters, A:53
authigenic minerals, clay, A:307
Baranoff Fan, sedimentation, B:254–255
barite
 haloes, B:392
 hydrothermal sequences, B:417
barium
 sediments, B:210–211
 vs. depth, B:212
basalt dropstones, photograph, A:44
basalt pillows
 lithologic units, A:133
 photograph, A:137
 See also pillow basalts
basalts
 Cretaceous, A:273–274
 Detroit Seamount, A:179
 geochronology, B:333–344
 lead isotopes, B:386
 lithologic units, A:307, 342
 lithology, B:579, 581
 petrology, A:219–220, 308, 344
 recovery, A:134–136
 See also pillow basalts
basalts, pyroxene, dropstones, A:45
bathymetry
 Detroit Seamount, A:124, 212; B:582
 Patton–Murray seamount platform, A:337;
 B:249, 583
 Site 882, A:88
Bering Sea
 carbonates, B:201
 water movement in Oligocene, B:588–589
Bering Straits, deepening, B:317
beryllium-10, island arcs, B:386
biochronology, Cenozoic, B:570, 573
biogenic fluxes, Neogene, B:590
biogenic sedimentation, Neogene, B:254–255
biogeography, radiolarians, B:67, 72–77
biostratigraphy
 calcareous nannofossils, B:599–638
 diatoms, B:3–19, 21–41
 foraminifers, B:157–170
 Pliocene, B:141–156
 radiolarians, B:55–91, 93–140
 silicoflagellates, B:639–643
 Site 881, A:45–50
 Site 882, A:90–91, 93
 Site 883, A:138–145
 Site 884, A:220–228
 Site 887, A:344–349
 Sites 885/886, A:308–310
bioturbation
 ichthyoliths, B:404
 photograph, A:131, 133, 221, 345
borehole lithology
 Site 883, A:156–156, 160–161
 Site 884, A:249–250
 Site 887, A:360–361
borehole temperature
 Site 883, A:156
 Site 884, A:249
 Site 887, A:360
Boso Peninsula, silicoflagellates, B:639–640
bottom waters
 current-related redeposition, B:592
 southerly flow in Oligocene, B:588–589
brecciation, photograph, A:132
Brunhes/Matuyama boundary
 biostratigraphy, B:134–139
 magnetic reversals, A:101, 364
 Site 881, A:51
 Site 883, A:146
 Sites 885/886, A:311
Brunhes Chron, magnetostratigraphy, B:9–13
bulk density logs, vs. depth, A:77, 281–282, 382,
 384–385
burrows
 CT scan images, B:543–546
 photograph, A:131, 134, 223
calc-alkalic-type ash, geochemistry, B:664–665
calcareous nannofossil datum levels, age and
 stratigraphic position, A:140–141, 231
calcite, vs. depth, B:250
calcite, diagenetic, microcrystalline, photograph,
 A:222
calcite compensation depth. See carbonate
 compensation depth
calcite fracture infillings, photograph, A:136, 224
calcium
 interstitial waters, A:53, 97–98, 151, 239, 313,
 352
 vs. depth, A:64, 152, 244, 321, 361
calcium carbonate
 deposition, B:391
 sedimentation, B:248, 293–314
 vs. age, B:295–300
 See also calcite; carbonate content
calcium carbonate compensation depth. See
 carbonate compensation depth
calcium carbonate mass accumulation rates
 relation to weight percentage, B:318–325
 vs. age, B:253, 295–300
calcium oxide, vs. magnesium oxide of volcanic
 ash layers, B:370
caliper logs, vs. depth, A:280–281, 382
Campanian, lithologic units, Site 883, A:132
Cape Olyutorsky, terranes, B:200
carbon, carbonate
 Site 881, A:54
 Site 882, A:98–99
 Site 883, A:153
 Site 884, A:242
 Site 887, A:357
 Sites 885/886, A:315
carbon, organic
 interstitial waters, B:671
 sediments, B:319, 321, 645–655
 Site 881, A:55
 Site 882, A:99
 Site 883, A:153–154
 Site 884, A:242
 Site 887, A:357
 Sites 885/886, A:315
 vs. depth, B:652–655
 See also total organic carbon mass
 accumulation rates
carbon, organic/total nitrogen ratio, sediments,
 B:647–651
carbon, total
 Site 881, A:58–60
 Site 882, A:108
carbon, total, organic, vs. depth, A:72, 107, 163,
 248–249, 323, 363
carbon isotopes
 benthic foraminifers, B:268, 270–273,
 279–280
 sediments, B:581, 583
 vs. age, B:279–281, 319–320, 584
 vs. composite depth, B:259
 vs. depth, B:271–272, 281
carbonate compensation depth
 deepening, A:342
 depth, B:470
 history, B:586–587
 levels, A:180
 paleoceanography, A:102

- vs. age, B:586
carbonate content
sediments, B:645–655
Site 881, A:58–60
Site 882, A:108
Site 883, A:158–160
Site 884, A:246–247
Site 887, A:366–367
Sites 885/886, A:322
vs. depth, A:72, 106, 161, 248–249, 362–363, 652–655
carbonates abundance, vs. mid-core depth, A:128, 341
carbonates intervals, vs. depth, A:218
Caribbean Sea, tectonics, B:317
Cenozoic
carbonate compensation depth history, B:587
deposition, A:272–273
ichthyoliths, B:401
Pacific Ocean N, A:5–7
paleoclimatology, B:231–245
seismic stratigraphy, B:437–453
stratigraphy, A:177–178; B:205–217
Cenozoic, upper
ice rafting, B:179–194
magnetostratigraphy, B:491–521
centrally striated triangle, Sites 885/886, B:401, 409
chalk, lithologic units, A:217–218
chalk, diatom, photograph, A:223, 225
chalk, nannofossil
lithologic units, A:130, 132, 217–218
photograph, A:132–136
chert, dropstones, B:196–203
chert bands, interstitial waters, A:151–152
Chinook Trough
basalts, B:338–339
rifting, B:413–434, 593
seismic profiles, B:449–450
site description, A:303–334
tectonic evolution, B:415
chloride
interstitial waters, A:52, 96, 148, 237, 312, 351
vs. depth, A:64, 105, 151, 241, 321, 360
chlorite
vs. composite depth, B:235
vs. depth, B:658, 660
chlorite/illite ratio, vs. depth, B:659
chlorite/quartz ratio, vs. composite depth, B:241
chlorite mass accumulation rates, vs. age, B:244
chromium
basalts, A:136, 138
sediments, B:428–431
vs. depth, B:430
Chron 5En, correlation, A:350; B:501
Chron 5n, correlation, B:500
Chron C3n.1n, correlation, B:497
Chron C3n.2n–C3.4n, correlation, B:497
Chron C5A, magnetic events, B:76
Chron C5C, magnetostratigraphy, B:7
Chron C5D, magnetostratigraphy, B:7
Chron C5Dn, magnetostratigraphy, B:7
Chron C5E, magnetostratigraphy, B:7
Chron. See Subchron
chronostratigraphy, biostratigraphy, B:258
Chugach Mountains, clast provenance, B:203
clasts, photograph, A:135, 343
clay
lithologic units, A:86, 216, 306, 342
mineralogy, B:657–660
clay, deep-sea, strontium isotope stratigraphy, B:399–312
clay, diatom
lithologic units, A:128, 130
mineralogy, B:657–660
photograph, A:131
clay, pelagic
composition, B:430–432
overconsolidation, B:593
Pacific Ocean N, A:5–7
clay, red
composite depth scale, B:205–217
ichthyolith dating, B:220–221
clay, silty, lithologic units, A:340
clay, terrigenous
flux, B:502–503
Neogene, B:247–256
clay abundance
vs. depth, A:42, 217–218, 307–308
vs. mid-core depth, A:128, 341
clay flux, sedimentation, A:62
clay minerals
vs. composite depth, B:235, 241
vs. depth, B:658–660
See also chlorite; illite; kaolinite; smectite
claystone
lithologic units, A:216, 218
mineralogy, B:657–660
photograph, A:223, 225–226
claystone, vitric, lithologic units, A:217
climate ratio
Pliocene, B:48–49
See also paleoclimate ratio
clinopyroxene
basalts, B:336, 338
volcanic ash, B:349, 381
cobalt
hydrothermal sequences, B:418, 421–422
sediments, B:428–431
Cobb–Eickelberg Seamounts, basalts, B:340–343
coccoliths
Site 883, B:642
See also nannofossils, calcareous
Cochiti Subchron
correlation, B:497
Site 881, A:51
coercivity, sediments, B:473
color bands, photograph, A:132
color laminations, photograph, A:344
composite depth scale
magnetostratigraphy, B:466–467
stratigraphy, B:205–217
composite depth sections
Site 881, A:44, 48
Site 882, A:89–90, 94–95; B:284–285
compressional wave velocity
Site 883, A:155, 164–176
Site 884, A:245, 247, 250, 252–264, 266–271
Site 887, A:359, 378
Sites 885/886, A:316–317, 328
vs. depth, A:75, 183, 275, 332, 382
vs. dry water content, A:276
See also sonic velocity; velocity
concretions, apatite, B:426
conglomerate, lithologic units, A:217
consolidation
sediments, B:525–548
See also overconsolidation
contamination, ichthyoliths, B:403–404
cooling, global, Pliocene, B:316–317, 325
copper, crystals, A:274
copper mineralization
grains and veinlets of native copper, B:389–397
See also native copper
core–log correlation, magnetostratigraphy, B:466–467
core–log integration, Pacific Ocean N, B:677–679
coring gaps
Site 881, A:47
Site 882, A:90
Site 883, A:130
Site 884, A:218–219
cracks, photograph, A:343
Cretaceous
biostratigraphy, A:141
ichthyoliths, B:401
Pacific Ocean N, A:5–7
sedimentation, B:228–229
stratigraphy, A:177–178
See also individual epochs
Cretaceous/Tertiary boundary
identification and characterization, B:427–434
location, B:423
Cretaceous, Upper
calcareous nannofossils, B:633–638
rifting, B:413–434
cross coherency, magnetic susceptibility and GRAPE density, B:292
CT scan images
sedimentary structures, B:543–546
sediments, B:526–527
cuprite, haloes, B:392–395
cyclic processes
ice rafting, B:179–194
orbital forcing, B:325
stratigraphy, B:283–292, 437–452
dacite, geochemistry, B:664–665
datum levels, B:561, 563, 565–566, 568–569, 572–573
deep-water circulation, Paleogene, B:265–281
deep-water sources, calcium carbonate, B:297–300
demagnetization
vector plots, B:497, 501, 507, 510, 517
Zijderfeld plots, A:60, 100, 146, 314, 353–354; B:471, 477–478
density, bulk. See bulk density logs
density, dry-bulk, vs. depth, A:74, 117, 177–179, 251, 265, 311, 365, 370, 375; B:528, 530, 532, 534
density, grain, vs. depth, A:74, 117, 182, 273, 311, 365, 370, 375; B:528, 530, 532, 534
density, GRAPE
sediments, B:319, 321
vs. age, B:288–291
vs. depth, B:537
density, GRAPE-bulk
Site 883, A:155
Site 884, A:244–245
Site 887, A:359
Sites 885/886, A:316
vs. depth, A:74, 117, 182, 274, 370–371, 375
density, wet-bulk
vs. composite depth, B:549
vs. depth, A:73, 117, 177–179, 251, 265, 329–330, 370–371; B:528, 530, 532, 534
density–natural gamma ray logs, A:390–391
density–porosity–natural gamma ray logs
Site 881, A:80–81
Site 884, A:298–302
Detroit Seamount
basalts, B:336–338, 340–341
bathymetry, A:88, 124; B:582
biostratigraphy, B:7–11, 64–66
copper mineralization, B:389–397
failure, B:552–553
foraminifers, B:157–170
geology, A:272–276
organic carbon and carbonate records,

- B:645–655
 seismic profiles, B:442–448
 silicoflagellates, B:639–643
 site description, A:85–302
 slope stability, B:547–556
 stable isotopes, B:257–264
- diachroneity
 Cenozoic, B:570, 573
 diatoms, B:13–15
 radiolarians, B:67, 72–77
- diagenesis
 ichthyoliths, B:403–404
 interstitial waters, B:671
 magnetite, B:489
 metallogenesis, B:392–395
 mineralogy, B:244
- diatom datum levels
 age and stratigraphic position, A:50, 140–141, 231, 310, 346
 Pacific Ocean N, B:6–9, 13–16
- diatom dump, Neogene, B:248
- diatom taxa, vs. age, B:46–47
- diatomite, lithologic units, A:216–217
- diatomite, clayey, lithologic units, A:216
- diatoms
 biostratigraphy, B:3–19, 21–41, 560–574
 changes, B:322
 correlation, B:503
 paleoclimatology, B:43–53
 stratigraphic occurrence and age of events, B:28
- diatoms abundance
 vs. depth, A:42, 307
 vs. mid-core depth, A:128
- dissolution, calcium carbonate, B:297–300
- dolomite, photograph, A:46
- downhole measurements
 magnetostratigraphy, B:455–468
 onshore log processing, B:677–688
 Site 881, A:55–57
 Site 883, A:155–157, 160–161, 163–167
 Site 884, A:247–251, 264–265, 270–271
 Site 887, A:359–361
- downslope redepositional processes, sediments, B:583–584, 586
- drift deposits
 mineralogy, B:657–660
 sediments tongues, B:587–589
- dropstone intervals
 vs. depth, A:218
 vs. mid-core depth, A:90, 129, 342
- dropstones
 ice rafting, B:195–204
 lithology, A:45
 Matuyama/Gauss boundary, A:61
 mineralogy, B:657–660
 paleoceanography, A:101–102
 photograph, A:44–45, 221
 sedimentation, A:219
 sediment flux, B:502–503
 sources, A:274
 See also andesite dropstones; basalt dropstones; pumice dropstones; sandstone dropstones; tuff dropstones
- dust
 deposition, B:219–230
 vs. age, B:228
 vs. depth, B:227
- earthquakes, epicenters, B:551–552, 554
- East Pacific Rise, sediment chemistry, B:418
- ecostratigraphic floras, silicoflagellates, B:639–641
- Emperor Ridge, sedimentation, A:276
- Emperor Seamounts
 sedimentation, A:275
 silicoflagellates, B:639–643
 site description, A:85–302
 See also Hawaiian–Emperor Seamounts
- Emperor Trough spreading center, movement, B:417
- Eocene
 biostratigraphy, A:141, 222–223; B:117–132, 159, 161, 634
 deep-water formation, B:265–266
 lithologic units, A:130, 132, 217
 unconformities, B:569
- Eocene/Oligocene boundary, unconformities, B:569
- colian deposition
 dust, B:219–230
 mineralogy, B:244
- ethane
 Site 881, A:54
 Site 882, A:98
 Site 883, A:153
 Site 884, A:242
- event stratigraphy, radiolarians, B:67, 72–77
- explosive volcanism
 geochemical evidence, B:665
 Sites 881–884, B:345–381
- fans, deep-sea, sedimentation, B:254–255
- Farallon Plate, tectonic evolution, B:415
- faults, stratigraphy, B:437–452
- faunal depth migrations, benthic foraminifers, B:269–270
- Feni Drift, sedimentation, A:274
- fish teeth
 “tartar removal,” B:220–221, 228
 See also ichthyoliths
- flexed triangle, Site 885/886, B:407
- folding, overturned, photograph, A:224
- folding, recumbent, photograph, A:225–226
 photograph, A:135
 stratigraphy, B:437–452
- foraminifers
 biostratigraphy, B:560–574
 calcareous test deposition, B:391, 394
 Pliocene, B:141–156
- foraminifers, benthic
 biostratigraphy, B:143–145, 147–152, 257–264
 paleoclimatology, B:265–281
 vs. age, B:260, 277, 279–281, 319–321
 vs. composite depth, B:259
 vs. depth, B:150–151, 271–277, 281
- foraminifers, planktonic
 biostratigraphy, B:141–143, 146–147, 157–170
 stable isotopes, B:322–323
- formation microscanning imagery, vs. depth, A:189
- fracture infillings, photograph, A:136–137, 224
- fracture surfaces, copper mineralization, Site 884, B:396
- frequency spectra, stratigraphy, B:285–287
- Gardar Drift, sedimentation, A:274
- gases
 Site 881, A:54
 Site 882, A:98
 Site 883, A:153
 Site 884, A:242
 Site 887, A:357
 Sites 885/886, A:313, 315
- gases, headspace
 Site 881, A:57
- Site 882, A:107
 Site 883, A:157
 Site 884, A:245
 Site 887, A:362
 Sites 885/886, A:320, 322
- Gauss/Gilbert boundary
 magnetic tie points, B:323
 Site 881, A:51
 Sites 885/886, A:311
- Gauss/Matuyama boundary
 correlation, B:494, 498
 sediment flux, B:501–503
- Gauss Chron, magnetostratigraphy, B:9–13, 561
- geochemical data
 Site 881, A:58–60
 Site 882, A:108
 Site 883, A:158–160
 Site 884, A:246–247
 Site 887, A:366–367
 Sites 885/886, A:322
- geochemical logs
 Site 883, A:204–208
 Site 884, A:294–297
 summary, B:680–688
- geochemistry
 interstitial waters, B:671–675
 onshore log processing, B:677–688
 volcanic ash, B:661–669
- geochemistry, inorganic
 Site 881, A:52–54
 Site 882, A:96–98
 Site 883, A:148–153
 Site 884, A:235, 237–242
 Site 887, A:351–354
 Sites 885/886, A:312–313
- geochemistry, organic
 Site 881, A:54–55
 Site 882, A:98–99
 Site 883, A:153–154
 Site 884, A:242
 Site 887, A:354, 357
 Sites 885/886, A:313, 315
- geomagnetic field intensity
 Pleistocene variations, B:469–474
 See also paleointensity
- geotechnical properties, sediments, B:525–556
- Gilbert/Gauss boundary, correlation, B:494, 498
- Gilbert Chron
 correlation, B:497
 magnetostratigraphy, B:9–13, 560–561
 Site 881, A:51
- glacial/interglacial cycles
 Neogene, B:257–264
- paleoclimatology, B:49–50
- glacial erosion, Neogene, B:254–255
- glaciation
 calcium carbonate, B:297–300
 ice rafting, B:183–185
 initiation, B:315–329
 onset in Northern Hemisphere, B:594
 paleoceanography, A:101–102
 relationship to volcanism, B:592
 sedimentation, A:61–62, 274
 sediment flux, A:52; B:502–503
- goethite, hydrothermal sequences, B:417–419, 421–424
- grain size
 consolidation, B:526
 magnetic hysteresis, B:487–489
- Gravina Belt, clast provenance, B:203
- graywacke, dropstones, A:45
- Great Magnetic Bight, tectonic evolution, B:413, 415
- Gulf of Alaska

- biostratigraphy, B:66–67
 clast provenance, B:203
 dropstone provenance, B:502
 geology, A:362–363
 sediment fluxes, B:247–256
- halite, haloes, B:392
 haloes, atacamite, B:391–392
 Hawaiian–Emperor Seamounts
 volcanism, B:340–343
 See also Emperor Seamounts
- hiatuses
 Cenozoic, B:214–217
 Miocene, B:573
 See also unconformities
- high-resolution methods
 sedimentation, B:293–314
 stratigraphy, B:133–140, 283–292, 593–594
- hotspots, activity, B:343
- hydrocarbons, volatile
 Site 881, A:54
 Site 882, A:98
 Site 883, A:153
 Site 884, A:242
 Site 887, A:357
 Sites 885/886, A:313, 315
- hydrothermal alteration, sediments, B:244
 hydrothermal deposition, rifting, B:413–434, 593
- ice-rafted debris
 Cenozoic, B:179–194
 Miocene, B:591–592
 Neogene, B:254–255
 provenance, B:195–204
 sedimentation rates, B:287–291
 sediment flux, B:501–503
 vs. age, B:319
 vs. depth, B:182
- ice rafting
 Miocene, B:591–592
 paleoceanography, A:101–102
 Pliocene, B:325
 sedimentation, B:179–204
 sediment fluxes, A:52
- ice sheets, shifts, B:322
- ichnofossils, photograph, A:132, 134, 223
- ichthyoliths, strontium isotope stratigraphy,
 B:220–221, 228, 399–412
- igneous petrology
 Site 883, A:134–136, 138
 Site 884, A:219–220
 Site 887, A:344
- illite
 vs. composite depth, B:235
 vs. depth, B:658, 660
 See also chlorite/illite ratio; kaolinite/illite
 ratio; smectite/illite ratio
- illite/quartz ratio
 vs. composite depth, B:241–242
 vs. depth, B:659
- illite mass accumulation rates, vs. age, B:244
- ilmenite, volcanic ash, B:349, 381
- index properties
 Site 881, A:65–67, 69–71
 Site 882, A:109–116
 Site 883, A:154–155, 162, 164–176
 Site 884, A:243–244, 250, 252–264, 266–271
 Site 887, A:357–359, 368–369, 371–374
 Sites 885/886, A:315–316, 323–325
- induction logs
 Site 883, A:161, 163
 Site 884, A:251, 264
 vs. depth, A:189–192, 283–284; B:457, 459,
 465
- insolation, vs. age, B:288–291, 321, 324
- interstitial waters
 geochemistry, B:671–675
 Site 881, A:52–54
 Site 881, A:56
 Site 882, A:96–98, 106
 Site 883, A:148–155
 Site 884, A:235, 237–243
 Site 887, A:351–354, 359
 Sites 885/886, A:312–313, 320
- intraclasts
 photograph, A:136
 See also clasts
- iridium
 sediments, B:428–432
 spherules, B:402–403, 405
 vs. depth, B:430
- iron
 hydrothermal sequences, B:421–424
 sediments, B:210–211
 vs. composite depth, B:422
 vs. depth, B:212
- iron–manganese oxyhydroxides, hydrothermal
 sequences, B:417–419
- iron–titanium oxides
 volcanic ash, B:349, 381
 See also ilmenite; spinel
- iron/samarium ratio, vs. composite depth, B:424
- iron/scandium ratio, vs. composite depth, B:423
- iron oxide
 lithologic units, A:342
 vs. magnesium oxide, B:337, 339
- iron oxide/magnesium oxide ratio
 vs. silica, B:664
 vs. silica of volcanic ash layers, B:370
- isochron ages, basalts, B:336
- isochroneity
 Cenozoic, B:570, 573
 diatoms, B:13–15
- Izu–Bonin Arc, volcanism, B:354–355, 357
- Japan, silicoflagellates, B:639–640
- Jaramillo Subchron, magnetostratigraphy, A:51;
 B:64, 101, 65–66
- K/T boundary. See Cretaceous/Tertiary boundary
- Kaena Subchron, correlation, A:51; B:494
- Kamchatka, volcanism, B:345–381
- Kamchatka Current, sedimentation, A:275
- Kamchatka Peninsula
 dropstone provenance, B:502
 tectonics, B:200
- Kamchatka volcanic province, Pliocene and
 Quaternary activity, B:592
- Kamchatkan Arc
 sediment recycling in arcs, B:383–388
 See also Kuril–Kamchatka arc
- kaolinite, vs. composite depth, B:235
- kaolinite/illite ratio, vs. composite depth, B:241
- kaolinite/quartz ratio, vs. composite depth, B:241
- kaolinite mass accumulation rates, vs. age, B:244
- Karaginsky Island
 paleoclimatology, B:49
 Pliocene, B:201
 tectonics, B:200
- Kilauea, distance from volcano vs. age, B:343
- kite-shaped elongate prominence, Site 885/806,
 B:401, 407
- Klyuchevskoy lava, lead isotopes, B:385–386
- Koenigsberger ratio, induction, A:163
- Koryak Range, tectonics, B:200
- Kula–Pacific Ridge
 rifting, B:413–414
 tectonics, B:424
- Kula–Pacific spreading center, movement, B:416
- Kula Plate, tectonic evolution, B:415
- Kumroch Range, terranes, B:200
- Kuril–Kamchatka arc, volcanism, A:61–62, 180;
 B:370–371
- Kuriles, volcanism, B:345–381
- Kuroshio Current
 ice rafting, B:201
 shifts, B:322
- lanthanum
 sediments, B:210–211
 vs. depth, B:212
- Last Glacial Maximum, stable isotopes, B:319,
 321
- lead isotopes, sediments, B:383–388
- Limimtevayamim Suite, carbonate concretions,
 B:201
- lithium
 interstitial waters, A:54, 98, 153, 313,
 353–354
 vs. depth, A:72, 105, 244, 321, 361
- lithologic summary
 Site 881, A:42–43
 vs. depth, A:42
- lithologic units
 depth intervals, A:307
 Site 881, A:41–45
 Site 882, A:86–87
 Site 883, A:128, 130, 132–133
 Site 884, A:216–219
 Site 887, A:340–342
 Sites 885/886, A:306–307
 Unit I, A:41–44, 86–87, 128, 130, 216–217,
 306, 340
 Unit II, A:130, 217–219, 306, 340–342
 Unit III, A:130, 219, 306–307, 342
 Unit IV, A:130, 132, 307, 342
 Unit V, A:132–133
 Unit VI, A:133
- lithology
 stratigraphy, B:437–452
 volcanic ash, B:348, 350–356, 358–359
 See also borehole lithology
- lithostratigraphy
 Site 881, A:41–45
 Site 882, A:86–87, 89–90
 Site 883, A:127–128, 130–134
 Site 884, A:213, 216–219
 Site 887, A:339–344
 Sites 885/886, A:306–308
- Maestrichtian/Paleocene boundary, unconformi-
 ties, B:564
- magnesian spinel, composition, B:430–432
- magnesium
 interstitial waters, A:53, 97–98, 151, 239, 313,
 352
 vs. depth, A:64, 105, 152, 244, 321, 361
- magnesium carbonate, deposition, B:391
- magnesium oxide
 vs. calcium oxide of volcanic ash layers, B:370
 vs. iron oxide, B:337, 339
 vs. strontium, B:337, 339
 vs. titanium oxide, B:337, 339
 vs. zirconium, B:337, 339
 See also iron oxide/magnesium oxide ratio
- magnetic anomalies, induction logs, A:161, 163
- magnetic chron polarity, depths, A:53, 103, 148,
 238, 318, 350
- magnetic declination
 Site 884, B:476
 vs. composite depth, B:472
 vs. depth, A:234; B:479, 512

- magnetic inclination
 basaltic basement, A:239
 Site 884, B:476
 vs. composite depth, B:472
 vs. depth, A:62, 64, 100, 103, 146, 148–149, 234–236, 312–316, 353–356; B:479, 496, 500, 502–503, 506, 508, 511–513, 518–519
- magnetic intensity
 vs. depth, A:64, 103, 149, 234, 314; B:495, 499, 502, 504, 506, 509, 512, 516
 See also natural remanent magnetization intensity
- magnetic logs
 compared to core data, A:169, 175, 270–271
 compared to core lithology data, A:271
 compared to core susceptibility data, A:271
 magnetostratigraphy, B:455–468
 See also induction logs; magnetic susceptibility logs
- magnetic polarity chrons, stratigraphy, B:206–217
- magnetic polarity events, Neogene, B:6–9, 13–16
- magnetic properties, minerals, B:483–490
- magnetic reversal stratigraphy, Neogene, B:77–78
- magnetic reversals
 Site 882, A:101
 virtual geomagnetic pole path, B:479–481
- magnetic susceptibility
 frequency dependence, B:470
 relationship to glaciation, B:592
 Site 883, A:145–147
 Site 884, A:228, 231–234
 stratigraphy, B:206–217
 vs. age, B:243, 288–291, 295–300, 321, 324
 vs. anhysteretic remanent magnetization, B:470
 vs. composite depth, B:233, 242, 286
 vs. depth, A:55, 62, 96, 99, 145, 147, 232, 313, 315, 351–352; B:206–208, 258, 485–486, 488–489, 495, 499, 503–504, 508–509, 516
 vs. temperature, B:488
- magnetic susceptibility logs
 correlation between Sites 882 and 884, B:503
 correlation between Sites 883 and 884, B:508
 Site 883, A:163, 169
 Site 884, A:264–265, 270–271
 vs. depth, A:190, 192, 285–288; B:457, 459, 466
- magnetite, magnetic properties, B:489
- magnetometer logging, magnetostratigraphy, B:466–467
- magnetostratigraphy
 age model, B:318
 Cenozoic, B:226, 491–521
 Neogene, B:5–13, 64–66
 Pleistocene, B:134–139
 Site 881, A:51
 Site 882, A:95
 Site 884, A:234
 Site 887, A:350
 Sites 885/886, A:310–311
 stratigraphic occurrence and age of events, B:28
 vs. depth, A:316
- major elements
 basalts, B:335
 volcanic ash, B:348–349, 357, 360–370, 372–375, 378–379, 381, 668
- Mammoth Subchron, correlation, A:51; B:494
- manganese
 interstitial waters, A:52, 96, 149, 237–238, 312, 351–352; B:671
 micronodules, B:418
 vs. depth, A:64, 105, 151, 241, 321, 360
- mantle, plumes, B:343
- marine transgressions, Pliocene, B:323
- mass accumulation rates
 Cenozoic, B:573–574
 eolian deposition, B:222–228
 hydrothermal deposition, B:416–417, 422–423
 ice-rafted debris, B:180–183, 187–194
 Miocene, B:591–592
 sediment flux, B:501–503
 vs. age, B:182–183, 185, 295–300, 319–320
 vs. depth, A:49, 104, 150, 240, 358; B:251–253
 See also calcium carbonate mass accumulation rates; chlorite mass accumulation rates; illite mass accumulation rates; kaolinite mass accumulation rates; opal mass accumulation rates; plagioclase mass accumulation rates; quartz mass accumulation rates; sediment fluxes; sedimentation rates; smectite mass accumulation rates; terrigenous mass accumulation rates; total organic carbon mass accumulation rates
- mass accumulation rates, bulk, vs. age, B:243
- Matuyama/Brunhes boundary
 correlation, B:494, 498
 polarity reversals, B:475–482
 virtual geomagnetic pole path, B:480
- Matuyama/Gauss boundary
 ice-rafted debris, B:185
 magnetic reversals, A:101
 magnetic tie points, B:323
 Site 881, A:51
 Site 882, A:95
 Site 883, A:147
- Matuyama/Jaramillo boundary, biostratigraphy, B:134–139
- Matuyama Chron, magnetostratigraphy, B:9–13
- Meiji Drift, currents, A:274–276
 development, A:219
 drift deposits, B:657–660
 geology, A:272–276
 origin, A:351
 sedimentation, A:235
 sediment tongue, B:587–589
- Meiji Seamount
 deglaciation, B:257
 geochronology, B:337–338
- Meiji Tongue, magnetostratigraphy, B:498
- Mesozoic, biostratigraphy, B:634
- metallogenesis, copper, B:392–395
- methane
 Site 881, A:54
 Site 882, A:98
 Site 883, A:153
 Site 884, A:242
 Site 887, A:357
 Sites 885/886, A:313, 315
- microfaulting, photograph, A:134–135, 223, 225
- microlites, volcanic ash, B:349
- mineralogy
 drift deposits, B:657–660
 sediments, B:231–245
- Miocene
 biostratigraphy, A:138, 141, 221–223; B:3–19, 55–116
 calcareous nannofossils, B:599–632
 diatoms, B:13
 lithologic units, A:43–44, 87, 130, 216–217, 306–307, 341–342
 silicoflagellates, B:639–643
 stratigraphy, B:452
 unconformities, B:570
- Miocene/Pliocene boundary
 paleoproductivity maximum, B:594
 placement, A:50
 sediment flux, B:501–503
- Miocene, middle, biostratigraphy, B:21–41
- Miocene, upper
 glaciation onset, B:184
 volcanism, B:370–371
- molybdenum, hydrothermal sequences, B:418, 421–422
- Murray Seamount
 basalts, B:340
 seismic profiles, B:450–451
 See also Patton–Murray seamount platform
- nannofossil events, Cenozoic, B:600
- nannofossils, calcareous
 biostratigraphy, B:560–574, 633–638
 Cenozoic, B:599–632
 stratigraphic occurrence and age of events, B:28
 See also calcareous nannofossil datum planes
- nannofossils abundance
 vs. depth, A:161
 vs. mid-core depth, A:128
- narrow triangle ragged base, Sites 885/806, B:401, 410
- narrow triangle sharply pointed, Sites 885/806, B:401
- narrow triangle short inline, Sites 885/886, B:410
- native copper
 interstitial waters, A:241–242
 mineralization, B:389–397
- natural gamma ray logs
 vs. depth, A:76, 184, 279, 381
 See also potassium logs; spectral gamma ray logs; thorium logs; uranium logs
- natural remanent magnetization intensity, vs. depth, A:55, 99, 145, 232, 312, 351
- neodymium isotopes
 dropstones, B:200
 vs. strontium isotopes, B:376
- Neogene
 calcareous nannofossils, B:599–632
 drift deposits, B:657–660
 opal deposition, B:589–590
 sedimentation, B:293–314
 volcanic ash, B:661–669
- neutron capture cross-section logs, vs. depth, A:186, 280
- neutron porosity logs, vs. depth, A:185, 280
- nickel, basalts, A:136, 138
- niobium
 basalts, A:220
 vs. tantalum, B:376
 See also zirconium/niobium ratio
- nitrate, interstitial waters, B:671
- nitrite, interstitial waters, A:237, 351
- nitrogen. See also carbon, organic/total nitrogen ratio
- nitrogen, total
 sediments, B:647–651
 Site 881, A:58–60
 Site 882, A:108
 Site 883, A:158–160
 Site 884, A:246–247
 Site 887, A:366–367
 Sites 885/886, A:322
- nodules, ferromanganese
 lithologic units, A:307–308
 photograph, A:307
- nodules, genesis, A:319
- nontronite, hydrothermal sequences, B:417–419, 421–424

- North Atlantic Deep Water
 calcium carbonate, B:300
 reduction in formation, B:322
 suppression, B:590
- North Pacific Bottom Water, geochemistry, A:53, 153, 241
- North Pacific Transect, sediments, A:5–7
- Northern Hemisphere, glaciation onset, B:179–194, 315–329, 594
- Nunivak Subchron, correlation, B:497
- obliquity, vs. age, B:288–291, 324
- Obruchev Swell, sedimentation, A:275
- ocean circulation, Pacific Ocean N, A:5–7
- Okhotsk Sea, ice rafting, B:201
- Olduvai Subchron
 correlation, A:232–234, 350; B:498–499, 501
 magnetic reversals, A:101
 magnetostratigraphy, B:11, 64–66
- Oligocene
 biostratigraphy, A:141, 222–223; B:21–41, 117–132, 161
 calcareous nannofossils, B:599–632
 drift deposition, B:588–589
 lithologic units, A:130, 132, 342
 silicoflagellates, B:639–643
 stable isotopes, B:581, 583
 unconformities, B:569
- Oligocene/Miocene boundary, correlation and age, B:640–641
- olivine, basalts, B:336
- ooze, Cenozoic, A:61
- ooze, clayey, diatom
 lithologic units, A:41–43, 216
 mineralogy, B:657–660
 photograph, A:222
- ooze, clayey, siliceous, lithologic units, A:342
- ooze, diatom, lithologic units, A:43–44, 128, 130, 306, 340–341
- ooze, nannofossil, lithologic units, A:130, 132
- ooze, radiolarian, lithologic units, A:340–341
- ooze, siliceous
 consolidation, B:536, 538
 Neogene, B:247–256
- ooze, spiculate, lithologic units, A:340
- opal
 Neogene, B:589–590
 occurrence, B:221–225
 pelagic sediments, A:61
 sedimentation, B:248
 vs. age, B:228, 295–300
 vs. depth, B:227, 250
- opal, terrigenous vs. biogenic components, vs. mid-core depth, A:220
- opal abundance
 vs. depth, A:217
 vs. mid-core depth, A:341
- opal mass accumulation rates
 relation to weight percentage, B:318–325
 Sites 885/886, B:228
 vs. age, B:252, 295–300
- orbital forcing, glaciation causes, B:323, 325, 594
- orbital parameters, vs. age, Site 882, B:324
- orbital records, cyclicity, B:185
- orbital tuning, stratigraphy, B:283–292
- ore deposits, copper, B:389–397
- oscillations, stratigraphy, B:285–287
- overconsolidation ratio
 ooze, B:536
 vs. composite depth, B:551
 See also consolidation
- oxidation–reduction processes, copper, B:394
- oxygen isotopes
 benthic foraminifers, B:268, 270–273, 279–280
 sediments, B:581, 583
 stratigraphy, B:134–139
 vs. age, B:253, 279–281, 296–300, 320–321, 584
 vs. composite depth, B:259
 vs. depth, B:271–272, 281
 vs. magnetic susceptibility, B:473
- Oyashio Current
 ice rafting, B:201
 subpolar gyre, B:323
- Pacific–Caribbean gateway, progressive closure, B:317
- Pacific Ocean E, age model, B:322–323
- Pacific Ocean N
 biostratigraphy, B:3–19, 559–632
 calcareous nannofossils, B:599–638
 calcium carbonate, B:314
 composite depth scale, B:205–217
 copper mineralization, B:389–397
 Cretaceous/Tertiary boundary, B:427–434
 downhole magnetostratigraphy, B:455–468
 eolian deposition, B:219–230
 foraminifers, B:141–170
 geochemical logs, B:677–688
 geochronology, B:333–344
 geotechnical properties, B:525–546
 ice rafting, B:179–204
 interstitial water chemistry, B:671–675
 magnetostratigraphy, B:491–521, 559–575
 paleoceanography, B:577–578
 paleoclimatology, B:265–281
 paleomagnetism, B:483–490
 Pleistocene geomagnetic field intensity, B:475–482
 radiolarians, B:55–91, 93–140
 sediment recycling in arcs, B:383–388
 sediments, A:5–7
 seismic stratigraphy, B:437–453
 stratigraphy, B:577–596
 volcanic ash, B:345–381
- Pacific Ocean NW
 cycle stratigraphy, B:283–292
 glaciation, B:315–329
 paleoclimatology, B:43–53
 sedimentation, B:293–314
- Pacific Plate, tectonic evolution, B:415
- palagonite fracture infillings, photograph, A:137
- paleoceanography
 Cenozoic, A:61–62, 101–102, 179–180, 273–276, 318–319, 363–364; B:452, 577–578, 581–586, 593–594
 correlation, B:503
 magnetic logging, B:455–456
 Neogene, B:247–256
 Paleogene, B:265–281
- Paleocene
 biostratigraphy, A:141; B:159, 634
 lithologic units, A:132, 217
 stable isotopes, B:581, 583
- Paleocene/Eocene boundary, unconformities, B:563
- paleoclimatological ratio
 paleotemperature, B:48
 vs. age, B:49, 53
 vs. modern February and August sea-surface temperatures, B:49, 52
 See also climate ratio
- paleoclimatology
 calcium carbonate, B:299–300
 Cenozoic, A:61–62, 101–102, 179–180, 273–276, 318–319, 363–364; B:185, 231–245, 452, 593–594
 continental climate, B:228–229
 Neogene, B:247–256
 Paleogene, B:265–281
 palynomorphs, B:171–176
 Pliocene, B:590–591
 paleoclimatology, high-resolution, Pliocene, B:43–53
 paleoenvironment
 benthic foraminifers, B:269–270
 foraminifers, A:141, 222, 345; B:152, 163–164
 mineralogy, B:231–245
 spreading centers, B:417
- Paleogene
 biostratigraphy, B:157–170
 calcareous nannofossils, B:633–638
 paleoceanography, B:581, 583–586
 paleoclimatology, B:265–281
 rifting, B:413–434
 volcanism, B:370–371
- paleointensity
 Cenozoic, B:475–482
 magnetite, B:489
 See also geomagnetic field intensity
- paleomagnetism
 Pleistocene, B:483–490
 Site 881, A:50–51
 Site 882, A:93, 95
 Site 883, A:145–147
 Site 884, A:228, 231–234
 Site 887, A:349–350
 Sites 885/886, A:310–311
- paleoproductivity
 Miocene–Pliocene maximum, B:594
 Neogene, B:590
 See also productivity
- paleotemperature
 paleoclimatic curves, B:48–50
 See also temperature
- palynomorphs
 paleoclimatology, B:171–176
 See also pollen
- Panama Isthmus, emergence, B:317
- Patton–Murray seamount platform
 basalts, B:339–340, 341–343
 bathymetry, A:337; B:583
 biostratigraphy, B:4–7
 organic carbon and carbonate records, B:645–655
 sediment fluxes, B:247–256
 site description, A:335–391
- petrography, dropstones, B:201–203
- phase relationship, magnetic susceptibility and GRAPE density, B:292
- physical properties
 sediments, B:525–527
 Site 881, A:55
 Site 882, A:99
 Site 883, A:154–155, 161
 Site 884, A:242–245, 247, 249
 Site 887, A:357–359, 367
 Sites 885/886, A:315–317, 322
 vs. well-logs, A:250
- pillow basalts
 geochemistry, B:333–344
 See also basalt pillows; basalts
- pillow basalts, vesicular, petrology, A:136
- plagioclase
 basalts, B:336, 338
 volcanic ash, B:349, 378–379
 vs. composite depth, B:235
 vs. depth, B:658, 660
 plagioclase/quartz ratio
 vs. depth, B:659

- vs. mid-core depth, A:220
 plagioclase mass accumulation rates, vs. age, B:244
 plagioclase microphenocrysts
 basalts, A:136
 photograph, A:227
 plain and lined lanceolate, Sites 885/806, B:401, 410
 plate motion, plumes, B:343
 Pleistocene
 biostratigraphy, A:138, 141, 221–222; B:3–19, 55–91, 133–140, 560–574
 calcareous nannofossils, B:599–632
 lithologic units, A:41–43, 306, 340
 paleomagnetism, B:483–490
 polarity reversals, B:475–482
 stratigraphy, B:452
 Pleistocene, upper, geomagnetic field intensity, B:469–474
 plinian-type ash, geochemistry, B:664–665
 Pliocene
 biostratigraphy, A:221–223; B:3–19, 55–91, 93–116, 560–574
 calcareous nannofossils, B:599–632
 diatom datums levels, B:13–15
 lithologic units, A:41–44, 86–87, 128, 130, 216, 306, 340–341
 paleoenvironment, B:244
 rhyolite, B:371
 stratigraphy, B:452
 Pliocene/Pleistocene section
 glaciation intensification, B:184–185
 ice rafting, B:195–204
 Pliocene/Quaternary boundary, placement, A:50
 Pliocene, lower/upper Pliocene boundary, placement, A:50
 Pliocene, middle
 biostratigraphy, B:141–156
 paleoclimatology, B:43–53
 warm period, B:590–591
 Pliocene, upper, glaciation, B:315–329
 plumes, activity, B:343
 polar wandering, virtual geomagnetic pole path, B:480
 polarity chron boundaries, depths, B:498, 505, 508, 515, 520
 polarity reversals, Matuyama/Brunhes boundary, B:475–482
 pollen analysis, sediments, B:171–176
 porosity
 vs. composite depth, B:549
 vs. depth, A:73, 117, 178–179, 251, 265, 329–330, 365, 370, 375; B:529, 531, 533, 535
 vs. thermal conductivity, A:278, 333
 vs. velocity, A:332
 See also neutron porosity logs
 porosity–natural gamma ray logs, A:199–203
 porosity logs, vs. depth, A:283, 385
 potassium
 interstitial waters, A:54, 151, 241, 313, 354
 vs. depth, A:64, 105, 156, 244, 321, 361
 See also aluminum/potassium ratio logs
 potassium logs
 concentration calculation, B:678–679
 vs. depth, A:76, 184, 279, 381
 potassium oxide
 vs. age of volcanic ash layers, B:357
 vs. silica, B:664
 vs. silica of volcanic ash layers, B:370
 potassium oxide + sodium oxide
 vs. silica, B:664
 vs. silica of volcanic ash layers, B:370
 precession
 stratigraphy, B:285–287
 vs. age, B:324
 preservation, diatoms, B:23–24
 productivity
 sedimentation, B:293–314
 See also paleoproductivity
 propane
 Site 881, A:54
 Site 882, A:98
 Site 883, A:153
 Site 884, A:242
 provenance, ice rafting, B:195–204
 pumice dropstones, photograph, A:45
 pyrite, lithologic units, A:306
 quartz
 vs. composite depth, B:235, 242
 vs. depth, B:658, 660
 See also chlorite/quartz ratio; illite/quartz ratio; kaolinite/quartz ratio
 quartz, shocked, composition, B:430–432
 quartz flux, sedimentation, A:62
 quartz mass accumulation rates, vs. age, B:244
 Quaternary
 calcium carbonate, B:300
 glaciation, B:257–264
 lithologic units, A:86–87, 128, 130, 216
 paleoclimatology, B:171–176
 sedimentation rates, B:287–291
 volcanic rocks, B:386
 radiolarian datum levels, age and stratigraphic position, A:140–141, 231, 310, 346
 radiolarian events, B:68–71, 78
 radiolarians
 biostratigraphy, B:55–91, 93–132, 208–209, 217, 226, 560–574
 stratigraphic and geographic ranges, B:67, 72–77
 stratigraphic occurrence and age of events, B:28
 vs. age, B:64
 vs. depth, B:134–138
 rare earths, chondrite-normalized dropstones, B:196, 199
 volcanic ash, B:371, 377, 665, 669
 rare earths, hydrothermal sequences, B:421–424
 recrystallization, ichthyoliths, B:403–404
 remanent magnetization, anhysteretic
 Site 881, A:50–51
 Site 882, A:93, 95
 Site 883, A:145–147
 Site 884, A:228, 231–234
 Site 887, A:349–350
 Sites 885/886, A:310–311
 vs. composite depth, B:233
 vs. depth, A:62, 101; B:479, 481
 vs. initial magnetic susceptibility, B:481
 vs. magnetic susceptibility, B:470
 remanent magnetization, anhysteretic/magnetic susceptibility ratio, vs. depth, B:485, 488–489
 remanent magnetization, isothermal acquisition and demagnetization, B:476
 vs. composite depth, B:233, 242
 remanent magnetization, natural
 Site 881, A:50–51
 Site 882, A:93, 95
 Site 883, A:145–147
 Site 884, A:228, 231–234; B:476
 Site 887, A:349–350
 Sites 885/886, A:310–311
 vs. depth, A:62, 101; B:495, 499, 502, 504, 506, 509, 512, 516
 See also natural remanent magnetization intensity
 remanent magnetization, natural/anhysteretic remanent magnetization ratio, paleointensity indicator, B:471–474
 remanent magnetization, viscous, sediments, B:471
 resistivity–velocity–natural gamma ray logs
 Site 881, A:82–83
 Site 883, A:194–198
 Site 884, A:289–293
 Site 887, A:387–389
 resistivity logs, vs. depth, A:77, 185, 188, 281, 382, 384
 Réunion Subchron
 correlation, B:498
 magnetic reversals, A:101
 reworking, ichthyoliths, B:404
 rhodochrosite, photograph, A:46
 rhodochrosite rocks, dropstones, B:196–203
 rhyolite
 geochemistry, B:664–665
 volcanic ash, B:371
 rifting, hydrothermal deposition, B:413–434, 593
 rock magnetism, sediments, B:231–245
 rubidium, basalts, A:136, 138
 salinity, isotopes, B:322–323
 samarium
 vs. composite depth, B:423
 See also iron/samarium ratio
 sand, photograph, A:343
 sandstone, lithofeldspathic, dropstones, A:45
 sandstone dropstones, lithology, B:203
 scandium
 sediments, B:210–211
 vs. composite depth, B:422
 vs. depth, B:212
 See also iron/scandium ratio
 sea-level changes, ice rafting, B:179–194
 seamounts
 evolution, A:179–180
 geology, A:272–276
 seismic stratigraphy, B:437–453
 submarine slope stability, B:547–556
 volcanism, B:340–343
 sedimentary structures
 downslope redepositional materials, B:585
 sedimentation, A:177–178
 See also individual structure type
 sedimentation
 deep-water environment, B:265–281
 Neogene, B:247–251
 sedimentation, hemipelagic, Cenozoic, A:344
 sedimentation, pelagic, Cenozoic, A:342
 sedimentation, siliceous, Neogene, B:77–78
 sedimentation rates
 ichthyoliths, B:405
 magnetostratigraphy, B:466–467
 Site 881, A:51–52
 Site 882, A:95–96
 Site 883, A:147–149
 Site 884, A:234–235
 Site 887, A:350–351
 Sites 885/886, A:311–312
 vs. age, B:243, 250, 288–291
 vs. depth, A:49, 104, 150, 237, 240, 317, 358; B:514
 See also mass accumulation rates; sediment fluxes
 sediment fluxes
 Gulf of Alaska, B:247–256
 Site 881, A:51–53
 Site 882, A:96

- Site 883, A:147–148
 Site 884, A:234–235
 Site 887, A:351
 Sites 885/886, A:311–312
 time–stratigraphic intervals, A:105, 152, 242–243, 320, 359
 See also mass accumulation rates; sedimentation rates sediment transport, thermohaline circulation, A:274–276
- sediments
 lithology, A:5–7; B:579, 581
 paleomagnetism, B:483–490
 recycling in arcs, B:383–388
 true thickness evaluation, B:458–462
- sediments, diatomaceous, consolidation, B:536, 538
- sediments, pelagic, sources, A:61
- sediments, siliceous, strength, B:551–553
- seismic–lithologic correlation
 Site 881, A:57, 61
 Site 882, A:99–100
 Site 883, A:177–181
 Site 884, A:271–272
 Site 887, A:361–362
 Sites 885/886, A:317
- seismic profiles
 Meiji Drift, B:588
 two-way traveltime, A:79, 119, 193, 334, 386 vs. depth, A:288
- seismic stratigraphy, Cenozoic sediments, B:437–453
- seismic surveys, Cenozoic sediments, B:438–452
- seismicity, during last century, B:551–552, 554
- Seymour Canal Formation, clast provenance, B:203
- shear strength, vane
 Site 881, A:68, 71
 Site 883, A:154–155, 162, 164–176
 Site 884, A:243–244, 250, 252–264, 266–271
 Site 887, A:357–359, 376–377
 Sites 885/886, A:315–316, 326–327
 vs. composite depth, B:549, 553
 vs. depth, B:529, 531, 533, 535
- shear strength, vs. depth, A:73, 118, 177, 179, 272, 329–330, 379
- shock metamorphism, K/T boundary, B:432
- Siberia, glaciers, B:201
- Sidufjall Subchron, correlation, B:497
- silica
 deposition, B:219–230
 Neogene, B:254–255
 vs. age, B:664
 vs. age of volcanic ash layers, B:357
 vs. iron oxide/magnesium oxide ratio, B:664
 vs. oxides of volcanic ash layers, B:370
 vs. potassium oxide, B:664
 vs. potassium oxide + sodium oxide, B:664
 See also opal
- silica, biogenic, accumulation, A:87, 89, 133–134
- silica switch, Miocene cessation of silica deposition, B:589–590
- silicate
 interstitial waters, A:53, 98, 152–153, 240, 313, 353
 vs. depth, A:64, 105, 156, 244, 321, 361
- siliciclastics
 sediments, B:309–313
 vs. age, B:295–300
- silicoflagellates, biostratigraphy, B:639–643
- silt, terrigenous, Neogene, B:247–256
- Site 576, Cretaceous/Tertiary boundary, B:427–434
- Site 577, stable isotopes, B:584
- Site 580, paleoclimatology, B:48–50
- Site 677
 oxygen isotopes, B:473
 oxygen isotopes vs. age, A:78
- Site 803, Cretaceous/Tertiary boundary, B:427–434
- Site 845, paleoclimatology, B:231–245
- Site 846
 comparison with Site 882, B:322–323
 paleoclimatology, B:231–245
- Site 881, A:37–83
 background and scientific objectives, A:38–39
 biostratigraphy, A:45–50; B:560
 bottom-water activity, B:592
 calcareous nannofossil occurrence, B:600–601
 coring, A:40
 diatoms, B:11–13
 downhole measurements, A:55–57
 inorganic geochemistry, A:52–54
 lithostratigraphy, A:41–45
 magnetostratigraphy, B:494, 560
 operations, A:39–41
 organic geochemistry, A:54–55
 paleoclimatology, B:44–45
 paleomagnetism, A:50–51
 physical properties, A:55
 radiolarians, B:57, 59, 64, 137–139
 sediment recycling in arcs, B:383–388
 sedimentation rates and fluxes, A:51–52
 sediments, B:579
 seismic–lithologic correlation, A:57, 61
 seismic surveys, B:438–440
 site description, A:37–83
 summary and conclusions, A:61–62
 volcanic ash, B:345–381
 well-logging, A:39–41
- Site 882, A:85–119
 background and scientific objectives, A:85–86
 biostratigraphy, A:90–91, 93; B:560–561
 calcareous nannofossil occurrence, B:602–607
 comparison with Site 846, B:322–323
 coring, A:89
 cycle stratigraphy, B:283–292
 diatoms, B:9–10
 geomagnetic field intensity, B:469–474
 glaciation, B:315–329
 glaciation initiation, B:315–329
 high-resolution studies, B:593–594
 inorganic geochemistry, A:96–98
 lithostratigraphy, A:86–87, 89–90
 magnetostratigraphy, B:494, 497, 560–561
 operations, A:86
 organic carbon and carbonate records, B:645–655
 organic geochemistry, A:98–99
 paleomagnetism, A:93, 95
 physical properties, A:99
 radiolarians, B:95–97
 sedimentation, B:293–314
 sedimentation rates and fluxes, A:95–96
 sediments, B:581
 seismic–lithologic correlation, A:99–100
 seismic surveys, B:440–442
 site description, A:85–119
 summary and conclusions, A:100–102
 volcanic ash, B:345–381
- Site 883, A:121–208
 background and scientific objectives, A:123, 125
 basalts, B:333, 336–337, 340–341
 biostratigraphy, A:138–145; B:561–564
 calcareous nannofossil occurrence, B:607–625
 calcareous nannofossils, B:634
 coring, A:126–127
- diatoms, B:10–11
 downhole measurements, A:155–157, 160–161, 163–177
 foraminifers, B:141–152, 159–161, 267–269
 igneous petrology, A:134–136, 138
 inorganic geochemistry, A:148–153
 lithostratigraphy, A:127–128, 130–134
 magnetostratigraphy, B:497–498, 561–564
 operations, A:125, 127
 organic geochemistry, A:153–154
 paleoclimatology, B:45, 48
 paleomagnetism, A:145–147; B:485–487
 physical properties, A:154–155
 pollen, B:174, 176
 radiolarians, B:95, 98–101, 118–124, 135–136
 sediment recycling in arcs, B:383–388
 sedimentation rates and fluxes, A:147–149
 sediments, B:581
 seismic–lithologic correlation, A:177–181, seismic surveys, B:442–445
 silicoflagellate occurrence, B:641–642
 silicoflagellates, B:639–643
 site description, A:121–208
 slope stability, B:547–556
 stable isotopes, B:257–264
 volcanic ash, B:345–381
- Site 884, A:209–302
 background and scientific objectives, A:210–211
 basalts, B:333, 337–338, 340–341
 biostratigraphy, A:220–228; B:564, 566–567, 569–570
 calcareous nannofossil occurrence, B:626–629
 calcareous nannofossil occurrence in Paleogene, B:636–638
 calcareous nannofossils, B:634
 copper mineralization, B:389–397
 coring, A:214–215
 diatoms, B:7–9, 21–41
 downhole measurements, A:247–251, 264–265, 270–271
 drift deposits, B:657–660
 foraminifers, B:161–163, 269
 igneous petrology, A:219–220
 inorganic geochemistry, A:235, 237–242
 lithostratigraphy, A:213, 216–219
 magnetostratigraphic interpretation, B:455–468
 magnetostratigraphy, B:498–501, 564, 566–567, 569–570
 operations, A:211, 213
 organic geochemistry, A:242
 paleomagnetism, A:228, 231–234; B:485–487
 physical properties, A:242–245, 247
 Pleistocene geomagnetic field intensity, B:475–482
 radiolarians, B:58–59, 64–65, 95, 97, 102–105, 124–125
 sediment recycling in arcs, B:383–388
 sedimentation rates and fluxes, A:234–235
 sediments, B:581
 seismic–lithologic correlation, A:271–272
 seismic surveys, B:445–448
 site description, A:209–302
 summary and conclusions, A:272–276
 volcanic ash, B:345–381
 well-logging, A:216, 247–251, 264–265, 270–271
- Site 885, A:303–334
 basalts, B:334, 338–340
 composite depth scale, B:205–217
 diatoms, A:309
 eolian deposition, B:219–230
 ichthyolith stratigraphy, B:399–412

- paleoclimatology, B:44
radiolarians, B:60, 65–66
rifting, B:413–434
sediments, B:581
seismic surveys, B:448–450
See also Sites 885/886
- Site 886, A:303–334
basalts, B:334, 338–340
composite depth scale, B:205–217
Cretaceous/Tertiary boundary, B:427–434
diatoms, A:309–310
eolian deposition, B:219–230
ichthyolith stratigraphy, B:399–412
radiolarians, B:61, 66
rifting, B:413–434
sediments, B:581
seismic surveys, B:448–450
See also Sites 885/886
- Site 887, A:335–391
background and scientific objectives, A:338
basalts, B:334, 339–343
biostratigraphy, A:344–349; B:570
calcareous nannofossil occurrence, B:630–632
coring, A:339
diatoms, B:4, 6–7
downhole measurements, A:359–361
dropstones, B:201, 203
igneous petrology, A:344
inorganic geochemistry, A:351–354
lithostratigraphy, A:339–344
magnetostratigraphy, B:501, 570
operations, A:338–339
organic carbon and carbonate records,
B:645–655
organic geochemistry, A:354, 357
paleoclimatology, B:44
paleomagnetism, A:349–350; B:487–489
physical properties, A:357–359
pollen, B:175
radiolarians, B:62–63, 66–67, 95, 97,
106–107, 136–137
sediment fluxes, B:247–256
sedimentation rates and fluxes, A:350–351
sediments, B:581
seismic–lithologic correlation, A:361–362
seismic surveys, B:450–451
site description, A:335–391
summary and conclusions, A:362–364
volcanic-ash geochemistry, B:661–669
well-logging, A:340, 359–361
- Sites 885/886, A:303–334
background and scientific objectives,
A:304–305
biostratigraphy, A:308–310
coring, A:306
inorganic geochemistry, A:312–313
lithostratigraphy, A:306–308
operations, A:305–306
organic geochemistry, A:313, 315
paleomagnetism, A:310–311
pelagic clay, B:593
physical properties, A:315–317
sedimentation rates and fluxes, A:311–312
seismic–lithologic correlation, A:317
site description, A:303–334
summary and conclusions, A:317–319
- slumping, sediments, B:583–584, 586
smear slide data, sediments, B:549
smectite
vs. composite depth, B:235
vs. depth, B:658, 660
smectite/illite ratio
vs. composite depth, B:241
vs. depth, Site 884, B:659
- smectite/quartz ratio, vs. mid-core depth, A:220
smectite mass accumulation rates, vs. age, B:244
sodium
interstitial waters, A:54, 153, 241, 354
vs. depth, A:64, 244, 321, 361
sodium oxide. See potassium oxide + sodium
oxide
soft sediment deformation, photograph, A:134,
136
solar radiation, glaciation, B:316–317
sonic velocity. See compressional wave velocity;
velocity
sonic velocity logs, vs. depth, A:185, 281, 382
South Kurile backarc basin, volcanic ash,
B:354–355, 357
specific gravity, grain, vs. composite depth, B:549
spectral analysis, stratigraphy, B:285–287
spectral density, magnetic susceptibility and
GRAPE density, B:292
spectral gamma ray logs
vs. depth, A:76, 78, 184, 188, 279, 381, 384
See also natural gamma ray logs
spherules
composition, B:430–432
high iridium concentration, B:402–403
spinel
composition, B:430
volcanic ash, B:349, 381
sponge spicules, vs. mid-core depth, A:129
St. Elias Mountains, clast provenance, B:203
stable isotopes
foraminifers, B:328–329
Paleogene, B:265–281
stratigraphy, B:257–264
See also carbon isotopes; oxygen isotopes
Stolbovskoy terrane, terranes, B:200
straight flared triangle, Sites 885/806, B:401, 407
stratigraphy
composite depth scale, B:205–217
Site 881, A:52, 54
Site 882, A:98
Site 883, A:139, 142
Site 884, A:229–230
Site 887, A:348
Sites 885/886, A:309, 311
strontium isotope stratigraphy, B:399–412
volcanic ash, B:348, 350–356, 358–359
stress–strain plots, vs. deviatoric and effective
stress, B:552
stress, effective
path plots, B:555–556
vs. void ratio, B:538, 540–541, 550
stress, overburden
vs. composite depth, B:551
vs. depth, B:536
strontium
interstitial waters, A:54, 98, 153, 241, 313, 353
vs. depth, A:72, 105, 156, 244, 321, 361
vs. magnesium oxide, B:337, 339
strontium isotope reference curve, ratios,
B:400–401
strontium isotopes
dropstones, B:200
ichthyoliths, B:220–221, 228, 399–412
vs. age, B:405
vs. depth, Site B:404–405
vs. neodymium isotopes, B:376
Subantarctic region, radiolarians, B:134
Subarctic region, foraminifers, B:157–170
Subchron C5AA, magnetostratigraphy, B:7
Subchron C5AB, magnetostratigraphy, B:7
Subchron C5AC, magnetostratigraphy, B:7
Subchron C5En, magnetostratigraphy, B:4
Subchrons. See Chron
- subduction, sediment recycling, B:385–386
Suiko Seamount, volcanism, B:340–343
sulfate
interstitial waters, A:52, 150–151, 239, 352;
B:671
vs. depth, A:64, 105, 152, 244, 321, 360
sulfur, total, A:58–60
surface water, productivity, B:322, 325
Surveyor Fan, sedimentation, B:254–255
- tantalum, vs. niobium, B:376
taxonomy, radiolarians, B:78–82
Tdf. See climate ratio
temperature
vs. depth, A:183, 278, 383
See also borehole temperature;
paleotemperature
temperature, sea-surface
Pliocene, B:49–50
vs. age, B:50
tension logs, vs. depth, A:78
tephrochronology, Cenozoic, B:592
terrigenous/continental component, vs. volcanic
component, A:220
terrigenous mass accumulation rates, vs. age,
B:243, 253
terrigenous sediments
sedimentation, B:250
vs. depth, B:250
thermal conductivity
Site 884, A:247
Site 887, A:359, 377
Sites 885/886, A:317, 327
vs. depth, A:75, 118, 278, 333, 379–380
vs. porosity, A:333
vs. wet porosity, A:278
thermoaline currents, Meiji Drift, A:274–276
tholeiitic-type ash, geochemistry, B:664–665
thorium logs
concentration calculation, B:678–679
vs. depth, A:76, 184, 279, 381
Thvera Subchron, correlation, B:497
time scales
astronomical calibration, B:285–287
Cenozoic, B:593–594
titanium. See iron–titanium oxides
titanium oxide
basalts, A:220
vs. magnesium oxide, B:337, 339
See also zirconium/titanium oxide ratio
total organic carbon mass accumulation rates
relation to weight percentage, B:318–325
vs. age, B:296–209
trace elements
basalts, A:136, 138, 227, 308; B:335
dropstones, B:196, 200–201
volcanic ash, B:349, 371–377, 668
XRF whole-rock analyses, A:228
trace elements, primitive mantle-normalized,
volcanic ash, B:665, 669
triangle broad wing, Sites 885/806, B:401
triangle curved base, Sites 885/806, B:401
triangle long incline, Sites 885/806, B:401
triangle medium wing, Sites 885/806, B:401, 410
triangle pointed margin, Sites 885/806, B:401
triangle square incline, Sites 885/806, B:401
triaxial tests, sediments, B:547–551
tuff, mineralized, felsic, dropstones, A:45
tuff, redeposited, felsic, dropstones, A:45
tuff, tectonized, felsic, dropstones, A:45
tuff dropstones, photograph, A:44
Tuzo Wilson Seamounts, basalts, B:340
Twt. See paleoclimate ratio

Ukelayat subterrane, terranes, B:200
 unconformities
 Cenozoic, B:560, 562–564, 569–570
 stratigraphy, B:437–452
 upwelling
 calcium carbonate, B:298–300
 reduction, B:322
 uranium logs
 concentration calculation, B:678–679
 vs. depth, A:76, 184, 279, 381

 vanadium, basalts, A:220
 vegetation, sediments, B:171–176
 velocity
 vs. depth, A:118
 vs. porosity, A:332
 See also compressional wave velocity;
 resistivity–velocity–natural gamma
 ray logs; sonic velocity
 velocity logs, vs. depth, A:77, 282
 virtual geomagnetic pole
 latitude vs. longitude, B:481
 movement, B:475–482
 vitric shards
 geochemistry, B:664–667
 volcanic ash, B:371, 376
 void ratio
 vs. effective stress, B:538, 540–541, 550
 See also porosity
 volcanic ash
 geochemistry, B:345–381, 661–669
 lithologic units, A:218, 306, 342

mineralogy, B:657–660
 photograph, A:44, 46, 345
 vs. depth, A:217
 vs. mid-core depth, A:43, 90, 129, 342
 volcanic ash, altered, lithologic units, A:132–133
 volcanic ash, nannofossil, lithologic units, A:132
 volcanic ash, vitric, photograph, A:131–132, 136,
 221, 226
 volcanic ash layers, correlation, A:47, 92
 volcanic component, vs. terrigenous/continental
 component, A:220
 volcanoclastics
 dropstones, B:196–203
 photograph, A:307
 volcanism
 activity, B:343
 Cenozoic, B:592
 sedimentation, A:219
 volcanic ash, B:376
 See also explosive volcanism
 volcanogenic material, flux, B:502

 warm saline deep water, Paleogene, B:265–281
 water content
 vs. composite depth, B:549
 vs. compressional wave velocity, A:276
 vs. depth, A:73, 117, 177–179, 251, 265,
 329–330, 365, 370, 375; B:529, 531,
 533, 535
 water depth, vs. age, B:296–209
 Wayne Seamount Platform, seismic profiles,
 B:440–442

well-logging
 compared with core-based physical properties,
 A:361
 magnetostratigraphy, B:455–468
 Pacific Ocean N, B:677–688
 Site 881, A:55–57
 Site 883, A:155–157, 160–161, 163–167
 Site 884, A:216, 247–251, 264–265, 270–271
 Site 887, A:340, 359–361
 wind transport, deposition, B:219–230

 X-ray diffracting mineralogy, vs. depth, B:659

 Yakataga Formation, clast provenance, B:203
 yttrium
 basalts, A:220
 See also zirconium/yttrium ratio

 Zenkevich Rise, seismic profiles, B:438–440
 Zijderfeld plots, demagnetization, A:60, 100, 146,
 314, 353–354; B:471
 zinc, hydrothermal sequences, B:418, 421–422
 zirconium
 basalts, A:136, 138, 220
 vs. magnesium oxide, B:337, 339
 zirconium/niobium ratio, basalts, A:220
 zirconium/titanium oxide ratio, basalts, A:220
 zirconium/yttrium ratio, basalts, A:220
 zonation
 diatoms, B:4–5, 24–28
 radiolarians, B:56–59, 93–116

TAXONOMIC INDEX

Abathomphalus mayaroensis, Site 883, B:159
abies, *Sphenolithus*, Site 881, A:46
Abysammina poagi, Site 883, A:141
Acanthodesmid sp.
 Site 883, A:144
 Site 884, A:226
 Site 887, A:347
Acarinina aff. *primitiva*, Site 883, B:159
Acarinina broedermanni, Pacific Ocean N, B:167
Acarinina bullbrookii
 Pacific Ocean N, B:167
 Site 884, B:163
Acarinina matthewsae, Pacific Ocean N, B:167
Acarinina mckannai
 Pacific Ocean N, B:167
 Site 883, B:159
Acarinina mckannai–*subsp. haerica*, Site 883,
 B:161
Acarinina nitida
 Pacific Ocean N, B:167
 Site 883, B:161
Acarinina pentacamerata
 Site 883, B:161
 Site 884, B:163
Acarinina primitiva
 Pacific Ocean N, B:167
 Site 883, B:161
 Site 884, B:163
Acarinina soldadoensis, Site 883, B:161
Acarinina triplex
 Pacific Ocean N, B:167
 Site 883, B:161
 Site 884, B:163
Acarinina wilcoxensis, Site 883, B:168
acarininids, Site 884, B:163

Accospyris lingi Interval Zone (new), Pacific
 Ocean N, B:94
acquilonium, *Stylocontarium*
 Pacific Ocean N, B:67, 74, 82, 87, 135
 Site 881, B:64
 Site 884, B:65
 Site 885, B:65–66
 Site 886, B:66
 Sites 885/886, B:217
acquilonium, *Axoprunum*, Pacific Ocean N, B:107,
 116
acquilonium, *Drupptractus*
 Site 881, A:46
 Site 882, A:91
 Site 883, A:143; B:258
 Site 884, A:224–225
 Site 887, A:347
 Sites 885/886, A:309
Acrospyris lingi n. sp., Pacific Ocean N, B:110,
 113
Acrospyris lingi Zone
 Site 883, B:95
 Site 884, B:95
Actinocyclus curvatus
 Pacific Ocean NW, B:48
 Site 881, B:45
 Site 883, B:48
Actinocyclus ellipticus, Pacific Ocean NW, B:48
Actinocyclus ingens
 Site 884, B:39
 Site 887, A:349; B:7
Actinocyclus ingens nodus, Site 887, A:349
Actinocyclus ingens var. *nodus*
 Pacific Ocean N, B:13, 15
 Site 884, B:39

Site 887, B:7
Actinocyclus ingens Zone
 Pacific Ocean N, B:93
 Site 887, A:347
Actinocyclus octonarius, Site 884, B:38
Actinocyclus oculatus
 Pacific Ocean N, B:14, 17
 Site 886, A:310
 Site 887, A:349; B:4, 7
Actinocyclus oculatus Zone, Pacific Ocean N,
 B:14
Actinocyclus sp. (*ohotensis*–*ingens* form), Site
 884, B:39
Actinocyclus tsugaruensis, Site 884, B:39
Actinomma popofskii, Pacific Ocean N, B:81, 85
Actinoptychus senarius, Site 884, A:228; B:9,
 28–29
Actinoptychus spp.
 Site 881, B:45
 Site 883, B:48
aculeus, *Ceratolithoides*, Site 883, A:143; B:634
aculeus, *Ceratolithus*, Site 883, B:159, 562
Alabamina dissonata, Site 884, B:269
alata, *Dorcadospyris*, Pacific Ocean N, B:75
alazanensis, *Bulimina*, Pacific Ocean N, B:155
americana, *Pseudopyxilla*, Site 884, A:228; B:9
ammophila, *Hanzawaia*, Site 883, A:141
amphistylum, *Amphymenium*, Pacific Ocean N,
 B:75, 78, 85
amphora, *Dictyoprora*
 Pacific Ocean N, B:118, 126, 130
 Site 883, B:118
Amphymenium amphistylum, Pacific Ocean N,
 B:75, 78, 85
Amphymenium amphistylum group, Pacific Ocean

- N, B:108, 112
Amphymenium sp.
 Pacific Ocean N, B:75
 Site 883, A:144
 Site 884, A:226
amygdala, *Dictyomitra*
 Pacific Ocean N, B:118
 Site 883, B:118
amygdala n. sp., *Dictyomitra*, Pacific Ocean,
 B:126, 129
Androcyclas heteroporos, Pacific Ocean N, B:109,
 114
Androcyclas (*Lamprocyclas*) *heteroporos* Zone,
 Pacific Ocean N, B:94
Androcyclas neoheteroporos, Pacific Ocean N,
 B:110
angelina, *Stylosphaera*
 Pacific Ocean N, B:108, 113, 124
 Site 883, B:118
angiporoides minima, *Subbotina*, Site 883, B:161,
 169
angulosa, *Trifarina*, Pacific Ocean N, B:155
Anomalinoidea globulosus, Site 887, A:345
Anomalinoidea semicribratus
 Site 883, A:138
 Site 887, A:345
Anthocyrta(?) *callospisma*, Pacific Ocean N,
 B:67, 81, 87
anustumbilicata, *Globigerina*, Site 883, B:161
aquilonar, *Botryostrobos*
 Pacific Ocean N, B:81, 90, 109
 Site 885, B:65
 Site 887, A:347; B:66
aragonensis, *Morozovella*
 Site 883, B:161, 168
 Site 884, B:163
architecturalis, *Melosira*, Site 884, B:34
armata, *Stichocorys*, Pacific Ocean N, B:109
Artobotrys auriculaleporis
 Pacific Ocean N, B:118, 127, 132
 Site 883, B:118
Artobotrys bicorne, Pacific Ocean N, B:127
Artobotrys titanotriceros, Pacific Ocean N, B:127
asanoi, *Eucyrtidium*
 Pacific Ocean N, B:77, 79, 88, 94, 108, 114
 Site 887, A:347
asanoi, *Neogloboquadrina*, Pacific Ocean N,
 B:151
aspera, *Cenosphaera*
 Pacific Ocean N, B:118, 124
 Site 883, B:118
asperum, *Calocyclus*
 Pacific Ocean N, B:118, 126
 Site 883, B:118
Asteromphalus sp. aff. *Asteromphalus*
oligocenicus, Site 884, B:41
Asteromphalus sp. cf. *Asteromphalus darwinii*,
 Site 884, B:41
atlantica, *Neogloboquadrina*
 Pacific Ocean N, B:147, 150–152, 156
 Site 883, B:141, 143
auriculaleporis, *Artobotrys*
 Pacific Ocean N, B:118, 127, 132
 Site 883, B:110
aurita, *Odontella*, Site 884, A:228; B:9
auritus/australis, *Botryostrobos*
 Pacific Ocean N, B:109
 Site 884, A:226
australiformis, *Planorotalites*, Pacific Ocean N,
 B:164
Axocorys sp.?, Pacific Ocean N, B:126, 129
Axoprunum acquilonium, Pacific Ocean N, B:107,
 116
Axoprunum acquilonium–*Lipmanella redondoensis*
 Interval Zone (new), Pacific Ocean N,
 B:94
Axoprunum acquilonium–*Lipmanella redondoensis*
 Zone
 Site 883, B:95
 Site 884, B:95, 97
 Site 887, B:106
Axoprunum acquilonium Interval Zone (new),
 Pacific Ocean N, B:94
Axoprunum acquilonium Zone
 Site 882, B:95
 Site 883, B:95
 Site 884, B:97
 Site 887, B:106
Axoprunum bispiculum
 Pacific Ocean N, B:106, 113, 118, 124
 Site 883, B:118
Axoprunum losbanosensis
 Pacific Ocean N, B:118
 Site 883, B:118
Azpeitia biradiata, Site 884, B:38
Azpeitia nodulifera
 Pacific Ocean NW, B:48
 Site 881, B:45
 Site 882, A:93; B:10
 Site 883, B:45
Azpeitia oligocenic, Site 883, A:145; B:11
Azpeitia praenodulifera, Site 884, B:34
Azpeitia salisburyana, Site 884, B:34
Azpeitia sp. aff. *Azpeitia praenodulifera*, Site 884,
 B:35
Azpeitia tabularis
 Pacific Ocean NW, B:48
 Site 884, B:35
babylonis, *Lychnocanella*, Site 883, B:118
barboi, *Simonseniella*, Pacific Ocean N, B:13, 15
barboi, *Simonseniella* (*Rhizosolenia*), Pacific
 Ocean NW, B:48
barleanum, *Melonis*
 Pacific Ocean N, B:152, 154
 Site 882, A:91
 Site 883, A:138; B:143
 Site 884, A:221
 Site 887, A:345; B:147
barneasae, *Watznaeria*, Site 883, B:159, 634
Bathysiphon
 Site 883, A:141
 Site 884, B:269
beccariiiformis, *Stensioina*, Site 883, B:268
Betula, Pacific Ocean, B:172
biapiculata, *Naviculopsis*, Site 883, B:640
bicorne, *Artobotrys*, Pacific Ocean N, B:127
bicornis, *Clathrocyclas*, Pacific Ocean N, B:108,
 116
bicornis, *Theocotyle*(?), Pacific Ocean N, B:118
bifax, *Discoaster*, Site 883, B:634
bijugatus, *Zygrhablithus*, Site 883, B:640
bilobatus, *Spongurus*, Pacific Ocean N, B:124
biradiata, *Azpeitia*, Site 884, B:38
bisecta, *Reticulofenestra*
 Site 883, A:141
 Site 884, A:223; B:25
 Site 887, A:346
bisectus, *Dictyococcites*, Site 883, B:640
bispiculum, *Axoprunum*
 Pacific Ocean N, B:106, 113, 118, 124
 Site 883, B:118
Bolivina decussata, Pacific Ocean N, B:155
Bolivinoidea delicatulus, Site 883, B:268
Botryostrobos aquilonaris
 Pacific Ocean N, B:81, 90, 109
 Site 885, B:65
 Site 887, A:347; B:66
Botryostrobos aquilonaris Zone
 Pacific Ocean N, B:59
 Site 881, A:46; B:64
 Site 882, A:91
 Site 883, A:143
 Site 884, A:224; B:65
 Site 887, A:347; B:66
 Sites 885/886, A:309; B:65–66
Botryostrobos auritus/australis
 Pacific Ocean N, B:109
 Site 884, A:226
Botryostrobos bramlettei
 Pacific Ocean N, B:109
 Site 884, A:225
 Sites 885/886, A:309
boweri, *Turborotalia*, Site 884, B:163, 170
bradburytuxpamensis, *Bulimina*, Site 883, A:141
bradyi, *Cibicidoides*, Site 887, A:345
bradyi, *Eggerella*
 Pacific Ocean N, B:155
 Site 881, A:45
 Site 882, A:91
 Site 883, B:143
 Site 887, A:345; B:147
bramlettei, *Botryostrobos*
 Pacific Ocean N, B:109
 Site 884, A:225
 Sites 885/886, A:309
broedermanni, *Acarinina*, Pacific Ocean N, B:167
brouweri, *Discoaster*, Site 881, A:46
Bulimina alazanensis, Pacific Ocean N, B:155
Bulimina bradburytuxpamensis, Site 883, A:141
Bulimina callahani, Site 883, B:269
Bulimina grata, Site 883, A:141
Bulimina impendens, Site 883, A:141
Bulimina macilenta, Site 883, B:269
Bulimina midwayensis, Site 883, B:268
Bulimina semicostata, Site 883, A:141
Bulimina semicostata/jarvisi, Site 883, B:268, 274
Bulimina velascoensis, Site 883, B:269
Buliminella cf. *grata*, Site 884, B:269
bullatus, *Dictyophimus*
 Pacific Ocean N, B:73, 79, 88
 Sites 885/886, B:217
bullbrookii, *Acarinina*
 Pacific Ocean N, B:167
 Site 884, B:163
bulloides, *Globigerina*
 Pacific Ocean N, B:150–152, 155
 Site 881, A:45
 Site 882, A:90; B:317–321
 Site 883, B:141, 143
 Site 887, A:345; B:143, 147
bulloides, *Pullenia*
 Pacific Ocean N, B:154
 Site 882, A:91
 Site 883, A:138
 Site 884, A:221–222
 Site 887, A:345; B:147
bulloides, *Sphaeroidina*
 Site 882, A:91
 Site 883, A:138
Buryella tetradica, Pacific Ocean N, B:126
Calcidiscus leptoporus, Site 887, A:346
Calcidiscus macintyre, Site 881, A:46
californica, *Rouxia*
 Pacific Ocean N, B:13, 15
 Site 881, A:50
 Site 882, A:93
callahani, *Bulimina*, Site 883, B:269
callospisma, *Anthocyrta*(?), Pacific Ocean N,
 B:67, 81, 87
Calocyclus asperum
 Pacific Ocean N, B:118, 126

- Site 883, B:118
Calocyclus semipolita Zone, Pacific Ocean N, B:117
calvertense, *Eucyrtidium*, Pacific Ocean N, B:82, 88
cancellata, *Cyclammina*
 Site 882, A:91
 Site 887, A:345
capricornutus, *Sphenolithus*, Site 883, B:640
carina, *Kisseleviella*, Site 884, A:228; B:38
carinatus, *Triquetrorhabdulus*, Site 883, B:640
Carposhaera magnaporulosa, Site 884, B:124
carteri, *Helicosphaera*, Site 883, B:640
Caryocha sp., Site 883, B:639
Catapsydrax martini
 Site 883, B:161
 Site 884, B:170
Catapsydrax unicavus, Site 883, B:161, 170
Cavitatus exiguus, Site 884, B:37
Cavitatus jouseanus
 Pacific Ocean N, B:13
 Site 883, B:11
 Site 884, B:37
 Site 887, A:349; B:7
Cavitatus lanceolatus, Site 884, B:37
Cavitatus linearis, Site 884, B:25, 37
Cavitatus miocenicus, Site 884, B:37
Cavitatus rectus
 Pacific Ocean N, B:4
 Site 883, A:145; B:11
 Site 884, B:29
Cavitatus rectus Partial Range Zone, Site 844, B:25
Cavitatus rectus Zone, Site 884, B:29
Cavitatus (*Synedra*) *jouseana*
 Site 883, A:145
 Site 884, A:228
Cenosphaera aspera
 Pacific Ocean N, B:118, 124
 Site 883, B:118
Cenosphaera coronata, Pacific Ocean N, B:107, 112
Cenosphaera coronata Interval Zone (new), Pacific Ocean N, B:94
Cenosphaera coronata Zone
 Site 883, B:95
 Site 884, B:95
 Site 887, B:106
Cenosphaera coronataformis n. sp., Pacific Ocean N, B:107, 112
Cenosphaera coronataformis Range Zone (new), Pacific Ocean N, B:94
Cenosphaera coronataformis Zone
 Site 883, B:95
 Site 887, B:106
Cenosphaera eocenica
 Site 883, B:118
 Site 884, B:124
Cenosphaera sp., Pacific Ocean N, B:77, 79, 85, 124
Ceratolithoides aculeus, Site 883, A:143; B:634
Ceratolithus aculeus, Site 883, B:159, 562
Ceratospyrus tons, Pacific Ocean N, B:118
cerroazulensis frontosa, *Turborotalia*
 Site 883, B:161, 169
 Site 884, B:163
Cestodiscus kugleri, Site 884, B:25, 35
Cestodiscus kugleri?, Site 884, B:35
Cestodiscus trochus, Site 884, A:228; B:25, 35
Chaetoceros
 Pacific Ocean NW, B:48
 Site 882, B:9
 Site 884, B:29, 34, 41
challengeri, *Nitzschia*, Site 884, B:40
challengeri, *Nitzschia* sp. aff. *Nitzschia*, Site 884, B:40
Chiasmolithus gigas
 Site 883, B:634
 Site 884, B:634
Chiasmolithus solitus
 Site 883, A:143
 Site 884, B:634
Chiloguembelina cubensis, Pacific Ocean N, B:164
Cibicoides bradyi, Site 887, A:345
Cibicoides eocaenus, Pacific Ocean N, B:266
Cibicoides grimsdalei, Site 884, A:222
Cibicoides havanensis, Site 887, A:345
Cibicoides mundulus
 Site 883, A:138
 Site 887, A:345
Cibicoides osangularis, Site 883, A:141
Cibicoides praemundulus
 Pacific Ocean N, B:266
 Site 883, A:141; B:268–269, 274–275
 Site 884, A:222
Cibicoides robertsonianus
 Site 882, A:91
 Site 883, A:138
 Site 887, A:345
Cibicoides spp.
 Pacific Ocean N, B:266–267
 Site 528, B:270
 Site 883, B:257–259
Cibicoides wuellerstorfi, Site 882, B:317–322
ciperoensis, *Globigerina*, Site 883, B:170
ciperoensis, *Sphenolithus*, Site 883, B:640
Clathrocyclus bicornis, Pacific Ocean N, B:108, 116
Clathrocyclus extensa
 Pacific Ocean N, B:118, 125, 131
 Site 883, B:118
Clathrocyclus universa, Site 883, B:118
Clathrocyclus universa group, Pacific Ocean N, B:118, 125, 132
Clinapertina inflata, Site 883, A:141
Clinapertina spp., Site 884, B:269
Coccolithus pelagicus
 Site 881, A:46
 Site 882, A:91
 Site 883, A:141
 Site 887, A:346
Cocconeis, Site 884, A:228; B:9
Collosphaera sp. cf. *Collosphaera coronata*(?), Site 887, A:347
communis, *Martinottiella*
 Site 882, A:90
 Site 884, A:221–222
concava, *Micula*, Site 883, B:159, 634
conferavea, *Detonula*, Site 884, A:228; B:9
conica, *Lithomotrissa*–*Haliomma* (?)*extima*, Pacific Ocean N, B:118
conica, *Lithomotrissa*–*Theocotyle multichornia*, Pacific Ocean N, B:118
conicum, *Lychnocanium*, Pacific Ocean N, B:126, 130
constricta, *Naviculopsis*, Site 883, B:640
convexa, *Thalassiosira*
 Pacific Ocean NW, B:48
 Site 881, B:45
 Site 883, B:45
 Site 884, A:228
 Site 885, A:309
Corbisema, Site 883, B:640
Corbisema flexuosa, Site 883, B:639–640
Corbisema triacantha triacantha, Site 883, B:639–640
cornuta, *Cyrtocapsella*
 Pacific Ocean N, B:81, 87, 108
 Site 883, A:144
 Site 884, A:226
 Site 887, A:347; B:67
 Sites 885/886, A:309
Cornutella profunda, Pacific Ocean N, B:108
cornutoides, *Diplocyclas*
 Pacific Ocean N, B:108, 116
 Site 883, B:95
coronata, *Cenosphaera*, Pacific Ocean N, B:107, 112
coronata(?), *Collosphaera* sp. cf. *Collosphaera*, Site 887, A:347
coronata, *Stylosphaera*
 Pacific Ocean N, B:124, 130
 Site 883, B:118
coronataformis n. sp., *Cenosphaera*, Pacific Ocean N, B:107, 112
coryelli, *Pullenia*, Site 883, B:268
Coryphostoma midwayensis, Site 883, B:267
Corythospyris? sp.
 Pacific Ocean N, B:77, 79, 86
 Site 884, B:65
Coscinodiscus lewisianus, Site 884, A:228; B:23, 35
Coscinodiscus lewisianus var. *levis*, Site 884, B:23
Coscinodiscus marginatus
 Pacific Ocean NW, B:44, 48, 50
 Site 881, A:48; B:12, 44–45
 Site 882, B:9
 Site 884, B:41
 Site 887, A:349; B:7
Coscinodiscus radiatus, Pacific Ocean NW, B:48
Coscinodiscus rhomicus, Site 884, B:23, 35
cosma cosma, *Cycladophora*
 Pacific Ocean N, B:77, 81, 88
 Site 881, B:64
 Site 884, B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, B:66–67
Cosmiodiscus insignis
 Site 881, A:50
 Site 884, A:228
Cribrostomoides subglobosus, Site 884, B:269
Crucidentricula ikebei, Site 884, B:40
Crucidentricula kanayae
 Pacific Ocean N, B:4, 13–14
 Site 884, B:28–29, 40
Crucidentricula kanayae Partial Range Zone, Site 884, B:28
Crucidentricula nicobarica
 Pacific Ocean N, B:4, 13
 Site 884, A:226
Crucidentricula nicobarica Zone
 Pacific Ocean N, B:76
 Site 883, A:144; B:10–11, 562
 Site 884, A:228
 Site 887, A:349; B:570
Crucidentricula paranicobarica, Pacific Ocean N, B:4
Crucidentricula sawamurae
 Pacific Ocean N, B:4, 13, 15
 Site 884, B:27–29, 40
 Site 887, A:349; B:7
Crucidentricula sawamurae Partial Range Zone, Site 844, B:28
Crucidentricula sawamurae Zone
 Site 884, B:28–29
 Site 887, B:4
crustula, *Phormostichoartus*, Pacific Ocean N, B:82, 90
crux scutulatus, *Distephanus*, Site 883, B:639
cubensis, *Chiloguembelina*, Pacific Ocean N,

- B:164
cuneiformis, Hemidiscus
 Pacific Ocean N, B:13, 48–50
 Site 881, B:44–45
 Site 882, A:93; B:10
 Site 883, B:83
curvatus, Actinocyclus
 Pacific Ocean NW, B:48
 Site 881, B:45
 Site 883, B:45
curvirostris, Simonseniella
 Pacific Ocean N, B:134–135
 Site 881, A:48
 Site 883, A:144; B:11
Cycladophora cosma cosma
 Pacific Ocean N, B:77, 81, 88
 Site 881, B:64
 Site 884, B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, B:66–67
Cycladophora davisiana
 Site 883, B:258
 Site 887, A:347
Cycladophora davisiana davisiana
 Pacific Ocean N, B:72–74, 81, 88, 133–135
 Site 881, B:64, 137–139
 Site 883, B:135
 Site 884, B:65
 Site 885, B:65–66
 Site 886, B:66
 Site 887, B:66, 136–137
 Sites 885/886, B:217
Cycladophora davisiana var. *davisiana*
 Site 881, A:47
 Site 883, A:143
 Sites 885/886, A:309
Cycladophora pliocenica, Pacific Ocean N,
 B:79–80
Cyclammina cancellata
 Site 882, A:91
 Site 887, A:345
Cyclammina sp., Site 884, B:269
Cyclicargolithus floridanus
 Site 884, A:223
 Site 887, A:346
cylindra, Nitzschia, Site 883, B:48
Cymatosira sp. aff. *Cymatosira lorenziana*, Site
 884, B:37
Cyrtocapsella cornuta
 Pacific Ocean N, B:81, 87, 108
 Site 883, A:144
 Site 884, A:226
 Site 887, A:347; B:67
 Sites 885/886, A:309
Cyrtocapsella japonica
 Pacific Ocean N, B:81, 87, 109, 113
 Site 884, A:226; B:65
 Site 887, A:347; B:67
Cyrtocapsella tetrapera
 Pacific Ocean N, B:75, 81, 87, 109, 113
 Site 881, A:47
 Site 883, A:144
 Site 884, A:226; B:65
 Site 887, A:347; B:67
Cyrtocapsella tetrapera Zone
 Site 883, A:144
 Site 884, A:226
darwinii, *Asteromphalus* sp. cf. *Asteromphalus*,
 Site 884, B:41
davisiana, Cycladophora
 Site 883, B:258
 Site 887, A:347
davisiana, Diplocyclas, Pacific Ocean N, B:108,
 116
davisiana davisiana, Cycladophora
 Pacific Ocean N, B:72–74, 81, 88, 133–135
 Site 881, B:64, 137–139
 Site 883, B:135
 Site 884, B:65
 Site 885, B:65–66
 Site 886, B:66
 Site 887, B:66, 136–137
 Sites 885/886, B:217
davisiana var. *davisiana*, Cycladophora
 Site 881, A:47
 Site 883, A:143
 Sites 885/886, A:309
decoratum, Goniothecium, Site 884, B:38
decussata, Bolivina, Pacific Ocean N, B:155
decussata, Micula, Site 883, A:143; B:159, 634
deflandrei, Dictyocha
 Site 883, B:640–641
 Site 887, A:346
delicatus, Bolivinoides, Site 883, B:268
delmontensis, Stichocorys
 Pacific Ocean N, B:73, 82, 90, 93, 109, 115
 Site 881, A:47; B:59, 64
 Site 883, A:144
 Site 884, A:226
 Site 885, B:66
 Site 886, B:66
 Site 887, B:67
 Sites 885/886, A:309; B:217
Delphineis spp., Site 884, A:228; B:9
delphix, Sphenolithus, Site 883, B:640
Denticuloglobigerina galavisi, Site 883, B:161,
 170
Denticulopsis dimorpha
 Site 884, A:227
 Site 886, A:309
Denticulopsis dimorpha Zone
 Pacific Ocean N, B:93
 Site 884, A:227
 Site 886, A:309
Denticulopsis hustedtii
 Pacific Ocean N, B:4, 13, 15
 Site 887, B:7
Denticulopsis hyalina
 Pacific Ocean N, B:4
 Site 884, B:28–29, 40
 Site 887, A:349; B:7
Denticulopsis hyalina Zone
 Pacific Ocean N, B:77
 Site 883, A:144; B:11, 562
 Site 887, B:7
Denticulopsis ichikawae, Pacific Ocean N, B:4
Denticulopsis katayamae, Site 884, A:227
Denticulopsis katayamae Zone, Pacific Ocean N,
 B:93
Denticulopsis lauta
 Pacific Ocean N, B:4, 15
 Site 884, B:28–29, 40
 Site 887, B:7
Denticulopsis lauta Partial Range Zone, Site 884,
 B:28
Denticulopsis lauta Zone, Site 887, A:349; B:7
Denticulopsis miocenica, Pacific Ocean N, B:4
Denticulopsis okunoi, Pacific Ocean N, B:4
Denticulopsis praedimorpha
 Pacific Ocean N, B:13, 15
 Site 887, A:349; B:7
Denticulopsis praedimorpha Zone
 Pacific Ocean N, B:75–76
 Site 883, B:11, 562
 Site 884, A:228
 Site 887, A:349; B:7
Denticulopsis praeahyalina, Pacific Ocean N, B:4
Denticulopsis praekatayamae, Pacific Ocean N,
 B:4
Denticulopsis praelauta
 Pacific Ocean N, B:13–14
 Site 884, B:28–29, 40
Denticulopsis praelauta Partial Range Zone, Site
 884, B:28
Denticulopsis simonsenii
 Pacific Ocean N, B:4
 Site 887, A:349
Denticulopsis tanimurae, Pacific Ocean N, B:4
Denticulopsis vulgaris, Pacific Ocean N, B:4
depressa, Pyrgo, Pacific Ocean N, B:154
Detonula conferavea, Site 884, A:228; B:9
Diartus petterssoni, Pacific Ocean N, B:75–76
Diartus petterssoni Zone, Pacific Ocean N, B:76
Dictyocha deflandrei
 Site 883, B:640–641
 Site 887, A:346
Dictyococcites bisectus, Site 883, B:640
Dictyomitra amygdala
 Pacific Ocean N, B:118
 Site 883, B:118
Dictyomitra amygdala Interval Zone, Pacific
 Ocean N, B:118
Dictyomitra amygdala n. sp., Pacific Ocean,
 B:126, 129
Dictyomitra amygdala Zone, Site 883, B:118
Dictyophimus bullatus
 Pacific Ocean N, B:73, 79, 88
 Sites 885/886, B:217
Dictyophimus splendens
 Pacific Ocean N, B:73, 76, 79, 91
 Site 884, B:65
 Site 887, B:66
Dictyoprora amphora
 Pacific Ocean N, B:118, 126, 130
 Site 883, B:118
Dictyoprora amphora Interval Zone, Pacific
 Ocean N, B:118
Dictyoprora amphora Zone, Site 883, B:118, 563
Dictyoprora mongolfieri
 Pacific Ocean N, B:118, 126, 130
 Site 883, A:144
Dictyoprora urceolus, Pacific Ocean N, B:126
Didymocyrtilis antepenultima–*Didymocyrtilis*
penultima Zone, Pacific Ocean N, B:93
Didymocyrtilis antepenultima Zone
 Pacific Ocean N, B:75
 Site 884, A:226
Didymocyrtilis penultima Zone, Site 881, A:47
Didymocyrtilis tetralthalamus, Pacific Ocean N,
 B:82, 86
Didymocyrtilis violina, Pacific Ocean N, B:77
dimorpha, *Denticulopsis*
 Site 884, A:227
 Site 886, A:309
diploconus, Stichocorys, Pacific Ocean N, B:109,
 115
Diplocyclas cornutoides
 Pacific Ocean N, B:108, 116
 Site 883, B:95
Diplocyclas cornutoides Interval Zone (new),
 Pacific Ocean N, B:94
Diplocyclas cornutoides Zone
 Site 882, B:95
 Site 883, B:95
 Site 884, B:95, 97
Diplocyclas davisiana, Pacific Ocean N, B:108,
 116
Diploneis, Site 884, A:228; B:9
Discoaster bifax, Site 883, B:634
Discoaster brouweri, Site 881, A:46

Discoaster druggii

TAXONOMIC INDEX

- Discoaster druggii, Site 883, B:640
 Discoaster kuepperi
 Site 883, B:634
 Site 884, B:634
 Discoaster lodoensis, Site 883, A:143; B:159, 634
 Discoaster mohleri
 Site 883, B:634
 Site 884, A:223; B:569
 Discoaster multiradiatus
 Site 883, B:634
 Site 884, A:223; B:634
 Discoaster quinqueramus, Site 881, A:46
 Discoaster saipanensis
 Site 883, B:634
 Site 884, A:223
 Discoaster sublodoensis, Site 883, A:143; B:563, 634
 dissonata, Alabamina, Site 884, B:269
 Distephanus crux scutulatus, Site 883, B:639
 Distephanus quinquangellus, Site 883, B:639
 Distephanus raupii, Site 883, B:640
 Distephanus schauinslandii, Site 883, B:639–640
 Distephanus speculum haliomma, Site 883, B:640
 Distephanus speculum haliomma Subzone, Site 883, B:641
 divergens, Yoshidaia, Site 884, B:40
 Dorcadospyrus alata, Pacific Ocean N, B:75
 Dorcadospyrus alata Zone
 Pacific Ocean N, B:75–77, 93
 Site 884, A:226
 druggii, Discoaster, Site 883, B:640
 Drupptractus acquilonius
 Site 881, A:46
 Site 882, A:91
 Site 883, A:143; B:258
 Site 884, A:224–225
 Site 887, A:347
 Sites 885/886, A:309
 dubiosa, Thalassiosira, Site 884, B:25, 34
 dutertrei, Neogloboquadrina
 Site 881, A:45
 Site 882, A:90
 edgari, Morozovella, Site 883, B:161
 Eggerella bradyi
 Pacific Ocean N, B:155
 Site 881, A:45
 Site 882, A:91
 Site 883, B:143
 Site 887, A:345; B:147
 Ehrenbergina trigona, Pacific Ocean N, B:154
 eilzabethae, Lithomitrella, Pacific Ocean N, B:127
 elegans, Hoeglundina, Site 883, A:138
 elegans, Pseudodimerogramma, Site 884, B:38
 ellipticus, Actinocyclus, Pacific Ocean NW, B:48
 elongatum peregrina, Stichocorys, Pacific Ocean N, B:93
 embolum, Phormocortis, Pacific Ocean N, B:127, 132
 eocaena, Subbotina
 Site 883, B:161
 Site 884, B:163
 eocaenica, Subbotina
 Site 883, B:169
 Site 884, B:163
 eocaenus, Cibicidoides, Pacific Ocean N, B:266
 eocenica, Cenosphera
 Site 883, B:118
 Site 884, B:124
 Epistominella exigua
 Pacific Ocean N, B:154
 Site 882, A:91
 Site 883, A:138
 Site 884, A:221
 Site 887, A:345; B:147
 Site 888, A:226
 Site 889, A:346
 Fontbotia wuellerstorfi
 Pacific Ocean N, B:154
 Site 887, A:345; B:147
 Ericsonia formosa
 Site 883, A:143; B:634
 Site 884, A:223
 euapertura, Globigerina, Site 883, B:161
 Eucyrtidium asanoi
 Pacific Ocean N, B:77, 79, 88, 94, 108, 114
 Site 887, A:347
 Eucyrtidium asanoi Interval Zone, Pacific Ocean N, B:94
 Eucyrtidium asanoi Zone, Site 883, B:95
 Eucyrtidium calvertense, Pacific Ocean N, B:82, 88
 Eucyrtidium calvertense group, Pacific Ocean N, B:108
 Eucyrtidium cienkowskii group, Pacific Ocean N, B:108
 Eucyrtidium inflatum
 Pacific Ocean N, B:75–76, 80, 88, 108, 114
 Site 884, A:226
 Site 887, A:347; B:67
 Eucyrtidium inflatum Interval Zone, Pacific Ocean N, B:94
 Eucyrtidium inflatum Zone
 Pacific Ocean N, B:94
 Site 883, B:95
 Site 887, B:106
 Eucyrtidium inflatum? Zone, Site 883, B:95
 Eucyrtidium matuyamai
 Pacific Ocean N, B:67, 72, 82, 89
 Site 881, B:64
 Site 884, A:225; B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, A:347; B:66
 Sites 885/886, B:209
 Eucyrtidium matuyamai Zone
 Pacific Ocean N, B:59, 72
 Site 881, A:46
 Site 882, A:91, 93
 Site 883, A:143
 Site 884, A:225
 Sites 885/886, A:309
 Eusyringium striata, Pacific Ocean N, B:118, 126, 130
 Eusyringium striata exquisita
 Pacific Ocean N, B:126, 129
 Site 883, B:118
 exigua, Epistominella
 Pacific Ocean N, B:154
 Site 882, A:91
 Site 883, A:138
 Site 884, A:221
 Site 887, A:345; B:147
 exiguus, Cavitatus, Site 884, B:37
 extensa, Clathrocylas
 Pacific Ocean N, B:118, 125, 131
 Site 883, B:118
 extima, Haliomma?, Pacific Ocean N, B:118
 ezoensis, Kisseleviella, Site 884, B:27, 38
 Fasciculithus tympaniformis, Site 883, B:634
 fistula, Lithamphora, Pacific Ocean N, B:109, 114
 fistula, Phormostichoartus
 Pacific Ocean N, B:82, 90
 Site 884, A:225–226
 Site 887, A:347
 flexuosa, Corbisema, Site 883, B:639–640
 floridana, Reticulofenestra, Site 884, B:634
 floridanus, Cyclicargolithus
 Site 884, A:223
 Site 887, A:346
 Fontbotia wuellerstorfi
 Pacific Ocean N, B:154
 Site 883, B:143
 Site 884, A:143; B:634
 Site 884, A:223
 fraga, Thalassiosira
 Pacific Ocean N, B:4, 13
 Site 884, A:226, 228, 349; B:27, 29, 34
 Site 887, A:349; B:7
 fulgens, Nannotetrina
 Site 883, B:634
 Site 884, A:223
 galavisi, Denticuloglobigerina, Site 883, B:161, 170
 gelida, Rocella
 Pacific Ocean N, B:4
 Site 884, A:228; B:7, 25–26, 29, 33
 gelida var. schraderi, Rocella, Site 884, A:226; B:26
 gemma, Tenuitella, Site 883, B:161
 Gephyrocapsa, Site 882, A:91
 Gephyrocapsa oceanica s.l., Site 884, A:222
 gigas, Chiasmolithus
 Site 883, B:634
 Site 884, B:634
 glacialis, Porosira, Site 884, A:228; B:9
 Globigerina anustiumbilocata, Site 883, B:161
 Globigerina bulloides
 Pacific Ocean N, B:150–152, 155
 Site 881, A:45
 Site 882, A:90; B:317–321
 Site 883, B:141, 143
 Site 887, A:345; B:143, 147
 Globigerina ciperoensis, Site 883, B:170
 Globigerina euapertura, Site 883, B:161
 Globigerina incisa, Site 887, B:143
 Globigerina lozanoi, Site 883, B:169
 Globigerina praebulloides, Site 883, B:161
 Globigerina umbilicata
 Pacific Ocean N, B:156
 Site 883, B:141, 143
 Site 887, B:143, 147
 Globigerina venezuelana, Site 883, B:161, 170
 Globigerinatheka, Site 884, B:163
 Globigerinatheka index
 Pacific Ocean N, B:164
 Site 883, B:161
 Globigerinita glutinata
 Site 882, A:90
 Site 883, A:141; B:141
 Site 887, B:147
 Globocassidulina subglobosa
 Pacific Ocean N, B:152
 Site 882, A:91
 Site 883, A:138, 141, 143; B:274–275
 Site 883, B:268–269
 Site 884, A:222; B:269
 Site 887, A:345; B:147
 Globoquadrina tripartita, Site 883, B:161
 Globorotalia inflata, Site 881, A:45
 Globorotalia scitula
 Pacific Ocean N, B:155
 Site 882, A:90
 Site 883, A:141
 Globorotaloides suteri, Site 883, B:161
 Globorotaloides testarugosa, Site 883, B:161, 170
 globulosus, Anomalinoides, Site 887, A:345
 glutinata, Globigerinita
 Site 882, A:90
 Site 883, A:141; B:141
 Site 887, B:147

- Goniothecium decoratum, Site 884, B:38
 Goniothecium odontella, Site 884, B:34, 36
 Gorgospyris hemisphaerica
 Pacific Ocean N, B:127, 129
 Site 883, B:118
 granda, Rouxia sp. cf. Rouxia, Site 884, B:38
 grande, Lychnocanium
 Pacific Ocean N, B:67, 80
 Site 884, A:224–225
 Site 887, A:347
 grande, Lychnocanium
 Site 882, A:91
 Site 883, A:143
 Sites 885/886, A:309
 grata, Bulimina, Site 883, A:141
 grata, Buliminella, Site 884, B:269
 gravida, Thalassiosira, Site 884, A:228; B:9
 griffinae, Turborotalia
 Site 883, B:161
 Site 884, B:170
 grimsdalei, Cibicidoides, Site 884, A:222
 grunowii, Nitzschia, Site 883, B:48
 Gyroidina zealandica, Pacific Ocean N, B:154
 Gyroidinoides, Site 883, B:276
 Gyroidinoides quadratus, Site 883, A:141
 Gyroidinoides spp.
 Site 882, A:90
 Site 883, A:138, 141; B:274–275
 Site 884, A:222; B:269
- hagni, Subbotina, Site 883, B:169
 Haliomma? extima, Pacific Ocean N, B:118
 Haliometta miocenica, Pacific Ocean N, B:80,
 85
 Hantkenina, Site 884, B:163
 Hanzawaia ammphila, Site 883, A:141
 havaensis, Tritaxia, Site 883, B:268
 havanense, Nonion, Site 883, A:141
 havanensis, Cibicidoides, Site 887, A:345
 hayesi, Prunopyle, Pacific Ocean N, B:82, 86
 Helicosphaera carteri, Site 883, B:640
 Helicosphaera recta, Site 883, B:640
 Heliolithus kleinpellii, Site 883, B:634
 Heliolithus riedeli, Site 883, B:634
 Hemiaulus sp. (pyxilloides), Site 884, B:35
 Hemidiscus cuneiformis
 Pacific Ocean N, B:13, 48–50
 Site 881, B:44–45
 Site 882, A:93; B:10
 Site 883, B:83
 Site 884, A:228
 Site 885, A:309
 hemisphaerica, Gorgospyris
 Pacific Ocean N, B:127, 129
 Site 883, B:118
 heteroporos, Androcyclas, Pacific Ocean N,
 B:109, 114
 heteroporos, Lamprocyrtis
 Pacific Ocean N, B:72, 74, 82, 91
 Site 881, A:47; B:64
 Site 883, A:143
 Site 884, A:225; B:65
 Site 885, B:65
 Sites 885/886, A:309; B:217
 hillae, Reticulofenestra, Site 884, B:634
 hillebrandti, Neoepionides, Site 883, B:268
 Hoeglundina elegans, Site 883, A:138
 hotaense, Rhizosolenia, Site 884, B:36
 hustedtii, Denticulopsis
 Pacific Ocean N, B:4, 13, 15
 Site 887, B:7
 hyalina, Denticulopsis
 Pacific Ocean N, B:4
 Site 884, B:28–29, 40
 Site 887, A:349; B:7
 hyalina, Thalassiosira, Site 884, A:228; B:9
 ichikawae, Denticulopsis, Pacific Ocean N, B:4
 Ikebea tenuis, Site 884, B:38
 ikebei, Crucidenticula, Site 884, B:40
 impendens, Bulimina, Site 883, A:141
 Inaequilina sp., Site 881, A:45
 incisa, Globigerina, Site 887, B:143
 indens var. nodus, Actinocyclus, Site 884, B:39
 index, Globigerinatheka
 Pacific Ocean N, B:164
 Site 883, B:161
 inflata, Clinapertina, Site 883, A:141
 inflata, Globorotalia, Site 881, A:45
 inflatum, Eucyrtidium
 Pacific Ocean N, B:75–76, 80, 88, 108, 114
 Site 884, A:226
 Site 887, A:347; B:67
 ingens, Actinocyclus
 Site 884, B:39
 Site 887, A:349; B:7
 ingens nodus, Actinocyclus, Site 887, A:349
 ingens var. nodus, Actinocyclus
 Pacific Ocean N, B:13, 15
 Site 887, B:7
 insigna, Thalassiosira
 Pacific Ocean N, B:4, 14
 Site 884, B:9
 insignis, Cosmidiscus
 Site 881, A:50
 Site 884, A:228
 irregulata, Thalassiosira, Site 884, B:34
 isopolica, Rouxia, Site 884, B:38
 Isthmolithus recurvus
 Site 883, A:141, 143; B:634
 Site 884, A:223
- jacksonii, Thalassiosira
 Pacific Ocean N, B:13–14
 Site 882, A:95
 Site 883, A:144; B:11
 Site 884, A:226
 japonica, Cyrtocapsella
 Pacific Ocean N, B:81, 87, 109, 113
 Site 884, A:226; B:65
 Site 887, A:347; B:67
 japonica, Thecosphaera, Pacific Ocean N, B:108,
 112
 jouseae, Nitzschia
 Pacific Ocean NW, B:48
 Site 881, B:45
 jouseana, Cavitatus (Synedra)
 Site 883, A:145
 Site 884, A:228
 jouseanus, Cavitatus
 Pacific Ocean N, B:13
 Site 883, B:11
 Site 884, B:37
 Site 887, A:349; B:7
- kamtschatica, Neodenticula
 Pacific Ocean N, B:13, 15
 Pacific Ocean NW, B:48–50
 Site 881, B:44–45
 Site 883, A:144; B:11, 15
 kanayae, Crucidenticula
 Pacific Ocean N, B:4, 13–14
 Site 884, B:28–29, 40
 Karreriella spp., Site 882, A:91
 katayamae, Denticulopsis, Site 884, A:227
 Kisseleviella carina, Site 884, A:228; B:38
 Kisseleviella ezoensis, Site 884, B:27, 38
 Kisseleviella magnaareolata
 Site 883, A:145; B:11
 Site 884, B:38
 Kisseleviella spp., Site 884, A:228
 kleinpellii, Heliolithus, Site 883, B:634
 koizumii, Neodenticula
 Pacific Ocean N, B:14–15, 17
 Site 881, A:48
 Site 883, A:144; B:11, 15
 Site 884, A:227
 Site 886, A:310
 Kozloviella minor, Site 884, B:25, 33
 kuepperi, Discoaster
 Site 883, B:634
 Site 884, B:634
 kugleri, Cestodiscus, Site 884, B:25, 35
 kugleri?, Cestodiscus, Site 884, B:35
- lacunosa, Pseudoemiliania
 Site 881, A:46
 Site 882, A:91
 Site 884, A:222
 Lamprocyrtis heteroporos
 Pacific Ocean N, B:72, 74, 82, 91
 Site 881, A:47; B:64
 Site 883, A:143
 Site 884, A:225; B:65
 Site 885, B:65
 Sites 885/886, A:309; B:217
 Lamprocyrtis heteroporos Zone
 Pacific Ocean N, B:73
 Site 881, A:46–47
 Site 882, A:93
 Site 887, A:347
 Lamprocyrtis neoheteroporos
 Pacific Ocean N, B:72–73, 82, 91
 Site 881, B:64
 Lamprocyrtis nigrinia
 Pacific Ocean N, B:72, 82, 91
 Site 881, B:64
 lanceolatus, Cavitatus, Site 884, B:37
 langii, Sphaeropyle
 Pacific Ocean N, B:81, 86, 93–94, 107, 115
 Site 881, B:64
 Site 883, A:143
 Site 884, B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, A:347; B:66
 Sites 885/886, A:309
 lata, Naviculopsis, Site 883, B:639–640
 lata obliqua, Naviculopsis, Site 887, A:349
 lata var. obliqua, Naviculopsis, Site 883,
 B:639–640
 Laticarinina pauperata
 Site 882, A:91
 Site 887, A:345
 latimarginata, Thalassiosira
 Pacific Ocean N, B:14
 Pacific Ocean NW, B:48
 Site 881, A:50; B:45
 Site 883, B:48
 Site 884, A:227
 latimarginata s. str., Thalassiosira, Pacific Ocean
 N, B:13
 lauta, Denticulopsis
 Pacific Ocean N, B:4, 15
 Site 884, B:28–29, 40
 Site 887, B:7
 lensiformis, Morozovella, Site 883, B:168
 Lenticulina spp., Site 882, A:91
 lepidula, Stilostomella, Pacific Ocean N, B:155
 leptopus, Calcidiscus, Site 887, A:346
 lewisianus, Coscinodiscus, Site 884, A:228; B:23,
 35

lewisianus var. levis, *Coscinodiscus*

TAXONOMIC INDEX

- lewisianus var. levis, *Coscinodiscus*, Site 884, B:23
Limpanella redondoensis, Pacific Ocean N, B:110, 114
Limpanella redondoensis Interval Zone, Pacific Ocean N, B:94
Limpanella redondoensis Zone
 Site 882, B:95
 Site 883, B:95
linaperta, *Subbotina*
 Site 883, B:161, 169
 Site 884, B:163
linearis, *Cavitatus*, Site 884, B:25, 37
lingi n. sp., *Acrospyris*, Pacific Ocean N, B:110, 113
liostylus, *Stylosphaera*, Pacific Ocean N, B:124
Lisitiznia ornata
 Site 883, A:145; B:11
 Site 884, A:228; B:25, 33
Lisitiznia ornata aff. *pentagona*, Site 884, B:33
Lithamphora fistula, Pacific Ocean N, B:109, 114
Lithocampe subligata, Pacific Ocean N, B:93
Lithocampe subligata group, Pacific Ocean N, B:108, 113
Lithocampe subligata Interval Zone (new), Pacific Ocean N, B:94
Lithocampe subligata Zone
 Site 884, B:95
 Site 887, B:106
Lithocarpium polyacantha
 Pacific Ocean N, B:108
 Site 887, A:347
Lithocarpium titan
 Pacific Ocean N, B:108, 112, 118, 125
 Site 883, B:118
 Site 884, B:124
Lithomitra micropore
 Pacific Ocean N, B:118
 Site 883, B:118
Lithomitra micropore n. sp., Pacific Ocean N, B:126, 129
Lithomitrella elizabethae, Pacific Ocean N, B:127
Lithomitrella minuta, Pacific Ocean N, B:127, 130
Lithomotrissa conica–*Haliomma* (?)*extima*, Pacific Ocean N, B:118
Lithomotrissa conica–*Theocotyle multichornia*, Pacific Ocean N, B:118
Lithopera (*Lithopera*) *renzae*, Pacific Ocean N, B:82, 87
Lithopera renzae, Pacific Ocean N, B:75–77, 109
litos, *Theocyrtis*, Pacific Ocean N, B:118
lodoensis, *Discoaster*, Site 883, A:143; B:159, 634
longissima, *Thalassiothrix*
 Site 882, A:93; B:10
 Site 884, B:37
lorenziana, *Cymatosira* sp. aff. *Cymatosira*, Site 884, B:37
losbanoensis, *Axoprunum*
 Pacific Ocean N, B:118
 Site 883, B:118
lozanoi, *Globigerina*, Site 883, B:169
lunata, *Neoeponides*, Site 883, B:267–268
lusca, *Thalassiosira*, Site 884, B:34
Lychnocanella babylonis, Site 883, B:118
Lychnocanium conicum, Pacific Ocean N, B:126, 130
Lychnocanium grande
 Pacific Ocean N, B:67, 80
 Site 884, A:224–225
 Site 887, A:347
Lychnocanium nipponicum, Pacific Ocean N, B:109, 114
Lychnocanium nipponicum magnacornutum
 Pacific Ocean N, B:94, 109, 114
 Site 887, B:106
Lychnocanium nipponicum magnacornutum
 Range Zone, Pacific Ocean N, B:94
Lychnocanium nipponicum magnacornutum Zone
 Site 883, B:95
 Site 884, B:95
 Site 887, B:106
Lychnocanoma grande
 Site 882, A:91
 Site 883, A:143
 Sites 885/886, A:309
Lychnocanoma nipponica
 Pacific Ocean N, B:80, 90
 Site 883, A:144
 Site 887, A:347
Lychnocanoma nipponica magnacomula, Sites 885/886, B:217
Lychnocanoma nipponica magnacornuta
 Pacific Ocean N, B:75–76, 81, 89
 Site 883, A:144
 Site 884, A:226; B:65
 Site 885, B:66
 Site 887, A:347; B:66
Lychnocanoma nipponica nipponica
 Pacific Ocean N, B:74, 81, 89
 Site 881, B:64
 Site 884, A:226
 Site 887, A:347
Lychnocanoma nipponica sakaii
 Pacific Ocean N, B:67
 Site 881, B:64, 138
 Site 884, B:65
 Site 886, B:66
 Site 887, B:66
macilenta, *Bulimina*, Site 883, B:269
macintyreii, *Calcidiscus*, Site 881, A:46
magnaareolata, *Kisseleviella*
 Site 883, A:145; B:11
 Site 884, B:38
magnaporulosa, *Carposhaera*, Site 884, B:124
maleinterpretaria, *Nitzschia*, Site 884, B:23, 27, 44
marginatus, *Coscinodiscus*
 Pacific Ocean NW, B:44, 48, 50
 Site 881, A:48; B:12, 44–45
 Site 882, B:9
 Site 884, B:41
 Site 887, A:349; B:7
marina, *Nitzschia*, Pacific Ocean NW, B:49, 52
martini, *Catapsydrax*
 Site 883, B:161
 Site 884, B:170
Martinottiella communis
 Site 882, A:90
 Site 884, A:221–222
Martinottiella sp., Site 887, A:345
marujamica, *Thalassiosira*, Pacific Ocean N, B:13–14
marylandicus, *Raphidodiscus*, Site 884, B:23, 33
matthewsae, *Acarinina*, Pacific Ocean N, B:167
matuyamai, *Eucyrtidium*
 Pacific Ocean N, B:67, 72, 82, 89
 Site 881, B:64
 Site 884, A:225; B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, A:347; B:66
 Sites 885/886, B:209
matuyamai, *Rhizosolenia*, Site 881, A:48
mayaroensis, *Abathomphalus*, Site 883, B:159
mckannai, *Acarinina*
 Pacific Ocean N, B:167
 Site 883, B:159
mckannai–*subsp. sphaerica*, *Acarinina*, Site 883, B:161
mediaconvexa, *Thalassiosira*
 Site 884, B:25–26, 34
Mediaria splendida, Site 884, B:38
Melonis barleeanum
 Pacific Ocean N, B:152, 154
 Site 882, A:91
 Site 883, A:138; B:143
 Site 884, A:221
 Site 887, A:345; B:147
Melonis pompilioides
 Site 882, A:91
 Site 883, A:138
 Site 884, A:221–222
Melonis sphaeroides, Site 881, A:45
Melosira architecturalis, Site 884, B:34
micra, *Pseudohastigerina*
 Pacific Ocean N, B:164
 Site 883, B:161, 168
 Site 884, B:163
micropore, *Lithomitra*
 Pacific Ocean N, B:118
 Site 883, B:118
micropore n. sp., *Lithomitra*, Pacific Ocean N, B:126, 129
Micula concava, Site 883, B:159, 634
Micula decussata, Site 883, A:143; B:159, 634
Micula sp., Site 883, B:634
midwayensis, *Bulimina*, Site 883, B:268
midwayensis, *Coryphostoma*, Site 883, B:267
minor, *Kozloviella*, Site 884, B:25, 33
minor, *Stylosphaera*, Pacific Ocean N, B:124, 131
minuta, *Lithomitrella*, Pacific Ocean N, B:127, 130
minutissima nov. sp., *Thalassiosira minutissima*, Pacific Ocean N, B:17
minutula, *Reticulofenestra*, Site 887, A:346
miocenica, *Denticulopsis*, Pacific Ocean N, B:4
miocenica, *Haliometta*, Pacific Ocean N, B:80, 85
miocenica, *Thalassiosira*
 Pacific Ocean N, B:13, 15
 Site 882, B:561
miocenicus, *Cavitatus*, Site 884, B:37
mitrella, *Podocyrtes*
 Pacific Ocean N, B:118, 127, 129
 Site 883, B:118
mohleri, *Discoaster*
 Site 883, B:634
 Site 884, A:223; B:569
mongolfieri, *Dictyoprora*
 Pacific Ocean N, B:118, 126, 130
 Site 883, A:144
Morozovella, Pacific Ocean N, B:164
Morozovella aff. *aragonensis*, Site 884, B:163
Morozovella aff. *subbotinae*, Site 884, B:163
Morozovella aragonensis, Site 883, B:161, 168
Morozovella aragonensis s.l. Zone, Pacific Ocean N, B:164
Morozovella aragonensis s. str. Zone, Site 883, B:161
Morozovella aragonensis Zone, Site 883, B:161
Morozovella edgari, Site 883, B:161
Morozovella formosa formosa Zone, Site 883, B:161
Morozovella lensiformis, Site 883, B:168
Morozovella marginodentata Zone, Site 883, B:161
Morozovella palmerae, Site 883, B:161
Morozovella quetra, Site 883, B:159
Morozovella subbotinae, Site 883, B:161, 168
Morozovella subbotinae s.l. Zone
 Pacific Ocean N, B:164

- Site 883, B:161
 Morozovella velascoensis Zone, Site 883, B:159
 multichornia, Theocotyle, Pacific Ocean N, B:118
 multiradiatus, Discoaster
 Site 883, B:634
 Site 884, A:233; B:634
 mundulus, Cibicidoides
 Site 883, A:138
 Site 887, A:345
 Muricoglobigerina semni
 Site 883, B:161, 168
 Site 884, B:163
 murrhina, Pyrgo
 Pacific Ocean N, B:154
 Site 882, A:91
 Site 883, A:138
 Site 884, A:222
- Nannotetrina fulgens
 Site 883, B:634
 Site 884, A:223
 Nannotetrina spp., Site 883, A:143
 naviculoides, Rouxia, Site 884, B:38
 Naviculopsis biapiculata, Site 883, B:640
 Naviculopsis biapiculata Zone, Site 883, B:639–641
 Naviculopsis constricta, Site 883, B:640
 Naviculopsis lata, Site 883, B:639–640
 Naviculopsis lata obliqua, Site 887, A:349
 Naviculopsis lata var. obliqua, Site 883, B:639–640
 Naviculopsis lata Zone, Site 883, B:639, 641
 Naviculopsis quadrata Zone, Site 887, A:349
 Naviculopsis seminae, Site 881, B:45
 Neodenticula kamschatca
 Pacific Ocean N, B:13, 15
 Pacific Ocean NW, B:48–50
 Site 881, B:44–45
 Site 883, A:144; B:11, 45
 Neodenticula kamschatca Zone
 Pacific Ocean N, B:14
 Site 881, A:49
 Site 882, A:93; B:9
 Site 884, A:227
 Neodenticula koizumii
 Pacific Ocean N, B:14–15, 17
 Pacific Ocean NW, B:48–49
 Site 881, A:48
 Site 883, A:144; B:11, 45
 Site 884, A:227
 Site 886, A:310
 Neodenticula koizumii–Neodenticula
 kamschatca Chronozone, Site 886, A:310
 Neodenticula koizumii–Neodenticula
 kamschatca Zone
 Pacific Ocean N, B:14
 Site 881, A:49
 Site 884, A:227
 Neodenticula koizumii Zone
 Pacific Ocean N, B:14
 Site 881, A:48
 Neodenticula seminae
 Pacific Ocean NW, B:49, 52
 Site 881, A:49
 Neodenticula seminae Zone
 Site 881, A:48; B:12
 Site 882, A:93; B:9
 Site 883, B:10
 Site 884, A:226; B:7
 Site 886, A:309
 Site 887, A:347, 349; B:4
 Neodenticula spp., Pacific Ocean NW, B:49, 52
 Neoeponides hillebrandti, Site 883, B:268
 Neoeponides lunata, Site 883, B:267–268
 Neogloboquadrina, Site 883, B:141
 Neogloboquadrina asanoi, Pacific Ocean N, B:151
 Neogloboquadrina atlantica
 Pacific Ocean N, B:147, 150–152, 156
 Site 883, B:141, 143
 Neogloboquadrina dutertrei
 Site 881, A:45
 Site 882, A:90
 Neogloboquadrina pachyderma
 Pacific Ocean N, B:150–151, 156
 Site 881, A:45
 Site 882, A:90; B:317–321
 Site 883, A:141; B:141
 Site 887, A:345; B:143
 Neogloboquadrina spp., Pacific Ocean N, B:151
 neoheteroporos, Androcyclas, Pacific Ocean N, B:110
 neoheteroporos, Lamprocyrtis
 Pacific Ocean N, B:72–73, 82, 91
 Site 881, B:64
 new range, Pacific Ocean N, B:94
 new taxa
 Pacific Ocean N, B:18–19, 79–81, 88, 90, 107, 110, 112–113, 126, 129
 Site 883, B:639–641
 Site 884, B:30–31, 34
 nicobarica, Crucidentacula
 Pacific Ocean N, B:4, 13
 Site 884, A:226
 nigrinae, Lamprocyrtis
 Pacific Ocean N, B:72, 82, 91
 Site 881, B:64
 Site 882, A:91
 Site 887, A:345
 nipponica, Lychnocanoma
 Pacific Ocean N, B:80, 90
 Site 883, A:144
 Site 887, A:347
 nipponica magnacomula, Lychnocanoma, Sites 885/886, B:217
 nipponica magnacornuta, Lychnocanoma
 Pacific Ocean N, B:75–76, 81, 89
 Site 883, A:144
 Site 884, A:226; B:65
 Site 885, B:66
 Site 887, A:347; B:66
 nipponica nipponica, Lychnocanoma
 Pacific Ocean N, B:74, 81, 89
 Site 881, B:64
 Site 884, A:226
 Site 887, A:347
 nipponica sakaii, Lychnocanoma
 Pacific Ocean N, B:67
 Site 881, B:64, 138
 Site 884, B:65
 Site 886, B:66
 Site 887, B:66
 nipponicum, Lychnocanium, Pacific Ocean N, B:109, 114
 nipponicum magnacornutum, Lychnocanium
 Pacific Ocean N, B:94, 109, 114
 Site 887, B:106
 nitida, Acarinina
 Pacific Ocean N, B:167
 Site 883, B:161
 Nitzschia
 Pacific Ocean NW, B:13, 44, 52
 Site 881, A:50; B:45
 Site 883, A:144
 Site 884, A:228
 Site 885, A:309
 Nitzschia challengerii, Site 884, B:40
 Nitzschia cylindra, Site 883, B:48
 Nitzschia fossilis
 Pacific Ocean N, B:13, 48
 Site 883, B:45
 Nitzschia grunowii, Site 883, B:48
 Nitzschia jouseae
 Pacific Ocean NW, B:48
 Site 881, B:45
 Nitzschia maleinterpretaria, Site 884, B:23, 27, 44
 Nitzschia marina, Pacific Ocean NW, B:49, 52
 Nitzschia reinholdii
 Pacific Ocean NW, B:13, 44, 52
 Site 881, A:50; B:45
 Site 883, A:144
 Site 884, A:228
 Site 885, A:309
 Nitzschia reinholdii s. ampl., Pacific Ocean NW, B:48–49
 Site 883, B:45
 Nitzschia sp. aff. Nitzschia challengerii, Site 884, B:40
 nitzschioides, Thalassionema
 Pacific Ocean NW, B:48–49, 52
 Site 881, B:45
 Site 882, B:10
 Site 883, B:48
 Site 884, B:37
 nitzschioides var. parva, Thalassionema, Site 884, B:37
 nodulifera, Azpeitia
 Pacific Ocean NW, B:48
 Site 881, B:45
 Site 882, A:93; B:10
 Site 883, B:45
 Nonion havanense, Site 883, A:141
 norwegica, Rhizosolenia, Site 884, B:36
 Nuttallides truempyi
 Pacific Ocean N, B:266–267
 Site 528, B:270
 Site 883, A:141; B:268, 274, 276–277, 281
 Site 884, A:222; B:269
 Nuttallides umbonifera
 Pacific Ocean N, B:254
 Site 887, A:345; B:147
- obesa, Rouxia, Site 884, B:38
 oceanica, Gephyrocapsa, Site 884, A:222
 octonarius, Actinocyclus, Site 884, B:38
 oculatus, Actinocyclus
 Pacific Ocean N, B:14, 17
 Site 886, A:310
 Site 887, A:349; B:4, 7
 odontella, Goniothecium, Site 884, B:34, 36
 Odontella aurita, Site 884, A:228; B:9
 oestrupii, Thalassiosira
 Pacific Ocean N, B:4, 13
 Pacific Ocean NW, B:48
 Site 881, A:50
 Site 882, A:93; B:10
 oestrupii s. ampl., Thalassiosira, Pacific Ocean NW, B:44
 okunoi, Denticulopsis, Pacific Ocean N, B:4
 oligocenica, Azpeitia, Site 883, A:145; B:11
 oligocenicus, Asteromphalus sp. aff.
 Asteromphalus, Site 884, B:41
 Orbulina spp., Site 882, A:90
 Orbulina universa, Site 887, A:345; B:143, 147
 Orbulinoides, Site 884, B:163
 Oridorsalis/Gyroidinoides, Site 883, B:268
 Oridorsalis spp.
 Site 883, B:274–275
 Site 884, B:269
 Site 887, A:345
 Oridorsalis umbonatus

- Site 882, A:91
Site 883, A:141
Site 884, A:221–222
- ornata, Lisitzinia
Site 883, A:145; B:11
Site 884, A:228; B:25, 33
- ornata aff. pentagona, Lisitzinia, Site 884, B:33
- ornatum, Rhopalocanium, Pacific Ocean N, B:126
- orthostylus, Tribrachiatus, Site 883, A:143;
B:563, 634
- Osangularia sp., Site 883, A:141
- osangularis, Cibicidoides, Site 883, A:141
- osculosa, Spongodiscus, Site 883, B:118
- osculosus, Spongodiscus, Pacific Ocean N, B:108,
118, 125
- ostracion, Stylatractus
Pacific Ocean N, B:124, 131
Site 883, B:118
Site 884, B:124
- pachyderma, Neogloboquadrina
Pacific Ocean N, B:150–151, 156
Site 881, A:45
Site 882, A:90; B:317–321
Site 883, A:141; B:141
Site 887, A:345; B:143
- pachystyla, Spongosphaera, Pacific Ocean N,
B:124
- palmerae, Morozovella, Site 883, B:161
- Palnulina rugosa, Site 887, A:345
- papalis, Podocyrtes, Site 883, A:144
- Paralia sulcata
Site 881, B:45
Site 883, B:48
Site 884, A:228; B:9, 28–29, 34
- paranicobarica, Crucidenticula, Pacific Ocean N,
B:4
- pelagicus, Coccolithus
Site 881, A:46
Site 882, A:91
Site 883, A:141
Site 887, A:346
- pentacamerata, Acarinina
Site 883, B:161
Site 884, B:163
- peregrina, Stichocorys
Pacific Ocean N, B:73–74, 81, 90, 93–94
Site 881, A:47; B:59, 64
Site 882, A:91
Site 883, A:143–144
Site 884, A:225; B:65
Site 885, B:66
Site 886, B:66
Site 887, A:347
Sites 885/886, B:217
- perplexa, Reticulofenestra, Site 887, A:346
- peterssoni, Diartus, Pacific Ocean N, B:75–76
- Phormocyrtes embolum, Pacific Ocean N, B:127,
132
- Phormocyrtes striata exquisita, Site 883, A:144
- Phormostichoartus crustula, Pacific Ocean N,
B:82, 90
- Phormostichoartus fistula
Pacific Ocean N, B:82, 90
Site 884, A:225–226
Site 887, A:347
- Phormostichoartus pitomorphus, Pacific Ocean N,
B:82, 90
- Picea, Pacific Ocean N, B:172
- Pinus, Pacific Ocean N, B:171
- pitomorphus, Phormostichoartus, Pacific Ocean
N, B:82, 90
- Planolites, CT scan images, B:543–546
- Planorotalites australiformis, Pacific Ocean N,
B:164
- Planorotalites pusilla Zone, Site 883, B:159
- Planulina wuellerstorfi
Site 882, A:91
Site 883, A:138
- pliocenica, Cycladophora, Pacific Ocean N,
B:79–80
- poagi, Abyssamina, Site 883, A:141
- Podocyrtes mitrella
Pacific Ocean N, B:118, 127, 129
Site 883, B:118
- Podocyrtes mitrella Range Zone, Pacific Ocean N,
B:118
- Podocyrtes mitrella Zone, Site 883, B:118
- Podocyrtes papalis, Site 883, A:144
- polyacantha, Lithocarpium
Pacific Ocean N, B:108
Site 887, A:347
- pompilioides, Melonis
Site 882, A:91
Site 884, A:221–222
- popofskii, Actinomma, Pacific Ocean N, B:81, 85
- Porosira glacialis, Site 884, A:228; B:9
- praebulloides, Globigerina, Site 883, B:161
- praedimorpha, Denticulopsis
Pacific Ocean N, B:13, 15
Site 887, A:349; B:7
- praeфрага, Thalassiosira
Pacific Ocean N, B:4
Site 884, B:7, 26, 29
- praeфрага sp. nov., Thalassiosira, Site 884, B:29,
30–31, 34
- praehyalina, Denticulopsis, Pacific Ocean N, B:4
- praekatayamae, Denticulopsis, Pacific Ocean N,
B:4
- praelauta, Denticulopsis
Pacific Ocean N, B:13–14
Site 884, B:28–29, 40
- praemundulus, Cibicidoides
Pacific Ocean N, B:266
Site 883, A:141; B:268–269, 274–275
Site 884, A:222
- praenodulifera, Azpeitia, Site 884, B:34
- praenodulifera, Azpeitia sp. aff. Azpeitia, Site 884,
B:35
- praeoestrupii, Thalassiosira
Pacific Ocean N, B:13
Site 884, A:227
- primitiva, Acarinina
Pacific Ocean N, B:167
Site 883, B:159, 163
Site 884, B:163
- proboscidea, Uvigerina
Pacific Ocean N, B:152, 155
Site 883, B:143
Site 884, A:221
Site 887, A:345
- profunda, Cornutella, Pacific Ocean N, B:108
- Prunopyle hayesi, Pacific Ocean N, B:82, 86
- Prunopyle titan, Site 884, A:226
- Pseudodimerogramma elegans, Site 884, B:38
- Pseudoemiliana lacunosa
Site 881, A:46
Site 882, A:91
Site 884, A:222
- Pseudohastigerina micra
Pacific Ocean N, B:164
Site 883, B:161, 168
Site 884, B:163
- Pseudopyxilla americana, Site 884, A:228; B:9
- Pseudotriceratium radiosoreticulatum, Site 884,
B:36
- pseudoumbilica, Reticulofenestra
Site 881, A:46
- Site 882, A:91
Site 884, A:223
Site 887, A:346
- Reticulofenestra floridana, Site 884, B:634
- Reticulofenestra hillae, Site 884, B:634
- Reticulofenestra minutula, Site 887, A:346
- Reticulofenestra perplexa, Site 887, A:346
- Reticulofenestra pseudoumbilica
Site 881, A:46
Site 882, A:91
Site 884, A:223
Site 887, A:346
- Reticulofenestra reticulata, Site 884, A:223
- Reticulofenestra spp.
Site 882, A:91
- Site 882, A:91
Site 884, A:223
Site 887, A:346
- Pullenia bulloides
Pacific Ocean N, B:154
Site 882, A:91
Site 883, A:138
Site 884, A:221–222
Site 887, A:345; B:147
- Pullenia coryelli, Site 883, B:268
- Pullenia spp.
Site 883, A:141
Site 887, A:345
- pustulata, Pyxidicula, Pacific Ocean N, B:15
- Pyrgo depressa, Pacific Ocean N, B:154
- Pyrgo murrhina
Pacific Ocean N, B:154
Site 882, A:91
Site 883, A:138
Site 884, A:222
- Pyrgo spp., Site 883, B:143
- Pyxidicula pustulata, Pacific Ocean N, B:15
- Pyxidicula zabelinae
Pacific Ocean N, B:15
Site 884, A:228; B:9
- Pyxilla spp., Site 884, B:36
- quadratus, Gyroidinoides, Site 883, A:141
- quetra, Morozovella, Site 883, B:159
- quinguangellus, Distephanus, Site 883, B:639
- quingueloba, Turborotalita
Pacific Ocean N, B:156
Site 887, B:147
- quinquerramus, Discoaster, Site 881, A:46
- radiatus, Coscinodiscus, Pacific Ocean NW, B:48
- radiosoreticulatum, Pseudotriceratium, Site 884,
B:36
- Raphidodiscus marylandicus, Site 884, B:23, 33
- raupii, Distephanus, Site 883, B:640
- recta, Helicosphaera, Site 883, B:640
- rectus, Cavitatus
Pacific Ocean N, B:4
Site 883, A:145; B:11
Site 884, B:29
- recurvus, Isthmolithus
Site 883, A:141, 143; B:634
Site 884, A:223
- redondoensis, Limpanella, Pacific Ocean N,
B:110, 114
- reinholdii s. ampl., Nitzschia
Pacific Ocean NW, B:48–49
Site 883, B:45
- renzae, Lithopera, Pacific Ocean N, B:75–77, 109
- renzae, Lithopera (Lithopera), Pacific Ocean N,
B:82, 87
- Reophax, Site 883, A:141
- reticulata, Reticulofenestra, Site 884, A:223
- Reticulofenestra bisecta
Site 883, A:141
Site 884, A:223; B:25
Site 887, A:346
- Reticulofenestra floridana, Site 884, B:634
- Reticulofenestra hillae, Site 884, B:634
- Reticulofenestra minutula, Site 887, A:346
- Reticulofenestra perplexa, Site 887, A:346
- Reticulofenestra pseudoumbilica
Site 881, A:46
Site 882, A:91
Site 884, A:223
Site 887, A:346
- Reticulofenestra reticulata, Site 884, A:223
- Reticulofenestra spp.
Site 882, A:91

- Site 883, A:141
Site 884, A:222
Reticulofenestra umbilica
Site 883, A:141
Site 884, A:223; B:569
Rhapydionina, Site 883, A:141
Rhizosolenia hotaense, Site 884, B:36
Rhizosolenia matuyamai, Site 881, A:48
Rhizosolenia norwegica, Site 884, B:36
rhombicus, *Coscinodiscus*, Site 884, B:23, 35
Rhopalocanium ornatum, Pacific Ocean N, B:126
riedeli, *Heliolithus*, Site 883, B:634
robertsi, *Turrilina*, Site 883, A:141
robertsonianus, *Cibicidoides*
Site 882, A:91
Site 883, A:138
Site 887, A:345
robusta, *Sphaeropyle*
Pacific Ocean N, B:72, 81, 85, 94, 107, 112
Site 881, B:64
Site 883, A:144
Site 884, A:225–226
Site 885, B:65
Site 887, A:347
Rocella gelida
Pacific Ocean N, B:4
Site 884, A:228; B:7, 25–26, 29, 33
Rocella gelida Partial Range Zone, Site 884, B:25–26
Rocella gelida var. *schraderi*, Site 884, B:33
Rocella gelida Zone, Site 884, A:226; B:26
Rocella semigelida, Site 884, B:33
Rocella vigilans
Pacific Ocean N, B:4
Site 884, B:29, 33, 569
Rocella vigilans Partial Range Zone, Site 884, B:25
Rocella vigilans Zone, Site 884, B:7, 29
rohri, *Truncorotaloides*, Site 883, B:168
Rosiella sp., Site 844, B:26
Rouxia californica
Pacific Ocean N, B:13, 15
Site 881, A:50
Site 882, A:93
Rouxia isopolica, Site 884, B:38
Rouxia naviculoides, Site 884, B:38
Rouxia obesa, Site 884, B:38
Rouxia sp. cf. *Rouxia granda*, Site 884, B:38
rugosa, *Palnulina*, Site 887, A:345
rugosus, *Triquetrorhabdulus*, Site 881, A:46

saipanensis, *Discoaster*
Site 883, B:634
Site 884, A:223
salisburyana, *Azpeitia*, Site 884, B:34
sawamurae, *Crucidenticula*
Pacific Ocean N, B:4, 13, 15
Site 884, B:27–29, 40
Site 887, A:349; B:7
Sceptroneis tenue–pesplanus group, Site 884, B:36
schauinslandii, *Distephanus*, Site 883, B:639–640
schraderi, *Thalassionema*
Pacific Ocean N, B:13, 15
Site 881, A:50
Site 883, B:11
scitula, *Globorotalia*
Pacific Ocean N, B:155
Site 882, A:90
Site 883, A:141
selmensis, *Tappanina*, Site 883, B:268
semicostata, *Bulimina*, Site 883, A:141
semicostata/*jarvisi*, *Bulimina*, Site 883, B:268,
274
semicibratus, *Anomalinoidea*
Site 883, A:138
Site 887, A:345
semigelida, *Rocella*, Site 884, B:33
seminae, *Naviculopsis*, Site 881, B:45
seminae, *Neodenticula*
Pacific Ocean NW, B:49, 52
Site 881, A:49
senarius, *Actinoptychus*, Site 884, A:228; B:9,
28–29
senni, *Muricoglobigerina*
Site 883, B:161, 168
Site 884, B:163
senticosa, *Uvigerina*
Site 882, A:91
Site 884, A:221–222
Site 887, A:345
senticosa/proboscidaea, *Uvigerina*, Site 883,
A:138, 141
Simonseniella barboi, Pacific Ocean N, B:13, 15
Simonseniella (*Rhizosolenia*) *barboi*, Pacific
Ocean NW, B:48
Simonseniella curvirostris
Pacific Ocean N, B:134–135
Site 881, A:48
Site 883, A:144; B:11
Simonseniella curvirostris Zone
Site 885, A:309
Site 887, A:349; B:4, 7
simonsenii, *Denticulopsis*, Site 887, A:349
soldadoensis, *Acarimina*, Site 883, B:161
solitus, *Chiasmolithus*
Site 883, A:143
Site 884, B:634
spectabilis, *Spiroplectamma*, Site 884, B:269
speculum haliomma, *Distephanus*, Site 883, B:640
sphaeroides, *Melonis*, Site 881, A:45
Sphaeroidina bulloides
Site 882, A:91
Site 883, A:138
Sphaeropyle langii
Pacific Ocean N, B:81, 86, 93–94, 107, 115
Site 881, B:64
Site 883, A:143
Site 884, B:65
Site 885, B:65
Site 886, B:66
Site 887, A:347; B:66
Sites 885/886, A:309
Sphaeropyle langii Zone
Pacific Ocean N, B:73, 75, 93
Site 882, A:93
Sphaeropyle robusta
Pacific Ocean N, B:72, 81, 85, 94, 107, 112
Site 881, B:64
Site 883, A:144
Site 884, A:225–226
Site 885, B:65
Site 887, A:347
Sphagnum, Pacific Ocean N, B:171
Sphenolithus abies, Site 881, A:46
Sphenolithus capricornutus, Site 883, B:640
Sphenolithus ciperiensis, Site 883, B:640
Sphenolithus delphix, Site 883, B:640
Sphenolithus spp., Site 881, A:46
spinosa, *Thalassiosira*, Site 884, A:228; B:29
Spiroloculina, Sites 885/886, A:308
Spiroplectamma spectabilis, Site 884, B:269
Spiroplectamma subhaeringensis, Site 883,
B:268
splendens, *Dictyophimusif*, Pacific Ocean N,
B:73, 76, 79, 91
Site 884, B:65
Site 887, B:66
splendida, *Mediaria*, Site 884, B:38
Spongodiscus osculosa, Site 883, B:118
Spongodiscus osculosus, Pacific Ocean N, B:108,
118, 125
Spongosphaera pachystyla, Pacific Ocean N,
B:124
Spongurus bilobatus, Pacific Ocean N, B:124
spumellaroides, *Thalassiosira*, Site 884, B:26
Stellarima group, Site 884, B:41
Stellarima spp., Site 887, A:349; B:7
Stensioina beccariiiformis, Site 883, B:268
Stephanopyxis
Site 881, B:45
Site 883, B:48
Stichocapsa spp.
Pacific Ocean N, B:125
Site 883, B:118
Stichocorys armata, Pacific Ocean N, B:109
Stichocorys delmontensis
Pacific Ocean N, B:73, 82, 90, 93, 109, 115
Site 881, A:47; B:59, 64
Site 883, A:144
Site 884, A:226
Site 885, B:66
Site 886, B:66
Site 887, B:67
Sites 885/886, A:309; B:217
Stichocorys delmontensis Zone, Pacific Ocean N,
B:77, 93
Stichocorys diploconus, Pacific Ocean N, B:109,
115
Stichocorys elongatum peregrina, Pacific Ocean
N, B:93
Stichocorys peregrina
Pacific Ocean N, B:73–74, 81, 90, 93–94
Site 881, A:47; B:59, 64
Site 882, A:91
Site 883, A:143–144
Site 884, A:225; B:65
Site 885, B:66
Site 886, B:66
Site 887, A:347
Sites 885/886, B:217
Stichocorys peregrina Zone
Pacific Ocean N, B:74, 93
Site 881, A:47
Site 883, A:144
Site 884, A:226
Stichocorys sp. P, Pacific Ocean N, B:109, 115
Stichocorys wolfii
Pacific Ocean N, B:109
Sites 885/886, A:309
Stilostomella lepidula, Pacific Ocean N, B:155
Stilostomella spp.
Site 883, A:141
Site 887, A:345
striata, *Eusyringium*, Pacific Ocean N, B:118,
126, 130
striata exquisita, *Eusyringium*
Pacific Ocean N, B:126, 129
Site 883, B:118
striata exquisita, *Phormocytis*, Site 883, A:144
Stylacontarium acquilonium
Pacific Ocean N, B:67, 74, 82, 87, 135
Site 881, B:64
Site 884, B:65
Site 885, B:65–66
Site 886, B:66
Sites 885/886, B:217
Stylatractus ostracion
Pac Ocean N, B:124, 131
Site 883, B:118
Site 884, B:124
Stylatractus universus

- Pacific Ocean N, B:67, 134
 Site 881, A:46; B:64, 137
 Site 884, A:225; B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, A:347
 Sites 885/886, B:217
Stylatractus universus (= *Axoprunum angelinum*), Pacific Ocean N, B:82, 86
Stylatractus universus Zone
 Pacific Ocean N, B:59, 72
 Site 882, A:91
 Site 883, A:143
 Site 884, A:225; B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, A:347; B:66
Stylosphaera angelina
 Pacific Ocean N, B:108, 113, 124
 Site 883, B:118
Stylosphaera coronata
 Pacific Ocean N, B:124, 130
 Site 883, B:118
Stylosphaera liostylus, Pacific Ocean N, B:124
Stylosphaera minor, Pacific Ocean N, B:124, 131
Subbotina angiporoides minima, Site 883, B:161, 169
Subbotina eocaena
 Site 883, B:161
 Site 884, B:163
Subbotina eocaenica
 Site 883, B:169
 Site 884, B:163
Subbotina hagni, Site 883, B:169
Subbotina linaperta
 Site 883, B:161, 169
 Site 884, B:163
Subbotina velascoensis, Site 883, B:159, 161, 168
subbotinae, Morozovella
 Site 883, B:161, 168
 Site 884, B:163
subbotinids, Site 884, B:163
subglobosa, *Globocassidulina*
 Pacific Ocean N, B:152
 Site 882, A:91
 Site 883, A:138, 141, 143; B:274–275
 Site 883, B:268–269
 Site 884, A:222; B:269
 Site 887, A:345; B:147
subglobosus, *Cribrostomoides*, Site 884, B:269
subhaeringensis, *Spiroplectamina*, Site 883, B:268
subligata, *Lithocampe*, Pacific Ocean N, B:93
sublodoensis, *Discoaster*, Site 883, A:143; B:563, 634
sulcata, *Paralia*
 Site 881, B:45
 Site 883, B:48
 Site 884, A:228; B:9, 28–29, 34
suteri, *Globorotaloides*, Site 883, B:161
tabularis, *Azpeitia*
 Pacific Ocean NW, B:48
 Site 884, B:35
tanimurae, *Denticulopsis*, Pacific Ocean N, B:4
Tappanina selmensis, Site 883, B:268
tenue-pesplanus group, *Sceptroneis*, Site 884, B:36
tenuis, *Ikebea*, Site 884, B:38
Tenuitella gemma, Site 883, B:161
testarugosa, *Globorotaloides*, Site 883, B:161, 170
tetradica, *Buryella*, Pacific Ocean N, B:118, 126
tetraoestrupii, *Thalassiosira*, Pacific Ocean NW, B:44
tetrapera, *Cyrtocapsella*
 Pacific Ocean N, B:75, 81, 87, 109, 113
 Site 881, A:47
 Site 883, A:144
 Site 884, A:347; B:67
 Site 887, A:347; B:67
tetrathalamus, *Didymocyrtilis*, Pacific Ocean N, B:82, 86
Thalassionema nitzschioides
 Pacific Ocean NW, B:48–49, 52
 Site 881, B:45
 Site 882, B:10
 Site 883, B:48
 Site 884, B:37
Thalassionema nitzschioides var. *parva*, Site 884, B:37
Thalassionema schraderi
 Pacific Ocean N, B:13, 15
 Site 881, A:50
 Site 883, B:11
Thalassionema schraderi Zone
 Site 881, A:48, 50; B:12
 Site 884, A:227
 Site 885, A:309
 Site 886, A:309
Thalassiosira aff. *mediiconvexa*, Site 884, B:34
Thalassiosira cf. *oestrupii*, Site 882, B:10
Thalassiosira convexa
 Pacific Ocean NW, B:48
 Site 881, B:45
 Site 883, B:45
 Site 884, A:228
 Site 885, A:309
Thalassiosira dubiosa, Site 884, B:25, 34
Thalassiosira fraga
 Pacific Ocean N, B:4, 13
 Site 884, A:226, 228, 349; B:27, 29, 34
 Site 887, A:349; B:7
Thalassiosira fraga Partial Range Zone, Site 844, B:27
Thalassiosira fraga Zone
 Site 884, A:228; B:28
 Site 887, A:349; B:7
Thalassiosira gravida, Site 884, A:228; B:9
Thalassiosira hyalina, Site 884, A:228; B:9
Thalassiosira insigna
 Pacific Ocean N, B:4, 14
 Site 884, B:9
Thalassiosira irregularata, Site 884, B:34
Thalassiosira jacksonii
 Pacific Ocean N, B:13–14
 Site 882, A:95
 Site 883, A:144; B:11
 Site 884, A:226
Thalassiosira latimarginata
 Pacific Ocean N, B:14
 Pacific Ocean NW, B:48
 Site 881, A:50; B:45
 Site 883, B:48
 Site 884, A:227
Thalassiosira latimarginata s. str., Pacific Ocean N, B:13
Thalassiosira lusca, Site 884, B:34
Thalassiosira marujamica, Pacific Ocean N, B:13–14
Thalassiosira mediiconvexa, Site 884, B:25–26, 34
Thalassiosira minutissima, sp. nov., Pacific Ocean N, B:17
Thalassiosira miocenica
 Pacific Ocean N, B:13, 15
 Site 882, B:561
Thalassiosira oestrupii
 Pacific Ocean N, B:4, 13
 Pacific Ocean NW, B:48
 Site 881, A:50
 Site 882, A:93
Thalassiosira oestrupii s. ampl., Pacific Ocean NW, B:44
Thalassiosira praeefraga, sp. nov., Site 884, B:29, 30–31, 34
 Pacific Ocean N, B:4
 Site 884, B:7, 26, 29
Thalassiosira praeefraga Partial Range Zone, Site 844, B:27
Thalassiosira praeefraga Zone, Site 883, B:10–11
Thalassiosira praeoestrupii
 Pacific Ocean N, B:13
 Site 884, A:227
Thalassiosira spinosa, Site 884, A:228; B:29
Thalassiosira spinosa Zone, Site 883, A:145
Thalassiosira spumellaroides, Site 884, B:26
Thalassiosira tetraoestrupii, Pacific Ocean NW, B:44
Thalassiosira trifulta, Pacific Ocean N, B:14
Thalassiosira yabei, Site 883, A:144
Thalassiosira yabei Zone
 Site 883, A:144; B:10–11, 562
 Site 884, A:226; B:7
Thalassiothrix longissima
 Site 882, A:93; B:10
 Site 884, B:37
Thecosphaera japonica, Pacific Ocean N, B:108, 112
Theocorys
 Pacific Ocean N, B:73–74, 77, 81, 91
 Site 881, A:47
 Site 883, A:144
 Site 884, A:225–226
 Site 887, A:347
 Sites 885/886, A:309
Theocorys redondoensis
 Pacific Ocean N, B:73–74, 77, 81, 91
 Site 881, A:47
 Site 883, A:144
 Site 884, A:225–226
 Site 887, A:347
 Sites 885/886, A:309
Theocotyle multicornia, Pacific Ocean N, B:118
Theocotyle(?) bicornis, Pacific Ocean N, B:118
Theocyrtis litos, Pacific Ocean N, B:118, 127, 136
titan, *Lithocarpium*
 Pacific Ocean N, B:108, 112, 118, 125
 Site 883, B:118
 Site 884, B:124
titan, *Prunopyyle*, Site 884, A:226
titanotriceros, *Artobotrys*, Pacific Ocean N, B:127
tons, *Ceratospyrus*, Pacific Ocean N, B:118
Tribrachiatum orthostylus, Site 883, A:143; B:563, 634
tricantha *tricantha*, *Corbisema*, Site 883, B:639–640
Trifarina angulosa, Pacific Ocean N, B:155
trifulta, *Thalassiosira*, Pacific Ocean N, B:14
trigona, *Ehrenbergina*, Pacific Ocean N, B:154
trilateria, *Tritaxia*, Site 883, B:268
tripartita, *Globoquadrina*, Site 883, B:161
triplex, *Acarinina*
 Pacific Ocean N, B:167
 Site 883, B:161
 Site 884, B:163
Triquetrorhabdulus carinatus, Site 883, B:640
Triquetrorhabdulus rugosus, Site 881, A:46
Tritaxia havanensis, Site 883, B:268
Tritaxia trilateria, Site 883, B:268
trochus, *Cestodiscus*, Site 884, A:228; B:25, 35
truempyi, *Nuttallides*

- Pacific Ocean N, B:270
 Site 528, B:270
 Site 883, A:141; B:268, 274, 276–277, 281
 Site 884, A:222; B:269
- Truncorotaloides rohri, Site 883, B:168
 tsugaruensis, Actinocyclus, Site 884, B:39
 Turborotalia boweri, Site 884, B:163, 170
 Turborotalia cerroazulensis frontosa
 Site 883, B:161, 169
 Site 884, B:163
- Turborotalia griffinae
 Site 883, B:161
 Site 884, B:170
- Turborotalita quinqueloba
 Pacific Ocean N, B:156
 Site 887, B:147
- Turrilina robertsi, Site 883, A:141
 tympaniformis, Fasciculithus, Site 883, B:634
- umbilica, Reticulofenestra
 Site 883, A:141
 Site 884, A:223; B:569
- umbilicata, Globigerina
 Pacific Ocean N, B:156
 Site 883, B:141, 143
 Site 887, B:143, 147
- umbonatus, Oridorsalis
 Site 882, A:91
 Site 883, A:141
 Site 884, A:221–222
- umbonifera, Nuttallides
 Pacific Ocean N, B:254
 Site 887, A:345; B:147
- unicavus, Catapsydrax, Site 883, B:161, 170
 universa, Clathrocyclus, Site 883, B:118
 universa, Orbulina, Site 887, A:345; B:143, 147
 universus, Stylatractus
 Pacific Ocean N, B:67, 134
 Site 881, A:46; B:64, 137
 Site 884, A:225; B:65
 Site 885, B:65
 Site 886, B:66
 Site 887, A:347
 Sites 885/886, B:217
- universus, Stylatractus (= Axoprunum angelinum),
 Pacific Ocean N, B:82, 86
- urceolus, Dictyoprora, Pacific Ocean N, B:126
- Uvigerina proboscidea
 Pacific Ocean N, B:152, 155
 Site 883, B:143
 Site 884, A:221
 Site 887, A:345
- Uvigerina senticosa
 Site 882, A:91
 Site 884, A:221–222
 Site 887, A:345
- Uvigerina senticosa/proboscidea, Site 883, A:138,
 141
- Uvigerina sp.
 Site 882, B:317
 Site 883, B:257–259
- velascoensis, Bulimina, Site 883, B:269
 velascoensis, Subbotina, Site 883, B:159, 161, 168
 venezuelana, Globigerina, Site 883, B:161, 170
- vigilans, Rocella
 Pacific Ocean N, B:4
 Site 884, B:29, 33, 569
- violina, Didymocyrtis, Pacific Ocean N, B:77
 vulgaris, Denticulopsis, Pacific Ocean N, B:4
- Watznaueria barneasae, Site 883, B:159, 634
 wilcoxensis, Acarina, Site 883, B:168
 wolfii, Stichocorys
- Pacific Ocean N, B:109
 Sites 885/886, A:309
- wuellerstorfi, Cibicidoides, Site 882, B:317–322
 wuellerstorfi, Fontbotia, Pacific Ocean N, B:154
 wuellerstorfi, Planulina
 Site 882, A:91
 Site 883, A:138
- yabei, Thalassiosira, Site 883, A:144
 Yoshidaia divergens, Site 884, B:40
- zabelinae, Pyxidicula
 Pacific Ocean N, B:15
 Site 884, A:228; B:9
- zealandica, Gyroidina, Pacific Ocean N, B:154
- zones (with letter prefixes)
 CN1, Site 883, B:641
 NN15, Site 884, A:223
 NP11, Site 883, B:634
 NP12, Site 883, A:138, 143; B:159, 161, 634
 NP13, A:143; B:634
 NP14, B:634
 NP14b, Site 883, B:634
 NP15, A:223; B:634
 NP15b, Site 883, B:634
 NP16, A:143; B:634
 NP17, Site 883, A:143
 NP18, Site 883, A:143
 NP21, Site 884, A:223
 NP22, A:138, 223; B:563, 634
 NP25, Site 884, A:223
 NP7, Site 883, B:159, 634
 NP8, Site 883, B:159, 634
 new zones, Pacific Ocean N, B:94
 Zoophycos, photograph, A:132, 134, 223
 Zygrhablithus bijugatus, Site 883, B:640