

INDEX TO VOLUME 146 (PART 1)

Cascadia Margin

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 146, Part 1 (Cascadia Margin), of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A1” with a colon (A1:), and to those in the *Scientific Results* (this book), by “B1” with a colon (B1:). In addition, reference to material on CD-ROM is shown as “bp1:CD-ROM.”

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms (“barrel sheets”), core photographs, or smear-slide data; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as foraminifers and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 891, for example, is given as “Site 891, A1:241–300.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU.

SUBJECT INDEX

- abyssal plain deposits
 sedimentation, A1:374
 sorting, B1:9
- accessory minerals, sediments, A1:253
- accreted sediments
 continental slope, A1:385–387
 microstructures, B1:201–216
- accretion, terranes, A1:5–7
- accretionary prisms
 Cascadia Margin, B1:208
 focused flow, A1:423–424
 frontal thrust, B1:359–366
 hydraulic conductivity, B1:281–289
 hydrogeology, B1:291–297
 magnetic fabrics, B1:242
 P–T conditions, B1:299–311
 porosity, B1:313–335
 sediments, A1:421–426
 stress, B1:349–358
 structure, A1:401–402
 subduction zones, B1:119
 tectonics, A1:399–419; B1:42
- accretionary wedges
 growth, A1:381–387
 hydrogeologic evolution, B1:137–148
 microstructures, B1:217–232
 sedimentation, A1:217–218, 293, 369,
 374–375; B1:43
 tectonics, A1:6
- accumulation rates
 sediments, B1:386–387
 See also sedimentation rates
- advection, pore fluids, A1:191
- age vs. depth
 Cascadia Margin, B1:266
 Site 889, B1:58
 Site 892, B1:372
- alkalinity
 sediments, B1:388–389
 vs. depth, A1:84–86, 189, 270, 345; B1:381,
 388, 393
- alkenones, chromatograms, A1:186, 269
- aluminum oxide logs, vs. depth, A1:287
- ammonia, diagenesis, B1:381
- ammonium, vs. depth, A1:86, 189, 270, 345
- amphiboles
 sand, B1:34–37, 40–42
 See also hornblende
- anhydrous remanent magnetization intensity, vs.
 depth, A1:167
- Astoria Fan
 comparison with Site 892, A1:318–319
 sedimentation, B1:13
- attenuation, fluid flow, B1:308–309
- authigenesis
 carbonates, B1:117–136, 265
 glaucony, A1:151
 See also diagenesis
- bacteria
 diagenesis, B1:380–381
 sediments, B1:387–392
 vs. depth, B1:403–408
- bacterial activity, fluid venting, B1:399–411
- bacterial origin, methane, A1:80–83
- basin plain deposits, sorting, B1:11–13
- basins, piggy-back, accretionary wedges,
 A1:384–387
- basins, slope, accretionary wedges, A1:384–387
- bathyal environment, foraminifers, B1:102
- bathymetry, Vancouver Island margin, A1:408
- bedding
 dip, A1:77–78, 261, 325–326
 lithologic units, A1:70–71
 lithostratigraphy, A1:173–175
 magnetic anisotropy, B1:237, 240, 243, 247,
 252, 254
 stereographic projections, A1:173–174
 See also graded bedding
- bedding fabric, structural analysis, B1:218
- bedding planes, photograph, A1:250
- biofacies, foraminifers, B1:79–113
- biogenic components
 sediments, A1:253
 vs. depth, A1:314
- biostratigraphy
 diatoms, B1:63–77
 foraminifers, B1:79–113
 radiolarians, B1:48–57
 siliceous microfossils, B1:369–374
 Site 888, A1:71–73
 Site 889, A1:155–162
 Site 890, A1:155–162
 Site 891, A1:255–256
 Site 892, A1:319, 321–323
- bitumens, sediments, A1:80, 181, 265–266, 337
- bivariate plots, grain size, B1:7–9
- Blake Event, Site 888, A1:76
- blocky structure, microstructures, B1:207
- Bouma sequences, sedimentation, A1:154–155
- British Columbia coastal plain, sedimentation,
 B1:13
- broken formation, photograph, A1:259
- Brunhes Chron
 Site 888, A1:76
 Site 889, A1:163
 Site 891, A1:255, 257, 283
- bulk density logs, vs. depth, A1:365
- bulk modulus, porosity, B1:309
- butane. *See* iso-butane
- calcite, composition, B1:129–133
- calcite, isotopes, B1:134
- calcite veins, photograph, A1:332
- calcium
 vs. depth, A1:86, 189, 270, 345; B1:139–140,
 262–264
 See also magnesium/calcium ratio
- calcium/chloride ratio
 pore fluids, B1:432–435
 vs. depth, A1:190, 347; B1:179, 184, 382
- calcium/magnesium ratio, carbonates, B1:125
- calcium carbonate, carbonates, B1:125
- caliper logs, vs. depth, A1:105–107, 206, 279, 364
- carbon, sediments, A1:177, 263, 333
- carbon, organic
 sediments, A1:79, 177, 263–264, 331;
 B1:386–387, 407, 409
 vs. depth, A1:79, 178, 263, 269, 335
 vs. total nitrogen, A1:81, 178, 264, 336
- carbon dioxide
 sediments, B1:152
 vs. depth, A1:180, 266, 337–338; B1:180, 396,
 403–406
- carbon dioxide, expansion void gas, vs. depth,
 A1:182
- carbon isotopes
 carbonates, B1:126–133, 137–148
- methane, B1:439
- sediments, B1:261, 388–389
- surface samples, B1:271
- tectonic settings, B1:269–270
- vs. depth, B1:131, 142, 144, 388–392, 443,
 445, 447
- vs. hydrocarbons, B1:393
- vs. oxygen isotopes, B1:132, 142
- carbonate cement, vs. depth, A1:318
- carbonate concretions
 composition, B1:121–127
 distribution in cores, A1:153
 photograph, A1:146, 318
 vs. depth, A1:144
- carbonate concretions, brecciated, photograph,
 A1:331–332
- carbonate content
 carbonates, B1:141–143
 sediments, B1:261
 tectonic settings, B1:269–270
 vs. depth, A1:79, 263, 270, 335; B1:139–140,
 262–263
- carbonate content logs, vs. depth, A1:287
- carbonate grains, vs. depth, A1:144, 318
- carbonates
 authigenic and pelagic material, B1:265
 diagenesis, B1:381–382
 photograph, B1:148
 sandstone, B1:425–426
 sediments, A1:154, 253
 veins and cements, B1:137–148
- carbonates, diagenetic, composition, Cascadia
 Margin, B1:117–136
- Cascadia accretionary complex, pore fluids,
 B1:431–438
- Cascadia accretionary prism
 bottom-simulating reflectors, B1:457–463
 fluid flow, B1:413–421
 magnetic anisotropy, B1:233–254
 porosity, B1:313–335
 pressure and temperature, B1:299–311
 sedimentation, A1:293
- Cascadia Margin
 carbonates, B1:117–136
 dewatering, A1:421–423; B1:257–274
 diagenesis, B1:375–384
 diatoms, B1:63–77
 drilling results, A1:389–396
 fluid venting, B1:399–411
 foraminifers, B1:79–113
 gas hydrates, B1:175–187
 hydrocarbon gases, B1:439–449
 magnetic susceptibility, B1:451–453
 microstructures, B1:201–232
 organic geochemistry, B1:385–397
 radiolarians, B1:47–62
 sand, B1:425–429
 sediments, B1:3–31, 33–43, 191–199,
 275–280
 siliceous microfossils, B1:369–374
 tectonics, A1:5–6
- cataclasis, microstructures, B1:207
- catagenesis, sediments, B1:392–394
- cementation
 carbonates, B1:127, 129–133
 lithologic units, A1:62, 64, 66–67, 308–309
 porosity, B1:331–334
- cemented layers, dewatering, B1:265–267, 273
- Cenozoic, tectonics, A1:400

chemical composition

chemical composition, carbonates, B1:123–126
 chemical horizons, sediments, A1:271–273
 chemical profiles, sediments, A1:267, 269,
 271–273, 344–346
 Chile Triple Junction, bottom-simulating
 reflectors, B1:185
 chloride
 diffusion curve, A1:273
 gas hydrates, A1:229
 pore fluids, B1:376–377, 432–435
 vs. depth, A1:86, 189–190, 270, 345–346;
 B1:178–184, 377
 See also calcium/chloride ratio;
 lithium/chloride ratio; magnesium/
 chloride ratio; silica/chloride ratio;
 sodium/chloride ratio; strontium/
 chloride ratio
 chlorinity
 changes, A1:273
 gas hydrates, A1:229
 sediments, A1:345–346
 chlorite, sediments, A1:154, 253
 chloritization, sandstone, B1:426
 clasts, photograph, A1:67
 clasts, residual
 structural analysis, B1:219, 221, 223–224
 vs. depth, B1:222
 clathrates
 accretionary wedges, A1:396
 clay
 sediments, A1:151–153
 vs. depth, B1:10, 12, 14, 16
 X-ray data, A1:321
 clay, silty
 hydraulic conductivity, B1:287–289
 lithologic units, A1:136–137, 140–141, 144
 vs. depth, B1:320–321
 clay minerals
 sediments, A1:154, 253
 vs. depth, A1:70
 clinopyroxene
 sediments, A1:253
 vs. depth, B1:39, 41–42
 cluster analysis, benthic foraminifers, B1:91, 112
 Columbia River drainage area, sedimentation,
 B1:13
 Columbia transpressional belt, sedimentation,
 B1:428
 composite density logs, vs. depth, A1:105
 compression, porosity, B1:331–334
 compressional wave velocity
 sediments, A1:198
 seismic profiles, B1:337–348
 vs. overpressure ratio, B1:353, 356, 417
 concretions
 sandstone, B1:425–426
 See also carbonate concretions
 confining pressure, stress, B1:356–357
 consolidation
 fault splays, B1:362–366
 hydraulic conductivity, B1:284–289
 rates of expulsion, B1:417
 sediments, A1:220, 421–426; B1:275–276
 continental margin
 accretion, A1:5–7
 accretionary prisms, B1:350–351
 sediments, A1:98–99, 104, 106, 109
 sediments, B1:259–261
 subduction zones, B1:119
 continental slope
 accretionary wedges, A1:384–387
 sedimentation, A1:217–218
 sediments, B1:261–262
 convergent margins, plate motion, A1:5–7

SUBJECT INDEX

cores, photograph, B1:193–196
 correlation, biostratigraphy, B1:373
 Crescent Formation, Eocene oceanic crustal rocks,
 A1:5
 Crescent Terrane
 accretion, A1:5–7
 accretionary wedges, A1:383–385
 CT scan. *See* X-ray computed tomography
 debris-flow deposits
 photograph, A1:250
 sediments, A1:258
 décollement, vs. void ratio, B1:279
 deep resistivity logs, vs. depth, A1:280
 deformation
 magnetic anisotropy, A1:262–263
 microstructures, B1:217–232
 sediments, A1:421–426; B1:264–265
 deformation, asperity, hydraulic conductivity,
 B1:289
 deformation, heterogeneous, sediments, B1:206
 deformation bands
 Flinn-type diagrams, A1:262
 lithostratigraphy, A1:175–176
 magnetic anisotropy, A1:262; B1:237, 240,
 243, 247, 252, 254
 sediments, A1:258–259
 shear zone, A1:176
 structural analysis, B1:218
 demagnetization, alternating-field
 sediments, A1:256–258
 Zijderveld plots, A1:76–77, 165, 167, 328
 demagnetization, thermal, isothermal
 remanent magnetization, B1:235, 238,
 244, 248
 density
 correlation with logs, A1:96–98
 vs. depth, A1:108
 vs. seismic profiles, A1:109
 density, bulk
 vs. CT value, B1:197–198
 vs. depth, A1:87, 90, 191, 274, 347, 350;
 B1:139–140, 192–196
 See also bulk density logs
 density, dry, vs. depth, A1:89, 191, 349
 density, grain, vs. depth, A1:89, 191, 274, 349
 density, wet-bulk, vs. depth, B1:262–264, 363
 density–porosity–natural gamma ray logs,
 A1:123–125, 298–300, 378
 density logs
 porosity, B1:315
 vs. depth, A1:280–281; B1:316–317, 362
 See also composite density logs; edited density
 logs; raw density logs
 deposition, pelagic carbonates, B1:265
 dewatering
 fault splays, B1:366
 fluid pressure, B1:420
 porosity, B1:331–334
 sediments, B1:257–274
 dewatering, diffusive, sediments, A1:421–423
 diagenesis
 carbonates, B1:117–136, 146
 gases, A1:266
 geochemistry, B1:375–384
 methane, A1:80–83
 microbially mediated reactions, A1:188
 mineralogy, B1:262–263
 pore fluids, B1:431–432
 sedimentation, B1:43
 sediments, B1:386–392
 See also authigenesis
 diagenetic microenvironment, sediments,
 B1:391–392
 diatom datum levels, North Pacific, B1:64, 370
 diatoms
 biostratigraphy, B1:63–77, 369–374
 comparison of ages with radiolarians,
 B1:370–371, 373
 photograph, A1:64, 149, 314
 sediments, A1:144, 148
 vs. depth, A1:151
 diffusion
 advection fluid, A1:188
 chlorine, B1:178–184
 dilution, chloride, B1:382
 dip inclination, vs. depth, A1:329
 dolomite
 composition, B1:129–133
 dewatering, B1:266
 dolomitization
 composition, B1:129–133
 diagenesis, B1:381–382
 downhole measurements
 Site 888, A1:95–98
 Site 891, A1:278–282
 Site 892, A1:359–369
 drilling disturbance, sediments, B1:198
 edited density logs, vs. depth, A1:105, 279
 electron microprobe analysis, carbonates, B1:120
 epidote
 sand, B1:34–37, 40–42
 vs. depth, B1:39, 41–42
 equilibrium pressure, fluid flow, B1:307–309
 ethane
 sediments, A1:177–178; B1:154–155
 vs. depth, A1:180, 266, 337–338; B1:180
 See also methane/ethane ratio
 ethane, expansion void gas, vs. depth, A1:182
 expansion pressure, vs. scan number, A1:206
 expansion void gases
 gas hydrates, B1:152
 molecular composition, A1:181
 sediments, A1:180–181, 336
 expulsion rates, dewatering, B1:266
 fabrics
 carbonates, B1:119–120, 127, 129–130
 Flinn-type diagrams, A1:262
 magnetic anisotropy, B1:233–254
 photograph, B1:228, 230–232
 fabrics, distributed conjugate, structural analysis,
 B1:219, 223
 fabrics, scaly, microstructures, B1:207
 fans, deep-sea, sedimentation, A1:109, 255; B1:14
 fault dilation, stress, B1:356–357
 fault splays, physical properties, B1:362–366
 fault zones
 accretionary wedges, A1:395
 biostratigraphy, B1:74, 373
 fluid chemistry, A1:346
 fluid flow, B1:302–310
 foraminifers, B1:102
 hydraulic conductivity, B1:281–289
 isotopes, B1:134
 isotope tracing, B1:144–147
 logs, A1:374–375
 sediments, B1:205–206
 seismic velocity, B1:349–358
 structural analysis, B1:221
 Flinn-type diagrams, A1:262
 magnetic anisotropy, A1:262
 photograph, A1:174
 sediments, A1:258–259
 Site 892, A1:328–330
 feldspars
 sandstone, B1:425–426

- sediments, A1:153–154, 249, 253
vs. depth, A1:70
- ferroactinolite, sediments, A1:253
- fluid chemistry
bottom-simulating reflectors, B1:175–187
fault zones, A1:346
- fluid discharge
rates, B1:419–420
sediments, B1:413–414
- fluid expulsion
gas hydrates, A1:415
geochemistry, A1:184
models, A1:412
sediments, B1:409, 413–421
thermal effect, A1:411
thermal structure, B1:304–306
See also fluid flow
- fluid flow
fault zones, B1:281–297
geochemical anomalies, A1:374; B1:375–384
hydrates, A1:7–11
isotope tracing, B1:144–147
microstructures, B1:208
sedimentation, B1:43
sediments, A1:267, 269, 271–273;
B1:392–394, 413–421
thermal structure, B1:304–306
- fluid flow, focused, accretionary prisms,
A1:423–424
- fluid inclusions, quartz, A1:249, 253
- fluid inventory
rates of expulsion, B1:416
sediments, B1:413–414, 416
- fluid pressure
accretionary wedges, A1:395
fault zones, B1:293–297
rates of expulsion, B1:416–418
sediments, B1:359–366
stress, B1:349–358
velocity model, B1:355–357
vs. depth, B1:288
- fluid pressure, excess, vs. depth, B1:417
- fluid venting, effects on bacteria, B1:399–411
- fluids, organic geochemistry, B1:385–397
- fluorescence data, sediments, A1:336
- folded bedding, photograph, A1:330
- folding, sediments, B1:204
- foot wall, structural analysis, B1:221
- foraminifers, biofacies, B1:79–113
- foraminifers, benthic
biostratigraphy, A1:71–72, 159, 161–162, 255,
322–323
distribution, A1:75, 161–162, 255, 325
- foraminifers, planktonic
biostratigraphy, A1:71, 156, 159, 162, 255,
322–323
distribution, A1:71, 157–160, 254, 322, 326
- formation factor
logs, B1:317–318
Site 891, A1:276
Site 892, A1:351
Sites 889–890, A1:196
vs. depth, A1:91, 108, 195, 275, 350
vs. index properties, B1:194–197
vs. porosity, A1:92, 195, 275, 350; B1:197,
324–326
- formation microscanner imaging
Site 891, A1:282
Site 892, A1:366–369
Sites 889–890, A1:212, 215–216
vs. depth, A1:215–219, 284–286, 367–368
- formation pressure
fluid flow, B1:307–309
sediments, B1:355, 357–359
- vs. time, B1:309
- fractures
fault zones, B1:295
hydraulic conductivity, B1:286–287
- lithostratigraphy, A1:169, 173
- magnetic anisotropy, B1:237, 240, 243, 247,
252, 254
- photograph, A1:150, 175
- porosity, B1:326–332
scanning, B1:196–199
- sediments, A1:258; B1:205–206
- Site 892, A1:326
stereographic projections, A1:175
- fracturing, porosity, B1:331–334
- frontal thrust
geometry, B1:359–366
- microstructures, B1:217–232
- porosity, B1:333–334
- sediments, B1:414–416
- seismic section, A1:283
- seismic velocity, B1:337–358
- gadolinium logs, vs. depth, A1:287
- gamma ray logs, vs. depth, A1:207, 209, 211,
280–281, 287; B1:320–321, 362
- gamma ray logs, lithoporosity, vs. depth,
A1:364–365
- gamma ray logs, seismic stratigraphic, vs. depth,
A1:364–365
- gamma ray logs, smoothed, vs. depth, A1:106
- gamma ray logs, smoothed and sand baseline
removed, vs. depth, A1:106
- gamma ray logs, smoothed and silt baseline
removed, vs. depth, A1:106
- garnet, sediments, A1:253
- gases
composition, B1:151–161
dissociating gas hydrates, B1:157–158,
160–161
free and sorbed, B1:440–441
- headspace and vacutainer analyses, B1:440–443
organic geochemistry, B1:385–397
- stable isotopes, B1:439–449
- See also* expansion void gases
- gases, bacterial, sediments, A1:266
- gases, headspace
- gas hydrates, B1:152
molecular composition, A1:82–83, 179, 265,
334–335
sediments, A1:177–178, 333, 336
- gases, thermogenic, sediments, A1:266, 338
- gases, vacutainer, A1:264–265
- gas expansion, photograph, A1:150
- gas hydrates
accretionary wedges, A1:396
- bottom-simulating reflectors, A1:7–9, 411,
416; B1:175–187
- composition, B1:151–161
- diagenesis, B1:382–383
- fault zones, A1:374–375
- fluid flow, A1:423–424
- genesis, A1:225
- geothermal gradient, B1:302–306
- lithologic units, A1:308–309
- low temperature, A1:183–184
- organic geochemistry, B1:385–397
- pellets, B1:41
- pore fluids, A1:191; B1:431–432
- relationship to hydrogen sulfide, A1:342–343
- relationship to temperature, A1:354–355
- sediments, A1:151–153, 315–319, 341–343;
B1:406
- seismic studies, B1:163–174
- Site 889, A1:183–184
- Site 890, A1:183–184
- Site 892, A1:341–343
- stability fields, A1:229; B1:183, 185
- temperature, A1:199
- velocity–porosity relationships, A1:206–208
- velocity, B1:462
- vs. depth, B1:463
- vs. impedance ratio, A1:416
- vs. Poisson's ratio, A1:416
- vs. velocity, A1:416
- gas hydrates, deep-sea
bottom-simulating reflectors, A1:414–417
- continental margin, A1:412–417
- mechanism of formation, A1:413–414
- pressure–temperature stability, A1:412–413
- gas hydrates, visible, sediments, A1:333
- Gas Hydrate Structure I, Site 892, B1:151
- Gas Hydrate Structure II, Site 892, B1:151
- gas venting, effects on bacteria, B1:399–411
- geochemical logs, vs. depth, A1:287, 364
- geochemistry, diagenesis, B1:375–384
- geochemistry, inorganic
Site 888, A1:83–86
- Site 891, A1:267, 269–273
- Site 892, A1:343–346
- geochemistry, organic
gases, B1:385–397
- Site 888, A1:78–83
- Site 889, A1:176–184, 186–191
- Site 890, A1:176–184, 186–191
- Site 891, A1:263–266
- Site 892, A1:331, 333–346
- geotechnical properties, sediments, B1:257–280
- geothermal gradient
gas hydrates, B1:302–306
- ocean basin, A1:6–7
- sediments, B1:394
- glauconite
paragenesis, A1:147
- vs. depth, B1:41
- glaucony
composition, B1:122
- lithologic units, A1:137, 141–142, 308–309
- photograph, A1:316–317
- sediments, A1:147–149, 151
- vs. depth, A1:149, 319
- glaucony pellets, photograph, A1:148
- gouge zones
microstructures, A1:329–330; B1:208
- photograph, B1:215
- graded bedding, photograph, A1:140
- grain size
clayey silt, A1:67, 69
- coarse fraction, B1:33–43
- sediments, A1:247–248, 315; B1:3–31
- standard error, B1:9
- vs. depth, A1:69, 141, 251–252, 314;
B1:262–264
- grain size, mean, vs. depth, B1:7–8
- greigite
coercivity, A1:77
- magnetization, A1:163
- hanging wall
hydraulic conductivity, B1:283–289
- structural analysis, B1:219–220
- heat flow
accretionary prisms, A1:402, 405–406
- accretionary wedges, A1:395
- bottom-simulating reflectors, A1:406
- gas hydrates, B1:302–306
- ocean basin, A1:6–7
- seafloor data, A1:406

heat flow (cont.)

Site 888, A1:95
 Sites 889–890, A1:198–199, 410
 temperature profile, A1:354
 Vancouver Island margin, A1:412–414
 vs. depth, A1:401; B1:305
 heavy minerals, sand, B1:34–37, 40–42
 hexane
 vs. depth, A1:337–338
See also normal-hexane
 hiatuses, biostratigraphy, B1:74–75, 373
 Holocene, lithologic units, A1:60–61, 135–137, 140–141, 144
 hornblende
 sediments, A1:253
 vs. depth, B1:39, 41–42
 hydraulic conductivity
 fault zones, B1:291–297, 418–419
 sediments, B1:276
 thrust zones, B1:281–289
 vs. depth, B1:288, 419
 vs. effective stress, B1:284, 286–287
 vs. void ratio, B1:278, 286–288, 419
 hydrocarbons
 chromatograms, A1:185–186, 268–269, 340
 diagenesis, B1:381–382
 molecular composition, A1:82–83
 pyrograms, A1:183–184, 267, 339, 341
 sediments, A1:79; B1:154–155
 stable isotopes, B1:439–449
 vs. depth, A1:269; B1:393
 hydrocarbons, head, Site 891, A1:264
 hydrocarbons, thermogenic, sediments, A1:341; B1:392–394
 hydrofractures
 carbonates, B1:129–130
 stress, B1:356–357
 hydrogen isotopes, methane, B1:439
 hydrogen sulfide
 accretionary wedges, A1:396
 gas hydrates, B1:382–383, 432
 profiles, A1:374
 sediments, A1:333, 341; B1:152, 387–388, 406
 vs. depth, A1:336; B1:388
 hydrogen sulfide–methane hydrates, disseminated
 crystal aggregates, B1:185
 hydrogeology
 accretionary wedges, B1:137–148
 fault splays, B1:365–366
 fault zones, B1:291–297
 illite, chemical reactions, A1:190
 impedance, vs. seismic profiles, A1:109
 impedance, acoustic
 gas hydrates, B1:152
 vs. depth, A1:93
 index properties
 sediments, A1:191–193, 273–274; B1:192
 Site 888, A1:87–89
 Site 889, A1:192–193
 Site 890, A1:194
 Site 891, A1:275
 Site 892, A1:346–349
 induction logs, vs. depth, B1:318
 intermediate resistivity logs, vs. depth, A1:105, 280–281
 interstitial waters
 geochemistry, A1:106, 109, 187, 271, 343–344
See also pore fluids
 iron carbonate, carbonate concretions, B1:126–127
 iron oxide logs, vs. depth, A1:287
 iron sulfides, sulfate reduction, B1:387

SUBJECT INDEX

iso-butane, vs. depth, A1:337–338
iso-pentane
 sediments, B1:154–155
 vs. depth, A1:337–338
 isothermal remanent magnetization intensity
 acquisition results, A1:166, 168
 vs. depth, A1:257
 vs. temperature, A1:167
 Jaramillo Subchron, Site 889, A1:163
 Juan de Fuca Plate
 motion, B1:42
 subduction, A1:5–7; B1:264
 Juan de Fuca Ridge, drilling, A1:51
 kaolinite, sediments, A1:154, 253
 kerogen, sediments, A1:79–80, 181, 265, 336–337
 kink bands, structural analysis, B1:218
 Klamath Terrane, accretion, A1:5–7
 Kula/Farallon Plate, subduction, A1:5–7
 laminations, photograph, A1:67, 150, 251
 light minerals, sand, B1:34–35, 38–42
 linear attenuation coefficient, scanning, B1:198
 liquidization, postdepositional, hemipelagic
 origin, A1:317–318
 lithic fragments, sediments, A1:249, 253
 lithic grains, vs. depth, A1:142
 lithification, lithologic units, A1:62, 64, 66–67
 lithium
 pore fluids, B1:377–378, 432–435
 vs. depth, A1:270; B1:179, 184, 437
 lithium/chloride ratio
 pore fluids, B1:432–435
 vs. depth, B1:179, 184, 377
 lithofacies
 lithologic units, A1:70–71, 138–139
 vs. depth, A1:72–74, 149, 248–249
 lithologic units
 photograph, A1:65–68
 Site 888, A1:60–62, 64–67
 Site 889, A1:135–137, 140–142
 Site 890, A1:144
 Site 891, A1:247
 Site 892, A1:308–309, 314–315
 Unit I, A1:60–61, 135–137, 140–141, 144, 247, 308–309, 314–315
 Unit II, A1:61–62, 135–137, 141
 Unit III, A1:62, 64, 66–67, 135–137, 141–142
 lithology logs, vs. depth, B1:320–321
 lithostratigraphic units
 correlation with logs, A1:96, 201, 203, 205–207, 279–280, 360–361
 grain-size analysis, B1:9–11
 heavy minerals, B1:39
 vs. depth, A1:87, 89, 91, 93–94
See also lithologic units
 lithostratigraphy
 Site 888, A1:59–71, 389–390
 Site 889, A1:391
 Site 890, A1:142, 144
 Site 891, A1:246–254
 Site 892, A1:308–319
 load casts
 hemipelagic origin, A1:317–318
 photograph, A1:320
 low-velocity zones, stress, B1:356–357
 magnesium, vs. depth, A1:86, 189, 270, 345; B1:139–140
 magnesium/calcium ratio, vs. depth, A1:189, 270, 347; B1:139–140
 magnesium/chloride ratio, vs. depth, A1:347; B1:382
 magnesium carbonate, composition, B1:125
 magnetic anisotropy
 fabrics, B1:233–254
 magnetic susceptibility, A1:261–263
 sediments, B1:451–453
See also magnetic susceptibility
 magnetic declination, vs. depth, A1:75–76, 164–165, 256, 325
 magnetic foliation, vs. magnetic lineations, A1:176, 261
 magnetic inclination, vs. depth, A1:75–76, 164–165, 256, 325
 magnetic intensity, vs. depth, A1:75–76, 164–165, 256, 325
 magnetic lineations, vs. magnetic foliation, A1:176, 261
 magnetic susceptibility
 anisotropy, B1:233–254
 measured vs. normalized, A1:169
 sediments, A1:165; B1:451–453
 vs. depth, A1:78, 169, 258; B1:235, 238, 244, 248
See also magnetic anisotropy
 magnetite, sediments, A1:253
 mass spectrometry analysis, carbonates, B1:121
 Matuyama Chron, Site 889, A1:163
 mélange
 hydraulic conductivity, B1:289
 Site 892, A1:329–330
 Mesozoic, terranes, A1:5
 methane
 anomalies, A1:79, 81–83
 gas hydrates, B1:382–383, 432
 genesis, A1:229
 geochemistry, A1:109
 hydrates, A1:7–9
 sediments, A1:177–178, 287; B1:153–154, 389–392
 seismic studies, B1:163–174
 stability fields, A1:415
 stable isotopes, B1:439
 vs. depth, A1:180, 266, 337–338; B1:180, 388, 390, 392, 396, 403–406, 443, 445, 447
See also hydrogen sulfide–methane hydrates
 methane, bacterial, sediments, A1:338, 341
 methane, expansion void gas, vs. depth, A1:182
 methane, head, vs. depth, A1:269
 methane, thermogenic, isotopes, B1:133
 methane, total, vs. depth, A1:81, 84–85
 methane/ethane ratio, vs. depth, A1:81, 266
 methane hydrates, stability fields, B1:185–186
 methane oxidation rate, vs. depth, B1:403–406
 methanogenesis
 sediments, A1:181–183; B1:389–391, 407–409
 vs. depth, B1:403–406
 methanogenesis, bacterial, A1:80–83, 374
 methanotrophy, sediments, B1:391
 micas
 sandstone, B1:425–426
 sediments, A1:249, 253
 microbial expulsion, methane and sulfate separation, B1:391
 microfabrics, photograph, B1:210
 microfossils, deformation, B1:224
 microstructures
 accreted sediments, B1:201–216
 frontal thrust, B1:217–232
 mineralogy, sand, B1:34–42
 Miocene
 biostratigraphy, B1:56–57, 369–374
 diatoms, B1:66–67, 69–70, 72–74
 molecular composition, hydrocarbon gases, B1:439–449

mosaic structure
 microstructures, B1:207
 photograph, B1:216

mousse-like sediments
 genesis, A1:316
 photograph, A1:324
 vs. depth, A1:324

mud, density, B1:197

mud clasts, photograph, A1:141, 320

mudstone, composition, B1:121–127

mudstone, calcareous, photograph, A1:321–322

natural gamma ray logs. *See* density–porosity–natural gamma ray logs; natural gamma raylogs; gamma ray logs; resistivity–velocity–natural gamma ray logs

Neogene
 diatoms, B1:63–77
 foraminifers, B1:79–113
 radiolarians, B1:47–62

neritic environment, foraminifers, B1:93

neutron porosity logs
 Cascadia accretionary prism, B1:321–322
 vs. depth, A1:107, 207, 210–211, 280–281, 365
 vs. velocity, A1:210

Nitinat Fan
 biostratigraphy, B1:48
 sedimentation, A1:70–71, 98–99; B1:13, 42

nitrogen, sediments, A1:177, 263, 333

nitrogen, expansion void gas, vs. depth, A1:182

nitrogen, remineralized, sediments, B1:388–389

nitrogen, total
 sediments, A1:79, 177, 264, 331, 333
 vs. depth, A1:79, 178, 263, 335
 vs. organic carbon, A1:81, 178, 264, 336

nodules, gas hydrates, B1:154

normal-hexane, sediments, B1:154–155

North American Plate, subduction, B1:264

oblique seismic experiment, A1:282

oceanic crust, seismic sections, A1:423

Olympic Peninsula, accretion, A1:5–7

opal-CT, sediments, A1:153

opaque minerals, sediments, A1:253

ophiolite, terranes, A1:5

Oregon, central, convergent margin, A1:5–7

Oregon, continental slope, B1:261–262

Oregon accretionary prism
 consolidation, A1:421–426
 frontal thrust, B1:359–366
 hydrogeology, B1:291–297
 thrust faults, B1:349–358

Oregon accretionary wedge, biostratigraphy, B1:51, 56–57

Oregon continental margin, biostratigraphy, B1:51

Oregon continental slope, sedimentation, A1:369, 374–375

Oregon Margin
 accretionary wedges, A1:381–387
 carbonates, B1:137–148
 foraminifers, B1:100, 102
 hydrocarbon gases, B1:439–449
 sand, B1:35, 39–42
 sediment grain size, B1:19–20

organic matter
 diagenesis, B1:380–381
 sediments, B1:388–389

orthopyroxene
 sediments, A1:253
 vs. depth, B1:39, 41–42

overburden, effective, vs. depth, A1:93, 195

overburden, effective/shear strength ratio, vs. depth, A1:93

overburden stress, effective, vs. depth, A1:352

overpressure
 Cascadia Margin, B1:208
 fault splays, B1:365–366
 hydraulic conductivity, B1:281–289
 stress, B1:349–358
 vs. velocity, B1:353, 356, 417

oxides, sediments, B1:124

oxygen isotopes
 carbonates, B1:126–133, 137–148
 pore fluids, B1:379–380, 435–436
 sediments, B1:261
 vs. carbon isotopes, B1:132, 142
 vs. depth, B1:142, 144, 179, 184, 380, 438

Pacific Rim Terrane, accretion, A1:5–7

packer experiments
 fault zones, B1:291–297
 Site 892, A1:355, 357–359

paleobathymetry, foraminifers, B1:102

paleoenvironment
 basin plain association, A1:154
 foraminifers, B1:79–113
 hemipelagic origin, A1:317–318
 sedimentation, A1:254–255
 statistical parameters, B1:9–13
 See also sedimentary environment

paleomagnetism, A1:73, 75–77, 162–166, 256–257, 323–324

Paleozoic, terranes, A1:5

paragenesis, glaucony, A1:147

particle size analyzer, calibration, B1:6

pebbles
 lithologic units, A1:64, 66–67
 photograph, A1:68

pellets
 gas hydrates, B1:154
 photograph, A1:316–317
 sediments, A1:147–149, 151

pentane, *See iso-pentane*

permeability
 fault splays, B1:365–366
 fluid pressure, B1:420
 hydraulic conductivity, B1:284–289
 sediments, B1:275–280

permeability, bulk, sediments, A1:355, 357–359

permeability, in situ, fault zones, B1:291–297

permeability, intrinsic, vs. porosity, A1:14

petrography
 carbonates, B1:119–120
 sandstone, B1:425–426
 sediments, A1:137, 140–142, 248

phosphate
 diagenesis, B1:381
 vs. depth, A1:86, 189, 270

phosphorus, sediments, B1:388–389

physical properties
 sediments, B1:275–280, 359–366
 Site 888, A1:86–91
 Site 889, A1:191–194
 Site 890, A1:191, 193–194
 Site 891, A1:273–277
 Site 892, A1:346–349

pillow-in-matrix, microstructures, B1:207

plagioclase, sandstone, B1:425–426

plate tectonics, continental margin, A1:399–400

Pleistocene, lithologic units, A1:60–62, 64, 66–67, 135–137, 140–142, 144, 283

Pliocene
 biostratigraphy, B1:369–374
 diatoms, B1:65–73
 lithologic units, A1:136–137, 141–142, 308–309, 314–315

sedimentation, A1:217–218, 220–221, 225,

229; B1:42–43

pore fluids
 chemical composition, B1:431–438
 dilution, A1:188
 expulsion, A1:6–7
 geochemistry, B1:183–185
 sedimentation, B1:43
 See also interstitial waters

pore pressure
 dewatering, B1:206–208
 logs, A1:199–201
 sediments, B1:275–280
 stress, B1:356–357
 vs. scan number, A1:205

porosity
 accretionary prisms, A1:402
 accretionary wedges, A1:395
 correlation with logs, A1:96–98
 deformation zone, A1:9–11
 relationship to velocity and density, A1:361–363
 sediments, A1:99, 104, 287, 381–386; B1:313–335, 414–416
 vs. depth, A1:14, 87, 91, 108, 112–113, 191, 195, 207, 210, 274–275, 280–281, 347, 350, 390; B1:192–196, 322–323, 326–329, 363–364, 463
 vs. formation factor, A1:92, 195, 275, 350; B1:322–326
 vs. permeability, A1:14
 vs. sonic traveltimes, B1:330–332
 vs. unconfined frame modulus, B1:309
 vs. velocity, A1:108; B1:327–332
 See also density–porosity–natural gamma ray logs; neutron porosity logs

porosity, calculated, Site 891, A1:276

porosity, derived
 Site 892, A1:351
 Sites 889–890, A1:196

porosity–depth function, sediments, B1:278–279

porosity–natural gamma ray logs, A1:234–235, 238–239

porosity function, accretionary wedges, A1:381–386

porosity logs
 Site 891, A1:279
 vs. depth, A1:107

potassium, vs. depth, A1:86, 189, 270, 345

potassium logs, vs. depth, A1:287, 364

potassium oxide logs, vs. depth, A1:287

precipitation, authigenic carbonate, B1:265

preferred orientation, ferrimagnetic minerals, B1:237–238, 241–242

pressure
 accretionary prisms, B1:299–311
 vs. temperature, A1:205
 vs. time, A1:363; B1:303, 418
 See also equilibrium pressure; expansion pressure; fluid pore pressure; formation pressure; overpressure; pore pressure; tidal loading

propane
 sediments, A1:177–178
 vs. depth, A1:180, 337–338; B1:180

propane, expansion void gas, vs. depth, A1:182

protodolomite, composition, B1:129–133

provenance
 rock fragments, B1:42
 sandstone, B1:425–429

pyrite
 photograph, A1:317
 sediments, A1:154, 253

pyroxene
 sand, B1:34–37, 40–42

pyroxene (cont.)

See also clinopyroxene; orthopyroxene

quartz
sand, B1:34–35, 38–42
sandstone, B1:425
sediments, A1:153, 249, 253
vs. depth, A1:70; B1:41

Quaternary
biostratigraphy, B1:369–374
diatoms, B1:65–66, 71–73
foraminifers, B1:79–113
lithologic units, A1:247
sandstone, B1:425–429
sedimentation, A1:217–218, 220–221, 225, 229; B1:42–43
underthrusting, A1:5–6

radiolarian datum levels, North Pacific, B1:370

radiolarians
biostratigraphy, A1:72–73, 156, 161–162, 255, 321–323; B1:47–62, 369–374
comparison of ages with diatoms, B1:370–371, 373
distribution, A1:158–160, 326
photograph, A1:314
sediments, A1:144, 148

raw density logs, vs. depth, A1:105, 279

reflection coefficients, gas hydrates, B1:167–168

reflection polarity
fault splays, B1:366
frontal thrust, B1:361–362

reflectors, frontal thrust, B1:354–355

reflectors, bottom-simulating
Cascade accretionary prism, B1:457–463
gas hydrates, B1:167–168, 171, 175–187, 382–383
thermal structure, B1:302–306

remanent magnetization, anhysteretic
axis orientations, A1:78
magnetic anisotropy, B1:241–242, 253
sediments, A1:163
vs. magnetic intensity, A1:77
See also anhysteretic remanent magnetization intensity

remanent magnetization, isothermal
acquisition results, A1:166, 168
demagnetization, B1:235, 238, 244, 248
sediments, A1:163
See also isothermal remanent magnetization intensity

remineralization, sediments, B1:388–389

resistivity
Site 891, A1:276
Site 892, A1:351
Sites 889–890, A1:196

resistivity, electrical, sediments, A1:89–90, 194, 274–275, 347, 349; B1:192

resistivity–velocity–natural gamma ray logs
Site 888, A1:120–122
Site 889, A1:232–233
Site 889, A1:236–237
Site 891, A1:295–297
Site 892, A1:377

resistivity logs
porosity, B1:315–317
vs. depth, A1:207–209, 211, 365; B1:318, 362
See also deep resistivity logs; intermediate resistivity logs; shallow resistivity logs

rock fragments, sandstone, B1:425–426

rock magnetism, sediments, A1:163, 165–166, 257

sag structures
hemipelagic origin, A1:317–318

SUBJECT INDEX

photograph, A1:320
salinity, logs, B1:318

sand
coarse fraction, B1:33–43
composition, A1:248, 253–254
lithologic units, A1:64, 66–67, 136–137, 140–141, 247, 308–309, 314–315
photograph, A1:64, 140, 316–317
provenance, B1:425–429
vs. depth, B1:10, 12, 14, 16, 320–321

sand, clayey, recovery from cores, A1:252

sand, siliciclastic, lithologic units, A1:60–62

sand, silty, lithologic units, A1:61–62

sand layers, photograph, A1:319

sandstone, provenance, B1:425–429

scouring, photograph, A1:320

sediment accretion, thermal effect, A1:411

sediment thickening, models, A1:412

sediment transport, grain size, B1:11–13

sedimentary environment
Site 891, A1:254–255
See also paleoenvironment

sedimentary structures, paleoenvironment, A1:317–318

sedimentation
fans, A1:109
flow diagram, A1:155–156

sedimentation rates
continental slope, B1:263–264, 266
diagenesis, B1:380
porosity, B1:333–334

sediments
accretionary wedges, A1:395
coarse fraction, B1:33–43
consolidation, A1:421–426
dewatering, B1:257–274
fluid venting, B1:399–411
gas regimes, B1:155–156
grain-size analysis, B1:3–31
physical properties, B1:275–280
pore fluids, B1:431–438
porosity, A1:381–386
X-ray computed tomography, B1:191–199
X-ray data, A1:253, 315
See also mousse-like sediments; soupy layers; undisturbed sediments

sediments, tilted, photograph, A1:142

seismicity, vs. depth, A1:400

seismic lines, vs. two-way traveltimes, A1:214

seismic profiles
Cascadia Basin, A1:10, 13
frontal thrust, A1:283
integration of data with cores and logs, A1:366
Site 888, A1:57–58, 60–63
Site 889, A1:130–133
Site 891, A1:243–244
Site 892, A1:303–305
thrust faults, B1:361, 415
velocity, B1:337–348
vs. lithostratigraphic units, A1:111
vs. synthetic seismograms, A1:109
See also vertical seismic profiles

seismic profiles, walkaway, B1:340–343

seismic reflection
accretionary wedges, A1:400–403
integration with core and log data, A1:281–282
Sites 891–892, A1:393
two-way traveltimes, A1:404
vs. depth, A1:388
vs. two-way traveltimes, A1:384–385

seismic sections
accretionary prisms, A1:424–425
continental slope, B1:260

gas hydrates, B1:166–168, 170–173
Site 891, A1:393
Site 892, B1:300
Vancouver Island margin, A1:407, 409

seismic stratigraphy
Site 888, A1:57
Site 889, A1:130–131
Site 890, A1:130–131
Site 891, A1:242–245
Site 892, A1:305

seismic surveys, gas hydrates, B1:163–174

seismograms, time–depth relationship, A1:98

seismograms, synthetic
Site 889, A1:211–212
sonic logs, A1:213, 281
vs. depth, A1:282

sericitization, sandstone, B1:426

shallow resistivity logs, vs. depth, A1:105, 207, 280

shear strength
vs. depth, A1:93, 195, 352; B1:262–264
See also overburden, effective/shear strength ratio

shear strength, normalized, sediments, B1:278

shear strength, undrained
fault splays, B1:364–365
sediments, A1:194, 276
Site 888, A1:90–91
Site 889, A1:197
Site 891, A1:277
Site 892, A1:349, 353
shear strength/effective overburden stress ratio, vs. depth, A1:195, 352

shear zones
microstructures, B1:207–208
photograph, A1:330–333; B1:214, 226–227, 229, 231
Site 892, A1:328–330
structural analysis, B1:218

shear zones, single-strand, structural analysis, B1:218–219

silica, vs. depth, A1:86, 189, 270, 345–346

silica, biogenic, sediments, A1:144, 148

silica, opaline, vs. depth, A1:151

silica/chloride ratio, vs. depth, A1:190

silica logs, vs. depth, A1:287

siliceous microfossils
biostratigraphy, B1:369–374
photograph, A1:314

silt
composition, A1:248, 253–254
vs. depth, A1:323; B1:10–17

silt, calcareous, photograph, A1:320

silt, clayey
grain size, A1:67, 69
hydraulic conductivity, B1:287–289
lithologic units, A1:60–61, 136–137, 140–141, 144, 247, 308–309, 314–315
photograph, A1:64, 140, 142–143, 316
recovery from cores, A1:252
vs. depth, B1:320–321

siltstone
density, B1:197
photograph, A1:175

siltstone, cemented, photograph, A1:332

Site 174, comparison with Site 892, A1:318–319

Site 857, operations, A1:51

Site 859, bottom-simulating reflectors, B1:185

Site 888, A1:55–125
background and objectives, A1:56–57
bacteria, B1:402
biostratigraphy, A1:71–73; B1:48
coring summary, A1:59
downhole logging, A1:95–98

SUBJECT INDEX

subduction rates

- foraminifers, B1:81–93
 inorganic geochemistry, A1:83–86
 lithostratigraphy, A1:59–71
 master chart, A1:114–119
 microstructures, B1:202–203
 operations, A1:57–59
 organic geochemistry, A1:78–83
 paleomagnetism, A1:73, 75–77
 physical properties, A1:86–91
 sand, B1:34
 seismic stratigraphy, A1:57
 site description, A1:55–125
 structural geology, A1:77–78
 summary, A1:389–390
 summary and conclusions, A1:98–99, 104, 106, 109
 WSTP and ADARA temperature measurements, A1:91–92, 94–95
- Site 889, A1:127–142, 144–239**
 age vs. depth, B1:58
 background and objectives, A1:129–130
 bacteria, B1:402–404
 biostratigraphy, A1:155–162; B1:48, 51
 coring summary, A1:134
 downhole measurements, A1:201, 203, 205–217
 foraminifers, B1:92–97
 gas hydrates, A1:183–184; B1:175–187
 inorganic geochemistry, A1:184, 186–191
 lithostratigraphy, A1:135–142
 master chart, A1:222–227
 microstructures, B1:203
 operations, A1:131–134
 organic geochemistry, A1:176–183
 paleomagnetism, A1:162–166
 physical properties, A1:191–194
 sand, B1:34–35
 seismic stratigraphy, A1:130–131
 site description, A1:127–142, 144–239
 structural geology, A1:166–176
 summary, A1:390–392
 summary and conclusions, A1:217–218, 220–221, 225, 229
 velocity, B1:461–462
 WSTP and ADARA temperature measurements, A1:194–201
- Site 890, A1:127–130, 132, 142–151, 153–156, 162–221, 225, 228–231**
 background and objectives, A1:129–130
 bacteria, B1:402–404
 biostratigraphy, A1:155, 162; B1:51
 coring summary, A1:134
 downhole measurements, A1:201, 203, 205–217
 foraminifers, B1:100
 gas hydrates, A1:183–184
 inorganic geochemistry, A1:184, 186–191
 lithostratigraphy, A1:142, 144
 master chart, A1:228
 microstructures, B1:203
 operations, A1:132, 134
 organic geochemistry, A1:176–183
 paleomagnetism, A1:162–166
 physical properties, A1:191, 193–194
 sand, B1:34–35
 seismic stratigraphy, A1:130–131
 site description, A1:127–130, 132, 142–151, 153–156, 162–221, 225, 228–231
 structural geology, A1:166–169, 173–176
 summary, A1:390–391
 summary and conclusions, A1:217–218, 220–221, 225, 229
 WSTP and ADARA temperature measurements, A1:194–201
- Site 891, A1:241–300**
 background and objectives, A1:242
 bacteria, B1:404–405
 biostratigraphy, A1:255–256; B1:51
 carbonates, B1:137–138, 141–143
 coring summary, A1:245
 downhole logging, A1:278–282
 foraminifers, B1:98–101
 gas hydrates, B1:394–395
 inorganic geochemistry, A1:267, 269–273
 lithostratigraphy, A1:246–254
 master chart, A1:288–292
 microstructures, B1:203–204, 217–232
 operations, A1:245–246
 organic geochemistry, A1:263–266
 paleomagnetism, A1:256–257
 physical properties, A1:273–277
 sand, B1:35, 39–40
 sedimentary environment, A1:254–255
 seismic stratigraphy, A1:242–245
 seismic velocity, B1:337–348
 site description, A1:241–300
 structural geology, A1:258–263
 summary, A1:392–394
 summary and conclusions, A1:283, 287–293
 WSTP and ADARA temperature measurements, A1:277
- Site 892, A1:301–378**
 background and objectives, A1:303, 305
 bacteria, B1:404–405
 biostratigraphy, A1:319, 321–323; B1:51, 56–57
 carbonates, B1:138–139, 143–144
 comparison with Site 174, A1:318–319
 coring summary, A1:306
 diatoms, B1:63–77
 downhole logging, A1:359–369
 foraminifers, B1:100, 102, 104–113
 gas hydrates, A1:341–343; B1:151–161, 175–187, 395
 inorganic geochemistry, A1:343–346
 lithostratigraphy, A1:308–319
 master chart, A1:370–373
 microstructures, B1:204–207, 217–232
 operations, A1:305–308
 organic geochemistry, A1:331, 333–341
 packer experiments, A1:355, 357–359
 paleomagnetism, A1:323–324
 physical properties, A1:346–349
 pressure and temperature, B1:299–311
 sand, B1:40–42
 seismic stratigraphy, A1:305
 siliceous microfossils, B1:369–374
 site description, A1:301–378
 structural geology, A1:324–331
 summary, A1:394–395
 summary and conclusions, A1:369–375
 WSTP and ADARA temperature measurements, A1:349–355
- Site 899, P-T conditions, B1:299–300**
 skewness
 vs. depth, B1:10, 12, 14, 16
 vs. sorting, B1:18–19
 slope basin deposits, sorting, B1:11–13
 smectite, chemical reactions, A1:190
 sodium, vs. depth, A1:189, 270, 345
 sodium/chloride ratio, vs. depth, A1:189, 270, 347
 soft sediment deformation, photograph, B1:212
 sonic velocity logs, vs. depth, A1:107
 sorting
 vs. depth, B1:10, 12, 14, 16
 vs. mean size, B1:20–21
 vs. skewness, B1:18–19
 soupy layers
- distribution in cores, A1:153
 gas hydrates, B1:152, 382–383
 photograph, A1:152–153, 324
 sediments, A1:151–153, 316
 thickness vs. depth, A1:144, 318
 vs. depth, A1:324; B1:183, 186
 sponge spicules
 photograph, A1:314
 sediments, A1:148
 stable isotopes
 carbonates, B1:142–143
 hydrocarbon gases, B1:439–449
 methane, B1:386
 See also carbon isotopes; oxygen isotopes; strontium isotopes
 statistical analysis, grain size, B1:7–8
 strain, carbonates, B1:123, 127, 129–130
 strain hardening, microstructures, B1:207–208
 stratal disruption
 lithostratigraphy, A1:176, 328, 369, 374
 photograph, A1:330–333
 stratigraphic reversals, biostratigraphy, B1:74–75, 373
 stratigraphic units
 age and depth, B1:72–74
 See also lithologic units; lithostratigraphic units
 stresses
 fault zones, B1:294–295
 microstructures, B1:207
 sediments, B1:264–265, 275–280
 stresses, effective
 vs. depth, B1:288, 417
 vs. hydraulic conductivity, B1:284, 286–287
 vs. velocity, B1:349–358
 strontium
 carbonates, B1:124
 pore fluids, B1:377–378
 vs. depth, B1:179, 184, 437
 vs. strontium-87/strontium-86 ratio, B1:143
 strontium/chloride ratio
 pore fluids, B1:432–435
 vs. depth, B1:179, 184, 378
 strontium-87/strontium-86 ratio
 vs. 1/strontium ratio, B1:143, 182, 379
 vs. depth, B1:144, 378
 strontium isotopes
 carbonates, B1:142–144
 pore fluids, B1:378–379, 435–436
 vs. depth, B1:142, 144, 179, 184, 438
 See also strontium-87/strontium-86 ratio
 structural data
 Site 889, A1:170–172
 Site 891, A1:260–261
 Site 892, A1:327
 structural domains
 dip, A1:259
 lithostratigraphy, A1:167–169
 magnetic anisotropy, B1:237, 240, 243, 247, 252, 254
 Site 891, A1:258–261
 Site 892, A1:324–331
 Sites 888–892, A1:391–392
 Sites 889–890, A1:173
 structural geology
 Site 888, A1:77–78
 Site 889, A1:166–176
 Site 890, A1:166–169, 173–176
 Site 891, A1:258–263
 Site 892, A1:324–331
 structural section, offshore, A1:405
 structural style, vs. depth, A1:258
 subduction rates, accretionary wedges, A1:381–386

subduction zones

subduction zones
 dewatering, B1:264–265
 sediments, B1:409
 tectonics, B1:359–360
 terranes, A1:5–7
 thermal regime, A1:410–411

sulfate
 sediments, B1:387–388
 vs. depth, A1:84–86, 189, 269–270; B1:381, 387, 391

sulfate reduction
 diagenesis, B1:380–381
 sediments, A1:78, 181–183; B1:387–388, 403–409
 vs. depth, B1:403–406

sulfides
 diagenesis, B1:380
 sediments, A1:154
See also iron sulfides; pyrite

sulfur, sediments, A1:177, 263, 333

sulfur, total
 sediments, A1:79, 177, 264, 333
 vs. depth, A1:79, 178, 263, 335

tectonics
 flow diagram, A1:155
 Site 891, A1:283
 subduction zones, B1:119
 Vancouver Island Margin, A1:399–419

temperature
 accretionary prisms, B1:299–311
 accretionary wedges, A1:395
 cores, A1:342; B1:178
 logs, A1:216–217, 369
 profile with depth, A1:94–95
 sediments, A1:201
 Site 888, A1:91–92, 94–95
 Site 889, A1:194–201
 Site 890, A1:194–201
 Site 891, A1:277, 282
 Site 892, A1:349–355
 vs. burial depth, B1:145
 vs. depth, A1:104, 205, 220–221, 363; B1:303, 306, 420
 vs. pressure, A1:205
 vs. time, A1:94–103, 199–200, 202–204, 278–279, 355–362; B1:302

WSTP and ADARA measurements, A1:91–92, 94–95, 194–198, 355

WSTP measurements, A1:278

temperature, corrected, sediments, A1:361

temperature logs, vs. pressure, A1:369

terrane
 accretion, A1:5–7
 tectonics, A1:405

Tertiary, underthrusting, A1:5–6

textures, carbonates, B1:123

thermal conductivity
 sediments, A1:194, 276
 Site 888, A1:90–91
 Site 891, A1:277
 Site 892, A1:349, 354
 Sites 889–890, A1:197
 vs. depth, A1:94, 197, 277, 352

thermal regime, accretionary prisms, A1:402, 405–406, 410–412

thermal structure
 models, B1:302–306
 vs. depth, B1:305

thorium logs, vs. depth, A1:287, 364

SUBJECT INDEX

thrust, in-sequence, fault splays, B1:365
 thrust densification, fault splays, B1:365
 thrust faults
 accretionary wedges, A1:384–387
 effective stress, B1:349–358
 fault zones, B1:291–297
 fluid flow, A1:424
 geometry, B1:360–361
 hydraulic conductivity, B1:281–289
 magnetic anisotropy, A1:262–263
 porosity, B1:333–334
 terranes, A1:5
 vs. void ratio, B1:279
See also frontal thrust

thrust faults, out-of-sequence, microstructures, B1:217–232

tidal loading, fluid flow, B1:308–309

titanium oxide logs, vs. depth, A1:287

Tofino Basin, accretionary wedges, A1:383–385

Tofino Fault, tectonics, A1:405

transient flow, porosity, B1:309–310

transmissivity
 fault zones, B1:291–297
 vs. pressure, B1:307–310

traveltime, inversion, B1:165–166

traveltime, sonic, vs. porosity, B1:330–332

traveltime, two-way
 vs. depth, A1:212, 221, 281–282; B1:339–340, 366, 392
 vs. seismic lines, A1:214

tridymite, sediments, A1:153

turbidites
 dewatering, B1:266
 foraminifers, B1:102
 lithofacies, B1:9–11
 photograph, A1:65–68, 143
 subduction zones, B1:119

ultrafiltration, fluid flow, A1:11

unconformities
 biostratigraphy, B1:74–75, 373
See also hiatuses; stratigraphic reversals

undercompaction, porosity, B1:331–334

undisturbed sediments
 photograph, A1:316
 vs. depth, A1:324

uranium logs, vs. depth, A1:287, 364

Vancouver Basin, sediment grain size, B1:19–20

Vancouver Island
 accretionary wedges, A1:381–387
 continental slope, A1:217–218
 convergent margin, A1:5–7

Vancouver Island accretionary wedge, biostratigraphy, B1:48, 51

Vancouver Margin
 foraminifers, B1:80, 88–90, 92–94, 96–97, 100
 sand, B1:34–35
 sediment grain size, B1:19–20
 seismic surveys, B1:163–174
 tectonics, A1:405

van der Waal's interactions, gas hydrates, B1:151, 175

veins
 carbonates, B1:127
 isotopes, B1:137–148
 photograph, B1:136
 Site 892, A1:326

velocity

accretionary prisms, A1:402

accretionary wedges, A1:395

amplitude vs. offset distance, A1:417

comparison of sonic logs and VSP, B1:462

vs. depth, A1:221, 276, 280–281, 392; B1:363

vs. effective stress, B1:349–358

vs. neutron porosity, A1:210

vs. porosity, A1:108; B1:332

vs. sub-bottom depth, A1:410

vs. depth, A1:105, 207–209, 211, 221, 365; B1:362

See also compressional wave velocity; resistivity–velocity–natural gamma ray logs; sonic velocity velocity, sonic, correlation with logs, A1:98

velocity–depth profiles, bottom-simulating reflectors, B1:177–78

velocity logs
 sediments, A1:90, 194, 275–276, 349
 vs. depth, A1:93

venting
 cemented layers, B1:265
 sediments, B1:406–409
See also gas venting; fluid venting

vertical seismic profile
 Cascade accretionary prism, B1:461–463
 sediments, A1:363, 366
 Site 889, A1:208, 210–212
 Site 891, B1:337–348
 time–depth relationship, A1:280–281

void ratio, vs. hydraulic conductivity, B1:286–289, 419

volcanic glass
 photograph, A1:317
 sediments, A1:253
 vs. depth, A1:142

Washington S, continental margin, B1:259, 261

water content
 cores, B1:274
 vs. depth, A1:87, 89, 191, 274, 347, 349; B1:262–264, 282

well-logging
 sediments, B1:313–335
 Site 888, A1:95–98
 Site 891, A1:278–282
 Site 892, A1:359–369
 Sites 889–890, A1:201, 203, 205–208, 210–216
 thrust faults, B1:362–364

wood fragments, photograph, A1:251

Wrangellia Terrane, Paleozoic and Mesozoic, A1:5

X-ray computed tomography scanning, sediments, B1:191–199

X-ray diffraction data
 carbonates, B1:121
 clayey silt, A1:69
 sediments, A1:153–154

X-ray fluorescence data, carbonates, B1:120–121

Zijderveld plots, demagnetization, A1:76–77, 165, 167, 256–257, 328

zircon, photograph, A1:64

zonation
 diatoms, B1:64
 foraminifers, B1:80–81, 95, 101, 107, 111

TAXONOMIC INDEX

- acquilonium, Stylocontarium*
Site 889, B1:51
Site 892, B1:57
- Acrosphaera murrayana*, Site 889, A1:161; B1:51
- advena, Plectofrondicularia*, Site 889,
A1:161–162
- antiqua, Thalassiosira*, Site 892, B1:65–66, 69–73
- ragonensis, Morozovella*, Site 892, B1:100
- asanoi, Neogloboquadra*
Site 889, A1:156, 161–162; B1:97
Site 892, A1:321–323; B1:100
- aspera clinata, Distephanus*, Site 892, B1:69
- auritum, Pterocanium*
Site 889, A1:156; B1:48
Site 891, A1:255
Site 892, A1:321; B1:56
- barleeanum, Melonis*
Site 889, B1:97
Site 892, A1:322; B1:102
- bermudezi, Globorotalia*, Site 890, B1:100
- Bolivina seminuda*, Site 888, B1:93
- Bolivina spissa*
Site 889, A1:159, 161–162; B1:97
Site 890, A1:162; B1:100
Site 892, B1:102
- Bolivina subspinoscens*, Site 888, B1:93
- Bolivina translucens*, Site 888, B1:93
- Botryopera deflandrei*, Site 892, B1:56
- Botryostrobus aquilonaris* Zone
Site 888, A1:72, 99
Site 889, A1:156; B1:51
Site 890, A1:162
Sites 888–892, B1:48, 88
- Botryostrobus bramlettei*, Site 892, A1:321, 323
- bradyi, Cassidulinoides*
Site 888, B1:92–93
Site 890, A1:162; B1:100
- bradyi, Fursenkoina*, Site 888, B1:93
- bramlettei, Botryostrobus*, Site 892, A1:321, 323
- Buccella frigida*, Site 888, B1:92
- Buccella oregonensis*, Site 892, B1:102
- Buccella tenerima*
Site 888, B1:92
Site 892, B1:102
- Bulimina exilis*
Site 888, B1:92
Site 890, B1:100
- Bulimina jacksonensis welcomensis*, Site 892,
B1:102
- Bulimina microcostata*, Site 892, B1:102
- Bulimina striata*, Site 888, A1:71
- Bulimina striata mexicana*, Site 890, B1:100
- Bulimina subacuminata*
Site 889, A1:159, 161; B1:97
Site 890, B1:100
Site 892, A1:322; B1:102
- Bulimina subcalva*, Site 890, B1:100
- Buliminella exilis*
Site 888, A1:71
Site 890, A1:162
- Buliminella subfusiformis*
Site 888, A1:71; B1:93
Site 889, B1:97
Site 892, B1:102
- bulloides, Globigerina*
Site 888, A1:71
Site 889, A1:156, 162; B1:97
Site 890, A1:162; B1:100
- Site 891, A1:255; B1:100
Site 892, A1:322; B1:102
- bulloides, Pullenia*
Site 888, A1:71; B1:92
Site 889, A1:161
Site 891, A1:255; B1:100
Site 892, A1:322; B1:102
- bulloides, Sphaeroidina*, Site 891, A1:255
- californica, Cassidulina*
Site 889, A1:161
Site 890, A1:162
- californica, Rouxia*, Site 892, B1:65, 67, 70,
72–73, 373
- calvertense, Eucyrtidium*
Site 892, A1:321, 323
Sites 888–892, B1:48
- caryoforma, Phormostichoartus*, Site 892, A1:321
- Cassidulina californica*
Site 889, A1:161
Site 890, A1:162
- Cassidulina globosa*, Site 892, B1:102
- Cassidulina limbata*, Site 888, A1:71; B1:93
- Cassidulina minutula*
Site 888, A1:72; B1:93
Site 890, B1:100
- Cassidulina norcrossi*
Site 889, B1:97
Site 890, B1:100
Site 892, B1:102
- Cassidulina translucent*
Site 889, A1:159, 161–162; B1:97
Site 890, B1:100
Site 892, B1:102
- Cassidulinoides bradyi*
Site 888, B1:92–93
Site 890, A1:162; B1:100
- Cassidulinoides cornuta*, Site 888, B1:93
- Catapsydrax* sp., Site 892, B1:100
- Chaetoceros*, Site 892, B1:64–65, 67, 69
- Chilostomella oolina*
Site 888, B1:93
Site 890, A1:162; B1:100
- Cibicides perlucida*, Site 892, B1:102
- Cibicidoides mckannai*, Site 890, B1:100
- Cibicidoides wuerllerstorfi*
Site 888, A1:71; B1:92
Site 889, A1:161–162; B1:97
Site 891, A1:255; B1:100
Site 892, A1:322; B1:102
- clausus, Pterocorys*, Site 889, A1:156
- communis, Martinottiella*
Site 889, B1:97
Site 892, A1:322; B1:102
- communis, Stauroxiphos*, Site 892, A1:321; B1:57
- convexa, Thalassiosira*, Site 892, B1:65, 69
- convexa* var. *aspinosa*, *Thalassiosira*, Site 892,
B1:67
- cornuta, Cassidulinoides*, Site 888, B1:93
- crustula, Phormostichoartus*
Site 889, A1:156, 161; B1:51
Site 891, A1:255; B1:51
Site 892, A1:321; B1:56
- curvirostris, Simonseniella*, Site 892, B1:64–65,
71–72
- Cycladophora davisianna*
Site 889, A1:156; B1:48
Site 891, A1:255; B1:51
- Site 892, A1:321–322; B1:56–57
- Cyrtocapsella japonica*, Site 892, A1:321, 371;
B1:57
- davisianna, Cycladophora*
Site 889, A1:156; B1:48
Site 891, A1:255; B1:51
Site 892, A1:321–322; B1:56–57
- deflandrei, Botryopera*, Site 892, B1:56
- Dentalina*, Site 889, A1:161
- Denticulopsis dimorpha*, Site 892, B1:72
- Denticulopsis hustedtii*, Site 892, B1:67, 72–73,
371
- Denticulopsis hustedtii* Zone, Site 892, B1:67–68,
72–73
- Denticulopsis katayamae*, Site 892, B1:67, 373
- Denticulopsis praedimorpha*, Site 892, B1:72
- Denticulopsis* spp., Site 892, B1:65
- Dictyophimus splendens*, Site 892, A1:321; B1:57
- dimorpha, Denticulopsis*, Site 892, B1:72
- dimorpha, Stephanopyxis*, Site 892, B1:64, 67–68,
70, 73
- Distephanus aspera clinata*, Site 892, B1:69
- Distephanus pseudofibula*, Site 892, B1:67, 72–73
- doliolus, Pseudounotia*, Site 892, B1:73
- Elphidiella hannai*, Site 888, B1:92
- Elphidium excavatum clavatum*
Site 888, A1:72; B1:92
Site 889, B1:97
Site 890, A1:162; B1:100
- Epistominella pacifica*
Site 888, B1:93
Site 889, A1:159, 162; B1:97
Site 890, A1:162; B1:100
Site 892, A1:323; B1:102
- Eponides minima*, Site 892, B1:102
- Eucyrtidium calvertense*
Site 892, A1:321, 323
Sites 888–892, B1:48
- Eucyrtidium matuyamai*
Site 889, A1:156, 161, 163; B1:51, 97
Site 892, A1:321; B1:57
Sites 888–892, B1:48
- Eucyrtidium matuyamai* Zone
Site 889, A1:156, 161; B1:51
Sites 888–892, B1:48
- excavatum clavatum, Elphidium*
Site 888, A1:72; B1:92
Site 889, B1:97
Site 890, A1:162; B1:100
- exilis, Bulimina*
Site 888, B1:92
Site 890, B1:100
- exilis, Buliminella*
Site 888, A1:71
Site 890, A1:162
- Fissurina lucida*, Site 892, A1:322
- Fissurina* sp., Site 889, A1:161
- fistula, Phormostichoartus*, Site 892, A1:321, 323
- frigida, Buccella*, Site 888, B1:92
- Fursenkoina bradyi*, Site 888, B1:93
- garzaensis, Uvigerina*, Site 892, B1:102
- Globigerina bulloides*
Site 888, A1:71
Site 889, A1:156, 162; B1:97
Site 890, A1:162; B1:100

Globigerina bulloides

TAXONOMIC INDEX

- Site 891, A1:255; B1:100
 Site 892, A1:322–323; B1:100
 Sites 888–892, B1:80
Globigerina quinqueloba
 Site 888, A1:71
 Site 889, A1:156, 162
 Site 890, A1:162; B1:100
 Site 891, A1:255; B1:100
 Sites 888–892, B1:88
Globigerina umbilicata, Site 890, A1:162; B1:100
Globigerinita glutinata
 Site 890, A1:162
 Site 891, B1:100
Globobulimina pacifica
 Site 889, A1:161–162; B1:97
 Site 890, A1:162; B1:100
 Site 892, A1:323; B1:102
Globobulimina spp., Site 888, A1:72
Globocassidulina subglobosa
 Site 888, B1:93
 Site 889, A1:161–162; B1:97
 Site 892, B1:102
Globorotalia bermudezi, Site 890, B1:100
Globorotalia inflata
 Site 889, A1:156
 Site 892, A1:322
Globorotalia inflata praeinflata, Site 889, A1:156
Globorotalia scitula
 Site 888, A1:71
 Site 889, A1:162
 Site 890, A1:162; B1:100
 Site 891, B1:100
 Sites 888–892, B1:88
globosa, *Cassidulina*, Site 892, B1:102
glutinata, *Globigerinita*
 Site 890, A1:162
 Site 891, B1:100
grande, *Lynchnocanoma*, Site 889, A1:156
grandiporus, *Pterocanium*
 Site 889, A1:156; B1:48, 51
 Site 892, A1:321; B1:56
grunowii, *Thalassiosira*, Site 892, B1:72
Gyroidina orbicularis planata, Site 892, B1:102
Gyroidina soldanii, Site 888, A1:71
Gyroidina soldanii altiformis
 Site 888, B1:92–93
 Site 892, B1:102
Gyroidina soldanii rotundimargo, Site 889, B1:97
hannai, *Elphidiella*, Site 888, B1:92
hannai, *Lamprocyclas*, Site 892, A1:323
heteroporus, *Lamprocyrts*
 Site 889, B1:51
 Site 892, B1:57
hispida, *Uvigerina*, Site 889, B1:97
hootsi, *Uvigerina*, Site 892, B1:102
hustedtii, *Denticulopsis*, Site 892, B1:67, 72–73,
 371
inflata, *Globorotalia*
 Site 889, A1:156
 Site 892, A1:322
inflata praeinflata, *Globorotalia*, Site 889, A1:156
jacksonensis welcomensis, *Bulimina*, Site 892,
 B1:102
japonica, *Cyrtocapsella*, Site 892, A1:321, 371;
 B1:57
jouseana, *Synedra*, Site 892, B1:67, 70, 73
kamtschatica, *Neodenticula*, Site 892, B1:64–66,
 68, 70–73
kamtschatica, *Neodenticula* aff., Site 892, B1:73
katayamae, *Denticulopsis*, Site 892, B1:67, 373
koizumii, *Neodenticula*, Site 892, B1:64–65, 68,
 70, 72–73
labradorica, *Nonionellina*
 Site 888, B1:93
 Site 889, B1:97
 Site 892, B1:102
Lamprocyclas hannai, Site 892, A1:323
Lamprocyrts heteroporus
 Site 889, B1:51
 Site 892, B1:57
Lamprocyrts heteroporus peregrina Zone, Site
 892, A1:374
Lamprocyrts heteroporus Zone
 Site 892, A1:319, 321, 323
 Sites 888–892, B1:48
Lamprocyrts neoheteroporus
 Site 889, A1:156
 Site 892, A1:321, 323; B1:51, 56–57
Lamprocyrts neoheteroporus Zone, Site 889,
 A1:156
Lamprocyrts nigriniae
 Site 889, A1:156; B1:48, 51
 Site 891, A1:255
langii, *Sphaeropyle*
 Site 889, A1:156
 Site 892, A1:321, 323
Lenticulina sp., Site 889, A1:161
Lenticulina texana, Site 892, B1:102
limbata, *Cassidulina*, Site 888, A1:71; B1:93
lucida, *Fissurina*, Site 892, A1:322
Lynchnocanoma grande, Site 889, A1:156
Lynchnocanoma nipponica nipponica, Site 892,
 B1:57
Lynchnocanoma nipponica sakai, Site 889, B1:48,
 51
Martinottiella communis
 Site 889, B1:97
 Site 892, A1:322; B1:102
matuyamai, *Eucyrtidium*
 Site 889, A1:156, 161, 163; B1:51, 97
 Site 892, A1:321; B1:57
 Sites 888–892, B1:48
mckannai, *Cibicidoides*, Site 890, B1:100
Melonis barleeanum
 Site 889, B1:97
 Site 892, A1:322; B1:102
Melonis pomphiloides
 Site 888, A1:71; B1:92
 Site 889, A1:162
 Site 891, A1:255; B1:100
 Site 892, A1:322; B1:102
microcostata, *Bulimina*, Site 892, B1:102
minima, *Eponides*, Site 892, B1:102
minuta, *Cassidulina*
 Site 888, A1:72; B1:93
 Site 890, B1:100
minutissima, *Thalassiosira*, Site 892, B1:67, 69
miocenica, *Nitzschia*, Site 892, B1:67
miocenica, *Nonionella*, Site 888, B1:93
miocenica, *Rhizosolenia*, Site 892, B1:67, 72
miocenica, *Thalassiosira*, Site 892, B1:67, 69
Morozovella aragonensis, Site 892, B1:100
murrayana, *Acrosphaera*, Site 889, A1:161;
 B1:51
nativa, *Thalassiosira*, Site 892, B1:67, 69, 72
Neodenticula aff. *kamtschatica*, Site 892, B1:73
Neodenticula kamtschatica, Site 892, B1:64–66,
 68, 70–73
Neodenticula kamtschatica Zone, Site 892, B1:70
Neodenticula koizumii, Site 892, B1:64–65, 68,
 70, 72–73
Neodenticula seminae, Site 892, B1:65–66, 68,
 71–73
Neogloboquadrina asanoi
 Site 889, A1:156, 161–162; B1:97
 Site 892, A1:321–323; B1:100
Neogloboquadrina pachyderma
 Site 888, A1:71, 89, 99
 Site 889, A1:156, 161–162; B1:97
 Site 890, A1:162; B1:100
 Site 891, A1:255; B1:100
 Site 892, A1:321–323; B1:100
 Sites 888–892, B1:80, 88
neoheteroporus, *Lamprocyrts*
 Site 889, A1:156
 Site 892, A1:321, 323; B1:51, 56–57
niginiae, *Lamprocyrts*, Site 891, A1:255
nigriniae, *Lamprocyrts*, Site 889, A1:156; B1:48,
 51
nipponica nipponica, *Lynchnocanoma*, Site 892,
 B1:57
nipponica sakai, *Lynchnocanoma*, Site 889, B1:48,
 51
Nitzschia aff. *rolandii*, Site 892, B1:70, 73
Nitzschia miocenica, Site 892, B1:67
Nitzschia praereinholdii, Site 892, B1:67, 70
Nitzschia reinholdii, Site 892, B1:70, 73
Nitzschia reinholdii Zone, Site 892, B1:73
nitzschioides, *Thalassionema*, Site 892, B1:64–67,
 69
Nodosaria spp., Site 892, B1:102
Nonionella miocenica, Site 888, B1:93
Nonionellina labradorica
 Site 888, B1:93
 Site 889, B1:97
 Site 892, B1:102
norcrossi, *Cassidulina*
 Site 889, B1:97
 Site 890, B1:100
 Site 892, B1:102
oestrupii, *Thalassiosira*, Site 892, B1:67, 70–71,
 73
oestrupii, *Thalassiosira* aff., Site 892, B1:73
oolina, *Chilostomella*
 Site 888, B1:93
 Site 890, A1:162; B1:100
orbicularis, *Gyroidina*, Site 892, B1:102
oregonensis, *Buccella*, Site 892, B1:102
Oridoralis umbonatus
 Site 888, B1:92
 Site 889, A1:161–162; B1:97
 Site 890, B1:100
pachyderma, *Neogloboquadrina*
 Site 888, A1:71, 89, 99
 Site 889, A1:156, 161–162; B1:97
 Site 890, A1:162; B1:100
 Site 891, A1:255; B1:100
 Site 892, A1:321–323; B1:100
 Sites 888–892, B1:80, 88
pacifica, *Epistominella*
 Site 888, B1:93
 Site 889, A1:159, 162; B1:97
 Site 890, A1:162; B1:100
 Site 892, A1:323; B1:102
pacifica, *Globobulimina*
 Site 889, A1:161–162; B1:97
 Site 890, A1:162; B1:100
 Site 892, A1:323; B1:102
peregrina, *Stichocorys*
 Site 889, A1:156; B1:51
 Site 892, A1:321, 323; B1:371
 Sites 888–892, B1:48
peregrina, *Uvigerina*

TAXONOMIC INDEX

zones

Site 888, A1:72; B1:93	Site 890, A1:162; B1:100	Synedra jouseana, Site 892, B1:67, 70, 73
Site 889, A1:161–162; B1:97	Site 891, B1:100	<i>tenerrima</i> , <i>Buccella</i>
Site 890, A1:162; B1:100	Sites 888–892, B1:88	Site 888, B1:92
Site 892, A1:323; B1:102	<i>seminae</i> , <i>Neodenticula</i> , Site 892, B1:65–66, 68, 71–73	Site 892, B1:102
<i>perlucida</i> , <i>Cibicides</i> , Site 892, B1:102	<i>seminuda</i> , <i>Bolivina</i> , Site 888, B1:93	<i>texana</i> , <i>Lenticulina</i> , Site 892, B1:102
<i>Phormostichoartus caryoforma</i> , Site 892, A1:321	<i>senticosa</i> , <i>Uvigerina</i>	<i>Thalassionema nitzschiooides</i> , Site 892, B1:64–67, 69
<i>Phormostichoartus crustula</i>	Site 888, A1:71; B1:92	<i>Thalassionema schraderi</i> , Site 892, B1:67, 72–73, 373
Site 889, A1:156, 161; B1:51	Site 891, A1:255; B1:100	<i>Thalassiosira aff. oestrupii</i> , Site 892, B1:73
Site 891, A1:255; B1:51	Site 892, A1:322; B1:102	<i>Thalassiosira antiqua</i> , Site 892, B1:65–66, 69–73
Site 892, A1:321; B1:56	<i>Silicosigmoilina</i> sp., Site 889, B1:97	<i>Thalassiosira antiqua</i> Zone, Site 892, B1:72
<i>Phormostichoartus fistula</i> , Site 892, A1:321, 323	<i>Simonsenilla curvirostris</i> , Site 892, B1:64–65, 71–72	<i>Thalassiosira convexa</i> , Site 892, B1:65, 69
<i>Phormostichoartus schneideri</i> , Site 892, A1:321; B1:56	<i>Simonsenilla praearboei</i> , Site 892, B1:72	<i>Thalassiosira convexa</i> var. <i>aspinosa</i> , Site 892, B1:67
<i>Plectofrondicularia advena</i> , Site 889, A1:161–162	<i>soldanii</i> , <i>Gyroidina</i> , Site 888, A1:71	<i>Thalassiosira grunowii</i> , Site 892, B1:72
<i>Plectofrondicularia</i> sp.	<i>soldanii altiformis</i> , <i>Gyroidina</i>	<i>Thalassiosira minutissima</i> , Site 892, B1:67, 72
Site 889, B1:97	Site 888, B1:92–93	<i>Thalassiosira miocenica</i> , Site 892, B1:67, 69
Site 892, B1:102	Site 892, B1:102	<i>Thalassiosira nativa</i> , Site 892, B1:67, 69, 72
<i>pompilioides</i> , <i>Melonis</i>	<i>soldanii rotundimargo</i> , <i>Gyroidina</i> , Site 889, B1:97	<i>Thalassiosira oestruppi</i> , Site 892, B1:67, 70–71, 73
Site 888, A1:71; B1:92	<i>Sphaeroidina bulloides</i> , Site 891, A1:255	<i>Thalassiosira yabei</i> , Site 892, B1:72
Site 889, A1:162	<i>Sphaeropyle langii</i>	<i>Thecocorys redondoensis</i> , Site 892, B1:56–57
Site 891, A1:255; B1:100	Site 889, A1:156	<i>titan</i> , <i>Prunopyle</i> , Site 892, B1:56–57
Site 892, A1:322; B1:102	Site 892, A1:321, 323	<i>translucens</i> , <i>Bolivina</i> , Site 888, B1:93
<i>praearboei</i> , <i>Simonsenilla</i> , Site 892, B1:72	<i>Sphaeropyle langii</i> Zone	<i>translucens</i> , <i>Cassidulina</i>
<i>praegeronii</i> , <i>Rhizosolenia</i> , Site 892, B1:68	Site 892, A1:321	Site 889, A1:159, 161–162; B1:97
<i>praedimorpha</i> , <i>Denticulopsis</i> , Site 892, B1:72	Sites 888–892, B1:48	Site 890, B1:100
<i>praereinholdii</i> , <i>Nitzschia</i> , Site 892, B1:67, 70	<i>Sphaeropyle robusta</i> , Site 889, B1:51	Site 892, B1:102
<i>Prunopyle titan</i> , Site 892, B1:56–57	<i>spissa</i> , <i>Bolivina</i>	<i>umbilicata</i> , <i>Globigerina</i> , Site 890, A1:162; B1:100
<i>pseudofibula</i> , <i>Distephanus</i> , Site 892, B1:67, 72–73	Site 889, A1:159, 161–162; B1:97	<i>umbonatus</i> , <i>Oridorsalis</i>
<i>Pseudounotia doliolus</i> , Site 892, B1:73	Site 890, A1:162; B1:100	Site 888, B1:92
<i>Pterocanium auritum</i>	Site 892, B1:102	Site 889, A1:161–162; B1:97
Site 889, A1:156; B1:48	<i>splendens</i> , <i>Dictyophimus</i> , Site 892, A1:321; B1:57	Site 890, B1:100
Site 891, A1:255	<i>Stauroxiphos communis</i> , Site 892, A1:321; B1:57	<i>universus</i> , <i>Stylatractus</i> , Site 889, A1:156
Site 892, A1:321; B1:56	<i>Stephanopyxis dimorpha</i> , Site 892, B1:64, 67–68, 70, 73	<i>Uvigerina garzaensis</i> , Site 892, B1:102
<i>Pterocanium grandiporus</i>	<i>Stichocorys peregrina</i>	<i>Uvigerina hispida</i> , Site 889, B1:97
Site 889, A1:156; B1:48, 51	Site 889, A1:156; B1:51	<i>Uvigerina hootsi</i> , Site 892, B1:102
Site 892, A1:321; B1:56	Site 892, A1:321, 323; B1:371	<i>Uvigerina peregrina</i>
<i>Pterocorys clausus</i> , Site 889, A1:156	Sites 888–892, B1:48	Site 888, A1:72; B1:93
<i>Pullenia bulloides</i>	<i>Stichocorys peregrina</i> Zone	Site 889, A1:161–162; B1:97
Site 888, A1:71; B1:92	Site 892, A1:319	Site 890, A1:162; B1:100
Site 889, A1:161	Sites 888–892, B1:48	Site 892, A1:323; B1:102
Site 891, A1:255; B1:100	? <i>Stichocorys wolffii</i> , Site 892, B1:56	<i>Uvigerina striata</i>
Site 892, A1:322; B1:102	<i>Stilosomella</i> sp.	Site 888, A1:71; B1:92
<i>Pyrgo</i> spp.	Site 889, B1:97	Site 891, A1:255; B1:100
Site 889, A1:161	Site 892, B1:102	Site 892, A1:322; B1:102
Site 890, B1:100	<i>striata</i> , <i>Bulimina</i> , Site 888, A1:71	<i>wolffii</i> , ? <i>Stichocorys</i> , Site 892, B1:56
<i>quinqueloba</i> , <i>Globigerina</i>	<i>striata mexicana</i> , <i>Bulimina</i> , Site 890, B1:100	<i>wuellerstorfi</i> , <i>Cibicidoides</i>
Site 888, A1:71	<i>Stylacontarium acutlonium</i>	Site 888, A1:71; B1:92
Site 889, A1:156, 162	Site 889, B1:51	Site 889, A1:161–162; B1:97
Site 890, A1:162; B1:100	Site 892, B1:57	Site 891, A1:255; B1:100
Site 891, A1:255; B1:100	<i>Stylatractus universus</i> , Site 889, A1:156	Site 892, A1:322; B1:102
Sites 888–892, B1:88	<i>Stylatractus universus</i> Zone	<i>yabei</i> , <i>Thalassiosira</i> , Site 892, B1:72
<i>Quinqueloculina</i> spp., Site 890, A1:162; B1:100	Site 892, B1:56	zones (with letter prefixes)
<i>redondoensis</i> , <i>Thecocorys</i> , Site 892, B1:72	Sites 888–892, B1:48	CD1, A1:71, 255
<i>reinholdii</i> , <i>Nitzschia</i> , Site 892, B1:70, 73	<i>subacuminata</i> , <i>Bulimina</i>	CD2, A1:71, 255
<i>Rhizosolenia miocenica</i> , Site 892, B1:67, 72	Site 889, A1:159, 161; B1:97	CD3, A1:71, 255
<i>Rhizosolenia praegeronii</i> , Site 892, B1:68	Site 890, B1:100	CD4, A1:71, 255
<i>robusta</i> , <i>Sphaeropyle</i> , Site 889, B1:51	Site 892, A1:322; B1:102	CD5, A1:71, 255
<i>rolandii</i> , <i>Nitzschia</i> aff., Site 892, B1:70, 73	<i>subclava</i> , <i>Bulimina</i> , Site 890, B1:100	CD6, A1:71, 255
<i>Rouxia californica</i> , Site 892, B1:65, 67, 70, 72–73, 373	<i>subfusiformis</i> , <i>Buliminella</i>	CD7, A1:71, 255
<i>schneideri</i> , <i>Phormostichoartus</i> , Site 892, A1:321; B1:56	Site 888, A1:71; B1:93	CD8, A1:71, 255
<i>schraderi</i> , <i>Thalassionema</i> , Site 892, B1:67, 72–73, 373	Site 889, B1:97	
<i>scitula</i> , <i>Globorotalia</i>	Site 892, B1:102	
Site 888, A1:71	<i>subglobosa</i> , <i>Globocassidulina</i>	
Site 889, A1:162	Site 888, B1:93	
	Site 889, A1:161–162; B1:97	
	Site 892, B1:102	
	<i>subspinoscens</i> , <i>Bolivina</i> , Site 888, B1:93	
	<i>Suggrunda</i> spp., Site 888, B1:93	