#### **INDEX TO VOLUME 147**

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 147 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and to those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, or thin-section descriptions; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as nannofossils and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 894, for example, is given as "Site 894, A:45–108."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., E-mail: pub\_production@ODP.TAMU.EDU

aggregative minorals natrography A:62 62	composition in macroscopic amphibole veins	composition, B:177–178
accessory minerals, petrography, A:62–63	1 1	_
actinolite	and associated alteration, B:199	rift valleys, A:8
alteration, A:70–71; B:201–202, 238, 239	composition in ultramafic and mafic rocks,	basalts, aphyric
amphibole veins, B:194	B:271, 304	dikes, A:67
gabbroic rocks, B:6	fluid inclusions, A:76–78	geochemistry, A:144
photograph of alteration after poikilitic	gabbroic rocks, B:6, 69–75	petrography, A:56
magmatic orthopyroxene, B:210	isotopes, B:281	basalts, mid-ocean-ridge
adcumulates	*	comparative mineralogy and chemistry,
	mineral chemistry, B:299, 301	
composition, B:46–50	oxygen isotopes and hydrogen isotopes, B:280	Pacific Ocean, B:181–182
See also cumulates	photograph, A:119; B:64	evolution, B:145–146
alloys, nickel-iron, platinum-group elements,	textures and geochemistry, B:60–65	origin, B:147, 167–169
B:83	veins, A:72–73, 85–86	basalts, picritic, photograph, B:186
alloys, photograph, B:89	See also hornblende; magnesio-hornblende;	base metals
alteration	pargasite; tremolite	electron microprobe analyses, B:94
amphibole veins, B:195	amphiboles, calcic, metagabbroic rocks,	photograph of minerals, B:101
aragonite veins, B:311–313	A: 133–134	bastite
basalts, B:174–179	amphiboles, fibrous, transmission electron	alteration photomicrograph, B:289
gabbroic rocks, B:27, 483–485	microscopy, B:244	textures after orthopyroxene, A:131
gabbronorites, B:4	amphibolite facies	bathymetric map, Site 895, B:115
geochemistry, A:89	alteration, B:201–202	bathymetry, Hess Deep, A:8–9; B:464
harzburgites, B:113	gabbroic rocks, A:68–71	block rotation, magnetic inclination, A:13
metamorphism, A:68–71	gabbros, B:232–233	boiling, fluid inclusions, B:224–225
petrology, A:114–122, 128–136	petrography, A:12	borehole azimuth
1 65	1 0 1 5	
photograph, B:254, 296	stable isotopes, B:245	caliper logging, B:336
photomicrograph in ultramafic rocks, B:289	timing of formation, B:206	Formation MicroScanner imaging, B:333
seismic velocity, B:426	andesites, basaltic, rare earths, B:73	borehole deviation, Formation MicroScanner
vs. compressional wave velocity, B:430, 488	anorthite	imaging, B:333
vs. density, B:430	compared to europium anomaly and calcium	borehole elongation
vs. depth, A:69	oxide content of gabbroic rocks against	caliper logging, B:336–337
vs. strontium isotopes, B:231	stratigraphic depth, B:6	effect of tool centering, B:339
		_
alteration, low-temperature, veins, B:238–239	composition, B:41	Formation MicroScanner imaging, B:334–335
alteration, wall-rock, photograph, B:239, 241, 254	contents of rims and cores, B:126	boreholes
alteration intensity, gabbroic rocks, B:487	core-to-rim electron microprobe transects in	Formation MicroScanner imaging, B:329–345
alternating field, curves, A:95	plagioclase, B:179	geometry, B:330–335
aluminum	histograms in gabbros, B:125	bornite, harzburgite, B:93
calcic amphibole veins, B:194	variations in mole fractions as a function of	Bouvet hot spot, peridotites, B:114
vs. iron in amphiboles, B:305	vein or alteration type, B:196	breccia, cores, A:114
vs. sodium + potassium in amphiboles, B:304	vs. depth, B:216, 485–486	breccia, lithic, lithology, A:54–56
*	*	
vs. titanium in clinopyroxene, B:302	vs. magnesium/(magnesium + iron) ratio of	brecciation
See also chromium/(chromium + aluminum)	coexisting clinopyroxenes, B:53	alteration, B:250–251
ratio	apatite	deformation, B:242–243
aluminum oxide	fluid inclusions, A:76–78; B:218–219	photograph, A:79; B:241
enstatite, B:118	magmatic phases in gabbros, B:216	brines, fluid inclusions, B:223
vs. depth, B:449	petrography, A:62–63	brucite
See also calcium oxide–magnesium	photograph, A:64; B:215	alteration, A:137–138
	1 0 1	
oxide-aluminum oxide-silica-water	rare-earth composition, B:62–63	deformation of ultramafic rocks, B:264
system	aragonite	photograph, A:135
amphibole veins	deformation of ultramafic rocks, B:264	veins, A:134
deformation, B:239	photograph, A:137	See also magnesium-brucite
equal-area lower hemisphere projections of	aragonite veins, isotopes, B:311-313	brucite veins, petrography, B:299
orientations, B:204	Archie's cementation exponent, vs. depth, A:103	bytownite, composition, B:40–41
oxygen isotopes and hydrogen isotopes, B:280	arsenic	,
		calc-silicates
photograph, B:254	hydrothermal alteration, B:450	
photograph of crosscutting relations with	vs. depth, B:449	composition in mafic rocks, B:275
earlier hornblende, B:211	asthenosphere, deformation, B:366	troctolites and gabbroic rocks, B:270
photograph of textures, B:210	awaruite, harzburgite, B:93	See also prehnite; zeolites
vs. depth, B:498		calcite
amphibole veins, calcic, composition, B:194	barium	hydrothermal alteration, B:450
amphibole veins, macroscopic	sand, B:449	veins, A:72–73
alteration, B:195–196, 466–467	vs. depth, B:448	vs. depth, B:448
	* '	1 ,
magnetically restored orientations, B:200	basaltic rocks	calcium/(calcium + sodium) ratio, vs.
amphibole veins, microscopic	alteration, A:133	magnesium/(magnesium + iron) ratio,
alteration, B:237–238, 466	cumulated curated thickness, A:128	B:120
composition, B:193	geochemistry, A:89-91	calcium number
distribution in grain-boundary regions, B:193	petrology, A:114–122	vs. depth, B:13
amphiboles	petrology and geochemistry, A:11	vs. magnesium number of gabbroic and
alteration, A:68–69, 71	veins, A:136	basaltic rocks, B:10
		· ·
cataclastic deformation, A:74–76	basalts	vs. zirconium and chromium, B:15
composition, B:303, 305	alteration, B:227–234	calcium oxide

compared to europium anomaly and anorthite	photograph of zoning, B:212	electron micrograph, B:242
content of gabbroic rocks against	vs. depth, B:498	clinochlore, Tschermak substitutions, B:274
stratigraphic depth, B:6	chlorite-calc-silicate veins, macroscopic	clinopyroxene
enstatite, B:118	alteration, B:196–197	alteration, A:69, 71, 129–131, B:216
calcium oxide-magnesium oxide-aluminum	magnetically restored orientations, B:200	average composition in gabbroic rocks,
oxide-silica-water system; phase	chlorite–prehnite veins, photograph, B:239, 241	B:26–27
equilibria, B:284	chlorite–prehnite–clay veins, alteration,	compared to magnesium number and
caliper logging	B:238–239	orthopyroxene of gabbroic rocks
boreholes, B:332–334	chlorite–smectite, mixed layer	against stratigraphic depth, B:7 composition, B:40–41, 64, 168, 176, 301
correlation, B:338–339 histograms, B:336	alteration, A:68–69 deformation, B:241	composition in gabbroic rocks, B:302
vs. depth, A:104, 107	stable isotopes, B:246	composition in gabbros and metamorphic
carbon dioxide	chlorite–smectite veins	products, B:197
carbon isotopes vs. peak temperature, B:280	alteration, B:197, 467	gabbroic rocks, B:5, 483
fluid inclusions, B:221–222	composition, B:201	gabbros, A:60–61
peridotites, B:278–280	equal-area lower hemisphere projections of	geochemistry, B:60
serpentinization, B:278, 283	orientations, B:204	histograms of compositional distinctions
carbon isotopes	photograph of alteration, B:202	between magmatic and secondary
aragonite veins, B:311–313	photograph of crosscutting alteration, B:212	samples, B:196
carbon dioxide from peridotites, B:281	photograph of zoning, B:212	impregnation in dunite, B:260, 362
carbon dioxide from peridotites vs. peak	vs. depth, B:498	ion microprobe trace element concentrations in
temperature, B:280	chlorite-smectite veins, macroscopic,	gabbroic rocks, B:29
carbonate compensation depth	magnetically restored	mineral chemistry, B:141, 174–179, 216, 261
cores, A:114	orientations, B:200	299
hydrothermal alteration, B:450	chromite	modal analyses, B:108–109
carbonates, alteration, A:68–69	ultramafic rocks, B:79	petrography, A:126
cataclasis	vs. depth, B:78	photograph, A:118, 132, 135; B:154–155
deformation, B:242–243, 369	chromitite	photograph of alteration, B:210
metamorphism, A:74–76	origin, B:146	rare earth and other trace element abundances
photograph, A:78–79	petrography, B:139	B:112
shear zones, A:11	chromitite, podiform, origin, B:145	transmission electron microscopy, B:245
cataclasites photograph, B:241	chromium geochemistry, A:144	troctolites, B:123–127 troctolites and gabbroic rocks, B:268
shear zones, A:82–83	hydrothermal alteration, B:450	troctolites and gabbros, B:267
cataclasites, foliated, photograph, A:81	melts, B:44	ultramafic rocks, B:260–261
cation distribution, tetrahedral-site, chlorite, B:274	vs. calcium number, B:15	See also orthopyroxene; pyroxenes
cerium. See lanthanum + cerium	vs. depth, A:91; B:13, 217, 448	clinopyroxene, diopsidic, mineral inclusions in
chadacrysts, plagioclase, Hess Deep, A:58	vs. diopside, B:15	troctolite spinel, B:142
chadacrysts, plagioclase, photograph of olivine	vs. europium number of gabbroic rocks, B:14	clinopyroxene, fresh/original clinopyroxene, vs.
gabbronorite and gabbronorite, B:36	vs. magnesium number, B:15	compressional wave velocity, B:488
chalcopyrite	vs. magnesium number of gabbroic and	clinopyroxene, secondary
alteration, A:71	basaltic rocks, B:10	alteration, B:237–238
mafic and ultramafic rocks, B:92-93	vs. platinum + palladium, B:85–86	amphiboles, fluid inclusions, A:76–78
chamosite, Tschermak substitutions, B:274	See also iron/(iron + aluminum + chromium)	cobalt, vs. platinum + palladium, B:85
chemical reactions, alteration, B:309	ratio	Cocos Plate, tectonics, A:6–8
chlorite	chromium, in bulk rocks, compared with	Cocos–Nazca plate boundary, rotation, B:340
alteration, A:69–71	chromium formula unit for	Cocos–Nazca Ridge, bathymetric map, B:114
alteration photomicrograph, B:289	orthopyroxene and clinopyroxene against	Cocos–Nazca rift, tectonic map, B:23
cataclastic deformation, A:74–76	stratigraphic depth, B:7	Cocos–Nazca spreading center, tectonics, A:6–8
composition, B:306	chromium, formula units, vs. titanium formula	coercivity, bulk, vs. depth, B:380
composition in altered rocks, B:307 composition in troctolites, olivine gabbros, and	units for clinopyroxene from gabbroic	coercivity/bulk coercivity ratio, vs. depth, B:380
coarse-grained diallage gabbro, B:274	rocks, B:8 chromium/(chromium + aluminum) ratio	compressional wave velocity fabrics, B:353
composition in ultramafic and mafic rocks,	vs. forsterite, B:151–153	gabbroic rocks, B:421–423
B:272–273	vs. magnesium/(magnesium + iron) ratio,	igneous rocks, A:12; B:436–439
high-resolution image, B:246	B:151, 454	Site 894, A:99–100
isotopes, B:281	vs. titanium oxide, B:124, 152, 455	Site 895, A:153–154
metagabbroic rocks, A:133–134	chromium/neodymium ratio, vs. europium	vs. confining pressure, B:424
mineral chemistry, B:263, 301	number, B:15	vs. density, B:427, 429, 431, 478, 488
oxygen isotopes and hydrogen isotopes, B:280	chromium number	vs. depth, B:479–480, 486, 489–490
photomicrograph of gabbroic rocks, B:291	chromian spinel, B:165	vs. fresh clinopyroxene/original clinopyroxene
troctolites and gabbroic rocks, B:270	core-to-rim electron microprobe transects	ratio, B:488
chlorite veins	across spinel grains, B:164, 179–180	vs. pressure, B:432
composition, A:72–73, 86, 134	See also chromium/(chromium + aluminum +	vs. serpentinization, B:488–489
petrography, B:299	iron) ratio	vs. shear wave velocity, B:440
chlorite veins, macroscopic, alteration, B:196–197	chromium oxide, vs. titanium oxide, B:151, 455	vs. total alteration, B:488
chlorite veins, magnesian, composition, A:134	chrysotile	vs. whole-rock alteration, B:430
chlorite-calc-silicate veins	deformation of ultramafic rocks, B:264	compressional wave velocity, directional,
alteration, B:467	photograph, A:135	crystalline rocks, A:156
composition, B:201	clasts, igneous, cores, A:114	compressional wave velocity, measured, vs.
equal-area lower hemisphere projections of orientations, B:204	clasts, petrology, A:114–122	calculated velocity, B:424 condensation, fluid inclusions, B:219, 221
photograph of clusters with high-angle splays,	clay veins, A:72–73, 134–135 clays, alteration, A:71	copper, vs. platinum + palladium, B:85–86
R.200	clays, aneration, A:/1	Core 95 chemical composition B:445_447

core—log integration	reorientation in relation to paleomagnetism,	alteration, A:133
correlation, B:337, 339	A:88, 139–140	geochemistry, A:89–91
Hess Deep, B:467–469	shear zones, A:80–83	intrusion, B:16
coronas, alteration, B:296–298, 305	deformation, cataclastic	petrography, A:67–68; B:4
coronitic replacement, olivine, A:68–70	alteration, B:242–243	petrology, B:173–186
corrensite	gabbroic rocks, B:463, 466	veins, A:136
cataclastic deformation, A:77	shear zones, A:81	dikes, diabasic
high-resolution image, B:246	troctolites and gabbroic rocks, B:268	alteration, B:298
hydrogen isotopes, B:249	deformation, high-temperature, ultramafic rocks,	photograph of alteration, B:298
oxygen isotopes and hydrogen isotopes, B:280	A:138–140	dikes, sheeted, rift valleys, A:6
stable isotopes, B:246	deformation, penetrative, troctolites and gabbroic	diopside
cross sections, surficial geology and bathymetry,	rocks, B:268	alteration, B:113
A:9	deformation, plastic, geometry, A:139–140	geochemistry, B:118–119
crust, lower	deformation fabrics, harzburgites and plagioclase	serpentinization, B:282–283
magnetic susceptibility, B:393-403	dunites, B:361	troctolites and gabbroic rocks, B:268
seismic velocity, B:417–440	deformation microfabrics, photomicrograph of	vs. chromium, B:15
velocity geochemical and petrological	gabbroic rocks, B:291	dislocation density
constraints, B:477–490	deformation textures	annealing, B:369
crust/mantle transition zone	photograph, B:254	deformation, B:367
fabrics, B:353–354	photomicrograph, B:290	dislocation structures
See also Moho	demagnetization	fabrics, B:359–361
crystal chemistry	igneous rocks, A:12, 146, 149	optical density, B:364
gabbroic rocks, B:215–216	Site 894, A:91–93	peridotites, B:351–352
ultramafic and gabbroic rocks, B:257-263	demagnetization, alternating-field	transmission electron microscopy, B:363
See also mineral chemistry	dunites and harzburgites, A:149	dissolution
crystal fabrics, plagioclase, B:322	gabbros, B:377	gabbroic rocks, B:34–36
crystal growth, gabbroic rocks, B:28, 33	igneous rocks, B:384–385, 387	pressure solution, B:47
crystal mush	Zijderveld plots, B:385, 389	dissolution channels, deformation, B:367
lineation, B:324	demagnetization, thermal	downhole measurements
morphology, B:328	curves for dunites and harzburgites, A:149	Hess Deep, B:467
crystal packets, high-resolution image, B:246	curves for gabbros and gabbronorites, A:95	Site 894, A:102–105
crystallization	gabbros, B:380	dunites
amphiboles, B:67	vs. temperature, B:409	alteration, B:257–261
gabbroic rocks, B:26–28, 33	density	alteration photomicrograph, B:289
gabbroic segregations, B:127–128	seismic velocity, B:420–426	composition, B:121, 123–127
migration of interstitial melts, B:15-16	vs. alteration, B:430	cumulated curated thickness, A:128
roof vs. bottom in gabbroic rocks, B:14	vs. compressional wave velocity, B:427, 429, 431,	deformation, A:139–140; B:367–369
subsolidus re-equilibrium and alteration, B:27	478, 488	dikes, B:131
See also fractional crystallization;	vs. magnetic susceptibility, B:411	geochemistry, A:144
recrystallization	vs. porosity, B:425	hydrothermal alteration, B:293
crystallization, dynamic, dissolution, B:48	vs. velocity, A:154	igneous contacts, A:126–127
crystallization domains	density, bulk	lithology, B:117
image-analysis micrograph of gabbronorite,	igneous rocks, A:12	magnetic susceptibility, B:409–411
B:35	minicores and 2-minute GRAPE data, A:155	model for formation by mantle-melt
photograph of plagioclase–pyroxene	vs. depth, A:98, 153	interaction, B:153
intergrowths in gabbronorite, B:38	vs. porosity, A:98, 153	origin, B:127 146
cummingtonite, alteration, A:68–69; B:201–202	vs. thermal conductivity, A:101, 157	oxygen isotopes in aragonite veins, B:312
cumulate affinity, gabbroic rocks, B:13–14	vs. velocity, A:100, 156	petrography, B:136, 139, 158–160
cumulates	density, GRAPE	petrology, A:13, 114–122, 127
composition, B:46–50	corrected values as a function of depth, A:154	photograph, A:135, 139
gabbros, A:9	evaluation diagram, A:98, 154	photograph of alteration, B:296
melt migration, B:21–58	vs. depth, A:154	rift valleys, A:6–8, 9
platinum-group elements, B:90	depletion, melting of harzburgites, B:120–121	spinel composition, B:166–167
See also adcumulates	detrital minerals, surface sediments, B:451–457	sulfides, B:93
Curie temperature	deuteric enrichment, gabbroic rocks, B:12–13	textures, B:351
magnetic mineralogy, B:379	deuterium	vein generations, B:265
peridotites, B:406	depletion, B:277	veins, A:133–136
saturation remanence, B:406	See also hydrogen isotopes	vs. platinum + palladium, B:85
Sacuration remained, 21.100	diabase	dunites, metamorphic, primary minerals,
dacite, rare earths, B:73	alteration, B:298	A:128–129
deformation	photograph of alteration, B:298	dunites, serpentinized
gabbroic rocks, B:359–367	diallage textures, photograph, A:132	contact with sheared metagabbro, B:268
hydrothermal alteration, B:237–243	diapiric structures, mantle, B:354	petrography, A:11–12
metamorphism, B:202	diapirism	sketch of macroscopic composite vein, A:137
photograph, B:365	serpentinites, A:13	dysprosium, amphiboles, B:70
photomicrograph, B:321	tectonic rotation, B:472–473	dysprosium/erbium ratio, vs. lanthanum/samarium
shear zones, A:11	dikelets, oxide-rich gabbro and	ratio in amphiboles, B:70
structure, B:516–529	tonalite/trondhjemites, B:49	Tatio in ampinooico, D.70
troctolites and gabbroic rocks, B:267–271	dikes	earthquakes
ultramafic rocks, B:263–264	alteration, B:227–234, 305	fault plane solutions, B:464
deformation, brittle	basalts, A:11	focal mechanisms, A:5–6
alteration, B:239–243	deformation, B:367	East Pacific Rise
gabbros, B:228	dunite, B:131	magma chambers, A:5; B:317–328
hydothermal roots, B:207	dikes, basaltic	mantle, B:103–134
11y double 111th 100th, D. 201	ames, ousune	manue, D.105-15-

mantle flow, B:347–356	uncorrected homogenization temperatures and	electrical imaging, B:335–336
melt migration, B:21–58	corresponding fluid salinities, B:221	Formation MicroScanner imaging, B:329–345
polyphase alteration of gabbros, B:235–254	veins, A:11	gabbroic rocks, B:466–467, 470
rift valleys, A:6–8	fluid inclusions, daughter mineral-bearing,	hydrothermal systems, B:205
serpentinization, B:255–291	gabbros, B:218–219	orientation, B:469
structural history, B:357–370	fluid inclusions, liquid-dominated, low-salinity,	reorientation in relation to paleomagnetism,
edenite substitution, vs. Tschermak substitutions, B:238	gabbros, B:218 fluid inclusions, low-salinity, origin, B:223–224	A:88–89 structure, A:83, 85–87
elastic constants	fluid inclusions, row-salinity, origin, B.223–224 fluid inclusions, vapor-dominated, low-salinity,	vs. magnetic declination, B:470
igneous rocks, B:436–439	gabbros, B:218	vs. magnetic decimation, b.470
seismic velocity, B:427–428	fluid infiltration	gabbroic rocks
elastic response, vs. visco-elastic response, B:368	mafic rocks, B:283–284	alteration, B:264–267
enstatite	microfabrics, B:281	amphiboles, B:59–75
alteration, A:137-138; B:113	seawater, B:250–251	cumulate vs. liquid composition, B:9–10
calcium and alumina concentrations, B:117	fluid salinity	deformation, B:267–271
calcium oxide, B:118	fluid inclusions, B:221–222	hydrogen and oxygen isotopes, B:280–281
serpentinization, B:282–283	temperature-depth-pressure relationships,	hydrothermal alteration, B:296–298
vs. depth, B:216	B:223	igneous contacts, A:126–127
epidote	fluid sources, stable isotopes, B:273–274,	lithology, A:5
alteration, A:70	277–280 fluid sources, magmetic, fluid inclusions	melt composition, B:120
alteration of plagioclase, B:238–239 composition, B:308	fluid sources, magmatic, fluid inclusions, B:221–223	melt migration, B:21–58 melt–fluid evolution, B:213–226
fluid inclusions, A:76–78	fluid sources, seawater, fluid inclusions, B:223	metamorphism, A:129–133
epidote veins, A:72–73	foliation	paleomagnetism, B:383–391
erbium	deformation, B:362, 364	petrogenetic model, B:16
amphiboles, B:70	dip, B:356	petrology, A:114–122; B:135–155
See also dysprosium/erbium ratio	dip vs. depth, A:140	petrology and geochemistry, A:10–11; B:3–19
euhedral crystals, sphalerite, A:72	gabbros, B:318, 401	photograph of alteration, B:296
europium anomaly	peridotites, A:140–141	seismic velocity, B:426
compared to anorthite content and calcium	petrography, B:299	structure, B:357–370
oxide content of gabbroic rocks against	photograph, B:243, 364	sulfides, B:92
stratigraphic depth, B:6	photomicrograph, B:321	veins, A:136
gabbroic rocks, B:11–12 europium number	rose diagram, B:323, 354	whole-rock geochemistry, B:481 gabbroic rocks, oxide-bearing, photograph, B:45
vs. chromium and neodymium of gabbroic	shear wave splitting, B:434 stereograms, B:355	gabbroic segregations, composition, B:121,
rocks, B:14	transmission electron microscopy, B:244	123–131
vs. chromium/neodymium ratio, B:15	foliation, magmatic	gabbronorites
vs. magnesium number of gabbroic and	histogram of dip, A:85	alteration, B:192–193
basaltic rocks, B:12	photograph, A:79, 81, 85	lithology, B:24, 27–28
exhumation, mid-crustal levels, B:472	photograph in medium-grained gabbro, B:17	oxide petrography, A:62
exsolution	relation to lithology, A:64	petrography, A:57–59; B:4
photograph of magnetite and ilmenite lamellae, B:34	reorientation in relation to paleomagnetism, A:88–89	petrology and geochemistry, A:10–11 photomicrograph, B:320
photograph of normally zoned plagioclase,	strikes, dips and depths, A:80	rare earths, B:74
B:34	Formation MicroScanner imaging	rift valleys, A:9
pyroxene, B:237–238	boreholes, B:329–345	textures, A:86–87
exsolution laths, ilmenite, A:72	vs. depth, A:107	See also olivine gabbronorites
	forsterite	gabbronorites, equigranular, photograph, A:59
fabrics	core-to-rim electron microprobe transects in	gabbronorites, micropegmatitic
gabbro, B:317–328	olivine, B:179	composition, B:215
gabbroic rocks, A:10–11; B:359–367	serpentinization, B:282–283	photograph, B:215
geometry, B:319–321, 354–355 orientation, B:352	vs. chromium/(chromium + aluminum) ratio, B:151	gabbronorites, oxide-rich, image-analysis micrograph of a full thin section, B:46
peridotites, B:347–356	vs. chromium/(chromium + aluminum) ratio in	gabbronorites, poikilitic, photograph, A:58
shear wave splitting, B:434	spinel, B:153	gabbronorites, tonalite-veined, oxide-rich,
ultramafic rocks, B:263–264	vs. titanium oxide, B:125	photograph, B:44
fabrics, penetrative, structure, A:79–80	vs. titanium oxide in clinopyroxene from	gabbros
fault scarps, rift valleys, A:6	gabbroic rocks, B:8	cumulated curated thickness, A:128
ferrichromite, rim backscattered electrom image,	See also olivine	deformation, A:140–141; B:367–369
B:186	fractional crystallization	fabrics, B:317–328
ferrimagnetic component, low-field susceptibility,	gabbroic rocks, B:11–12	geochemistry, A:89–91
B:396	vs. melt–rock interaction, B:129–130	interaction of seawater, B:227–234
flow structures	See also crystallization fractionation	lithology, B:117
gabbros, B:317–325 remanent magnetization, B:397, 399, 401–403	gabbros, A:10	metamorphism, B:189–212, 497–513 petrography, A:60
structure, B:516–529	melting, B:114	petrology, A:114–122
fluid inclusions	plutonic rocks, A:64–66	petrology, A.114–122 petrology and geochemistry, A:10–11
fluid evolution, B:219	retention of platinum-group elements, B:86	photograph, B:122
gabbroic and basaltic rocks, A:76–78	serpentine–water, B:277	photograph of alteration, B:297-298
gabbroic rocks, B:218–225	stable isotopes, B:245–247	platinum + palladium, B:86
petrology, A:136-137	See also crystallization	platinum-group elements, B:84, 86
photograph, A:84; B:220	fractures	polyphase alteration, B:235–254
pressure vs. trapping temperature, B:223	control of late-stage melt transport, B:130–131	rare earths, B:87
temperature of fluid entrapment, B:219	elastic moduli, B:427–428	rift valleys, A:6, 9

textures, A:86	basaltic lavas and dikes, B:173–186	See also alteration
gabbros, coarse-grained, diallage, chlorite	chromian spinel, B:157–172	hydrothermal fluids
composition, B:274	extrusive rocks, A:8–9	isotopes, B:277
gabbros, diallage, deformation texture	fabrics, B:317–328, 347–356	oxygen isotopes, B:231
photomicrograph, B:290	fractures, B:329–345	rare earths in amphiboles, B:66
gabbros, foliated, photograph, A:85; B:243	gabbro-troctolite-peridotite complex,	temperature, B:280–281
Galapagos microplate	B:135–155	hydrothermal processes, gabbroic and basaltic
morphotectonics, B:462	geochemistry, B:59–75	rocks, A:77–78
tectonics, A:6–8	geologic and tectonic setting, A:6–8	hydrothermal systems
gamma ray logs, computed, vs. depth, A:103	hydrothermal alteration, B:255–291, 293–309	constraints on thermal and hydrologic
• • • • •	1	, ,
gamma ray logs, natural, A:108	magnetic fabrics, B:393–403	evolution, B:204–207
gamma ray logs, standard, vs. depth, A:103	mantle, A:127	fast-spreading centers, B:189–212
Garrett Fracture Zone	melt migration through high-level gabbroic	hysteresis properties, peridotites, B:406, 410
dunites, B:166	cumulates, B:21–58	
harzburgites, B:111–112	melt–fluid evolution, B:213–226	iddingsite, alteration, A:68–69; B:239
troctolitic dunite, B:351	metamorphism, B:189–212	igneous contacts
geochemistry	morphotectonic map, B:463	deformation, A:141
gabbroic rocks, B:3–19	paleomagnetism, B:373–381, 383–391	image-analysis micrograph of coarse- and
sediments, B:443–450	petrology and geochemistry, B:3–19	medium-grained gabbronorite, B:33
Site 894, A:88–90	platinum group elements, B:77–90	log, B:55–58
Site 895, A:143–144	plutonic and ultramafic rocks, A:9	petrology, A:126–127
geodynamics, alteration, B:305, 307	polyphase alteration of gabbros, B:235–254	photograph, A:85; B:365
geologic maps, Hess Deep, A:8	rock magnetics, B:405–413	1 - 1
	1	photograph of fine-grained gabbro and
glass	sediment geochemistry, B:443–450	coarse-grained gabbronorite, B:32
composition, B:176	sedimentary sequence, A:8	photograph in gabbronorite and chilled glassy
electron microprobe data, B:183	sediments, B:451–457	basaltic dike, B:18
glass, basaltic, melt composition, B:120	seismic velocity, B:417–440, 477–490	photograph of sheared metagabbro and
grabens, axial-summit, topography, A:5	structural history, B:357–370	serpentinized dunite, B:268
greenschist facies	structural measurements, B:515–529	structure, A:83
alteration, A:71, 137; B:305, 307	sulfides, B:91–101	troctolite and gabbroic intrusion, B:159
cataclastic deformation, A:74–76	tectonics, B:256, 461–475	See also intrusive contacts
deformation, B:361	hornblende	igneous petrology, A:114–128
lithology, A:55–56	alteration, B:237–238	ilmenite
mafic rocks, B:283–284	composition in gabbroic rocks, B:305	alteration, A:71; B:237–238
metamorphism, B:203, 238–239	rare earths in amphiboles, B:66–68	gabbroic rocks, B:34–36
microfabrics, B:281–284	sediments, B:452	plutonic rocks, A:61–62
mid-crustal levels, B:472	The state of the s	_
	See also amphiboles; magnesio-hornblende	inclinometry logs, vs. depth, A:107
olivine gabbros cumulates, A:9	hornblende, pargasitic, mineral inclusions in	inclusions 1 P 154 155
petrography, A:11–12	spinel, B:142	photograph, B:154–155
greenschist-amphibolite facies, alteration,	hydration	See also mineral inclusions
B:201-202	fluid inclusions, B:225	inclusions, polymineralic
	metamorphism, A:137	photograph, B:154–155
halite, fluid inclusions, B:218–219	serpentinization, B:282–283	spinel, B:142
harzburgites	hydrogen, serpentinization, B:278	index properties
alteration, A:131; B:257–261	hydrogen isotopes	Site 894, A:98–99
alteration photomicrograph, B:289	chlorite and tremolite compared with	Site 895, A:150–153
composition, B:119–121	amphibole, amphibole vein, smectite	intergrowths, plagioclase–pyroxene
cumulated curated thickness, A:128	vein, and corrensite, B:280	gabbroic rocks, B:33–34
deformation, A:138–139; B:367–369	hydrothermal alteration, B:249–250	photograph of gabbronorite, B:38, 40
enstatite, B:118	mineral separates and vein fillings, B:247	interstitial melts
faulting, B:168	troctolites and gabbroic rocks, B:280–281	gabbroic rocks, B:11–12
geochemistry, A:144	veins and clay fraction, B:249	migration during crystallization, B:15–16
hydrothermal alteration, B:293	vs. depth, B:278–279	intraplate tectonics, earthquake focal mechanisms
igneous contacts, A:126–127	See also deuterium	B:462
lithology, B:117	hydrogen isotopes, in mineral separates, vs. depth,	intrarift ridges
magnetic susceptibility, B:409-411	B:248	petrology, A:127
modal analyses, B:105	hydrogrossular	sedimentation, A:54–56
origin, B:147	alteration photomicrograph, B:289	uplifting, B:307
oxygen isotopes in aragonite veins, B:312	photomicrograph of gabbroic rocks, B:291	intrusions, magma chambers, A:5
petrography, B:111-114, 136, 158-160	hydrothermal alteration	intrusive contacts
petrology, A:13, 114-122, 127	gabbros, A:10–11	alteration, B:366
photograph, A:135, 138–139; B:154–155	geochemistry, B:448–450	See also igneous contacts
photograph of alteration, B:296	isotopic constraints, B:243–250	iron
platinum-group elements, B:84	metamorphism, B:497–513	enrichment in gabbroic spinel, B:166
rift valleys, A:7, 9	mineralogic constraints, B:237–243	hydrothermal alteration, B:450
sulfides, B:93	oceanic mantle, B:293–309	vs. aluminum in amphiboles, B:305
	petrography, A:11–12	See also magnesium/(magnesium + iron) ratio
textures, B:349, 351		
thin-section sketch, A:136	petrologic and stable isotopic constraints,	magnesium/total iron ratio
veins, A:133–136	B:255-291	iron, total, vs. silicon in chlorite, B:307
harzburgites, metamorphic, primary minerals,	petrology, A:13	iron/(chromium + aluminum + iron) ratio, vs.
A:128–129	photograph of magnetite ilmenite lamellae,	titanium oxide, B:152, 454
harzburgites, serpentinized, petrography, A:11–12	B:34	iron number
heat transfer, hydrothermal systems, B:205, 207	spreading centers, B:189–212	chromian spinel, B:165
Hess Deep	zinc oxide, B:169	core-to-rim electron microprobe transects

across spinel grains, B:164	See also amphiboles; hornblende	hemisphere
See also iron/(chromium + aluminum + iron)	magnesium/(magnesium + iron) ratio	stereograms, A:97, 152
ratio	vs. anorthite of coexisting plagioclase, B:53	principal axes of foliated gabbroic rocks,
iron oxide, vs. depth, B:449	vs. calcium/(calcium + sodium) ratio, B:120	B:402
isotopes	vs. chromium/(chromium + aluminum) ratio,	principal axes vs. bulk susceptibility, A:152
gabbros, B:227–234	B:151, 454	Site 894, A:91
polyphase alteration, B:235–254	vs. titanium oxide, B:151	sources in mafic and ultramafic rocks,
See also the individual isotopes; stable	vs. Tschermak substitutions, B:274	B:393–403
isotopes	magnesium/total iron ratio, vs. Tschermak	vs. bulk density, A:96
	substitutions, B:238	vs. density, B:411
jadeite, mineral inclusions in troctolite spinel,	magnesium number	vs. depth, A:94, 145; B:378, 385, 388
B:142	chromian spinel, B:165	vs. temperature, A:96, 152
	compared to clinopyroxene and orthopyroxene	magnetic susceptibility, bulk, vs. depth, B:397
kaersutite	of gabbroic rocks against stratigraphic	magnetic susceptibility, high-field, vs. low-field
mineral chemistry, B:143	depth, B:7	susceptibility, B:396
photograph, B:154–155	core-to-rim electron microprobe transects	magnetic susceptibility, low-field, heating and
kink bands, clinopyroxene, B:364, 366	across spinel grains, B:164	cooling curves, B:397
Koenigsberger ratio	core-to-rim electron microprobe transects in	magnetic susceptibility anisotropy
gabbros, B:377	olivine and spinel, B:179	comparison with remanence anisotropy, B:401
harzburgites, B:410	melts, B:42	gabbroic rocks, A:93, 95–97, 146, 148–149
histograms, A:94	melts from average clinopyroxene and olivine,	gabbronorite, B:321–324
igneous rocks, A:146, 148	B:54	igneous rocks, B:398–399
Site 894, A:91	vs. depth, B:13, 485–486	orientation in gabbros, B:326–327
vs. depth, A:94, 148; B:378	vs. depth in clinopyroxene grains, B:50	shape of ellipsoid in Flinn diagrams, A:152;
	vs. oxides and metals of gabbroic and basaltic	B:400
labradorite, composition, B:40–41	rocks, B:10	vs. depth, A:97, 152; B:400
lanthanum, depletion relative to strontium in	vs. samarium/neodymium ratio of gabbroic	magnetite
basalts, B:184	and basaltic rocks, B:12	alteration, A:68–69, 71, 132; B:201–202,
lanthanum + cerium, vs. platinum + palladium,	vs. titanium oxide for liquids of basalts, B:54	237–238
B:87	vs. zirconium and chromium, B:15	gabbroic rocks, B:34–36
lanthanum/samarium ratio, vs. dysprosium/erbium	See also magnesium/(magnesium + iron) ratio	harzburgite, B:93
ratio in amphiboles, B:70	magnesium oxide. See calcium oxide–magnesium	magnetic mineralogy, B:379
lava, basaltic petrology, B:173–186	oxide–aluminum oxide–silica–water	mineral chemistry, B:261
layer 3	system	peridotites, B:409–411
interaction of seawater, B:227–234	magnesium-brucite, serpentinization, B:282–283	platinum-group elements, B:83
seawater influx, B:472	magnesium-serpentine, serpentinization,	plutonic rocks, A:61–62
lineation	B:282–283	serpentinization, B:282–283
fabrics, B:353	magnesium-talc, serpentinization, B:282–283	troctolites and gabbros, B:267
gabbronorite, B:321–324	magnetic anomalies	magnetite veins, A:134–135
gabbros, B:401 photomicrograph, B:321	magnetization, B:413 seafloor spreading, B:380–381	major elements chemistry of olivines and pyroxenes, B:6
plunge, B:356	magnetic fabrics	reference materials, B:494–495
stereograms, B:355	gabbroic rocks, B:322–324	manganese, hydrothermal alteration, B:450
stereonets, B:323	mafic and ultramafic rocks, B:393–403	manganese oxide, vs. depth, B:449
lithology, B:24, 27–28	plutonic rocks, A:95–97	mantle
lithosphere, oceanic. See oceanic crust	magnetic inclination	dunite dikes, B:131
lithostratigraphy	Formation MicroScanner imaging, B:334	exhumation, B:472
Hess Deep, B:462–463, 469	histograms, B:400, 470	flow, B:120
igneous rocks, A:57, 60–61, 116–117,	igneous rocks, A:12; B:384, 388	harzburgites, B:119–121
120–125; B:31, 59–60, 116–117,	secondary components histogram, A:150	melt–wall rock interaction, B:157–172
136–138	secondary magnetization, A:96	retention of platinum-group elements, B:84–85
lizardite	veins, B:201	sulfur, B:99
deformation of ultramafic rocks, B:264	vs. depth, A:96; B:386, 388, 390–391	See also crust/mantle transition zone; layer 3
mineral chemistry, B:261	See also paleomagnetic inclination	mantle, shallow
serpentinization, B:282–283	magnetic inclination, stable	melt evolution, B:103–134
1	histograms, A:150	serpentinization, B:255–291
mafic rocks	vs. depth, A:150	mantle, upper
deformation, A:140–141	magnetic intensity	gabbroic rocks, B:357–370
fabrics, B:361–366	Formation MicroScanner imaging, B:334	hydrothermal alteration, B:293–309
platinum group elements, B:77-90	peridotites, B:409–411	magnetic susceptibility, B:393–403
sulfur isotopes, B:91–101	vs. depth, B:384, 387	petrology, A:13
magma chambers	magnetic logs, vs. depth, A:107	seafloor spreading, B:388
gabbros, B:317–328	magnetic mineralogy, peridotites, B:405-413	seismic velocity, B:417–440
oceanic crust, A:5	magnetic properties	velocity geochemical and petrological
magma chambers, axial, morphology, B:328	gabbros, B:377	constraints, B:477–490
magma lenses, gabbroic rocks, B:21-58	minicores, A:92, 145	mantle-melt interactions, troctolites, B:135-155
magma mixing, gabbroic rocks, B:11-12	peridotites, B:407–409	mantle flow, peridotites, B:347–356
magmas, composition, B:46-50	magnetic susceptibility	marcasite
magmatic fluids, crystallization, B:68, 70	histogram for dunites and harzburgites, B:410	alteration, A:71
magmatism, origin, B:182-183	histogram of plunge of minimum anisotropy,	mafic and ultramafic rocks, B:92-93
magnesio-hornblende	A:97	mass transfer, hydrothermal systems, B:205, 207
alteration, B:238	histograms, A:94, 148	mass wasting, magnetization, B:413
amphibole veins, B:194	igneous rocks, A:12, 146-149; B:384, 388	median destructive field
gabbroic rocks, B:6	orientation of principal directions in lower	gabbros, B:377

histograms, A:95, 149	See also deformation; fabrics	alteration, A:68–69, 71, 128–131; B:216
histograms for different lithologies, B:389	microfractures	average composition in gabbroic rocks, B:28
histogram for dunites and harzburgites, B:412	hydrothermal alteration, B:250–251	composition, B:40–41, 167, 175
peridotites, B:411	troctolites and gabbroic rocks, B:269	composition in ultramafic and mafic rocks,
vs. depth, B:378	microveins	B:261
melt impregnation	deformation, B:240	core-to-rim electron microprobe transects,
constraints, B:167–168	See also veins	B:179
gabbroic rocks, B:359–367	Mid-Atlantic Ridge, extension, A:5	fabrics, B:359–361
photograph, B:159	mid-ocean ridges	gabbroic rocks, B:5-6
melt injection	hydrothermal systems, B:189–212	gabbros, A:60–61; B:228
deformation, B:367–369	tectonics, A:5	mineral chemistry, B:141, 174–179
petrology, A:127	mid-ocean ridges, fast-spreading, magma lenses,	mineral modes, B:117
photograph, B:365	B:21-58	petrography, A:122–123; B:106
melt interactions, troctolites, B:135-155	mineral chemistry	phenocrysts, A:67
melt lenses, crystallization, B:48	altered ultramafic and mafic rocks,	photograph, A:126, 138–139; B:154–155
melt-fluid evolution, gabbroic rocks, B:213-226	B:298-299, 301	sediments, B:452
melt-mantle reactions, mass balance, B:129	basalts, B:180–182	troctolites and gabbros, B:265
melting, mantle, B:118	gabbroic rocks, B:480, 482	ultramafic rocks, B:257, 260
melting, fractional, harzburgites, B:120–121	gabbronorites, B:4–6	olivine, kinked, photograph, B:154–155
melts	See also crystal chemistry	olivine gabbronorites
composition, B:41-42, 44-45	mineral inclusions	lithology, B:24, 27–28
evolution and transport in mantle, B:103–134	basalts, B:174–179	petrography, A:59–60
magmas, B:324–325	See also inclusions	petrology and geochemistry, A:10–11
migration and melt-wall rock interaction,	mineral zoning	photograph, A:63
B:157–172	basalts, B:180–182	olivine gabbros
migration through gabbroic cumulates,	chromian spinel, B:166	alteration, B:264–267
B:21-58	plagioclase in gabbroic rocks, B:33	chlorite composition, B:274
rare earths, B:73	mineralogy, gabbronorites, B:4–6	cumulated curated thickness, A:128
rare earths in amphiboles, B:66-68	Moho	deformation, A:141; B:367–369
metagabbro, sheared	mid-ocean ridges, A:6	deformation texture photomicrograph, B:290
contact with serpentinized dunite, B:268	See also crust/mantle transition zone	geochemistry, A:144
photograph, A: 134	mylonites, cataclastic, olivine gabbros cumulates,	lithology, B:117
photomicrograph of gabbroic rocks, B:291	A:9	petrography, A:60; B:139, 159–160
metagabbroic rocks, alteration, A:133		petrology, A:114–122
metals, precious, X-ray spectra, B:83	Nazca Plate, tectonics, A:6–8	petrology and geochemistry, A:10–11
metamorphism	Nazca–Galapagos plate boundary, rotation, B:340	photograph, A:63, 132, 142
alteration, B:302–304	neodymium	photograph of alteration, B:297
associated with cataclastic deformation,	vs. depth, B:13	rift valleys, A:9
A:74–76	vs. europium number of gabbroic rocks, B:14	Oman, ophiolite, B:324
gabbroic rocks, B:217-218	vs. magnesium number of gabbroic and	ooze, foraminiferal
hydrogen isotopes, B:249	basaltic rocks, B:10	geochemistry, B:449
lithostratigraphy, B:59-60	See also samarium/neodymium ratio	petrography, A:55–56
mafic rocks, B:283-284	neodymium isotopes, gabbroic rocks and basaltic	ooze, foraminiferal–nannofossil, cores, A:114
olivine gabbro cumulates, A:9	dikes, B:8–9, 14	ophiolites
petrography, A:11–12	nickel	comparison with deep-seated oceanic crust
petrology, A:13	geochemistry, A:144	rocks, B:143
Site 894, A:68–78	hydrothermal alteration, B:450	complexes, B:127
Site 895, A:128–138	vs. depth, B:448	deuterium, B:277
spinel overprint, B:160, 163	vs. magnesium number of gabbroic and	fabrics, B:324–325
tectonics, B:307	basaltic rocks, B:10	hydrothermal circulation, B:233
veins, B:497–513	vs. platinum + palladium, B:85–86	physical properties, B:428
metamorphism, early, associated with amphibole	niobium, depletion relative to strontium in basalts,	platinum-group elements, B:83–84
veins, B:201–202	B:184	tectonite, A:127–128
metamorphism, fracture-controlled	nontronite, hydrothermal alteration, B:450	orthopyroxene
evolution with temperature, B:206	North Slope	alteration, A:69–70, 128, 131–132; B:216
gabbros, B:189–212	dike-gabbro transition, B:49	average composition in gabbroic rocks, B:28
metamorphism, late, associated with chlorite	gabbroic rocks, B:36–37	gabbroic rocks, B:5
veins, B:202–203		gabbros, A:60–61
metamorphism, static	oceanic crust	mineral chemistry, B:141, 215–216, 261
basaltic rocks, A:71	composition, B:46–50	mineral inclusions in troctolite spinel, B:142
facies, B:361	fast-spreading ridges, B:233	modal analyses, B:107
gabbroic rocks, A:68–71; B:228	gabbro-troctolite-peridotite complex,	petrography, A:123
petrology, A:128–133	B:135–155	photograph, A:118–119, 135; B:154–155
troctolites and gabbroic rocks, B:267-268	magma melting, A:5	sediments, B:452
metamorphism, static, high-temperature,	ultra-depletion of melts, B:131	troctolites and gabbros, B:267
hydrothermal alteration, B:237-238	oceanic crust, lower, sulfur, B:99	ultramafic rocks, B:260
metasomatism, calc-silicate, troctolites, B:123	oceanic crust, upper, polyphase alteration of	vs. depth, B:216–217
mica, white, composition, B:308	gabbros, B:235–254	orthopyroxene, compared to magnesium number
microcracks	oikocrysts, orthopyroxene, A:58; B:28	and clinopyroxene of gabbroic rocks
deformation, B:362	oikocrysts, clinopyroxene, image-analysis	against stratigraphic depth, B:7
porosity, B:420, 424-426	micrograph of gabbronorite, B:37	oxide minerals
transmission electron microscopy, B:245	oikocrysts, pyroxene, photograph of olivine	gabbroic rocks, B:34–36
microfabrics	gabbronorite and gabbronorite, B:36	gabbros, A:61–62
troctolites and gabbroic rocks B:267_268	olivine	image-analysis micrograph of gabbronorite

B:43	rock magnetics, B:405-413	plagioclase, zoned
photograph of gabbronorite, B:42	sources of detrital minerals, B:452–453	photograph of gabbronorite, B:39
See also ilmenite, magnetite	tectonite, A:127–128	photograph in pegmatitic gabbronorite, B:19
oxides	whole-rock geochemistry, B:482	plagioclase chadacrysts, photograph of olivine
alteration, A:70–71, 132	peridotites, abyssal, oxygen isotopes in aragonite	gabbronorite and gabbronorite, B:36
modal abundances, B:24	veins, B:312	planar features, veins, B:201
vs. titanium oxide for abyssal tholeiites and	peridotites, serpentinized, carbon dioxide,	platinum + palladium
gabbroic rocks, B:48	B:278–280	vs. lanthanum + cerium, B:87
oxygen	petrofabrics. See fabrics	vs. metals, B:85
diffusion, B:232–233 serpentinization, B:278	petrography basaltic dikes, B:4	vs. pathfinder elements for dunites, B:85 vs. pathfinder elements for gabbros, B:86
oxygen isotopes	basalts, B:174–179	platinum-group elements
aragonite veins, B:311–313	gabbroic rocks, B:4, 26–28, 33–37, 214–215	Core 95, B:449
chlorite and tremolite compared with	Site 894, A:55–68	photograph, B:89
amphibole, amphibole vein, smectite	ultramafic rocks, A:11–12	reference materials, B:493–496
vein, and corrensite, B:280	veins, B:299	sediment derived from serpentinite, B:82
coexisting plagioclase and amphibole pairs,	petrology, gabbroic rocks, B:3-19	serpentine sediments, B:448-450
B:249	phase equilibria, calcium oxide-magnesium	platinum-group elements, chondrite normalized,
gabbros, B:227–234	oxide–aluminum oxide–silica–water	harzburgites and troctolites, B:84
hydrothermal alteration, B:244–249	system, B:284	plutonic rocks
mineral separates and vein fillings, B:247	phlogopite, mineral inclusions, B:142	crystallization, A:64–66
range of ratios in aragonite veins, B:312	phosphorous oxide, vs. magnesium number of gabbroic and basaltic rocks, B:10	petrology, A:13 textural photomicrographs, A:65–66
troctolites and gabbroic rocks, B:280–281 veins and clay fraction, B:249	phyllosilicates	Poisson's ratio, fractures, B:427–428
vs. depth, B:230–231, 278–279	transmission electron microscopy, B:244	porosity
vs. loss on ignition, B:232	X-ray diffraction data from veins and	seismic velocity, B:420, 424–426
vs. plagioclase, B:231	alteration products, B:240	vs. bulk density, A:98, 153
vs. strontium isotopes in aragonite veins,	See also clays and individual minerals	vs. density, B:425
B:312	physical properties	vs. depth, A:98, 153
oxygen isotopes, in mineral separates, vs. depth,	gabbroic rocks, B:478	vs. resistivity, A:103, 156
B:248	igneous rocks, B:428	vs. velocity, A:100, 154
	Site 894, A:98–102	porosity, residual-melt
Pacific-Cocos-Nazca triple junction	Site 895, A:150–157	gabbroic rocks, B:37–39
fault plane solutions, B:464	Sites 894–895, A:12–13	vs. depth for gabbroic rocks, B:47
regional map, B:465 paleomagnetic declination	plagioclase alteration, A:70–71, 130, 132; B:216–217	porphyroclastic textures, photograph, B:243 potassium
borehole elongation, B:338–339	alteration photomicrograph, B:289	calcic amphibole veins, B:194
foliation, A:87–88	average composition in gabbroic rocks, B:25	See also sodium + potassium
paleomagnetic inclination. See also magnetic	composition, B:40–41, 168, 176	potassium logs, vs. depth, A:103
inclination	composition in gabbros, B:195	potassium oxide, vs. loss on ignition for gabbroic
paleomagnetic inclination, stable, vs. depth, B:412	composition in ultramafic and mafic rocks,	and basaltic rocks, B:10
paleomagnetism	B:269	preferred orientation
gabbroic rocks, B:383–391	core-to-rim electron microprobe transects, B:179	gabbroic rocks, B:484
gabbros, B:373–381 peridotites, B:405–413	fabrics, A:10	peridotites, B:350 photomicrograph, B:321, 433
Site 894, A:90–98	fluid inclusions, A:76–78	plagioclase, B:322
Site 895, A:144–150	gabbroic rocks, B:5, 484	plagioclase in gabbroic rocks, B:34
Sites 894–895, A:12	gabbros, A:60–61; B:228	remanent magnetization, B:402
structure, B:516–529	histograms, B:53	structure, A:79–80
palladium. See platinum + palladium	histograms in gabbros, B:125	prehnite
pargasite	impregnation in dunite, B:260, 362	alteration, B:196-197, 298
composition in gabbroic rocks, B:305	ion microprobe trace element concentrations in	cataclastic deformation, A:74–76
mineral inclusions in spinel, B:142	gabbroic rocks, B:30	composition, B:308
partial melting, dunites, B:166	mineral chemistry, B:142–143, 174–179, 215,	mineral chemistry, B:301–302
pegmatites, alteration, A:10	299	photomicrograph of gabbroic rocks, B:291
pentlandite alteration, A:71, 133	modal analyses, B:111 origin of bimodal composition and ultra-calcic	troctolites and gabbroic rocks, B:269 prehnite veins
dunite, B:93	patterns, B:128–129	composition, A:72–73, 78–79, 86, 136; B:364
photograph, B:89	petrography, A:123	366
platinum-group elements, B:83	phenocrysts, A:67	See also chlorite/prehnite veins
peridotites	photograph, A:118	pressure
alteration, B:304–305	photograph of optical zonation, B:216	rodingitization, B:283–284
Atlantic and Indian Oceans, B:118	preferred orientation in gabbroic rocks, B:34	vs. compressional wave velocity, B:424, 432
deformation, A:141	troctolites, B:124–125	pressure solution, melts, B:47
lithology, B:117	troctolites and gabbros, B:265, 267	pseudomorphs, deformation texture
melt impregnation, B:159	ultramafic rocks, B:261	photomicrograph, B:290
metamorphism, A:137 origin, B:146	vs. depth, B:52, 216 vs. magnesium/(magnesium + iron) ratio of	pyrite alteration, A:68–69, 71, 133
paleomagnetism, B:383–391	coexisting clinopyroxenes, B:53	mafic and ultramafic rocks, B:92–93
petrography, A:11–12	vs. oxygen isotopes, B:231	pyroxene oikocrysts, photograph of olivine
petrology, B:135–155	plagioclase, anorthitic, secondary, alteration,	gabbronorite and gabbronorite, B:36
pyroxene composition, B:262	B:237–238	pyroxenes
reference materials, B:493-496	plagioclase, tabular, photograph in	alteration photomicrograph, B:289
rift valleys, A:6–8	medium-grained gabbro, B:17	compositions in gabbroic and ultramafic rocks
	•	

B:50	B:411–412	serpentinization
mineral modes, B:118	residual melt porosity. See porosity, residual-melt	alteration, B:304–305
See also individual minerals; clinopyroxene;	residual melts, gabbroic rocks, B:37–39	dislocation structures, B:351–352
orthopyroxene	resistivity	isotopes, B:277
pyroxenes, primary and secondary	Site 894, A:101–102,	oxygen isotopes in aragonite veins, B:312
composition in mafic rocks, B:270	Site 895, A:154, 157	paleomagnetism, B:411
composition in peridotite, B:262	vs. porosity, A:103, 156	petrography, A:11–12
pyroxenite, veinlets, B:37	resistivity, directional, crystalline rocks, A:156	petrology, A:114–122; B:484–485
pyrrhotite	rift valleys	porosity, B:424–426
alteration, A:71	polyphase alteration, B:236	reaction conditions, B:282–283
ultramafic rocks, B:92–93	tectonics, A:6–8; B:107, 109, 307	rift valleys, A:9
ultramaric rocks, B.72–73	rifting	seismic velocity, B:426
rare earths	models, A:7–8	stable isotopes, B:255–291
amphiboles in gabbroic rocks, B:59–75	tectonic rotation, B:472–473	sulfur, B:99
clinopyroxene, B:125–127	rock magnetics	vs. compressional wave velocity, B:488–489
diopside, B:118–119	gabbroic rocks, B:463, 469–470	shear wave velocity
diopside in harzburgites, B:119	gabbros, B:373–381	fabrics, B:353
diopsides in C-type gabbroic segregations,		
B:126	peridotites, B:405–413 rodingitization	gabbroic rocks, B:421–423
gabbroic rocks and basaltic dikes, B:8	alteration, B:304–305	igneous rocks, B:436–439
		vs. compressional wave velocity, B:440
gabbroic segregations, B:126	mafic rocks, B:283–284	shear waves, splitting, B:426, 434
gabbros, B:87	rodingitization, incipient, peridotites, A:12	shear zones
micropegmatitic patches of gabbronorites,	rutile	alteration, A:133
B:216	mineral chemistry, B:143	deformation, B:242–243
origin of bimodal pattern and trapped melts,	photograph, B:154–155	photomicrograph of gabbroic rocks, B:291
B:128		troctolites and gabbroic rocks, B:267–268
reference materials, B:493–496	samarium. See also lanthanum/samarium ratio	shear zones, brittle, deformation, B:362, 364
sand, B:449	samarium/neodymium ratio, vs. magnesium	shear zones, cataclastic
ultramafic rocks, B:83	number of gabbroic and basaltic rocks,	gabbros, A:11
rare earths, chondrite-normalized	B:12	mid-crustal levels, B:472
amphiboles and clinopyroxene, B:65–68	sand, geochemistry, B:449	photograph, A:75
apatite and zircon, B:72	sand, foraminiferal, lithology, A:54–56	thickness, strikes and dips, and depths, A:82
basaltic rocks, B:181	saturation magnetization/saturation remanence	shear zones, ultracataclastic, photograph, A:79
gabbroic rocks and basaltic dikes, B:11	ratio, vs.depth, B:380	sheared contacts, alteration, B:366
sediments, B:445	saturation remanence	silica
serpentine sediments, B:448	vs. temperature curves, B:406	vs. depth, B:449
rare earths, N-MORB-normalized, basaltic rocks,	See also remanent magnetization, saturation	vs. magnesium number of gabbroic and
B:182	seafloor spreading	basaltic rocks, B:10
reaction microtextures, photomicrograph, B:254,	magnetic mineralogy, B:380–381	See also calcium oxide–magnesium
290	rates, B:388	oxide–aluminum oxide–silica–water
recrystallization	seismic velocity, B:417–440	system
alteration, B:296–298	secondary minerals, alteration, A:68–71	silicates
harzburgites, B:293	sediments	image-analysis micrograph of gabbronorite,
See also alteration; crystallization	detrital minerals, B:451–457	B:43
reference materials, ultramafic rocks, B:493–496	geochemistry, B:443–450	modal abundances, B:24
remanent magnetization	petrography, A:55–56; B:451–452	silicates, detrital, electron microprobe data, B:450
anisotropy vs. magnetic susceptibility	rift valleys, A:8	silicon, vs. iron in chlorite, B:307
anisotropy, B:401	Site 894, A:53–55	Site 504, basalts, B:181–182
direction, A:147–148	Site 895, A:113–114	Site 735
remanent magnetization, anhysteretic, anisotropy,	seismic anisotropy	compressional wave velocity, B:490
B:396–397	gabbronorite, B:321	gabbroic rocks, A:5
remanent magnetization, isothermal, acquisition	velocity, B:324	Site 894, A:45–108
curves, B:395	seismic properties, peridotites, B:352	basaltic lavas and dikes, B:174–178
remanent magnetization, natural	seismograms, synthetic, peridotites, B:435	bathymetric chart, A:49
direction, A:93–95	serpentine	cataclastic deformation, B:463, 466
gabbros, B:373–381	alteration, A:69, 71, A:137–138	core–log integration, B:467–469
histogram for dunites and harzburgites, B:410	composition, B:300	coring summary, A:50, 52
histograms of intensity, B:385–387	composition in ultramafic and troctolitic rocks,	downhole measurements, A:102–105; B:467
igneous rocks, A:12; B:384–388	B:264	drilling, A:10–13
inclination vs. depth, B:378	deformation of ultramafic rocks, B:264	fabrics, B:317–328
intensity, A:90, 144–147	mineral chemistry, B:261, 298–299	fractures, B:329–345
intensity histograms, A:94, 147	photograph, A:126	gabbroic rocks, B:21–58
intensity vs. depth, A:145; B:384, 387	stable isotopes, B:272–274, 277–278	geochemistry, A:88–90; B:59–75
vs. depth, A:92	vein dip histogram, A:142	isotopes, B:227–234
remanent magnetization, normalized, vs.	vein orientation in peridotites, A:143	lithostratigraphy, B:462–463
alternating-field demagnetization, B:378	See also lizardite; magnesium-brucite;	magnetic fabrics, B:393-403
remanent magnetization, saturation	magnesium-serpentine;	map of survey tracks, A:48
vs. depth, B:380	magnesium-talc; talc	melt–fluid evolution, B:213–226
See also saturation remanence	serpentine sediments, geochemistry, B:448	metamorphic veins, B:497–513
remanent magnetization, saturation, isothermal,	serpentine veins, petrography, A:134–135; B:299	metamorphism, A:68–78; B:189–212
vs. temperature, B:409	serpentinite veins, stereographic projection, B:471	operations, A:45–53
remanent magnetization, stable, inclination vs.	serpentinites	paleomagnetism, A:90–98; B:373–381,
depth, B:378	cores, A:114	383–391
remanent magnetization, viscous, peridotites,	diapirism, A:13	petrography, A:55–68
	t	

petrology and geochemistry, B:3-19	prism, B:119, 124	alteration, A:68–69, 137–138; B:201–202
physical properties, A:98–102	composition in ultramafic and mafic rocks,	alteration photomicrograph, B:289
polyphase alteration of gabbros, B:235–254	B:263	mineral chemistry, B:301
rock magnetics, B:463	harzburgites, B:117	veins, A:134
sediment geochemistry, B:443–450	mineral chemistry, B:261	See also magnesium-talc tantalum, depletion
sediments, A:53–55; B:451–457	modal analyses, B:110	relative to strontium in basalts, B:184
seismic velocity, B:417–440	petrography, A:126	tectonic rotation
site description, A:45–108	photograph, A:69	borehole elongation, B:340
structural measurements, A:79–88; B:515–529	troctolites and gabbros, B:267	magnetization, B:413
sulfides, B:91–92	ultramafic rocks, B:261	origin, B:472–473
sulfur, B:97–98	spinel, chromian	seafloor spreading, B:388–390
veins and fractures, B:466–467 well-logging, A:52–53, 102–105	composition, B:175 core-to-rim electron microprobe transects,	stereographic projection, B:473 structure, B:516–529
Site 895, A:109–159	B:179–180	tectonics
aragonite veins, B:311–313	melt migration and melt–wall rock interaction,	earthquake focal mechanisms, B:462
basaltic lavas and dikes, B:178–179	B:157–172	Hess Deep, B:461–475
bathymetric map, A:113	mineral chemistry, B:142, 160–166, 174–179	melts, B:107, 109
coring summary, A:114	model for concentration in heterogenous	well-logging, B:329–330
drilling, A:10–13	troctolite, B:153	tectonites
fabrics, B:347–356	origin of chromitite, B:145	harzburgites, B:127
geochemistry, A:143–144	petrology, A:114–122	lithology, B:117
harzburgites, B:119–121	photograph, B:154–155	temperature
hydrothermal alteration, B:255-291, 293-309	photograph in dunite, B:171	alteration, B:238, 302, 304
igneous petrology, A:114–128	photograph in harzburgite, B:171	calculated from clinopyroxene compositions
igneous rocks, B:135–155	photograph in olivine gabbro, B:172	as a function of depth below seafloor,
lithostratigraphy, B:469	photograph in troctolite, B:172	B:203
magnetic fabrics, B:393-403	sediments, B:452	fluid inclusions, B:219, 221–223
mantle melts, B:157-172	troctolites, B:123–124	fluid sources, B:274
melts, B:103–134	vs. depth, B:78	fracture-controlled metamorphism, B:198–199
metamorphism, A:128–138	spreading centers	hydrothermal fluids, B:280–281
operations, A:111–113	hydothermal roots, B:207	metamorphism, B:233
paleomagnetism, A:144–150; B:383–391	hydrothermal systems, B:189–212	rodingitization, B:283–284
physical properties, A:150–157	spreading rates, metamorphism, B:202	serpentinization, B:282–283
platinum group elements, B:77–90	spreading ridge propagation, crust, A:13	vs. carbon isotopes, B:280
pyroxenes, B:50	spreading ridges, crustal processes, A:9–13	wall rock, B:168
rock magnetics, B:405–413, 469–470	stable isotopes	temperature logs, vs. depth, A: 104
sediment geochemistry, B:443–450	hydrothermal alteration, B:255–291	textures
sediments, A:113–114; B:451–457	mineral separates and veins from shallow	flow, B:347–351
seismic velocity, B:417–440	mantle sequences, B:276	gabbroic rocks, B:27–28, 33
serpentinization, B:470–472 site description, A:109–159	serpentine, B:272–274, 277–278 ultramafic rocks, B:272–274, 277–278	photomicrograph, B:349 plutonic rocks, A:63–64
structural history, B:357–370	See also carbon isotopes; hydrogen isotopes;	textures, sub-ophitic, photograph in poikilitic
structural measurements, A:138–143;	oxygen isotopes; strontium isotopes	gabbronorite, B:18
B:515–529	strain, troctolites and gabbroic rocks, B:268	thermal conductivity
sulfides, B:92	stratigraphy, chemical, A:90–91	Site 894, A:100–102
sulfur, B:98–99	stresses, azimuthal, indicators, B:466	Site 895, A:157, 159
survey tracks map, A:112	strontium	vs. bulk density, A:101, 157
ultramafic reference material, B:493–496	aragonite veins, B:311	vs. depth, A:101, 157
veins and fractures, B:470–472	sand, B:449	thomsonite
smectite	strontium isotopes	composition, B:308
alteration, A:68-70	aragonite veins, B:311–313	composition in mafic rocks, B:275
cataclastic deformation, A:74-76	gabbros, B:227–234	mineral chemistry, B:301–302
high-resolution image, B:246	vs. alteration, B:231	troctolites and gabbroic rocks, B:269
smectite veins	vs. oxygen isotopes in aragonite veins, B:312	thorium logs, vs. depth, A:103
composition, A:72–73, 86	structure	titanite
oxygen isotopes and hydrogen isotopes, B:280	Hess Deep, B:515–529	alteration, A:71
smectite/illite, mixed-layer, cataclastic	peridotites, B:347–356	veins, A:72–73
deformation, A:74–76	reorientation, A:87–88	titanium
sodium + potassium, vs. aluminum in amphiboles,	Site 894, A:79–88	calcic amphibole veins, B:194
B:304	Site 895, A:138–143	dunitic spinel, B:169
sodium	sulfides	enrichment in gabbroic spinel, B:166
calcic amphibole veins, B:194	alteration, A:71, 133	enrichment of spinel and clinopyroxene, B:144
See also calcium/(calcium + sodium) ratio	mafic and ultramafic rocks, B:91–101	vs. aluminum in clinopyroxene, B:302
sodium chloride–water system,	petrography, A:62	vs. depth, B:217
temperature—depth—pressure	ultramafic rocks, B:79	vs. zirconium in clinopyroxene, B:119
relationships, B:223–224	vs. depth, B:79	See also zirconium/titanium ratio
Southwest Indian Ridge compressional wave velocity, B:490	sulfur mafic and ultramafic rocks, B:91–101	titanium, formula units, vs. chromium formula units for clinopyroxene from gabbroic
lower crust, A:5	vs. depth, B:98	rocks, B:8
sphalerite, alteration, A:71	sulfur isotopes, mafic and ultramafic rocks,	titanium oxide
spinel	B:91–101	chromian spinel, B:165
alteration, A:132–133; B:113	surficial geology, Hess Deep, A:9	core-to-rim electron microprobe transects
backscattered electron image, B:160, 186		across spinel grains, B:164
chromium_aluminum_magnesium_iron	talc	vs calcium number R:15

vs. chromium/(chromium + aluminum) ratio,	vs. magnesium/total iron ratio, B:238	photograph, A:135
B:124, 152, 455	vs. magnesium/(magnesium + iron) ratio,	veins, macroscopic
vs. chromium oxide, B:151, 455 vs. forsterite, B:125	B:274	gabbros, B:195–199
vs. forsterite in clinopyroxene from gabbroic	turbidites, basaltic–foraminiferal, intrarift ridge, A:55–56	magnetically restored orientations, B:200–201 orientations, B:199–201
rocks, B:8	11.55 50	orientations, B.199 201 orientations compared to Formation
vs. iron/(chromium + aluminum + iron) ratio,	ultracataclasite, photograph, A:83	MicroScanner imagery, B:200–201
B:152, 454	ultramafic rocks	orientations relative to borehole axis, B:200
vs. magnesium number, B:15	alteration, B:257–261	veins, macroscopic, chlorite-bearing, deformation,
vs. magnesium number of gabbroic and	deformation, A:138–140	B:239–242
basaltic rocks, B:10 vs. magnesium number for liquids of basalts,	fabrics, B:359–361 hydrothermal alteration, B:293–295	veins, metamorphic, composition, B:497–513 veins, microscopic
B:54	lithology, B:257–261	alteration, B:237–238
vs. magnesium/(magnesium + iron) ratio,	mineralogy, veins, and microtextures,	distribution in grain-boundary regions, B:193
B:151	B:258-259	gabbros, B:191–193, 195, 198
vs. modal percentages of oxides for abyssal	platinum group elements, B:77–90	velocity
tholeiites and gabbroic rocks, B:48 vs. zirconium for gabbroic rocks, B:47	reference materials, B:493–496 sulfur isotopes, B:91–101	crust and mantle, B:417–440 geochemical and petrological constraints,
titanium oxide, in bulk rocks, compared with	uplifts	B:477–490
titanium formula unit for orthopyroxene	intrarift ridge, A:13	vs. bulk density, A:100, 156
and clinopyroxene against stratigraphic	tectonic rotation, B:472–473	vs. density, A:154
depth, B:7	uranium logs, vs. depth, A:103	vs. porosity, A:100, 154
titanomagnetite, photograph, A:69 tonalite, dikelets, B:36	vanadium, vs. platinum + palladium, B:85	visco-elastic response, vs. elastic response, B:368 volatiles, magmatic, rodingitization, B:283–284
trace elements	vanadium, vs. piatinum + panadium, b.83 vanadium oxide, core-to-rim electron microprobe	volcanic rocks, rift valleys, A:6–7
amphiboles, B:64, 70	transects across spinel grains, B:164	volcanism, off-axis, origin, B:182–183
basaltic rocks, B:183	vein density	, , , , , , , , , , , , , , , , , , ,
clinopyroxene, B:125-127	alteration, A:73–74	wall-rock alteration, photograph, A:78
decoupling in behavior in gabbroic rocks,	vs. cumulative piece length, A:78	water. See also calcium oxide-magnesium
B:10–11 diopside, B:118–119	vs. depth, B:498 vein fillings, mineral chemistry, B:301–302	oxide–aluminum oxide–silica–water system
ion microprobe concentrations in plagioclase	vein locations, cores, B:198	water/rock ratio, gabbros, B:232–233
and clinopyroxene of gabbroic rocks,	vein orientation	wehrlite, petrography, B:139
B:29-30	gabbroic rocks, B:467, 471–472	well-logging
reference materials, B:494–495	vs. stable magnetic declination, B:468–469	Site 894, A:52–53, 102–105
trace elements, MORB-normalized, gabbroic	vein widths, histograms, B:192	tectonics, B:329–330
rocks and basaltic dikes, B:14 tremolite	veining, ultramafic rocks, B:263–264 veinlets	xenoliths, anorthositic, photograph of
alteration, A:68–69	pyroxenite, B:37	gabbronorite, B:41
composition in gabbroic rocks, B:305	troctolites and gabbroic rocks, B:269	,
composition in mafic and ultramafic rocks,	veinlets, orthopyroxene, photograph of oxide	zeolite facies
B:304	gabbronorite, B:46	alteration, A:10, 137
deformation of ultramafic rocks, B:264 mineral chemistry, B:263	veins alteration, A:71–74; B:250–251, 297–298	cataclastic deformation, A:74–76 gabbroic rocks, A:68–71
oxygen isotopes and hydrogen isotopes, B:280	basaltic rocks, A:73–74	metamorphism, B:238–239
serpentinization, B:282–283	borehole elongation, B:345	microfabrics, B:281–284
veins, A:134	comparison of contoured orientations and rose	zeolite veins
triple junctions, earthquakes and maps, B:464–465	diagrams of strikes from core and	Site 894, A:72–73, 86
troctolites		G', 905 A 125
alteration A:131: B:264_267, 296_297	MicroScanner data, B:206	Site 895, A:135
alteration, A:131; B:264–267, 296–297 chlorite composition, B:274	conditions of formation and alteration, B:203	zeolite-calcite veins
alteration, A:131; B:264–267, 296–297 chlorite composition, B:274 composition, B:121, 123–131		
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271, 367–369	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271, 367–369 deformation texture photomicrograph, B:290	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis,	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271, 367–369	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271, 367–369 deformation texture photomicrograph, B:290 hydrogen and oxygen isotopes, B:280–281 intrusions, A:5 lithology, B:117	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271, 367–369 deformation texture photomicrograph, B:290 hydrogen and oxygen isotopes, B:280–281 intrusions, A:5 lithology, B:117 metamorphism, A:129–133 petrography, B:139 petrology, A:114–122, 127; B:135–155	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136	zeolite-calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite-calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271, 367–369 deformation texture photomicrograph, B:290 hydrogen and oxygen isotopes, B:280–281 intrusions, A:5 lithology, B:117 metamorphism, A:129–133 petrography, B:139 petrology, A:114–122, 127; B:135–155 photograph, B:122	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271, 367–369 deformation texture photomicrograph, B:290 hydrogen and oxygen isotopes, B:280–281 intrusions, A:5 lithology, B:117 metamorphism, A:129–133 petrography, B:139 petrology, A:114–122, 127; B:135–155 photograph, B:122 photograph of alteration, B:297–298 photograph of variations in mineral modes,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89	zeolite-calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite-calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89 scanning electron micrograph, B:242	zeolite-calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite-calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85 zinc oxide
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89 scanning electron micrograph, B:242 structure, A:83, 85–87; B:516–529	zeolite-calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite-calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85 zinc oxide core-to-rim electron microprobe transects
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89 scanning electron micrograph, B:242 structure, A:83, 85–87; B:516–529 troctolites and gabbroic rocks, B:268–269	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85 zinc oxide core-to-rim electron microprobe transects across spinel grains, B:164
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89 scanning electron micrograph, B:242 structure, A:83, 85–87; B:516–529 troctolites and gabbroic rocks, B:268–269 X-ray diffraction patterns, A:135	zeolite-calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite-calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85 zinc oxide core-to-rim electron microprobe transects
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89 scanning electron micrograph, B:242 structure, A:83, 85–87; B:516–529 troctolites and gabbroic rocks, B:268–269 X-ray diffraction patterns, A:135 See also amphibole veins; aragonite veins; brucite veins; chlorite veins;	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85 zinc oxide core-to-rim electron microprobe transects across spinel grains, B:164 metamorphism, B:169 zircon fluid inclusions, A:76–78
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89 scanning electron micrograph, B:242 structure, A:83, 85–87; B:516–529 troctolites and gabbroic rocks, B:268–269 X-ray diffraction patterns, A:135 See also amphibole veins; aragonite veins; brucite veins; chlorite veins; chlorite–smectite veins; smectite veins	zeolite-calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite-calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85 zinc oxide core-to-rim electron microprobe transects across spinel grains, B:164 metamorphism, B:169 zircon fluid inclusions, A:76–78 late magmatic phases in gabbros, B:216
chlorite composition, B:274 composition, B:121, 123–131 cumulated curated thickness, A:128 deformation, A:140–141; B:267–271,	conditions of formation and alteration, B:203 deformation, A:141–142; B:239–242 gabbroic rocks, A:72–73; B:466–467, 470 gabbros, A:10–11; B:228 generations in dunite, B:265 histogram of dips from cores, A:87; B:205 histogram of dips relative to borehole axis, B:203 hydrogen isotopes, B:249 hydrothermal alteration, B:293–295 orientation, A:142–143 petrography, A:11–12; B:299 petrology, A:13, 130, 133–136 photograph, A:74–75, 137 reorientation in relation to paleomagnetism, A:88–89 scanning electron micrograph, B:242 structure, A:83, 85–87; B:516–529 troctolites and gabbroic rocks, B:268–269 X-ray diffraction patterns, A:135 See also amphibole veins; aragonite veins; brucite veins; chlorite veins;	zeolite–calcite veins alteration, B:197–198, 467 equal-area lower hemisphere projections of orientations, B:205 vs. depth, B:498 zeolite–calcite veins, macroscopic, magnetically restored orientations, B:200 zeolites, alteration, A:69–71; B:298 Zijderveld plots demagnetization, B:379, 385, 389, 411 dunites and harzburgites, A:149 gabbroic rocks, A:95 zinc hydrothermal alteration, B:450 vs. depth, B:448 vs. platinum + palladium, B:85 zinc oxide core-to-rim electron microprobe transects across spinel grains, B:164 metamorphism, B:169 zircon fluid inclusions, A:76–78

#### zircon (cont.)

#### **VOLUME 147 SUBJECT INDEX**

rare-earth composition, B:62–63
zircon, euhedral
photograph, B:215
photograph in pegmatitic gabbronorite,
B:17, 19
zirconium
gabbroic rocks, B:38

melts, B:44
vs. calcium number, B:15
vs. depth, A:91; B:13
vs. loss on ignition for gabbroic and basaltic rocks, B:10
vs. magnesium number, B:15
vs. magnesium number of gabbroic and

basaltic rocks, B:10
vs. titanium in clinopyroxene, B:119
vs. titanium oxide for gabbroic rocks, B:47
zirconium/titanium ratio, clinopyroxene,
B:125–127