

INDEX TO VOLUME 149

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 149 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:), and to those in the *Scientific Results* (this book), by “B” with a colon (B:). In addition, reference to material in a back-pocket foldout is shown as “bp.”

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, or thin-section descriptions; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as nannofossils and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 897, for example, is given as “Site 897, A:41–113.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., E-mail: pub_production@ODP.TAMU.EDU

VOLUME 149 SUBJECT INDEX

- abyssal plains
 basement tectonics, B:612–614
 ocean/continent transition, B:723–724
 accretion, oceanic, ridges, B:13
 accumulation rates
 biostratigraphic constraints, A:122, 155, 218
 Pliocene–Pleistocene calcareous nannofossils, B:160
 turbidites, B:294, 289
 vs. depth, B:703
 acoustic fluidization, serpentinite breccia, B:574
 acoustic properties
 sedimentary rocks, B:343–350
 ultramafic rocks, B:425–429
 acritarchs, dinocyst Cenozoic biostratigraphy, B:250–251
 actinolite, serpentinite, B:543
 African Plate, plate tectonics, B:3–4
 age vs. depth
 Iberia Abyssal Plain, B:293, 697–700
 Site 899, A:156
 Albanian
 benthic foraminifers, B:205–206
 organic matter, B:295–299
 seismic units, B:624
See also Cretaceous
 Alentejo Basin, tectonic units, B:9
 algal origin, organic matter, B:711
 Algarve Basin, thin-skin tectonics, B:13–15
 alkali rocks, magmatism, B:16
 alkalinity
 interstitial waters, A:135, 191, 244
 sediments, A:98
 vs. depth, A:99, 135, 192
 allochems. *See* siliceous allochems; skeletal debris; sponge spicules
 Alps, ophiolites, A:204
 alteration
 breccia, A:168–169
 chemistry, B:539
 peridotites, A:80; B:399–405
 serpentinite, B:529–540
 alteration, seawater
 cumulate gabbros, B:479, 481
 geochemistry, B:519–527
 aluminum
 flaser gabbro, B:458
 serpentinite, B:534
 vs. iron in serpentine, B:551
 vs. sodium + potassium in calcic amphiboles, B:463, 544
 vs. titanium in mafic clasts, B:458
 aluminum logs
 onshore processing, A:201–202
 vs. depth, A:199, 204
 aluminum oxide
 from clinopyroxenes in flaser gabbro, B:458
 serpentinite, B:520, 523
 vs. depth, B:291, 422–423
 vs. depth in metamorphosed cumulate gabbros, B:482
 vs. depth in serpentinite, B:523
 vs. loss of ignition in basalt and diabase clasts, B:502
 vs. titanium oxide in serpentinite, B:523
 ammonia
 interstitial waters, A:135, 191, 244
 sediments, A:98
 vs. depth, A:99, 135, 192; B:303
 amphiboles
 chemical composition, B:455, 466
 clasts, A:167
 microprobe data, B:545
 serpentinite, B:543
 amphibolites, chemical composition, B:466
 amphibolites, garnet, composition, A:234–235
 amphibolites, sheared, petrology, B:581
 anisotropy
 shear wave velocity, B:426–429
 vs. depth, A:107, 140, 196, 252; B:357
 Anomaly 34, magnetic anomalies, B:671
 Aptian
 benthic foraminifers, B:204–205
 calcareous nannofossils, B:29–34
 lithologic units, A:59–62, 158–175
 rifting, B:11, 627
 seismic units, B:625, 693
 serpentinite breccia, B:584
See also Cretaceous
 Aptian, lower, organic matter, B:295–299
 aragonite, pseudomorphs, B:560–561
 argon isotopes
 cumulate gabbros, B:474–475, 484–485
 geochronology, B:489–495
 metagabbro, B:721
 arkosic sediments, lithologic units, A:47–52, 119, 154–155
 Armoricain Margin, radiogenic heat, B:675
 Armoricain Massif, Variscan basement, B:7–8
 assemblage variability, calcareous nannofossils, B:118
 asthenosphere
 dynamic rifting models, B:644–645
See also mantle
 Atlantic Ocean E, seismicity, B:5
 Atlantic Ocean N
 agglutinated foraminifers, B:209–210
 basalt and diabase clasts, B:506–507
 Cretaceous paleoceanography, B:299
 ocean/continent transition, B:713–733
 plate tectonics, B:438–440
 rifted margins, A:5–10
 Atlantic Ocean NE, magnetic anomalies, B:661–662
 Atlantis II Fracture Zone, tectonics, B:585
 authigenic minerals
 serpentinite, B:531–532
See also secondary minerals
 Aveiro, continental margin, B:4, 6–7
 Aveiro fault zone, continental margin, B:4, 6–7
 Azores, basalt and diabase clasts, B:506–507
 Azores Triple Junction, plate tectonics, B:4
 Azores–Biscay Rise, plate tectonics, B:3–4
 Azores–Gibraltar Fracture Zone, plate tectonics, B:3–4
 Azores–Gibraltar plate boundary, seismicity, B:5
 bacteria
 biomarkers, B:298–299
 methane, A:97, 133–134
 bacteria, sulfate-reducing, methane, B:710
 Baixo Alentejo Flysch Group, Variscan basement, B:8
 ball and pillow structure, photograph, A:225
 banding
 flaser gabbro, photograph, B:453
 mafic rocks, A:232
 photograph, A:166
 barium
 serpentinite, B:522
 vs. depth, A:169
 vs. depth in serpentinite, B:522
 Barremian
 calcareous nannofossils, B:29–34
 continental margin, B:6
 lithologic units, A:158–175
 seismic units, B:625
 serpentinite breccia, B:571–575
See also Cretaceous
 basalts
 continental margin, B:730
 Cretaceous, A:203
 major elements, A:172
 occurrence, A:172
 petrology, A:169, 172
 photograph, A:176
See also tholeiites
 basalts, altered, neutron absorption cross section, B:595–599
 basalts, metamorphosed, chemical composition, B:451
 basalts, mid-ocean ridge, clasts, B:497–515
 basement
 deformation, A:88–93, 237–241
 density of rocks, A:258
 heat flow, B:675–682
 ocean/continent transition, B:728
 peridotites, A:75–83
 tilting, B:722
 topography, B:629
 basement, acoustic
 structure, A:183–189
 tectonics, B:719–721
 tectonostratigraphic units, B:625–627
 basement contour map, A:9
 basement relief
 magnetic anomalies, B:159, 670–671
 ocean/continent transition, B:726
 basement structure
 map, A:44
 tectonics, B:607–608
 basins
 basement tectonics, B:607–608
 debris flows, B:719–721
 rifting, B:636–645
 tectonic units, B:8–9
 tectonostratigraphic units, B:625–627
 thin-skin tectonics, B:13–15
 bastite
 photograph, A:79
 serpentinite, B:543
 bathymetric chart, A:6
 bathymetry
 Iberia Abyssal Plain, A:35–37; B:22
 subsidence, B:628–629
 Bay of Biscay spreading ridge, plate tectonics, B:3–4
 bedding dip
 structural domains, A:83–84
 vs. depth, A:84
 Beira Litoral, continental margin, B:4, 6–7
 Beja–Acebuches ophiolite, Variscan basement, B:8
 Berlenga–Farilhões Islands, metamorphic rocks, B:729
 Berriasian, continental margin, B:6
 Betic orogeny, compression, B:654, 656

- bioevents, Oligocene–Miocene calcareous nannofossils, B:83, 89–90
- biohorizons, Oligocene–Miocene calcareous nannofossils, B:90–91, 97–103, 116–118
- biomarkers, organic matter, B:298–299
- biostratigraphic datums
Cenozoic, B:323, 328, 333
chronostratigraphy, B:693
vs. paleomagnetic datums, A:73
- biostratigraphic zones, vs. depth, B:322, 327, 333, 694–696
- biostratigraphy
calcareous nannofossils, B:bp
Cenozoic benthic foraminifers, B:217–239
Cenozoic palynomorphs and dinoflagellates, B:241–265
chronostratigraphy, B:693–694
Cretaceous, B:579–580
Cretaceous–Paleogene benthic foraminifers, B:203–216
Cretaceous–Quaternary foraminifers, B:165–192
Jurassic foraminifers, B:193–201
Mesozoic, B:27–59
Oligocene–Miocene calcareous nannofossils, B:79–145
Pliocene–Pleistocene calcareous nannofossils, B:147–164
sediment accumulation rate constraints, A:122, 155, 218
Site 897, A:52, 62–70
Site 898, A:127–129
Site 899, A:175–179
Site 900, A:223–230
- biotite, chemical composition, B:455, 462
- bioturbation
deposition, A:50, 52, 56–59, 61–62
fabric, B:339
lithologic units, A:52, 55, 124, 158, 221
photograph, A:54–55, 125–127, 160–161, 164, 222–223
sediments, B:284
turbidites, B:285
See also burrows; mottling; trace fossils
- biscuits, photograph, A:54, 60, 237
- black shale, organic matter, B:295–300
- block faults
basement tectonics, B:607–611
breccia, B:585
ocean/continent transition, B:724
tectonostratigraphic units, B:625–627
- Bolivina* assemblages, redeposition, B:207
- boulders
petrology, B:581
See also pebbles
- Bouma units
lithologic units, A:50
photograph, A:125
- breccia
calcite veins, A:170–172
clast size, A:162–164
Cretaceous, B:627
deposition, A:203
emplacement and origin, A:167–168
fabric, A:184–185
geochemistry, A:165
lithologic units, A:59–62; B:688
petrology, B:580–581
photograph, A:62, 93, 168, 186–187, 234–235; B:403, 587
sediments, A:111–112
well-logging, A:199–200
See also megabreccia
- breccia, basaltic, photograph, A:169
- breccia, serpentinite
cataclastic textures, B:591
composition, A:159
debris flows, B:719–721
landslide deposits, B:571–575
lithofacies, B:691–693
lithologic units, A:159–163
ocean/continent transition, B:718–719
seafloor weathering, B:529–540, 553–558
tectonics, B:577–591
- breccia, sheared, photograph, A:92
- breccia, tectonic
compression, B:654–656
peridotites, A:75–83
- breccia, ultramafic, photograph, B:450
- brecciation
acoustic basement, A:108–112, 239–240; B:719–721
mafic rocks, A:232–234
olistostromes, B:692–693
photograph, A:90, 92–93, 184, 240–241
serpentinite, B:535
serpentinized peridotites, A:90–91
- brecciation, in-situ, serpentinite breccia, B:572
- brucite
microprobe data, B:552
secondary minerals, A:80
serpentinite, B:544
- Brunhes Chron, magnetostratigraphy, A:72, 129
- Brunhes/Matuyama boundary
datums, A:231
magnetostratigraphy, A:72, 129
sediments, B:322–323, 327, 333
- Bullard depth
vs. temperature, B:680
vs. thermal conductivity, B:680
- Burdigalian, plate tectonics, B:4
- burrows
lithologic units, A:221
photograph, A:54, 157, 183, 222, 237
See also bioturbation; trace fossils
- Cabo Ortegale, Variscan basement, B:8
- Calabrian, thin-skin tectonics, B:14
- calcareous units, lithology vs. core number, A:220
- calcite
authigenic minerals, B:531–532
habits and composition, B:556
habits in fractures, B:533
hydrous fluids, B:547
lithologic units, A:266
mafic rocks, A:235
microprobe data, B:555
oxygen and carbon isotopes, B:546, 552
pseudomorphs after aragonite, B:560–561
seafloor precipitation, B:553–558
secondary minerals, A:80
serpentinite, B:530, 544
textures, B:560–563
- calcite, botryoidal, textures, B:561
- calcite, fibrous, textures, B:562
- calcite, massive, fibrous, textures, B:562
- calcite, micrite-filled, textures, B:562–563
- calcite, zoned, sparry, textures, B:562
- calcite veins
basement, A:108–112, 239–240
breccia, A:168–169
composition, B:552–569
distribution, A:187–188
distribution in breccia, A:170–172
fabric, B:581–583
photograph, A:88, 167, 184, 187–189, 239; B:561–562, 564–568, 589
- thickness vs. depth, A:168
- calcitization
peridotites, A:79–80; B:399–405
serpentinite, B:532–534, 543
- calcium
interstitial waters, A:135–136, 191, 244
sediments, A:98–99
vs. depth, A:100, 136, 192, 245
- calcium carbonate
oxidizing alteration, B:521
serpentinite, B:521
stable isotopes, B:708–709
vs. depth in serpentinite, B:521
vs. nickel and chromium in serpentinite, B:524
See also carbonate content
- calcium oxide
serpentinite, B:520–521
vs. depth, B:422–423
vs. depth in metamorphosed cumulate gabbros, B:482
vs. magnesium oxide in basalt and diabase clasts, B:502
- Callovian, rifting, B:10–11
- Campanian
rifting, B:11
thin-skin tectonics, B:13–15
- carbon, inorganic
lithologic units, A:93
sediments and rocks, A:94–96, 131–133, 189–190, 241–243
- carbon, organic
lithologic units, A:93
organic matter, B:295–300
redox, B:301–304
sediments, B:284
sediments and rocks, A:94–96, 131–133, 189–191, 241, 243
shipboard measurements vs. shore-based, B:311
turbidites, B:305–307, 309–311, 706
vs. carbon isotopes, B:297
vs. depth, A:97, 134; B:285, 287, 708–709
- carbon, total, sediments and rocks, A:94–96, 132–133
- carbon isotopes
calcite, B:546, 552, 554
calcium carbonate, B:708–709
organic matter, B:295–300, 706–707
turbidites, B:306–307, 309–311
vs. depth, B:708
vs. organic carbon, B:297
vs. oxygen isotopes in fracture-filling calcite, B:557
- carbon/nitrogen ratio
organic matter, B:296, 706
sediments and rocks, A:133, 190–191, 241, 243
shipboard measurements vs. shore-based, B:312
sources, A:93, 96
turbidites, B:307, 309–310
vs. depth, A:97, 134
- carbonate alteration, serpentinized peridotites, A:81–82
- carbonate compensation depth
biostratigraphy, B:694
Cenozoic, A:145
deposition, A:50, 52, 56–59, 61–62
lithologic units, A:57, 59, 125–126, 158
Neogene, B:283–284
sediments, A:111–112
- carbonate content
lithologic units, A:120
sediments, B:284

- serpentinized peridotites, A:81, 83
 turbidites, B:306–307, 309–311
 vs. depth, A:169; B:285, 287, 708–709
 vs. depth in serpentinites, A:82
 vs. sand content in contourites, B:692
 vs. silt content in contourites, B:692
See also calcite; calcium carbonate
- carbonate dissolution, fabric, B:532
 carbonate rocks, fragments, A:50, 119
 carbonatization, seafloor alteration, B:519–527
 Cascais Canyon, continental margin, B:4, 6
 Cat Gap Formation, Blake–Bahamas Basin, A:267
 cataclasis, B:583
 cataclasis
 photomicrograph, B:590
 serpentinite breccia, B:577–591
 cataclasis, serpentinite, breccia, B:583
 cementation
 consolidation, B:365
 lithologic units, A:221
 sedimentation, A:258–259
 sediments, B:372
- Cenomanian
 seismic stratigraphy, B:623
 seismic units, B:624
 Cenomanian–Turonian Boundary Event,
 sediments, B:299
- Cenozoic
 biostratigraphic datums, B:694–696
 biostratigraphy, A:62–66; B:694
 compression, B:13
 foraminifer biostratigraphy, B:165–192
 lithofacies, B:741–754
 lithologic units, A:264; B:687–688
 lithology, B:691–693
 magnetostratigraphy, B:315–334
 reactivation of Variscan faults, B:14–15
 sand, B:274–275
 sediments, A:111–112
 thin-skin tectonics, B:13–14
See also Eocene; Miocene; Oligocene;
 Paleocene; Pliocene
- Cenozoic, upper
 palynomorphs and dinoflagellates, B:241–265
See also Neogene
- Central Iberian Zone
 magmatism, B:15
 Variscan basement, B:7–8
- chalcedony, photograph, A:176
 chalk
 lithologic units, A:52–58
 photograph, A:61
 chalk, nannofossil, lithologic units, A:58–59,
 220–223
- chamosite, alteration chemistry, B:547
 Chattian, thin-skin tectonics, B:13–14
 chert, radiolarian, photograph, A:176
 chloride
 interstitial waters, A:137, 192, 245
 sediments, A:99–100
- chlorine
 serpentinite, B:520, 524–525
 vs. depth in serpentinite, B:525
- chlorite
 alteration chemistry, B:547
 authigenic minerals, B:532
 chemical composition, B:455, 467
 clasts, A:166–167
 histogram in serpentine, B:551
 hydrous fluids, B:546–548
 mafic rocks, A:234–235
 microprobe data, B:547
 secondary minerals, A:80
 sediments, B:748–749
- serpentine, B:530, 543–544
 chlorite schists, chemical composition, B:451
Chondrites
 lithologic units, A:52, 55, 124, 158, 221
 mottling, B:339
 photograph, A:56, 157
- chromium
 serpentinite, B:523
 serpentinized peridotites, A:81
 spinel, B:532–534
 vs. calcium carbonate in serpentinite, B:524
 vs. depth in serpentinite, B:524
 vs. nickel in serpentinites, A:82
- chromium number
 partition between spinel and orthopyroxene in
 ilherzolite, B:391
 vs. magnesium number in spinel, B:386
 vs. sodium in clinopyroxene from peridotites,
 B:394
 vs. titanium in clinopyroxene from peridotites,
 B:394
 vs. titanium in orthopyroxene from peridotites,
 B:391
 vs. titanium in spinel peridotites, B:389
- chromium oxide
 vs. depth, B:422–423
 vs. depth in metamorphosed cumulate gabbros,
 B:482
- Chron 6, plate tectonics, B:4
 Chron 6c, plate tectonics, B:438
 Chron 13, plate tectonics, B:4
 Chron 18, plate tectonics, B:3–4
 Chron 19, plate tectonics, B:3–4
 Chron 34, plate tectonics, B:3–4
 Chron C3A. *See also* Gilbert/C3A boundary
 Chron C3A/C4 boundary, sediments, B:325
 Chron C4. *See* Chron C3A/C4 boundary
 Chron C4A, datums, A:181
 Chron C5D, sediments, B:323
 Chron C9, magnetostratigraphy, A:73
 Chron C10, magnetostratigraphy, A:73
 Chron M10, plate tectonics, B:4
- chronostratigraphy
 Cenozoic biostratigraphy, B:243
 planktonic foraminifers, B:165–166
 time scales, B:693–694
- Chron 34–18, plate tectonics, B:438
- chrons
 boundaries, B:701
See also subchrons
- chrysotile
 secondary minerals, A:80
 serpentinite, B:544
- clasts
 apparent maximum size vs. depth, A:164
 basalt and diabase, B:497–515
 histograms of apparent maximum size in
 breccia, A:164
 lithologic units, A:58–59
 petrology, B:581
 photograph, A:61, 166–169, 185, 188; B:403
 serpentinite breccia, B:571–575
 serpentinized peridotites, A:164–166
 size in breccia units, A:162–163
- clasts, basalt
 lithologic units, A:163–166
 photograph, A:59
- clasts, fractured, photograph, A:184
 clasts, mafic, photograph, A:235
 clasts, metamorphic, lithologic units, A:166–167
 clasts, serpentine, photograph, A:62, 87
- clay
 lithologic units, A:118–124, 152–155,
 218–220, 264
- Neogene, B:283–284
 photograph, A:219
See also red clay; sheared clays
- clay minerals
 authigenic minerals, B:532
 fabric, B:353–361
 lithologic units, A:50, 55, 59, 120, 124, 222
 replacement of serpentinite, B:534
 sediments, B:748–749
 serpentinite, B:530
 clay, nannofossil, lithologic units, A:47–58,
 118–124, 152–155, 218–220, 264
- clay, silty, lithologic units, A:47–58
 claystone
 lithologic units, A:52–62, 124–126, 155–175,
 220, 223; B:687–688
 lithology vs. core number, A:220
 Lower Cretaceous, B:578–580
 photograph, A:54–55, 59, 126–127, 157,
 160–161, 164, 224–225
 sediments, A:111–112
 uniaxial reconsolidation, B:363–373
See also mudstone
- claystone, calcareous
 lithologic units, A:58–59
 photograph, A:85, 174
- claystone, deep-sea, geotechnical properties,
 B:343–350
- claystone, nannofossil, lithologic units, A:58,
 220–223
- claystone, sheared, photograph, A:87
- claystone, silty
 geotechnical properties, B:343–350
 lithologic units, A:58–59
- clinocllore
 alteration chemistry, B:547
 serpentinite, B:544
- clinopyroxene
 composition in metamorphosed cumulate
 gabbros, B:479
 geochemistry, B:473–488
 major oxides, B:392–393
 peridotites, A:77, 79
 photograph, B:382, 388
 ultramafic rocks, B:382
- Cobb Mountain Subchron
 magnetostratigraphy, A:129
 sediments, B:322, 327, 333
- cobbles, photograph, A:87, 174
- color
 breccia, A:168–169
 lithologic units, A:47–51, 120, 154–155, 216,
 218
 lithology, A:51
 sediments, B:284
 turbidites, B:285
- color bands, photograph, A:237–238
- compaction, fabric, B:358
- compression
 Cenozoic, B:13
 Miocene, B:654, 656, 696
- compressional wave velocity
 laboratory data, B:346–347
 vs. depth, A:201–202
 vs. effective mean stress, B:369
See also acoustic properties; geotechnical
 properties; velocity
- concretions, photograph, A:164
- conglomerate
 debris flows, B:719
 deposition, A:204
 lithofacies, B:691
 lithologic units, A:60–62, 158–159
 Lower Cretaceous, B:578–580

- photograph, A:164
 conglomerate, clayey, lithologic units, A:58–59
 conglomerate, polymictic, photograph, A:60
 Coniacian, seismic stratigraphy, B:623
 conjugate margins
 dynamic models, B:635–647
 extension, B:641–643
 tectonics, B:729–731
 See also continental margin
 consolidation
 cores, A:197
 porous sediments, B:363–373
 reconsolidation–consolidation stress paths, B:366
 response at post-yield stresses, B:369
 consolidation, postrift, clay minerals, B:353–361
 consolidation, uniaxial, yield envelope, B:364
 continental breakup
 acoustic basement, B:721
 ocean/continent transition, B:727
 rifting, B:636–645
 continental crust
 ocean/continent transition, B:725–729
 rifting, B:636–645
 See also lithosphere; oceanic crust
 continental lithosphere
 rifting, A:5–10
 See also continental crust; lithosphere
 continental margin
 conjugate margins, B:729–731
 geologic history, B:9–16
 Iberia W, A:5–10
 physiography, B:4, 6–7
 rifting, B:665–674
 sand provenance, B:269–280
 serpentine breccia, B:577–591
 See also conjugate margins; passive margins; rifted margins
 contour currents, seismic stratigraphy, B:623
 contourite facies
 grain size, B:749
 lithofacies, B:747–748
 lithologic units, A:58
 contourites
 Cenozoic, A:145
 deposition, A:57–58
 lithofacies, B:689–690
 lithologic units, A:158
 Oligocene and Miocene, B:695–696
 photograph, A:126–127, 157, 222–224, 237
 copper
 serpentine, B:524
 vs. depth in serpentine, B:525
 core recovery, vs. percentage of sand and silt, A:124
 core–log integration, breccia, A:200
 correlation
 lithostratigraphy, B:689
 Oligocene–Miocene calcareous nannofossils, B:107–115, 121–122
 stratigraphy, A:50
 creep, sediments, B:372
 Cretaceous
 benthic foraminifers, B:203–216
 biostratigraphy, A:178–179; B:29–34, 579–580
 black shales, B:295–300
 calcite veins, B:567
 foraminifer biostratigraphy, B:165–192
 hiatuses, B:189
 lithologic units, A:59–62, 158–175, 264; B:688
 magmatism, B:15–16
 magnetic anomalies, B:661–662
 plate tectonics, B:3–4
 rifting, B:9–11
 sediments, A:110
 See also individual epoch
 Cretaceous, Lower
 basement relief, B:672
 sedimentation, B:578–580
 Cretaceous Long Normal Superchron, plate tectonics, B:439, 441
 Cretaceous Magnetic Quiet Period, plate tectonics, B:3–4, 438
 cross-laminations
 lithologic units, A:156
 photograph, A:54–55, 127, 157, 222, 224–225
 See also laminations
 cross-stratification, photograph, A:57, 124
 crossover errors, magnetic anomalies, B:660
 crust
 basement tectonics, B:612–614
 ocean/continent transition, B:737–739
 strength, B:639–640
 structure, B:9, 16–17
 See also continental crust; continental lithosphere; lithosphere; ocean/continent transition; oceanic crust
 crustal extension
 landslide deposits, B:571–575
 subsidence, B:628–629
 See also extensional tectonics
 crystallization, photograph, A:188–189
 cumulates, geochemistry, B:476, 479, 481

 debris flows
 Cretaceous, B:627
 deposition, A:58–59
 history, B:694–695
 ocean/continent transition, B:719–722
 serpentine breccia, B:584–585
 structural domains, A:87–88
 deformation
 basement, A:88–93, 237–241
 breccia, B:582
 calcite veins, B:565–567
 clay minerals, B:353–361
 compression, B:654, 656
 fabric, B:339, 582
 ocean/continent transition, B:718, 728–729
 peridotites, A:79–80
 photograph, A:160–161, 176, 187, 237
 rifting, B:11–13
 sediments, A:83–88, 236–237; B:370–372
 Variscan basement, B:8
 within clasts and blocks, A:186
 See also structural domains
 deformation, ductile
 basement, A:237–241
 peridotites, B:405–406
 serpentinized peridotites, A:91
 deformation, high-temperature, peridotites, A:88
 deformation, high-temperature, plastic
 peridotites, B:399–402
 ultramafic rocks, B:386
 deformation, low-temperature
 basement, A:238–240
 peridotites, A:88
 deformation, post-emplacement, breccia, A:186–188
 deformation, secondary, late, peridotites, B:402–404
 deformation, shear, peridotites, B:404–405
 degassing, argon isotopes, B:493
 degradation, organic matter, B:304, 308
 demagnetization
 discrete samples, A:70–71
 peridotites, B:434
 vector plots, B:319, 326, 330, 438–441, 445
 whole-core pass-through measurements, A:70
 demagnetization, alternating-field, vector plots, A:71, 181, 233
 demagnetization, thermal, vector plots, A:72, 182
 density
 sedimentary rocks, B:349–350
 vs. depth, B:351
 density, bulk, vs. depth, A:201
 density, grain
 serpentinized peridotites, A:83
 vs. depth, A:106, 137, 193, 250; B:360
 density, GRAPE, bulk
 cores, A:137, 193, 251
 discrete samples, A:101
 vs. depth, A:106, 137, 193, 250
 density, gravimetric, bulk, vs. depth, A:106, 137, 193, 250
 density logs, vs. depth, A:199
 density–porosity–natural gamma ray logs, A:209
 deposition
 Barremian to Aptian, A:203
 breccia, A:203
 history, B:685–704
 lithologic units, A:50–51, 56, 59, 61–62, 122, 125–127, 155, 158–159, 220, 222
 Neogene, B:287–289
 turbidites, A:50, 52, 56–59, 61–62
 See also accumulation rates; sedimentation
 depth vs. age
 Iberia Abyssal Plain, B:323, 329, 333
 Site 897, A:53
 Site 898, A:123
 Site 900, A:219
 detachment faults, ocean/continent transition, B:725–729
 detachment faults, west-dipping, basement tectonics, B:608–614
 detachment tectonics, evidence, B:603–615
 dewatering structures
 fabric, B:358
 structural domains, A:83–84
 diabase
 clasts, B:497–515
 magmatism, B:15
 major elements, A:172
 petrology, A:169, 172
 photograph, A:189
 diagenesis
 in altered serpentine, B:540
 biomarkers, B:298–299
 calcite precipitation, B:555–557
 deep-sea sediments, B:710–711
 diapiric extrusion, serpentine breccia, B:572
 diapirism, plate tectonics, B:438–440
 diatoms, siliceous allochems, A:125, 156, 221
 dikelets, pyroxenitic, photograph, A:79
 dikes
 basement tectonics, B:613
 magmatism, B:15
 See also porphyry dikes
 dinocyst/pollen ratio, Cenozoic biostratigraphy, B:253–254
 dinocysts
 Cenozoic biostratigraphy, B:245–248
 See also palynomorphs
 dinoflagellates
 Cenozoic biostratigraphy, B:241–265
 See also palynomorphs
 dipping beds
 structural domains, A:84
 vs. depth, A:84

- dissolution, serpentinite, B:534–535
diurnal variations, magnetic anomalies, B:659–663
dolomite. *See* diabase
dolomite
 lithologic units, A:59–62, 266
 sediments, B:748–749
Don Carlos Valley, continental margin, B:4
downhole logging
 Site 899, A:198–200
 Site 900, A:253–256
 See also well-logging
dredge samples, radionuclides, B:678–684
dropstone, composition, A:234–235
dunites
 clasts, A:164–166
 origin, A:82
 partial melting, B:420
 photomicrograph, B:552
 rifting, B:636–645
dunites, spinel, petrology, B:377–395
DWAf. *See* foraminifers, deep-water, agglutinated
- earthquakes, occurrence, B:290
Eocene
 biostratigraphy, A:178, 227
 calcareous nannofossils, B:61–78
 lithologic units, A:52–58, 158
 pelagic sedimentation, B:695
 plate tectonics, B:438
 seismic stratigraphy, B:623
Eocene, lower
 Glomospira event, B:206–207
 hiatuses, B:189
epidote
 chemical composition, B:455
 clasts, A:167
epidote veins, photograph, A:239
escarpments, serpentinite breccia, B:574
Estremadura Spur, bathymetry, B:6
ethane. *See* methane/ethane ratio
Eurasian Plate, plate tectonics, B:3–4
extension. *See* crustal extension
extensional tectonics
 dynamic models, B:636–645
 evolution, B:607–608
 ocean/continent transition, B:723
 serpentinite breccia, B:573–574
 subsidence, B:628–629
- fabric
 breccia, A:184–185
 carbonate dissolution, B:532
 clay minerals, B:353–361
 mafic rocks, A:232
 olivine in peridotites, B:401
 photograph, A:167, 185
 serpentinite breccia, B:574, 581–583
 serpentinized peridotites, A:91
 shear zones in peridotites, B:407
 See also magnetic fabric
fabric ellipsoid shape factor, vs. depth, B:357
facies
 Cretaceous–Quaternary planktonic foraminifers, B:184–189
 peridotites, A:75–83
fault zones
 Iberia Abyssal Plain, B:583
 Variscan basement, B:8
faults
 Cenozoic reactivation of Variscan faults, B:14–15
 maps, B:5
 photograph, A:86
 rifting, B:636–645
 See also block faults; microfaults; normal faults; reverse faults
feldspars
 chemical composition, B:453–454, 459–460
 lithologic units, A:47
 sediments, B:748–749
ferrenes, biomarkers, B:298–299
Ferreira do Alentejo–Ficalho thrust, Variscan basement, B:7–8
Ferreira do Zezere–Portalegre thrust, Variscan basement, B:7–8
Figueiro Fracture Zone
 olistostromes, B:692
 tectonics, B:584–585
flaser gabbro
 chemical composition, B:451, 466
 ocean/continent transition, B:723, 728
 photograph, A:234; B:454, 459, 462
flaser gabbro, amphibolitized, photograph, B:453
fluid flow, sediments, B:372
flysch, Variscan basement, B:8
folds, photograph, A:237
foliation
 basement, A:237–241
 fabric, B:582–583
 high-temperature metamorphism, B:475–476
 metagabbro, B:721
 photograph, A:90, 92, 239; B:491
 serpentinized peridotites, A:91
 shear wave velocity, B:428–429
 sources, A:258
foliation, discontinuous, photograph, A:234
foliation, high-temperature, peridotites, B:402
foliation, magnetic
 fabric, B:339
 vs. depth, B:340–341
foliation bands, photograph in cumulate gabbros, B:475–477
foraminifers, benthic
 biostratigraphy, B:694
 Cenozoic biostratigraphy, B:217–239
 Cretaceous–Paleogene, B:203–216
 distribution, A:180
 Jurassic biostratigraphy, B:193–201
 percentage in sediments, B:221–233
 Tithonian, B:722
foraminifers, biostratigraphy, A:66–70, 128–129, 179, 223, 225, 227
foraminifers, deep-water, agglutinated, Cretaceous–Paleogene, B:203–216
foraminifers, planktonic
 biostratigraphy, B:693–694
 Cretaceous–Quaternary biostratigraphy, B:165–192
 distribution, A:67–71, 130, 180, 228–231
formation factor, vs. depth, A:106, 137, 193, 250
fracture cleavage, photograph, A:89
fractures
 basement, A:108–112, 238–240; B:607–608
 breccia, A:189
 calcite veins, B:565–567
 photograph, A:56–57, 61, 63, 89, 166
 serpentinite, B:530–531
 serpentinized peridotites, A:88–90
fractures, hairlike, photograph, A:239
fracturing, alteration, B:402–404
fracturing, cataclastic, B:583
gabbros
 basement tectonics, B:613
 chemical composition, B:462
 cumulates, A:235–236
 geochronology, B:489–495
 lithologic units, A:167–175
 magmatism, B:15–16
 photograph, B:491
 sources, A:258
 See also flaser gabbro; microgabbros
gabbros, cumulate, synrift, ocean/continent transition, B:729
gabbros, metamorphosed, cumulate, geochemistry, B:471–488
Galicia Bank
 continental margin, B:4
 deformation of peridotites, A:91–93
 emergence, B:274
 mantle, A:82
 metamorphic rocks, B:729
 peridotites, A:82–83
 radiogenic heat, B:675–682
 seafloor spreading, B:17–18
 tectonics, B:729–731
 transition, A:7–8
Galicia Interior Basin
 bathymetry, B:6
 continental margin, B:4
 tectonic units, B:8–9
Galicia Margin
 continental margin, B:4, 6–7
 deformation, B:406, 409–410
 models, B:614
 ocean/continent transition, B:713–733
 organic matter, B:295–300
 peridotites, B:384–395
 tectonic units, B:8–9
 tectonics, B:584–585
 tectonics and sedimentation, B:650
 Tithonian, A:267
gamma-ray logs
 Site 900, A:262
 vs. depth, A:199, 254, 256
 See also density–porosity–natural gamma ray logs; resistivity–natural gamma ray logs; velocity–natural gamma ray logs
gamma-ray logs, processed, vs. depth, A:204
gases, headspace
 sediments, A:98
 sediments and rocks, A:133–134, 190–191, 243
 sources, A:96–97
 vs. depth, A:135
Gauss Chron
 magnetostratigraphy, A:73
 See also Gilbert/Gauss boundary; Matuyama/Gauss boundary
geochemical data, onshore processing, A:200–202
geochemical logging
 neutron absorption cross section, B:595–599
 onshore processing, A:200–202
 tools, A:203
geochemistry
 organic matter, B:295–300
 peridotites, B:413–424
 redox, B:301–304
 Site 897, A:73–83
 Site 900, A:231–236
 turbidites, B:286–287
 weathered clasts, B:497–515
geochemistry, inorganic
 Site 897, A:97–100
 Site 898, A:134–137
 Site 899, A:190–192
 Site 900, A:244–245
geochemistry, organic
 Site 897, A:93–97
 Site 898, A:131–134

- Site 899, A:189–190
Site 900, A:241–244
geochronology, argon isotopes, B:489–495
geotechnical properties, sedimentary rocks, B:343–350
geothermometry, ultramafic rocks, B:386, 389
geotherms, dynamic rifting models, B:644–645
Gettysburg Seamount, bathymetry, B:6
Gibraltar, plate tectonics, B:4
Gibraltar Seaway, agglutinated foraminifers, B:209–210
Gilbert Chron. *See* Gilbert/Gauss boundary
Gilbert/C3A boundary, sediments, B:325
Gilbert/Gauss boundary
 magnetostratigraphy, A:73
 sediments, B:315
glacial cycles, calcite precipitation, B:555
glaciation
 deposition, B:289
 turbidites, B:701
glauconite, authigenic minerals, B:531–532
Glomospira event, early Eocene, B:206–207
Goban Spur, radiogenic heat, B:675
goethite, authigenic minerals, B:531–532
Gorringe Bank
 bathymetry, B:6
 fault maps, B:5
 peridotites, B:727
 plate tectonics, B:4
 turbidites, B:290
gouge, serpentinite breccia, B:584
graded bedding, sediments, A:111–112
grain size
 cumulative curves for fine-grained fraction, B:750
 sand provenance, B:270, 272
 sediments, B:746
 turbidites, B:285–286, 288–289
 vs. depth, B:289
Grand Banks
 extensional tectonics, B:636–645
 plate tectonics, B:439
granodiorites
 radionuclides, B:678–684
 Variscan basement, B:8
granulite facies
 cumulate gabbros, B:479, 481
 peridotites, B:406, 409–410
gravitational sliding, serpentinite breccia, B:584
gravity flows
 lithostratigraphy, B:690–691
 Upper Cretaceous and lower Tertiary, B:695
Greenland Margin, basement relief, B:672
Groupe Galice
 seismic stratigraphy, B:623–624
 tectonostratigraphic units, B:626
harzburgites
 basement, A:75–83
 geochemistry, B:420
 origin, A:82
 petrology, B:377–395, 581
 photograph, A:78
harzburgites, spinel, photograph, B:379
Hauterivian
 lithologic units, A:59–62
 plate tectonics, B:4
 rifting, B:9–11
 tectonics, B:439
heat flow
 acoustic basement, B:675–682
 drilling objectives, A:9–10
 locations along composite seismic section, B:681
 metagabbro, B:721
 variations with stretching factor for a pure-shear model, B:682
 See also radiogenic heat
hematite, secondary minerals, A:80
hemipelagic facies
 lithofacies, B:745
 lithologic units, A:47–51
hemipelagites
 deposition, A:49–50, 52, 56–59
 lithologic units, A:119, 152–155, 159, 218–220
Hercynian orogeny
 mafic rocks, A:236
 See also Variscan basement
Hesperic Massif, Variscan basement, B:7–8
Hettangian, rifting, B:9–11
hiatuses
 Albian–Maastrichtian benthic foraminifers, B:205–206
 Cretaceous–Quaternary planktonic foraminifers, B:184–189
 deposition, A:204
 Miocene, A:145; B:696
 Oligocene and Miocene, B:695–696
 vs. age, B:292
 See also unconformities
Holocene, seismic stratigraphy, B:619
hopanes, biomarkers, B:298–299
hopenes, biomarkers, B:298–299
hornblende
 mafic rocks, A:234–235
 serpentinite, B:543
hyaloclastite, photograph, A:169
hydration, hydrous fluids, B:547
hydrogen index, vs. oxygen index, B:298, 313, 710
hydrothermal processes
 hydrous fluids, B:546–548
 peridotites, B:406, 409–410
Iberia
 plate tectonics, B:3–4
 western margin, A:5–10
Iberia Abyssal Plain
 bathymetry, B:6
 calcite veins, B:559–569
 cataclases, B:577–591
 Cenozoic dinoflagellate biostratigraphy, B:241–265
 consolidation, B:363–373
 continental margin, B:4
 Cretaceous–Paleogene benthic foraminifers, B:203–216
 Cretaceous–Quaternary foraminiferal biostratigraphy, B:165–192
 detachment tectonics, B:603–615
 Eocene nannofossils, B:61–78
 fabric, B:353–361
 geochemistry, B:497–515
 heat flow, B:675–682
 in-situ velocities of sedimentary rocks, B:343–350
 lithology and neutron absorption cross section, B:595–599
 magnetic fabric, B:335–342
 magnetic signatures, B:431–446
 magnetostratigraphy, B:315–334
 mantle, A:82
 Mesozoic biostratigraphy, B:27–59
 metamorphosed cumulate gabbros, B:471–488
 Neogene–Quaternary benthic foraminifers, B:217–239
 ocean/continent transition, A:7; B:713–733
Oligocene–Miocene nannofossil biostratigraphy, B:79–145
organic matter, B:295–300, 305–313
peridotite geochemistry, B:413–424
peridotites, B:397–413
Pliocene–Pleistocene calcareous nannofossils, B:147–164
seafloor spreading, B:17–18
seafloor weathering, B:529–540, 553–558
sedimentary facies, B:685–704
sediments, B:301–304, 741–754
seismic lines, B:737–739
seismic stratigraphy and tectonics, B:617–633
serpentinite, B:541–552
serpentinite breccia, B:571–575
tectonics and sedimentation, B:649–657
turbidites, B:281–294
ultramafic rocks, B:377–395, 425–429
Iberia Margin W
 continental rifting, B:635–647
 deformation, B:406, 409–410
 evolution, B:269–280
 geochronology, B:489–495
 geologic history, B:9–16
 geology, B:665–674
 geophysical and geological overview, B:3–23
 magnetic anomaly chart, B:659–663
 serpentinite, B:519–527
igneous contacts
 breccia, A:185–186
 photograph, A:87
igneous contacts, sediment–peridotite, structural domains, A:86–87
igneous petrology
 Site 897, A:73–83
 Site 900, A:231–236
illite
 authigenic minerals, B:531–532
 lithologic units, A:50, 120, 222
 sediments, B:748–749
ilmeneite
 chemical composition, B:461
 photograph, B:388
index properties
 cores, A:137, 192–195, 245–251
 discrete samples, A:100–101
 rocks, A:102–105, 138–140
 sediments, B:354, 356–357
interstitial waters
 geochemistry, A:99, 136, 192, 245
 sulfate, B:709–710
 See also pore water
intrusions, basement tectonics, B:613
iowaite
 microprobe data, B:552
 partial melting, B:420
 photomicrograph, B:552
 seafloor alteration, B:519–527
 secondary minerals, A:80
 serpentinite, B:544
iron
 calcite, B:554–555
 interstitial waters, A:135, 191
 sediments, A:98
 serpentinite, B:533–535
 vs. aluminum in serpentine, B:551
 vs. depth, A:99, 135, 192
 vs. magnesium in altered serpentinite, B:539
 vs. magnesium in calcite, B:555
iron oxide
 authigenic minerals, B:531–532
 in fractures, B:533
 serpentinite, B:522–523, 530
 vs. depth, B:422–423

- vs. depth in metamorphosed cumulate gabbros, B:482
- vs. loss of ignition in basalt and diabase clasts, B:502
- isotopes, cumulate gabbros, B:474–475, 484–485
- J anomaly, magnetic anomalies, B:661–662, 667–674
- Jaramillo Subchron, Iberia Abyssal Plain, B:322–323, 327, 333
- Jeanne d'Arc Basin, plate tectonics, B:439–440
- Jurassic
- benthic foraminifers, B:193–201
 - biostratigraphy, B:28–29
 - lithologic units, A:265–267
 - magmatism, B:15
 - rifting, B:9–11
 - See also* Tithonian; other individual epochs
- kaersutite
- hydrous fluids, B:546–548
 - serpentinite, B:543
- kaolinite
- lithologic units, A:50, 120, 222
 - sediments, B:748–749
- Kimmeridgian, rifting, B:9–11
- kinematics, rifting, B:11–13
- King's Trough, plate tectonics, B:3–4, 438
- King's Trough/Azores–Biscay Rise boundary, plate tectonics, B:438
- Koenigsberger ratio
- peridotites, B:434
 - vs. depth, B:443
- kurtosis, sediments, B:747
- laminations
- lithologic units, A:122, 156, 158
 - photograph, A:56–57, 63, 124, 126–127, 157, 176, 224–225
 - See also* cross-laminations; cross-stratification
- landslide deposits
- debris flows, B:719–721
 - lithostratigraphy, B:690–691
 - serpentinite breccia, B:571–575
 - See also* mass flows
- lava, basaltic, petrology, B:580–581
- lava, chemical composition, B:450–451, 462
- lava, unmetamorphosed, chemical composition, B:451, 453–455
- lava, variolitic, photograph, B:451
- lead isotopes
- cumulate gabbros, B:474–475, 484–485
 - metamorphosed cumulate gabbros, B:485
- lherzolites
- basement, A:75–83
 - geochemistry, B:416, 420
 - origin, A:82
 - petrology, B:377–395, 581
 - photograph, A:78; B:395
- limestone
- breccia, A:173
 - lithologic units, A:59–62
 - photograph, A:61–62, 87
- limestone, clayey, photograph, A:62
- limestone, faulted, photograph, A:86
- lineation, magnetic
- fabric, B:339
 - vs. depth, B:340–341
- lineation pitch, peridotites, B:402
- lipids, biomarkers, B:298–299
- Lisboa Canyon, continental margin, B:4, 6
- litharenites
- lithologic units, A:58–59
 - See also* sandstone
- lithic components, provenance, B:276
- lithofacies
- composition and textures, B:741–754
 - deposition, A:49; B:685–704
 - lithologic units, A:125
 - Lower Cretaceous, B:578–580
- lithologic units
- ages, characteristics, facies, environments and occurrences, A:120
 - lithostratigraphy, A:152–154
 - Site 897, A:46–62
 - Site 898, A:118–126
 - Site 899, A:152–175
 - Site 900, A:218–223
 - Site 901, A:264–267
 - Unit I, A:46–52, 118–122, 152–155, 218–220, 265
 - Unit II, A:52–58, 122–127, 155–158, 220–223, 265–267
 - Unit III, A:58–59, 158–159
 - Unit IV, A:59–62, 159–174
- lithology
- basement, A:76–77
 - neutron absorption cross section, B:595–599
- lithosphere
- extension, B:13
 - rifting, A:5; B:636–645
 - See also* continental crust; continental lithosphere; oceanic crust
- lithosphere extension
- rifting, B:636–645
 - tectonics, B:607–608
 - See also* extensional tectonics
- lithosphere stretching, ocean/continent transition, B:727–728
- lithostratigraphy
- correlation, A:215–217
 - lithologic units, A:121–122; B:687–688
 - Site 897, A:46–62
 - Site 898, A:118–127
 - Site 899, A:151–175
 - Site 900, A:214–223
- lizardite
- hydrous fluids, B:547
 - photomicrograph, B:552
 - secondary minerals, A:80
 - serpentinite, B:530
- Loule Fault
- maps, B:5
 - plate tectonics, B:4
- Lusitanian Basin
- extensional tectonics, B:636–645
 - plate tectonics, B:439
 - rifting, B:9–11
 - sand, B:274
 - tectonic units, B:9
 - thin-skin tectonics, B:13–15
- Lutetian, thin-skin tectonics, B:13
- Maastrichtian, benthic foraminifers, B:205–206
- Madeira Abyssal Plain, turbidites, B:289, 701
- Madeira–Tore Rise
- bathymetry, B:6
 - continental margin, B:4
 - plate tectonics, B:4
- mafic rocks
- petrology, A:232–235; B:449–469, 580–581
 - seafloor alteration, B:525–527
 - sources, A:258
- mafic rocks, metamorphosed, chemical composition, B:451–455, 459, 461
- magmas, basement, A:108–112
- magmatism
- dynamic rifting models, B:644–645
- Mesozoic, B:15–16
- ocean/continent transition, B:725–729
- rifting, B:636–645
- magnesium
- interstitial waters, A:136, 244
 - sediments, A:99
 - serpentinite, B:532–533, 535
 - vs. depth, A:100, 136, 192, 245
 - vs. iron in altered serpentinite, B:539
 - vs. iron in calcite, B:555
 - vs. manganese in calcite, B:555
 - vs. manganese in early vacuolized calcite, B:556
- magnesium number
- vs. chromium number in spinel, B:386
 - vs. depth in metamorphosed cumulate gabbros, B:482
 - vs. olivine from peridotites, B:383
- magnesium oxide
- vs. calcium oxide in basalt and diabase clasts, B:502
 - vs. depth, B:291, 422–423
 - vs. depth in metamorphosed cumulate gabbros, B:482
 - vs. loss of ignition in basalt and diabase clasts, B:502
- magnetic anomalies
- chart of North Atlantic Ocean adjacent to Iberian Peninsula, B:bp
 - charts, B:659–663, 667
 - ocean/continent transition, B:725–726
 - profiles, B:668–670, 672–673
 - rifted margins, B:665–674
- Magnetic Anomaly M0, plate tectonics, B:439
- magnetic declination, vs. depth, A:131, 181
- magnetic fabric
- sediments, B:335–342
 - See also* fabric
- magnetic field intensity, A:35–37
- magnetic inclination
- thermally demagnetized discrete samples, A:182
 - vs. depth, A:71–72, 131, 181, 233; B:322, 327, 333, 340–341, 444, 694–696
- magnetic intensity, vs. depth, A:71–72; B:436
- magnetic polarity, inferred, vs. depth, B:322, 327, 333, 694–696
- magnetic polarity, peridotites, B:436
- magnetic properties
- lithology, A:230–231
 - peridotites, B:435
- magnetic reversals, sediments, B:334
- magnetic signatures, peridotites, B:431–446
- magnetic susceptibility
- cores, A:141, 196, 253
 - discrete samples, A:101
 - histogram from serpentinized peridotite basement, A:75
 - peridotites, B:434
 - profiles, A:73, 131, 182, 231
 - vs. depth, B:443, 446
 - vs. turbidite layering, A:75
- magnetic susceptibility anisotropy
- peridotites, B:434, 436
 - sediments, B:335–342
 - vs. depth, B:444
- magnetic susceptibility, volume, vs. depth, A:74, 131, 182, 233
- magnetite
- chemical composition, B:461
 - clasts, A:166
 - oxygen isotopes, B:544–546, 552
 - photograph, A:80
 - secondary minerals, A:80

- magnetization
 acoustic basement, B:674
 ocean/continent transition, B:727–728
- magnetometers. *See also* towed ocean-bottom instrument
- magnetometers, deep-tow, rifted margins, B:665–674
- magnetostratigraphy
 Cenozoic, B:315–334
 chronostratigraphy, B:693
 datums, A:70–73, 129, 131, 181, 231
 Pliocene–Pleistocene calcareous nannofossils, B:158–160
 zoning, A:128
- major elements
 basalt and diabase clasts, B:499–500, 502
 basalts and diabase, A:172
 breccia, A:165
 composition in metamorphosed cumulate gabbros, B:480
 cumulate gabbros, B:473–474, 478–480, 488
 mafic rocks, A:235
 metamorphosed mafic rocks, A:236
 neutron absorption cross section, B:596–597
 peridotites, B:417–418, 420, 422–423
 serpentinite, B:519–527, 532–534, 536–538
 serpentinized peridotites, A:80–81
 turbidites, B:286–287
 ultramafic rocks, B:384–385, 390, 392–393, 395
 vs. depth, B:422–423
- manganese
 calcite, B:554–555
 interstitial waters, A:135, 191, 244
 sediments, A:98
 vs. depth, A:100, 136, 192
 vs. magnesium in calcite, B:555
 vs. magnesium in early vacuolized calcite, B:556
- manganese oxide, serpentinite, B:522–523
- mantle
 basement tectonics, B:613
 geochemistry, B:420
 ocean/continent transition, B:723
 peridotites, B:413–424
 rifting, B:636–645
 serpentinized peridotites, A:82
 uplift, B:406, 409–410
See also asthenosphere
- mantle, upper
 serpentinization, B:628–629
 structure, B:16–17
- marl, Neogene, B:283–284
- mass flows
 Barremian to Aptian, A:203
 basement, A:110
 breccia, A:167–168
 deposition, A:59–62
 lithologic units, A:119
 ocean/continent transition, B:719–722
 serpentinite breccia, B:572, 584–585
See also debris flows; gravitational sliding; gravity flows; landslide deposits; rock falls; slope failures; slump deposits; talus accumulations
- mass wasting, ocean/continent transition, B:729
- Matuyama Chron
 datums, A:231
 magnetostratigraphy, A:72, 129
 sediments, B:323
See also Brunhes/Matuyama boundary
- Matuyama/Gauss boundary
 datums, A:231
 sediments, B:322, 325, 327, 333
- Mediterranean Sea W
 plate tectonics, B:4
 seismicity, B:5
- megabreccia
 tectonics, A:61
See also breccia
- melange
 tectonics, A:61
- melt impregnation, ultramafic rocks, B:386
- melting, basement, A:108–112
- Mesozoic
 argon isotopes, B:494
 biostratigraphy, A:66; B:27–59
 magmatism, B:15–16
 tectonic units, B:8–11
See also Cretaceous; Jurassic
- Messejana Fault
 maps, B:5
 plate tectonics, B:4
See also Odemira–Avila Fault
- metabasites
 ocean/continent transition, B:719
 petrology, B:581
- metagabbro
 acoustic basement, B:721
 ocean/continent transition, B:722–725
 photomicrograph, B:587
- metamorphic petrology
 Site 897, A:73–83
 Site 900, A:231–236
- metamorphic rocks
 chemical composition, B:451
 fragments, A:50, 119
 geochemistry, A:236; B:471–488
 mafic rocks, A:233–235
 ocean/continent transition, B:728–729
 photograph, A:234
- metamorphism, peridotites, B:397–413
- metasediments, debris flows, B:719
- metasomatism
 hydrous fluids, B:546–548
 mantle, B:420
- methane
 sediments and rocks, A:133–134, 190, 243
 sources, A:96–97
 vs. depth, A:98, 134; B:303, 708–709
- methane, headspace, sediments, B:710
- methane/ethane ratio, deep-sea sediments, B:710
- methanogenesis, organic matter, B:705–712
- mica, lithologic units, A:51, 119
- micrite, calcite veins, B:565–567
- microbial activity, biomarkers, B:298–299
- microfaults
 photograph, A:85, 183, 237–238
 sediments, A:236–237
 structural domains, A:84
- microfossils, planktonic
 zoning, A:64, 128, 178, 232
- microgabbros
 Barremian to Aptian, A:203
 chemical composition, B:450–451, 453–455
 ocean/continent transition, B:719
 petrology, A:169, 172; B:581
 serpentinite, B:543
- microgabbros, foliated, photograph, A:238
- microgabbros, granoblastic, composition, A:233–235
- microgabbros, mylonitized, photograph, A:187
- microgabbros, porphyritic, photograph, B:452
- microgabbros, undeformed, photograph, B:452
- microstructure, peridotites, B:399–405
- mineral inclusions, authigenic minerals, B:531–532
- mineralogy
 sediments, B:748–749
 serpentinite, B:541–552
- Minho, continental margin, B:4, 6–7
- minor elements, serpentinized peridotites, A:81, 83
- Miocene
 biostratigraphy, A:177–178, 225, 227
 calcareous nannofossils, B:79–145
 compression, B:696
 contourites, A:145; B:695–696
 crustal compression, B:654, 656
 lithologic units, A:52–58, 122–127, 155–158, 219–223
 plate tectonics, B:438
 seismic stratigraphy, B:619
See also Oligocene/Miocene boundary
- Miocene, early middle, hiatuses, B:189
- Miocene, lower and middle, hiatuses, B:189
- Miocene, middle/late Miocene boundary, hiatuses, B:186
- Miocene/Pliocene boundary, hiatuses, B:186
- Moho
 depth, B:628–629
 ocean/continent transition, B:724
 slope, B:644
See also continental crust; lithosphere; mantle; ocean/continent transition; oceanic crust
- mottling
 lithologic units, A:122, 155
 sediments, B:284
See also bioturbation
- mudstone
 uniaxial reconsolidation, B:363–373
See also claystone
- mylonites
 Barremian to Aptian, A:203
 breccia, B:585
 ocean/continent transition, B:718
See also ultramylonites
- mylonitization
 peridotites, B:406, 409–410
 ridges, B:13
 ultramafic rocks, B:386
See also ultramylonitization
- nannofossils, calcareous
 biostratigraphy, A:62–66, 127–128, 175, 177–179, 223–225, 227, 267; B:579–580, 694
 Eocene biostratigraphy, B:61–78
 Mesozoic biostratigraphy, B:27–59
 Oligocene–Miocene biostratigraphy, B:79–145
 Pliocene–Pleistocene biostratigraphy, B:147–164
 stratigraphic distribution, B:bp
- Nazare Canyon
 continental margin, B:4, 6–7
 metamorphic rocks, B:729
- Nazare Fault
 maps, B:5
 plate tectonics, B:4
 tectonic units, B:8–9
- neoblasts
 composition, B:491
 photograph, B:462
- neodymium isotopes
 cumulate gabbros, B:474–475, 484–485
 ocean/continent transition, B:722
 vs. strontium isotopes in metamorphosed cumulate gabbros, B:484
- Neogene
 benthic foraminifers, B:217–239

- tectonic map, B:14
See also Cenozoic, upper
 neotectonics, maps, B:5
 neritic environment, benthic foraminifers,
 B:204–205
 neutron absorption cross section, lithology,
 B:595–599
 new taxa, calcareous nannofossils, B:27–59,
 79–145
 Newfoundland, ocean/continent transition, B:716
 Newfoundland Basin margin, models, B:614
 Newfoundland conjugate margin, continental
 rifting, B:635–647
 nickel
 serpentinite, B:523–524
 serpentized peridotites, A:81
 vs. calcium carbonate in serpentinite, B:524
 vs. chromium in serpentinites, A:82
 vs. depth in serpentinite, B:524
 nickel oxide, vs. depth, B:422–423
 nitrogen. *See* carbon/nitrogen ratio
 norite, cataclastic, composition, A:233–235
 normal faults, compression, B:654, 656
 North Atlantic Rifted Margins Detailed Planning
 Group, programs, A:5
 North Spanish Trough, plate tectonics, B:3–4
 Nunivak Subchron, magnetostratigraphy, A:73

 ocean/continent transition
 basement, A:108–112, 143–144, 203–205, 258
 basement tectonics, B:607–608
 compression, Miocene, B:654–656
 geophysical and geological overview, B:3–23
 Iberia Abyssal Plain, B:377–395
 magnetic anomalies, B:665–674
 models, A:7–9
 peridotites, B:397–413, 541–552
 rifting, B:636–645, 713–733
 seismic lines, B:737–739
 oceanic crust
 magnetic anomalies, B:667–674
 ocean/continent transition, B:722–725
 Odemira–Avila Fault
 plate tectonics, B:4
 See also Messejana Fault
 Olduvai Subchron
 magnetostratigraphy, A:72, 129
 sediments, B:323
 Oligocene
 biostratigraphy, A:178, 227
 calcareous nannofossils, B:79–145
 contourites, A:145; B:695–696
 lithologic units, A:122–127
 plate tectonics, B:4
 Oligocene, upper, hiatuses, B:189
 Oligocene/Miocene boundary, bioevents, B:89–90
 olistoliths, evolution, B:584–585
 olistostromes
 Aptian, B:579
 Aptian breccia, B:583–584
 lithofacies, B:691–693
 serpentinite breccia, B:577–591
 olivine
 major oxides, B:384
 peridotites, A:77, 79
 petrofabrics in peridotites, B:401
 photograph, B:388
 photomicrograph, B:552
 ultramafic rocks, B:379–380
 vs. magnesium number, B:383
 olivine, serpentized, photograph, B:417
 ooze, Neogene, B:283–284
 ooze, nannofossil
 lithologic units, A:47–58, 118–124, 152–155,
 218–220
 photograph, A:125
 ophicalcite
 breccia, A:204
 photograph, B:403
 serpentinite, B:535
 ophiolites
 serpentinite breccia, B:574
 Variscan basement, B:8
 Ordenes, Variscan basement, B:8
 organic matter
 black shales, B:295–300
 Pliocene to Pleistocene, B:705–712
 redox, B:301–304
 sediments and rocks, A:133, 190, 241, 243
 sources, A:93, 96
 turbidites, B:305–313
 Ormonde Seamount, bathymetry, B:6
 orthopyroxene
 major oxides, B:390
 peridotites, A:77, 79
 photograph, B:381
 ultramafic rocks, B:382
 orthopyroxene, kinked, photograph, A:80
 Ossa Morena Zone, Variscan basement, B:7–8
 Oxfordian, rifting, B:9–11
 oxidation
 seafloor alteration, B:519–527
 serpentinite, B:535
 oxides, chemical composition, B:454–455
 oxygen index, vs. hydrogen index, B:298, 313,
 710
 oxygen isotopes
 calcite, B:554
 calcium carbonate, B:708–709
 magnetite, serpentine and calcite, B:544–546,
 552
 serpentinite, B:541–552
 vs. carbon isotopes in fracture-filling calcite,
 B:557
 vs. depth, B:708
 vs. temperature for fracture-filling calcite,
 B:557

 paleoceanography
 Cretaceous, B:299
 Neogene, B:308
 Oligocene–Miocene calcareous nannofossils,
 B:118
 Paleocene
 biostratigraphy, A:227
 continental margin, B:6
 deep-water agglutinated foraminiferal
 assemblages, B:206
 hiatuses, B:189
 lithologic units, A:220–223
 paleocurrents
 fabric, B:339
 magnetic fabric, B:342
 paleodepth, subsidence, B:627–629
 paleoecology
 agglutinated foraminifers, B:209
 benthic foraminifers, B:194, 204–205
 calcareous nannofossils, B:29, 34–35
 Cenozoic dinocyst biostratigraphy, B:248–253
 Oligocene–Miocene calcareous nannofossils,
 B:79–145
 Paleogene, benthic foraminifers, B:203–216
 paleogeography
 Cretaceous, B:580
 serpentinite breccia, B:584–585
 paleomagnetic datums
 Cenozoic, B:323, 328, 333
 chronostratigraphy, B:693
 vs. biostratigraphic datums, A:73
 paleomagnetic events, Pliocene–Pleistocene
 calcareous nannofossils, B:158–160
 paleomagnetism
 peridotite, B:431–446
 Site 897, A:70–73
 Site 898, A:129–131
 Site 899, A:179–182
 Site 900, A:230–231
 paleoproductivity, sediments, B:299
 paleosalinity, sediments, A:99–100
 Paleozoic, Variscan basement, B:7–8
 palygorskite
 authigenic minerals, B:532
 replacement of serpentinite, B:534
 palyomorphs
 Cenozoic biostratigraphy, B:241–265
 See also dinocysts; dinoflagellates; pollen
 paragenesis
 in altered serpentinite, B:540
 serpentinite, B:534–535
 pargasite, hydrous fluids, B:546–548
 pargasite, titanium, serpentinite, B:543
 partial melting
 mantle, B:420
 ocean/continent transition, B:718, 723
 peridotites, B:405–406
 ultramafic rocks, B:386
 Pasisar system, tectonics and sedimentation,
 B:649–657
 passive margins
 sand provenance, B:269–280
 See also continental margin
 pebbles. *See also* boulders
 pebbles, basalt, Lower Cretaceous, B:578–580
 pelagic facies
 grain size, B:748
 lithologic units, A:47–51
 lithology, B:745
 pelagic sedimentation, Eocene, B:695
 pelagites
 deposition, A:49–50, 52, 56–59
 lithofacies, B:688
 lithologic units, A:119, 152–155, 159,
 218–220
 percentage in sediments, B:691
 photograph, A:226
 peridotite ridges
 distribution, B:13, 17
 magnetic anomalies, B:667–674
 ocean/continent transition, B:722–729
 See also serpentinite ridges
 peridotites
 Aptian, B:579
 Barremian to Aptian, A:203
 magnetic signatures, B:431–446
 mineralogy, B:541–552
 ocean/continent transition, B:718
 origin, A:82
 photograph, A:79, 167; B:412–413, 417, 419
 tectono-metamorphic evolution, B:397–413
 peridotites, banded, clasts, A:164–166
 peridotites, serpentized
 basement, A:108–112
 calcite veins, B:559–569
 clasts, A:164–166
 composition, A:75–83
 compression, B:654, 656
 geochemistry, B:413–424
 lithofacies, B:691–693
 lithologic units, A:59–62
 Miocene compression, B:654, 656
 neutron absorption cross section, B:595–599
 ocean/continent transition, B:723

- photograph, A:80, 87, 90, 93, 166, 174, 176, 186–187; B:403
 radionuclides, B:678–682
 serpentinite breccia, B:577–591
 peridotites, spinel–plagioclase, petrology, B:377–395
 petrography
 calcite veins, B:559–569
 lithologic units, A:47, 50, 55–56, 58, 119–121, 124–127, 154–155, 158, 162–175, 220, 222
 mafic rocks, A:233–235
 sand, B:278–280
 serpentinite, B:541–544
 ultramafic rocks, B:378–379
 petrology
 mafic rocks, B:449–469
 Site 899, A:151–175
 ultramafic rocks, B:377–395
 phlogopite, titanium, serpentinite, B:543
 phosphorus oxide
 serpentinite, B:520, 522
 vs. depth in serpentinite, B:523
 photoelectric factor logs, vs. depth, A:199
 physical properties
 Site 897, A:100–105
 Site 898, A:137–141
 Site 899, A:192–197
 Site 900, A:245–253
 physiography, continental margin, B:4, 6–7
 phytane. *See* pristane/phytane ratio
 plagioclase
 composition in metamorphosed cumulate gabbros, B:478
 geochemistry, B:473–488
 geochronology, B:489–495
 mafic rocks, A:234–235
 major oxides, B:395
 peridotites, A:79
 phenocryst photograph in basalt and diabase clasts, B:501
 phenocryst in basalt and diabase clasts, B:502
 photograph, A:235; B:388, 395, 417
 sediments, B:748–749
 serpentinite, B:530
 ultramafic rocks, B:382
 plagioclase, altered, photograph, A:80
 plagioclase, composition, A:233–235
Planolites
 lithologic units, A:52, 55, 124, 158, 221
 mottling, B:339
 photograph, A:56
 plant debris, lithologic units, A:266
 plate tectonics
 basement tectonics, B:613
 Cretaceous Magnetic Quiet Period, B:438
 geophysical and geological overview, B:3–4
 Iberia and Grand Banks, A:7
 Pleistocene
 biostratigraphy, A:224–225
 calcareous nannofossils, B:147–164
 hiatuses, B:185–186
 lithologic units, A:47–52, 118–122, 218–219, 264
 organic matter, B:305–313
 seismic stratigraphy, B:619
 turbidites, B:281–294, 696, 701, 705–712
 See also Quaternary
 Pliocene
 biostratigraphy, A:177, 225
 calcareous nannofossils, B:147–164
 hiatuses, B:185–186
 lithologic units, A:47–52, 118–122, 152–155, 218–219
 sediments, B:301–304
 seismic stratigraphy, B:619
 turbidites, B:281–294, 696, 701, 705–712
 See also Miocene/Pliocene boundary
 pollen. *See* dinocyst/pollen ratio
 pore pressure, sediments, B:370–372
 pore water
 sediments, B:302–303, 370–372
 See also interstitial waters
 porosity
 sedimentary rocks, B:349–350
 vs. depth, A:106, 137, 193, 250; B:340–341, 351, 360, 371, 531
 vs. effective vertical stress, B:370
 See also density–porosity–natural gamma ray logs
 porosity, fracture, serpentinite, B:530–531
 porosity, secondary, within serpentinite, B:531
 porphyroblastic textures
 peridotites, A:88
 photograph, A:235; B:491
 porphyry dikes
 magmatism, B:15
 See also dikes
 Porto Basin, tectonic units, B:8–9
 Porto Seamount
 continental margin, B:4, 6–7
 tectonic units, B:8–9
 Portugal, neotectonic map, B:5
 Portuguese margin W, geophysical and geological overview, B:3–23
 postrift tectonics, tectonostratigraphic units, B:625–627
 potassium
 interstitial waters, A:136, 191, 244
 sediments, A:99
 vs. depth, A:92, 100, 136, 245
 potassium logs
 onshore processing, A:201
 vs. depth, A:204
 potassium oxide
 serpentinite, B:520–522
 vs. depth in serpentinite, B:522
 vs. loss of ignition in basalt and diabase clasts, B:502
 potassium oxide logs, vs. depth, A:204
 precipitation, calcite veins, B:565–567
 precipitation, low-temperature, serpentinite, B:534–535
 precipitation, seafloor, calcite, B:553–558
 prehnite
 chemical composition, B:455
 clasts, A:167
 mafic rocks, A:234–235
 prehnite–pumpellyite facies, ocean/continent transition, B:719
 pressure, effective
 vs. depth, B:351
 vs. travelttime, B:347
 vs. velocity, B:347
 pressure, sedimentary rocks, B:348–349
 pristane/phytane ratio, biomarkers, B:298–299
 provenance
 lithologic units, A:220, 222
 sand, Iberian margin, B:269–280
 pumpellyite
 clasts, A:167
 See also prehnite–pumpellyite facies
 Pyrenees, plate tectonics, B:3–4
 pyrite
 photograph, A:176
 secondary minerals, A:80
 Pyrite belt, Variscan basement, B:8
 pyrolysis, carbon/nitrogen ratio, A:96
 pyrolysis, Rock-Eval
 organic matter, B:295–300, 707–708
 sediments and rocks, A:133, 243–244
 turbidites, A:134; B:306, 309–311
 pyroxenes
 chemical composition, B:451–453, 456–458
 mafic rocks, A:234–235
 ocean/continent transition, B:718
 pyroxenes, altered, photograph, B:417
 pyroxenites, clasts, A:164–166
 quartz
 authigenic minerals, B:532
 lithologic units, A:47, 119
 replacement of serpentinite, B:534
 sediments, B:748–749
 Quaternary
 benthic foraminifers, B:217–239
 foraminifer biostratigraphy, B:165–192
 organic matter, B:305–313
 sediments, B:301–304
 See also Pleistocene
 radioactivity logs, onshore processing, A:201
 radiogenic heat
 basement, B:675–682
 See also heat flow
 radiolarians, siliceous allochems, A:125, 156, 221
 radionuclides, heat flow, B:675–682
 rare earths
 basalt and diabase clasts, B:501–515
 in altered serpentinite, B:539–540
 mafic rocks, B:455, 459, 461–463, 469
 metagabbro, B:721
 neutron absorption cross section, B:597
 ocean/continent transition, B:719
 serpentinite, B:534–535
 spidergrams in basalt and diabase clasts, B:511–515
 rare earths, chondrite-normalized
 metamorphosed cumulate gabbros, B:483, 488
 peridotites, B:423–424
 recrystallization
 breccia, A:188–189
 peridotites, A:186; B:405–406
 recrystallization, dynamic, metagabbro, B:721
 red clay, Eocene, B:695
 redeposition
 benthic foraminifers, B:204–205
 Bolivina assemblages, B:207
 calcareous nannofossils, B:29
 sediments, B:299
 See also reworking
 redox
 sediments, B:301–304
 See also sulfate reduction
 reduction, organic matter, B:304
 reference materials, neutron absorption cross section, B:598
 reflection divergence, tectonostratigraphic units, B:625–627
 regression, Oligocene–Miocene calcareous nannofossils, B:118
 remanent magnetization, characteristic
 sediments, B:318–334
 vs. depth, B:444
 remanent magnetization, chemical, sediments, B:325–327
 remanent magnetization, depositional, sediments, B:325–327
 remanent magnetization, natural
 peridotites, B:434
 sediments, B:318–334
 vs. depth, A:71–72; B:318, 322, 327, 333, 436

- resistivity
 cores, A:137, 193, 196, 251
 discrete samples, A:101
 vs. depth, A:196, 251
 resistivity, short-focused, vs. depth, A:202
 resistivity logs, vs. depth, A:199, 254
 resistivity–natural gamma ray logs
 Site 899, A:206
 Site 900, A:260–261
 Reunion Subchron, magnetostratigraphy, A:129
 reverse faults
 Miocene, B:654
 unconformities, B:657
 reworking
 photograph, A:57, 157
See also redeposition
 rheology, continental lithosphere, B:637
 richterite, titanium, serpentinite, B:543
 rift basins, tectonostratigraphic units, B:625–627
 rift climax, tectonostratigraphic units, B:625–627
 rift initiation, tectonostratigraphic units,
 B:625–627
 rifted margins
 Atlantic Ocean N, A:5–10
 detachment tectonics, B:603–615
 tectonics, B:665–674
 rifting
 compression, B:654–656
 continental margin, B:9–11, 18, 730
 history, B:627
 lithosphere, A:5
 nonvolcanic margin, B:726
 ocean/continent transition, B:713–733
 peridotites, B:409–410
 plate tectonics, B:438–441
 sand, B:276
 tectonics, B:629
 rifting, continental, dynamic models, B:635–647
 rifting, propagating, ocean/continent transition,
 B:727
 rifting paths
 continental lithosphere, B:638
 extension, B:643
 rock falls, Cretaceous, B:627
 rock magnetism, peridotite, B:431–446
 Ronda Massif, fault zones, B:583
 rubidium, serpentinite, B:521–522
 Saint Vincent Canyon, continental margin, B:4,
 6–7
 sand
 fraction in cores, A:123
 lithologic units, A:47–58, 152–155, 218–220
 lithology vs. core number, A:220
 photograph, A:219
 provenance, B:269–280
 vs. carbonate content in contourites, B:692
 vs. core recovery, A:124
 sand, silty, photograph, A:157
 sandstone
 lithologic units, A:52–62, 124–126, 155–160,
 220–223; B:687–688
 photograph, A:57, 126, 157, 224–225
 sandstone, calcareous
 lithologic units, A:266
 photograph, A:225
 sandstone, clayey, lithologic units, A:58–59
 sandstone, ferruginous, Lower Cretaceous,
 B:578–580
 Santonian, seismic stratigraphy, B:623
 SAR. *See* Systeme Acoustique Remorque
 seafloor spreading
 magnetic anomalies, B:670–674
 ocean/continent transition, B:713–733
 rifting, B:627, 636–645
 subsidence, B:627–629
 tectonostratigraphic units, B:625–627
 timing, B:17–18
 sea-level changes
 Oligocene–Miocene calcareous nannofossils,
 B:118
 sediments, B:299
 secondary minerals
 peridotites, A:80
See also authigenic minerals
 secular variations, magnetic anomalies,
 B:659–663
 sediment loading, subsidence, B:627–629
 sediment thickness, vs. age, B:292
 sedimentary rocks
 breccia, A:172–175
 in-situ velocities, B:343–350
 sedimentation
 benthic foraminifers, B:219
 Cenozoic, A:205
 continental margin, A:258
 Cretaceous to Pleistocene, B:704
 drilling objectives, A:9
 relationship with tectonics, B:649–657
 sand, B:276
See also accumulation rates; deposition
 sedimentation rates
 Cenozoic, B:325
 Pliocene–Pleistocene calcareous nannofossils,
 B:160
 tectonostratigraphic units, B:626
 turbidites, B:711
 sediments
 deformation, A:83–88, 236–237
 Flinn diagrams, B:339
 lithofacies, B:741–754
 magnetic fabric, B:335–342
 magnetostratigraphy, B:315–334
 neutron absorption cross section, B:598
 occurrence, A:173
 petrography, A:47, 50, 55–56, 58–59
 photomicrograph, B:588
 postrift sequences, B:605, 607
 redox, B:301–304
 scanning electron microscopy
 photomicrographs, B:754
 structure, A:182–183
 X-ray diffraction data, B:753
 sediments, pelagic, Neogene, B:283–284
 Seia-Lousa Fault
 maps, B:5
 plate tectonics, B:4
 seismic calibration, sedimentation, B:653–654
 seismic data, deep-tow, sedimentation, B:649–657
 seismic lines
 Iberia Abyssal Plain, B:737–739
 location map, B:bp
 seismic lines, migrated, seismic stratigraphy,
 B:619–620, 624–625
 seismic profiles, depth-migrated integration with
 observations from the site,
 A:105–106, 141–143, 202–203, 256–257
 postrift sequences, B:606
 principal reflectors, A:110, 143
 reflection, A:149–150
 reflectors, A:117, 119, 213, 215, 265–267
 sedimentation, B:651–653, 655–656
 Site 897, A:44–47, 105–106
 Site 898, A:141–143
 Site 899, A:202–203
 Site 900, A:256–257
 seismic profiles, depth-migrated sections,
 basement tectonics, B:610–613
 seismic reflection profiling, Iberia W, A:35–37
 seismic reflectors
 basement tectonics, B:607–608
 depth, A:110, 142, 203, 258
 distribution of the inclined sequence, A:119
 integration with observations from the site,
 A:105–106
 sedimentary rocks, B:350
 seismic refraction, ocean/continent transition,
 B:724–725
 seismic sections, Iberia W, A:35–37
 seismic stratigraphy, tectonics, B:617–633
 seismic units
 age, B:624
 Aptian debris flows, B:693
 seismic stratigraphy, B:618–626
 seismicity
 map, B:5
 plate tectonics, B:4
 serpentinite
 authigenic minerals, B:532
 lithologic units, B:688
 microprobe data, B:550
 oxygen isotopes, B:544–546, 552
 photograph, A:62–63, 92, 174, 176; B:403
 secondary minerals, A:80
 serpentinite, B:544
 tension gashes, serpentinite, B:404–405
 serpentinite, fibrous, photograph, A:80
 serpentinite veins
 deformation, A:186–188
 peridotites, B:406
 photograph, A:88–89, 91–92, 187
 photomicrograph, B:589
 serpentinite
 clasts, A:164–166
 composition, A:81–83
 geochemistry, B:519–527, 541–552
 lithologic units, A:167–175
 magnetic susceptibility, A:75
 peridotites, A:75–83
 photograph, A:92, 166–167, 174–175, 187
 seafloor weathering, B:529–540, 553–558
 shear wave velocity, B:426–429
 serpentinite ridges
 Cretaceous, B:627
See also peridotite ridges
 serpentinitization
 basement, A:108–112
 compression, Miocene, B:654–656
 fabric, B:583
 hydrous fluids, B:546–548
 origin, A:82
 peridotites, A:79–80; B:397–424
 photograph, A:79; B:379, 395
 seafloor alteration, B:519–527
 subsidence, B:628–629
 Setubal Canyon, continental margin, B:4, 6–7
 shear bands, photograph, A:92
 shear strength, peak, vs. depth, A:140
 shear strength, undrained
 cores, A:137, 140, 196, 251
 peak strength vs. depth, A:196, A:251
 shear wave velocity, vs. azimuth, B:427–428
 shear zones
 alteration, B:404–405
 basement, A:238
 peridotites, B:407–409
 photograph, A:185–186
 serpentinite breccia, B:584
 serpentinitized peridotites, A:90
 shear zones, cataclastic, serpentinite breccia,
 B:572

- shear zones, conjugate, basement tectonics, B:614
 shear zones, ductile, ocean/continent transition, B:718
 sheared clays, structural domains, A:86
 silica
 interstitial waters, A:136, 191, 244
 sediments, A:99
 vs. depth, A:100, 136, 193, 245; B:422–423
 vs. depth in metamorphosed cumulate gabbros, B:482
 vs. loss of ignition in basalt and diabase clasts, B:502
 siliceous allochems
 vs. depth, A:125, 156, 221
 See also diatom allochems; radiolarian allochems; sponge spicules
 siliciclastics
 lithologic units, A:52, 220, 222
 rifting, B:627
 silt
 fraction in cores, A:123
 lithologic units, A:47–58, 118–124, 152–155, 218–220, 264, 266
 lithology vs. core number, A:220
 photograph, A:85
 vs. carbonate content in contourites, B:692
 vs. core recovery, A:124
 siltstone
 lithologic units, A:52–59, 124–126, 155–175, 220–223; B:687–688
 photograph, A:59, 63
 siltstone, clayey
 lithologic units, A:58–59
 photograph, A:160–161
 siltstone, laminated, photograph, A:85
 siltstone, quartzose, photograph, A:177
 Site 398, organic matter, B:295–300
 Site 534, Cat Gap Formation, A:267
 Site 638, organic matter, B:295–300
 Site 641, organic matter, B:295–300
 Site 897, A:41–113
 background and scientific objectives, A:42–43
 biostratigraphy, A:62–70
 calcite veins, B:559–569
 cataclasites, B:577–591
 consolidation, B:363–373
 coring summary, A:45
 Cretaceous biostratigraphy, B:29–33
 Cretaceous–Paleogene benthic foraminifers, B:209
 Cretaceous–Quaternary foraminiferal biostratigraphy, B:166–173
 Eocene nanofossils, B:62–63
 geochemistry, A:73–83
 geology, B:665–674
 gravity flows, B:719–721
 heat flow, B:675–684
 igneous petrology, A:73–83
 in-situ temperature measurements, A:106, 108
 inorganic geochemistry, A:97–100
 lithostratigraphy, A:46–62
 magnetic signatures, B:431–446
 magnetostratigraphy, B:318–323
 Mesozoic biostratigraphy, B:27–59
 metamorphic petrology, A:73–83
 ocean/continent transition, B:717–718
 Oligocene–Miocene nanofossil biostratigraphy, B:80–81
 operations, A:43–45
 organic geochemistry, A:93–97
 organic matter, B:295–300, 305–313
 paleomagnetism, A:70–73
 peridotite geochemistry, B:413–424
 physical properties, A:100–105
 Pliocene–Pleistocene calcareous nanofossils, B:149–158
 seafloor weathering, B:529–540, 553–558
 sediments, B:301–304, 741–754
 seismic profiles, A:105–106
 serpentine, B:519–527, 541–552
 site description, A:41–113
 site geophysics, A:45–46
 structural geology, A:83–93
 ultramafic rocks, B:426–427
 Site 898, A:115–146
 background and scientific objectives, A:116
 biostratigraphy, A:127–129
 Cenozoic dinoflagellate biostratigraphy, B:243–252
 Cretaceous–Paleogene benthic foraminifers, B:209
 Cretaceous–Quaternary foraminiferal biostratigraphy, B:170–175
 Eocene nanofossils, B:63
 geology, B:665–674
 in-situ temperature measurements, A:143–144
 inorganic geochemistry, A:134–137
 lithostratigraphy, A:118–127
 magnetostratigraphy, B:322–325
 Neogene–Quaternary benthic foraminifers, B:218
 Oligocene–Miocene nanofossil biostratigraphy, B:81
 operations, A:116
 organic geochemistry, A:131–134
 organic matter, B:305–313
 paleomagnetism, A:129–131
 physical properties, A:137–141
 Pliocene–Pleistocene calcareous nanofossils, B:151–155, 158, 160
 sediments, B:301–304, 741–754
 seismic profiles, A:141–143
 site description, A:115–146
 site geophysics, A:116–118
 Site 899, A:147–209
 background and scientific objectives, A:148
 biostratigraphy, A:175–179
 calcite veins, B:559–569
 cataclasites, B:577–591
 Cretaceous biostratigraphy, B:33–34
 Cretaceous–Quaternary foraminiferal biostratigraphy, B:173–177
 downhole logging, A:198–200
 geochemical data onshore processing, A:200–202
 geochemistry, B:497–515
 geology, B:665–674
 gravity flows, B:719–721
 inorganic geochemistry, A:190–192
 lithostratigraphy, A:151–175
 magnetic signatures, B:431–446
 Mesozoic biostratigraphy, B:27–59
 ocean/continent transition, B:718–719
 Oligocene–Miocene nanofossil biostratigraphy, B:81
 operations, A:149–151
 organic geochemistry, A:189–190
 organic matter, B:305–313
 paleomagnetism, A:179–182
 petrology, A:151–175
 physical properties, A:192–197
 Pliocene–Pleistocene calcareous nanofossils, B:155–156
 seafloor weathering, B:529–540, 553–558
 sediments, B:741–754
 seismic profiles, A:202–203
 serpentine, B:541–552
 serpentine breccia, B:571–575
 site description, A:147–209
 site geophysics, A:151
 structural geology, A:182–189
 ultramafic rocks, B:427
 well-logging, A:198–200
 Site 900, A:211–262
 background and scientific objectives, A:212
 basement tectonics, B:721–722
 biostratigraphy, A:223–230
 Cenozoic dinoflagellate biostratigraphy, B:243, 252–253
 Cretaceous–Paleogene benthic foraminifers, B:209
 Cretaceous–Quaternary foraminiferal biostratigraphy, B:177–184
 downhole logging, A:253–256
 Eocene nanofossils, B:63
 geochemistry, A:231–236
 geochronology, B:489–494
 geology, B:665–674
 heat flow, B:675–684
 igneous petrology, A:231–236
 in-situ temperature measurements, A:257–258
 inorganic geochemistry, A:244–245
 lithostratigraphy, A:214–223
 magnetostratigraphy, B:323, 331–333
 metamorphic petrology, A:231–236
 metamorphosed cumulate gabbros, B:471–488
 nanofossils, calcareous, B:bp
 Neogene–Quaternary benthic foraminifers, B:218
 Oligocene–Miocene nanofossil biostratigraphy, B:81, 83
 operations, A:212–213
 organic geochemistry, A:241–244
 organic matter, B:305–313
 paleomagnetism, A:230–231
 physical properties, A:245–253
 Pliocene–Pleistocene calcareous nanofossils, B:156–160
 sediments, B:741–754
 seismic profiles, A:256–257
 site description, A:211–262
 site geophysics, A:213–214
 structural geology, A:236–241
 ultramafic rocks, B:427–428
 well-logging, A:253–256
 Site 901, A:263–268
 basement tectonics, B:722
 geology, B:665–674
 Jurassic benthic foraminifers, B:193–201
 Jurassic biostratigraphy, B:28–29
 Mesozoic biostratigraphy, B:27–59
 site description, A:263–268
 site geophysics
 Site 898, A:116–118
 Site 899, A:151
 Site 900, A:213–214
 skeletal debris
 lithologic units, A:50
 skeletal sediments, lithologic units, A:119
 skewness
 sediments, B:747
 vs. depth, B:289
Skolithos, lithologic units, A:124
 slickenlines, photograph, A:86
 slide structures, turbidites, B:287
 slope failures, serpentine breccia, B:574
 slump deposits
 lithologic units, A:158
 lithostratigraphy, B:690–691
 See also mass flows
 slump folds
 photograph, A:160–161

- structural domains, A:83–84
slump structures
 photograph, A:160–161
 turbidites, B:287
smectite
 authigenic minerals, B:531–532
 lithologic units, A:120, 222
sodium
 sediments, A:100
 vs. chromium number in clinopyroxene from peridotites, B:394
 vs. titanium in clinopyroxene from peridotites, B:394
sodium + potassium
 vs. aluminum in calcic amphiboles, B:544
 vs. aluminum for calcic amphiboles from mafic rocks, B:463
soft sediment deformation, structural domains, A:83–88
sonic waveforms, well-logging, A:200
sorting, vs. depth, B:289
South Portuguese Zone, Variscan basement, B:7–8
spinel
 chemical composition, B:461
 major oxides, B:385
 microprobe data, B:552
 peridotites, A:79
 photograph, A:80; B:388, 417
 seafloor alteration, B:519–527
 ultramafic rocks, B:381–382
spinel, chromian, serpentinite, B:530, 532–534
spinel inclusions, photograph, B:462
sponge spicules, siliceous allochems, A:125, 156, 221
stable isotopes
 vein calcite, B:557
 See also carbon isotopes; oxygen isotopes; strontium isotopes
standard mean ocean water, calcite precipitation, B:555
Stoney waves, well-logging, A:200
strain, vs. depth, B:357
strain, vertical
 vs. differential stress, B:368
 vs. effective mean stress, B:368
 vs. effective stress, B:365
 vs. effective vertical stress, B:368
strain, volume, apparent, vs. depth, B:358
strain rates, lithosphere, B:644
strength, lithosphere, B:639
stress, differential, vs. effective mean stress, B:368
stress, effective
 mean, vs. differential stress, B:368
 vs. compressional wave velocity, B:369
 vs. vertical strain, B:365
 vertical, vs. vertical strain, B:368
stress, yield, sediments, B:370–372
strontium
 interstitial waters, A:136, 244
 sediments, A:99
 serpentinite, B:522
 vs. depth, A:99, 136, 169, 245
 vs. depth in serpentinite, B:522
strontium isotopes
 calcite, B:554
 cumulate gabbros, B:474–475, 484–485
 vs. neodymium isotopes in metamorphosed cumulate gabbros, B:484
 vs. time for fracture-filling calcite, B:557
structural domains
 deformation, A:83–88
 See also deformation
structural geology
 Site 897, A:83–93
 Site 899, A:182–189
 Site 900, A:236–241
subarkose
 photograph, A:62
subchrons
 boundaries, B:701
 See also chrons
subsidence
 tectonics, B:627–629
 See also total tectonic subsidence
subsidence, post-rift, drilling objectives, A:10
sulfate
 interstitial waters, A:135, 191, 244; B:709–710
 sediments, A:97; B:301–304
 vs. depth, A:99, 135, 192; B:303, 708–709
sulfate reduction
 organic matter, B:705–712
 See also redox
sulfides, secondary minerals, A:80
syncrystallization, chlorite and amphibole, B:546
synrift sedimentation, breccia, A:61–62
Système Acoustique Remorque, magnetic anomalies, B:665–674
Tagus Abyssal Plain
 bathymetry, B:6
 continental margin, B:4
 seafloor spreading, B:17–18
 transition, A:7
Tagus Fault
 maps, B:5
 plate tectonics, B:4
talc, clasts, A:166
talus accumulations, serpentinite breccia, B:572
tectonic disturbance, fabric, B:339
tectonics
 debris flows, B:719–722
 peridotites, B:397–413
 relationship with sedimentation, B:649–657
 seismic stratigraphy, B:617–633
 serpentinite breccia, B:577–591
 See also detachment tectonics; extensional tectonics; total tectonic subsidence
tectonics, postrift, Cretaceous, B:627
tectonostratigraphic units, rifted margins, B:625–627
temperature
 locus of extension, B:639
 Site 897, A:106, 108
 Site 898, A:143–144
 Site 900, A:257–258
 vs. Bullard depth, B:680
 vs. Bullard's F function, A:257–258
 vs. time, A:144, 257–258
 well-logging, A:199
temperature, in-situ
 cores, A:107–108, 143–144
 logs, A:257–258
temperature, WSTP
 depths, A:258
 rocks, A:110
 vs. Bullard's F function, A:111, 144
 vs. time, A:111
tension gashes, sigmoidal, serpentine, B:404–405
Tertiary, lower, gravitational flows, B:695
Tertiary, tectonic units, B:8–9
Tethys
 agglutinated foraminifers, B:209–210
 Glomospira event, B:206–207
textures
 alteration, B:399–405
 breccia, A:188
 lithofacies, B:741–754
 photograph in cumulate gabbros, B:477
textures, crack-seal, veins, B:564
thermal conductivity
 cores, A:141–142, 197–198, 253, 255
 discrete samples, A:101
 rocks, A:109
 vs. Bullard depth, B:680
 vs. depth, A:108, 141, 197, 253
thermal properties, continental lithosphere, B:638
thermal resistivity
 depths, A:258
 rocks, A:110
thermomechanical models, rifting, B:636–645
 third-order cycle, Oligocene–Miocene calcareous nannofossils, B:118
tholeiites
 magmatism, B:15
 See also basalts
thorium logs
 onshore processing, A:201
 vs. depth, A:204
time scales, rifting, B:627
titanite, clasts, A:166
titanium
 vs. aluminum in mafic clasts, B:458
 vs. chromium number in clinopyroxene from peridotites, B:394
 vs. chromium number in orthopyroxene from peridotites, B:391
 vs. chromium number in spinel, B:389
 vs. sodium in clinopyroxene from peridotites, B:394
titanium oxide
 serpentinite, B:520, 523
 vs. aluminum oxide in serpentinite, B:523
 vs. depth, A:235; B:291, 422–423
 vs. depth in metamorphosed cumulate gabbros, B:482
 vs. depth in serpentinite, B:523
Tithonian
 biostratigraphy, B:28–29
 foraminifers, B:722
 lithologic units, A:265–267
 ocean/continent transition, B:722
 rifting, B:11
 See also Jurassic
TOBI. *See* towed ocean-bottom instrument
tonalite, Variscan basement, B:8
Tore Seamount
 bathymetry, B:6
 continental margin, B:4
Tortonian, thin-skin tectonics, B:13–14
total tectonic subsidence
 cross sections, B:631–633
 crustal extension, B:628–629
 vs. time, B:629
towed ocean-bottom instrument, magnetic anomalies, B:665–674
trace elements
 basalt and diabase clasts, B:500–515
 breccia, A:165
 calcite, B:553–554
 composition in metamorphosed cumulate gabbros, B:480
 cumulate gabbros, B:474, 480, 483, 488
 fracture calcite, B:555
 mafic rocks, A:235; B:455–468
 metagabbro, B:721
 metamorphosed mafic rocks, A:236
 microprobe elemental maps of alteration patch, B:486–487
 neutron absorption cross section, B:596–597
 peridotites, B:418, 420, 423–424
 serpentinite, B:519–527

- serpentinized peridotites, A:81–82
 spider diagrams in basalt and diabase clasts, B:503–507, 509–514
 spider diagrams in metamorphosed cumulate gabbros, B:483
- trace fossils
 lithologic units, A:124, 158
See also bioturbation; *Chondrites*; mottling; *Planolites*; *Skolithos*; *Zoophycos*
- transform faults
 serpentinite breccia, B:574
 tectonics, B:584–585
 transgression, Oligocene–Miocene calcareous nannofossils, B:118
- traveltime
 laboratory data, B:346–347
 vs. depth, A:201
 vs. effective pressure, B:347
- traveltime, two-way
 seismic stratigraphy, B:621
 vs. depth, A:108
- traveltime logs, vs. depth, A:254
- tremolite
 hydrous fluids, B:546–548
 serpentinite, B:543–544
- Triassic
 magmatism, B:15
 rifting, B:9–11
- turbidite facies
 grain size, B:748–749
 lithofacies, B:745–747
- turbidites
 Cenozoic, A:145
 deposition, A:50, 52, 56–59, 204
 geochemistry, A:97–100
 lithofacies, B:689
 lithologic units, A:47–51, 119, 122, 152–155, 158, 218–220; B:687–688
 magnetic susceptibility, A:75
 Neogene, B:281–294
 organic matter, B:305–313, 705–712
 percentage in sediments, B:691
 photograph, A:54–55, 124–125, 219, 223, 226
 Pliocene and Pleistocene, B:696, 701
 redox, B:301–304
 Rock-Eval pyrolysis, A:134
 sedimentation, A:258–259
 vs. pelagic sediments, B:284
- turbidites, carbonate-rich, lithologic units, A:52–58
- turbidity currents
 frequency, B:292
 lithologic units, A:122, 155, 220, 222
 magnetic fabric, B:342
 Neogene, B:308
- turbidity flows, lithologic units, A:56–59
- Turonian
 seismic stratigraphy, B:623
See also Cenomanian–Turonian Boundary Event
- ultramafic rocks
 acoustic properties, B:425–429
 ocean/continent transition, B:377–395
 petrology, B:581
- seafloor alteration, B:525–527
 tectono-metamorphic evolution, B:397–413
- ultramylonites, ocean/continent transition, B:718
- ultramylonitization, ridges, B:13
- unconformities
 biostratigraphy and acoustic indicators, B:655
 lithologic units, A:221
 Miocene, A:145
 seafloor spreading, B:17–18
See also hiatuses
- underway geophysics, A:35–37
- uplifts
 debris flows, B:719–721
 mantle dome, B:410
 plate tectonics, B:438–440
- uranium logs
 onshore processing, A:201
 vs. depth, A:204
- Valanginian, rifting, B:9–11, 627
- vanadium
 serpentinite, B:523
 vs. depth, A:235
 vs. depth in serpentinite, B:524
- Variscan basement, B:4, 7–8
See also Hercynian orogeny
- Vasco da Gama Seamount
 continental margin, B:4, 6–7
 seismic stratigraphy, B:624
 tectonic units, B:8–9
- vein thickness, vs. depth, A:168
- veinlets, photograph, A:80
- veins
 calcite, B:553–558
 petrography, B:559–569
 photograph, A:80, 174–175, 240
 replacement minerals, B:532
 serpentine, B:406
 serpentinized peridotites, A:88–90
 shear wave velocity, B:428–429
 stable isotopes, B:557
- veins, clastic-texture, photograph, A:189
- velocity
 histogram in cores, A:108
 vs. depth, A:107, 140, 196–197, 252; B:344, 351
 vs. effective pressure, B:347
See also acoustic properties; compressional wave velocity; geotechnical properties
- velocity, acoustic
 cores, A:140–141, 196–197, 251–253
 discrete samples, A:101
 histogram in basement rocks, A:253
- velocity, discrete, acoustic, cores, A:141
- velocity, Hamilton Frame, rocks, A:107
- velocity, in-situ, sedimentary rocks, B:343–350
- velocity, PWL, vs. depth, A:141, 252
- velocity logs, vs. depth, A:199
- velocity models, basement tectonics, B:608–609, 613
- velocity–natural gamma ray logs, A:207–208
- Vigo Seamount
 bathymetry, B:6
 continental margin, B:4, 6–7
- metamorphic rocks, B:729
 organic matter, B:295–300
 tectonic units, B:8–9
- Vilarica Fault
 maps, B:5
 plate tectonics, B:4
- volcanic ash, lithologic units, B:688
- water content, vs. depth, B:360
- weathering, seafloor
 acoustic basement, B:720–722
 geochemistry, B:497–515
 serpentinite, B:519–527, 529–540
 serpentinite and serpentinite breccia, B:553–558
- websterites
 alteration, B:399–405
 ocean/continent transition, B:718
 petrology, B:377–395
 photograph, B:380–382, 388
 serpentinite, B:543
- well-logging
 composite plot, A:199
 neutron absorption cross section, B:595–599
 oxide factors for normalizing, A:202
 quality, A:255–256
 Site 899, A:198–200
 Site 900, A:253–256
See also downhole logging
- Whale Basin, plate tectonics, B:439
- wrench tectonics, evolution, B:584–585
- yttrium, vs. depth, A:235
- zinc
 serpentinite, B:524
 vs. depth in serpentinite, B:525
- zirconium, vs. depth, B:291
- zonation
 biostratigraphy, B:28–34
 boundaries, B:701
 calcareous nannofossils, B:61–64
 Cenozoic dinocyst biostratigraphy, B:245–248
 Cretaceous–Quaternary planktonic foraminifers, B:166, 169–184
 Oligocene–Miocene calcareous nannofossils, B:83–90
 Pliocene–Pleistocene calcareous nannofossils, B:148–149
- Zone N19
 datums, A:231
 sediments, B:325
- Zone N23/N22, sediments, B:323
- Zone NN11, accumulation rates, B:289
- Zone NN15
 datums, A:231
 sediments, B:325
- Zone NN16, sediments, B:323
- Zone NN19a, sediments, B:322–323, 327, 333
- Zoophycos*
 lithologic units, A:52, 55, 124, 158, 221
 mottling, B:339
 photograph, A:57, 126, 237
 sediments, A:236

VOLUME 149 TAXONOMIC INDEX

- abies*, *Sphenolithus*, Site 899, A:177
abisectus, *Cyclicargolithus*
 Iberia Margin W, B:124, 138
 Site 897, A:65
 Site 898, B:81
 Site 899, A:178
 Site 900, B:90, 116
Acarinina broedermanni
 Site 897, B:169
 Site 900, B:181
Acarinina pentacamerata
 Site 897, A:70; B:169
 Site 900, A:230
Acarinina pseudotopilensis, Site 897, B:169
Acarinina soldadoensis, Site 900, A:230
achlyostaurion, *Parhabdololithus*, Site 897, B:32
achlyostaurion, *Rhagodiscus*
 Site 897, B:32–33, 579–580
 Site 899, B:31, 33, 580
Achomospaera andalouisiensis
 Iberia Abyssal Plain, B:254, 265
 Site 898, B:246, 248, 252
Achomospaera andalouisiensis Zone, Site 898,
 B:246
Achomospaera ramulifers, Iberia Abyssal Plain,
 B:254, 265
Achomospaera umbracula, Iberia Abyssal Plain,
 B:254, 265
achylosum, *Corolithion*, Site 897, B:32
acostaensis, *Neogloboquadrina*
 Site 897, A:67
 Site 899, B:177
acrostoma, *Globorotalia*, Site 900, A:228
aculeatum, *Impagidinium*
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:246
 Site 900, B:252
acuta, *Helicosphaera*
 Site 897, B:150–151
 Site 899, B:155
 Site 900, B:157
acutum, *Corolithion*, Site 897, B:32
acutus, *Ceratolithus*, Iberia Abyssal Plain, B:149
aequalis, *Micrantholithus*, Iberia Margin W,
 B:126, 145
akropodus n. sp., *Sphenolithus*
 Iberia Margin W, B:127, 130, 142
 Site 897, B:81
 Site 900, B:83, 90–91
alabamensis/primitiva, *Hantkenina*, Site 900,
 B:181
alata, *Nannotetrina*
 Site 897, A:66
 Site 900, A:227
albatrosiana, *Thoracosphaera*, Site 897, A:65
aliferum, *Impagidinium*
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:247
 Site 900, B:253
altiaperturus, *Globigerinoides*, Site 898, B:173
altiformis, *Trochammina*, Iberia Abyssal Plain,
 B:214
altispira altispira, *Globoquadrina*, Site 897,
 B:166
altispira altispira, *Globorotalia*, Site 899, A:179
altus, *Chiasmolithus*
 Iberia Margin W, B:123, 133
 Site 900, B:90
Amaurolithus amplificus, Site 900, B:117
 Site 898, B:154–155
 Site 900, B:156
Aschemocella carpathica, Iberia Abyssal Plain,
 B:212
Aschemocella grandis, Iberia Abyssal Plain,
 B:212
asper, *Rhagodiscus*
 Site 897, A:66
 Site 901, B:29
aspinatum, *Impagidinium*
 Iberia Abyssal Plain, B:256, 265
 Site 898, B:245
asymmetricus, *Discoaster*
 Iberia Abyssal Plain, B:124, 137, 149, 161,
 163
 Site 897, A:65; B:151
 Site 899, A:177
 Site 900, A:225; B:117
asymmetricus, *Stradnerlithus*, Iberia Margin W,
 B:46, 57
atlantica, *Neobulimina*, Site 901, B:193, 197, 201
atlantica, *Neogloboquadrina*
 Iberia Abyssal Plain, B:165
 Site 898, A:129; B:170
 Site 900, B:177
atmetros, *Stephanolithion*, Site 901, B:29
aubryae n. sp., *Sphenolithus*
 Iberia Margin W, B:99, 128, 130, 142
 Site 898, B:103
Auineloculina seminulum, Site 900, B:237
aulakos, *Discoaster*, Iberia Margin W, B:124, 137
aureus, *Orthozygus*, Iberia Margin W, B:126, 145
australiense, *Apteodinium*
 Iberia Abyssal Plain, B:254, 263
 Site 898, B:246
 Site 900, B:252
Ausulosphaera bowonii, Site 901, A:267
Axopodorhabdus cylindricus, Site 901, A:267;
 B:42, 59
Axopodorhabdus rahla, Site 901, B:29, 42, 59

bacatum, *Impagidinium*
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:247
barbadiensis, *Discoaster*
 Iberia Abyssal Plain, B:61, 63
 Site 897, A:66
 Site 899, A:178; B:63
 Site 900, A:227; B:63, 83
barleanum, *Nonion*, Site 900, B:238
barnesae, *Watznaueria*
 Site 897, A:66
 Site 901, A:267
baroemoenensis, *Globoquadrina*, Site 899, B:177
Bathysiphon spp.
 Site 899, B:177
 Site 900, B:230
Batiacasphaera sphaerica, Iberia Abyssal Plain,
 B:254, 263
beccarii, *Ammonia*, Site 900, B:239
beckmanii, *Polycostella*, Site 901, B:29
belemnus, *Sphenolithus*
 Iberia Margin W, B:128, 142
 Site 899, A:178
 Site 900, B:102–103
bellus, *Discoaster*
 Iberia Margin W, B:124, 137
 Site 900, B:117
bellus, *Discoaster* cf. *Discoaster*, Iberia Margin

- W, B:124, 137
berggrenii, *Discoaster*, Site 900, A:227
bermudezi, *Globigerina*, Site 898, B:170
bifax, *Discoaster*
 Iberia Abyssal Plain, B:62, 76
 Site 897, A:66; B:62
bigelowii, *Braarudosphaera*
 Site 897, B:32
 Site 899, B:33, 580
bigotii, *Stephanolithion*
 Iberia Margin W, B:46, 57
 Site 901, A:267; B:28
bijugatus, *Zygrhablithus*
 Iberia Abyssal Plain, B:74, 129, 144
 Site 897, B:62
 Site 900, B:63
bilobata, *Orbulina*, Site 899, B:177
binodosus, *Discoaster*, Iberia Abyssal Plain, B:77
Biscutum rotatorium comb. nov., Site 901, A:267;
 B:42
bisecta, *Reticulofenestra*
 Site 897, B:80
 Site 899, A:178
 Site 900, A:227; B:83
bisecta bisecta, *Reticulofenestra*
 Iberia Abyssal Plain, B:90
 Site 898, B:98
bisectus, *Dictyococcites*
 Site 897, B:62
 Site 900, B:63
Bitectatodinium tepikiense
 Iberia Abyssal Plain, B:254, 264–265
 Site 898, B:248–249, 252
 Site 900, B:253
Blackites gladius, Site 897, A:66
bobii, *Fasciculithus*, Site 900, A:227
Bolivina aff. *liasica*, Site 901, B:194, 201
Bolivina pygmae, Site 900, B:239
Bolivina spp., Iberia Abyssal Plain, B:212
Bolivina/Brizalina, Site 898, B:231
bollii, *Discoaster*
 Iberia Margin W, B:124, 137
 Site 897, A:65
 Site 900, A:227; B:116
bollii, *Discoaster* cf. *Discoaster*
 Iberia Margin W, B:124, 137
 Site 898, B:116
bononiensis, *Globorotalia*, Site 899, B:177
bowonii, *Ausulosphaera*, Site 901, A:267
braarudii, *Discoaster*, Iberia Margin W, B:124,
 137
Braarudosphaera bigelowii
 Site 897, B:32
 Site 899, B:33, 580
Braarudosphaera regularis, Site 901, B:42, 59
Braarudosphaera sp., Site 900, A:227
bradyi, *Eggerella*, Site 900, B:237
bramlettei, *Geminolithella*, Iberia Margin W,
 B:125, 135
bramlettei, *Helicosphaera*, Iberia Margin W,
 B:125, 140
bramlettei, *Tribrachiatius*
 Iberia Abyssal Plain, B:61
 Site 900, B:63
Bramletteius serraculoides
 Iberia Abyssal Plain, B:76
 Site 900, B:90
brezae, *Cyclagelosphaera*, Site 901, A:267
Brigantodinium spp.
 Iberia Abyssal Plain, B:254, 266
 Site 898, B:247–248, 252
britannica, *Ellipsagelosphaera*, Site 897, A:66
broedermanni, *Acarinina*
 Site 897, B:169
 Site 900, B:181
brouweri, *Discoaster*
 Iberia Abyssal Plain, B:148
 Site 897, A:65; B:150–151
 Site 899, A:177
 Site 900, A:225; B:160
brouweri brouweri, *Discoaster*, Site 898, A:128
brouweri triradiatus, *Discoaster*, Site 898, A:128
buckeri, *Nannocosmus*, Site 897, A:66
bukryi, *Granatarhabdus*
 Iberia Margin W, B:44, 56
 Site 901, B:28
bulbifera, *Neobulimina*, Site 901, B:197, 199
bulloides, *Pullenia*, Site 900, B:238
buxtorfi, *Planomalina*, Iberia Abyssal Plain,
 B:209
Calcicalathina aff. *Calcicalathina oblongata*
 Site 897, A:66
 Site 899, A:179
Calcicalathina oblongata
 Site 897, A:66; B:32
 Site 899, A:179
Calcicalathina sp., Site 897, B:579
Calcidiscus leptoporus
 Iberia Abyssal Plain, B:163
 Site 897, B:149–150
 Site 898, A:128; B:154
 Site 899, A:178
Calcidiscus macintyre
 Site 897, A:65; B:150
 Site 898, A:127–128; B:116, 155, 252
 Site 899, A:177; B:155
 Site 900, A:225; B:157
Calcidiscus pataecus comb. nov., Iberia Margin
 W, B:129
Calcidiscus premacintyre
 Site 898, B:103
 Site 899, A:177–178
 Site 900, B:116
Calcidiscus protoannulus, Iberia Abyssal Plain,
 B:74
Calcidiscus radiatus, Iberia Margin W, B:123,
 132
Calcidiscus tropicus, Site 898, B:99
Calciavascularis sp. 1, Site 901, B:29, 42, 54
Caligodinium pychnum
 Iberia Abyssal Plain, B:254, 263
 Site 898, B:245
calyculus, *Catynaster*, Site 900, A:227
calyculus, *Sphenolithus*, Iberia Margin W, B:128,
 141
Campylosphaera dela, Site 897, A:66
Campylosphaera eodela, Site 900, A:227
Camuralithus pelliculatus n. gen., n. sp.
 Iberia Margin W, B:123, 129, 133
 Site 899, B:99
Cannosphaeropsis cf. *Cannosphaeropsis*
utimensis, Iberia Abyssal Plain, B:255,
 262
capricornutus, *Sphenolithus*
 Iberia Abyssal Plain, B:90, 128, 142
 Site 898, B:99
caribbeanica, *Gephyrocapsa*
 Iberia Abyssal Plain, B:161
 Site 897, A:65; B:150
 Site 898, A:127–128; B:154–155
 Site 900, A:224–225; B:157
carinatus, *Triquetrorhabdulus*
 Iberia Margin W, B:129, 144
 Site 897, A:65
 Site 898, A:128; B:103
 Site 899, A:178
 Site 900, B:91
carniolensis, *Lucianorhabdus*, Site 901, A:267
carpathica, *Aschemocella*, Iberia Abyssal Plain,
 B:212
carteri, *Helicosphaera*
 Site 897, B:151
 Site 898, B:98
carteri, *Helicosphaera* aff. *Helicosphaera*
 Iberia Margin W, B:125, 139
 Site 900, B:91
Cassidulina laevigata
 Site 898, B:231
 Site 900, B:239
Cassidulina reniforme, Site 900, B:238
Cassidulina subglobosa
 Site 898, B:218, 231
 Site 900, B:233
Cassidulinoides sp., Site 900, B:237
Cassigerinella chipolensis, Site 898, A:129
Catapsydrax dissimilis
 Site 897, B:166
 Site 898, A:129; B:173
 Site 899, B:177
Catapsydrax dissimilis/unicava, Iberia Abyssal
 Plain, B:165
Catapsydrax stainforthi
 Site 897, A:67
 Site 898, B:173
 Site 899, A:179; B:177
 Site 900, A:229
Catapsydrax unicavus
 Site 898, B:173
 Site 899, B:177
 Site 900, A:229
catheta, *Retecapsa*, Site 901, A:267
Catinaster coalitus, Iberia Abyssal Plain W, B:80
Catynaster calyculus, Site 900, A:227
centrocarpum, *Operculodinium*
 Iberia Abyssal Plain, B:257, 263
 Site 898, B:247–248, 252
 Site 900, B:253
Ceratolithus acutus, Iberia Abyssal Plain, B:149
Ceratolithus spp., Site 897, A:65
cerroazulensis cerroazulensis, *Globorotalia*, Site
 900, A:230
cerroazulensis cocoaensis, *Globorotalia*, Site 900,
 A:230
cerroazulensis frontosa, *Globigerinoides*, Site
 897, B:170
cerroazulensis frontosa, *Globorotalia*, Site 900,
 B:181
challengeri, *Triquetrorhabdulus*
 Iberia Margin W, B:129, 144
 Site 898, B:98
 Site 900, B:102
charoides, *Glomospira*
 Iberia Abyssal Plain, B:206, 212, 215
 Site 899, A:179; B:177
 Site 900, A:230
 Site 901, B:196
Chiasmolithus altus
 Iberia Margin W, B:123, 133
 Site 900, B:90
Chiasmolithus expensus, Iberia Abyssal Plain,
 B:77
Chiasmolithus gigas
 Iberia Abyssal Plain, B:78
 Site 897, A:66; B:63
 Site 900, A:227
Chiasmolithus grandis, Site 897, A:66
Chiasmolithus medius, Iberia Margin W, B:123,
 133
Chiasmolithus oamaruensis
 Iberia Abyssal Plain, B:63–64, 123, 133
 Site 897, A:66

- Site 900, B:63
Chiasmolithus oamaruensis Zone, Site 897, B:62
Chiasmolithus solitus
 Iberia Abyssal Plain, B:64
 Site 900, A:227; B:63
Chiastozygus aff. *Chiastozygus litterarius*, Site 897, A:66
Chiastozygus leptostaurus, Site 901, B:42, 58
Chiastozygus litterarius Zone
 Site 897, B:32
 Site 899, B:31–32
chiastus, *Microstaurus*
 Iberia Margin W, B:44, 56
 Site 897, A:66
 Site 901, A:267; B:29
chipolensis, *Cassigerinella*, Site 898, A:129
Chiropteridium mespilanum
 Iberia Abyssal Plain, B:255, 264
 Site 898, B:245
 Site 900, B:252
choanophorum, *Melitasphaeridium*, Iberia Abyssal Plain, B:256–257, 264
Cibicides lobatulus, Site 900, B:239
Cibicides wuellerstorfi, Site 900, B:238
Cibicidoides robertsonianis, Site 900, B:239
Cibicidoides spp., Site 900, A:230
cinctum, *Hystriochokolpoma*
 Iberia Abyssal Plain, B:256, 263
 Site 898, B:245
ciperoensis, *Sphenolithus*
 Iberia Abyssal Plain, B:90, 128, 141
 Site 897, A:65; B:80
 Site 898, A:128; B:81, 98
 Site 899, A:178; B:81
 Site 900, A:227; B:83, 91, 98
ciperoensis angulissuturalis, *Globigerina*
 Site 897, A:67; B:169
 Site 898, B:173
 Site 900, A:229
ciperoensis ciperoensis, *Globigerina*
 Site 897, B:169
 Site 898, B:173
ciperoensis, *Globigerina*, Site 898, A:129
circumradiatus, *Markalius*, Site 897, A:66
circus n. sp., *Reticulofenestra*
 Iberia Margin W, B:127, 130, 138
 Site 897, B:91
 Site 900, B:91
clatratum, *Thurmannolithion*, Iberia Margin W, B:46, 56
Clausicoccus fenestratus
 Iberia Margin W, B:123, 134
 Site 897, A:66
 Site 898, A:128; B:99
 Site 900, A:227
Clausicoccus obrutus
 Iberia Margin W, B:123, 134
 Site 897, A:66
Clausicoccus subdistichus
 Site 897, A:66
 Site 900, A:227
Clausicoccus tasmaniae, Site 900, A:227
Clausicoccus vanheckae comb. nov.
 Iberia Margin W, B:123–124
 Site 900, A:227
claviger, *Rhabdosphaera*, Site 898, B:154
Clepsilithus meniscus sp. nov., Site 901, B:42, 55
coalitus, *Catinaster*, Iberia Abyssal Plain W, B:80
Coccolithus crassipons, Site 897, A:65; B:149
Coccolithus doronocoides
 Site 897, A:65
 Site 898, A:128
Coccolithus eopelagicus, Iberia Abyssal Plain, B:75
Coccolithus floridanus, Site 900, B:63
Coccolithus formosus
 Site 897, A:66
 Site 899, B:63
Coccolithus miopelagicus
 Site 898, A:128
 Site 900, A:227; B:117
Coccolithus pelagicus
 Iberia Margin W, B:124, 135
 Site 897, A:65; B:62
 Site 899, B:63
 Site 900, B:63
Coccolithus sp. 1, Iberia Margin W, B:124, 135
cometa n. sp., *Sphenolithus*
 Iberia Margin W, B:128, 130, 142
 Site 899, B:99
communis, *Ellipsagelosphaera*, Site 901, A:267
communis, *Lejeunecysta*
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:247
compacta, *Helicosphaera*
 Iberia Abyssal Plain, B:75, 125, 140
 Site 897, A:65
 Site 898, A:128
 Site 899, A:178
 Site 900, A:227; B:91
conglobatus conglobatus, *Globigerinatheka*, Site 900, B:181
congregatum, *Polysphaeridium*, Iberia Abyssal Plain, B:257, 263
conicus, *Cretarhabdus*, Site 901, B:43, 56
conicus, *Sphenolithus*
 Site 898, B:101
 Site 900, A:227
coniformis, *Karrerulina*, Iberia Abyssal Plain, B:206, 209, 213
conoidea, *Globorotalia*, Site 899, A:179; B:177
Conotrochammina whangaia, Iberia Abyssal Plain, B:212
contortus, *Tibrachiatus*
 Iberia Abyssal Plain, B:77
 Site 900, B:63
Conusphaera, Site 899, B:34
Conusphaera mexicana, Site 897, A:66
Conusphaera mexicana mexicana, Site 901, B:28, 43, 54
Conusphaera mexicana minor
 Site 899, A:179
 Site 901, A:267; B:28–29, 42, 52–55
Conusphaera rothii
 Site 897, A:66
 Site 899, B:33–34
Conusphaera sinespina sp. nov., Site 901, B:43
convallis, *Minylitha*
 Iberia Margin W, B:126, 144
 Site 900, B:117
conversa, *Karrerulina*, Iberia Abyssal Plain, B:209, 213, 215
coptensis, *Tetrapodorhabdus*, Iberia Margin W, B:46, 59
Corollithion achylosum, Site 897, B:32
Corollithion acutum, Site 897, B:32
Corollithion protosignum, Site 897, B:32
Coronocyclus aff. *Coronocyclus prionion*, Iberia Margin W, B:124, 136
Coronocyclus nitescens
 Iberia Margin W, B:74, 124, 136
 Site 897, B:116
 Site 898, A:128
 Site 899, A:178
 Site 900, A:227
corpulenta, *Globigerina*, Site 900, A:230
Corrudinium harlandii, Iberia Abyssal Plain, B:255, 266
covingtonii sp. nov., *Ansulasmaera*, Site 901, B:42, 49
crassa, *Hormosina* cf., Iberia Abyssal Plain, B:212
crassaformis, *Globorotalia*
 Site 897, A:67
 Site 900, A:228
crassaformis crassaformis, *Globorotalia*
 Site 899, A:179; B:177
 Site 900, A:228; B:178
crassaformis s. l., *Globorotalia*, Site 899, A:179
crassipons, *Coccolithus*, Site 897, A:65; B:149
crassum, *Operculodinium*
 Site 898, B:246
 Site 900, B:252–253
Crenolithus doronocoides, Iberia Margin W, B:124, 138
Crepidolithus parvulus sp. nov., Site 901, B:43, 55
cretacea, *Archaeoglobigerina*, Site 899, A:179; B:177
cretacea, *Prediscosphaera*, Site 897, B:32
cretaceus, *Ammodiscus*, Iberia Abyssal Plain, B:206, 212
Cretarhabdus conicus, Site 901, B:43, 56
Cribrocentrum reticulatum
 Iberia Abyssal Plain, B:63
 Site 897, B:62
cricota, *Umbilicosphaera*, Iberia Margin W, B:129, 136
crucicentralis, *Watznaueria*, Site 901, B:29
Cruciellipsis cuvillieri
 Site 897, A:66; B:32
 Site 901, B:29
Crucioplacolithus tenuis, Iberia Abyssal Plain, B:76
Cryptococcolithus mediaperforatus comb. nov.
 Iberia Margin W, B:124, 133
 Site 900, B:83, 103, 117
cryptomphala, *Globigerina*, Site 900, A:229; B:181
cultrata, *Globorotalia*, Iberia Abyssal Plain, B:165
cuvillieri, *Cruciellipsis*
 Site 897, A:66; B:32
 Site 901, B:29
cuvillieri, *Hexapodorhabdus*
 Iberia Margin W, B:44, 59
 Site 901, B:29
Cyclagelosphaera brezae, Site 901, A:267
Cyclagelosphaera deflandrei, Site 901, B:43
Cyclagelosphaera margerelii, Site 901, A:267
Cyclammia amplexens Zone, Iberia Abyssal Plain, B:207
Cyclammia spp., Site 899, A:179; B:177
Cyclicargolithus abisectus
 Iberia Margin W, B:124, 138
 Site 897, A:65
 Site 898, B:81
 Site 899, A:178
 Site 900, B:90, 116
Cyclicargolithus floridanus
 Iberia Abyssal Plain, B:74, 124, 138
 Site 897, B:62
 Site 898, A:128
 Site 899, A:177; B:63
 Site 900, B:116
Cyclicargolithus formosus
 Site 897, B:62
 Site 899, A:178
 Site 900, B:63
Cyclopsiella granosa, Iberia Abyssal Plain, B:255, 263
cylindratum, *Axopodorhabdus*, Site 901, A:267; B:42, 59

- cylindrica*, *Rhabdammina*, Iberia Abyssal Plain, B:213
- Cymatiosphaera invaginata*
Site 898, B:247
Site 900, B:253
- Dapsilidinium pastielsii*
Iberia Abyssal Plain, B:255, 263
Site 900, B:252
- Dapsilidinium pseudocolligerum*
Iberia Abyssal Plain, B:255, 263
Site 898, B:246
- Dapsilidinium* sp.
Iberia Abyssal Plain, B:255, 263
Site 900, B:252
- daviesi*, *Reticulofenestra*, Iberia Margin W, B:127, 138
- debilis*, *Dentalina*, Site 901, B:196, 200
- decoraperta*, *Globigerina*, Site 898, B:173
- deflandrei*, *Cyclagelosphaera*, Site 901, B:43
- deflandrei*, *Discoaster*
Iberia Margin W, B:124, 137
Site 899, A:178
Site 900, A:227; B:117
- deflandrei nodosus* new variation, *Discoaster*, Iberia Margin W, B:130
- dehiscens*, *Globoquadrina*
Iberia Abyssal Plain, B:165
Site 898, A:129
Site 899, A:179
- dehiscens*, *Sphaeroidinella*, Iberia Abyssal Plain, B:165
- dehiscens dehiscens*, *Globigerina*, Site 899, B:177
- dela*, *Campylosphaera*, Site 897, A:66
- delicata*, *Thalassiphora*
Iberia Abyssal Plain, B:258, 262
Site 898, B:245
Site 900, B:252
- delicatus*, *Amaurolithus*
Site 897, B:151
Site 899, A:177; B:156
Site 900, A:225, 227; B:157
- delphix*, *Sphenolithus*
Iberia Margin W, B:128, 142
Site 898, B:97, 99
- delrioensis*, *Hedbergella*, Site 897, A:70; B:170
- Dentalina debilis*, Site 901, B:196, 200
- Dentalina seorsa*, Site 901, B:196, 200
- Dentalina-Marginulina*, Site 901, B:196, 200
- denticulata*, *Hystriochokolpoma*, Site 898, B:246
- deshayesi* ammonite Zone, Site 899, B:32
- detecta* n. sp., *Ericsonia*, Iberia Margin W, B:125, 130, 135
- Diadorhombus scutulatus*, Site 901, B:43, 57
- Diazomatolithus galicianus* sp. nov., Site 901, B:43, 50
- Diazomatolithus lehmanii*
Site 897, A:66
Site 901, A:267; B:43
- Dictyococcites bisectus*
Site 897, B:62
Site 900, B:63
- Dictyococcites perplexa*, Site 898, B:154
- Dictyococcites productus*, Site 898, B:154
- Dictyococcites retiformis*, Iberia Abyssal Plain, B:76
- dictyoda*, *Reticulofenestra*
Iberia Abyssal Plain, B:75
Site 900, B:63
- Dinocyst Assemblage 1, Site 900, B:252
- Dinocyst Assemblage 3, Site 900, B:252
- Dinocyst Assemblage 4, Site 900, B:252
- Dinocyst Assemblage 5, Site 900, B:253
- Dinocyst Assemblage 6, Site 900, B:253
- Dinocyst Zone I, Site 898, B:245, 248
- Dinocyst Zone II, Site 898, B:246
- Dinocyst Zone III, Site 898, B:247
- Dinocyst Zone IV
Site 898, B:247
Site 900, B:253
- Dinocyst Zone V
Site 898, B:248
Site 900, B:253
- diplogrammus*, *Zeughrabdotos*, Site 897, A:66
- Discoaster*, Site 900, B:81
- Discoaster asymmetricus*
Iberia Abyssal Plain, B:124, 137, 149, 161, 163
Site 897, A:65; B:151
Site 899, A:177
Site 900, A:225; B:117
- Discoaster asymmetricus* Zone
Site 899, B:155
Site 900, B:157
- Discoaster aulakos*, Iberia Margin W, B:124, 137
- Discoaster barbadiensis*
Iberia Abyssal Plain, B:61, 63
Site 897, A:66
Site 899, A:178; B:63
Site 900, A:227; B:63, 83
- Discoaster bellus*
Iberia Margin W, B:124, 137
Site 900, B:117
- Discoaster berggrenii*, Site 900, A:227
- Discoaster bifax*
Iberia Abyssal Plain, B:62, 76
Site 897, A:66
- Discoaster binodosus*, Iberia Abyssal Plain, B:77
- Discoaster binodosus* Zone, Site 900, B:63
- Discoaster bollii*
Iberia Margin W, B:124, 137
Site 897, A:65
Site 900, A:227; B:116
- Discoaster braurudii*, Iberia Margin W, B:124, 137
- Discoaster brouweri*
Iberia Abyssal Plain, B:148
Site 897, A:65; B:150–151
Site 899, A:177
Site 900, A:225; B:160
- Discoaster brouweri brouweri*, Site 898, A:128
- Discoaster brouweri triradiatus*, Site 898, A:128
- Discoaster brouweri* Zone
Site 897, B:151
Site 899, B:155
Site 900, B:157
- Discoaster* cf. *Discoaster bellus*, Iberia Margin W, B:124, 137
- Discoaster* cf. *Discoaster bollii*
Iberia Margin W, B:124, 137
Site 898, B:116
- Discoaster deflandrei*
Iberia Margin W, B:124, 137
Site 899, A:178
Site 900, A:227; B:117
- Discoaster deflandrei* var. *nodosus* new variation, Iberia Margin W, B:130
- Discoaster druggii*
Iberia Margin W, B:124, 137
Site 897, A:65
Site 898, B:81
Site 899, A:178; B:99
- Discoaster exilis*
Site 898, B:103
Site 899, A:177
- Discoaster extensus*, Iberia Margin W, B:124, 137
- Discoaster hamatus*
Site 897, A:65
- Site 900, A:227
- Discoaster kugleri*
Iberia Margin W, B:124, 137
Site 898, B:81, 116
Site 900, B:116
- Discoaster kuepperi*, Site 897, A:66
- Discoaster lodoensis*
Site 897, A:66
Site 900, B:63
- Discoaster lodoensis* Zone, Site 900, B:63
- Discoaster loeblichii*, Site 897, A:65
- Discoaster micros* comb. nov., Iberia Margin W, B:124, 137
- Discoaster moorei*
Site 899, A:178
Site 900, B:103
- Discoaster multiradiatus*
Iberia Abyssal Plain, B:78
Site 897, A:66
- Discoaster musicus*, Iberia Margin W, B:125, 137
- Discoaster pentaradiatus*
Site 897, A:65
Site 898, B:155
Site 899, A:177; B:155–156
Site 900, B:117
- Discoaster pentaradiatus* Zone, Site 899, B:155
- Discoaster petaliformis*, Site 898, B:103
- Discoaster prepentaradiatus*, Site 899, A:177
- Discoaster quinqueramus*
Iberia Abyssal Plain, B:149
Site 897, A:65
Site 899, A:177
Site 900, A:227
- Discoaster quinqueramus* var. A, new variation, Site 900, B:116–117
- Discoaster saipanensis*
Iberia Abyssal Plain, B:61, 63
Site 897, A:66; B:62
Site 899, A:178; B:63
Site 900, A:227; B:63, 83
- Discoaster saipanensis* Zone, Site 900, B:63
- Discoaster* sp., Site 897, A:65
- Discoaster sublodoensis*
Iberia Abyssal Plain, B:61
Site 897, A:66; B:63
Site 900, B:63
- Discoaster surculus*
Site 897, B:158
Site 899, A:177
Site 900, B:117
- Discoaster surculus* Zone
Site 897, B:151
Site 900, B:157
- Discoaster tamalis*
Site 897, A:65; B:151
Site 898, B:155
Site 899, A:177; B:155
Site 900, A:225; B:117
- Discoaster tani*, Site 897, A:66
- Discoaster tani nodifer*, Site 897, A:66
- Discoaster tani nodifer* Zone
Site 897, B:62
Site 900, B:63
- Discoaster triradiatus*
Iberia Abyssal Plain, B:163
Site 897, B:151
Site 898, B:155
Site 900, A:225; B:157
- Discoaster variabilis*
Site 897, A:65
Site 898, A:128

- Site 899, A:178
Discoaster wemmelensis, Site 900, A:227
Discoaster woodringii, Site 900, A:227
discopora, *Pontosphaera*, Iberia Abyssal Plain, B:163
Discorhabdus patulus, Site 901, A:267
disjuncta, *Sphaeroidinellopsis*
 Site 898, A:129; B:173
 Site 899, B:177
dissimilis, *Catapsydrax*
 Site 897, B:166
 Site 898, A:129; B:173
 Site 899, B:177
dissimilis, *Sphenolithus*
 Site 899, A:178
 Site 900, A:227; B:103
dissimilis/unicava, *Catapsydrax*, Iberia Abyssal Plain, B:165
Distatodinium paradoxum, Iberia Abyssal Plain, B:255, 264
distentus, *Sphenolithus*
 Iberia Margin W, B:128, 141
 Site 897, A:65
 Site 898, A:128
 Site 899, A:178; B:81
 Site 900, B:91
distichus, *Ellipsolithus*, Iberia Abyssal Plain, B:78
doronicooides, *Reticulofenestra*, Iberia Abyssal Plain, B:161
doronocoides, *Coccolithus*
 Site 897, A:65
 Site 898, A:128
doronocoides, *Crenalithus*, Iberia Margin W, B:124, 138
Dorothia ouachensis, Iberia Abyssal Plain, B:205, 209, 212
dorsetensis, *Palaeopontosphaera*, Iberia Margin W, B:44, 51
druggii, *Discoaster*
 Iberia Margin W, B:124, 137
 Site 897, A:65
 Site 898, B:81
 Site 899, A:178; B:99
druggii, *Sumatradinium*, Iberia Abyssal Plain, B:258, 263
druryi, *Globigerina*, Site 900, B:178
dubia, *Palaeopontosphaera*, Iberia Margin W, B:44, 51
dubius, *Neococcolithus*, Iberia Abyssal Plain, B:74
Duplexipodorhabdus plethotretus, Site 901, B:28
- editus*, *Sphenolithus*, Iberia Abyssal Plain, B:74
Eggerella bradyi, Site 900, B:237
erikianum, *Operculodinium?*
 Iberia Abyssal Plain, B:257, 263
 Site 898, B:247
 Site 900, B:252–253
elegans, *Zeughrabdodus*, Site 897, A:66
elegans, *Zygodiscus*
 Site 897, B:32, 579
 Site 899, B:33, 580
elevata, *Globotruncanita*, Site 899, A:179
Ellipsagelosphaera britannica, Site 897, A:66
Ellipsagelosphaera communis, Site 901, A:267
Ellipsagelosphaera reinhardtii, Site 901, A:267; B:29
Ellipsolithus distichus, Iberia Abyssal Plain, B:78
elliptica, comb. nov., *Palaeopontosphaera*, Iberia Margin W, B:44
ellipticus, *Markalius*
 Iberia Margin W, B:44, 58
 Site 897, A:66
 Site 899, A:179
- Site 901, A:267; B:29
elongata, *Helicosphaera*, Iberia Margin W, B:125
elongatus, *Reophax*, Iberia Abyssal Plain, B:209, 213
Elphidium margaritaceum, Site 900, B:239
embergeri, *Zeughrabdodus*, Site 901, A:267; B:28
Emiliania huxleyi
 Iberia Abyssal Plain, B:147, 161
 Site 897, A:65; B:149
 Site 898, A:127
 Site 900, A:224
Emiliania huxleyi Zone
 Site 897, B:149
 Site 898, B:151
Emiliania pujosae, Site 898, A:127
enormis, *Pontosphaera*
 Iberia Abyssal Plain, B:89
 Site 898, A:128; B:98
 Site 899, A:178
 Site 900, A:227
eocaena, *Globigerina*
 Site 897, A:67; B:169
 Site 900, A:230; B:181
eodela, *Campylosphaera*, Site 900, A:227
Eoguttulina aff. *liassica*, Site 901, B:196, 201
eopelagicus, *Coccolithus*, Iberia Abyssal Plain, B:75
epigona, *Rzehakina*, Iberia Abyssal Plain, B:205, 209, 213
Epistomina spp., Site 901, B:196, 201
Epistomina uhligi, Site 901, B:193–194, 196, 201
Epistomina uhligi Zone, Site 901, B:193
Epistominella exigua
 Site 898, B:218, 231
 Site 900, B:218, 233, 237
Epistominella takayanagii, Site 900, B:237
Eponides tumidulus, Site 900, B:237
Eponides weddellensis
 Site 898, B:218, 231
 Site 900, B:233
Eprolithus floralis
 Site 897, B:32
 Site 899, B:32, 580
 Site 901, A:267
erectus, *Zeughrabdodus*, Site 901, A:267
Ericsonia detecta n. sp., Iberia Margin W, B:125, 130, 135
Ericsonia formosa
 Iberia Margin W, B:125, 135, 189
 Site 897, A:66; B:80
 Site 900, B:83, 90
Ericsonia sp. 1
 Iberia Margin W, B:125, 135
 Site 900, B:97
erismata, *Palaeopontosphaera*, Iberia Margin W, B:44, 51
escaigii, *Polypodorhabdus*, Iberia Margin W, B:45, 56
Ethmorhabdus gallicus, Site 901, A:267; B:43, 59
Ethmorhabdus hauterivianus, Site 901, B:28, 43, 59
Ethmorhabdus rimosus, Site 901, B:43, 59
Ethmorhabdus sp. 1, Iberia Margin W, B:44
Ethmorhabdus spp., Site 901, A:267
etrusca, *Galeacysta*, Iberia Abyssal Plain, B:255, 266
euphratis, *Helicosphaera*
 Site 898, B:100
 Site 900, A:227
exelsa, *Nothia*, Iberia Abyssal Plain, B:212
exigua, *Epistominella*
 Site 898, B:218, 231
 Site 900, B:218, 233, 237
exilis, *Discoaster*
- Site 898, B:103
 Site 899, A:177
exilis, *Globorotalia*, Iberia Abyssal Plain, B:165
expensus, *Chiasmolithus*, Iberia Abyssal Plain, B:77
extensus, *Discoaster*, Iberia Margin W, B:124, 137
extensus, *Triquetrorhabdulus*, Site 900, A:225, 277
extremus, *Globigerinoides*
 Site 897, A:67
 Site 898, A:129
- Fasciculithus bobii*, Site 900, A:227
Fasciculithus hayii, Site 900, A:227
Faviconus multicolonnatus, Site 901, A:267; B:28
favula, *Miravetessina*, Iberia Margin W, B:44, 56
fenestratus, *Clausicoccus*
 Iberia Margin W, B:123, 134
 Site 897, A:66
 Site 898, A:128; B:99
 Site 900, A:227
fenestratus, *Reinhardtites*, Site 897, A:66
filifera, *Filipsphaera*, Iberia Abyssal Plain, B:255, 264
Filipsphaera filifera, Iberia Abyssal Plain, B:255, 264
fissus, *Zeughrabdodus*, Site 901, A:267
Flabellites oblongus
 Iberia Margin W, B:44
 Site 897, B:33, 579–580
 Site 899, B:31, 580
flandrini, *Gavelinella*, Iberia Abyssal Plain, B:205, 209
fletcheri, *Perissocyclus*, Site 901, B:28
floralis, *Eprolithus*
 Site 897, B:32
 Site 899, B:32, 580
 Site 901, A:267
floralis, *Lithastrinus*, Site 897, A:66
floridanus, *Coccolithus*, Site 900, B:63
floridanus, *Cyclicargolithus*
 Iberia Abyssal Plain, B:74, 124, 138
 Site 897, B:62
 Site 898, A:128
 Site 899, A:177; B:63
 Site 900, B:116
floripes, *Homotryblium*
 Iberia Abyssal Plain, B:255, 264
 Site 898, B:245
fohsi, *Globorotalia*, Iberia Abyssal Plain, B:189
fohsi peripheroronda, *Globorotalia*
 Site 897, A:67; B:166
 Site 898, B:173
formosa, *Ericsonia*
 Iberia Abyssal Plain, B:125, 135, 189
 Site 897, A:66; B:80
 Site 900, B:83, 90
formosus, *Coccolithus*
 Site 897, A:66
 Site 899, B:63
formosus, *Cyclicargolithus*
 Site 897, B:62
 Site 899, A:178
 Site 900, B:63
fossacincta, *Watznaueria*, Site 901, A:267
francofurana, *Reticulofenestra*, Iberia Margin W, B:127, 138
franconica, *Lingulina*, Site 901, B:197, 200
Fronicularia spp., Site 901, B:196, 200
fulgens, *Nannotetrina*, Iberia Abyssal Plain, B:78
furcatolithoides, *Sphenolithus*, Site 897, A:66; B:63
Fursenkoina fusiformis, Site 898, B:219, 231
furtiva, *Pickelhaube*

- Iberia Margin W, B:45, 56
Site 901, A:267; B:28
- fusa*, *Ilseolithina*
Iberia Margin W, B:126, 143
Site 899, B:100
Site 900, B:83, 90
- fusififormis*, *Fursenkoina*, Site 898, B:219, 231
- Galeacysta etrusca*, Iberia Abyssal Plain, B:255, 266
- galicianus* sp. nov., *Diazomatolithus*, Site 901, B:43, 50
- gallicus*, *Ethmorhabdus*, Site 901, A:267; B:43, 59
- Gansserina gansseri* Zone, Site 899, A:179
- gartneri*, *Helicosphaera*, Iberia Margin W, B:126, 140
- Gaudryina* spp., Iberia Abyssal Plain, B:212
- Gavelinella flandrini*, Iberia Abyssal Plain, B:205, 209
- gelida*, *Reticulofenestra*, Site 899, B:156
- Geminilithella bramlettei*, Iberia Margin W, B:125, 135
- Geminilithella rotula*, Site 898, B:99
- Gephyrocapsa caribbeanica*
Iberia Abyssal Plain, B:161
Site 897, A:65; B:150
Site 898, A:127–128; B:154–155
Site 900, A:224–225; B:157
- Gephyrocapsa oceanica*
Iberia Abyssal Plain, B:148, 163
Site 897, A:65; B:150
Site 900, A:225; B:156–157
- Gephyrocapsa oceanica* s.l., Iberia Abyssal Plain, B:161, 163
- Gephyrocapsa oceanica* Zone
Site 897, B:149
Site 898, B:154
Site 900, B:156
- Gephyrocapsa omega*
Site 898, A:127
Site 900, A:225
- Gephyrocapsa parallela*, Iberia Abyssal Plain, B:163
- Gephyrocapsa* sp.
Site 897, A:65; B:149–151
Site 898, A:127–128; B:160
Site 900, A:224–225; B:117
- Gephyrocapsa* sp. A–B, Site 898, B:155
- gigas*, *Chiasmolithus*
Iberia Abyssal Plain, B:78
Site 897, A:66; B:63
Site 900, A:227
- gizoensis*, *Hughesius*, Iberia Margin W, B:126, 134
- gladius*, *Blackites*, Site 897, A:66
- gladius*, *Rhabdosphaera*, Iberia Abyssal Plain, B:62, 75
- Globigerina angulisuturalis*, Site 898, A:129
- Globigerina bermudezi*, Site 898, B:170
- Globigerina ciperoensis*, Site 898, A:129
- Globigerina ciperoensis angulisuturalis*
Site 897, A:67; B:169
Site 898, B:173
Site 900, A:229
- Globigerina ciperoensis ciperoensis*
Site 897, B:169
Site 898, B:173
- Globigerina corpulenta*, Site 900, A:230
- Globigerina cryptomphala*, Site 900, A:229; B:181
- Globigerina decoraperta*, Site 898, B:173
- Globigerina dehiscens dehiscens*, Site 899, B:177
- Globigerina druryi*, Site 900, B:178
- Globigerina eocaena*
Site 897, A:67; B:169
Site 900, A:230; B:181
- Globigerina inaequispira*, Site 897, B:170
- Globigerina linaperta*, Site 900, B:181
- Globigerina nepenthes*
Iberia Abyssal Plain, B:165
Site 899, A:179; B:177
Site 900, A:228
- Globigerina praebulloides*
Site 897, B:166
Site 898, B:173
- Globigerina senni*, Site 900, B:181
- Globigerina subquadratus*, Site 897, B:166
- Globigerina tripartita*
Site 897, B:169
Site 900, A:230
- Globigerina woodi*, Site 897, B:166
- Globigerina woodi woodi*, Site 900, B:178
- Globigerina yeguaensis*, Site 900, A:229
- Globigerinatheka conglobatus conglobatus*, Site 900, B:181
- Globigerinatheka index*
Site 897, A:67, 70
Site 900, A:230
- Globigerinelloides* spp., Site 897, B:170
- Globigerinoides altiapertura*, Site 898, B:173
- Globigerinoides cerroazulensis frontosa*, Site 897, B:170
- Globigerinoides extremus*
Site 897, A:67
Site 898, A:129
- Globigerinoides higginsi*, Site 897, B:170
- Globigerinoides primordius*, Site 897, A:67
- Globigerinoides* spp.
Site 899, A:179; B:177
Site 900, A:229
- Globoquadrina altispira altispira*, Site 897, B:166
- Globoquadrina baroemoenensis*, Site 899, B:177
- Globoquadrina dehiscens*
Iberia Abyssal Plain, B:165
Site 898, A:129
Site 899, A:179
- Globoquadrina venezuelana*, Iberia Abyssal Plain, B:165
- Globorotalia acrostoma*, Site 900, A:228
- Globorotalia altispira altispira*, Site 899, A:179
- Globorotalia archaeomenardii*, Site 899, B:177
- Globorotalia bononiensis*, Site 899, B:177
- Globorotalia cerroazulensis cerroazulensis*, Site 900, A:230
- Globorotalia cerroazulensis cocoaensis*, Site 900, A:230
- Globorotalia cerroazulensis frontosa*, Site 900, B:181
- Globorotalia conoidea*, Site 899, A:179; B:177
- Globorotalia crassaformis*
Site 897, A:67
Site 900, A:228
- Globorotalia crassaformis crassaformis*
Site 899, A:179; B:177
Site 900, A:228; B:178
- Globorotalia crassaformis* s. l., Site 899, A:179
- Globorotalia cultrata*, Iberia Abyssal Plain, B:165
- Globorotalia exilis*, Iberia Abyssal Plain, B:165
- Globorotalia fohsi*, Iberia Abyssal Plain, B:189
- Globorotalia fohsi peripheroronda*
Site 897, A:67; B:166
Site 898, B:173
- Globorotalia increbescens*
Site 897, B:169
Site 900, A:229–230
- Globorotalia inflata*
Iberia Abyssal Plain, B:185
Site 898, A:129
- Site 899, A:179; B:173
Site 900, A:228
- Globorotalia inflata/triangulara*, Iberia Abyssal Plain, B:165
- Globorotalia kugleri*
Site 899, A:179; B:177
Site 900, A:229
- Globorotalia margaritae margaritae*
Site 899, A:179; B:177
Site 900, B:178
- Globorotalia mayeri*
Iberia Abyssal Plain, B:189
Site 898, B:173
Site 899, A:179; B:177
Site 900, A:228
- Globorotalia menardii*
Iberia Abyssal Plain, B:165
Site 899, B:177
- Globorotalia merotumida*, Site 899, A:179
- Globorotalia miocenica*, Iberia Abyssal Plain, B:165
- Globorotalia opima nana*, Site 900, A:229
- Globorotalia opima nana/continua*, Site 899, B:177
- Globorotalia opima opima*, Site 897, A:67
- Globorotalia puncticulata*
Site 897, B:166
Site 899, A:179; B:177
- Globorotalia ronda*, Site 897, A:67
- Globorotalia scitula*, Site 899, A:179
- Globorotalia siakensis*
Iberia Abyssal Plain, B:189
Site 899, A:179
Site 900, A:228
- Globorotalia suteri*, Site 898, B:173
- Globorotalia tosaensis*
Site 897, A:66–67; B:166
Site 898, A:129
Site 900, A:228
- Globorotalia truncatulinoidea*
Site 897, A:66–67; B:166
Site 898, A:129; B:243
Site 900, A:227–228; B:177
- Globorotalia tumida*, Iberia Abyssal Plain, B:165
- Globotruncana linneiana*, Site 899, A:179; B:177
- Globotruncana orientalis*, Site 899, A:179; B:177
- Globotruncana elevata* Zone, Site 899, A:179
- globulosa*, *Anomalina*, Site 900, B:238
- globulus*, *Nannoconus*
Site 897, A:66
Site 901, B:29
- glomerata*, *Glomospira*, Iberia Abyssal Plain, B:212
- glomerosa curva*, *Praeorbulina*, Site 900, A:229
- glomerosa glomerosa*, *Praeorbulina*, Site 900, A:229
- Glomospira charoides*
Iberia Abyssal Plain, B:206, 212, 215
Site 899, A:179; B:177
Site 900, A:230
Site 901, B:196
- Glomospira glomerata*, Iberia Abyssal Plain, B:212
- Glomospira gordialis*, Iberia Abyssal Plain, B:212
- Glomospira irregularis*
Iberia Abyssal Plain, B:206, 212
Site 901, B:196
- Glomospira serpens*, Iberia Abyssal Plain, B:212
- Glomospira* spp.
Site 897, A:67, 70; B:170
Site 899, A:179
Site 900, A:230
- Glomospira variabilis*, Site 901, B:196, 202–203
- golzosense*, *Palaeocystidium*, Iberia Abyssal

- Plain, B:257, 261
gordialis, *Glomospira*, Iberia Abyssal Plain, B:212
Granatarhabdus bukryi
 Iberia Margin W, B:44, 56
 Site 901, B:28
grandis, *Aschemocella*, Iberia Abyssal Plain, B:212
grandis, *Chiasmolithus*, Site 897, A:66
granosa, *Cyclopsiella*, Iberia Abyssal Plain, B:255, 263
granulata, *Helicosphaera*, Site 899, B:99
Gyroidina soldanii, Site 900, B:233
Gyroidina spp., Site 900, B:218
- hamatus*, *Discoaster*
 Site 897, A:65
 Site 900, A:227
hampdensis, *Reticulofenestra*, Iberia Margin W, B:127, 138
Hantkenina alabamensis/primitiva, Site 900, B:181
Hantkenina spp., Site 897, A:67
Haplophragmoides spp., Site 899, A:179
Haplophragmoides walteri, Iberia Abyssal Plain, B:206, 212, 215
haqii, *Reticulofenestra*, Iberia Margin W, B:127, 138
harlandii, *Corrudinium*, Iberia Abyssal Plain, B:255, 266
hauteriviana, *Lagena* ex gr., Site 901, B:196
hauterivianus, *Ethmorhabdus*, Site 901, B:28, 43, 59
Hayesites irregularis
 Site 897, A:66; B:579
 Site 899, B:31, 33–34, 580
Hayesites irregularis Subzone
 Site 897, B:579–580
 Site 899, B:31
Hayesites radiatus, Site 897, A:66
hayii, *Fasciculithus*, Site 900, A:227
Hedbergella delrioensis, Site 897, A:70; B:170
Hedbergella holmdenensis, Site 899, A:179
Hedbergella simplex, Site 897, A:70; B:170
Helicosphaera
 Site 898, B:81
 Site 900, B:81
Helicosphaera acuta
 Site 897, B:150–151
 Site 899, B:155
 Site 900, B:157
Helicosphaera aff. *Helicosphaera carteri*
 Iberia Margin W, B:125, 139
 Site 900, B:91
Helicosphaera ampliaptera
 Iberia Margin W, B:125, 141
 Site 897, A:65; B:116
 Site 898, A:128
 Site 899, A:178
 Site 900, B:102
Helicosphaera bramlettei, Iberia Margin W, B:125, 140
Helicosphaera carteri
 Site 897, B:151
 Site 898, B:98
Helicosphaera compacta
 Iberia Abyssal Plain, B:75, 125, 140
 Site 897, A:65
 Site 898, A:128
 Site 899, A:178
 Site 900, A:227; B:91
Helicosphaera elongata, Iberia Margin W, B:125
Helicosphaera euphratis
 Site 898, B:100
 Site 900, A:227
Helicosphaera gartneri, Iberia Margin W, B:126, 140
Helicosphaera granulata, Site 899, B:99
Helicosphaera intermedia
 Iberia Margin W, B:126, 140
 Site 900, A:227
Helicosphaera limasera n. sp., Iberia Margin W, B:126, 141
Helicosphaera obliqua
 Iberia Margin W, B:126, 139
 Site 898, B:81
 Site 900, B:91
Helicosphaera paleocarteri, Iberia Margin W, B:126, 141
Helicosphaera perch-nielseniae
 Iberia Margin W, B:126, 139
 Site 900, A:227; B:91
Helicosphaera recta
 Iberia Abyssal Plain W, B:80, 126, 139
 Site 897, A:65
 Site 898, A:128; B:99
 Site 899, A:178
 Site 900, B:90
Helicosphaera reticulata, Iberia Margin W, B:126, 140
Helicosphaera scissura, Site 898, A:128; B:103
Helicosphaera sellii
 Iberia Abyssal Plain, B:161
 Site 897, A:65; B:150
 Site 898, A:127
 Site 900, B:117, 156
Helicosphaera truempyi
 Iberia Margin W, B:126, 140
 Site 900, B:97
Helicosphaera wilcoxonii, Iberia Abyssal Plain, B:75, 126, 140
heteromorphus, *Sphenolithus*
 Site 897, A:65
 Site 898, A:128
 Site 899, A:178
 Site 900, A:227; B:103
Hexalithus noelia, Site 901, A:267
Hexalithus spp., Site 901, B:29
Hexapodorhabdus cuvillieri
 Iberia Margin W, B:44, 59
 Site 901, B:29
higginsii, *Globigerinoides*, Site 897, B:170
hillae, *Reticulofenestra*
 Iberia Abyssal Plain, B:76
 Site 899, A:178
 Site 900, A:227
hispidum, *Sumatradinium*, Iberia Abyssal Plain, B:258, 263
holmdenensis, *Hedbergella*, Site 899, A:179
Homotryblium floripes
 Iberia Abyssal Plain, B:255, 264
 Site 898, B:245
Homotryblium oceanicum, Iberia Abyssal Plain, B:255, 264
Homotryblium tenuispinosum, Iberia Abyssal Plain, B:255, 263
Homotryblium vallum
 Iberia Abyssal Plain, B:255, 264
 Site 898, B:245
Homozygosphaera macropora comb. nov., Iberia Margin W, B:126
Hopkinsina sp., Site 900, B:237
Hormosina cf. *crassa*, Iberia Abyssal Plain, B:212
Hormosina ovuloides, Iberia Abyssal Plain, B:205–206, 209, 212, 215
Hormosina ovulum, Iberia Abyssal Plain, B:206, 213
horrida, *Karrerulina*, Iberia Abyssal Plain, B:213
hoschulzii, *Micrantholithus*
 Site 897, A:66; B:32
 Site 899, A:179
Hughesius gizoensis, Iberia Margin W, B:126, 134
Hughesius tasmaniae comb. nov.
 Iberia Margin W, B:126, 134
 Site 898, B:103
huxleyi, *Emiliania*
 Iberia Abyssal Plain, B:147, 161
 Site 897, A:65; B:149
 Site 898, A:127
 Site 900, A:224
Hyperammina, Iberia Abyssal Plain, B:206
Hyperammina subdiscreta, Iberia Abyssal Plain, B:213
Hystrichokolpoma cinctum
 Iberia Abyssal Plain, B:256, 263
 Site 898, B:245
Hystrichokolpoma denticulata, Site 898, B:246
Hystrichokolpoma rigaudiae, Iberia Abyssal Plain, B:256, 262
Hystrichosphaeropsis obscura
 Iberia Abyssal Plain, B:256, 262
 Site 898, B:246
- Ilseolithina fusa*
 Iberia Margin W, B:126, 143
 Site 899, B:100
 Site 900, B:83, 90
Ilseolithina recurvus, Iberia Margin W, B:126, 145
Impagidinium aculeatum
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:246, 248
 Site 900, B:252
Impagidinium aliferum
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:247
 Site 900, B:253
Impagidinium aspinatum
 Iberia Abyssal Plain, B:256, 265
 Site 898, B:245
Impagidinium bacatum
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:247
Impagidinium patulum
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:246, 252
 Site 900, B:252
Impagidinium sp., Site 898, B:248
Impagidinium sp. A, Iberia Abyssal Plain, B:264
Impagidinium sp. F, Iberia Abyssal Plain, B:264
Impagidinium sphaericum, Iberia Abyssal Plain, B:256, 264
inaequispira, *Globigerina*, Site 897, B:170
increbescens, *Globorotalia*
 Site 897, B:169
 Site 900, A:229–230
incus sp. nov., *Tranolithus*, Iberia Margin W, B:46, 55
index, *Globigerinatheka*
 Site 897, A:67, 70
 Site 900, A:230
infinitus, *Parhabdololithus*, Site 897, A:66
inflata, *Globorotalia*
 Iberia Abyssal Plain, B:185
 Site 898, A:129
 Site 899, A:179; B:173
 Site 900, A:228
inflata, *Rhabdosphaera*
 Iberia Abyssal Plain, B:78
 Site 900, B:63
inflata/triangula, *Globorotalia*, Iberia Abyssal Plain, B:165
infracretacea, *Micula*

- Site 897, A:66
Site 901, A:267
- intermedia*, *Helicosphaera*
Iberia Margin W, B:126, 140
Site 900, A:227
- invaginata*, *Cymatiosphaera*
Site 898, B:247
Site 900, B:253
- inversus*, *Pseudotriquetrorhabdulus*
Iberia Abyssal Plain, B:77
Site 900, A:227
- inversus*, *Pyrocyclus*, Site 900, A:227
- Invertocysta lacrymosa*
Iberia Abyssal Plain, B:256, 263
Site 898, B:246
Site 900, B:253
- irregularis*, *Glomospira*
Iberia Abyssal Plain, B:206, 212
Site 901, B:196
- irregularis*, *Hayesites*
Site 897, A:66; B:579
Site 899, B:31, 33–34, 580
- irregularis*, *Rucinolithus*
Site 899, A:179
Site 901, A:267
- israelianum*, *Operculodinium*
Iberia Abyssal Plain, B:257, 263
Site 900, B:252–253
- Isthmolithus recurvus*
Iberia Abyssal Plain, B:63, 74, 189
Site 897, A:66; B:80
Site 899, A:178; B:63
Site 900, A:227; B:63, 91
- Isthmolithus recurvus* Zone, Site 897, B:62
- jacobi* ammonite Zone, Site 901, B:29
- japonica*, *Pontosphaera*, Iberia Abyssal Plain,
B:163
- jurassica*, *Vaginulina* cf., Site 901, B:197, 201
- Karrerulina coniformis*, Iberia Abyssal Plain,
B:206, 209, 213
- Karrerulina conversa*, Iberia Abyssal Plain,
B:209, 213, 215
- Karrerulina horrida*, Iberia Abyssal Plain, B:213
- kuepperi*, *Discoaster*, Site 897, A:66
- kugleri*, *Discoaster*
Iberia Margin W, B:124, 137
Site 898, B:81, 116
Site 900, B:116
- kugleri*, *Globorotalia*
Site 899, A:179; B:177
Site 900, A:229
- Labyrinthodinium truncatum*
Iberia Abyssal Plain, B:256, 264
Site 898, B:246
- labyrinthus*, *Nematosphaeropsis*
Iberia Abyssal Plain, B:257, 264
Site 898, B:248, 252
- lacrymosa*, *Invertocysta*
Iberia Abyssal Plain, B:256, 263
Site 898, B:246
Site 900, B:253
- lacunosa*, *Pseudoemiliana*
Iberia Abyssal Plain, B:149, 161, 163
Site 897, A:65; B:149–151
Site 898, A:127
Site 899, B:155
Site 900, A:224
- laevigata*, *Cassidulina*
Site 898, B:231
Site 900, B:239
- laffitei*, *Rotelapillus*, Site 901, B:29
- Lagena* ex gr. *hauteriviana*, Site 901, B:196
- Lagena* ex gr. *ovata*, Site 901, B:196
- Lagena* ex gr. *sulcata*, Site 901, B:196, 200
- lamina* n. sp., *Syracosphaera*, Iberia Margin W,
B:128, 131, 145
- Lanternithus minutus*
Iberia Margin W, B:126, 145
Site 897, B:62
Site 900, B:63, 91
- laticinctum*, *Pentadinium*
Iberia Abyssal Plain, B:257, 262
Site 898, B:245
Site 900, B:252
- lehmanii*, *Diazomatolithus*
Site 897, A:66
Site 901, A:267; B:43
- lehneri*, *Morozovella*, Site 900, A:230
- Lejeunecysta communis*
Iberia Abyssal Plain, B:256, 264
Site 898, B:247
- Lenticulina muensteri*, Site 901, B:197, 200
- Lenticulina quenstedti*, Site 901, B:197, 200
- Lenticulina* sp., Site 901, B:197, 200
- leptoporus*, *Calcidiscus*
Iberia Abyssal Plain, B:163
Site 897, B:149–150
Site 898, A:128; B:154
Site 899, A:178
- leptostaurus*, *Chiastozygus*, Site 901, B:42, 58
- liassica*, *Eoguttulina*, Site 901, B:196, 201
- ligius*, *Nannoconus*, Site 897, A:66
- limasera* n. sp., *Helicosphaera*, Iberia Margin W,
B:126, 141
- linaperta*, *Globigerina*, Site 900, B:181
- Lingulina*, *franconica*, Site 901, B:197, 200
- Lingulodinium machaerophorum*
Iberia Abyssal Plain, B:256, 263
Site 898, B:246
Site 900, B:252–253
- linneiana*, *Globotruncana*, Site 899, A:179; B:177
- Lithastrinus floralis*, Site 897, A:66
- Lithoraphidites*, Site 897, A:62
- Lithostromanion operosum*, Iberia Margin W,
B:126, 145
- litterarius*, *Chiastozygus* aff. *Chiastozygus*, Site
897, A:66
- lobatulus*, *Cibicides*, Site 900, B:239
- lockeri*, *Reticulofenestra*, Iberia Margin W, B:127,
138
- lodoensis*, *Discoaster*
Site 897, A:66
Site 900, B:63
- loeblichii*, *Discoaster*, Site 897, A:65
- longoforaminis*, comb. nov., *Pontosphaera*, Iberia
Margin W, B:127
- Lophodolithus* sp., Iberia Abyssal Plain, B:76
- Lotharingius sigillatus*, Site 901, B:29
- Lucianorhabdus carniolensis*, Site 901, A:267
- Lucianorhabdus salomonii*, Site 899, B:31
- machaerophorum*, *Lingulodinium*
Iberia Abyssal Plain, B:256, 263
Site 898, B:246
Site 900, B:252–253
- macintyreii*, *Calcidiscus*
Site 897, A:65; B:150
Site 898, A:127–128; B:116, 155, 252
Site 899, A:177; B:155
Site 900, A:225; B:157
- macropora* n. comb., *Homozygosphaera*, Iberia
Margin W, B:126
- madingleyensis*, *Polypodorhabdus*
Site 897, A:66
Site 901, A:267
- magharaensis*, *Paleogaudryina*, Site 901, B:197,
199
- major*, *Nematosphaeropsis*
Iberia Abyssal Plain, B:257, 263
Site 898, B:246
- manivitae*, *Watznaueria*, Site 901, A:267
- Manivitella pemmatoidea*
Site 897, A:66
Site 901, A:267; B:29
- manubrium*, *Vaginulina* cf., Site 901, B:197–198,
200
- margaritaceum*, *Elphidium*, Site 900, B:239
- margaritae margaritae*, *Globorotalia*
Site 899, A:179; B:177
Site 900, B:178
- margerelii*, *Cyclagelosphaera*, Site 901, A:267
- marginata*, *Marginotruncana*, Site 899, A:179
- Marginotruncana marginata*, Site 899, A:179
- Marginulinopsis phragmites*, Site 901, B:197, 201
- Markalius circumradiatus*, Site 897, A:66
- Markalius ellipticus*
Iberia Margin W, B:44, 58
Site 897, A:66
Site 899, A:179
Site 901, A:267; B:29
- martinii*, *Prinsius*, Site 900, A:227
- matalosa*, *Vagalapilla*, Site 897, A:66
- mayeri*, *Globorotalia*
Iberia Abyssal Plain, B:189
Site 898, B:173
Site 899, A:179; B:177
Site 900, A:228
- mayeri*, *Neogloboquadrina*, Site 898, A:129
- mediaperforatus*, *Cryptococcolithus*
Iberia Margin W, B:124, 133
Site 900, B:103, 117
- medius*, *Chiasmolithus*, Iberia Margin W, B:123,
133
- Melitasphaeridium choanophorum*, Iberia Abyssal
Plain, B:256–257, 264
- menardii*, *Globorotalia*
Iberia Abyssal Plain, B:165
Site 899, B:177
- meniscus*, sp. nov., *Clepsilithus*, Site 901, B:42, 55
- merotumida*, *Globorotalia*, Site 899, A:179
- mespilanum*, *Chiropteridium*
Iberia Abyssal Plain, B:255, 264
Site 898, B:245
Site 900, B:252
- mexicana*, *Conusphaera*, Site 897, A:66
- mexicana mexicana*, *Conusphaera*, Site 901, B:28,
43, 54
- micra*, *Pseudohastigerina*
Site 897, A:67; B:169
Site 899, B:177
- Micrantholithus aequalis*, Iberia Margin W,
B:126, 145
- Micrantholithus hoschulzii*
Site 897, A:66; B:32
Site 899, A:179
- Micrantholithus hoschulzii* Zone, Site 899, B:31
- Micrantholithus obtusus*
Site 897, A:66
Site 899, A:179
- Micrantholithus* spp.
Site 897, A:62; B:579
Site 900, A:227
- microcanthum* Zone, Site 901, B:29
- micros*, *Discoaster*, Iberia Margin W, B:124, 137
- Microstaurus chiastus*
Iberia Margin W, B:44, 56
Site 897, A:66
Site 901, B:29
- Microstaurus quadratus*

- Site 897, A:66
Site 901, A:267
Micula infracetacea
Site 897, A:66
Site 901, A:267
milowii, *Triquetrorhabdulus*, Iberia Margin W,
B:129, 144
minor, *Conusphaera mexicana*
Site 899, A:179
Site 901, A:267; B:28–29, 42, 52–55
minor, *Umbria granulosa*, Site 901, B:29
minuta, *Multispinula*?, Site 898, B:247
minuta, *Reticulofenestra*
Site 897, B:149
Site 898, B:154
minutula, *Reticulofenestra*
Iberia Abyssal Plain, B:163
Site 899, B:155
minutus, *Lanternithus*
Iberia Margin W, B:126, 145
Site 897, B:62
Site 900, B:63, 91
Minylitha covallis
Iberia Margin W, B:126, 144
Site 900, B:117
miocenica, *Globorotalia*, Iberia Abyssal Plain,
B:165
miopelagicus, *Coccolithus*
Site 898, A:128
Site 900, A:227; B:117
mirabilis, *Spiniferites*, Iberia Abyssal Plain,
B:258, 264
mirabilis/hyperacanthus, *Spiniferites*, Site 900,
B:252
Miravetesina favula, Iberia Margin W, B:44, 56
moguntina, *Reticulofenestra*, Iberia Margin W,
B:127, 138
moorei, *Discoaster*
Site 899, A:178
Site 900, B:103
moriformis, *Sphenolithus*
Site 899, B:63
Site 900, B:63
Morozovella aragonensis
Site 897, B:169–170
Site 900, A:230; B:181
Morozovella lehneri, Site 900, A:230
Morozovella spinulosa, Site 897, A:67; B:169
muensteri, *Lenticulina*, Site 901, B:197, 200
multicolumnatus, *Faviconus*, Site 901, A:267;
B:28
multiradiatus, *Discoaster*
Iberia Abyssal Plain, B:78
Site 897, A:66
Multispinula quanta
Iberia Abyssal Plain, B:257
Site 898, B:247
Multispinula sp., Iberia Abyssal Plain, B:257,
263–264
Multispinula? *minuta*, Site 898, B:247
murryhina, *Pyrgo*, Site 900, B:237
musicus, *Discoaster*, Iberia Margin W, B:125, 137

Nannoconus buckeri, Site 897, A:66
Nannoconus globulus
Site 897, A:66
Site 901, B:29
Nannoconus ligius, Site 897, A:66
Nannoconus spp., Site 897, A:62; B:32, 579
Nannoconus steinmannii
Site 897, A:66
Site 899, B:32–33
Nannoconus steinmannii steinmannii
Site 897, A:67

Site 899, B:32–33
Nannotetrina alata
Site 897, A:66
Site 900, A:227
Nannotetrina fulgens, Iberia Abyssal Plain, B:78
Nannotetrina fulgens Zone
Iberia Abyssal Plain, B:62
Site 897, B:63
Site 900, B:63
Nematosphaeropsis labyrinthus
Iberia Abyssal Plain, B:257, 264
Site 898, B:248, 252
Nematosphaeropsis major
Iberia Abyssal Plain, B:257, 263
Site 898, B:246
Nematosphaeropsis oblonga, Iberia Abyssal Plain,
B:257, 264
neoabies, *Sphenolithus*
Site 897, A:65
Site 899, A:177
Neobulimina atlantica, Site 901, B:193, 197, 201
Neobulimina bulbifera, Site 901, B:197, 199
Neococcolithus dubius, Iberia Abyssal Plain, B:74
neocomiana, *Retecapsa*, Iberia Margin W, B:45,
56
Neogloboquadrina acostaensis
Site 897, A:67
Site 899, B:177
Neogloboquadrina atlantica
Iberia Abyssal Plain, B:185
Site 898, A:129; B:170
Site 900, B:177
Neogloboquadrina mayeri, Site 898, A:129
Neogloboquadrina pachyderma
Iberia Abyssal Plain, B:165
Site 898, A:129
Site 899, B:177
nepenthes, *Globigerina*
Iberia Abyssal Plain, B:165
Site 899, A:179; B:177
Site 900, A:228
nephroides, *Selenopemphix*
Iberia Abyssal Plain, B:258, 263
Site 898, B:247
new taxa, calcareous nannofossils, B:27–59,
79–145
nitescens, *Coronocyclus*
Iberia Margin W, B:74, 124, 136
Site 897, B:116
Site 898, A:128
Site 899, A:178
Site 900, A:227
Nodobacularella, Site 901, B:194
Nodosaria raphanistriformis, Site 901, B:197, 200
Nodosella cf. *Nodosella silvaradion*, Iberia
Margin W, B:44
noelia, *Hexalithus*, Site 901, A:267
noeliae, *Perissocyclus*
Iberia Margin W, B:45, 59
Site 901, B:28
noeliae, *Zeughrabdodus*, Site 901, A:267
Nonion barleeaanum, Site 900, B:238
Nothia exelsa, Iberia Abyssal Plain, B:212
Nuttallides truempyi, Iberia Abyssal Plain, B:213
Nuttallides umbonifera
Site 898, B:231
Site 900, B:218, 233, 237

oamaruensis, *Chiasmolithus*
Iberia Abyssal Plain, B:63–64, 123, 133
Site 897, A:66
Site 900, B:63
obliqua, *Helicosphaera*
Iberia Margin W, B:126, 139

Site 898, B:81
Site 900, B:91
obliquilocolata, *Pulleniatina*
Iberia Abyssal Plain, B:165, 186
Site 898, B:170
Site 900, B:177
obliquipons, *Transversopontis*, Iberia Margin W,
B:129, 145
oblonga, *Nematosphaeropsis*, Iberia Abyssal
Plain, B:257, 264
oblongata, *Calcicalathina*
Site 897, A:66; B:32
Site 899, A:179
oblongata, *Calcicalathina* aff. *Calcicalathina*
Site 897, A:66
Site 899, A:179
oblongus, *Flabellites*
Iberia Margin W, B:44
Site 897, B:33, 579–580
Site 899, B:31, 580
obrutus, *Clausiococcus*
Iberia Margin W, B:123, 134
Site 897, A:66
obscura, *Hystrichosphaeropsis*
Iberia Abyssal Plain, B:256, 262
Site 898, B:246
obtusus, *Micrantholithus*
Site 897, A:66
Site 899, A:179
obtusus, *Sphenolithus*
Iberia Abyssal Plain, B:63–64
Site 897, B:62
oceanica, *Gephyrocapsa*
Iberia Abyssal Plain, B:148, 163
Site 897, A:65; B:150
Site 900, A:225; B:156–157
oceanica s.l., *Gephyrocapsa*, Iberia Abyssal Plain,
B:161, 163
oceanicum, *Homotryblium*, Iberia Abyssal Plain,
B:255, 264
Octopodorhabdus praevius, Iberia Margin W,
B:44, 59
olszewskii, *Paratrochamminoides*, Iberia Abyssal
Plain, B:213, 215
omega, *Gephyrocapsa*,
Site 898, A:127
Site 900, A:225
Operculodinium centrocarpum
Iberia Abyssal Plain, B:257, 263
Site 898, B:247–248, 252
Site 900, B:253
Operculodinium crassum
Iberia Abyssal Plain, B:257, 263
Site 898, B:246
Site 900, B:252–253
Operculodinium israelianum
Iberia Abyssal Plain, B:257, 263
Site 900, B:252–253
Operculodinium? *eirikianum*
Iberia Abyssal Plain, B:257, 263
Site 898, B:247
Site 900, B:252–253
operosum, *Lithostromanion*, Iberia Margin W,
B:126, 145
Ophthalmidium, Site 901, B:194
Ophthalmidium oxfordianum, Site 901, B:197,
199
Ophthalmidium rotula, Site 901, B:197, 199
opima nana, *Globorotalia*, Site 900, A:229
opima nana/continua, *Globorotalia*, Site 899,
B:173, 177
opima opima, *Globorotalia*, Site 897, A:67, B:169
Orbulina bilobata, Site 899, B:177
Orbulina suturalis, Site 899, B:177

- Orbulina universa*, Site 898, B:173
Oridorsalis umbonatus
 Site 898, B:231
 Site 900, B:233, 238
orientalis, Globotruncana, Site 899, A:179; B:177
orphanknollensis, Sphenolithus, Iberia Margin W, B:128, 141
orthostylus, Tribrachiatus, Site 901, A:267
Orthozygus aureus, Iberia Margin W, B:126, 145
Osangularia spp., Iberia Abyssal Plain, B:213
ouachensis, Dorothis, Iberia Abyssal Plain, B:205, 209, 212
ovata, Lagena ex gr., Site 901, B:196
ovuloides, Hormosina, Iberia Abyssal Plain, B:205–206, 209, 212, 215
ovulum, Hormosina, Iberia Abyssal Plain, B:206, 213
oxfordianum, Ophthalmidium, Site 901, B:197, 199
- pachyderma, Neogloboquadrina*
 Iberia Abyssal Plain, B:165
 Site 898, A:129
 Site 899, A:179
paenedehiscens, Shaeroidinellopsis
 Site 897, B:166
 Site 898, A:129
 Site 900, A:228
Palaeocystidium golzoesense, Iberia Abyssal Plain, B:257, 261
Palaeopontosphaera dorsetensis, Iberia Margin W, B:44, 51
Palaeopontosphaera dubia, Iberia Margin W, B:44, 51
Palaeopontosphaera elliptica comb. nov., Iberia Margin W, B:44
Palaeopontosphaera erismata, Iberia Margin W, B:44, 51
Palaeopontosphaera salebrosa comb. nov., Iberia Margin W, B:44
Palaeopontosphaera sp. 1, Iberia Margin W, B:44
Palaeopontosphaera sp. 2, Iberia Margin W, B:44
Palaeopontosphaera sp.
 Site 897, B:32
 Site 899, B:580
paleocarteri, Helicosphaera, Iberia Margin W, B:126, 141
Paleogaudryina magharaensis, Site 901, B:197, 199
palillatum, Pemma, Iberia Abyssal Plain, B:77
Pallasioides ammonite Zone, Site 901, B:29
pansa, Thalassiphora cf. *Thalassiphora*, Iberia Abyssal Plain, B:258, 262
paradoxum, Distatodinium, Iberia Abyssal Plain, B:255, 264
parallela, Gephyrocapsa, Iberia Abyssal Plain, B:163
parallela, Vagalapilla, Iberia Margin W, B:46
Paratrochamminoides, Iberia Abyssal Plain, B:209
Paratrochamminoides cf. *corpulentus*, Iberia Abyssal Plain, B:213
Paratrochamminoides olszewskii, Iberia Abyssal Plain, B:213, 215
Parhabdolithus achlyostaurion, Site 897, B:32
Parhabdolithus angustus Zone, Site 897, B:32
Parhabdolithus infinitus, Site 897, A:66
parvulus sp. nov., *Crepidolithus*, Site 901, B:43, 55
pastielsii, Dapsilidinium
 Iberia Abyssal Plain, B:255, 263
 Site 900, B:252
pataecus comb. nov., *Calcidiscus*, Iberia Margin W, B:129
- patulum, Impagidinium*
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:246, 252
 Site 900, B:252
patulus, Discorhabdus, Site 901, A:267
patulus, Tubirhabdus, Site 901, B:29, 212
pelagica, Thalassiphora
 Iberia Abyssal Plain, B:258, 263
 Site 900, B:252
pelagicus, Coccolithus
 Iberia Margin W, B:124, 135
 Site 897, A:65; B:62
 Site 899, B:63
 Site 900, B:63
pelliculatus, Camuralithus n. gen., n. sp.
 Iberia Margin W, B:123, 129, 133
 Site 899, B:99
Pemma, Site 900, A:227
Pemma palillatum, Iberia Abyssal Plain, B:77
pemmatoidea, Manivitella
 Site 897, A:66
 Site 901, A:267; B:29
pennyi, Ammodiscus cf., Iberia Abyssal Plain, B:212
pentacamerata, Acarinina
 Site 897, A:70; B:169
 Site 900, A:230
Pentadinium laticinctum
 Iberia Abyssal Plain, B:257, 262
 Site 898, B:245
 Site 900, B:252
pentaradiatus, Discoaster
 Site 897, A:65
 Site 898, B:155
 Site 899, A:177; B:155–156
 Site 900, B:117
perch-nielseniae, Helicosphaera
 Iberia Margin W, B:126, 139
 Site 900, A:227; B:91
Percivalia arata sp. nov.
 Iberia Margin W, B:44–45, 56
 Site 901, B:28
Perissocyclus fletcheri, Site 901, B:28
Perissocyclus noeliae
 Iberia Margin W, B:45, 59
 Site 901, B:28
Perissocyclus tayloriae, Site 901, B:28
perplexa, Dictyococcites, Site 898, B:154
peruvianus, Ammodiscus cf., Iberia Abyssal Plain, B:212
petaliformis, Discoaster, Site 898, B:103
phragmites, Marginulinopsis, Site 901, B:197, 201
Pickelhaube furtiva
 Iberia Margin W, B:45, 56
 Site 901, A:267; B:28
placenta, Saccamina cf., Iberia Abyssal Plain, B:213
Planomalina buxtorfi, Iberia Abyssal Plain, B:209
Planorotalites pseudomenardii, Site 900, A:230; B:181
Planularia sp. A, Site 901, B:197
Plectorecurviformis spp., Iberia Abyssal Plain, B:213
pleoseptatus sp. nov., *Rotelapillus*, Iberia Margin W, B:45–46, 57
plethotretus, Duplexipodorhabdus, Site 901, B:28
Polycostella beckmanii, Site 901, B:29
polygyrata, Spirillina, Site 901, B:194, 197, 199
Polypodorhabdus escaigii, Iberia Margin W, B:45, 56
Polypodorhabdus madingleyensis
 Site 897, A:66
 Site 901, A:267
Polysphaeridium congregatum, Iberia Abyssal Plain, B:257, 263
Polysphaeridium zoharyi
 Site 898, B:249
 Site 900, B:252
Pontosphaera discopora, Iberia Abyssal Plain, B:163
Pontosphaera enormis
 Iberia Abyssal Plain, B:89
 Site 898, A:128; B:98
 Site 899, A:178
 Site 900, A:227
Pontosphaera japonica, Iberia Abyssal Plain, B:163
Pontosphaera longiforaminis comb. nov., Iberia Margin W, B:127
praebulloides, Globigerina
 Site 897, B:166
 Site 898, B:173
Praecystammina? cf. *globigerinaeformis*, Iberia Abyssal Plain, B:213
Praeorbulina glomerata curva, Site 900, A:229
Praeorbulina glomerata glomerata, Site 900, A:229
Praeorbulina sicana, Site 900, A:229
Praeorbulina spp., Site 900, A:227
praesisyphus, Reinhardtites, Site 897, A:66
praevisus, Octopodorhabdus, Iberia Margin W, B:44, 59
Prediscosphaera cretacea, Site 897, B:32
Prediscosphaera spinosa, Site 897, A:66; B:32
predistentus, Sphenolithus
 Iberia Margin W, B:128, 142
 Iberia Abyssal Plain, B:74
 Site 897, A:65–66
 Site 899, A:178
 Site 900, A:227; B:83, 91
premacintyreii, Calcidiscus
 Site 898, B:103
 Site 899, A:177–178
 Site 900, B:116
prepentaradiatus, Discoaster, Site 899, A:177
primordius, Globigerinoides, Site 897, A:67
primus, Amaurolithus, Site 899, A:177
Prinsius martinii, Site 900, A:227
prionion, Coronocyclus aff. *Coronocyclus*, Iberia Margin W, B:124, 136
procera, Rhabdosphaera, Iberia Margin W, B:127, 141
producta, Reticulofenestra, Iberia Margin W, B:127, 138
productus, Dictyococcites, Site 898, B:154
proteus, Trochamminoides, Iberia Abyssal Plain, B:214
protoannulus, Calcidiscus, Iberia Abyssal Plain, B:74
protosignum, Corollithion, Site 897, B:32
pseudoangustus, Rhagodiscus, Site 897, B:579
pseudoangustus, Tranolithus, Site 899, A:179
pseudocolligerum, Dapsilidinium
 Iberia Abyssal Plain, B:255, 263
 Site 898, B:246
Pseudoemiliania lacunosa
 Iberia Abyssal Plain, B:149, 161, 163
 Site 897, A:65; B:149–151
 Site 898, A:127
 Site 899, B:155
 Site 900, A:224
Pseudoemiliania lacunosa Zone
 Site 898, B:154
 Site 900, B:156
Pseudohastigerina micra
 Site 897, A:67; B:169
 Site 899, B:177
pseudomenardii, Planorotalites, Site 900, A:230;

- B:181
pseudoradians, *Sphenolithus*, Iberia Abyssal Plain, B:74
pseudotopilensis, *Acarinina*, Site 897, B:169
Pseudotriquetrorhabdulus inversus
 Iberia Abyssal Plain, B:77
 Site 900, A:227
pseudoumbilica, *Reticulofenestra*
 Site 899, A:177
 Site 900, A:225
pseudoumbilicus, *Reticulofenestra*
 Site 897, B:151
 Site 899, B:156
 Site 900, B:101
pujosae, *Emiliana*, Site 898, A:127
Pullenia bulloides, Site 900, B:238
Pullenia sp.
 Site 898, B:219
 Site 900, B:233
Pulleniatina obliquiloculata
 Iberia Abyssal Plain, B:165, 186
 Site 898, B:170
 Site 900, B:177
Pulleniatina spp., Iberia Abyssal Plain, B:165
puncticulata, *Globorotalia*
 Site 897, B:166
 Site 899, A:179; B:177
pychnum, *Caligodinium*
 Iberia Abyssal Plain, B:254, 263
 Site 898, B:245
pygmae, *Bolivina*, Site 900, B:239
Pyrgo murryhina, Site 900, B:237
Pyrocyclus inversus, Site 900, A:227
Pyxidiella? simplex, Iberia Abyssal Plain,
 B:257–258, 264
- quadratus*, *Microstaurus*
 Site 897, A:66
 Site 901, A:267
quadriarcula, *Vagalapilla*, Iberia Margin W,
 B:46, 58
quanta, *Multispinula*
 Iberia Abyssal Plain, B:257
 Site 898, B:247
quenstedti, *Lenticulina*, Site 901, B:197, 200
Quinqueloculina stalkerii, Site 900, B:237
quinqueramus, *Discoaster*
 Iberia Abyssal Plain, B:149
 Site 897, A:65
 Site 899, A:177
 Site 900, A:227
quinqueramus var. A, *Discoaster*, Site 900,
 B:116–117
- radians*, *Rotelapillus*, Iberia Margin W, B:46, 57
radiatus, *Calcidiscus*, Iberia Margin W, B:123,
 132
radiatus, *Hayesites*, Site 897, A:66
rahla, *Axopodorhabdus*, Site 901, B:29, 42, 59
ramulifera, *Achomospaera*, Iberia Abyssal
 Plain, B:254, 265
raphanistriformis, *Nodosaria*, Site 901, B:197,
 200
recta, *Helicosphaera*
 Iberia Abyssal Plain W, B:80, 126, 139
 Site 897, A:65
 Site 898, A:128; B:99
 Site 899, A:178
 Site 900, B:90
Recurvodes sp.
 Iberia Abyssal Plain, B:209, 213
 Site 897, A:67; B:170
 Site 899, A:179
recurvus, *Ilseolithina*, Iberia Margin W, B:126, 145
- recurvus*, *Isthmolithus*
 Iberia Abyssal Plain, B:63, 74, 189
 Site 897, A:66; B:80
 Site 899, A:178; B:63
 Site 900, A:227; B:63, 91
redistensus, *Sphenolithus*, Site 897, B:80
regularis, *Braarudosphaera*, Site 901, B:42, 59
reinhardtii, *Ellipsagelosphaera*, Site 901, A:267;
 B:29
Reinhardtites fenestratus, Site 897, A:66
Reinhardtites praesisyphus, Site 897, A:66
Remesella varians, Iberia Abyssal Plain, B:213,
 215
reniforme, *Cassidulina*, Site 900, B:238
Reophax elongatus, Iberia Abyssal Plain, B:209,
 213
Retecapsa angustiforata
 Site 897, A:66
 Site 899, B:32–33
Retecapsa catheta, Site 901, A:267
Retecapsa neocomiana, Iberia Margin W, B:45,
 56
Retecapsa schizobrachiata, Iberia Margin W,
 B:45
reticulata, *Helicosphaera*, Iberia Margin W,
 B:126, 140
reticulata, *Reticulofenestra*, Site 900, B:83
reticulatum, *Cribrocentrum*
 Iberia Abyssal Plain, B:63
 Site 897, B:62
Reticulofenestra ampla
 Site 897, A:65
 Site 899, A:177
Reticulofenestra asanoi
 Iberia Abyssal Plain, B:147, 161
 Site 897, A:65; B:158
 Site 898, B:154–155
 Site 900, B:156
Reticulofenestra bisecta
 Site 897, B:80
 Site 899, A:178
 Site 900, A:227; B:83
Reticulofenestra bisecta bisecta
 Iberia Abyssal Plain, B:90
 Site 898, B:98
Reticulofenestra circus n. sp.
 Iberia Margin W, B:127, 130, 138
 Site 897, B:91
 Site 900, B:91
Reticulofenestra daviesi, Iberia Margin W, B:127,
 138
Reticulofenestra dictyoda
 Iberia Abyssal Plain, B:75
 Site 900, B:63
Reticulofenestra doronicoides, Iberia Abyssal
 Plain, B:161
Reticulofenestra francofurana, Iberia Margin W,
 B:127, 138
Reticulofenestra gelida, Site 899, B:156
Reticulofenestra hampdensis, Iberia Margin W,
 B:127, 138
Reticulofenestra haqii, Iberia Margin W, B:127,
 138
Reticulofenestra hillae
 Iberia Abyssal Plain, B:76
 Site 899, A:178
 Site 900, A:227
Reticulofenestra lockeri, Iberia Margin W, B:127,
 138
Reticulofenestra minuta
 Site 897, B:149
 Site 898, B:154
Reticulofenestra minutula
 Iberia Abyssal Plain, B:163
- Site 899, B:155
Reticulofenestra moguntina, Iberia Margin W,
 B:127, 138
Reticulofenestra producta, Iberia Margin W,
 B:127, 138
Reticulofenestra pseudoumbilica
 Site 899, A:177
 Site 900, A:225
Reticulofenestra pseudoumbilicus
 Site 897, B:151
 Site 899, B:156
 Site 900, B:101
Reticulofenestra pseudoumbilicus Zone
 Site 899, B:155
 Site 900, B:157
Reticulofenestra reticulata, Site 900, B:83
Reticulofenestra sp.
 Site 898, A:127
 Site 900, A:225
Reticulofenestra sp. A, Site 897, A:65
Reticulofenestra stavenensis, Iberia Margin W,
 B:127, 138
Reticulofenestra umbilica
 Site 897, A:66
 Site 899, A:178
 Site 900, A:227
Reticulofenestra umbilicus
 Iberia Abyssal Plain, B:62, 64, 76, 127, 141
 Site 897, B:62, 80
 Site 900, B:63, 91
Reticulophragmium amplectens, Iberia Abyssal
 Plain, B:206–207, 209, 213, 216
retiformis, *Dictyococcites*, Iberia Abyssal Plain,
 B:76
Rhabdammina cylindrica, Iberia Abyssal Plain,
 B:213
Rhabdosphaera claviger, Site 898, B:154
Rhabdosphaera gladius, Iberia Abyssal Plain,
 B:62, 75
Rhabdosphaera inflata
 Iberia Abyssal Plain, B:78
 Site 900, B:63
Rhabdosphaera inflata Subzone, Site 897, B:63
Rhabdosphaera procera, Iberia Margin W, B:127,
 141
Rhagodiscus achlyostaurion
 Site 897, B:32–33, 579–580
 Site 899, B:31, 33, 580
Rhagodiscus angustus, Site 899, B:31, 580
Rhagodiscus angustus Subzone, Site 897, B:32,
 580
Rhagodiscus asper
 Site 897, A:66
 Site 901, B:29
Rhagodiscus pseudoangustus, Site 897, B:579
Rhagodiscus pseudoangustus Subzone, Site 897,
 B:579
rigaudiae, *Hystrichokolpoma*, Iberia Abyssal
 Plain, B:256, 262
rimosus, *Ethmorhabdus*, Site 901, B:43, 59
rioi, *Triquetrorhabdulus*, Iberia Margin W, B:129,
 144
robertsoniansis, *Cibicoides*, Site 900 B:239
rohri, *Truncorotaloides*
 Site 897, A:67
 Site 899, B:177
 Site 900, A:230
rolshauseni, *Siphotextularia*, Site 900, B:237
ronda, *Globorotalia*, Site 897, A:67
rotatorium, comb. nov., *Biscutum*, Site 901,
 A:267; B:42
Rotelapillus laffitei, Site 901, B:29
Rotelapillus pleoseptatus sp. nov., Iberia Margin
 W, B:45–46, 57

- Rotelapillus radians*, Iberia Margin W, B:46, 57
rothii, *Conusphaera*
 Site 897, A:66
 Site 899, B:33
rotula, *Geminilithella*, Site 898, B:99
rotula, *Ophthalmidium*, Site 901, B:197, 199
Rucinolithus irregularis
 Site 899, A:179
 Site 901, A:267
Rucinolithus terebrodentarius
 Site 897, A:66
 Site 899, A:179
rugosus, *Triquetrorhabdulus*
 Iberia Abyssal Plain, B:149
 Iberia Margin W, B:129, 144
 Site 899, A:177
 Site 900, A:227; B:117
Rzehakina epigona, Iberia Abyssal Plain, B:205, 209, 213
- Saccamina* cf. *placenta*, Iberia Abyssal Plain, B:213
saipanensis, *Discoaster*
 Iberia Abyssal Plain, B:61, 63
 Site 897, A:66; B:62
 Site 899, A:178; B:63
 Site 900, A:227; B:63, 83
salebrosa comb. nov., *Palaeopontosphaera*, Iberia Margin W, B:44
salomonii, *Lucianorhabdus*, Site 899, B:31
Saracenaria spp., Site 901, B:197, 200
sartousiana ammonite Zone, Site 899, B:31
Satelladinium stallatum, Iberia Abyssal Plain, B:258, 264
scalaris, *Subreophax*, Iberia Abyssal Plain, B:214
schizobrachiata, *Retecapsa*, Iberia Margin W, B:45
scissura, *Helicosphaera*, Site 898, A:128; B:103
scitula, *Globorotalia*, Site 899, A:179
scutulatus, *Diadorhombus*, Site 901, B:43, 57
Selenopemphix nephroides
 Iberia Abyssal Plain, B:258, 263
 Site 898, B:247
sellii, *Helicosphaera*
 Iberia Abyssal Plain, B:161
 Site 897, A:65; B:150
 Site 898, A:127
 Site 900, B:117, 156
semimulina, *Sphaeroidinellopsis*
 Site 897, A:67
 Site 899, A:179
seminum, *Auineloculina*, Site 900, B:237
senarius, *Truncatoscapus*, Iberia Margin W, B:46, 57
senni, *Globigerina*, Site 900, B:181
seorsa, *Dentalina*, Site 901, B:196, 200
serpens, *Glomospira*, Iberia Abyssal Plain, B:212
serraculoides, *Bramletteius*
 Iberia Abyssal Plain, B:76
 Site 900, B:90
serratus, *Triquetrorhabdulus*, Iberia Margin W, B:129, 144
sexiramatus, *Stradnerlithus*, Iberia Margin W, B:46, 57
siakensis, *Globorotalia*
 Iberia Abyssal Plain, B:189
 Site 899, A:179
 Site 900, A:228
sibogae foliosa, *Umbilicosphaera*, Iberia Margin W, B:129, 136
sicana, *Praeorbulina*, Site 900, A:229
sigillatus, *Lotharingius*, Site 901, B:29
sigmoidalis, *Transversopontis*, Iberia Abyssal Plain, B:74
- silvaradion*, *Nodosella* cf. *Nodosella*, Iberia Margin W, B:44
simplex, *Hedbergella*, Site 897, A:70; B:170
simplex, *Pyxidiella?*, Iberia Abyssal Plain, B:257–258, 264
sinespina sp. nov., *Conusphaera*, Site 901, B:43
Siphotextularia rolshauseni, Site 900, B:237
soldadoensis, *Acarinina*, Site 900, A:230
soldanii, *Gyroidina*, Site 900, B:233
solitus, *Chiasmolithus*
 Iberia Abyssal Plain, B:64
 Site 900, A:227; B:63
sphaerica, *Batiacasphaera*, Iberia Abyssal Plain, B:254, 263
sphaericum, *Impagidinium*, Iberia Abyssal Plain, B:256, 264
Sphaeroidinella dehiscens, Iberia Abyssal Plain, B:165
Sphaeroidinellopsis disjuncta
 Site 898, A:129; B:173
 Site 899, B:177
Sphaeroidinellopsis paenedehiscens
 Site 897, B:166
 Site 898, A:129
 Site 900, A:228
Sphaeroidinellopsis seminulina
 Site 897, A:67
 Site 899, A:179
Sphenolithus
 Site 898, B:81
 Site 900, B:81
Sphenolithus abies, Site 899, A:177
Sphenolithus akropodus n. sp.
 Iberia Margin W, B:127, 130, 142
 Site 897, B:81
 Site 900, B:83, 90–91
Sphenolithus aubryae n. sp.
 Iberia Margin W, B:99, 128, 130, 142
 Site 898, B:103
Sphenolithus belemnus
 Iberia Margin W, B:128, 142
 Site 899, A:178
 Site 900, B:102–103
Sphenolithus calyculus, Iberia Margin W, B:128, 141
Sphenolithus capricornutus
 Iberia Abyssal Plain, B:90, 128, 142
 Site 898, B:99
Sphenolithus ciproensis
 Iberia Abyssal Plain, B:90, 128, 141
 Site 897, A:65; B:80
 Site 898, A:128; B:81, 98
 Site 899, A:178; B:81
 Site 900, A:227; B:83, 91, 98
Sphenolithus cometa n. sp.
 Iberia Margin W, B:128, 130, 142
 Site 899, B:99
Sphenolithus conicus
 Site 898, B:101
 Site 900, A:227
Sphenolithus delphix
 Iberia Margin W, B:128, 142
 Site 898, B:97, 99
Sphenolithus dissimilis
 Site 899, A:178
 Site 900, A:227; B:103
Sphenolithus dissimilis–*Sphenolithus belemnus*
 Intergrade, Site 900, A:227
Sphenolithus distentus
 Iberia Margin W, B:128, 141
 Site 897, A:65
 Site 898, A:128
 Site 899, A:178; B:81
 Site 900, B:91
- Sphenolithus editus*, Iberia Abyssal Plain, B:74
Sphenolithus furcatolithoides, Site 897, A:66; B:63
Sphenolithus heteromorphus
 Site 897, A:65
 Site 898, A:128
 Site 899, A:178
 Site 900, A:227; B:103
Sphenolithus moriformis
 Site 899, B:63
 Site 900, B:63
Sphenolithus neoabies
 Site 897, A:65
 Site 899, A:177
Sphenolithus obtusus
 Iberia Abyssal Plain, B:63–64
 Site 897, B:62
Sphenolithus orphanknollensis, Iberia Margin W, B:128, 141
Sphenolithus predistentus
 Iberia Margin W, B:128, 142
 Iberia Abyssal Plain, B:74
 Site 897, A:65–66; B:80
 Site 899, A:178
 Site 900, A:227; B:83, 91
Sphenolithus pseudoradians, Iberia Abyssal Plain, B:74
Sphenolithus redistensus, Site 897, B:80
Sphenolithus spiniger, Site 900, A:227
Sphenolithus spp., Iberia Abyssal Plain, B:161, 163
Sphenolithus umbrellus, Site 900, B:98
Spiniferites mirabilis, Iberia Abyssal Plain, B:258, 264
Spiniferites mirabilis/hyperacanthus, Site 900, B:252
Spiniferites splendidus, Iberia Abyssal Plain, B:258, 264
Spiniferites spp., Site 898, B:248, 252
spiniger, *Sphenolithus*, Site 900, A:227
spinosa, *Prediscosphaera*, Site 897, A:66; B:32
spinulosa, *Morozovella*, Site 897, A:67; B:169
spirdoides, *Apteodinium*
 Iberia Abyssal Plain, B:254, 263
 Site 898, B:245
 Site 900, B:252
Spirillina polygyrata, Site 901, B:194, 197, 199
Spiroplectamina subhaeringensis, Iberia Abyssal Plain, B:214
splendidus, *Spiniferites*, Iberia Abyssal Plain, B:258, 264
splendidus, *Subreophax*, Iberia Abyssal Plain, B:214
stainforthi, *Catapsydrax*
 Site 897, A:67
 Site 898, B:173
 Site 899, A:179; B:177
 Site 900, A:229
stalkerii, *Quinqueloculina*, Site 900, B:237
stallatum, *Satelladinium*, Iberia Abyssal Plain, B:258, 264
stavensis, *Reticulofenestra*, Iberia Margin W, B:127, 138
steinmannii, *Nannoconus*
 Site 897, A:66
 Site 899, B:32–33
steinmannii steinmannii, *Nannoconus*
 Site 897, A:66
 Site 899, B:32–33
Stelladinium stellatum, Site 898, B:247
stellatum, *Stelladinium*, Site 898, B:247
Stephanolithion atmetros, Site 901, B:29
Stephanolithion bigotii
 Iberia Margin W, B:46, 57

- Site 901, A:267; B:28
Stetsonia arctica
 Iberia Abyssal Plain, B: 238
 Site 898, B:218–219, 231
stradneri, *Tegementum*, Site 897, A:66
stradneri, *Vagalapilla*, Iberia Margin W, B:46, 58
Stradnerlithus
 Site 899, B:34
 Site 901, B:29
Stradnerlithus asymmetricus, Iberia Margin W,
 B:46, 57
Stradnerlithus sexiramatus, Iberia Margin W,
 B:46, 57
Stradnerlithus tortuosus, Site 901, A:267
subcoronatus, *Trochaminoides*, Iberia Abyssal
 Plain, B:214
subdiscrata, *Hyperamina*, Iberia Abyssal Plain,
 B:213
subdistichus, *Clausicoccus*
 Site 897, A:66
 Site 900, A:227
subglobosa, *Cassidulina*
 Site 898, B:218, 231
 Site 900, B:233
subhaeringensis, *Spiroplectamina*, Iberia
 Abyssal Plain, B:214
sublodoensis, *Discoaster*
 Iberia Abyssal Plain, B:61
 Site 897, A:66; B:63
 Site 900, B:63
subquadratus, *Globigerina*, Site 897, B:166
Subreophax scalaris, Iberia Abyssal Plain, B:214
Subreophax splendidus, Iberia Abyssal Plain,
 B:214
sulcata, *Lagena* ex gr., Site 901, B:196, 200
Sumatradinium druggii, Iberia Abyssal Plain,
 B:258, 263
Sumatradinium hispidum, Iberia Abyssal Plain,
 B:258, 263
surculus, *Discoaster*
 Site 897, B:158
 Site 899, A:177
 Site 900, B:117
suteri, *Globorotalia*, Site 898, B:173
suturalis, *Orbulina*, Site 899, B:177
symeonidesii, *Tetralithoides*
 Iberia Margin W, B:129, 143
 Site 898, B:98
Syracosphaera lamina n. sp., Iberia Margin W,
 B:128, 131, 145
- takayanagii*, *Epistominella*, Site 900, B:237
tamalis, *Discoaster*
 Site 897, A:65; B:151
 Site 898, B:155
 Site 899, A:177; B:155
 Site 900, A:225; B:117
tanii, *Discoaster*, Site 897, A:66
tanii nodifer, *Discoaster*, Site 897, A:66
tasmaniae, *Clausicoccus*, Site 900, A:227
tasmaniae, comb. nov., *Hughesius*
 Iberia Margin W, B:126, 134
 Site 898, B:103
tayloriae, *Perissocyclus*, Site 901, B:28
Tectatodinium sp. II, Iberia Abyssal Plain, B:258,
 264
Tegementum stradneri, Site 897, A:66
tenuis, *Cruciplacolithus*, Iberia Abyssal Plain,
 B:76
tenuispinosum, *Homotryblium*, Iberia Abyssal
 Plain, B:255, 263
tenuissimus, *Ammodiscus*, Iberia Abyssal Plain,
 B:212
tepikiense, *Bitectatodinium*
- Iberia Abyssal Plain, B:254, 264–265
 Site 898, B:248–249, 252
 Site 900, B:253
terebrodentarius, *Rucinolithus*
 Site 897, A:66
 Site 899, A:179
Tetralithoides symeonidesii
 Iberia Margin W, B:129, 143
 Site 898, B:98
Tetrapodorhabdus coptensis, Iberia Margin W,
 B:46, 59
Thalassiphora cf. *Thalassiphora pansa*, Iberia
 Abyssal Plain, B:258, 262
Thalassiphora delicata
 Iberia Abyssal Plain, B:258, 262
 Site 898, B:245
 Site 900, B:252
Thalassiphora pelagica
 Iberia Abyssal Plain, B:258, 263
 Site 900, B:252
Thoracosphaera albatrosiana, Site 897, A:65
Thoracosphaera sp. 1, Iberia Margin W, B:47, 58
Thurmannolithion clatratum, Iberia Margin W,
 B:46, 56
topilensis, *Truncorotaloides*
 Site 897, A:67; B:169
 Site 900, A:230
tortuosus, *Stradnerlithus*, Site 901, A:267
tosaensis, *Globorotalia*
 Site 897, A:66–67; B:166
 Site 898, A:129
 Site 900, A:228
Tranolithus incus sp. nov., Iberia Margin W, B:46,
 55
Tranolithus pseudoangustus, Site 899, A:179
Transversopontis obliquipons, Iberia Margin W,
 B:129, 145
Transversopontis sigmoidalis, Iberia Abyssal
 Plain, B:74
Tribrachiatus bramlettei
 Iberia Abyssal Plain, B:61
 Site 900, B:63
Tribrachiatus contortus
 Iberia Abyssal Plain, B:77
 Site 900, B:63
Tribrachiatus orthostylus, Site 901, A:267
tripartita, *Globigerina*
 Site 897, B:169
 Site 900, A:230
Triquetrorhabdulus carinatus
 Iberia Margin W, B:129, 144
 Site 897, A:65
 Site 898, A:128; B:103
 Site 899, A:178
 Site 900, B:91
Triquetrorhabdulus challengerii
 Iberia Margin W, B:129, 144
 Site 898, B:98
 Site 900, B:102
Triquetrorhabdulus extensus, Site 900, A:225, 227
Triquetrorhabdulus milowii, Iberia Margin W,
 B:129, 144
Triquetrorhabdulus rioi, Iberia Margin W, B:129,
 144
Triquetrorhabdulus rugosus
 Iberia Abyssal Plain, B:149
 Iberia Margin W, B:129, 144
 Site 899, A:177
 Site 900, A:227; B:117
Triquetrorhabdulus serratus, Iberia Margin W,
 B:129, 144
triradiatus, *Discoaster*
 Iberia Abyssal Plain, B:163
 Site 897, B:151
- Site 898, B:155
 Site 900, A:225; B:157
Triscutum cf. *Triscutum expansum*, Iberia Margin
 W, B:46, 56
Trochammia altiformis, Iberia Abyssal Plain,
 B:214
Trochaminoides proteus, Iberia Abyssal Plain,
 B:214
Trochaminoides spp., Iberia Abyssal Plain,
 B:206
Trochaminoides subcoronatus, Iberia Abyssal
 Plain, B:214
Trocholina
 Iberia Abyssal Plain, B:204
 Site 901, B:194
Trocholina? spp., Site 901, B:197, 199
tropicus, *Calcidiscus*, Site 898, B:99
truempii, *Helicosphaera*
 Iberia Margin W, B:126, 140
 Site 900, B:97
truempii, *Nuttallides*, Iberia Abyssal Plain, B:213
Truncatoscapus senarius, Iberia Margin W,
 B:46, 57
truncatulinoides, *Globorotalia*
 Site 897, A:66–67; B:166
 Site 898, A:129; B:243
 Site 900, A:228–229; B:177
truncatum, *Labyrinthodinium*
 Iberia Abyssal Plain, B:256, 264
 Site 898, B:246
Truncorotaloides rohri
 Site 897, A:67
 Site 899, B:177
 Site 900, A:230
Truncorotaloides topilensis
 Site 897, A:67; B:169
 Site 900, A:230
Tuberculodinium vancampoeae
 Iberia Abyssal Plain, B:258, 261
 Site 898, B:246, 248
Tubirhabdus patulus, Site 901, B:29, 212
tubulata, comb. nov., *Watznaueria*, Iberia Margin
 W, B:47, 51
tumida, *Globorotalia*, Iberia Abyssal Plain, B:165
tumidulus, *Eponides*, Site 900, B:237
- uhligi*, *Epistomina*, Site 901, B:193–194, 196, 201
umbilica, *Reticulofenestra*
 Site 897, A:66
 Site 899, A:178
 Site 900, A:227
Umbilicosphaera cricota, Iberia Margin W,
 B:129, 136
Umbilicosphaera sibogae foliosa, Iberia Margin
 W, B:129, 136
Umbilicosphaera sp., Iberia Margin W, B:129,
 136
umbilicus, *Reticulofenestra*
 Iberia Abyssal Plain, B:62, 64, 76, 127, 141
 Site 897, B:62, 80
 Site 900, B:63, 91
umbonatus, *Oridorsalis*
 Site 898, B:231
 Site 900, B:233, 238
umbonifera, *Nuttallides*
 Site 898, B:231
 Site 900, B:218, 233, 237
umbracula, *Achomospaera*, Iberia Abyssal Plain,
 B:254, 265
umbracula, *Amiculosphaera*, Site 898, B:247
umbrellus, *Sphenolithus*, Site 900, B:98
Umbria granulosa minor, Site 901, B:29
unicavus, *Catapsydrax*
 Site 898, B:173

- Site 899, B:177
Site 900, A:229
universa, *Orbulina*, Site 898, B:173
utinensis, *Cannosphaeropsis* cf.
Cannosphaeropsis, Iberia Abyssal Plain,
B:255, 262
Uvigerina spp., Iberia Abyssal Plain, B:214
- Vagalapilla matalosa*, Site 897, A:66
Vagalapilla parallela comb. nov., Iberia Margin
W, B:46
Vagalapilla quadriarcula, Iberia Margin W,
B:46, 58
Vagalapilla sp. 1, Iberia Margin W, B:46, 58
Vagalapilla sp. 2
Iberia Margin W, B:46
Site 897, B:32
Vagalapilla sp. 3, Iberia Margin W, B:46, 58
Vagalapilla sp.
Site 899, B:580
Site 901, B:29
Vagalapilla stradneri, Iberia Margin W, B:46, 58
Vaginulina cf. *jurassica*, Site 901, B:197, 201
Vaginulina cf. *manubrium*, Site 901, B:197–198,
200
vallum, *Homotryblium*
Iberia Abyssal Plain, B: 255, 264
Site 898, B:245
Valvulineria arctica, Site 898, B:218
vancampoeae, *Tuberculodinium*
Iberia Abyssal Plain, B:258, 261
Site 898, B:246, 248
vanheckae, *Clausiococcus*
Iberia Margin W, B:123–124
Site 900, A:227
variabilis, *Discoaster*
Site 897, A:65
Site 898, A:128
Site 899, A:178
variabilis, *Glomospira*, Site 901, B:196, 202–203
varians, *Remesella*, Iberia Abyssal Plain, B:213,
215
velascoensis, *Aragonia*, Iberia Abyssal Plain,
B:212
venezuelana, *Globoquadrina*, Iberia Abyssal
Plain, B:165
- walteri*, *Haplophragmoides*, Iberia Abyssal Plain,
B:206, 212, 215
Watznaueria barnesae
Site 897, A:66
Site 901, A:267
Watznaueria crucicentralis, Site 901, B:29
Watznaueria fossacincta, Site 901, A:267
Watznaueria manivitae, Site 901, A:267
Watznaueria spp., Site 897, A:62
Watznaueria tubulata comb. nov., Iberia Margin
W, B:47, 51
weddellensis, *Eponides*
Site 898, B:218, 231
Site 900, B:233
wemmelensis, *Discoaster*, Site 900, A:227
whangaia, *Conotrochammina*, Iberia Abyssal
Plain, B:212
wilcoxonii, *Helicosphaera*
Iberia Abyssal Plain, B:75
Iberia Margin W, B:126, 140
woodi, *Globigerina*, Site 897, B:166
woodi woodi, *Globigerina*, Site 900, B:178
woodringii, *Discoaster*, Site 900, A:227
wuellerstorfi, *Cibicides*, Site 900, B:238
- yeguaensis*, *Globigerina*, Site 900, A:229
- Zeughrabdotus diplogrammus*, Site 897, A:66
Zeughrabdotus elegans, Site 897, A:66
Zeughrabdotus embergeri, Site 901, A: 267; B:28
Zeughrabdotus erectus, Site 901, A:267
Zeughrabdotus fissus, Site 901, A:267
Zeughrabdotus noeliae, Site 901, A:267
zoharyi, *Polysphaeridium*
Site 898, B:249
Site 900, B:252
zones (with letter prefixes)
CC4, Site 897, A:62
CC6, B:31, 81
CC6b, Site 897, B:579
CC7, A:66, 179; B:31–32
CC7a, Site 897, B:579–580
CC7b, Site 897, B:579–580
CN1–CN2 boundary, Iberia Abyssal Plain,
B:89
CN3–CN4 boundary, Iberia Abyssal Plain,
B:89
CP10–CP11, Site 900, B:63
CP12, Site 900, B:63
CP12–CP14, Iberia Abyssal Plain, B:62
CP12b, Site 897, B:63
CP13, B:63
CP13–CP14, Site 897, B:62
CP14b, B:62–63
CP15a, Site 897, B:62
CP15b, Site 897, B:62
CP17–CP18 boundary, B:83, 89
CP96, Site 900, B:63
N4, A:67, 179, 229; B:177
N4–N5, Site 897, B:169
N4–N7, Iberia Abyssal Plain, B:189
N5–N6, B:166, 173, 177
N5–N7, Iberia Abyssal Plain, B:189
N6, Site 897, A:67
N7, A:229; B:173, 177
N8, A:67, 179, 229
N8–N9, Iberia Abyssal Plain, B:189
N8–N13, Iberia Abyssal Plain, B:189
N9–N11, B:173, 189
N9–N13, A:129, 179; B:166
N10–N11, Site 899, B:177
N12, Site 899, B:177
N12–N13, Iberia Abyssal Plain, A:228; B:189
N13, Site 899, B:177
N14, A:179; B:173, 178, 186
N14–N16, B:177, 184
N14–N17, Site 899, A:179
N15, Iberia Abyssal Plain, A:67; B:186
N15–N21, Iberia Abyssal Plain, B:186
N16, Iberia Abyssal Plain, A:67; B:186
N16–N17, A:179, 228; B:166, 177
N17, A:67; B:178
N18, A:67, 179; B:184, 186
N19, A:67, 129, 179, 228; B:177–178, 186
N19–N20, B:166, 178
N20, B:166, 173
N21, Iberia Abyssal Plain, A:67, 129, 228;
B:185
N22, A:66–67, 228; B:166, 170, 173, 243
N22–N23, Site 898, A:129
N23, A:66, 228; B:166
NC7, Site 897, B:32
NJ17, Site 901, B:29
NJ20B, Site 901, B:29
NJK, Site 901, B:29
NJK–B, Site 901, B:29
NN1, A:65, 128, 227
NN1–NP25, Site 899, B:81
NN2, A:65, 128, 178, B:80–81, 99–101
NN2–NP25, Site 898, B:81
NN3, Site 899, A:178
NN4, A:65, 178
NN4–NN5 boundary, Site 900, A:227
NN5, A:178, 227
NN6, A:128, 177
NN6–NN7, Site 900, A:227
NN7, A:127–128, 175, 177, 224; B:81
NN8–NN10, Site 900, A:227
NN8–NN12, Site 898, B:81
NN9–NN10, Site 900, B:83
NN10, A:65, 175, 177
NN11, A:62, 65, 224, 227; B:116
NN11a, A:177, 227
NN11b, A:177, 227
NN11b–NN12, Site 900, B:253
NN12, A:65, 175–177, 224–225; B:83, 90,
186
NN13, Iberia Abyssal Plain, B:186
NN14, A:62, 66; B:155
NN14–NN15, B:149, 151, 156–157, 161
NN15, A:65, 175, 224–225; B:155
NN15–NN16 boundary, Site 900, A:225
NN16, A:175, 177, 225; B:157, 161
NN17, B:151, 155, 185
NN18, B:151, 155, 157
NN18–NN16, Site 897, A:65
NN18–NN19 boundary, B:158, 160
NN19, A:65, 127, 224; B:148, 150, 154, 156
NN19a, A:65, 127; B:149, 157
NN19b, Site 900, A:225
NN19c, Site 900, A:225
NN19f, A:225; B:160
NN19h, B:149, 158
NN20, A:224; B:149, 154, 156
NN21, A:62, 65, 127, 224; B:149, 151, 158
NP1–NP8, Iberia Abyssal Plain, B:189
NP9, Site 900, A:227
NP9–NP10 boundary, Iberia Abyssal Plain,
B:61
NP10, Site 900, A:227
NP10–NP13, Iberia Abyssal Plain, B:189
NP11, B:63, 209
NP12, B:63, 207
NP13, Site 900, A:227
NP13–NP14, Iberia Abyssal Plain, B:61
NP14, A:62, 66, 224, 227; B:63
NP14–NP17, Iberia Abyssal Plain, B:62
NP15, A:65–66, 227; B:62–63
NP16, A:66; B:62–63
NP16–NP17, Iberia Abyssal Plain, B:64
NP17, B:62–63
NP17–NP18, Iberia Abyssal Plain, B:61
NP18, Site 897, A:66; B:62
NP19, Site 899, A:178
NP19–NP20 boundary, A:66, 227; B:62
NP20, Site 899, A:178
NP21, A:178, 227; B:83, 90, 189
NP21–NP22, Site 897, B:80
NP22, A:178, 227; B:83, 91
NP23, A:66, 227; B:83
NP23–NP22, B:80–81
NP24, A:65–66, 127–128, 178, 227; B:80–81,
83
NP24–NP25 boundary, Site 900, B:91
NP25, A:128, 178, 227; B:80–81, 97, 99
NP25–NN1, B:80, 83, 99
P1–P8, Iberia Abyssal Plain, B:189
P1–P14/P15?, Iberia Abyssal Plain, B:189
P4, Site 900, A:230; B:181
P9, Site 900, B:181
P10, Site 900, B:181
P11, A:230; B:170
P12, Site 897, B:169–170
P12–P13, Site 900, B:181
P13–P14, Site 897, B:169

P14, Site 900, A:230; B:181
P14–P17, Site 897, B:169
P15, Site 900, A:230
P18, Iberia Abyssal Plain, A:67; B:189
P18–P19, B:169, 181
P19–P20 boundary, Site 897, A:67

P20, Site 899, B:177
P21, A:67, 229; B:169, 181
P22, A:67, 129; B:169, 173, 177
P22–N7, Iberia Abyssal Plain, B:189
Zygodiscus elegans
Site 897, B:32, 579

Site 899, B:33, 580
Zygrablithus bijugatus
Iberia Abyssal Plain, B:74, 129, 144
Site 897, B:62
Site 900, B:63
Zygrablithus sp. 1, Iberia Margin W, B:129, 144