

INDEX TO VOLUME 150

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 150 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:), and to those in the *Scientific Results* (this book), by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, or thin-section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as nannofossils and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 902, for example, is given as “Site 902, A:63–127.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., E-mail: pub_production@ODP.TAMU.EDU

VOLUME 150 SUBJECT INDEX

- absolute age
 benthic foraminifers, B:69, 73, 75–78
 carbonates, B:320–321
 radiolarian biostratigraphy, B:44–46
 absolute age, strontium-derived, vs. depth, B:326
 age models, tuning, B:123
 age vs. depth
 age models, B:126–127
 New Jersey Margin, A:17
 Pliocene and Miocene, B:58
 sedimentation, B:108
 Site 902, A:96–97
 Site 903, A:160, 163
 Site 904, A:230, 232
 alcohols. *See n*-alcohols
 algal matter, sediments, A:96
 alkalinity
 interstitial waters, A:99, 167, 235, 286, 330, 333
 vs. depth, A:103, 172, 236, 290, 324, 333
 alkanes
 sediments, B:337
See also n-alkanes
 alkenones, sediments, B:336–337
 aluminum, acid-soluble fraction, vs. carbonate percentage, B:318
 aluminum, sediments, B:363–364
 aluminum oxide
 tektites, B:248–250, 253–258
 vs. clay minerals, B:367
 vs. detrital minerals, B:367
 aluminum oxide logs, vs. depth, A:342–343
 ammonium
 interstitial waters, A:99, 167, 286, 330
 vs. depth, A:103, 172, 236, 290, 333
 amphibole, vs. depth, A:144
 ankerite, lithologic units, A:147
 antiferromagnetic component/ferrimagnetic component ratio, vs. anhysteretic remanent magnetization, B:353
 Atlantic City, bathymetry, A:6–7
 authigenic minerals, magnetite, B:356–357
- Baltimore Canyon Trough, Jurassic sediments, A:7
 Baltimore-Toms gather area, debris flows, B:225–226
 barium, acid-soluble fraction, vs. carbonate percentage, B:318
 bathymetry
 New Jersey Margin, A:7, 47–48
 Site 906, A:311
 bedding, contorted, photograph, A:75
 Berkeley Canyon
 debris flows, B:225–226
 lithofacies, B:208–209
 seismic reflectors, A:339, 344
 siliciclastics, B:219–220
 submarine canyons, B:292
 beryllium, acid-soluble fraction, vs. carbonate percentage, B:318
 Biochron NN1, Site 902, A:81
 biofacies
 benthic foraminifers, B:69–83
 change within a sequence stratigraphic framework, B:78–83
 biochronology, Pleistocene calcareous nannofossils, A:82
 biohorizons, nannofossils, B:57
- biostratigraphic datums
 diatoms, B:31
 foraminifers, A:81
 Paleogene and Neogene, B:4
 Site 902, A:79
 biostratigraphy
 Eocene, B:430
 Eocene–upper Miocene, B:435–437
 Site 902, A:76–86
 Site 903, A:149–159
 Site 904, A:221–227
 Site 905, A:272–280
 Site 906, A:319–325
 strontium-isotope stratigraphy, B:107–112
 tektites, B:250–252
 bioturbation
 glaucony lithofacies, B:174–175
 lithologic units, A:210–211, 214–217, 316–317
 photograph, A:76, 147
See also burrows; ichnofossils
 bitumens, sediments, A:96–98
 bolide impact, mikrotektites, B:14
 breccia
 photograph, B:210
 sedimentation, B:217–220
 submarine canyons, B:291–292
 tektites, B:249
 breccia, clast- and matrix-supported, lithofacies, B:203, 205
 Brunhes Chron
 Site 902, A:87
 Site 904, A:227–228
 Site 906, A:325–326
 bulk density units
 sediments, A:236–238
 Site 905, A:291–293
See also density; physical properties units
 buried canyons
 Neogene, B:279–280
See also submarine canyons
 burrows
 lithologic units, A:148, 214–217, 313–314, 319
See also bioturbation; ichnofossils
- calcite
 diagenesis, B:313–328
 lithologic units, A:316–317
 nodules, A:211–214
 origin, B:319–320
 photograph, B:369–370
 precipitation, B:363–364
 SEM photomicrograph, B:327
 vs. depth, A:74, 144, 146, 214, 267
 calcium
 diagenesis, B:316–317
 interstitial waters, A:99, 170, 172, 235, 290, 333
 vs. depth, A:103, 172, 236, 290, 333; B:324
 calcium carbonate, sediments, A:96
 calcium oxide, tektites, B:248–250, 253–258
 calcium oxide logs, vs. depth, A:342–343
 caliper logs, vs. depth, A:111, 183–184, 240, 295, 337
 canyons. *See* submarine canyons
 Cape May, bathymetry, A:6–7
 carbon, inorganic
 sediments, A:92–94, 96, 168–169, 233
 vs. depth, A:144
 carbon, organic, sediments, A:96, 168–169, 233
 carbon, sediments, A:94, 164–167, 231–233, 283, 285, 288–289, 328–329, 331; B:329–344
 carbon, total, organic, vs. depth, A:77, 166, 234, 287, 329; B:332–333
 carbon isotopes
 diagenesis, B:313–328
 vs. depth, B:321
 vs. oxygen isotopes of carbonates, B:320
 carbon number, sediments, B:337
 carbon/nitrogen ratio
 sediments, A:94, 96, 167–169, 231–233, 285–286, 330
 vs. depth, A:77, 170, 287, 329
 carbon/sulfur ratio, sediments, A:168–169, 233
 carbonate content
 downhole plots, B:351, 354
 Pliocene and Miocene, B:59–60
 sediments, A:94
 vs. depth, A:77, 166, 234, 287, 329; B:120, 332–333
 carbonates
 diagenesis, B:311–328
 interstitial waters, A:333
 vs. depth, B:365
 Carteret Canyon
 debris flows, B:225–226
 sediments, A:8
 strontium-isotope stratigraphy, B:107–108
 submarine canyons, B:292
 cementation, lithologic units, A:147
 Cenozoic
 calcareous nannofossils, A:83–85
 clay mineralogy, B:411–422
 deposition, A:243–244, 344
 foraminifers, A:81; B:65–95
 geology, A:7
 mass-transport deposits, B:189–228
 radiolarian biostratigraphy, B:37–51
 sedimentation rates, A:326–328
 unconformities, A:161
 chalk
 Eocene, B:429–432
 lithofacies, B:209
 photograph, B:369–370
 chalk, biosiliceous, tektites, B:250
 chalk, clayey, photograph, A:78
 chalk, foraminifer, nannofossil, clayey, photograph, A:148
 chalk, nannofossil
 lithologic units, A:148, 216–220
 photograph, A:217, 221
 chaotic fill, submarine canyons, B:291–292
 Chesapeake Bay “crater,” as source of tektites on continental slope, A:259
 chloride, interstitial waters, A:99, 169–170, 235, 286–288, 331
 chlorine, vs. depth, A:103, 172, 236, 290, 333
 chlorinity, sediments, A:283
 chlorite, silty clay, B:195–199
 Chron 12, diatom biostratigraphy, B:27
 Chron 12, Site 903, B:25
 Chron 13, diatom biostratigraphy, B:27
 Chron C1n
 Site 902, A:87
 Site 904, A:227–228
 Site 906, A:325–326
 Chron C1r.1r, Site 902, A:87

- Chron C4An, Site 903, A:158
 Chron C4Ar
 Site 902, A:87
 Site 904, A:242
 Chron C4n, Site 903, A:158
 Chron C4r, sand, B:137
 Chron C5ABn, Site 903, A:159
 Chron C5ACn, Site 903, A:159
 Chron C5An, diatom biostratigraphy, B:27
 Chron C5Ar
 diatom biostratigraphy, B:27
 Site 902, A:89
 Site 903, A:159
 Site 904, A:228
 Site 906, A:326
 Chron C5Cn, Site 904, A:228
 Chron C5Dn, Site 904, A:228
 Chron C5n
 Site 902, A:87, 113
 Site 906, A:325–326
 Chron C5r
 sand, B:137
 Site 902, A:87, 113
 Chron C5r.2, Site 903, A:187
 Chron C6A, Site 902, A:79
 Chron C6Cn
 Site 903, A:159
 Site 904, A:228
 Chron C6Cn, New Jersey continental slope, B:109
 Chron C7n, Site 904, A:228
 Chron C8n, Site 903, A:159
 Chron C9n, Site 902, A:89
 Chron C9r, Site 902, A:89
 Chron C15, Site 904, B:104
 Chron C15n, Site 904, A:228
 Chron C15r, Site 904, A:228
 clastic dikes
 lithologic units, A:317–318
 photograph, A:318
 clastic sills, photograph, A:318
 clasts
 lithofacies, B:203, 205
 lithologic units, A:263–265, 269, 317–318
 photograph, A:266–271, 318; B:214–215
 tektites, B:249
 clasts, chalk, photograph, B:214
 clasts, clay, lithofacies, B:207–209
 clasts, conglomerate, lithofacies, B:209–210
 clasts, deformed, photograph, B:216
 clasts, lithic
 lithofacies, B:207–209
 photograph, B:213
 clasts, mud
 composition, B:222–223
 deformation, B:195–199
 lithofacies, B:201, 203
 photograph, B:208–209
 clasts, mud, normally graded sands, lithofacies, B:203
 clay
 cycles, B:366–367
 vs. depth, A:143
 clay, laminated
 lithofacies, B:206–207
 photograph, B:212
 Clay Mineral Zone I, clay mineral sedimentation, B:155–157, 163
 Clay Mineral Zone II
 clay mineral sedimentation, B:153–157, 161–163
 clay mineral zones, B:167
 lithologic units, B:419
 Clay Mineral Zone III
 clay mineral sedimentation, B:151–152, 155–156, 159–160
 lithologic units, B:418
 Clay Mineral Zone IV
 clay mineral sedimentation, B:148–150, 152
 lithologic units, B:418
 clay mineralogy
 lithologic units, A:218
 sedimentation, B:147–170
 sediments, B:363–364
 spectral gamma-ray logs, B:411–422
 tektites, B:247–248, 252
 TEM photographs, B:169–170
 vs. depth, A:220; B:365
 vs. titanium oxide and aluminum oxide, B:367
 clay minerals. *See* glauconite; illite; kaolinite; kaolinite/illite ratio; smectite
 clay, silty
 deformation, B:195–199
 lithofacies, B:205–209
 lithologic units, A:69–75, 135–146, 210–216, 260–272, 312–317
 photograph, A:76, 146–147, 215–216, 317; B:212, 214
 claystone
 glaucony lithofacies, B:171–187
 lithologic units, A:72–75
 claystone, nannofossil, silty, lithologic units, A:146–148
 claystone, silty
 lithologic units, A:318–319
 photograph, A:318–319
 clinoptilolite, precipitation, B:365, 367
 coastal plain, New Jersey Margin, A:5–9
 coercivity, sediments, B:349–358
 color, sediments, B:229–239
 compression. *See* recompression
 compression index, vs. void ratios, B:382
 compressional wave velocity
 sediments, A:102–104, 238, 336
 unconformities, B:296–298
 condensed sections, Oligocene to Miocene upwelling, B:181–182
 conglomerate
 lithologic units, A:265–272, 317–318
 photograph, A:268–271; B:210
 conglomerate, clast- and matrix-supported, lithofacies, B:203, 205
 conglomerate, clast-supported
 lithofacies, B:209–210
 photograph, B:215
 consolidation
 sediments, B:379–382
 vs. depth, B:383
 See also overconsolidation; pressure; stress; underconsolidation
 continental margin
 New Jersey, A:5–9
 progradation, B:371–372
 sea-level changes, A:11–20
 continental rise
 sediment transport, A:8
 sedimentation, A:16–19
 sediments, B:220–226
 continental shelf
 New Jersey, A:5–9
 seismic sequences, A:15–16
 continental slope
 Neogene, B:280
 New Jersey, A:5–9
 sedimentation, A:16–19
 sediments, B:229–239
 cores, natural gamma-ray measurements, A:51–59
 coring
 Site 902, A:68
 Site 903, A:132
 Site 904, A:209
 Site 905, A:259
 Site 906, A:313
 See also log–core correlation
 correlation
 foraminiferal assemblages, GRAPE and pycnometer bulk density data, A:95
 sediment color, B:231–233
 Cretaceous, geology, A:7
 cross laminations
 lithologic units, A:218
 See also laminations
 cross sections, coastal plain, A:6
 cross-spectral analysis, Pleistocene, B:122
 Cruise Ew9009
 location map, A:18
 multichannel seismic lines, A:15
 datum levels
 Site 902, A:79
 Site 903, A:150
 Site 904, A:222
 Site 905, A:274
 Site 906, A:321
 debris flows
 deposition, A:344
 lithofacies, B:203, 205, 209–210
 lithologic units, A:135–140, 260–265, 312–316
 Miocene, B:221
 New Jersey continental slope, B:207–209
 normally graded sands, lithofacies, B:203
 photograph, A:266–267; B:225
 sands, B:201, 203
 submarine canyons, B:291–292
 See also gravity flows; mass flows; mass transport deposits; mass wasting; slump deposits
 deformation features, tektites, B:251
 Delaware River, sediments, A:7
 demagnetization
 sand, B:134, 141
 sediments, A:86–87, 89; B:132–133, 139–140
 demagnetization, alternating-field, stacked curves, B:350
 density
 correlation with foraminiferal assemblages, A:95
 depth plot of core and model values, B:406
 minerals, B:362
 sediments, A:173–178, 235–239, 291–293, 334–336; B:378, 380
 unconformities, B:296–298
 See also bulk density units
 density, bulk
 depth intervals, A:102
 sediments, A:101–102
 density, grain, vs. depth, A:104–106, 174–177, 237, 292, 335
 density, GRAPE
 correction as function of core and depth, B:464
 gamma-ray logs, B:461–468
 sediments, A:101–102, 236–239, 334–336
 vs. depth, B:115–120
 vs. wet-bulk density, B:465
 density, wet-bulk
 cores, B:388
 cycles, B:366–367
 vs. depth, A:104–106, 174–177, 237, 292, 335; B:466–468
 density logs, vs. depth, A:111, 183–184, 240, 295, 337
 density–porosity–natural gamma ray logs

- Site 902, A:123–127
 Site 903, A:195–197, 203–205
 Site 904, A:250–253
 Site 905, A:306–308
 Site 906, A:350–353
- deposition
 geometry, B:412–415
 tektites, B:255–259
- depth, gamma-ray logs, B:461–468
- detrital magnetic signal, ferrimagnetic minerals, B:356
- detrital minerals, vs. titanium oxide and aluminum oxide, B:367
- diachrony, radiolarian biostratigraphy, B:49
- diagenesis
 carbonate, photograph, A:148
 carbonates, B:14, 311–328
 glauconite, B:178
 interstitial waters, A:235, 333
 lithologic units, A:219–220, 272
 Miocene–Oligocene, B:361–376
 rock magnetism, B:347–359
 seismic unconformity correlation, B:305
 unconformities, A:243
 vs. depth, A:234
- diagenetic fronts, opal-CT, B:365
- diatoms
 biostratigraphy, A:82–84, 154–156, 225–226, 278, 323; B:17–35
 frustules, B:369
 lithologic units, A:72–75
 photograph, B:369–370
 vs. depth, A:166, 219
- dinocysts
 Site 903, A:156
 Site 904, A:227
 Site 905, A:274
 Site 906, A:324
See also dinoflagellates
- dinoflagellates
 biostratigraphy, A:84–86, 156–157, 226–227, 278–280, 323–325
 upper Cenozoic, B:439–454
See also dinocysts
- disconformities
 lithologic units, A:312–318
 magnetization, B:137
See also unconformities
- dissolution
 calcite, B:363–364
 magnetite, B:356–357
 opal-A, B:364
- dolomite
 diagenesis, B:313–328
 lithologic units, A:146
 origin, B:313, 315–317
 SEM photomicrograph, B:327
 vs. depth, A:74, 144, 214, 267
- dolomite peak intensity, vs. depth, A:287
- dolomitization
 glauconite, B:178
 interstitial waters, A:289–290
- domains, magnetism, B:349–358
- downhole logging
 Site 902, A:105–111, 117
 Site 903, A:178–183, 190
 Site 904, A:239–241, 245
 Site 905, A:301
 Site 906, A:293–295, 336–338, 345
See also well-logging
- East Coast Diatom Zones
 Cenozoic, B:17–35
 seismic reflectors, A:187
- Site 902, A:115
 ejecta, tektites, B:255–259
 environmental magnetism, rock magnetism, B:347–359
- Eocene
 biostratigraphy, B:435–437
 carbonates, A:115, 189
 clay mineral sedimentation, B:147–170
 foraminiferal biostratigraphy, B:5, 11
 lithologic units, A:76, 147, 216–220, 319
 planktonic foraminifers, B:455–460
 sequence stratigraphic framework, B:65–95
 stratigraphy, B:429–432
 unconformities, A:8
- Eocene, upper
 tektite layer biostratigraphy, A:226
 tektites, B:241–265
- erosion, Neogene, B:280
- erosional contacts
 photograph, A:217
See also unconformities
- ethane, sediments, A:282–283, 328
- eustatism
 global changes, A:11–20
See also glacioeustasy; sea level
- Exxon multichannel seismic lines, location, A:14
- Exxon records, Oligocene–Miocene, B:425–428
- fabric, sediments, B:363
- fatty acids. *See* *n*-fatty acids
- faults
 lithologic units, A:319
 photograph, B:215
- feldspar
 tektites, B:246–247
 vs. depth, A:74, 144, 146, 214, 267
- ferromagnetic minerals, percentage contributing to susceptibility, B:353
- flow deposits, silty clay, B:195–199
- flow structures, photograph, B:214
- fluid escape features, tektites, B:249
- fluvial processes, submarine canyons, B:291–292
- folds, silty clay, B:195–199
- folds, isoclinal, photograph, B:214
- foraminifers
 Cenozoic, B:65–95
 correlation with GRAPE and pycnometer bulk density data, A:95
 glauconite, B:180
 lithologic units, A:76
 oxygen isotopes, A:11–12
 Paleogene and Neogene biostratigraphy, B:3–15
 Pleistocene assemblages, A:82
 strontium isotopes, B:97–114
 vs. depth, A:219
- foraminifers, benthic
 age/paleobathymetric distribution, B:70–71
 biofacies, B:69–83
 biostratigraphy, A:80–81, 151–153, 223–224, 276, 321–322
 Miocene, B:221
 paleodepth vs. biofacies age, B:73, 75–90
 Q-mode varimax factors, B:71–90
- foraminifers, planktonic
 biostratigraphy, A:79–80, 149–151, 222–223, 275–276, 321–322
 datums in upper Eocene to Pleistocene, A:81
 Eocene biostratigraphy, B:244–245, 430
 Eocene–Miocene biostratigraphy, B:455–460
 Pleistocene relative abundance, A:80, 151, 223
 tektites, B:250–252
 vs. depth, B:459
- fractures, photograph, A:221
- framboids, pyrite, opal-CT, B:369
- gadolinium logs, vs. depth, A:342–343
- gamma-ray logs
 cores, A:51–59
 depth and density corrections, A:356–357; B:461–468
 vs. depth, A:111, 177, 179, 183–184, 237–238, 240, 292, 295, 335, 337, 339–341
See also density–porosity–natural gamma-ray logs; natural gamma-ray emission; resistivity–velocity–natural gamma-ray logs
- gamma-ray logs, spectral
 lithologic units, B:412–415
 sequence stratigraphy, B:411–422
- gas escape, pressure, B:384
- gas hydrates, interstitial waters, A:286–288
- gases, headspace, sediments, A:92–93, 165, 232, 284–285, 330
- gases, vacutainer, sediments, A:164, 285, 330
- gases, volatile, sediments, A:91–92, 163–164, 231, 282–283, 328
- geochemical logs
 Site 906, A:338
 vs. depth, A:342–343
- geochemical logs, processed, A:354–356
- geochemistry, inorganic
 Site 902, A:98–101
 Site 903, A:167–173
 Site 904, A:233–235
 Site 905, A:286–291
 Site 906, A:330–334
- geochemistry, organic
 Site 902, A:91–98
 Site 903, A:163–167
 Site 904, A:231–233
 Site 905, A:282–286
 Site 906, A:328–330
- geomagnetic polarity time scale
 correlation, A:227–228
 sand, B:137
- geomorphology
 Neogene, B:269–281
 sedimentation rates, B:236–237
- geophysical surveys. *See* underway geophysics
- geotechnical properties, sediments, B:377–384
- glacial intervals, sedimentation rates, A:161, 229–230
- glaciation, Oligocene–Miocene, B:425–428
- glacioeustasy
 clay mineral sedimentation, B:158
 hiatuses, B:111–112
 Oligocene–Miocene, B:425–428
See also eustatism; sea level
- glauconite
 interstitial waters, A:333–334
 iron oxide and potassium oxide, B:368
 lithologic units, A:71–72, 147, 216, 318–319
 model lithology, B:392
 photograph, A:76
 sand, B:199–201
 tektites, B:247
 vs. depth, A:219; B:365
- glauconitization, evolution, B:176–177
- glaucony
 gamma-ray peaks, B:419–421
 lithofacies, B:171–187
 photographs, B:185–187
- global cooling
 clay mineral sedimentation, B:158
See also paleoclimatology
- grain size
 correlation with sediment color, B:235

- glauconite, B:253
 glaucony lithofacies, B:174
 quartz, B:252
 sediments, B:229–239
 seismic unconformity correlation, B:304
 tektites, B:248, 252–253
 vs. depth, A:215
 vs. rock magnetism, B:353
- gravity flows
 lithologic units, A:69–75
 sand, B:201
See also debris flows; density flows; mass flows; mass transport flows; mass wasting
- Gulf Stream, ocean circulation, B:336–337
- Hatteras Abyssal Plain, sediment transport, A:8
 Hatteras Fan, sediment transport, A:8
 heavy minerals, model lithology, B:391
 hemipelagic environment, lithofacies, B:206–207
 Hendrickson Canyon, sediments, A:8
 hexane, Miocene sediments, A:101
 hiatuses
 correlation, B:110
 Miocene–Pleistocene, A:115–116
 Miocene–Pliocene, A:189; B:58–61
 Neogene, B:269–281
 sedimentation rates, A:280–282
See also unconformities
- Holocene, lithologic units, A:135–141
- Hudson River
 sediments, A:7
 submarine canyons, B:236–237
- hydrates. *See* gas hydrates
- hydrocarbon ratio
 sediments, A:328
 vs. depth, A:286
- hydrocarbons
 vs. depth, A:98
See also ethane; gases; hexane; hydrocarbon ratio; methane; propane
- hydrocarbons, aliphatic, sediments, B:331
- hydrocarbons, headspace, volatile vs. depth, A:166, 232, 283, 329
- hydrogen index
 organic matter, B:336–337
 sediments, A:96, 232, 285–286
 vs. oxygen index, A:98, 167, 235, 287
- hydrography, coastal plain, A:6
- hysteresis parameters, magnetism, B:349
- ice volume, Oligocene–Miocene, B:425–428
- ichnofossils
 lithologic units, A:146–148, 214–217, 265, 272, 319
 photograph, A:147
See also bioturbation; burrows
- illite
 interstitial waters, A:333–334
 lithofacies, B:202
 mud clasts, B:199–201
 sedimentation, B:158, 160, 164
 tektites, B:247–248, 252
 vs. depth, A:220
See also kaolinite/illite ratio
- impact phenomena, tektites, B:253–259
- index properties
 cycles, B:366–367
 sediments, A:101–102, 236–239, 334–336
- interstitial waters
 geochemistry, A:98–101; B:322
 sediments, A:100, 171, 237, 294, 332
- inversion models
 lithology, B:396–405
- well-logging, B:393–394
- iron
 interstitial waters, A:99, 172–173, 235, 290, 333–334
 vs. depth, A:103, 172, 236, 290, 333; B:325
- iron oxide
 tektites, B:248–250, 253–258
 vs. potassium oxide in glauconite, B:368
- iron oxide logs, vs. depth, A:342–343
- Island Beach, bathymetry, A:6–7
- isochron maps, Neogene, B:273, 275–278
- Jurassic, geology, A:7
- kaolinite
 lithofacies, B:203, 205
 sedimentation, B:158, 160, 164
 silty clay, B:195–199
 tektites, B:247–248, 252
 vs. depth, A:220
- kaolinite/illite ratio
 paleoclimatology, B:415, 417–419
 zoning, B:155
- kerogen, sediments, A:231–233
- ketones, sediments, A:98; B:336–337
- Labrador Current, hydrography, A:6
- lamellae, tektites, B:246–247
- laminations
 deposition, A:344
 lithologic units, A:317–318
 photograph, A:317–318
 sand, B:199–201
 tektites, B:259
See also cross laminations
- lepispheres
 opal-CT, B:369
 photograph, B:369–370
- Lindenkohl Canyon
 sediments, A:8
 strontium-isotope stratigraphy, B:108–109
 submarine canyons, B:292
- lipids, sediments, A:98
- lithofacies
 composition, B:223
 correlation with sediment color, B:233
 mass-transport deposits, B:195–210
 sequence stratigraphy, B:171–187
- lithologic column
 Site 902, A:70, 72–73
 Site 903, A:136–140
 Site 904, A:212–213, 215
 Site 905, A:261–264
 Site 906, A:314–315
- lithologic units
 Site 902, A:69–76
 Site 903, A:135–149
 Site 904, A:210–220
 Site 905, A:260–272
 Site 906, A:313–319
 spectral gamma-ray logs, B:412–415
 Unit I, A:69, 71, 135–141, 210–211, 260–265, 313–316
 Unit II, A:141–144, 265
 Unit III, A:71–72, 144–145, 265–272
 Unit IV, A:72, 145–146, 211–214, 272, 316–317
 Unit V, A:72, 74–75, 146–147, 214–216, 317–318
 Unit VI, A:75, 147–148, 216, 318–319
 Unit VII, A:76, 148–149, 216–220, 319
- lithology, in situ, vs. age, B:203
- lithostratigraphy
 Site 902, A:69–76
- Site 903, A:135–149
 Site 904, A:209–220
 Site 905, A:260–272
 Site 906, A:312–319
- log–core correlation
 Site 904, A:240
 Site 905, A:294
 Site 906, A:339–344
See also coring; well-logging
- magnesium
 interstitial waters, A:170, 172, 235, 333
 vs. depth, A:103, 172, 236, 290, 333; B:324
- magnesium oxide, tektites, B:248–250, 253–258
- magnesium/calcium ratio
 diagenesis, B:316–317
 interstitial waters, A:333
 vs. depth, B:324
- magnetic inclination
 sand, B:131, 135–136, 138, 142
 vs. depth, A:87–89, 91, 158, 228–229, 281, 326
- magnetic intensity, vs. depth, A:87–89, 91, 158, 228–229, 281, 326
- magnetic polarity
 sediments, B:137, 143
 vs. depth, A:87–89, 91, 158, 228–229, 326
- magnetic reversals, boundary depths, A:90, 163, 228, 326
- magnetic susceptibility
 downhole plots, B:351, 354
 vs. depth, A:87–89, 159, 162, 228–229, 231, 281, 326; B:118–119
- magnetic susceptibility anisotropy, magnetism, B:349–358
- magnetite, authigenic, magnetism, B:356–357
- magnetite, remanent magnetization, B:356
- magnetostratigraphy
 Cenozoic, A:86–89
 correlation with biostratigraphic datums, B:32
 Eocene, B:429–430
 Miocene and Pleistocene, B:129–143
 seismic reflectors, B:108–110
 Site 903, A:157–159
 Site 905, A:280
 Site 906, A:325–326
See also magnetozones
- magnetozones, vs. depth, A:162
- major oxides
 tektites, B:248–250, 253–255
 vs. silica for tektites, B:257
- manganese, acid-soluble fraction, vs. carbonate percentage, B:318
- manganese, vs. depth, A:103
- manganese oxide, tektites, B:248–250, 253–258
- mapping, Neogene, B:269–280
- mass flows
 Neogene, B:280
 photograph, A:75
See also debris flows; gravity flows; mass transport deposits; mass wasting; slump deposits
- mass transport deposits
 lithologic units, A:69, 71
 Oligocene–Holocene, B:189–228
 photograph, A:268–271
See also debris flows; gravity flows; mass flows; mass wasting; slump deposits
- mass transport facies, correlation, B:216
- mass wasting
 deposition, A:299
 downslope transport, B:221–226
 lithologic units, A:312–316
 submarine canyons, B:291

- tektites, B:259
See also debris flows; gravity flows; mass flows; slump deposits
- Matuyama Chron, Site 902, A:87
- maximum flooding surfaces, gamma-ray peaks, B:419
- median destructive field
 downhole plots, B:351, 354
 magnetism, B:349–358
- methane
 gas escape, B:384
 interstitial waters, A:289
 sediments, A:91–92, 163–164, 231, 282–283, 328
 vs. depth, A:234
See also hydrocarbons
- methanogenesis
 carbonate cements, B:321
 sediments, A:231; B:329–344
- microfaults
 lithofacies, B:209–210
 photograph, A:146
 sedimentation, B:217–220
- microfossils, calcareous, vs. depth, A:287, 329
- microfractures, lithologic units, A:220
- microkrystites
 Site 612, B:255
See also microtektites; tektites
- microstructure, sediments, B:363
- microtektites
 lithologic units, A:218
 photographs, A:220; B:262
 reworking of foraminifers, B:14
 unconformities, A:243
See also microkrystites; tektites
- Mid-Atlantic Transect, multichannel seismic lines, A:16
- Milankovitch changes, oxygen isotopes, A:12
- Miocene
 biostratigraphy, B:435–437
 biostratigraphy and age estimates, A:17
 calcareous nannofossil biostratigraphy, B:53–61
 clay mineral sedimentation, B:147–170
 correlation of oxygen isotope zones, A:13
 diagenesis, B:361–376
 diatom biostratigraphy, B:17–35
 foraminiferal biostratigraphy, B:7, 9, 12–13
 glauconite silty clays, A:115
 glaucony lithofacies, B:171–187
 lithologic units, A:71–75, 144–146, 211–216, 265–272, 314–318
 magnetostratigraphy, A:86–87, 89; B:129–143
 planktonic foraminifers, B:455–460
 radiolarian biostratigraphy, B:44–46
 sedimentation, A:189
 sedimentation rates, A:280–282
 sequence stratigraphy, B:65–95, 237
 strontium-isotope stratigraphy, B:97–114, 425–428
 unconformities, A:89–90
- Miocene, middle, canyon formation, B:283–292
- Miocene sediments, photograph, A:76
- Miocene sequences, seismic reflectors, A:113, 115, 185, 187–188, 242–243
- Miocene surface m, seismic unconformity correlation, B:304
- Miocene surface q, seismic unconformity correlation, B:304
- mud
 lithologic units, A:135–140
 vs. depth, B:458
- mudstone, gamma-ray peaks, B:419–421
- n*-alcohols
 sediments, B:331, 336
See also alcohols
- n*-alkane
 sediments, A:98
See also alkane
- n*-fatty acids
 sediments, B:336
See also fatty acids
- nannofossils, calcareous
 biostratigraphy, A:81–82, 153–154, 224–225, 276–278, 322–323; B:435–437
 distribution in lower Miocene to upper Eocene, A:83, 85
 Eocene, B:430
 Eocene tektite layer biostratigraphy, A:226
 Miocene–Pliocene biostratigraphy, B:53–61
 Pleistocene assemblages, A:82
 Pleistocene biogeochronology, A:82
 vs. depth, A:219, 226; B:119, 121
- natural-gamma-ray emissions
 sediments, A:336, 238–239
See also gamma-ray logs
- Neogene
 depositional geometries, B:269–281
 foraminiferal biostratigraphy, B:3–15
 submarine canyons, B:287–292
- neutron porosity logs, vs. depth, A:111, 183–184, 240, 295, 337
- New Jersey, continental margin, A:5–9
- New Jersey continental slope
 calcareous nannofossils, B:435–437
 clay mineral sedimentation, B:147–170
 depth and density corrections, B:461–468
 diagenetic carbonate minerals, B:311–328
 diatom biostratigraphy, B:17–35
 dinoflagellates, B:439–454
 Eocene stratigraphy, B:429–432
 geotechnical properties, B:377–384
 lithology, B:385–409
 mass-transport deposits, B:189–228
 Miocene canyon, B:283–292
 Neogene depositional geometries, B:269–281
- Oligocene–Miocene magnetostratigraphy, B:129–143
- Oligocene–Miocene sequences, B:425–428
- Paleogene and Neogene foraminiferal biostratigraphy, B:3–15
- physical properties, B:361–376
- Pleistocene age models, B:115–127
- radiolarian biostratigraphy, B:37–51
- rock magnetism, B:347–359
- seismic unconformity correlation, B:293–307
- sequence stratigraphy, B:361–376
- spectral gamma-ray logs, B:411–422
- strontium-isotope stratigraphy, B:97–114
- New Jersey Margin
 geophysical surveys, A:43–50
 Oligocene–Miocene upwelling, B:181
- organofacies, B:329–344
- paleoceanography, B:65–95
- Pleistocene slope sediments, B:229–239
- sea-level changes, A:11–20
- tektites, B:241–265
- New Jersey Sea-Level Transect, glacioeustatic changes, A:13–15
- nitrogen
 sediments, A:94, 168–169, 233, 283, 285, 328–329
 vs. depth, A:166, 234, 287, 329
See also carbon/nitrogen ratio
- nodules
 diagenesis, B:313–328
 lithologic units, A:72–74
- photograph, A:76
- nodules, carbonate, photograph, A:148
- nodules, pyrite, A:325
- nodules, septarian, glauconite, B:178
- nodules, siderite, lithologic units, A:316–317
- nodules, siderite/calcite, lithologic units, A:211–214
- North American strewn field, sources, B:255
- North Atlantic Deep Water, hydrography, A:6
- Oligocene
 biostratigraphy, B:435–437
 biostratigraphy and age estimates, A:17
 diagenesis, B:361–376
 foraminiferal biostratigraphy, B:7, 9, 12
 glaucony lithofacies, B:171–187
 lithologic units, A:75, 146–147, 216, 318–319
 planktonic foraminifers, B:455–460
 radiolarian biostratigraphy, B:44
 sedimentation, B:158, 160, 164
 sequence stratigraphic framework, B:65–95
 strontium-isotope stratigraphy, B:97–114, 425–428
- opal, vs. depth, A:214, 267
- opal-A
 dissolution, B:364
 unconformities, A:243
- opal-CT
 lepispheres, B:369
 lithologic units, A:219–220
 precipitation, B:365
 unconformities, A:243
 vs. depth, A:74, 144, 146; B:365
- opaline sediments, model lithology, B:391
- opaque material, vs. depth, A:219
- organic matter, sediments, A:96, 98, 167, 231–233, 285–286, 330
- organofacies, sediments, B:329–344
- overconsolidation, gas escape, B:384
- overconsolidation difference, vs. void ratios, B:382
- overconsolidation rate, vs. void ratios, B:382
- oxygen index, vs. hydrogen index, A:98, 167, 235, 287
- oxygen isotopes
 clay mineral zones, B:164
 correlation with sediment color, B:233
 diagenesis, B:313–328
 sea-level change indicators, A:11–12
 vs. carbon isotopes of carbonates, B:320
 vs. depth, B:117, 320
- oxygen-minimum zone, glaucony, B:181–182
- paleobathymetry, Cenozoic, B:67–68
- paleoceanography
 Cenozoic, B:65–95
 Neogene, B:269–281
 tektites, B:259
- paleoclimatology
 clay mineralogy, B:415, 417–419
 sedimentation, B:110–111
See also global cooling
- paleodepth, vs. biofacies age, B:73, 75–78
- Paleogene, foraminiferal biostratigraphy, B:3–15
- paleogeography, clay mineralogy, B:415, 417–419
- paleomagnetism
 Site 902, A:86–89
 Site 903, A:157–159
 Site 904, A:227–228
 Site 905, A:280
 Site 906, A:325–326
- paleotemperature, sediments, A:98
- passive margins
 eustatic records, A:12

- geology, A:7
glacioeustasy, B:111–113
rock magnetism, B:347–359
- pelagic environment, lithofacies, B:206–207
- penetrometer strength
sediments, A:104, 238, 336
vs. depth, A:104–106, 174, 176, 237, 292, 335
- permeability, in situ, vs. effective stress and void ratios, B:383
- permeability, sediments, B:379–382
- pH
interstitial waters, A:333
sediments, A:328–329
vs. depth, A:103, 172, 236, 290, 333; B:324
- phosphate
interstitial waters, A:99, 167, 169, 286, 330
vs. depth, A:103, 172, 236, 290, 333
- phosphorus oxide, tektites, B:248–250, 253–258
- physical properties
cycles, B:366–367
diagenesis, B:361–376
Site 902, A:101–104
Site 903, A:173–178
Site 904, A:235–239
Site 905, A:291–293
Site 906, A:334–336
- physical properties units
sediments, A:173–178, 334–336
sequence stratigraphy, B:367–369
See also bulk density units
- physiography, coastal plain, A:6
- plant matter
lithologic units, A:317–318
sand, B:199–201
sediments, A:98, 167; B:337
See also wood fragments
- plant matter, terrestrial, vs. depth, A:143
- Pleistocene
age models, B:115–127
biochronology, A:82
biostratigraphy, A:222
clay mineral sedimentation, B:147–170
foraminifer relative abundances indicating cold, cool, and warm waters during Pleistocene, A:80
glaucony lithofacies, B:171–187
lithologic units, A:69, 71, 135–144, 210–211, 260–265, 313–314
magnetostratigraphy, B:129–143
rock magnetism, B:347–359
sedimentation rates, A:229–230, 280–282
sediments, B:377–384
slope sediments, B:229–239
unconformities, A:89–90
- Pleistocene sediments, photograph, A:75
- Pleistocene sequences
seismic reflectors, A:112–113
Site 903, A:184–185, 241–242
- Pleistocene surface a, seismic unconformity correlation, B:302–304
- Pleistocene surface d, seismic unconformity correlation, B:302–304
- Pleistocene surface e, seismic unconformity correlation, B:302–304
- Pleistocene surface l, seismic unconformity correlation, B:302–304
- Pliocene
calcareous nannofossil biostratigraphy, B:53–61
glaucony lithofacies, B:171–187
hiatuses, A:189
- porcellanite
lithologic units, A:220
unconformities, A:243
- pore water, diagenesis, B:316–317
- porosity
cores, B:387–390
depth and cross plots, B:389–391
depth plot of core and model values, B:406
gamma-ray logs, B:461–468
model lithology, B:392
sediments, A:102; B:380
vs. depth, A:104–106, 174–177, 237, 292, 335
See also density–porosity–natural gamma ray logs; neutron porosity logs
- potassium
interstitial waters, A:99, 172, 235, 290, 333–334
sediments, B:363–364
vs. depth, A:103, 172, 236, 290, 333
See also thorium/potassium ratio
- potassium, acid-soluble fraction, vs. carbonate percentage, B:318
- potassium logs, vs. depth, A:340–341
- potassium oxide
tektites, B:248–250, 253–258
vs. iron oxide in glauconite, B:368
- potassium oxide logs, vs. depth, A:342–343
- precipitation
calcite, B:363–364
clinoptilolite, B:365, 367
opal-CT, B:365
- pressure
vs. depth, B:384
See also consolidation; stress
- progradation
continental margin, B:371–372
Neogene, B:280
sequence stratigraphy, B:237
- propane, sediments, A:328
- protoperidinioid cysts, Site 904, A:226
- provenance, sediments, B:65–95
- pyrite
framboids, B:369
lithologic units, A:272, 318
photograph, A:318
tektites, B:246–247
vs. depth, A:74, 144, 146, 214, 267
- pyrite peak intensity, vs. depth, A:287
- pyrolysis, Rock-Eval
sediments, A:99, 170, 234, 289
- pyroxene, settling time, B:246
- quartz
sand, B:199–201
sediments, B:363–364
settling time, B:246
tektites, B:246–247
vs. depth, A:74, 143–144, 146, 214, 219, 267
- Quaternary
diatom biostratigraphy, B:17–35
sediment transport, A:8
sequence stratigraphy, B:237
slope sediments, B:229–239
- radiolarians
biostratigraphy, B:37–51
glaucony, B:182
vs. depth, A:219
- recompression. *See* compression
- recompression index, vs. void ratios, B:382
- regression, coastal plain, A:5–9
- remanent magnetization
downhole plots, B:351, 354
sediments, A:87, 89, 157–159
- remanent magnetization, anhysteretic
sediments, B:349–358
vs. isothermal remanent magnetization, B:350
- remanent magnetization, anhysteretic/isothermal
remanent magnetization ratio, vs. median destructive field-anhysteretic remanent magnetization, B:357
- remanent magnetization, chemical, magnetite, B:357
- remanent magnetization, isothermal, sediments, B:349–358
- remanent magnetization, natural, sediments, B:349–358
- resistivity logs, vs. depth, A:111, 183–184, 240, 295, 337
- resistivity–velocity–natural gamma ray logs
Site 902, A:118–122
Site 903, A:191–194, 199–202
Site 904, A:246–249
Site 905, A:302–305
Site 906, A:346–349
- reworking
foraminifers, B:14
glauconite, B:177–178
glaucony, B:182
- rock magnetism
Pleistocene passive margin sediments, B:347–359
vs. grain-size classification, B:353
- salinity
interstitial waters, A:99, 169, 234–235, 286–288, 330–331
vs. depth, A:103, 172, 236, 333
- sand
lithic and mud clasts, B:201, 203
lithic clasts, B:207
lithofacies, B:199–201
lithologic units, A:135–146, 210–211, 260–265
Neogene, B:280
photograph, A:317
vs. depth, A:143; B:458
- sand, disseminated, lithofacies, B:204
- sand, glauconitic
lithofacies, B:204, 206
lithologic units, A:141–145, 210–211, 312–316
magnetization, B:137
photograph, A:215
- sand, interbedded, lithofacies, B:205–206
- sand, laminated, photograph, B:211
- sand, normally graded
lithofacies, B:203
photograph, B:208
- sand, quartz
lithologic units, A:317–318
photograph, A:142, 221
- sandstone, glauconitic
lithologic units, A:146–148
photograph, A:319
- sea level, changes, A:5–9
carbonate cements, B:321
clay mineral sedimentation, B:158
correlation with sediment color, B:233, 235–236
correlation with sequence stratigraphy, B:237
“Doubthouse” sequences, A:15
gamma-ray peaks, B:419–421
global changes, A:11–20; B:137
organic matter, B:336–337
sedimentation, B:217–220
strontium-isotope stratigraphy, B:425–428
See also eustatism; glacioeustasy
- seafloor spreading, geology, A:7
- sediment supply, sedimentation, B:110–111
- sediment transport

- Cenozoic, A:8
 Neogene, B:280
 sequence stratigraphic framework, B:83–87
 sedimentation
 clay minerals, B:147–170
 continental slope and rise, A:7–8
 Neogene, B:269–281
 sequence stratigraphic framework, B:83–87
 siliciclastic switch, B:110–111
 tektites, B:255–259
 sedimentation, hemipelagic, lithologic units,
 A:312–316
 sedimentation rates
 age models, B:125
 carbonate cements, B:321
 glacioeustatic changes, A:13–15
 Miocene–Pliocene biostratigraphy, B:56
 planktonic foraminifers, B:459
 Pleistocene, B:122–123
 sediment color, B:236–237
 Site 902, A:89–91
 Site 903, A:159–163
 Site 904, A:228–231
 Site 905, A:280–282
 Site 906, A:326–328
 sedimentological logs, glauconite, B:176, 178–182
 sediments
 continental slope, B:229–239
 geotechnical properties, B:377–384
 mineral composition, B:195–210, 363–364
 model lithology, B:390–392
 organofacies, B:329–344
 rock magnetism, B:347–359
 seismic unconformity correlation, B:304
 tektites, B:243, 246
 sediments, calcareous, model lithology, B:391
 sediments, clay-rich, model lithology, B:391
 seismic profiles
 New Jersey Margin, A:43–50
 sea level, A:15–16
 Site 902, A:66
 Site 903, A:134
 Site 904, A:210
 Site 905, A:258, 264
 Site 906, A:312
 submarine canyons, B:286–287
 unconformity correlation with logs,
 B:293–307
 seismic reflector canyon-1, submarine canyons,
 B:287–292
 seismic reflector canyon-2, submarine canyons,
 B:287–292
 seismic reflector m2, submarine canyons,
 B:286–292
 seismic reflector m3, submarine canyons,
 B:286–292
 seismic reflectors
 multichannel lines, A:300
 Neogene, B:269–281
 sequence stratigraphy, B:68–69
 Site 902, A:111–115
 Site 903, A:184–188
 Site 904, A:241–243
 Site 905, A:293, 296–297, 299
 Site 906, A:338–344
 strontium-isotope stratigraphy, B:107–112
 submarine canyons, B:286–292
 unconformities, B:27–28, 293–307
 vs. depth, A:162
 seismic sections
 continental margin, B:372–373
 geotechnical properties, B:378
 seismic stratigraphy
 mass-transport deposits, B:192–195
 Site 902, A:111–115
 Site 903, A:183–189
 Site 904, A:241–243
 Site 906, A:295–298, 338–344
 seismic units, Neogene, B:269–281
 seismic–core correlation
 Site 903, A:186, 188
 Site 904, A:242
 vs. depth, A:114, 298, 327
 seismograms, synthetic
 logging data, A:113, 185, 241, 339
 Site 902, A:110–111
 Site 903, A:183
 Site 905, A:295
 Site 906, A:338
 unconformities, B:295–298
 sequence stratigraphy
 Cenozoic, B:65–95
 correlation, B:210–217
 debris flows, B:225–226
 high-resolution lithologic characterization,
 B:385–409
 lithofacies, B:171–187
 mass-transport deposits, B:189–228
 mass-transport facies, B:217
 Miocene–Oligocene, B:361–376
 planktonic foraminifers, B:455–460
 sedimentation, B:237
 spectral gamma-ray logs, B:411–422
 strontium-isotope stratigraphy, B:107–112
 unconformities, B:297
 shock deformation, tektites, B:246–247
 siderite
 diagenesis, B:317–319
 lithologic units, A:72–74, 316–317
 nodules, A:211–214
 SEM photomicrograph, B:328
 vs. depth, A:74, 146, 214
 siderite, diagenetic, lithofacies, B:206–207
 siderite, laminated, photograph, B:212
 silica
 interstitial waters, A:173, 235, 291, 334
 sediments, B:363–364
 tektites, B:248–250, 253–258
 vs. depth, A:103, 172, 236, 290, 333
 vs. major oxides in tektites, B:257
 silica logs, vs. depth, A:342–343
 silica/aluminum oxide ratio, sediments,
 B:367–369
 siliciclastic switch, sedimentation, B:110–111
 siliciclastics, sedimentation, B:219–220
 silt, clayey, lithologic units, A:69–75
 silt, interbedded, lithofacies, B:205–206
 silt, laminated, photograph, A:216
 silt, vs. depth, A:143
 siltstone, lithologic units, A:267
 Site 563, correlation of Miocene oxygen isotope
 zones, A:13
 Site 608, correlation of Miocene oxygen isotope
 zones, A:13
 Site 612
 microkrystites, B:255
 submarine canyons, B:284
 tektites, B:259
 Site 747, correlation of Miocene oxygen isotope
 zones, A:13
 Site 902, A:63–127
 APC downhole measurements, A:104–105
 background and objectives, A:65, 67
 benthic foraminifers biofacies, B:71
 biostratigraphy, A:76–86
 calcareous nannofossils, B:435
 coring, A:68
 diatom biostratigraphy, B:21
 dinoflagellates, B:440–441
 downhole logging, A:105–111
 inorganic geochemistry, A:98–101
 lithology, B:395–397, 406
 lithostratigraphy, A:69–76
 mass-transport deposits, B:213, 215
 operations, A:67–69
 organic geochemistry, A:91–98
 Paleogene and Neogene biostratigraphy,
 B:8–10
 paleomagnetism, A:86–89
 physical properties, A:101–104
 Pleistocene age models, B:119–121
 radiolarian biostratigraphy, B:40–42
 sedimentation rates, A:89–91
 seismic stratigraphy, A:111–115
 seismic unconformity correlation, B:300–301
 shore-based log processing, A:117
 site description, A:63–127
 strontium-isotope stratigraphy, B:107
 summary and conclusions, A:115–116
 Site 903, A:129–205
 background and objectives, A:131
 benthic foraminifers biofacies, B:72–73
 biostratigraphy, A:149–157
 calcareous nannofossils, B:436
 clay mineral sedimentation, B:148–156
 coring, A:132
 diatom biostratigraphy, B:21–25
 dinoflagellates, B:442–445
 downhole logging, A:178–183
 inorganic geochemistry, A:167–173
 lithology, B:398–401, 406–407
 lithostratigraphy, A:135–149
 Oligocene–Miocene magnetostratigraphy,
 B:130–134
 operations, A:131–135
 organic geochemistry, A:163–167
 organofacies, B:329–344
 Paleogene and Neogene biostratigraphy,
 B:10–14
 paleomagnetism, A:157–159
 physical properties, A:173–178
 Pleistocene age models, B:121–122
 radiolarian biostratigraphy, B:42
 rock magnetism, B:353–355
 sedimentation rates, A:159–163
 seismic stratigraphy, A:183–189
 seismic unconformity correlation, B:301–302
 sequence stratigraphy, B:171–187
 shore-based log processing, A:190
 site description, A:129–205
 strontium-isotope stratigraphy, B:106–107
 summary and conclusions, A:189
 systems tracts, B:369–371
 Site 904, A:207–253
 background and objectives, A:208
 benthic foraminifers biofacies, B:69
 biostratigraphy, A:221–227
 calcareous nannofossils, B:436
 coring, A:209
 diatom biostratigraphy, B:25–26
 dinoflagellates, B:446–447
 downhole logging, A:239–241
 inorganic geochemistry, A:233–235
 lithology, B:402–403, 407
 lithostratigraphy, A:209–220
 mass-transport deposits, B:215–217
 Miocene and Pleistocene
 magnetostratigraphy, B:134–136
 operations, A:208–209
 organic geochemistry, A:231–233
 Paleogene and Neogene biostratigraphy, B:4–8
 paleomagnetism, A:227–228

- physical properties, A:235–239
 planktonic foraminifers, B:455–460
 Pleistocene age models, B:122
 radiolarian biostratigraphy, B:42
 rock magnetism, B:349–353
 sedimentation rates, A:228–230
 seismic stratigraphy, A:241–243
 seismic unconformity correlation, B:302
 shore-based log processing, A:245
 site description, A:207–253
 strontium-isotope stratigraphy, B:104–106
 summary and conclusions, A:243–244
 tektites, B:241–265
- Site 905, A:255–308
 background and objectives, A:256–257
 biostratigraphy, A:272–280
 calcareous nannofossil biostratigraphy, B:53–61
 calcareous nannofossils, B:436
 clay mineral sedimentation, B:155–164
 coring, A:259
 diatom biostratigraphy, B:26–27
 dinoflagellates, B:450–451
 downhole logging, A:293–295
 inorganic geochemistry, A:286–291
 lithology, B:407
 lithostratigraphy, A:260–272
 mass-transport deposits, B:220–221
 operations, A:258–260
 organic geochemistry, A:282–286
 organofacies, B:329–344
 paleomagnetism, A:280
 physical properties, A:291–293
 sedimentation rates, A:280–282
 seismic stratigraphy, A:295–298
 shore-based log processing, A:301
 site description, A:255–308
 summary and conclusions, A:299
- Site 906, A:309–357
 background and objectives, A:310–311
 benthic foraminifers biofacies, B:69, 71
 biostratigraphy, A:319–325
 calcareous nannofossils, B:436
 coring, A:313
 diatom biostratigraphy, B:27
 dinoflagellates, B:452–453
 downhole logging, A:336–338
 inorganic geochemistry, A:330–334
 lithology, B:404–408
 lithostratigraphy, A:312–319
 operations, A:311–312
 organic geochemistry, A:328–330
 paleomagnetism, A:325–326
 physical properties, A:334–336
 sedimentation rates, A:326–328
 seismic stratigraphy, A:338–344
 seismic unconformity correlation, B:302
 shore-based log processing, A:345
 site description, A:309–357
 strontium-isotope stratigraphy, B:107
 submarine canyons, B:283–292
 summary and conclusions, A:344
- slope failure, submarine canyons, B:291–292
- slump deposits
 lithofacies, B:203, 205, 209–210
 lithologic units, A:135–140
 Miocene, B:220–221
 photograph, A:266–267, 319
 silty clay, B:195–199
 vs. depth, A:162
See also debris flows; gravity flows; mass flows; mass transport deposits; mass wasting
- slump folds, lithologic units, A:219, 318
- smectite
 Eocene sedimentation, B:156, 158
 tektites, B:247–248, 252
 vs. depth, A:220
See also clay mineralogy
- sodium
 interstitial waters, A:330–331
 vs. depth, A:172, 333
- sodium oxide, tektites, B:248–250, 253–258
- soft sediment deformation
 lithofacies, B:205–206
 mass-transport deposits, B:195–210
 photograph, A:216; B:211
- SPECMAP time scale
 correlation, A:162, 230–231
 vs. depth, A:162; B:117
See also time scales
- stable isotopes
 diagenesis, B:313–328
 diagenetic carbonates, B:175
- sterenes, sediments, B:337
- steroids, sediments, B:337
- sterols, vs. depth, B:336
- stress. *See* consolidation; pressure stress, effective
 sediments, B:381
 vs. in situ permeability, B:383
- strontium
 interstitial waters, A:170, 172, 235, 333
 vs. depth, A:103, 172–173, 236, 290, 333; B:324
- strontium, acid-soluble fraction, vs. carbonate percentage, B:318
- strontium isotopes
 absolute age of carbonates, B:320–321
 diagenesis, B:313–328
 Oligocene–Miocene, B:425–428
 Oligocene–Miocene stratigraphy, B:97–114
 radiolarian biostratigraphy, B:44–46
 unconformities, B:14
- structure maps, Neogene, B:272–273, 275–277
- submarine canyons
 excavation, B:217–220
 middle Miocene, B:283–292
 Neogene, B:274, 279–280
 sedimentation rates, B:236–237
See also buried canyons
- submarine fans, continental margin, B:372–373, 375
- sulfate
 interstitial waters, A:98, 167, 233–234, 286–288, 330
 vs. depth, A:103, 234, 236, 333; B:324
- sulfate reduction
 carbonate cements, B:321
 glauconite, B:178
 sediments, A:231; B:329–344
- sulfur
 sediments, A:94, 168–169, 233, 283, 285, 328–329
 tektites, B:246–247
 vs. depth, A:144, 146, 166, 234, 287, B:332–333
See also carbon/sulfur ratio
- synchrony, radiolarian biostratigraphy, B:49
- systems tracts
 continental margin, B:376
 sequence stratigraphy, B:369–371
- tectonics, geology, A:7
- tektites
 photograph, A:218; B:261–265
 upper Eocene, B:241–265
 upper Eocene biostratigraphy, A:226
- vs. depth, A:219
See also microkrystites; microtektites
- temperature
 plots of measured and modeled values, A:108–110
 plots of measured, modeled, and calculated with ADARA tools, A:180–181
 vs. depth, A:110, 182, 185, 241, 286, 297, 339
- temperature, APC downhole
 sediments, A:178
 Site 902, A:104–105, 107
 Site 903, A:182
- temperature, downhole
 Site 902, A:110
 Site 903, A:183
 Site 904, A:240–241
 Site 905, A:294–295
 Site 906, A:338
- temperature, sea-surface, organic matter, B:336–337
- textures
 downhole plots, B:351, 354
 tektites, B:246–247
- thermal conductivity
 sediments, A:104, 238, 336
 vs. depth, A:104–106, 174–177, 237, 292, 335
- thorium logs, vs. depth, A:340–341
- thorium/potassium ratio, clay mineralogy, B:415, 417–419
- thorium/uranium ratio, lithologic units, B:417
- time scales
 vs. depth, A:231
See also geomagnetic polarity time scale; SPECMAP time scale
- titanium, sediments, B:363–364
- titanium oxide
 tektites, B:248–250, 253–258
 vs. clay minerals, B:367
 vs. detrital minerals, B:367
- titanium oxide logs, vs. depth, A:342–343
- Tom Canyon, debris flows, B:225–226
- transects, onshore drilling, A:16
- transgression
 coastal plain, A:5–9
 gamma-ray peaks, B:419–421
 sequence stratigraphy, B:237
- transport
 clay mineral zones, B:164–165
 glauconite, B:177
- triterpenes, pentacyclic, sediments, B:337
- triterpenoids, sediments, B:337
- turbidites
 lithofacies, B:215–217
 Neogene, B:280
 submarine canyons, B:291–292
- turbidity currents
 lithofacies, B:205–206
 normally graded sands, lithofacies, B:203
 sand, B:201
 submarine canyons, B:291–292
- Tuscan, seismic reflectors, B:28
- unconformities
 continental margin, B:376
 diatom biostratigraphy, B:27–28
 “Doubthouse” sequences, A:815
 Eocene, B:430–431
 foraminifers, B:14
 glauconite, B:179–181
 lithofacies, B:206, 223–226
 magnetic polarity, A:158; B:137
 photograph, A:78, 215, 217
 Pliocene and Miocene, B:58–61
 sedimentation rates, A:89–90, 159, 161–162,

VOLUME 150 TAXONOMIC INDEX

280–282, 326–328
 seismic profiles, B:293–307
 seismic reflectors, A:184–188, 241–243
 strontium-isotope stratigraphy, B:107–109
 tektites, B:258
See also disconformities; erosional contacts; hiatuses
 underconsolidation
 gas escape, B:384
 See also consolidation; overconsolidation
 underway geophysics
 New Jersey Margin, A:43–50
 See also geophysical surveys
 upwelling, Oligocene to Miocene, B:181
 uranium. *See* thorium/uranium ratio
 uranium logs, vs. depth, A:340–341

 Vail–Exxon sequence stratigraphic conceptual model, sedimentation, B:217–220
 vanadium, acid-soluble fraction, vs. carbonate percentage, B:318
 velocity, vs. depth, A:104–106, 174–177, 237, 292, 335
 velocity logs
 vs. depth, A:111, 183–184, 240, 295, 337
 See also resistivity–velocity–natural gamma-ray logs
 void ratios
 sediments, B:380–381
 vs. compression index, B:382
 vs. consolidation and recompression, B:382

vs. in situ permeability, B:383
 water content
 sediments, A:102; B:378
 vs. depth, A:104–106, 174–177, 237, 292, 335
 waxes, sediments, B:337
 weathering, gamma-ray peaks, B:418
 well-log units
 Site 902, A:107, 110
 Site 903, A:178–183
 Site 904, A:239–240
 Site 905, A:294
 Site 906, A:337–338
 well-logging
 correlation with seismic profiles, B:287
 drilling depth and logging speed, A:107, 182, 239, 297, 337
 inversion, B:385–409
 inversion modeling and end-member log parameters, B:392–393
 quality, A:107, 178, 239, 293, 336–337
 shore-based processing, A:117, 190, 245, 301, 345
 Site 906, A:336–338
 unconformity correlation with seismic profiles, A:293–307
 vs. cores, A:51–59
 See also downhole logging; log–core correlation
 Western Boundary Undercurrent
 clay mineral zones, B:164

hydrography, A:6
 Wilmington Fan, sediment transport, A:8
 Wilmington Valley, debris flows, B:225–226
 wood fragments
 photograph, A:317
 See also plant matter

 X-ray diffraction data
 clay mineral sedimentation, B:150–163
 glaucony lithofacies, B:175
 lithology, B:395

 zinc, acid-soluble fraction, vs. carbonate percentage, B:318
 Zone Mi1, sea-level changes, A:12
 Zone Mi1–Mi7, sea-level changes, A:12
 Zone Oi1, sea-level changes, A:12
 Zone Oi2, sea-level changes, A:12
 zoning, biostratigraphic
 diatoms, B:17–35
 dinocysts, B:439–454
 Site 902, A:79
 Site 903, A:150
 Site 904, A:222
 Site 905, A:274
 Site 906, A:321
 zoning, magnetism
 downhole plots, B:351, 354
 New Jersey continental slope, B:349–358
 zoning, sediments, B:132–133, 139–140

VOLUME 150 TAXONOMIC INDEX

abies, *Sphenolithus*
 Site 903, A:153
 Site 905, B:54, 56
abisecta, *Reticulofenestra*, Site 903, A:154
abisectus, *Cycliargolithus*, Site 904, A:225
abisectus, *Dictyococcites*, Site 902, A:81
Abyrithodinium truncatum, Site 905, A:279
Abyssamina poagi/quadrata, Site 904, A:224
Acarinina, Site 904, A:223
Acarinina broedermanni, Site 904, A:223; B:6
Acarinina bullbrookii
 Site 903, A:151; B:10
 Site 904, B:6, 251
Acarinina pentacamerata, Site 904, B:6
Acarinina primitiva, Site 904, B:6
Acarinina spinuloinflata
 Site 903, A:151; B:10
 Site 904, B:6
 Site 906, A:322
Acaromoma, Site 902, A:80
Achomospaera andalouisiensis
 Site 902, A:84
 Site 904, A:227
Achomospaera andalouisiensis sensu Harland,
 Site 905, A:278
Achomospaera andalouisiensis s.s.
 Site 905, A:279
 Site 906, A:324
acostaensis, *Neogloboquadrina*
 Site 902, A:77, 79; B:9
 Site 903, B:12
 Site 904, A:223; B:8
 Site 905, A:275
acrostoma, *Globovalia*
 Site 903, A:150–151
 Site 904, B:8

Site 905, A:275
 Site 906, A:321
actinocoronata, *Reticulosphaera*
 Site 902, A:85
 Site 905, A:279
 Site 906, A:324
Actinocyclus ellipticus
 Site 902, A:84
 Site 903, A:154–156; B:35
 Site 904, A:225–226
 Site 905, A:278
Actinocyclus ingens
 Site 902, A:83
 Site 903, A:154–156; B:35
 Site 904, A:225–226; B:34
 Site 906, A:323
Actinocyclus senarius
 Site 902, A:82–84
 Site 903, A:155–156
 Site 904, A:225–226
 Site 905, A:278
 Site 906, A:323
Actinocyclus tenellus
 Site 903, A:156
 Site 904, A:225–226; B:34
 Site 905, A:278
 Site 906, A:323
Actinocyclus undulatus, Site 904, B:34
actinoptychus, *Stephanogonia*
 Site 903, A:155–156; B:35
 Site 904, A:226
 Site 906, A:323
aculeata, *Bulimina*
 Site 903, A:151–152
 Site 906, A:322
aculeifera, *Pterotheca*, Site 905, A:278; B:27

acutus, *Ceratolithus*, Site 905, B:54–56
acutus, *Lophodolichus*, Site 904, A:225
adelinensis, *Uvigerina*, Site 903, B:72
Adnatosphaeridium? sp., Site 905, A:279
advema, *Eggerella*, Site 902, A:80
alabamensis, *Hantkenina*
 New Jersey continental slope, B:430
 Site 902, B:9
 Site 903, B:10
alabamensis, *Turborotalia*, New Jersey continental slope, B:430
Alabama sp.
 Site 902, A:81
 Site 903, A:152
 Site 904, A:224
Alabama wilcoxensis
 New Jersey continental slope, B:75
 Site 903, B:72
 Site 904, B:69
 Site 906, B:71
alazanensis, *Bulimina*
 New Jersey continental slope, B:75–77, 87–88
 Site 902, A:81; B:71
 Site 903, A:152; B:72
 Site 904, A:224; B:69
 Site 906, A:322; B:71
Algidasphaeridium spp., Site 906, A:324
Algidasphaeridium? minutum, Site 903, A:156
Algidasphaeridium? spp., New Jersey continental slope, B:447
altiapertura, *Globigerinoides*
 Site 902, A:79
 Site 903, B:10
 Site 904, A:223; B:8
altispira globosa, *Globoquadrina*, Site 903, B:10, 12

- altus, Chiasmolithus*
Site 904, A:225
Site 906, A:323
- Amaurolithus amplificus*, Site 905, B:56
- Amaurolithus delicatus*, Site 905, A:277, 282;
B:54, 56, 61
- Amaurolithus primus*, Site 905, B:56
- Amiculosphaera umbracula*, Site 905, A:279
- amiculum, Caligodinium*, Site 906, A:325
- ammophila, Hanzawaia*
New Jersey continental slope, B:73
Site 902, A:81
- Amphicoryna ignota*, Site 902, B:71
- ampliaperta, Helicosphaera*
Site 903, A:154
Site 904, A:225
- ampliapertura, Globigerina*, Site 906, A:322
- amplificus, Amaurolithus*, Site 905, B:56
- Anamalinooides capitatus*, Site 903, A:152
- ancyrea/placacantha* complex, *Systematophora*
Site 902, A:86
Site 903, A:156
Site 904, A:227
Site 905, A:278–280
Site 906, A:325
- andalousiensis, Achomosphaera*
Site 902, A:84
Site 904, A:227
- andalousiensis* s.s., *Achomosphaera*
Site 905, A:279
Site 906, A:324
- angiporoides, Subbotina*, Site 904, B:251
- annosa, Theocyrtis*, Site 904, B:42, 44
- Anomalinooides capitatus*, Site 905, A:276
- Anomalinooides semicribratus*
Site 903, A:152
Site 906, A:322
- Anomalinooides* sp.
Site 903, A:152
Site 904, A:224
- Anomalinooides* sp. cf. *capitatus*, Site 904, A:224
- Aptiodinium spiridoides*
Site 903, A:157
Site 904, A:227
Site 905, A:279
Site 906, A:325
- Aptiodinium tectatum*, Site 904, A:227
- aquaeductum, Unipontidinium*
Site 902, A:86
Site 905, A:280
- aragonensis, Aragonia*
New Jersey continental slope, B:73
Site 903, A:152
- aragonensis, Morozovella*
New Jersey continental slope, B:430
Site 904, A:223; B:6
- Aragonia aragonensis*
New Jersey continental slope, B:73
Site 903, A:152
- architecturalis, Melosira*
Site 905, A:278; B:27
Site 906, A:323; B:27
- arcuatum, Areosphaeridium*, Site 906, A:325
- Areosphaeridium arcuatum*, Site 906, A:325
- armageddonensis, Selenopemphix*, Site 905,
A:279
- armatus, Ceratolithus*, Site 905, A:277; B:54
- Artophormis gracilis*
Site 903, B:37, 42
Site 904, B:44
- aspinatum, Membranophoridium*
Site 903, A:157
Site 906, A:325
- asteromphalus, Coscinodiscus*, Site 902, A:82–83
- Astrononion* spp., Site 905, A:276
- asymmetricus, Discoaster*, Site 905, B:58
- Ataxiodinium choanum*, Site 902, A:84
- aubertae, Uvigerina*, Site 903, B:72
- avellana, Protoperidinium*, Site 904, A:226
- Azpeitia crenulata*, Site 906, A:323
- Azpeitia nodulifera*, Site 902, A:83
- barbadiensis, Discoaster*
New Jersey continental slope, B:430, 432
Site 902, A:79
Site 903, A:154
Site 904, A:225
Site 906, A:323; B:103
- barboi, Rhizosolenia*
Site 902, A:84
Site 903, A:156–161
Site 904, A:225–226
Site 905, A:275–278
Site 906, A:323
- barleanum, Melonis*
New Jersey continental slope, B:77
Site 902, A:80–81; B:71
Site 903, A:152; B:72
Site 904, A:224; B:69
Site 905, A:276
Site 906, A:322; B:71
- Barssidinium evangelinae*
Site 902, A:85
Site 906, A:324
- Barssidinium graminosum*, Site 905, A:272, 279
- Batiacasphaera sphaerica*, Site 906, A:324
- Batiacasphaera sphaerica* Interval Zone, New
Jersey continental slope, B:439
- Batiacasphaera sphaerica* s.s.
Site 902, A:85
Site 905, A:279
Site 906, A:324
- belemnos, Sphenolithus*
Site 903, A:154
Site 904, A:225
- bellus, Discoaster*, Site 905, B:56
- bellus, Discoaster* sp. cf., Site 903, A:153
- bentorii, Spiniferites*
Site 902, A:84
Site 905, A:278
- berggrenii, Discoaster*, Site 905, B:56
- Biccella frigida*, Site 902, A:80
- bifax, Discoaster*
New Jersey continental slope, B:430
Site 904, A:225; B:436
- biffii, Distatodinium*
Site 903, A:157
Site 906, A:325
- bijugatus, Zygrhablithus*
Site 902, A:81–91
Site 903, A:154
Site 904, A:225
Site 905, A:277
- bisecta, Reticulofenestra*
Site 902, A:81–91
Site 903, A:154
- Bitectatodinium tepikiense*
Site 902, A:84
Site 903, A:156
Site 904, A:226
Site 905, A:272, 278–279
Site 906, A:324
- Bogorovia veniamini*, Site 906, A:323; B:27
- Bolivina* sp.
Site 903, A:152
Site 904, A:224
Site 906, A:322
- Bolivina tectiformis*, New Jersey continental slope,
B:73
- Bolivinopsis* sp., Site 903, A:152
- bollii, Discoaster*
Site 903, A:153
Site 904, A:224–225
Site 906, A:322
- bollii, Discoaster* sp. cf. *Discoaster*, Site 904,
B:436
- bradyi, Cibicidoides*
Site 902, A:80–81
Site 906, A:322
- bradyi, Eggerella*, Site 905, A:276
- bradyi, Karreriella*, Site 904, A:224
- brevispinosa brevispinosa, Selenopemphix*, Site
902, A:85
- Brigantedinium* spp., Site 906, A:324
- Brigantedinium?* spp., New Jersey continental
slope, B:447
- broedermanni, Acarinina*, Site 904, A:223; B:6
- brouweri, Discoaster*
Site 902, A:81
Site 903, A:153
Site 905, A:276–277; B:54
- brouweri, Discoaster* sp. cf. *Discoaster*, Site 904,
A:224
- brouweri rutellus, Discoaster*, Site 903, A:153
- Buccella frigida*
Site 903, A:151
Site 904, A:224
- Buccella* sp., New Jersey continental slope, B:108
- Bulimina aculeata*
Site 903, A:151–152
Site 906, A:322
- Bulimina alazanensis*
New Jersey continental slope, B:75–77, 87–88
Site 902, A:81; B:71
Site 903, A:152; B:72
Site 904, A:224; B:69
Site 906, A:322; B:71
- Bulimina curta*, Site 902, A:80
- Bulimina elongata*
Site 902, A:80
Site 903, A:152
Site 905, A:276
- Bulimina impendens*, New Jersey continental
slope, B:73
- Bulimina macilenta*
Site 903, A:152
Site 904, B:69
Site 906, A:322
- Bulimina marginata*
Site 902, A:80
Site 903, A:151–152
Site 904, A:224
- Bulimina mexicana*, Site 902, A:80–81
- Bulimina semicostata*, New Jersey continental
slope, B:73
- Bulimina* sp.
Site 902, A:81
Site 904, A:224
- Bulimina trinitatensis*
New Jersey continental slope, B:73
Site 904, A:224
- Bulimina tuxpamensis*, New Jersey continental
slope, B:73
- Buliminella elegantissima*, New Jersey continental
slope, B:108
- Buliminella elongata*
Site 904, A:224
Site 906, A:322
- Buliminella gracilis*
New Jersey continental slope, B:78, 80–81, 84,
89, 108
Site 903, B:72–73

- Site 904, B:69–93
Site 906, B:71
bullbrooki, *Acarinina*
Site 903, A:151; B:10
Site 904, B:6, 251
bulloides, *Globigerina*
Site 902, A:79
Site 903, A:149–150
Site 904, A:222
Site 905, A:275
Site 906, A:321
bulloides, *Pullenia*
New Jersey continental slope, B:77
Site 902, B:71
Site 903, A:152; B:72
Site 904, A:224; B:69
Site 905, A:276
Site 906, A:322; B:69, 71
bulloides, *Sphaeroidina*
Site 902, A:80
Site 904, A:224
Site 906, A:322
- calcar avis*, *Rhizosolenia*, Site 906, A:323
calcaris, *Discoaster*
Site 904, A:224
Site 905, A:278
Calcidiscus leptoporus
Site 903, A:153
Site 905, A:277
Site 906, A:322
Calcidiscus macintyreii
Site 903, A:153
Site 905, A:276–277
Site 906, A:322
Calcidiscus macintyreii Subzone, Site 905, A:281
calculosus, *Discoaster*, Site 902, A:81
Caligodinium amiculum, Site 906, A:325
Calocyclus (*Calocyclus*) *virginis*, Site 904, B:51
Calocyclus costata Zone
Site 902, B:41–42
Site 904, B:42
Calocyclus robusta, Site 903, B:44
Calocyclus serrata, Site 904, B:44–45
Calocyclus virginis
Site 903, B:44
Site 904, B:42, 46
campanula, *Heteraulacacysta*, Site 902, A:85
Cannosphaeropsis mespilinum, Site 905, A:279
Cannosphaeropsis passio, New Jersey continental slope, B:443
Cannosphaeropsis passio Range Zone, New Jersey continental slope, B:439
Cannosphaeropsis sp., Site 905, A:279
Cannosphaeropsis sp. cf. *Cannosphaeropsis utinensis*
New Jersey continental slope, B:443
Site 902, A:86
Site 903, A:157
Site 904, A:226
Site 906, A:324–325
cantharellum, *Cordosphaeridium*
New Jersey continental slope, B:443
Site 902, A:86
Site 903, A:156–157
Site 904, A:227
Site 906, A:325
capitatus, *Anomalinoidea*
Site 903, A:152
Site 905, A:276
capitatus, *Anomalinoidea* sp. cf., Site 904, A:224
capricornutus, *Sphenolithus*
Site 903, A:154
Site 904, A:225
carinatus, *Pseudotriquetrorhabdulus*, New Jersey continental slope, B:430
carinatus, *Triquetrorhabdulus*
Site 902, A:81
Site 903, A:154
Site 904, A:225
carteri, *Helicosphaera*
Site 903, A:153
Site 905, A:277
Site 906, A:322
Cassidulina sp.
Site 902, A:80
Site 903, A:151–152
Site 904, A:224
Site 905, A:276
Site 906, A:322
Catapsydrax dissimilis
Site 903, A:150
Site 904, A:223; B:8
Catapsydrax dissimilis Zone, Site 904, B:8
Catapsydrax spp.
Site 903, B:10
Site 906, A:321
Catapsydrax unicavus
Site 902, A:79
Site 903, A:150–151
Site 904, B:8
Catinaster coalitus
Site 904, A:224
Site 905, A:277; B:436
Cavitas jouseana
Site 903, A:156
Site 906, A:323
Site 904, A:226
Cavitatus jouseanus
Site 903, A:155
Site 906, B:27
centrocarpum, *Operculodinium*, Site 906, A:324
centrocarpum s.l., *Operculodinium*, Site 902, A:84
centrocarpum s.s., *Operculodinium*, Site 906, A:324
Ceratolithus acutus, Site 905, B:54, 56
Ceratolithus armatus, Site 905, A:277; B:54
Ceratolithus tricorniculatus, Site 905, B:54
Cerebrocysta, Site 903, A:157
Cerebrocysta mediterranea, Site 906, A:325
cerroazulensis, *Globorotalia*, Site 906, A:321–322
cerroazulensis, *Turborotalia*
New Jersey continental slope, B:108, 432
Site 903, B:10
cerroazulensis cerroazulensis, *Globorotalia*
Site 902, A:79
Site 903, A:150–151
Site 904, A:223
cerroazulensis cerroazulensis, *Turborotalia*
New Jersey continental slope, B:430
Site 902, B:9
cerroazulensis cocoaensis, *Globorotalia*
Site 903, A:150
Site 904, A:223
cerroazulensis cocoaensis, *Turborotalia*
New Jersey continental slope, B:430
Site 903, B:10
Site 904, B:251
cerroazulensis cunialensis, *Globorotalia*, Site 906, A:322
cerroazulensis cunialensis, *Turborotalia*
New Jersey continental slope, B:108
Site 904, B:6
cerroazulensis frontosa, *Globorotalia*, Site 904, A:223
cerroazulensis frontosa, *Turborotalia*, Site 904, B:6
cerroazulensis pomeroli, *Globorotalia*
Site 904, A:223
Site 906, A:322
cerroazulensis pomeroli, *Turborotalia*, Site 904, B:6
cerroazulensis possagnoensis, *Turborotalia*, Site 904, B:6
cerroazulensis ssp., *Turborotalia*, New Jersey continental slope, B:108
Cestodiscus peplum, Site 903, A:155–156
challengeri, *Discoaster*
Site 903, A:153–154
Site 904, A:224–225
Site 905, A:277
challengeri, *Discoaster* sp. cf. *Discoaster*, Site 904, B:436
chapapotensis, *Karreriella*, Site 904, A:224
Chiasmolithus altus
Site 904, A:225
Site 906, A:323
Chiasmolithus eograndis, Site 904, A:225
Chiasmolithus gigas, Site 904, A:225; B:436
Chiasmolithus gladius, New Jersey continental slope, B:430
Chiasmolithus grandis
New Jersey continental slope, B:430
Site 903, B:436
Site 904, A:225
Chiasmolithus oamaruensis
Site 903, A:154; B:436
Site 906, A:323
Chiasmolithus solitus
Site 904, B:436
Site 905, A:277
Chiloguembelina spp., Site 903, A:151
Chilostomella sp.
Site 903, A:152
Site 904, A:224
Site 906, A:322
Chiropteridium galea, Site 906, A:325
Chiropteridium galea Interval Zone, New Jersey continental slope, B:439
Chiropteridium lobospinosum, Site 903, A:157
Chiropteridium spp.
New Jersey continental slope, B:443
Site 902, A:86
Site 904, A:227
Site 905, A:279–280
Site 906, A:324
choanum, *Ataxiodinium*, Site 902, A:84
Chondrites
Site 903, A:146–148, 216–217
Site 905, A:265, 272
Site 906, A:319
cibaensis, *Globorotalia*
Site 902, A:77, 79; B:10
Site 904, B:8
Cibicides lobatulus
Site 902, A:80
Site 903, A:151
Site 904, A:224
Site 906, A:322
Cibicides spp.
Site 902, A:80
Site 903, A:151
Site 904, A:224
Site 906, A:322
Cibicidoides aff. *mundulus*, Site 903, B:72
Cibicidoides aff. *praemundulus*
Site 903, B:72
Site 906, B:71
Cibicidoides bradyi
Site 902, A:80–81
Site 906, A:322
Cibicidoides cicatricosus, Site 905, A:276

- Cibicoides crebbi*
Site 903, A:152; B:72
Site 906, B:71
- Cibicoides dutemplei*, Site 902, A:80–81
- Cibicoides eocaenus*
Site 903, A:152
Site 906, A:322
- Cibicoides micrus*
New Jersey continental slope, B:73
Site 902, A:81
Site 903, A:152
Site 906, A:322
- Cibicoides mundulus*
Site 902, A:80
Site 903, A:152
- Cibicoides pachyderma*
Site 903, A:152
Site 904, A:224; B:69
Site 906, A:322; B:71
- Cibicoides praemundulus*
Site 902, A:81
Site 904, A:224
- Cibicoides robertsonianus*, Site 902, A:81
- Cibicoides* spp.
Site 902, A:81
Site 903, A:152
Site 904, A:224
Site 905, A:276
- Cibicoides subspiratus*, Site 906, A:322
- Cibicoides truncanus*, Site 903, A:152
- cicatricosus*, *Cibicoides*, Site 905, A:276
- cinctum*, *Hystrichokolpoma*
Site 903, A:157
Site 906, A:325
- ciperoensis*, *Sphenolithus*
Site 902, A:81, 91
Site 903, A:154
Site 904, A:225
Site 906, A:323
- ciperoensis anguliofficialis*, *Globigerina*, Site 904, A:223
- ciperoensis angulisuturalis*, *Globigerina*
Site 902, B:10
Site 904, A:223; B:6
- ciperoensis angustiumblicata*, *Globigerina*, Site 906, A:321
- ciperoensis ciperoensis*, *Globigerina*
Site 902, B:10
Site 903, B:10
Site 904, B:6
- cladoides*, *Dinopterygium*, Site 903, A:157
- coalitus*, *Catinaster*
Site 904, A:224
Site 905, A:277; B:436
- Coccolithus macintyreii*, Site 904, B:436
- Coccolithus miopelagicus*
Site 903, A:153–154
Site 904, B:436
Site 905, A:277
Site 906, A:322
- Coccolithus pelagicus*
Site 902, B:435
Site 903, A:153
Site 904, A:224; B:436
Site 905, A:277; B:56
Site 906, A:322
- collactea*, *Truncorotaloides*
Site 903, A:151
Site 904, B:6
- communis*, *Martinottiella*
Site 903, B:72
Site 904, B:69
- complexa*, *Melosira*, Site 904, A:226
- complexa*, *Paralia*
Site 903, A:155–156
Site 904, A:226
- condita*, *Quadrina?*, Site 906, A:324
- conerae*, *Stoveracysta*, Site 902, A:86
- conglobatus*, *Globigerinoides*, Site 905, A:275
- conicoides*, *Protoperidinium*, Site 903, A:156
- conicus*, *Sphenolithus*, Site 903, A:154
- conoidea*, *Globorotalia*
Site 902, A:150; B:12
Site 905, A:275
- conomiozea*, *Globorotalia*, New Jersey continental slope, B:109
- continua*, *Neogloboquadrina*
Site 903, A:150; B:10
Site 906, A:321
- convallis*, *Minylitha*, Site 905, B:56
- convexa*, *Thalassiosira*, Site 902, A:83
- corbula*, *Phormostichoartus*, Site 904, B:46
- Cordosphaeridium cantharellum*
New Jersey continental slope, B:443
Site 902, A:86
Site 903, A:156–157
Site 904, A:227
Site 906, A:325
- Cordosphaeridium minimum*, Site 902, A:85
- Cordosphaeridium minimum* s.l., Site 906, A:324
- cornuta*, *Cyrtocapsella*
Site 903, B:42
Site 904, B:44–45
- corpulenta*, *Globigerina*
Site 903, A:151
Site 906, A:322
- coscinodiscus*, *Craspedodiscus*
Site 903, A:155
Site 905, A:278
Site 906, A:323
- Coscinodiscus asteromphalus*, Site 902, A:82–83
- Coscinodiscus curvatulus*, Site 906, A:323
- Coscinodiscus endoi*
Site 902, A:84
Site 904, A:225
Site 905, A:278
Site 906, A:323
- Coscinodiscus lewisianus*, Site 903, B:35
- Coscinodiscus lewisianus* Zone
New Jersey continental slope, B:19
Site 902, A:77, 84; B:21, 27
Site 903, A:155–156
Site 904, A:226; B:26
Site 905, B:27
Site 906, B:27
- Coscinodiscus marginatus*
Site 902, A:82–83
Site 903, B:35
Site 904, A:225–226
Site 905, A:278
Site 906, A:323
- Coscinodiscus perforatus*, Site 903, A:155
- Coscinodiscus rhombicus*
Site 903, A:155
Site 906, A:323; B:27
- Coscinodiscus temperei*
Site 902, B:35
Site 903, A:156
Site 906, A:323
- Coscinodiscus temperei* var. *delicata*, Site 904, B:34
- Coscinodiscus tuberculatus*
Site 905, A:278
Site 906, A:323
- Coscinodiscus yabei*
Site 902, A:77
Site 903, A:161
Site 904, A:226
- Coscinodiscus yabei* Zone
New Jersey continental slope, B:20
Site 902, A:77, 84
Site 903, A:154–155; B:21, 25
Site 904, A:225
Site 905, A:274; B:27
Site 906, A:323; B:27
- costata*, *Planulina*
Site 902, A:81
Site 903, A:152
Site 904, A:224
Site 906, A:322
- Cousteaudinium aubraye* Interval Zone, New Jersey continental slope, B:439
- Craspedodiscus coscinodiscus*
Site 903, A:155
Site 905, A:278
Site 906, A:323
- crebbi*, *Cibicoides*
Site 903, A:152; B:72
Site 906, B:71
- crenulata*, *Azpeitia*, Site 906, A:323
- Criboecentrum reticulatum*
Site 904, A:225
Site 906, A:323
- Cribohantkenina inflata*, Site 904, B:6
- Cribooperidinium tenuatulum*
Site 902, A:86
Site 903, A:157
Site 904, A:227
- Cristadinium diminutivum*, Site 902, A:85
- Crucidentacula nicobarica* (formerly *Denticulopsis*) Zone, Site 902, B:21
- Cruciplacolithus delus*, New Jersey continental slope, B:430
- crux*, *Distephanus*, Site 902, A:77, 84; B:21
- cuneiformis*, *Hemidiscus*, Site 902, A:83–84
- curta*, *Bulimina*, Site 902, A:80
- curvatulus*, *Coscinodiscus*, Site 906, A:323
- Cyclicargolithus abisectus*, Site 904, A:225
- Cyclicargolithus floridanus*
Site 902, A:81
Site 904, A:225
Site 906, A:323
- Cyclopsella granulata*, Site 904, A:227
- Cyclotella stylorum*
Site 902, A:83
Site 906, A:323
- Cymatosira immunis*
Site 902, A:84
Site 903, A:155–156
Site 906, A:323
- Cyrtocapsella cornuta*
Site 903, B:42
Site 904, B:44–45, 51
- Cyrtocapsella japonica*
Site 902, B:42
Site 904, B:45
- Cyrtocapsella tetrapera*
Site 903, B:37
Site 904, B:44–45
- Cyrtocapsella tetrapera* Zone, Site 903, B:42
- danicus*, *Hemiaulus*, Site 905, A:278; B:27
- Dapsilidium pseudocolligerum*
Site 902, A:85
Site 905, A:279
Site 906, A:324–325
- Deflandrea phosphoritica*
Site 903, A:156–157
Site 906, A:325
- deflandrei*, *Discoaster*, Site 902, A:81
- dehiscens*, *Globoquadrina*
Site 902, A:79; B:10

- Site 903, B:10
Site 904, A:223; B:8
dehiscens, *Sphaeroidinella*, Site 905, A:275
delectabile, *Erymmodinium*
Site 902, A:85
Site 905, A:279
delicatus, *Amaurolithus*, Site 905, A:277, 282;
B:54, 56, 61
delmontensis, *Stichocorys*
Site 903, B:44
Site 904, B:51
Delphineis novaecaesaraea
Site 902, A:84; B:21
Site 903, A:154–156
Site 904, A:225–226; B:34
Site 905, A:274–275, 278
Site 906, A:323
Delphineis novaecaesaraea Zone
New Jersey continental slope, B:20
Site 902, B:27–28
Site 903, B:21, 25
Site 904, B:25
Site 905, B:27
Site 906, B:27
Delphineis penelliptica
Site 902, A:84
Site 903, A:155–156
Site 904, A:226; B:34
Site 905, A:275
delphix, *Sphenolithus*
Site 903, A:154
Site 904, A:225
delus, *Cruciplacolithus*, New Jersey continental
slope, B:430
Dentalina spp.
Site 903, A:152
Site 905, A:276
Denticulopsis denticula punctata var. *hustedtii*,
Site 902, A:84
Denticulopsis hustedtii
Site 902, A:77, 84, 113; B:35
Site 903, A:154–156, 158, 185; B:133
Site 904, A:225–226
Site 905, A:278
Site 906, A:323
Denticulopsis hyalina, Site 906, A:323
Denticulopsis lauta, Site 902, B:35
Denticulopsis nicobarica
Site 903, A:156
Site 905, A:275
Site 906, A:323
Denticulopsis nicobarica Interval Zone, Site 903,
A:155
Denticulopsis nicobarica Zone
Site 902, A:84
Site 905, A:278
Site 906, A:323
Denticulopsis praedimorpha, Site 902, A:77; B:21
Denticulopsis praedimorpha Zone
Site 902, A:84
Site 904, A:226
Site 906, A:323
Denticulopsis punctata var. *hustedtii*
Site 902, A:90, 113; B:35
Site 903, A:155–156; B:21, 25, 133
Site 904, A:226; B:26
Site 905, A:278
Site 906, A:323, 326–327
Denticulopsis punctata var. *hustedtii* Zone
New Jersey continental slope, B:20
Site 902, B:28
diaphanes, *Eucyrtidium*
Site 903, B:42
Site 904, B:44–45, 51
Diartus petterssoni, Site 904, B:45
Diartus petterssoni Zone
Site 902, B:40–41
Site 903, B:42
Site 904, B:42, 44–45
Dictyococcites abisectus, Site 902, A:81
Didymocyrtis antepenultima Zone, Site 902, B:41
Didymocyrtis latticonus, Site 904, B:46
Didymocyrtis latticonus Zone, Site 902, B:41
Didymocyrtis mammifera
Site 902, B:41–42
Site 904, B:45–46
Didymocyrtis prismatica, Site 904, B:44
Didymocyrtis tubaria
Site 903, B:44
Site 904, B:46
Didymocyrtis violina
Site 903, B:42
Site 904, B:45
diffflugiformis, *Saccamina*, Site 902, A:80
diminutivum, *Cristadinium*, Site 902, A:85
Dinoflagellate Zone G, Site 902, A:77
Dinopterygium cladoides, Site 903, A:157
diodon, *Mesocena*, Site 902, B:21
dionaeacysta, *Selenopemphix*
Site 902, A:85
Site 905, A:279
Diplocraterion, Site 903, A:217
Discoaster asymmetricus, Site 905, B:58
Discoaster barbadiensis
New Jersey continental slope, B:430, 432
Site 902, A:79
Site 903, A:154
Site 904, A:225
Site 906, A:323; B:103
Discoaster bellus, Site 905, B:56
Discoaster berggrenii, Site 905, B:56
Discoaster bifax
New Jersey continental slope, B:430
Site 904, A:225; B:436
Discoaster bollii
Site 904, A:224–225
Site 906, A:322
Discoaster brouweri
Site 902, A:81
Site 903, A:153
Site 905, A:276–277; B:54
Discoaster calcaris
Site 904, A:224
Site 905, A:278
Discoaster calcaris Zone, Site 903, A:153
Discoaster calculus, Site 902, A:81
Discoaster cf. *bollii*, Site 906, A:322
Discoaster cf. *quinquaramus*, Site 906, A:322
Discoaster challengerii
Site 903, A:153–154
Site 904, A:224–225
Site 905, A:277
Discoaster deflandrei, Site 902, A:81
Discoaster druggii
Site 902, A:81
Site 903, A:154
Discoaster exilis
Site 903, A:153–154
Site 904, A:224–225
Site 905, A:277
Discoaster kuepperi, Site 904, A:225
Discoaster lodoensis, Site 904, B:436
Discoaster loeblichii, Site 905, B:56
Discoaster neohamatus
Site 903, A:153
Site 906, A:322
Discoaster pentaradiatus
Site 903, A:153
Site 905, A:276–277; B:54, 56
Discoaster quinquaramus, Site 905, A:276–278,
282; B:54, 56, 58
Discoaster saipanensis
New Jersey continental slope, B:430, 432
Site 902, A:79, 82, 91
Site 903, A:154
Site 904, A:225
Site 906, A:323
Discoaster sanmiguelensis
Site 903, A:153–154
Site 904, A:225
Site 905, A:277
Site 906, A:322
Discoaster sp.
Site 903, A:153
Site 905, A:277–278
Discoaster sp. cf. *Discoaster bellus*, Site 903,
A:153
Discoaster sp. cf. *Discoaster bollii*
Site 903, A:153
Site 904, B:436
Discoaster sp. cf. *Discoaster brouweri*, Site 904,
A:224
Discoaster sp. cf. *Discoaster challengerii*, Site
904, B:436
Discoaster sp. cf. *Discoaster exilis*, Site 904,
B:436
Discoaster sp. cf. *Discoaster loeblichii*, Site 903,
A:153
Discoaster sp. cf. *Discoaster prepentaradiatus*,
Site 903, A:153
Discoaster sp. cf. *Discoaster sanmiguelensis*, Site
904, B:436
Discoaster sp. cf. *Discoaster variabilis*, Site 904,
B:436
Discoaster sublodoensis, Site 904, A:225; B:436
Discoaster subsurculus, Site 904, A:225
Discoaster surculus
Site 903, A:153
Site 905, A:276; B:54
Discoaster tamalis, Site 905, A:276–277; B:54
Discoaster tani, Site 904, B:436
Discoaster tani nodifer, Site 904, B:436
Discoaster triradiatus, Site 903, A:153
Discoaster variabilis
Site 902, B:435
Site 903, A:153–154
Site 904, B:436
Site 905, A:277
disimilis, *Catapsydrax*
Site 903, A:150
Site 904, A:223; B:8
Distatodinium biffii
Site 903, A:157
Site 906, A:325
Distatodinium ellipticum, Site 906, A:325
Distatodinium paradoxum
Site 902, A:86
Site 903, A:157
Site 904, A:227
Site 906, A:325
Distatodinium paradoxum Interval Zone, New
Jersey continental slope, B:439
distentus, *Sphenolithus*, Site 902, A:82; B:107
Distephanus crux, Site 902, A:77, 84; B:21
doliolus, *Pseudoeunotia*, Site 904, A:225
Dorcadospyris alata Zone, Site 902, B:41–42
Dorothia spp.
Site 903, A:152
Site 904, A:224
Site 906, A:322
doxum, *Hystrichokolpoma*?, Site 902, A:86
druggii, *Discoaster*

- Site 902, A:81
Site 903, A:154
druggii, *Sumatradinium*, Site 905, A:279
dutemplei, *Cibicidoides*, Site 902, A:80–81
- East Coast Diatom Zone 3–4, Site 903, A:155
East Coast Diatom Zone 3–4 to 6, Site 905, A:278
East Coast Diatom Zone 3–4/2 boundary, Site 904, A:226
- East Coast Diatom Zone 6
Site 903, A:155, 187
Site 904, A:226
Site 905, A:278
- East Coast Diatom Zone 7, Site 903, A:155
East Coast Diatom Zone
Site 902, A:115
Site 903, A:156
Site 904, A:225
Site 905, A:278
- eccentrica*, *Thalassiosira* cf. *Thalassiosira*, Site 904, B:34
- Eggerella advema*, Site 902, A:80
Eggerella bradyi, Site 905, A:276
Eggerella spp.
Site 902, A:80
Site 904, A:224
Site 906, A:322
- eirikianum*, *Operculodinium?*, Site 905, A:279
elegans, *Hoeglundina*
Site 902, A:80
Site 903, A:152
Site 904, A:224
Site 905, A:276
- elegantissima*, *Bulminella*, New Jersey continental slope, B:108
- ellipticum*, *Distatodinium*, Site 906, A:325
ellipticus, *Actinocyclus*
Site 902, A:84
Site 903, A:154–156; B:35
Site 904, A:225–226
Site 905, A:278
- elongata*, *Bulimina*
Site 902, A:80
Site 903, A:152
Site 905, A:276
- elongata*, *Bulminella*
Site 904, A:224
Site 906, A:322
- elongata*, *Lychnocanoma*
Site 902, B:40
Site 904, B:44
- elongata*, *Plectina*, Site 904, A:224
elongata, *Uvigerina*
New Jersey continental slope, B:84, 89, 108
Site 903, B:73
- elongatus*, *Spiniferites*
Site 902, A:84
Site 905, A:278
Site 906, A:324
- Elphidium* spp.
Site 902, A:79–80
Site 903, A:151–152
Site 904, A:224; B:251
Site 906, A:322
- Emiliania huxleyi*
Site 902, A:81
Site 903, A:153, 161; B:121, 231, 233
Site 904, A:221, 224, 229–230; B:118–119, 122
Site 906, A:319, 322
- Emiliania huxleyi* Acme Zone
Site 902, A:81
Site 903, A:153
Site 904, A:224
- Emiliania huxleyi* Zone
Site 902, A:81
Site 903, A:153
endoi, *Coscinodiscus*
Site 902, A:84
Site 904, A:225
Site 905, A:278
Site 906, A:323
- eocaena*, *Globigerina*, Site 903, A:151
eocaena, *Subbotina*
New Jersey continental slope, B:430
Site 902, B:9
Site 903, B:10
- eocaenus*, *Cibicidoides*
Site 903, A:152
Site 906, A:322
- eocenica*, *Pullenia*
Site 903, A:152
Site 904, A:224
- eograndis*, *Chiasmolithus*, Site 904, A:225
Erymnodinium delectabile
Site 902, A:85
Site 905, A:279
- euapertura*, *Globigerina*, Site 903, A:150
Eucyrtidium diaphanes
Site 903, B:42
Site 904, B:44–45, 51
- Eucyrtidium* sp.
Site 903, B:42
Site 904, B:49, 51
- Eursenkoina* sp., Site 903, A:151
evangelinae, *Barssidinium*
Site 902, A:85
Site 906, A:324
- exilis*, *Discoaster*
Site 903, A:153–154
Site 904, A:224–225
Site 905, A:277
- exilis*, *Discoaster* sp. cf. *Discoaster*, Site 904, B:436
- Exochosphaeridium insigne*, New Jersey continental slope, B:443
extremus, *Globigerinoides*, Site 905, A:275
- ferugnomatus*, *Trinovantedinium*, Site 902, A:85
filifera, *Filisphaera*
Site 902, A:84
Site 905, A:279
Site 906, A:324
- Filisphaera filifera*
Site 902, A:84
Site 905, A:279
Site 906, A:324
- Fissurina* spp.
Site 903, A:152
Site 904, A:224
Site 905, A:276
Site 906, A:322
- floridana*, *Reticulofenestra*
Site 903, A:153–154
Site 905, A:277
- floridanus*, *Cyclicargolithus*
Site 902, A:81
Site 904, A:225
Site 906, A:323
- fohsi fohsi*, *Globorotalia*
Site 903, A:150, 162, 187; B:102
Site 904, B:135
- fohsi lobata/robusta*, *Globorotalia*, New Jersey continental slope, B:109
fohsi peripheroacuta, *Globorotalia*
Site 904, B:8
Site 905, A:275
- fohsi peripheroronda*, *Globorotalia*
Site 902, A:79; B:10
Site 903, B:10, 12
fohsi praefohsi, *Globorotalia*, Site 904, B:8
fohsi robusta, *Globorotalia*, Site 904, B:8, 135
fohsi spp., *Globorotalia*, Site 904, A:223
- frigida*, *Buccella*
Site 902, A:80
Site 903, A:151
Site 904, A:224
- frigidus*, *Spiniferites*
Site 902, A:84
Site 905, A:278
- furcatolithoides*, *Sphenolithus*
New Jersey continental slope, B:431
Site 904, A:225
- Fursenkoina fusiformis*, Site 902, A:80
Fursenkoina spp.
Site 902, A:80
Site 904, A:224
Site 906, A:322
- fusa*, *Ilseithina*
Site 903, A:154
Site 904, A:225
- fusiformis*, *Fursenkoina*, Site 902, A:80
- galea*, *Chiropteridium*, Site 906, A:325
Gaudryna laevigata, Site 904, A:224
gelida, *Rocella*, Site 906, A:323; B:27
Gephyrocapsa, Site 905, A:277
Gephyrocapsa oceanica Zone
Site 902, A:81
Site 903, A:153
- gigas*, *Chiasmolithus*, Site 904, A:225; B:436
gladius, *Chiasmolithus*, New Jersey continental slope, B:430
- Glaphyrocysta* sp., Site 905, A:280
Globigerina ampliapertura, Site 906, A:322
Globigerina bulloides
Site 902, A:79
Site 903, A:149–150
Site 904, A:222
Site 905, A:275
Site 906, A:321
- Globigerina ciperoensis anguliofficialis*, Site 904, A:223
Globigerina ciperoensis angulisurealis
Site 902, B:10
Site 904, A:223; B:6
- Globigerina ciperoensis angustiumbilitata*, Site 906, A:321
Globigerina ciperoensis ciperoensis
Site 902, B:10
Site 903, B:10
Site 904, B:6
- Globigerina ciperoensis* Zone, Site 906, A:325
Globigerina corpulenta
Site 903, A:151
Site 906, A:322
- Globigerina eocaena*, Site 903, A:151
Globigerina euapertura, Site 903, A:150
Globigerina nepenthes
Site 903, A:150; B:12
Site 905, A:275
- Globigerina oauchitaensis*, Site 904, B:251
Globigerina officinalis, Site 906, A:322
Globigerina praebulloides, Site 904, B:6, 251
Globigerina tripartita, Site 904, B:6
Globigerina venezuelana, Site 903, B:10
Globigerina woodii, Site 903, A:150
Globigerinatheka index
Site 903, A:151; B:10
Site 904, B:6
- Globigerinatheka mexicana barri*, Site 903, A:151
Globigerinatheka mexicana mexicana, Site 903,

- A:151
Globigerinatheka subconglobata, Site 906, A:322
Globigerinoides altiapertura
 Site 902, A:79
 Site 903, B:10
 Site 904, A:223; B:8
Globigerinoides conglobatus, Site 905, A:275
Globigerinoides extremus, Site 905, A:275
Globigerinoides immaturus, Site 904, B:8
Globigerinoides obliquus obliquus, Site 903, A:150
Globigerinoides ruber
 Site 902, A:79
 Site 905, A:275
 Site 906, A:321
Globigerinoides sacculifer, Site 904, B:8
Globigerinoides spp.
 Site 902, B:10
 Site 903, B:10
 Site 904, A:223
Globigerinoides subquadratus
 Site 903, A:151
 Site 905, A:275
Globigerinoides trilobus, Site 904, B:8
Globobulimina sp.
 Site 903, A:152
 Site 904, A:224
 Site 906, A:322
Globocassidulina sp., Site 903, A:152
Globocassidulina subglobosa
 New Jersey continental slope, B:73
 Site 902, A:80–81
 Site 903, A:152; B:72
 Site 904, A:224
 Site 905, A:276
 Site 906, A:322; B:71
Globogerinatella insueta, Site 904, B:8
Globoquadrina altispira globosa, Site 903, B:10, 12
Globoquadrina dehiscens
 Site 902, A:79; B:10
 Site 903, B:10
 Site 904, A:223; B:8
Globoquadrina praedeheiscens
 Site 902, B:10
 Site 904, A:223
Globoquadrina venezuelana, Site 903, A:150
Globorotalia acrostoma
 Site 903, A:150–151
 Site 904, B:8
 Site 905, A:275
 Site 906, A:321
Globorotalia cerroazulensis cerroazulensis
 Site 902, A:79
 Site 903, A:150–151
 Site 904, A:223
 Site 906, A:321–322
Globorotalia cerroazulensis cocoaensis
 Site 903, A:150
 Site 904, A:223
Globorotalia cerroazulensis cumialensis, Site 906, A:322
Globorotalia cerroazulensis frontosa, Site 904, A:223
Globorotalia cerroazulensis pomeroli
 Site 903, A:151
 Site 904, A:223
 Site 906, A:321–322
Globorotalia cibaoensis
 Site 902, A:77, 79; B:10
 Site 904, B:8
Globorotalia conoidea
 Site 903, A:150; B:12
 Site 905, A:275
Globorotalia conomiozea, New Jersey continental slope, B:109
Globorotalia fohsi fohsi
 Site 903, A:150, 162, 187; B:10, 102
 Site 904, B:135
Globorotalia fohsi lobata/robusta, New Jersey continental slope, B:109
Globorotalia fohsi peripheroacuta
 Site 904, B:8
 Site 905, A:275
Globorotalia fohsi peripheroronda
 Site 902, A:79; B:10
 Site 903, B:10, 12
Globorotalia fohsi praefohsi, Site 904, B:8
Globorotalia fohsi robusta, Site 904, B:8, 135
Globorotalia fohsi spp., Site 904, A:223
Globorotalia increbescens, Site 906, A:322
Globorotalia inflata
 Site 903, A:149
 Site 904, A:222
 Site 905, A:275
 Site 906, A:321
Globorotalia jaunai
 Site 902, A:79
 Site 905, A:275
 Site 906, A:321
Globorotalia kugleri, Site 904, A:223; B:6, 104
Globorotalia margaritae, Site 905, A:275
Globorotalia mayeri
 Site 903, A:150; B:10, 12
 Site 904, B:8
 Site 905, A:275
Globorotalia menardii
 Site 903, A:150
 Site 906, A:322
Globorotalia menardii "A"
 Site 903, B:12
 Site 904, B:8
Globorotalia miozea
 Site 903, A:150–151; B:10
 Site 904, A:223; B:8, 136
 Site 905, A:275
Globorotalia obesa, Site 903, A:150
Globorotalia opima nana
 Site 902, A:79
 Site 903, A:150–151
Globorotalia panda, Site 905, A:275
Globorotalia paraleguensis
 Site 902, B:10
 Site 906, A:321
Globorotalia peripheroacuta, Site 904, A:223; B:105, 135
Globorotalia plesiotumida, Site 902, A:79; B:10
Globorotalia praemenardii
 Site 903, A:150, 158, 162, 187; B:12
 Site 904, A:223, 243; B:8
 Site 905, A:275
 Site 906, A:321
Globorotalia praescitula, Site 904, A:223; B:136
Globorotalia pseudokugleri
 Site 902, B:10
 Site 904, B:8
Globorotalia puncticulata, Site 905, A:275
Globorotalia scitula praescitula, Site 904, B:8
Globorotalia siakensis
 Site 902, A:79
 Site 903, A:151
 Site 904, A:223
 Site 906, A:321
Globorotalia sp. aff. *Globorotalia margaritae*, Site 902, A:77
Globorotalia tosaensis, Site 903, A:149
Globorotalia truncatulinoides
 Site 903, A:149, 161
 Site 904, A:222
 Site 905, A:275
 Site 906, A:322
glorianum, Trinovantedinium, Site 905, A:279
golzowense, Palaecocystodinium
 Site 902, A:85
 Site 905, A:274, 279
 Site 906, A:324
gracilis, Artophormis
 Site 903, B:37, 42
 Site 904, B:44
gracilis, Buliminella
 New Jersey continental slope, B:78, 80–81, 84, 89, 108
 Site 903, B:72–73
 Site 904, B:69, 93
 Site 906, B:71
graminosum, Barssidinium, Site 905, A:272, 279
grandis, Chiasmolithus
 New Jersey continental slope, B:430
 Site 903, B:436
 Site 904, A:225
granulata, Cyclopsiella, Site 904, A:227
grossecellulata, Stephanogonia, Site 906, B:27
grossecellulata, Stephanopyxis
 Site 903, A:155
 Site 906, A:323
grunowii, Stephanogonia, Site 906, A:323; B:27
grunowii, Stephanopyxis
 Site 902, A:84
 Site 904, A:226
 Site 905, A:278
 Site 906, A:323
grunowii, Thalassiosira
 Site 902, A:84
 Site 903, A:154, 156; B:35
 Site 904, A:226
 Site 905, A:275
 Site 906, A:323
Gyroidinoides spp.
 New Jersey continental slope, B:66, 73
 Site 902, A:80–81; B:71
 Site 903, A:152; B:72
 Site 904, B:69
 Site 905, A:276
 Site 906, B:71
Habibacysta tectata
 Site 902, A:85–86
 Site 903, A:157
 Site 905, A:272, 278–280
 Site 906, A:324
Hantkenina alabamensis
 New Jersey continental slope, B:430
 Site 902, B:9
 Site 903, B:10
Hantkenina cf. *Hantkenina alabamensis*, Site 903, A:150
Hantkenina spp.
 New Jersey continental slope, B:432
 Site 902, A:79
Hanzawaia amrophila
 New Jersey continental slope, B:73
 Site 902, A:81
Hanzawaia mantaensis, Site 903, A:152
harpagonium, Trinovantedinium
 Site 902, A:85
 Site 905, A:279
havanensis, Nonion
 New Jersey continental slope, B:73
 Site 902, A:81
 Site 903, A:152
havanensis, Uvigerina
 Site 902, A:81

- Site 904, A:224
Site 906, A:322
- hebetata*, *Rhizosolenia*, Site 902, A:83
- Helicosphaera ampliaperata*
Site 903, A:154
Site 904, A:225
- Helicosphaera carteri*
Site 903, A:153
Site 905, A:277
Site 906, A:322
- Helicosphaera parallela*, Site 903, A:153
Helicosphaera scissura, Site 903, A:154
Helicosphaera sellii, Site 905, A:272, 277
Helicosphaera sellii Subzone, Site 905, A:272, 276, 280–281
- Heliolithus riedelii*, Site 905, A:277
Hemiaulus danicus, Site 905, A:278; B:27
Hemidiscus cuneiformis, Site 902, A:83–84
Heteraulacacysta campanula, Site 902, A:85
heteromorphus, *Sphenolithus*
Site 904, A:225
Site 905, A:277–278
- hispida*, *Uvigerina*
New Jersey continental slope, B:77, 88
Site 903, B:72
Site 904, A:224; B:69
Site 906, A:322; B:71
- Hoeglundina elegans*
Site 902, A:80
Site 903, A:152
Site 904, A:224
Site 905, A:276
- Homotryblium* spp.
Site 905, A:279
Site 906, A:325
- Homotryblium vallum*, Site 902, A:86–87
- humerosa*, *Neogloboquadrina*
Site 902, B:10
Site 904, A:223; B:8
Site 905, A:275
- hustedtii*, *Denticulopsis*
Site 902, A:77, 84, 113; B:35
Site 903, A:154–156, 158, 185; B:133
Site 904, A:225–226
Site 905, A:278
Site 906, A:323
- huxleyi*, *Emiliania*
Site 902, A:81
Site 903, A:153, 161; B:121, 231, 233
Site 904, A:221, 224, 229–230; B:118–119, 122
Site 906, A:319, 322
- hyalina*, *Denticulopsis*, Site 906, A:323
- Hystrichokolpoma cinctum*
Site 903, A:157
Site 906, A:325
- Hystrichokolpoma rigaudiae*, Site 904, A:227
- Hystrichokolpoma truncana*
Site 902, A:86
Site 903, A:157
Site 904, A:227
Site 906, A:325
- Hystrichokolpoma? doxum*, Site 902, A:86
- Hystrichokolpoma? sp. 1*
Site 902, A:86
Site 903, A:157
- Hystrichosphaeropsis obscura*
Site 902, A:85
Site 903, A:157
Site 905, A:279
Site 906, A:324
- Hystrichosphaeropsis obscura* Interval Zone, New Jersey continental slope, B:439
- ignota*, *Amphicoryna*, Site 902, B:71
- Ilseolithina fusa*
Site 903, A:154
Site 904, A:225
- immaturus*, *Globigerinoides*, Site 904, B:8
- immunis*, *Cymatosira*
Site 902, A:84
Site 903, A:155–156
Site 906, A:323
- Impagidinium paradoxum*, Site 902, A:85
Impagidinium patulum, Site 902, A:84
Impagidinium spp., Site 902, A:86
impendens, *Bulimina*, New Jersey continental slope, B:73
- increbescens*, *Globorotalia*, Site 906, A:322
increbescens, *Turborotalia*, Site 903, B:10
- index*, *Globigerinatheka*
Site 903, A:151; B:10
Site 904, B:6
- inflata*, *Cribrorotalia*, Site 904, B:6
- inflata*, *Globorotalia*
Site 903, A:149
Site 904, A:222
Site 905, A:275
Site 906, A:321
- ingens*, *Actinocyclus*
Site 902, A:83
Site 903, A:154–156; B:35
Site 904, A:225–226; B:34
Site 906, A:323
- insigne*, *Exochosphaeridium*, New Jersey continental slope, B:443
- insueta*, *Globigerinatella*, Site 904, B:8
- Invertocysta lacrymosa*, Site 905, A:279
- invisitatum*, *Leipokatium*, Site 902, A:86
- Islandiella* spp.
Site 902, A:80
Site 903, A:151
Site 904, A:224
- israelianum*, *Operculodinium*, Site 904, A:227
- israelianum* s.l., *Operculodinium*, Site 904, A:279
- Isthmolithus recurvus*
Site 902, A:91
Site 903, A:154
Site 904, A:225
Site 906, A:323; B:103
- italica*, *Melosira*, Site 906, A:323
- janducheneii*, *Operculodinium*
Site 904, A:226
Site 905, A:279
- japonica*, *Cyrtocapsella*
Site 902, B:42
Site 904, B:44–45, 51
- jaunai*, *Globorotalia*
Site 905, A:275
Site 906, A:321
- jouseae*, *Nitzschia*, Site 902, B:21
- jouseana*, *Cavitas*
Site 903, A:156
Site 906, A:323
- jouseanus*, *Cavitatus*
Site 903, A:155
Site 906, B:27
- jaunai*, *Globorotalia*, Site 902, A:79
- juncea*, *Uvigerina*
Site 902, A:80
Site 903, A:152
Site 904, A:224
Site 906, A:322
- kanayae*, *Triceratium*, Site 905, A:278; B:27
kanayae var. *quadriloba*, *Triceratium*, Site 905, A:278; B:27
- Karreriella bradyi*, Site 904, A:224
Karreriella chapapotensis, Site 904, A:224
Karreriella spp.
Site 904, A:224
Site 906, A:322
- kuepperi*, *Discoaster*, Site 904, A:225
kugleri, *Globorotalia*, Site 904, A:223; B:6, 104
- Labyrinthodinium* sp. cf. *Labyrinthodinium truncatum*, Site 904, A:227
- Labyrinthodinium truncatum*
New Jersey continental slope, B:443
Site 902, A:85
Site 903, A:157
Site 904, A:227
Site 905, A:279
Site 906, A:324
- lacrymosa*, *Invertocysta*, Site 905, A:279
- lacunosa*, *Pseudoemiliania*
Site 902, A:112; B:119
Site 903, A:149, 153, 161, 184–185; B:233
Site 904, A:221, 224, 229; B:118
Site 905, A:277
Site 906, A:319, 326
- laevigata*, *Gaudryna*, Site 904, A:224
- Lagena* spp.
Site 903, A:152
Site 904, A:224
- Laticarinina pauperata*, Site 905, A:276
- latticonus*, *Didymocyrtis*, Site 904, B:45
- lauta*, *Denticulopsis*, Site 902, B:35
- lehneri*, *Morozovella*
Site 903, A:151
Site 904, B:6
- Leipokatium invisitatum*, Site 902, A:86
- Lejeunecysta*, Site 906, A:324
- lemniscata*, *Nematospaeropsis*
Site 902, A:84–85
Site 906, A:324
- Lenticulina* spp.
New Jersey continental slope, B:66, 75, 77, 88
Site 902, A:80–81
Site 903, A:152; B:72
Site 904, A:224; B:69
Site 905, A:276
Site 906, A:322
- leonis*, *Protoperidinium*, Site 902, A:84
- leptoporus*, *Calcidiscus*
Site 903, A:153
Site 905, A:277
Site 906, A:322
- lewisianus*, *Coscinodiscus*, Site 903, B:35
- linaperta*, *Subbotina*, Site 904, B:6
- lineata*, *Stephanopyxis*, Site 903, A:155
- lineata*, *Thalassiosira*
Site 903, A:154
Site 905, A:278
Site 906, A:323
- Lingulodinium machaerophorum*
Site 902, A:84–85
Site 903, A:157
- Lingulodinium* spp.
Site 903, A:157
Site 904, A:227
- Lithopera neotera*
Site 902, B:42
Site 904, B:45
- lobatulus*, *Cibicides*
Site 902, A:80
Site 903, A:151
Site 904, A:224
- lobospinosum*, *Chiropteridium*, Site 903, A:157
- lodoensis*, *Discoaster*, Site 904, B:436
- loeblichii*, *Discoaster*, Site 905, B:56

- loeblichii*, *Discoaster* sp. C, Site 903, A:153
longispinigerum, *Operculodinium*, Site 903, A:157
Lophodolichus acutus, Site 904, A:225
lozanoi, *Subbotina*, Site 904, B:6
Lychnocanoma elongata
 Site 902, B:40
 Site 904, B:44
Lychnocanoma elongata Zone
 Site 902, B:40
 Site 903, B:42
 Site 904, B:42
machaerophorum, *Lingulodinium*
 Site 902, A:84–85
 Site 903, A:157
macilenta, *Bulimina*
 Site 903, A:152
 Site 904, A:224; B:69
 Site 906, A:322
macintyreii, *Calcidiscus*
 Site 903, A:153
 Site 905, A:276–277
 Site 906, A:322
macintyreii, *Coccolithus*, Site 904, B:436
mammifera, *Didymocyrtis*
 Site 902, B:41–42
 Site 904, B:45–46
mantaensis, *Hanzawaia*, Site 903, A:152
margaritae, *Globorotalia*, Site 905, A:275
marginata, *Bulimina*
 Site 902, A:80
 Site 903, A:151–152
 Site 904, A:224
 Site 906, A:322
marginatus, *Coscinodiscus*
 Site 902, A:82–83
 Site 903, B:35
 Site 904, A:225–226
 Site 905, A:278
 Site 906, A:323
Marginulins spp., Site 906, A:322
marina, *Nitzschia*
 Site 905, A:278
 Site 906, A:323
Martinottiella cf. *communis*, Site 902, A:80
Martinottiella communis
 Site 903, B:72
 Site 904, B:69
Martinottiella sp.
 Site 903, A:152
 Site 905, A:276
 Site 906, A:322
marylandicus, *Rhaphidodiscus*, Site 902, A:84
marylandicus, *Spongasteriscus*, Site 904, B:45, 51
mayeri, *Globorotalia*
 Site 903, A:150; B:10, 12
 Site 904, B:8
 Site 905, A:275
mayeri, *Paragloborotalia*, Site 903, A:158, 162, 187
Mediaria splendida
 Site 902, A:84
 Site 903, A:154–156
 Site 904, A:225–226
mediterranea, *Cerebrocysta*, Site 906, A:325
Melonis barleeanum
 New Jersey continental slope, B:77
 Site 902, A:80; B:71
 Site 903, A:151–152; B:72
 Site 904, A:224; B:69
 Site 905, A:276
 Site 906, A:322; B:71
Melonis pompilioides
 New Jersey continental slope, B:77, 79, 83, 88
 Site 902, A:81; B:71
 Site 903, B:72
 Site 905, A:276
 Site 906, A:322; B:71
Melosira architecturalis
 Site 905, A:278; B:27
 Site 906, A:323; B:27
Melosira complexa, Site 904, A:226
Melosira italica, Site 906, A:323
Melosira westii
 Site 903, A:155–156
 Site 904, A:226
 Site 905, A:278
membranaceus, *Spiniferites*, Site 902, A:84
Membranophoridium aspinatum
 Site 903, A:157
 Site 906, A:325
menardii, *Globorotalia*
 Site 903, A:150
 Site 906, A:322
menardii “A,” *Globorotalia*
 Site 903, B:12
 Site 904, B:8
Mesocena diodon, Site 902, B:21
Mesocena diodon diodon, Site 902, A:77, 84
mexicana, *Bulimina*, Site 902, A:80–81
mexicana, *Vulvulina*
 Site 904, A:224
 Site 906, A:322
mexicana barri, *Globigerinatheka*, Site 903, A:151
mexicana mexicana, *Globigerinatheka*, Site 903, A:151
micra, *Pseudohastigerina*
 New Jersey continental slope, B:430
 Site 902, B:9
 Site 903, A:151; B:10
micrus, *Cibicidoides*
 New Jersey continental slope, B:73
 Site 902, A:81
 Site 903, A:152
 Site 906, A:322
minimum, *Cordosphaeridium*, Site 902, A:85
minimum s.l., *Cordosphaeridium*, Site 906, A:324
minutum, *Algidasphaeridium*?, Site 903, A:156
Minylitha convallis, Site 905, B:56
miocenica, *Cavitas*, Site 904, A:226
miocenica, *Nitzschia*, Site 902, A:83
miocenica, *Rhizosolenia*
 Site 903, B:35
 Site 904, A:226
 Site 906, A:323
miopelagicus, *Coccolithus*
 Site 903, A:153–154
 Site 904, B:436
 Site 905, A:277
 Site 906, A:322
miozea, *Globorotalia*
 Site 903, A:150–151; B:10
 Site 904, A:223; B:8, 136
 Site 905, A:275
mirabilis, *Spiniferites*, Site 902, A:84
modesta, *Stilostomella*
 New Jersey continental slope, B:77
 Site 904, B:69
Morozovella
 Site 903, A:151
 Site 904, A:223
Morozovella aragonensis
 New Jersey continental slope, B:430
 Site 904, A:223; B:6
Morozovella lehneri
 Site 903, A:151
 Site 904, B:6
Morozovella quetra, Site 904, B:6
Morozovella sp. cf. *Morozovella quetra*, Site 904, A:223
Morozovella spinulosa
 Site 903, B:10
 Site 904, B:6, 251
multipora, *Pontosphaera*, Site 906, A:322
mundulus, *Cibicidoides*, Site 903, A:152
mundulus, *Cibicidoides* aff., Site 903, B:72
nagewichiensis, *Pseudohastigerina*, Site 904, B:251
Nematosphaeropsis, Site 902, A:85
Nematosphaeropsis lemniscata
 Site 902, A:84–85
 Site 906, A:324
neoabies, *Sphenolithus*
 Site 905, A:277
 Site 906, A:322
Neogloboquadrina acostaensis
 Site 902, A:77, 79; B:10
 Site 903, B:12
 Site 904, A:223; B:8
 Site 905, A:275
Neogloboquadrina continuosa
 Site 903, A:150; B:10
 Site 906, A:321
Neogloboquadrina humerosa
 Site 902, B:10
 Site 904, B:8
Neogloboquadrina pachyderma
 Site 902, A:79
 Site 903, A:149–150; B:12
 Site 904, A:222
 Site 905, A:275
 Site 906, A:321
neohamatus, *Discoaster*
 Site 903, A:153
 Site 906, A:322
neotera, *Lithopera*
 Site 902, B:42
 Site 904, B:45
nepenthes, *Globigerina*
 Site 903, A:150; B:12
 Site 905, A:275
nicobarica, *Denticulopsis* (now *Crucidentricula*)
 Site 903, A:156
 Site 905, A:275
 Site 906, A:323
Nitzschia jouseae, Site 902, B:21
Nitzschia jouseae Zone, Site 902, B:21
Nitzschia marina
 Site 905, A:278
 Site 906, A:323
Nitzschia marina Zone, Site 902, B:21
Nitzschia reinholdii
 Site 902, B:21
 Site 904, A:225; B:25
nitzschioides, *Thalassionema*
 Site 902, A:82–83
 Site 903, A:154–156
 Site 904, A:225–226
 Site 905, A:278; B:27
 Site 906, A:323
nodulifera, *Azpeitia*, Site 902, A:83
Nonion havanensis
 New Jersey continental slope, B:73
 Site 902, A:81
 Site 903, A:152
Nonion sp.
 Site 903, A:152
 Site 904, A:224
 Site 906, A:322

- Nonionellina pizarrensis*
New Jersey continental slope, B:80–81, 108
Site 902, A:80
- Nonionellina* sp.
Site 903, A:152
Site 904, A:224
Site 905, A:276
Site 906, A:322
- novaecaesaraea, Delphineis*
Site 902, A:84; B:21
Site 903, A:154–156
Site 904, A:225–226; B:34
Site 905, A:274–275, 278
Site 906, A:323
- nuttali, Plectina*, Site 904, A:224
- Nuttallides truempyi*
New Jersey continental slope, B:73
Site 904, A:224
- oamaruensis, Chiasmolithus*
Site 903, A:154; B:436
Site 906, A:323
- obesa, Globorotalia*, Site 903, A:150
- obliquus obliquus, Globigerinoides*, Site 903, A:150
- obscura, Hystrichosphaeropsis*
Site 902, A:85
Site 903, A:157
Site 905, A:279
Site 906, A:324
- obtusus, Sphenolithus*, New Jersey continental slope, B:430
- oestrupii, Thalassiosira*
Site 902, A:82–83
Site 903, A:154
Site 904, A:225
Site 905, A:278
Site 906, A:323
- officinalis, Globigerina*, Site 906, A:322
- Operculodinium centrocarpum*, Site 906, A:324
- Operculodinium centrocarpum* s.s.
Site 902, A:85
Site 906, A:324
- Operculodinium centrocarpum* s.l.
Site 902, A:84
Site 905, A:278
- Operculodinium israelianum*, Site 904, A:227
- Operculodinium israelianum* s.l.
Site 904, A:279
Site 905, A:278
- Operculodinium janducheneii*
Site 904, A:226
Site 905, A:279
- Operculodinium longispinigerum*, Site 903, A:157
- Operculodinium* sp.
Site 903, A:157
Site 905, A:279
- Operculodinium* sp. I of Manum 1976, Site 902, A:86
- Operculodinium? eirikianum*, Site 905, A:279
- opima nana, Globorotalia*
Site 902, A:79
Site 903, A:150–151
- opima nana, Paragloborotalia*, Site 903, B:10
- opima opima, Paragloborotalia*
Site 902, B:9
Site 904, B:6
- Orbulina*, Site 904, B:105
- Orbulina universa*, Site 903, A:150–151
- Oridorsalis* spp.
New Jersey continental slope, B:66
Site 902, A:80–81; B:71
Site 903, A:152
Site 904, A:224
- Site 905, A:276
Site 906, B:71
- Osangularia* spp.
New Jersey continental slope, B:75
Site 902, A:81; B:71
Site 903, B:72
Site 904, A:224; B:69
Site 906, A:322; B:69
- ouachitaensis, Globigerina*, Site 904, B:251
- pachyderma, Cibicidoides*
Site 903, A:152
Site 904, A:224; B:69
Site 906, A:322; B:71
- pachyderma, Neogloboquadrina*
Site 902, A:79
Site 903, A:149–150; B:12
Site 904, A:222
Site 905, A:275
Site 906, A:321
- Palaeocystodinium golzowense*
Site 902, A:85
Site 905, A:274–279
Site 906, A:324
- Palaeocystodinium golzowense* Interval Zone,
New Jersey continental slope, B:439
- paleacea, Rossia*
Site 904, A:226
Site 905, A:278
Site 906, A:323
- panda, Globorotalia*, Site 905, A:275
- pansa, Thalassiphora?*
Site 903, A:157
Site 906, A:325
- pansum, Saturnodinium*, New Jersey continental slope, B:443
- pansum, Saturnodinium* (al *Thalassiphora?*),
New Jersey continental slope, B:443
- papulum, Trinovantedinium*, Site 902, A:85
- paradoxum, Distatodinium*
Site 902, A:86
Site 903, A:157
Site 904, A:227
Site 906, A:325
- paradoxum, Impagidinium*, Site 902, A:85
- Paragloborotalia mayeri*, Site 903, A:158, 162, 187
- Paragloborotalia opima nana*, Site 903, B:10
- Paragloborotalia opima opima*
Site 902, B:9
Site 904, B:6
- paralenguensis, Globorotalia*
Site 902, B:10
Site 906, A:321
- Paralia complexa*
Site 903, A:155–156
Site 904, A:226
- Paralia sulcata*
Site 903, A:154–156
Site 905, A:278; B:27
Site 906, A:323
- Paralia sulcata* var. *coronata*
Site 903, A:154–156
Site 904, A:225–226
Site 905, A:278; B:27
Site 906, A:323
- parallela, Helicosphaera*, Site 903, A:153
- passio, Cannosphaeropsis*, New Jersey continental slope, B:443
- patulum, Impagidinium*, Site 902, A:84
- paucistriata, Stilostomella*, New Jersey continental slope, B:73
- pauperata, Laticarimina*, Site 905, A:276
- Pediastrum* sp., Site 904, A:226
- pelagicus, Coccolithus*
Site 902, B:435
Site 903, A:153
Site 904, A:224; B:436
Site 905, A:277; B:56–57
Site 906, A:322
- pellitum, Tectatodinium*
Site 902, A:85
Site 905, A:278
Site 906, A:324
- penelliptica, Delphineis*
Site 902, A:84
Site 903, A:155–156
Site 904, A:226; B:34
- pentacamerata, Acarinina*, Site 904, B:6
- pentaradiatus, Discoaster*
Site 903, A:153
Site 905, A:276–277; B:54, 56
- peplum, Cestodiscus*, Site 903, A:155–156
- peregrina, Uvigerina*, Site 905, A:276
- perforata, Riculacysta*
Site 905, A:279
Site 906, A:325
- perforatus, Coscinodiscus*, Site 903, A:155
- periphoroacuta, Globorotalia*, Site 904, A:223; B:105, 135
- pettersoni, Diartus*, Site 904, B:45
- Phormostichoartus corbula*, Site 904, B:46
- phosphorica, Deflandrea*
Site 903, A:156–157
Site 906, A:325
- Phycosiphon*, Site 903, A:146
- Picea*
Site 903, A:156
Site 904, A:226
Site 906, A:324
- pigmaea, Uvigerina*, Site 903, B:72
- Pinus*
Site 903, A:156
Site 904, A:226
Site 906, A:324
- pizarrensis, Nonionellina*
New Jersey continental slope, B:80–81, 108
Site 902, A:80
- Planolites*
photograph, A:147
Site 903, A:146–147, 216–217
Site 904, A:216
Site 905, A:265, 272
Site 906, A:319
- Planulina costata*
Site 902, A:81
Site 903, A:152
Site 904, A:224
Site 906, A:322
- Planulina renzi*
Site 902, A:80–81
Site 904, A:224
- Planulina* spp.
Site 903, A:152
Site 906, A:322
- Plectina elongata*, Site 904, A:224
- Plectina nuttali*, Site 904, A:224
- Plectofrondicularia* spp.
New Jersey continental slope, B:77
Site 902, A:81
Site 903, A:152
Site 904, A:224; B:69
Site 905, A:276
Site 906, A:322; B:71
- plesiotumida, Globorotalia*, Site 902, A:79; B:10
- Pleurostomella* spp.
Site 902, A:81
Site 903, A:152

- Site 904, A:224
poagi/quadrata, *Abysamina*, Site 904, A:224
Polykrikos schwartzii, Site 902, A:84
Polykrikos sp. cf. *Polykrikos kofoidii*, Site 902, A:84
Polysphaeridium zoharyi
 Site 902, A:84, 86
 Site 904, A:227
 Site 905, A:278
pomeroli cerroazulensis, *Globorotalia*
 Site 903, A:151
 Site 906, A:321
pompilioides, *Melonis*
 New Jersey continental slope, B:77, 79, 83
 Site 902, A:81; B:71
 Site 903, B:72
 Site 905, A:276
 Site 906, A:322; B:71
Pontosphaera multipora, Site 906, A:322
Pontosphaera sp., Site 902, B:435
porteri, *Nitzschia*, Site 902, A:83
Porticulusphaera cf. *Porticulusphaera semiinvoluta*, Site 904, B:251
Porticulusphaera semiinvoluta
 New Jersey continental slope, B:430
 Site 904, B:6, 251
praebarboi, *Rhizosolenia*, Site 903, A:155–156
praebulloides, *Globigerina*, Site 904, B:6, 251
praedehiscens, *Globoquadrina*
 Site 902, B:10
 Site 904, A:223
praedimorpha, *Denticulopsis*, Site 902, A:77; B:21
praegemma, *Praetenuitella*
 Site 903, B:10
 Site 904, B:6, 251
praemenardii, *Globorotalia*
 Site 903, A:150, 158, 162, 187; B:12
 Site 904, A:223, 243; B:8
 Site 905, A:275
 Site 906, A:321
praemundulus, *Cibicoides*
 Site 902, A:81
 Site 904, A:224
praemundulus, *Cibicoides* aff.
 Site 903, B:72
 Site 906, B:71
praenedehiscens, *Sphaeroidinellopsis*, Site 905, A:275
Praeorbulina sicanus, Site 904, B:8
praescitula, *Globorotalia*, Site 904, A:223; B:136
Praetenuitella praegemma
 Site 903, B:10
 Site 904, B:6, 251
predistentus, *Sphenolithus*
 Site 902, A:82
 Site 903, A:154
prepentaradiatus, *Discoaster* sp. cf., Site 903, A:153
primitiva, *Acarinina*, Site 904, B:6
primus, *Amaurolithus*, Site 905, B:56
prismatica, *Didymocyrtis*, Site 904, B:44
proboscidea, *Uvigerina*
 New Jersey continental slope, B:77, 79, 82
 Site 903, B:72
profunda, *Quadriformina*, Site 904, A:224
Protoperidinium avellana, Site 904, A:226
Protoperidinium conicoides, Site 903, A:156
Protoperidinium leonis, Site 902, A:84
pseudocolligerum, *Dapsilidinium*
 Site 902, A:85
 Site 905, A:279
 Site 906, A:324–325
Pseudoemiliana lacunosa
 Site 902, A:112; B:119
 Site 903, A:149, 153, 161, 184; B:233
 Site 904, A:221, 224, 229; B:118
 Site 905, A:277
 Site 906, A:319, 326
Pseudoemiliana lacunosa Subzone, Site 905, A:272
Pseudoemiliana lacunosa Zone
 Site 903, A:153
 Site 905, A:276
Pseudoeunotia doliolus, Site 904, A:225
Pseudoeunotia doliolus Zone
 New Jersey continental slope, B:20–21
 Site 902, A:77, 82
 Site 903, B:21
 Site 904, A:225; B:25–26
 Site 905, A:272, 278; B:27
 Site 906, A:323; B:27
pseudofurcatus, *Spiniferites*
 Site 902, A:85
 Site 903, A:157
Pseudohastigerina micra
 New Jersey continental slope, B:430
 Site 902, B:9
 Site 903, A:151; B:10
Pseudohastigerina naguwichiensis, Site 904, B:251
Pseudohastigerina spp.
 New Jersey continental slope, B:108
 Site 904, B:6
pseudokugleri, *Globorotalia*
 Site 902, B:10
 Site 904, B:8
Pseudopyxilla russica, Site 906, A:323; B:27
Pseudotriquetrorhabdulus carinatus, New Jersey continental slope, B:430
pseudoumbilicus, *Reticulofenestra*
 Site 902, A:81; B:435
 Site 903, A:153–154
 Site 904, B:436
 Site 905, A:277; B:54, 56–57, 61
 Site 906, A:322
pseudoumbilicus, *Reticulofenestra* gr. *Reticulofenestra*, Site 902, B:435
Pterotheca aculeifera, Site 905, A:278; B:27
Pterotheca reticulata, Site 905, A:278
Pullenia bulloides
 New Jersey continental slope, B:77
 Site 902, B:71
 Site 903, A:152; B:72
 Site 904, A:224; B:69
 Site 905, A:276
 Site 906, A:322; B:69, 71
Pullenia eocenica
 Site 903, A:152
 Site 904, A:224
Pullenia quinqueloba
 Site 903, A:152
 Site 904, A:224
 Site 906, A:322
Pullenia spp., Site 902, A:81
punctata var. *hustedtii*, *Denticulopsis*
 Site 902, A:90, 113; B:35
 Site 903, A:155–156; B:133
 Site 904, A:226
 Site 905, A:278
 Site 906, A:323, 326–327
punctulata, *Globorotalia*, Site 905, A:275
pyramidalis, *Quadratobuliminella*, New Jersey continental slope, B:73
Pyxilla reticulata, Site 905, B:27
Quadratobuliminella pyramidalis, New Jersey continental slope, B:73
Quadriformina profunda, Site 904, A:224
Quadrina? condita, Site 906, A:324
quetra, *Morozovella* sp. cf. *Morozovella*, Site 904, A:223
quinqueloba, *Pullenia*
 Site 903, A:152
 Site 904, A:224
 Site 906, A:322
quinqueramus, *Discoaster*
 Site 905, A:276–278, 282; B:54, 56, 58
 Site 906, A:322
ramosus, *Spiniferites*
 Site 902, A:84
 Site 905, A:279
recurvus, *Isthmolithus*
 Site 902, A:91
 Site 903, A:154
 Site 904, A:225
 Site 906, A:323; B:103
reinholdii, *Nitzschia*
 Site 902, B:21
 Site 904, A:225; B:25
reticulata, *Pyxilla*, Site 905, B:27
renzi, *Planulina*
 Site 902, A:80–81
 Site 904, A:224
reticulata, *Pterotheca*, Site 905, A:278
reticulata, *Reticulofenestra*
 New Jersey continental slope, B:430
 Site 902, A:79
 Site 903, B:436
 Site 904, B:436
 Site 906, B:436
Reticulatosphaera actinocoronata
 Site 902, A:85
 Site 905, A:279
 Site 906, A:324
reticulatum, *Cribrocentrum*
 Site 904, A:225
 Site 906, A:323
Reticulofenestra abisecta, Site 903, A:154
Reticulofenestra bisecta
 Site 902, A:81, 91
 Site 903, A:154
Reticulofenestra floridana
 Site 903, A:153–154
 Site 905, A:277
Reticulofenestra gr. *Reticulofenestra pseudoumbilicus*, Site 902, B:435
Reticulofenestra pseudoumbilicus
 Site 902, A:81; B:435
 Site 903, A:153
 Site 904, B:436
 Site 905, A:277; B:54, 56–57, 61
 Site 906, A:322
Reticulofenestra reticulata
 New Jersey continental slope, B:430
 Site 902, A:79
 Site 903, B:436
 Site 904, B:436
 Site 906, B:436
Reticulofenestra sp. cf. *Reticulofenestra pseudoumbilicus*, Site 903, A:153
Reticulofenestra umbilicus, Site 905, A:277
Rhaphidodiscus marylandicus, Site 902, A:84
Rhizosolenia, Site 903, A:155
Rhizosolenia barboi
 Site 902, A:84
 Site 903, A:156, 161
 Site 904, A:225–226
 Site 905, A:275, 278
 Site 906, A:323
Rhizosolenia barboi Zone

- Site 902, A:77, 84
 Site 903, A:154–155
 Site 904, A:226
 Site 905, A:278
 Site 906, A:323, 327–328
Rhizosolenia barboi/Coscinodiscus yabei zonal boundary, Site 906, A:340
Rhizosolenia barboi/Delphineis penelliptica Zone
 New Jersey continental slope, B:19–20
 Site 902, B:21
 Site 903, A:155; B:25
 Site 904, B:26
 Site 905, B:27
 Site 906, B:27
Rhizosolenia calcar avis, Site 906, A:323
Rhizosolenia hebetata, Site 902, A:83
Rhizosolenia miocenica
 Site 903, B:35
 Site 904, A:226
 Site 906, A:323
Rhizosolenia praebarboi
 Site 902, A:77
 Site 903, A:155
Rhizosolenia praebarboi Zone, Site 902, A:77
rhombicus, Coscinodiscus
 Site 903, A:155
 Site 906, A:323; B:27
Riculacysta perforata
 Site 905, A:279
 Site 906, A:325
riedelii, Heliolithus, Site 905, A:277
rigaudiae, Hystrichokolpoma, Site 904, A:227
robertsonianus, Cibicidoides, Site 902, A:81
robusta, Calocycletta, Site 903, B:44
Rocella gelida, Site 906, A:323; B:27
Rocella vigilans, Site 906, A:323; B:27
rohri, Truncorotaloides
 Site 904, A:223; B:6, 251
 Site 906, A:322
Roperia tessellata
 Site 902, A:83
 Site 906, A:323
Rosalina spp.
 Site 902, A:80
 Site 904, A:224
 Site 906, A:322
Rossia paleacea
 Site 904, A:226
 Site 905, A:278
 Site 906, A:323
ruber, Globigerinoides
 Site 902, A:79
 Site 905, A:275
 Site 906, A:321
rubinus, Spiniferites, Site 905, A:278–279
rugosus, Triquetrorhabdulus, Site 905, B:54
russica, Pseudopyxilla, Site 906, A:323; B:27

Saccamina difflugiformis, Site 902, A:80
sacculifer, Globigerinoides, Site 904, B:8
Sagarites (vel *Makiyama*), Site 906, A:319
saipanensis, Discoaster
 New Jersey continental slope, B:430, 432
 Site 902, A:79, 82, 91
 Site 903, A:154
 Site 904, A:225
 Site 906, A:323
sanmiguelensis, Discoaster
 Site 903, A:153–154
 Site 904, A:225
 Site 905, A:277
 Site 906, A:322
sanmiguelensis, Discoaster sp. cf. *Discoaster*, Site 904, B:436

Saturnodinium (al *Thalassiphora*?) *pansum*, New Jersey continental slope, B:443
Saturnodinium pansum, New Jersey continental slope, B:443
Saturnodinium sp. cf. *Saturnodinium perforata*, Site 903, A:157
schlumbergeri, Sigmoilopsis
 Site 903, A:152
 Site 904, A:224
 Site 905, A:276
schwartzii, Polykrikos, Site 902, A:84
scissura, Helicosphaera, Site 903, A:154
scitula praescitula, Globorotalia, Site 904, B:8
Selenopemphix armageddonensis, Site 905, A:279
Selenopemphix armageddonensis Interval Zone, New Jersey continental slope, B:443
Selenopemphix brevispinosa brevispinosa, Site 902, A:85
Selenopemphix dionaeacysta
 Site 902, A:85
 Site 905, A:279
Selenopemphix dionaeacysta Interval Zone, New Jersey continental slope, B:439
sellii, Helicosphaera, Site 905, A:272, 277
semicostata, Bulimina, New Jersey continental slope, B:73
semicribratus, Anomalinoidea
 Site 903, A:152
 Site 906, A:322
semiinvoluta, Porticulusphaera
 New Jersey continental slope, B:430
 Site 904, B:6, 251
semiinvoluta, Porticulusphaera cf. *Porticulusphaera*, Site 904, B:251
seminulina, Sphaeroidinellopsis
 Site 903, A:151
 Site 904, B:8
seminulina seminulina, Sphaeroidinellopsis, Site 903, A:150
semivestita, Uvigerina, New Jersey continental slope, B:73
senarius, Actinocyclus
 Site 902, A:82–84
 Site 903, A:155–156
 Site 904, A:225–226
 Site 905, A:278
 Site 906, A:323
serrata, Calocycletta, Site 904, B:44–45
siakensis, Globorotalia
 Site 902, A:79
 Site 903, A:151
 Site 904, A:223
 Site 906, A:321
sicanus, Praeorbulina, Site 904, B:8
Sigmoilopsis schlumbergeri
 Site 903, A:152
 Site 904, A:224
 Site 905, A:276
Siphonina sp., Site 903, A:152
Siphonina tenuicarinata
 Site 902, A:81
 Site 903, A:152
Skolithos
 Site 903, A:217
 Site 904, A:214
solitus, Chiasmolithus
 Site 904, B:436
 Site 905, A:277
soucouyantiae, Sumatradinium
 Site 902, A:85
 Site 903, A:157
 Site 904, A:226
 Site 905, A:279
 Site 906, A:324

spectabilis, Spiroplectamina
 Site 904, A:224
 Site 906, A:322
sphaerica, Batiacasphaera, Site 906, A:324
sphaerica s.s., Batiacasphaera
 Site 902, A:85
 Site 906, A:324
Sphaeroidina bulloides
 Site 902, A:80
 Site 904, A:224
 Site 906, A:322
Sphaeroidinella dehiscens, Site 905, A:275
Sphaeroidinellopsis praenedehiscens, Site 905, A:275
Sphaeroidinellopsis seminulina
 Site 903, A:151
 Site 904, B:8
Sphaeroidinellopsis seminulina seminulina, Site 903, A:150
Sphenolithus abies
 Site 903, A:153
 Site 905, B:54, 56
Sphenolithus aff. *Sphenolithus belemnos*, Site 903, A:154
Sphenolithus belemnos
 Site 903, A:154
 Site 904, A:225
Sphenolithus capricornutus, Site 904, A:225
Sphenolithus ciperensis
 Site 902, A:81, 91
 Site 903, A:154
 Site 904, A:225
 Site 906, A:323
Sphenolithus conicus, Site 903, A:154
Sphenolithus delphix
 Site 903, A:154
 Site 904, A:225
Sphenolithus distentus, Site 902, A:82; B:107
Sphenolithus furcatolithoides
 New Jersey continental slope, B:431
 Site 904, A:225
Sphenolithus heteromorphus
 Site 904, A:225
 Site 905, A:277–278
Sphenolithus neoabies
 Site 905, A:277
 Site 906, A:322
Sphenolithus obtusus, New Jersey continental slope, B:430
Sphenolithus predistentus
 Site 902, A:82
 Site 903, A:154
Sphenolithus sp., Site 902, B:435
Sphenolithus spiniger, Site 904, A:225
Sphenolithus verensis, Site 903, A:153
Spiniferites bentorii
 Site 902, A:84
 Site 905, A:278
Spiniferites elongatus
 Site 902, A:84
 Site 906, A:324
Spiniferites frigidus
 Site 902, A:84
 Site 905, A:278
Spiniferites membranaceous, Site 902, A:84
Spiniferites mirabilis, Site 902, A:84
Spiniferites pseudofurcatus
 Site 902, A:85
 Site 903, A:157
Spiniferites ramosus, Site 905, A:279
Spiniferites ramosus complex, Site 902, A:84
Spiniferites rubinus, Site 905, A:278
Spiniferites spp.
 Site 904, A:226

- Site 906, A:324
spiniger, *Sphenolithus*, Site 904, A:225
spinuloinflata, *Acarinina*
 Site 903, A:151; B:10
 Site 904, B:6
 Site 906, A:322
spinulosa, *Morozovella*
 Site 903, B:10
 Site 904, B:6, 251
spiridoides, *Aptiodinium*
 Site 903, A:157
 Site 904, A:227
 Site 905, A:279
 Site 906, A:325
Spiroplectammina spectabilis
 Site 904, A:224
 Site 906, A:322
Spiroplectammina spp.
 Site 904, A:224
 Site 906, A:322
Spirosigmoilinella tenuis, Site 906, A:322
splendida, *Mediaria*
 Site 902, A:84
 Site 903, A:154–156
 Site 904, A:225–226
Spongasteriscus marylandicus, Site 904, B:45, 51
Stephanogonia actinoptychus
 Site 903, A:155–156; B:35
 Site 904, A:226
 Site 906, A:323
Stephanogonia grossecellulata, Site 906, B:27
Stephanogonia grunowii, Site 906, A:323
Stephanopyxis grossecellulata, Site 903, A:155
Stephanopyxis grunowii
 Site 902, A:84
 Site 905, A:278
 Site 906, A:323; B:27
Stephanopyxis lineata, Site 903, A:155
Stephanopyxis spp., Site 902, A:83
Stichocorys delmontensis
 Site 903, B:44
 Site 904, B:51
Stichocorys delmontensis Zone
 Site 902, B:42
 Site 904, B:44
Stichocorys wolffii Zone, Site 902, B:41–42, 45
Stilostomella modesta
 New Jersey continental slope, B:77
 Site 904, B:69
Stilostomella paucistriata, New Jersey continental slope, B:73
Stilostomella sp. C, Site 903, B:72
Stilostomella spp.
 New Jersey continental slope, B:73, 77, 79, 82
 Site 902, A:80–81; B:71
 Site 903, A:152; B:72
 Site 904, A:224; B:69
 Site 905, A:276
 Site 906, A:322
Stoveracysta conerae, Site 902, A:86
stylorum, *Cyclotella*
 Site 902, A:83
 Site 906, A:323
Subbotina angiporoides, Site 904, B:251
Subbotina eocaena
 New Jersey continental slope, B:430
 Site 902, B:9
 Site 903, B:10
Subbotina linaperta, Site 904, B:6
Subbotina lozanoi, Site 904, B:6
Subbotina tripartita
 New Jersey continental slope, B:430
 Site 902, A:79; B:9
 Site 903, A:151; B:10
Subbotina yeguaensis
 New Jersey continental slope, B:430
 Site 902, B:9
 Site 903, B:10
subconglobata, *Globigerinatheka*, Site 906, A:322
subglobosa, *Globocassidulina*
 New Jersey continental slope, B:73
 Site 902, A:80–81
 Site 903, A:152; B:72
 Site 904, A:224
 Site 905, A:276
 Site 906, A:322; B:71
sublodoensis, *Discoaster*, Site 904, A:225; B:436
subquadratus, *Globigerinoides*
 Site 903, A:151
 Site 905, A:275
subspiratus, *Cibicidoides*, Site 906, A:322
subsurculus, *Discoaster*, Site 904, A:225
sulcata, *Paralia*
 Site 903, A:154–156
 Site 905, A:278; B:27
 Site 906, A:323
sulcata var. *coronata*, *Paralia*
 Site 903, A:154–156
 Site 904, A:225–226
 Site 905, A:278; B:27
 Site 906, A:323
Sumatradinium, Site 906, A:324
Sumatradinium drugii
 Site 903, A:157
 Site 905, A:279
Sumatradinium soucouyantiae
 Site 902, A:85
 Site 903, A:157
 Site 904, A:226
 Site 905, A:279
 Site 906, A:324
Sumatradinium soucouyantiae Interval Zone, New Jersey continental slope, B:439
surculus, *Discoaster*
 Site 903, A:153
 Site 905, A:276; B:54
Systematophora ancyrea/placacantha complex
 Site 902, A:86
 Site 903, A:156–157
 Site 904, A:227
 Site 905, A:278–280
 Site 906, A:325
Systematophora spp.
 Site 902, A:86
 Site 905, A:279
tamalis, *Discoaster*, Site 905, A:276–277; B:54
tani, *Discoaster*, Site 904, B:436
tani nodifer, *Discoaster*, Site 904, B:436
tectata, *Habibacysta*
 Site 902, A:85–86
 Site 903, A:157
 Site 905, A:272, 278–280
 Site 906, A:324
Tectatodinium pellitum
 Site 902, A:85
 Site 905, A:278
 Site 906, A:324
tectatum, *Aptiodinium*, Site 904, A:227
tectiformis, *Bolivina*, New Jersey continental slope, B:73
Teichichnus
 Site 903, A:146
 Site 905, A:272
 Site 906, A:319
temperei, *Coscinodiscus*
 Site 902, B:35
 Site 903, A:156
 Site 906, A:323
temperei var. *delicata*, *Coscinodiscus*, Site 904, B:34
tenellus, *Actinocyclus*
 Site 903, A:156
 Site 904, A:225–226; B:34
 Site 905, A:278
 Site 906, A:323
tenuicarinata, *Siphonina*
 Site 902, A:81
 Site 903, A:152
tenuis, *Spirosigmoilinella*, Site 906, A:322
tenutabulatum, *Cribrerodinium*
 Site 902, A:86
 Site 903, A:157
 Site 904, A:227
tepikiense, *Bitectatodinium*
 Site 902, A:84
 Site 903, A:156
 Site 904, A:226
 Site 905, A:272, 278–279
 Site 906, A:324
Terebellina
 Site 903, A:146
 Site 905, A:272
tesselata, *Roperia*
 Site 902, A:83
 Site 906, A:323
tetrapera, *Cyrtocapsella*
 Site 903, B:37
 Site 904, B:44–45
Textularia sp., Site 903, A:152
Thalassinoides
 Site 903, A:146–147
 Site 904, A:216–217
 Site 905, A:265, 272
 Site 906, A:319
Thalassionema nitzschoides
 Site 902, A:82–83
 Site 903, A:154–156
 Site 904, A:225–226
 Site 905, A:278; B:27
 Site 906, A:323
Thalassiphora? *pansa*
 Site 903, A:157
 Site 906, A:325
Thalassiosira cf. *Thalassiosira eccentrica*, Site 904, B:34
Thalassiosira convexa Zone, Site 902, B:21
Thalassiosira grunowii
 Site 902, A:84
 Site 903, A:154, 156; B:35
 Site 904, A:226
 Site 905, A:275
 Site 906, A:323
Thalassiosira lineata
 Site 903, A:154
 Site 905, A:278
 Site 906, A:323
Thalassiosira oestrupii
 Site 902, A:83
 Site 903, A:154
 Site 904, A:225
Theocyrtis amosa, Site 904, B:42, 44
topilensis, *Truncorotaloides*, Site 904, B:6
tosaensis, *Globorotalia*, Site 903, A:149
Triceratium kanayae, Site 905, A:278; B:27
Triceratium kanayae var. *quadriloba*, Site 905, B:27
tricorniculatus, *Ceratolithus*, Site 905, B:54
trilobus, *Globigerinoides*, Site 904, B:8
trinitatensis, *Bulimina*
 New Jersey continental slope, B:73
 Site 904, A:224

- Trinovantedinium*, Site 906, A:324
Trinovantedinium ferugnomatus, Site 902, A:85
Trinovantedinium glorianum, Site 905, A:279
Trinovantedinium harpagonium, Site 905, A:279
Trinovantedinium papulum, Site 902, A:85
Trinovantedinium? xylochoporum, Site 902, A:85
tripartita, *Globigerina*, Site 904, B:6
tripartita, *Subbotina*
 New Jersey continental slope, B:430
 Site 902, A:79; B:9
 Site 903, A:151; B:10
Triquetrorhabdulus carinatus
 Site 902, A:81
 Site 903, A:154
 Site 904, A:225
Triquetrorhabdulus rugosus, Site 905, B:54
triradiatus, *Discoaster*, Site 903, A:153
Tritaxia spp.
 Site 903, A:152
 Site 904, A:224
 Site 906, A:322
truempyi, *Nuttallides*
 New Jersey continental slope, B:73
 Site 904, A:224
truncana, *Hystriocholpoma*
 Site 902, A:86
 Site 903, A:157
 Site 904, A:227
 Site 906, A:325
truncanus, *Cibicidoides*, Site 903, A:152
truncatulinoides, *Globorotalia*
 Site 903, A:149, 161
 Site 904, A:222
 Site 905, A:275
 Site 906, A:322
truncatum, *Labyrinthodinium*
 New Jersey continental slope, B:443
 Site 902, A:85
 Site 903, A:157
 Site 904, A:227
 Site 905, A:279
 Site 906, A:324
truncatum, *Labyrinthodinium* sp. cf.
Labyrinthodinium, Site 904, A:227
Truncorotaloides, Site 902, A:80
Truncorotaloides collectae
 Site 903, A:151
 Site 904, B:6
Truncorotaloides rohri
 Site 904, A:223; B:6, 251
 Site 906, A:322
Truncorotaloides spp., Site 903, B:10
Truncorotaloides topilensis, Site 904, B:6
tubaria, *Didymocyrtis*
 Site 903, B:44
 Site 904, B:46
tuberculatus, *Coscinodiscus*
 Site 905, A:278
 Site 906, A:323
Tuberculodinium vancampoeae
 Site 902, A:85
 Site 906, A:324
Turborotalia alabamensis, New Jersey continental slope, B:430
Turborotalia cerroazulensis
 New Jersey continental slope, B:108, 432
 Site 903, B:10
Turborotalia cerroazulensis cerroazulensis
 New Jersey continental slope, B:430
 Site 902, B:9
Turborotalia cerroazulensis cocoaensis
 New Jersey continental slope, B:430
 Site 903, B:10
 Site 904, B:251
Turborotalia cerroazulensis cunialensis
 New Jersey continental slope, B:108
 Site 904, B:6
Turborotalia cerroazulensis frontosa, Site 904, B:6
Turborotalia cerroazulensis pomeroli, Site 904, B:6
Turborotalia cerroazulensis possagnoensis, Site 904, B:6
Turborotalia cerroazulensis spp., New Jersey continental slope, B:108
Turborotalia increbescens, Site 903, B:10
tuxpamensis, *Bulimina*, New Jersey continental slope, B:73
umbilicus, *Reticulofenestra*, Site 905, A:277
umbracula, *Amiculosphaera*, Site 905, A:279
undulatus, *Actinocyclus*, Site 904, B:34
unicavus, *Catapsydrax*
 Site 902, A:79
 Site 903, A:150–151
 Site 904, B:8
Unipontidinium aquaeductum
 Site 902, A:86
 Site 905, A:280
universa, *Orbulina*, Site 903, A:150–151
utinensis, *Cannosphaeropsis* sp. cf.
Cannosphaeropsis
 New Jersey continental slope, B:443
 Site 903, A:157
 Site 904, A:226–227
 Site 906, A:324–325
Uvigerina adelinensis, Site 903, B:72
Uvigerina aubertae, Site 903, B:72
Uvigerina elongata
 New Jersey continental slope, B:84, 89, 108
 Site 903, B:73
Uvigerina havanensis
 Site 902, A:81
 Site 903, A:152
 Site 904, A:224
 Site 906, A:322
Uvigerina hispida
 New Jersey continental slope, B:77, 88
 Site 903, B:72
 Site 904, A:224; B:69
 Site 906, A:322; B:71
Uvigerina juncea
 Site 902, A:80
 Site 903, A:152
 Site 904, A:224
 Site 906, A:322
Uvigerina peregrina, Site 905, A:276
Uvigerina pigmea, Site 903, B:72
Uvigerina proboscidea
 New Jersey continental slope, B:77, 80, 82
 Site 903, B:72
Uvigerina semivestita, New Jersey continental slope, B:73
Uvigerina spp.
 New Jersey continental slope, B:78
 Site 902, A:80–81
 Site 903, A:152
vancampoeae, *Tuberculodinium*
 Site 902, A:85
 Site 906, A:324
variabilis, *Discoaster*
 Site 902, B:435
 Site 903, A:153–154
 Site 904, B:436
 Site 905, A:277
variabilis, *Discoaster* sp. cf. *Discoaster*, Site 904, B:436
venezuelana, *Globigerina*, Site 903, B:10
venezuelana, *Globoquadrina*, Site 903, A:150
veniamini, *Bogorovia*, Site 906, A:323; B:27
verensis, *Sphenolithus*, Site 903, A:153
vigilans, *Rocella*, Site 906, A:323; B:27
violina, *Didymocyrtis*
 Site 903, B:42
 Site 904, B:45
virginis, *Calocyclus*
 Site 903, B:44–45
 Site 904, B:42
virginis, *Calocyclus* (*Calocyclus*), Site 904, B:51
Vulvulina mexicana
 Site 904, A:224
 Site 906, A:322
Vulvulina sp.
 Site 903, A:152
 Site 904, A:224
westii, *Melosira*
 Site 903, A:155–156
 Site 904, A:226
 Site 905, A:278
wilcoxensis, *Alabama*
 New Jersey continental slope, B:75
 Site 903, B:72
 Site 904, B:69
 Site 906, B:71
wolffi, *Stichocorys*, Site 904, B:45
woodi, *Globigerina*, Site 903, A:150
Xandarodinium xanthum, Site 902, A:85
Xandarodinium xanthum sensu Head, Site 905, A:279
xanthum, *Xandarodinium*
 Site 902, A:85
 Site 905, A:279
xylochoporum, *Trinovantedinium?*, Site 902, A:85
yabei, *Coscinodiscus*
 Site 902, A:77
 Site 903, A:161
 Site 904, A:226
yeguaensis, *Subbotina*
 New Jersey continental slope, B:430
 Site 902, B:9
 Site 903, B:10
zoharyi, *Polysphaeridium*
 Site 902, A:84, 86
 Site 904, A:227
 Site 905, A:278
 zones
 A, A:86, 157, 222, 227; B:353, 443
 B, A:157; B:353–357, 443
 C, A:77, 157; B:353–355
 D, A:77, 86, 227, 280
 DN2, New Jersey continental slope, B:443
 DN3, New Jersey continental slope, B:443
 DN4–DN10, New Jersey continental slope, B:443
 DN6, Site 903, B:133
 DN7, Site 903, B:133
 E, A:86, 90, 113, 227, 275, 279
 F, A:77, 86, 90, 113, 157, 226–227, 275, 324–325, 327
 G, A:85, 157, 161–162, 226–227, 275, 324
 G, F, and E, Site 906, A:327
 H, A:84–85, 156–157, 227, 279, 324
 H/G boundary, Site 905, A:274
 I, Site 905, A:279
 N4, A:150, 222; B:6, 10, 42, 104
 N4/N5 zonal boundary, Site 904, B:8

- N5, Site 902, A:79, 81; B:10
 N5/N6 boundary, A:222–223; B:10
 N6, Site 904, A:223; B:8
 N6–N12, Site 903, A:150
 N8, A:150, 223, 227
 N9, Site 904, A:223
 N9/N10 boundary, A:151; B:6
 N10, Site 904, B:8
 N10–N11, A:221, 275, 321
 N10–N12, A:150, 187, 222, 321; B:10, 12
 N11, A:151, 222, 321; B:8, 10, 135
 N11–N12, Site 903, A:150; B:133
 N12, B:8
 N14, A:150, 162, 275
 N15, Site 905, A:275
 N16, A:275, 321
 N16–N17, A:221, 227, 243, 321, 325–327;
 B:12
 N16/N17 boundary, Site 902, B:10
 N17, A:79, 150, 275; B:8, 135
 N18, A:79, 275
 N19, Site 903, A:150
 N22, Site 906, A:321
 NN1, A:78, 163, 225; B:42, 104
 NN2, A:78, 81, 115, 154, 163, 187, 224–225,
 243, 325; B:102, 107
 NN3, A:154, 225
 NN3/NN4 boundary, Site 904, A:244
 NN4, Site 903, A:153–154, 187
 NN4–NN5, Site 904, A:227
 NN4/NN2 boundary, Site 903, A:163
 NN5, A:154, 187, 277, 328; B:102, 105
 NN5–NN7, Site 906, A:326
 NN5–NN8, Site 904, A:225
 NN5/NN7, Site 904, A:244
 NN6, A:154, 159, 187, 322; B:20, 153, 436
 NN6–NN7, Site 906, A:328
 NN6–NN8, Site 904, A:222
 NN7, A:225–226, 274, 277; B:105
 NN7–NN8, Site 904, A:227
 NN8, Site 905, A:277–278, 281; B:436
 NN8–NN10, Site 904, A:224
 NN9, Site 906, A:322
 NN9–NN10, Site 906, A:326
 NN10, A:185, 227, 278, 320, 322; B:8, 56, 61,
 135
 NN10–NN9, Site 905, A:281
 NN11, A:274, 276–277, 282, 320, 322; B:54,
 56, 61
 NN12, Site 905, A:277; B:54
 NN13, Site 905, B:54, 58, 61
 NN14, Site 905, B:54, 58, 61
 NN15, A:158, 185, 272, 277; B:61
 NN16, Site 905, A:272; B:54
 NN17, Site 905, A:281; B:58, 61
 NN17–NN18, Site 903, A:158
 NN18, Site 905, B:54, 58, 61
 NN19, A:157, 276, 280–281
 NN19b, Site 905, A:272
 NN20, A:81, 224, 319
 NN21, A:81, 149, 224, 319, 322
 NP10–NP20, New Jersey continental slope,
 B:430
 NP14a, Site 904, A:225
 NP15/NP16 boundary, B:430, 436
 NP16, A:225; B:250, 430–431, 436
 NP16/NP17 zonal boundary, New Jersey
 continental slope, B:431
 NP17, B:430–431, 436
 NP18, A:222, 225; B:251, 430–431, 436
 NP18/19–NP20 boundary, Site 904, B:251
 NP19, A:225, 321, 323; B:430
 NP19–NP20, A:82, 154, 222, 243, 328;
 B:103–104, 106–107, 250–251,
 435–436
 NP20, A:225; B:430
 NP23, A:77, 82; B:102, 106, 109, 111
 NP23/NP19–NP20 boundary, Site 903, A:163
 NP24, A:82, 222, 225, 321, 323; B:107
 NP24/NP25 boundary, Site 902, A:89
 NP25, A:79, 81–82, 91, 154, 225, 323, 325,
 328; B:104, 443
 NP25/NN2 boundary, Site 903, B:436
 P9, Site 904, B:6
 P9–P10, New Jersey continental slope, B:430
 P10, Site 904, B:6
 P11, New Jersey continental slope, B:430
 P11 and P16, Site 903, A:151
 P11/P12 boundary, New Jersey continental
 slope, B:430
 P12, B:6, 430
 P13–P14, A:223; B:10, 430
 P14, Site 906, A:322
 P14/P15 boundary, B:6, 430
 P15, B:6, 10, 251
 P15–P17, Site 906, A:321–322
 P15/P16 boundary, Site 903, B:10
 P16, A:322; B:6
 P16–P17, A:79, 223, 321; B:9
 P17, Site 904, B:104
 P18, New Jersey continental slope, B:111
 P18–P19, Site 903, B:14
 P19, New Jersey continental slope, B:111
 P19/P20 boundary, Site 903, B:14
 P21, Site 904, A:222–223
 P21–P22, B:9–10
 P22, A:150, 321, 328
 Pre-A, Site 906, A:325
Zoophycos
 photograph, A:147, 216
 Site 903, A:146–147, 216
 Site 904, A:217
 Site 905, A:265, 272
 Site 906, A:319
Zygrhablithus bijugatus
 Site 902, A:81, 91
 Site 903, A:154
 Site 904, A:225
 Site 905, A:277