

INDEX TO VOLUME 151

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 151 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, thin-section descriptions, or dropstone descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as nannofossils and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 902, for example, is given as “Site 902, A:57–111.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., E-mail: pub_production@ODP.TAMU.EDU

VOLUME 151 SUBJECT INDEX

- absolute age, deduced from magnetostratigraphy, A:78
- acoustic basement reflector, basalts, B:363–364
- acoustic impedance, vs. depth, A:151
- acoustic wavelets
cores, A:149
logs, A:95
properties, A:261, 305
seismic stratigraphy, A:206
- acritarchs
biostratigraphy, B:203–242
Pleistocene, B:243–253
See also dinoflagellates; palynomorphs
- actiniscidians, biostratigraphy, B:101–124
- Ægir Ridge, sea-floor spreading, B:310
- aeromagnetic profiles, A:223
- age estimation
tephra, B:312–315
tholeiites, B:351–365
- age vs. depth
oxygen isotopes, B:451
Site 907, B:458
Site 908, A:129; B:557, 574
Site 909, A:181; B:557, 574
Site 911, A:285
Site 912, A:332
- Akita, Pliocene stratigraphy, B:54
- alkalic rhyolites, volcanic ash, B:315–317
- alkalinity
interstitial waters, A:82, 130, 181–182, 240, 285–286, 333, 367
vs. depth, A:82, 130
- alkalis
vs. silica, B:319, 342, 356
See also sodium oxide + potassium oxide
- alkanes. *See* n-alkanes
- alkanes, isoprenoid, sediments, B:409–410
- alteration
basalts, A:78
pillow basalts, A:418
sediments, A:330
- aluminum, sediments, A:287
- aluminum oxide
sediments, A:184, 241, 243, 287, 333–334, 367–368
vs. depth, A:131; B:358
vs. iron oxide, A:243
vs. magnesium oxide, B:317, 319–322, 344
vs. silica, A:243; B:343, 357
vs. silica in pillow basalts, A:81
See also potassium oxide/aluminum oxide ratio
- aluminum oxide/silica ratio, vs. depth, A:86, 131
- American Plate, plate boundaries, A:5–6
- ammonia
interstitial waters, A:129, 181, 239–240, 286, 333, 366
vs. depth, A:130
- ammonium
interstitial waters, A:182, 240, 286, 333, 367
vs. depth, A:82
- amphibole, volcanic ash, B:315
- Amundsen Basin, continental margins, A:10
- amygdules, basalts, A:77–78
- andesites, basaltic, volcanic ash, B:317–323
- Anomaly 13
Greenland Sea, B:9
plate tectonics, A:15; B:11
- Anomaly 24, plate tectonics, A:14–15
- apatite
Eocene, B:583–591
See also fish apatite
- Aquitanian?, biostratigraphy, B:261–262
- Arctic Gateways
biostratigraphy, B:627–644
Cenozoic paleoenvironments, A:397–420
geology, A:5–26
hydrocarbons, A:385–395
organic matter, B:391–405
paleoceanography, B:449, 645–658
paleoclimatology, B:515–567
physical properties, B:595–626
Pliocene–Quaternary, A:419
sea surface, B:437–444
- Arctic Ocean
biostratigraphy, B:39–59, 153–167
carbonates, B:415–434
gateways, B:3–23
natural gamma-ray activity profiles, B:369–376
oceanic circulation, B:248–249
Oligocene–Miocene vegetation, B:289–296
paleoclimatology, B:654
plate tectonics, B:292–293, 296
tectonics, A:5–26
- argon isotopes, tholeiites, B:351–365
- ash. *See* volcanic ash
- Ash Zone 1
sedimentation, B:326–327
sediments, B:438–442
- Ash Zone 2, sedimentation, B:325, 327
- asphaltenes, sediments, B:409
- assemblage zones, dinocysts, B:246–248
- Atlantic Ocean. *See* North Atlantic Ocean
- authigenesis, carbonates, B:425–429
- Barents Sea
continental margins, A:10
plate tectonics, A:14–16
Quaternary, B:445–454
volcanic history, A:12–16
- Barents Sea Ice Sheet, environment, A:18–19
- barite
carbonates, B:429
sediments, B:420
- basalts
back-scattered electron photographs, B:353
composition compared with tholeiitic and alkali basalt fields, A:80
petrology, A:77–78, 418
tephra, B:341–343
texture photograph, A:80
volcanic ash, B:317–323
See also pillow basalts; tholeiites
- basalts, brecciated, photograph, A:79
- basalts, flood, volcanic history, A:12–16
- basalts, tholeiitic, petrology, A:80; B:351–365
- basic composition
volcanic ash, B:318–323, 339–343
- bathymetry
Faeroe Islands, B:13
Norwegian–Greenland Sea, A:7–11, 47–48, 398–399
- bedding, folded
lithologic units, A:166–171
photograph, A:170
- Bering bridge, plant migration, B:293
- Bering Sea, drilling, A:22
- Bigbendian Transgression, foraminifers, B:191
- biochronology, Norwegian–Greenland Sea, B:21
- biological evolution, Cenozoic, A:22
- biomarkers
organic carbon, B:397–398
sediments, B:412
vs. depth, B:412
- biosilica
biostratigraphy, B:641–642
dinoflagellates, B:214
lithologic units, A:65–69, 119–122, 357–359
paleoenvironment, A:418–419
vs. depth, B:487
See also opal
- biosiliceous Interval 3, vs. depth, B:487
- biostratigraphic events, silicoflagellates, B:102–104, 111
- biostratigraphic zonation, vs. depth, A:172
- biostratigraphy
Arctic Gateways, B:627–644
Cenozoic, A:414–416
comparison with magnetostratigraphy, A:331–332, 366
correlation of calcareous nannofossils and foraminifers, A:281
correlation of calcareous nannofossils, foraminifers, and palynomorphs, A:172
correlation of diatoms, calcareous nannofossils, and foraminifers, A:328
correlation of diatoms, radiolarians, calcareous nannofossils, foraminifers, and *Bolboforma*, A:361
correlation of diatoms, radiolarians, calcareous nannofossils, foraminifers, and palynomorphs, A:74, 123, 237
correlation of Geomagnetic Polarity Time Scale with magnetic polarity, A:284–285
diatoms, B:61–74, 75–99
dinoflagellates, B:203–253, 255–287
foraminifers, B:153–167, 169–185, 187–196
ostracods, B:197–201
paleoceanography, B:652, 654
Pliocene–Quaternary, B:39–59
radiolarians, B:125–152
silicoflagellates, B:101–124
Site 907, A:69–74
Site 908, A:122–125
Site 909, A:171–176
Site 910, A:230–236
Site 911, A:277–281
Site 912, A:326–329
Site 913, A:360–365
- biotite mica
vs. depth, B:556
See also mica
- bioturbation
Cenozoic, A:411
lithologic units, A:166–171, 322–326, 357–360
paleoenvironment, A:418–419
photograph, A:65, 67–68, 119, 169, 276, 359
See also burrows; *Zoophycos*
- bisaccates, vs. depth, B:295
- Boreas Basin, physiography, A:11; B:7–9
- boreholes
deviation from vertical vs. depth, A:207
histogram of hole azimuth values, A:208

- temperature, A:92
- bottom waters, Norwegian–Greenland Sea, A:18
- British Meteorological Office, ice charts, B:28–36
- Brito-Arctic Igneous Province, plant migration, B:293
- Brunhes Chron
- comparison with biostratigraphy, A:332
 - sedimentation, A:68
 - sediments, B:446–447
 - stratigraphy, A:238–239; B:53–54
- Brunhes/Matuyama boundary
- correlation, A:129
 - magnetic intensity, A:127
 - sedimentation rates, A:417–418
 - stratigraphy, A:331
- bulk accumulation rates
- carbonates, B:575, 576
 - Neogene, B:570–571
 - sediments, B:518–524
 - vs. age, B:558–559, 579, 581
 - See also* mass accumulation rates
- bulk density logs
- vs. depth, A:148–149
 - See also* density
- burrows
- carbonates, B:417–418
 - lithologic units, A:171
 - photograph, A:66, 276, 359
 - See also* bioturbation; *Zoophycos*
- burrows, pyritized, photograph, A:234
- burrows, sediment-infilled, photograph, A:235
- butanes. *See* isobutane; *n*-butanes
- C1n/C1r boundary, stratigraphy, A:331
- C1r.1n Subchron, stratigraphy, A:331
- calcite
- authigenic carbonates, B:419, 421–422
 - lithologic units, A:171
 - vs. depth, B:421, 423, 425
- calcite, inorganic
- lithologic units, A:122
 - vs. depth, A:233
- calcium
- interstitial waters, A:129, 181–182, 239–240, 285–286, 333, 366–367
 - vs. depth, A:82, 130
- calcium carbonate, sediments, A:241, 286
- calcium oxide
- sediments, A:181, 184, 241, 243, 287, 333–334, 368
 - vs. depth, A:86, 131; B:358
 - vs. magnesium oxide, A:86; B:317, 319–322, 344
 - vs. silica, B:324–326, 343, 357
 - vs. silica in pillow basalts, A:81
- caliper logs
- comparison with total gamma-ray logs, A:304
 - Site 907, A:104
 - vs. depth, A:148, 206, 259, 303
- carbon, sediments, A:84–85, 132, 134–135, 189, 242–243, 288, 336, 369
- carbon, organic
- dropstones, A:134
 - influx, B:393, 397
 - paleoenvironment, A:413–414
 - sediments, A:288, 291, 391–392; B:391–405, 408
- carbon, total, organic
- percent in sediments, A:413
 - sediments, A:241
 - vs. age, A:292, B:399, 579
 - vs. depth, A:87, 135, 194, 292, 336, 371, 394, 580; B:393, 398, 578
 - vs. linear sedimentation rates for Quaternary sediments, A:391
 - vs. total nitrogen, A:87, 135, 194, 247, 292, 336, 372
- carbon/nitrogen ratio
- carbonates, B:424, 426
 - sediments, A:85–86, 135–136, 189, 193–194, 241, 243, 289, 336, 369
 - vs. depth, A:87, 135, 194, 292, 336, 371
- carbon isotopes
- apatite, B:583–591
 - foraminifers, B:445–454, 458
 - vs. age, B:451, 464
 - vs. depth, B:427–428, 449, 459–460, 462, 464, 472–473, 475–476
 - vs. oxygen isotopes, B:427–428
 - See also* stable isotopes
- carbon preference index, vs. depth, B:402–403
- carbonate compensation depth, paleoenvironment, A:418–419
- carbonate content
- Neogene, B:571–573
 - sediments, A:130–131, 241; B:494–495, 655
 - Site 644, B:505
 - Site 907, B:506
 - Site 909, B:507–508
 - vs. age, B:399, 499–501, 579, 581
 - vs. depth, A:87, 135, 194, 292, 336, 371; B:496–498, 578, 580
- carbonate layers, inorganic, lithologic units, A:122
- carbonates, authigenic
- spacing vs. depth, B:424, 426
 - sediments, B:415–434
- cementation
- carbonates, B:429
 - lithologic units, A:170
- Cenozoic
- biostratigraphy, B:101–124, 153–167, 627–644
 - diatoms, B:483–492
 - paleoceanography, B:13–18, 645–658
 - paleoclimatology, B:515–567
 - paleoenvironment, A:18–19, 397–420
 - volcanic history, A:11–16
- Cenozoic, upper
- organic matter, B:407–414
 - paleoenvironment, B:391–405
- Charlie Gibbs Fracture Zone, volcanic history, A:11–16
- Chatian, biostratigraphy, B:273
- chloride
- geochemical indicators, A:412
 - interstitial waters, A:82, 129, 285, 333, 366
 - chlorine, interstitial waters, A:182, 240, 286, 333, 367
- Chron C2rn, magnetic polarity, A:76
- Chron C3B, magnetic polarity, A:76
- Chron C4Ar, magnetic polarity, A:76
- Chron C4n2, magnetic polarity, A:76
- Chron C5An, magnetic polarity, A:76
- chronostratigraphy
- Cenozoic, A:416–417
 - Pleistocene, B:244, 246
- clasts
- lithologic units, A:170, 359–360
 - photograph, A:170
- clasts, clay, photograph, A:120; B:573
- clasts, mud
- lithologic units, A:122
 - paleoenvironment, A:418–419
- clay, lithologic units, A:166, 171, 353, 356
- clay, biocarbonate-bearing, lithologic units, A:353, 356
- clay, biosiliceous
- lithologic units, A:357–359
 - photograph, A:358–359
- clay, foraminifer, lithologic units, A:353, 356
- clay, laminated, lithologic units, A:357–359
- clay, silty
- lithologic units, A:60–69, 118–122, 166–171, 227–230, 275–277, 322–326
 - photograph, A:64–65, 119, 230, 274–275, 327, 358–359
- climate evolution, Cenozoic, A:19–20
- clinopyroxene
- basalts, A:78–79
 - volcanic ash, B:315
 - See also* pyroxene
- coal
- lithologic units, A:359–360
 - paleoenvironment, A:418–419
- coal fragments
- photograph, B:573
 - vs. depth, B:555
- coarse fraction
- accumulation rates, B:573
 - biogenic components vs. age, B:562, 565
 - biogenic components vs. depth, B:520, 523
 - paleoclimatology, B:515–567
 - terrigenous components vs. age, B:563, 566
 - terrigenous components vs. depth, B:521
 - terrigenous/volcanic and authigenic components vs. age, B:564
 - terrigenous/volcanic and authigenic components vs. depth, B:560–561, 579, 581
 - vs. depth, B:519, 522, 578, 580
- Cobb Mountain Subchron
- comparison with biostratigraphy, A:332
 - stratigraphy, A:331
- coccoliths
- grain percentage, B:513–514
 - vs. age, B:499–501
 - vs. depth, B:496–497
- coercivity, sediments, A:126
- color banding, lithologic units, A:121–122, 166, 171, 322–326, 357–359
- comendite, volcanic ash, B:317–323
- compaction, lithologic units, A:170
- compressional wave velocity
- sediments, A:138–139, 196–197, 247, 293–294, 337, 372–373
 - Site 908, A:140–141
 - Site 909, A:199
 - Site 910, A:250
 - Site 911, A:297
 - Site 912, A:339
 - Site 913, A:376–377
 - split-core measurements, A:88–90
 - vs. depth, A:141
 - See also* sonic velocity; velocity
- concretions
- photograph, A:358–359
 - pyrite, B:572
 - sediments, A:281–282
- concretions, manganese, lithologic units, A:357–359
- conifers, vs. depth, B:295
- continental drift, Spitsbergen, B:296
- continental margin, Norwegian–Greenland Sea, A:9–10
- continental margin, conjugate, transect, A:348–349
- continental shelf, oceanic circulation, B:310–311
- core loggers, natural gamma-ray activity profiles, B:369–376
- core-log correlation, gamma rays, B:369–376
- cores, X-ray images, B:377–388
- coring

- Site 907, A:60
 Site 908, A:116
 Site 909, A:163
 Site 910, A:226
 Site 911, A:273
 Site 912, A:321
 Site 913, A:352
- correlation, inter-site, A:409
- Covillian Transgression, foraminifers, B:191
- Cretaceous, Upper, magmatism and extension, A:348–349
- crust, plate tectonics, A:15–16
- cryophilic taxa, ostracods, B:197–201
- currents
 evolution, B:54–55
 Neogene, B:299–305
 Norwegian–Greenland Sea, B:15, 17
 Quaternary, B:449, 451–452
 sea ice, B:25–36
- currents, surface, Norwegian–Greenland Sea, A:17–18
- cyclic processes, logs, A:302–304
- dacites, tephra, B:341–343
- datum plane A, glaciation, B:54–55
- deep water, temperature, B:466, 478–479
- deformation, penetrative, magnetic inclination, A:127
- deformation, volcanic history, A:11–16
- degassing, volcanic ash, B:343, 345–347
- demagnetization, alternating–field
 cores, A:75, 126
 sediments, A:75–76, 126, 177–178, 282, 329–330
 Site 909, A:178
 Site 910, A:238
 Site 911, A:283
- demagnetization, thermal
 sediments, A:239
 Site 912, A:331
- Denmark Strait
 glaciated shelves, A:9–11
 physiography, B:6–9
 sill depth, A:6
 volcanism, B:10–11
- Denmark Strait Channel, physiography, A:6–7
- density
 estimate from resistivity, A:205
See also bulk density logs
- density, bulk
 vs. depth, A:101, 105, 138, 147, 200, 206, 257, 259, 299, 301, 303, 343, 409; B:599, 603–604, 613
 vs. GRAPE bulk density, B:603–605
 vs. GRAPE density, A:101
- density, dry, vs. depth, A:143, 339
- density, dry-bulk, vs. depth, A:96, 256
- density, grain, vs. depth, A:138, 147, 200, 255, 343, 382
- density, GRAPE
 frequency distribution, B:600, 606–607
 multi-sensor track, A:86–88
 vs. bulk density, B:603–605
 vs. composite depth, B:612–613
 vs. depth, A:88–90, 101, 136, 195–196, 247–248, 257, 293–294, 330, 337, 372, 379–381, 384; B:477, 481–482, 617, 620, 624
 vs. magnetic susceptibility, B:608, 614
 vs. textures, B:618
 vs. wet-bulk density, A:101
- density, HLDLT, vs. depth, A:90
- density, wet-bulk, vs. depth, A:92, 94, 207, 249–250, 255, 375–377, 382
- density–natural gamma-ray logs
 Site 909, A:218–220
 Site 910, A:269–270
 Site 911, A:312–314
- density–porosity–natural gamma-ray logs
 Site 907, A:108
 Site 908, A:157–158
- diagenesis
 carbonates, B:423–429
 fish apatite, B:587
 hydrocarbons, A:412–414
 interstitial waters, A:366–367
 methane, A:389–391
 sediments, A:130–131, 238, 281–282
- diasteranes, biomarkers, B:412
- diasterenes
 biomarkers, B:412
 sediments, B:409
- diatoms
 biostratigraphic ranges, A:70
 biostratigraphy, A:69–70, 122–123, 173, 230, 328, 360, 362, 630; B:61–74, 75–99, 630
 Cenozoic, B:483–492
 vs. depth, B:485–487
- dinocysts
 vs. depth, B:294
See also dinoflagellates
- dinocysts/pollen ratio, biostratigraphy, B:280
- dinoflagellates
 biostratigraphy, B:203–242, 255–287, 630
 range chart of selected cyst taxa, A:176
 vegetation, B:289–296
See also acritarchs; dinocysts; palynomorphs
- dissolution
 biosilica, A:67–69
 lithologic units, A:171, 322–326, 360
 sediments, A:130–131
- dissolution index
 carbonate content, B:506, 507–508
 vs. depth, B:496–498
- dolomite
 authigenic carbonates, B:419, 421–422
 vs. depth, B:421, 423, 425
- dolostone, photograph, A:231
- downhole measurements
 Site 907, A:92–95
 Site 908, A:139–149
 Site 909, A:200–205
 Site 910, A:255–261
 Site 911, A:297–304
- drilling
 Cenozoic, A:22–26
 Norwegian–Greenland Sea, B:14–21
- dropstones
 carbon, nitrogen, and sulfur, A:134
 glaciation, B:311
 lithologic units, A:67–69, 117–118, 122, 166, 171, 227–230, 275–277, 322–326, 353–360
 more than 1 cm in diameter, A:62, 166–167, 231, 323–324, 357
 number per 10 m normalized for recovery, A:410
 occurrence, A:232, 280, 325–326, 355–356, 410
 petrography, A:409–411
 photograph, A:64, 119–120, 231, 274, 355
 relative abundances of various lithologic types, A:411
 vs. depth, A:118, 167, 278
- East Greenland Current
 Miocene–Pliocene, B:523–524
- oceanic circulation, A:17–18, 224; B:310–311, 449
- paleoclimatology, B:515–517
- sea ice, B:25–36
- sedimentation, A:360
- East Greenland Margin
 biostratigraphy, B:75–99, 101–124, 161, 173–180, 203–242, 641–642
 drilling, A:345–381; B:20
 glaciated shelves, A:9–11
 paleoceanography, A:26
 physical properties, A:407
 physiography, A:6–7
 volcanic history, A:11–16
- East Icelandic Current, oceanic circulation, B:310–311
- Eastern Volcanic Zone, volcanism, B:327
- ebriidians, biostratigraphy, A:362; B:101–124, 630
- ecostratigraphy, dinoflagellates, B:243–253
- electrical properties, sea ice, A:51
- Emperor Event, sedimentation rates, A:418
- environmental variability
 North Atlantic–Arctic Gateways, A:16–17
See also paleoenvironment
- Eocene
 biostratigraphy, B:131–132, B:641
 carbonates, B:415–434
 dinoflagellates, B:203–242
 foraminifers, B:169–185
 paleoceanography, B:13, 76, 127, 129–131
 paleosalinity, B:583–591
 temperature, A:19
See also Paleocene/Eocene boundary
- Eocene, lower, depositional environment, B:654
- Eocene, middle, paleoenvironment, A:418
- Eocene, upper, paleoenvironment, A:418
- Eocene/Oligocene boundary, biostratigraphy, B:641–642
- epimers, biomarkers, B:410
- eruptions, volcanic ash, B:343, 345–347
- ethane
 diagenesis, A:412–414
 sediments, A:131–132, 184, 186, 241–242, 288, 334, 336, 368–369, 386–392
 vs. depth, A:132, 185, 244, 288, 334, 388
See also methane/ethane ratio
- Eurasia Basin
 mid-ocean ridge spreading axis, A:6–9
 plate tectonics, A:14–16
- Eurasian Plate, plate boundaries, A:5–6
- europeum, vs. silica, B:360
- Faeroe Basin, volcanism, B:10–11
- Faeroe–Shetland Channel
 physiography, A:7
 volcanism, B:10–11
- fallout
 volcanic ash, B:324–327
 volcanism, B:312–315
- feldspars
 basalts, B:354
 volcanic ash, B:315
 vs. depth, B:619, 622, 555
See also plagioclase
- fish apatite
 Eocene, B:583–591
See also apatite
- Fishcreekian Transgression, foraminifers, B:191
- flora, terrestrial, Cenozoic, B:656
- foraminifers
 carbon isotopes, B:586
 Quaternary, B:469–482
 specimen/gram of specimen, B:509–512
 stable isotopes, B:455–468

- vs. age, B:499–501
 vs. depth, B:472–473, 496–498
- foraminifers, agglutinated, benthic, biostratigraphy, B:169–185
- foraminifers, benthic
 biostratigraphic ranges, A:73
 biostratigraphy, A:73, 124–125, 174–175, 234–236, 280–281, 329, 363–364; B:187–196, 628–630
- foraminifers, planktonic
 abundance in Quaternary sediments, A:174
 biostratigraphy, A:72, 124, 173–174, 234, 279–280, 329, 363; B:153–167, 628
- Pliocene–Pleistocene, B:493–514
 Quaternary, B:391–405
 stable isotopes, B:445–454
- formation microscanner imagery
 logs, A:204, 302
 resistivity, A:94
 Site 907, A:104
 Site 908, A:151
 vs. depth, A:208, 305
 well-logging, A:148
- fracture zones, plate boundaries, A:5–6
- Fram Strait
 biostratigraphy, B:78–82, 158–159, 169–173, 257–283, 641–642
 carbonates vs. age, B:501
 Cenozoic, B:518
 Cenozoic sedimentation, A:401–402
 drilling, B:20
 oceanic circulation, A:17–18
 opening, A:19–20
 organic matter, B:391–405, 407–414
 paleoceanography, A:25–26; B:391–405, 569–582
 paleoclimatology, B:515–517, 654
 physical properties, A:407; B:595–626
 plate tectonics, A:14–16
 Quaternary, B:469–482
 sea ice, B:25–36
 volcanism, B:10–11
- frequency, vs. age, A:137
 frequency, spectral analysis, vs. depth, A:89–90
- Gakkal Ridge
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7; B:6–9
 plate tectonics, A:14–16
- gallium, vs. silica, B:360
- gas hydrates
 methane formation, A:391
 sediments, A:241–242
- gases, headspace, geochemistry, A:132, 187, 369
 gases, headspace and vacutainer, geochemistry, A:185–186, 244, 289, 335
- gateways
 North Atlantic–Arctic Gateways, B:3–23
See also oceanic gateways
- Gauss Chron
 magnetic intensity, A:127
 stratigraphy, B:53–54
- geochemical indicators, sediments, A:411–412
- geochemical logs
 Site 907, A:110
 Site 911, A:317–318
- geochemistry
 basalts, A:79–80
 volcanic ash, B:309–331
- geochemistry, inorganic
 sediments, A:411–412
 Site 907, A:80–84
 Site 908, A:129–131
 Site 909, A:181–183
- Site 910, A:239–241
 Site 911, A:285–288
 Site 912, A:332–333
 Site 913, A:366–368
- geochemistry, organic
 depositional environment, A:412–414
 Site 907, A:84–86
 Site 908, A:131–136
 Site 909, A:184–194
 Site 910, A:241–243
 Site 911, A:288–291
 Site 912, A:333–336
 Site 913, A:368–371
- geochronology, tholeiites, B:351–365
- geology, Norwegian–Greenland Sea, A:402–408
- Geomagnetic Polarity Time Scale
 Cenozoic, A:416–417
 comparison with biostratigraphy, A:366
 correlation, A:76–77, 127–129, 179
 correlation with biostratigraphy, A:331–332
 correlation with magnetic polarity and biostratigraphy, A:179–181, 284–285
 correlation to magnetostratigraphy, A:77
See also magnetic polarity
- geotechnical surveys, A:251, 255
- geotechnical unit G-I, sediments, A:249–251, 338
- geotechnical unit G-II, sediments, A:249–251, 338
- geotechnical unit G-III, sediments, A:249–251, 338
- geotechnical units
 sediments, A:139, 200, 249–251, 295, 297, 338
 Site 910, A:256
 split-core measurements, A:91–92
 statistical properties, A:204
- geothermal gradient
 sediments, A:138, 195, 247, 337
 vs. depth, A:138, 198, 249, 297, 339
- glacial loading, geotechnical surveys, A:251, 255
- glacial/interglacial intervals
 Miocene–Pliocene, B:523–524
 oxygen isotopes, B:440–442
 Quaternary, B:449, 451–452, 477–482
- glaciated shelves, continental margins, A:9–11
- glaciation
 biostratigraphy, B:641–642
 carbonates, B:577
 Cenozoic, A:411
 foraminifers, B:188–192
 ice-rafted debris, A:19–20
 initiation, B:656–657
 lithologic units, A:122, 171, 227–230, 275–277
 Neogene history, B:461–465
 oceanic circulation, B:310–311, 477–482
 Pliocene, B:54–55
 Pliocene–Pleistocene, B:498–503
 Quaternary, B:449, 451–452
 sedimentation, A:67–69; B:232–327
 sediments, A:288, 291, B:385–386
 transport, B:438–442
- glaciomarine environment, lithologic units, A:275–277
- glaucconite
 biostratigraphy, B:280
 photograph, A:121
 sediments, A:241; B:518
 vs. depth, B:556
- global change, North Atlantic–Arctic Gateways, A:16–17
- grain size
 sediments, B:450–451, 515–567
 volcanic ash, B:313–316
 vs. age, B:464
- vs. sorting coefficient, B:315
- gravity anomaly map, free-air, Hovgård Ridge, A:115
- Greenland
 volcanic history, A:12–16
See also East Greenland Current; East Greenland Margin; Norwegian–Greenland Sea
- Greenland Basin
 Cenozoic sedimentation, A:404–406
 drilling, A:345–381
 mid-ocean ridge spreading axis, A:6–9
 paleoclimatology, B:654
 paleosalinity, B:583–591
 physiography, A:7, 10–11; B:7–9
 volcanic ash, B:333–350
- Greenland Fracture Zone, physiography, A:8–9
- Greenland Ice sheet, Neogene glaciation, B:461–465
- Greenland, North, glaciated shelves, A:9–11
- Greenland, Northeast, Cretaceous and Tertiary tectonics, A:348–350
- Greenland Sea
 mid-ocean ridge spreading axis, A:6–9
 oceanic circulation, A:224
 plate tectonics, A:14–16
 sea ice, B:25–36
- Greenland–Scotland Ridge
 fracture zones, A:5–6
 glaciated shelves, A:9–11
 mid-ocean ridge spreading axis, A:6–9
 oceanic circulation, A:18
 physiography, A:10–11; B:6–9
 plant migration, B:293
 volcanism, B:10–11
- Greenland–Senja Fracture Zone
 fracture zones, A:5–6
 physiography, B:6–9
 volcanic history, A:11–16
- Greenland–Spitsbergen Sill, physiography, A:11
- Greenland–Spitsbergen Sill Basin, physiography, B:7–9
- ground truth investigations, physical properties, B:598
- gyres, oceanic circulation, A:16–17
- hafnium, vs. silica, B:360
- hafnium/thorium ratio, basalts, B:363
- heat flow
 biomarkers, B:412
 sediments, A:247
- hiatuses, biostratigraphy, B:257–283
- Hinlopen Margin, continental margins, A:10
- Holocene, paleoceanography, B:4
- hopanes, sediments, B:409
- hopanoids, bacterial, sediments, B:412
- hopenes, sediments, B:409
- Hovgård Fracture Zone, physiography, A:11
- Hovgård Ridge
 biostratigraphy, B:257–283, 641–642
 Cenozoic sedimentation, A:401
 free-air gravity anomaly map, A:115
 geology, A:115–158
 microcontinent, A:6
 Oligocene–Miocene vegetation, B:289–296
 physiography, A:11; B:6–9
 plate tectonics, A:14–16; B:281
 sea ice, B:25–36
 volcanic ash, B:333–350
- hydrocarbons
 depositional environment, A:412–414
 formation and migration, A:391–392
 headspace vs. vacutainer data, A:387
 organic matter, B:407–414

- origin, A:388–389
 Rock-Eval pyrolysis, A:189
 sediments, A:385–395; B:391–405
 source rocks, A:187–189, 395
 hydrocarbons, aromatic, sediments, B:409
 hydrocarbons, nonaromatic, sediments, B:409
 hydrocarbons, steroid, sediments, B:410–411
 hydrocarbons, volatile, sediments, A:84, 131–132, 184, 186, 241–242, 288, 334, 336, 368–369
 hydrogen index
 Rock-Eval pyrolysis, A:189
 sediments, A:86, 193–194
 vs. age, B:405
 vs. depth, A:87, 394; B:393, 398
 vs. oxygen index, A:394; B:402
 hydrogen index/oxygen index ratio, hydrocarbons, A:189
 hydrothermal fluids, carbonates, B:425–429
- ice. *See* sea ice
 ice, grounded, stable isotopes, B:448–449
 ice charts, British Meteorological Office, B:28–36
 ice rafting
 biostratigraphic ranges, A:74
 Cenozoic, A:411
 glaciation, B:656–657
 lithologic units, A:121–122
 Miocene–Pliocene, B:523–524
 sediments, B:452
 ice sheets
 Neogene glaciation, B:461–465
 Quaternary, B:477–482
 sediments, B:452
 Svalbard Ice Sheet, B:657
 ice-rafted debris
 biostratigraphy, B:157–161
 diatoms, B:484–485
 Neogene, B:571–577
 Pliocene–Pleistocene, B:498–500
 sediments, B:459–460, 476–477
 temperature, A:19
 transport, B:438–442
 vs. depth, B:462, 477, 481–482, 486
 Iceland, volcanism, B:347–349
 Iceland continental shelf, physiography, A:7
 Iceland Plateau
 biostratigraphy, B:61–74
 carbonates vs. age, B:500
 Cenozoic sedimentation, A:400–401
 diatoms, B:483–492
 drilling, B:20
 geology, A:57–111
 mid-ocean ridge spreading axis, A:6–9
 Neogene, B:455–468
 paleoceanography, A:26; B:391–405
 physical properties, A:407; B:595–626
 physiography, A:10
 plate boundaries, B:9
 tholeiitic basalt, B:351–365
 volcanic ash, B:309–331, 333–350
 Iceland Sea, biostratigraphy, B:61–74
 Iceland–Faeroe Ridge, paleoceanography, A:26
 Iceland–Norwegian Sea, Neogene, B:455–468
 igneous petrology, A:77–80
 ilmenite, tholeiites, B:353–354
 index properties
 sediments, A:139, 198, 200, 249, 295, 337–338, 373
 Site 907, A:97–101
 Site 908, A:143–147
 Site 909, A:203
 Site 910, A:252–256
 Site 912, A:341–343
- Site 913, A:379–381
 split-core measurements, A:90
 vs. GRAPE bulk density, B:601–602
 interstitial waters, geochemistry, A:81–82, 129–130, 181–182, 239–241, 285–286, 332–333, 366–367
 ion molal product, interstitial waters, A:82
 iron
 reduction, B:423–425
 sediments, A:287
 iron monosulfide, lithologic units, A:322–326
 iron oxide
 sediments, A:184, 287, 333–334, 368
 vs. aluminum oxide, A:243
 vs. depth, A:86; B:358
 vs. magnesium oxide, B:317, 319, 322, 344
 vs. silica, B:324–326, 343, 357
 vs. silica in pillow basalts, A:81
 vs. sulfur, B:346
 iron sulfides
 lithologic units, A:166, 171
 sediments, A:281–282
 isobutane
 vs. depth, A:188, 392
See also butanes; *n*-butanes
 isochrons, basalts, B:363
 isopentane
 vs. depth, A:188, 392
See also n-pentanes; pentanes
 Isotope Stage 1, foraminifers, B:471
 Isotope Stage 1–4, paleoenvironment, B:479, 481
 Isotope Stage 2, foraminifers, B:471
 Isotope Stage 3/4 boundary, foraminifers, B:471
 Isotope Stage 5
 foraminifers, B:472
 paleoenvironment, B:478–479
 Isotope Stage 6, foraminifers, B:472, 474
 Isotope Stage 6–12, paleoenvironment, B:477–478
 Isotope Stage 6/7 boundary, foraminifers, B:474
 Isotope Stage 7, foraminifers, B:472
 Isotope Stage 9, foraminifers, B:474
 isotope stages. *See* marine isotope stages
- Jan Mayen, volcanism, B:347–349
 Jan Mayen Fracture Zone
 fracture zones, A:5–6
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:10; B:6–9
 volcanism, B:309–310, 327
 Jan Mayen Ridge
 physiography, A:10; B:6–9
 sea-floor spreading, B:309–310
 Japan, Pliocene stratigraphy, B:54
 Japan Sea, nannofossil events, B:54–55
 Jaramillo Subchron
 correlation, A:129
 glaciation, B:55
 sedimentation rates, A:418
 sediments, B:446–447
 stratigraphy, A:331
- Kap København Formation Transgression, foraminifers, B:191
 kerogen, Rock-Eval pyrolysis, A:189
 Knipovich Ridge
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7; B:6–9
 plate tectonics, A:14–16
 Kolbeinsey Ridge
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7; B:6–9
 volcanism, B:309–310, 327, 347–349
- laminations
 lithologic units, A:121–122, 166–171, 357–360
 photograph, A:168–169, 327, 358–359
 Langhian, biostratigraphy, B:257, 262–263
 Langhian?, dinoflagellates, B:261–262
 Langhian–Serravallian, biostratigraphy, B:257, 262–263
 lanthanum, vs. silica, B:360
 lanthanum/samarium ratio, vs. zirconium/niobium ratio, B:363
 Last Glacial Maximum
 oceanic circulation, B:310–311
 sedimentation, B:325
 Late Pliocene Warm Event, paleoclimatology, B:656
 lava, eruptions, B:343, 345–347
 Lena Trough
 continental margins, A:10
 physiography, B:7–9
 length of day, Oligocene–Miocene, B:293
 lineaments, volcanic history, A:11–16
 lineation, lithologic units, A:170
 lithodensity logs, temperature, A:92
 lithofacies, Cenozoic, A:409–411
 lithologic units
 Norwegian–Greenland Sea, A:401
 Site 907, A:60–69
 Site 908, A:117–122
 Site 909, A:166–171
 Site 910, A:227–231
 Site 911, A:275–279
 Site 912, A:322–326
 Site 913, A:353–360
 Unit I, A:60, 117–119, 121–122, 166, 171, 227–230, 275–277, 322–326, 353, 356
 Unit II, A:61–62, 119–121, 166, 171, 356–357
 Unit III, A:62–65, 166–171, 357–359
 Unit IV, A:65–66, 359–360
 Unit V, A:66
 vs. depth, A:61, 117–118, 165, 228–229
 well-logging, A:142, 147–148
 lithology, logs, A:202, 204, 259–260, 301–302
 lithostratigraphy
 Pleistocene, B:244, 246
 Site 907, A:60–68
 Site 908, A:117–122
 Site 909, A:164–171; B:172–173
 Site 910, A:227–230
 Site 911, A:274–277
 Site 912, A:322–326
 Site 913, A:353–360; B:173–174
 load structures, photograph, A:327
 Lodin Elv Formation, foraminifers, B:191
 Lofoten Basin
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7, 10–11; B:7–9
 Lomonosov Ridge
 physiography, B:6–9
 plate tectonics, A:14–16
 lupanes. *See* twenty four, twenty eight-dinor-lupanes
- mafic composition. *See* basic composition
 magnesium
 interstitial waters, A:181–182, 239–240, 285–286, 332–333, 366–367
 vs. depth, A:82, 130
 magnesium oxide
 sediments, A:184, 241, 243, 287, 333–334, 367–368
 vs. aluminum oxide, B:317, 319–322
 vs. calcium oxide, A:86; B:317, 319–322
 vs. depth, A:86, 131; B:358
 vs. iron oxide, B:317, 319–322

- vs. major oxides, B:344
 vs. silica, B:317, 319–322, 357
 vs. silica in pillow basalts, A:81
 vs. sulfur, B:346
- magnetic anomalies, volcanic history, A:11–16
- magnetic inclination
 histograms, A:127, 179, 283
 sediments, A:127, 238–239, 365–366
 stratigraphy, A:284
 vs. depth, A:76, 128, 179–180, 239, 283–284, 331, 366; B:379
- magnetic intensity
 histograms, A:178, 282, 365
 vs. depth, A:75, 126, 177, 180, 238, 282, 330, 365
- magnetic polarity
 stratigraphy, A:76, 127–128, 178–179, 238–239, 282–284, 330–331, 366
 vs. depth, A:284
See also Geomagnetic Polarity Time Scale
- magnetic surveys, Norwegian–Greenland Sea, A:47–48
- magnetic susceptibility
 frequency distribution, B:600, 606–607
 histograms, A:178, 282, 330
 matching function of correlative features, A:295
 multi-sensor track, A:86–88
 sediments, A:176–177, 238, 365
 vs. age, A:137
 vs. composite depth, B:612–613
 vs. depth, A:75, 88–90, 126, 136–137, 177, 195–196, 238, 247–248, 257, 282, 293–294, 330, 337, 365, 372, 379–381, 384; B:599, 613, 617, 620, 624
 vs. GRAPE bulk density, B:608, 614
 vs. isothermal remanent magnetization, A:239
- magnetostratigraphy
 biostratigraphy, B:641–642
 Cenozoic, A:416–417
 comparison with biostratigraphy, A:331–332, 366
 cores, A:129
 correlation to the geomagnetic polarity time scale, A:77
 magnetozones, A:331–332
 Site 909, A:180–181
 Site 911, A:284–285
- magnetozones
 boundaries, A:180, 285, 332
 Cenozoic, A:416–417
 identification, A:76
- major elements
 basalts, B:354–358
 pillow basalts, A:418
 sediments, A:82, 130–131
 volcanic ash, B:316–323, 338–343
- manganese
 lithologic units, A:357–359
 reduction, B:423–425
- manganese oxide
 vs. depth, B:358
 vs. phosphorus oxide, A:86
 vs. silica, B:357
 vs. silica in pillow basalts, A:81
- maps, Holocene, B:4
- marine Isotope Stage 2, sediments, B:442
- marine Isotope Stage 4/5 boundary, sediments, B:442
- marine Isotope Stage 5, sediments, B:440–442
- marine Isotope Stage 5/6 boundary, sediments, B:438–439
- marine Isotope Stage 6, sediments, B:437, 442
- marine isotope stages. *See* isotope stages
- marine sources, organic carbon, B:397–398
- mass accumulation rates
 Neogene, B:569–582
 organic carbon, A:86, 288, 291, 413–414; B:393, 397
 total organic carbon, A:87; B:405
See also bulk accumulation rates; sedimentation rates
- maturity, organic matter, B:407–414
- Matuyama Chron
 glacial/interglacial cycles, B:477–482
 magnetic intensity, A:127
 stratigraphy, B:53–54
- mesostasis, basalts, A:78
- Mesozoic, volcanic history, A:11–16
- Messinian, biostratigraphy, B:257, 263–264, 273
- Messinian–Zanclean, biostratigraphy, B:263–264, 273
- methane
 diagenesis, A:412–414
 formation and diagenesis, A:389–391
 interstitial waters, A:129
 sediments, A:131–132, 184, 186, 241–242, 288, 334, 336, 368–369, 386–392
 vs. depth, A:132, 185, 244, 288, 334, 369, 387–388, 390, 412
- methane/ethane ratio
 diagenesis, A:412–414
 hydrocarbons, A:187–189
 sediments, A:131–132, 241–242, 288, 334, 336, 386–392
 vs. depth, A:132, 185, 244, 288, 334, 389, 412
 vs. temperature, A:188, 390
- methanogenesis
 reduction, B:423–425, 429
 sulfate reduction, A:389–391
- mica
 vs. depth, B:619, 622
See also biotite mica; muscovite mica
- microresistivity logs
 Site 908, A:151
 vs. depth, A:208, 305
- microspherules, carbonates, B:419–421, 429, 431–434
- microwave spectra, sea ice, A:51
- mid-ocean ridges, plate tectonics, A:5–9
- mid-ocean-ridge basalts, composition, B:355–356
- mid-Pleistocene climate shift
 ice sheets, B:445–465
 indicators, B:498–503
- Milankovitch forcing
 cyclic processes, A:302–304
 sediments, B:451
- minor elements, pillow basalts, A:418
- Miocene
 biostratigraphic ranges, A:74
 biostratigraphy, B:61–74, 257–283, 641
 carbonates, B:415–434
 diatoms, B:483–492
 foraminifers, B:169–185
 lithologic units, A:63–69, 166–171
 paleoceanography, B:13–14
 paleoclimatology, B:519–522
 vegetation, B:289–296
 volcanic ash, B:333–350
- Miocene, lower to upper, paleoenvironment, A:419
- Miocene, lowermost, paleoenvironment, A:418
- Miocene, middle, paleoenvironment, A:418–419
- Miocene/Pliocene boundary, biostratigraphy, A:416
- Mohns Ridge
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7; B:6–9
- Molloy Deep, physiography, A:7
- Molloy Fracture Zone
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7; B:7–9
- Molloy Ridge
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7; B:7–9
- mollusks, shell fragments, A:235–236
- MORB. *See* mid-ocean-ridge basalts
- More Basin, volcanic history, A:12–16
- Morris Jesup Rise
 continental margins, A:10
 evolution, A:16
 plate tectonics, A:5–9, 14–16
- mud, clayey
 lithologic units, A:66, 117–118, 166–171, 227–230, 322–326, 353, 356–357, 359–360
 photograph, A:274–275, 327; B:573
- mud, photograph, A:120–121
- mud, silty
 lithologic units, A:60, 117–118, 322–326, 353, 356–357
 photograph, A:119
- multi-sensor measurements, physical properties, B:599–602
- muscovite mica
 vs. depth, B:556
See also mica
- n*-alkanes
 long chain/short chain ratio, B:402–403
 sediments, B:391–405, 409–410
 vs. depth, B:402–403
See also alkanes
- n*-butanes
 vs. depth, A:188, 392
See also butanes; isobutane
- n*-pentanes
 vs. depth, A:188, 392
See also isopentane; pentanes
- nannofossil datums, biostratigraphy, B:39–40, 52–54
- nannofossils, calcareous
 biostratigraphy, A:72, 124, 173, 232; 234, 279, 328–329, 363; B:39–59, 630
 distribution in cores, A:173
 Pliocene–Pleistocene, B:493–514
- nannofossils, lithologic units, A:67–69
- Nansen–Gakkel Ridge, paleoclimatology, B:515–517
- natural gamma activity
 Site 907, A:103
 vs. depth, A:89–90, 136, 195–196, 247–248, 257, 293–294, 302, 304, 337, 372; B:379–381, 384
- natural gamma-ray logs
 comparison with caliper logs, A:304
 core loggers, B:369–376
 Site 907, A:111
 Site 908, A:150
 Site 911, A:315–316
 vs. depth, A:105, 149, 205, 258, 260, 302, 304; B:370, 372–376
See also density–velocity–natural gamma-ray logs; resistivity–velocity–natural gamma-ray logs
- Neogene
 biostratigraphy, B:61–74
 dinocysts, B:246–248
 paleoceanography, B:569–582, 657
- Neogene, upper, paleoceanography, B:455–468
- neutron porosity logs, vs. depth, A:148
- nickel, vs. silica, B:360

- niobium
vs. silica, B:360
See also zirconium/niobium ratio
- nitrogen
dropstones, A:134
sediments, A:84–85, 132, 134–135, 189,
242–243, 288, 336, 369
See also carbon/nitrogen ratio
- nitrogen, total, vs. total organic carbon, A:87, 135,
194, 247, 292, 336, 372
- nodules, lumpy, carbonates, B:417
- North Atlantic Deep Water
carbonates vs. age, B:501–502
currents, B:5
oceanic gateways, A:20
- North Atlantic Ocean
biostratigraphy, B:169–185, 627–644
Cenozoic paleoenvironments, A:397–420
gateways, B:3–23
glaciation, B:569–582
Oligocene–Miocene vegetation, B:289–296
paleoceanography, B:645–658
sea surface, B:437–444
tectonics, A:5–26
volcanism, B:309–331
- North Atlantic Volcanic Province, volcanic
history, A:11–16
- North Atlantic–Arctic Gateways, plate tectonics,
B:3–23
- Northern Hemisphere
Neogene glaciation, B:461–465
polar and subpolar paleoenvironments,
A:397–420
- Norway Basin
physiography, A:10–11; B:6–9
plate tectonics, A:14–16
sea-floor spreading, B:309–310
- Norwegian Atlantic Current, oceanic circulation,
B:310–311
- Norwegian Current
carbonates vs. age, B:501–502
evolution, B:54–55
oceanic circulation, A:17–18
- Norwegian Margin, volcanic history, A:11–16
- Norwegian Sea, biostratigraphy, B:61–74
- Norwegian–Greenland Sea
bathymetry, A:7–11, 47–48, 398–399
biostratigraphy, B:39–59, 61–99, 125–152,
203–242, 255–287, 641–642
carbonates, B:415–434
Neogene glaciation, B:461–465
oceanic circulation, B:248–249
paleoceanography, B:1–23, 645–658
paleoclimatology, B:654–657
paleosalinity, B:583–591
physiography, B:5
sea ice, A:347; B:25–36
sea-surface temperature, A:347
surface water masses, B:493–514
tectonics, A:5–26
vegetation, B:289–296
- nutrients, sediments, A:20, 22
- ocean basins
plate tectonics, A:5–9
volcanic history, A:11–16
- oceanic circulation
currents, A:16–17
evolution, B:54–55
Greenland Sea, A:224
Miocene–Pliocene, B:523–524
Neogene, B:299–305
Norwegian–Greenland Sea, B:15, 17
paleoenvironment, B:310–311
- Pliocene–Pleistocene, B:493–514
Quaternary, B:449, 451–452, 477–482
sea ice, B:25–36
water masses, B:243, 249
Yermak Plateau, A:224
- oceanic gateways
Fram Strait, A:19–20
See also gateways
- oceanography
Norwegian–Greenland Sea, A:17–18; B:12–13
See also paleoceanography
- Olduvai Subchron
comparison with biostratigraphy, A:74, 332
magnetic intensity, A:127
stratigraphy, A:331
- oleanenes, biomarkers, B:412
- Oligocene
biostratigraphy, B:131–132, 641
carbonates, B:415–434
dinoflagellates, B:203–242, 257–281
lithologic units, A:119–122, 166–171
magnetic intensity, A:127
paleoceanography, B:76, 127, 129–131
vegetation, B:289–296
volcanic ash, B:333–350
- Oligocene, lowermost, paleoenvironment, A:418
- Oligocene, upper, paleoenvironment, A:418
- ooze, siliceous, lithologic units, A:357–359
- opal
correlation of logs to sediment section,
A:93–94
interstitial waters, A:367
See also biosilica
- organic matter
reduction, B:423–425
sediments, A:85–86, 135–136, 189, 193–194,
243, 288, 291; B:391–405
thermal history, B:407–414
vegetation, B:289–296
- Osugozawa route, biostratigraphy, B:54–55
- overburden erosion, geotechnical surveys, A:251,
255
- overconsolidation, sediments, B:448–449
- oxidation, lithologic units, A:360
- oxygen index
hydrocarbons, A:189, 391–392
vs. hydrogen index, A:394; B:402
See also hydrogen index/oxygen index ratio
- Oxygen Isotope Stage 15, foraminifers, B:188
- oxygen isotopes
apatite, B:583–591
carbonates, B:425–429
foraminifers, B:391–405, 445–454
volcanic ash, B:313–314
vs. age, B:440–443, 452, 463
vs. carbon isotopes, B:427–428
vs. depth, B:428, 439, 449, 459–463, 472–473
See also stable isotopes
- Pacific Ocean, North, drilling, A:22
- palagonite, basalts, A:78–79
- paleoceanography
Cenozoic, A:20, 409–411; B:101–124,
158–161, 391–405, 641–658
evolution, B:54–55
Neogene, B:246–248, 299–305, 455–468,
569–582
North Atlantic–Arctic Gateways, B:3–23
ostracods, B:197–201
Paleogene, B:76, 125–152
Pliocene–Pleistocene, B:493–514
Quaternary, B:437–444, 449, 469–482
See also oceanography
- Paleocene/Eocene boundary, continental drift,
B:296
- paleoclimatology
Cenozoic, A:409–411; B:54–55, 158–161,
515–567, 641–658
foraminifers, B:190–192
logs, A:302–304
Neogene, B:455–468, 569–582
Oligocene–Miocene, B:289–296
ostracods, B:197–201
paleoceanography, B:654
Pliocene–Pleistocene, B:494–514
pollen, B:301–303
Quaternary, B:437–444, 449, 451–452,
469–482
- paleoecology
dinoflagellates, B:243–253
pollen, B:301–303
- paleoenvironment
biostratigraphy, B:280
Cenozoic, A:18–19, 397–420
deep water, B:180
dinoflagellates, B:243–253
isotope stages, B:477–481
organic matter, B:391–405
Paleogene, B:75–99
Pliocene–Pleistocene, B:498–503
pollen, B:301–303
volcanic ash, B:309–311, 345, 347–349
See also environmental variability
- Paleogene
biosiliceous sediments comparison in Legs 38,
105, and 151, A:364
biostratigraphy, A:416
dinoflagellates, B:203–242
paleoclimatology, B:654
radiolarians, B:125–152
- Paleogene, upper, biostratigraphy, B:75–99
- paleolatitude, plant migration, B:293
- paleomagnetism
age, B:574
Site 907, A:74–77
Site 908, A:125–129
Site 909, A:176–181
Site 910, A:236–239
Site 911, A:281–285
Site 912, A:329–332
Site 913, A:365–366
volcanic ash, B:313–314
- paleoproductivity
diatoms, B:483–492
dinoflagellates, B:214, 280–281
lithologic units, A:171, 322–326, 360
organic carbon, B:397–398
paleoenvironment, A:418–419
Paleogene, B:83
sediments, A:135–136
See also productivity
- paleosalinity
Eocene, B:583–591
See also salinity
- palynology, vegetation, B:289–296
- palynomorphs
biostratigraphy, A:73, 125, 175, 236, 364
vegetation, B:289–296
See also dinoflagellates
- particles, vs. depth, B:381, 384
- passive margins, Norwegian–Greenland Sea,
A:11–16
- Peary Land, continental margins, A:10
- pelagic sedimentation, sediments, B:655–656
- pentanes. *See* isopentane; *n*-pentanes
- petrography, basalts, A:78–79
- petrology, crustal rocks, A:418
- pH, interstitial waters, A:181–182, 240, 285–286,

- 333, 367
 phasor induction logs, vs. depth, A:305
 phosphate, fish apatite, B:587
 phosphorus oxide
 sediments, A:367
 vs. depth, A:86; B:358
 vs. manganese oxide, A:86
 vs. silica, B:357
 vs. silica in pillow basalts, A:81
 physical logs
 Site 907, A:104
 vs. depth, A:206, 259, 303
 physical properties
 Arctic Gateways, B:595–626
 sediments, A:406–407
 Site 907, A:86–92
 Site 908, A:136–139
 Site 909, A:194–200
 Site 910, A:243–255
 Site 911, A:291–297
 Site 912, A:336–343
 Site 913, A:372–382
 well-logging, B:370–375
 physiography
 North Atlantic–Arctic Gateways, B:5–7
 Norwegian–Greenland Sea, A:5–6; B:5
 phytanes, biomarkers, B:410
 pigeonite, basalts, B:352–353, 363
 pillow basalts
 composition, A:78–80
 glasses, B:363
 petrology, A:418
 photograph, A:79
 whole-rock analyses, A:81
 See also basalts
 plagioclase
 basalts, A:78–79
 tholeiites, B:352
 See also feldspars
 plant debris, vegetation, B:289–296
 plate boundaries
 plate tectonics, A:5–9
 sea-floor spreading, B:7–9
 plate tectonics
 Arctic Ocean, B:292–293, 296
 North Atlantic–Arctic Gateways, B:3–23
 Norwegian–Greenland Sea, A:5–9, 11–16
 paleoceanography, B:651–652
 volcanism, B:309–310
 Pleistocene
 diatoms, B:483–492
 dinoflagellates, B:243–253
 paleoclimatology, B:523
 pollen, B:297–305
 surface water conditions, B:493–514
 volcanic ash, B:309–331
 Pleistocene, upper, paleoceanography, B:437–444
 Pliocene
 biostratigraphy, A:416; B:39–59, 61–74, 641–642
 carbonates, B:415–434
 diatoms, B:483–492
 dinoflagellates, B:243–253
 foraminifers, B:187–196
 lithologic units, A:62–63, 118–119, 166, 171, 227–230, 275–277, 322–326
 magnetic intensity, A:127
 ostracods, B:197–201
 paleoceanography, B:14
 paleoclimatology, B:522–523
 paleoenvironment, A:419
 pollen, B:297–305
 surface water conditions, B:493–514
 volcanic ash, B:309–331
 Pliocene, lower, paleoenvironment, A:419
 Pliocene, upper, glaciation, B:54–55
 Pliocene/Quaternary boundary
 biostratigraphic ranges, A:74
 biostratigraphy, B:157, 244–249
 foraminifers, B:187–196
 Polar regions
 Cenozoic climate, A:18–19
 Cenozoic paleoenvironments, A:397–420
 pollen
 Pliocene–Pleistocene, B:297–305
 vegetation, B:289–296
 vs. depth, B:299, 301, 303
 See also dinocysts/pollen ratio; palynomorphs; spores
 pollen, angiosperm, vs. depth, B:295
 porosity
 density and resistivity logs, A:94–95
 estimate from resistivity, A:148–149, 205, 260–261, 304
 vs. depth, 92, 94, 105, 147, 151, 200, 208, 249–250, 255, 260, 306, 343, 375–377, 382
 See also density–velocity–natural gamma-ray logs; void ratio
 potassium
 clays, B:373–374
 geochemical indicators, A:411–412
 interstitial waters, A:129, 182, 240, 285–286, 333, 366–367
 sediments, A:130–131, 181, 286
 potassium logs, vs. depth, A:205, 258, 302
 potassium oxide
 histogram in sediments, A:184
 profiles, A:181
 sediments, A:184, 243, 287, 333–334, 368
 vs. depth, A:131; B:358
 vs. magnesium oxide, B:344
 vs. silica, B:324–326, 357, 343
 vs. silica in pillow basalts, A:81
 vs. sulfur, B:347
 vs. titanium oxide, B:318, 323
 See also alkalis; sodium oxide + potassium oxide
 potassium oxide/aluminum oxide ratio, vs. depth, A:86, 131
 potassium oxide + sodium oxide, vs. silica, A:80
 precipitation, carbonates, B:422–423
 preservation, carbonates vs. age, B:501–502
 pristanes, biomarkers, B:410
 productivity
 sediments, A:20, 22
 See also paleoproductivity
 propane
 diagenesis, A:412–414
 sediments, A:184–186, 241–242, 288, 334, 336, 386–392
 vs. depth, A:185, 188, 244, 288, 334, 392
 provenance, organic matter, B:407–414
 pyrite
 carbonates, B:429
 concretions, B:572
 lithologic units, A:121, 166, 171
 photograph, A:121
 vs. depth, B:556, 619, 622
 pyrolysis, Rock-Eval, sediments, A:189
 pyroxene
 basalts, B:355
 tholeiites, B:352–353
 See also clinopyroxene
 quartz
 interstitial waters, A:367
 vs. depth, B:619, 622, 555
 Quaternary
 biostratigraphy, A:416; B:39–59, 641–642
 carbonates, B:415–434
 foraminifers, B:187–196
 lithologic units, A:60–62, 117–118, 122, 166, 171, 227–230, 275–277, 322–326
 paleoceanography, B:14, 437–444, 469–482, 657
 paleoenvironment, A:419
 sedimentation rates, A:391
 See also Pliocene/Quaternary boundary
 Quaternary, upper, stratigraphy, B:445–454
 radiolarians
 biostratigraphic ranges, A:71
 biostratigraphy, A:71–72, 123–124, 173, 232, 328, 362–363; B:125–152, 630
 rare earths, chondrite-normalized, basalts, B:361
 rare earths, volcanic ash, B:323
 recrystallization
 fish apatite, B:587
 lithologic units, A:322–326
 reduction
 carbonates, B:423–429
 interstitial waters, A:129
 methane, A:389–391
 reflection coefficients
 cores, A:149–150
 logs, A:95
 properties, A:261, 305–306
 seismic stratigraphy, A:206–207
 vs. depth, A:105, 151
 vs. two-way traveltime, A:106, 152
 Reflector E, synthetic seismograms, A:106, 150
 Reflector H, synthetic seismograms, A:150, 153
 remanent magnetization, isothermal
 sediments, A:239
 vs. applied d.c. field, A:239
 vs. magnetic susceptibility, A:239
 vs. saturation isothermal remanent magnetization, A:239
 remanent magnetization, natural
 histogram, A:282
 sediments, A:75, 125–126, 176–177, 237–238, 281–282, 329–330
 Site 910, A:238–239
 vs. depth, A:177, 179, 331, 365–366
 remanent magnetization, partial, anhysteritic, sediments, A:330
 remanent magnetization, remanent, sediments, A:365
 remanent magnetization, saturation, isothermal
 sediments, A:238, 330
 vs. isothermal remanent magnetization, A:239
 remote sensing, sea ice, A:49–53
 resistivity
 porosity, A:260–261, 304
 vs. depth, A:105
 resistivity, spherically-focused, vs. depth, A:149
 resistivity logs
 cyclic processes, A:302–304
 vs. depth, A:148, 206, 259, 303
 resistivity–velocity–natural gamma-ray logs
 Site 907, A:109
 Site 908, A:155–156
 Site 909, A:212–217
 Site 910, A:265–268
 Site 911, A:309–311
 reworking
 dinoflagellates, B:258, 281
 pollen, B:297–305
 Reykjanes Ridge, sea-floor spreading, B:309–310
 Reykjanes–Mohn Line, volcanic history, A:11–16
 rhodochrosite

- authigenic carbonates, B:419–421, 431–433
 photograph, B:431–433
 vs. depth, B:425
- rhyolites
 tephra, B:341–343
 volcanic ash, B:317, 324–327
- rift valleys
 Norwegian–Greenland Sea, A:8–9
 sedimentation, B:326–327
- rifting
 sea-floor spreading, B:7–9
 volcanic history, A:11–16
- rock fragments
 vs. depth, B:555, 619, 622
 rock magnetism
 sediments, A:238, 329–330
- Rockall Trough
 volcanic history, A:12–16
 volcanism, B:11
- Roesnaes Clay Formation, carbon isotopes, B:585
- Rupelian, biostratigraphy, B:273
- salinity
 oceanic circulation, A:16–17; B:449
See also paleosalinity
- Salix, Site 910, B:298
- samarium. *See* lanthanum/samarium ratio
- sand
 lithologic units, A:353, 356
 photograph, A:119
- sandstone, laminated, photograph, A:327
- sandstone, photograph, A:231
- Sasaoka Formation, Pliocene, B:54
- satellite imagery, sea ice, A:49–53
- Scandinavian Ice sheet, Neogene glaciation,
 B:461–465
- scandium, vs. silica, B:360
- sea ice
 Cenozoic climate, A:18–19
 concentration, A:347
 logs, A:424–431
 Norwegian–Greenland Sea, A:347; B:16–17,
 21, 26–36
 organic carbon, B:397–398
 photographs, A:447–452
 physics, A:49–53
 satellite images, A:432–440
 ship's charts, A:441–446
 statistics, B:26–36
- sea surface
 temperature, B:474–476
 variability, B:437–444
- sea-floor spreading
 Norwegian–Greenland Sea, B:7–9
 rates, A:14–16
- sea-level changes, Neogene, B:460–461, 577
- sediment budget, Cenozoic, A:20, 22
- sediment color, photograph, A:275
- sedimentary structures, Cenozoic, A:411
- sedimentation
 Cenozoic, A:397–420
 glaciation, A:67–69
 glauconite, B:518
 lithologic units, A:171, 227–230, 275–277,
 360
 Norwegian–Greenland Sea, B:21
 paleoceanography, B:652, 654
 paleoclimatology, A:409–411
- sedimentation rates
 age vs. depth, A:417–418
 correlation, A:77
 geomagnetic polarity, A:181
 magnetic intensity, A:129
 magnetic polarity, A:285
- magnetostratigraphy, A:332
 Sites 907–913, A:417
 Quaternary, A:68–69
 volcanism, B:347–349
 vs. depth, A:78, 474, 482; B:477, 482
See also mass accumulation rates
- sedimentation rates, apparent
 boundaries, A:285
 magnetozones, A:180, 332
- sedimentation rates, linear, vs. total organic
 carbon, A:391
- sediments
 authigenic carbonates, B:415–434
 coarse fraction, B:515–567
 gas chromatograms, A:393
 geochemistry, A:83–84, 133–134, 181,
 190–193, 245–246, 290–291, 335,
 370–371
 hydrocarbons, A:385–395
 lithology and age, A:415
 major elements, A:85, 130–131, 183–184,
 242, 287, 334, 368
 organic matter, B:391–405, 407–414
 physical properties, B:370–375
 precipitation, A:20, 22
 transport, B:384–385
 X-ray images, B:377–388
- sediments, biosiliceous
 comparison of Paleogene in Legs 38, 105 and
 151, A:364
 paleoenvironment, B:75–99
- seismic lines
 interpretation, A:262
 Site 907, A:59
 Site 908, A:114
 Site 909, A:161
 Site 910, A:225
 Site 911, A:272
 Site 912, A:320
 Site 913, A:351
- seismic profiles, B:380
- seismic reflection, Norwegian–Greenland Sea,
 A:47–48
- seismic sections, synthetic seismograms,
 A:261–262
- seismic stratigraphy
 Site 907, A:95–96
 Site 908, A:149–153
 Site 909, A:205–208, 210
 Site 910, A:261–263
 Site 911, A:304–307
- seismograms, synthetic
 comparison of reflectors, A:153
 comparison with equivalent seismic section,
 A:210
 comparison with seismic line, A:262, 307
 logs, A:95–96
 properties, A:261, 306
 reflectors, A:106, 150–152
 seismic stratigraphy, A:207–208
 vs. cored depth, A:209
 vs. depth, A:260, 306
 vs. two-way traveltime, A:152
- Senja Fracture Zone, physiography, A:8–9
- Serravallian
 biostratigraphy, B:257, 263, 273
See also Langhian–Serravallian
- shear strength
 sediments, A:94–95, 139, 142, 197–198,
 201–202, 247–249, 251, 294–295,
 298–299, 337, 340, 373, 378
 split-core measurements, A:90
 vs. depth, A:94, 96, 143, 199, 250, 256, 299,
 339
- shell fragments, mollusc, photograph, A:235
- shell fragments, vs. depth, A:236
- siderite
 authigenic carbonates, B:419, 421, 434
 burrows, B:417–418
 photograph, B:434
 vs. depth, B:421, 423, 425
 siderite, manganian, origin, B:422–425
 sideromelane, volcanic ash, B:315
- silica
 geochemical indicators, A:411–412
 interstitial waters, A:181–182, 240, 286, 333,
 366–367
 sediments, A:184, 241, 243, 286–287, 334,
 368
 volcanic ash, B:314
 vs. alkalis, B:319, 342, 356
 vs. aluminum oxide, A:243
 vs. depth, A:82, 130–131; B:358
 vs. magnesium oxide, B:317, 319, 322, 344
 vs. major oxides, B:324–327, 343, 357
 vs. major oxides in pillow basalts, A:81
 vs. potassium oxide + sodium oxide, A:80
See also aluminum oxide/silica ratio
- silica, biogenic, Paleogene, B:83
- siliceous composition, sediments, B:655
- silicic composition, volcanic ash, B:316–317, 319,
 323, 338–343
- siliciclastics, lithologic units, A:66, 121–122,
 227–230
- silicoflagellates, biostratigraphy, A:70–71, 123,
 328, 362; B:101–124, 630
- silt, biosiliceous, photograph, A:121
- silt, clayey
 lithologic units, A:60–66, 118–122, 166–171,
 227–230, 275–277, 322–326, 356–357
 photograph, A:64–65
- silt, lithologic units, A:353, 356
- siltstone, photograph, A:231
- Site 642
 age vs. depth, B:458
 Neogene, B:455–468
 Site 643, Neogene, B:455–468
 Site 644
 age vs. depth, B:458
 Neogene, B:455–468
 surface water masses, B:493–514
 Site 677, carbon isotopes, B:451
 Site 907, A:57–111
 age vs. depth, B:458
 background and scientific objectives, A:58–59
 biostratigraphy, A:69–74; B:61–74, 630–632
 Cenozoic paleoenvironment, A:400–401
 diatoms, B:483–492
 dinoflagellates, B:257–259, 262–265
 downhole measurements, A:92–95
 drilling, B:20
 geologic summary, A:400–402
 hydrocarbons, A:386
 igneous petrology, A:77–80
 inorganic geochemistry, A:80–84
 lithostratigraphy, A:60–68
 lower to upper Miocene and lower Pliocene,
 A:419
 Neogene, B:455–468
 operations, A:59–60
 organic geochemistry, A:84–86
 paleoceanography, B:437–444, 646–648
 paleomagnetism, A:74–77
 physical properties, A:86–92, 407
 seismic stratigraphy, A:95–96
 shore-based log processing, A:107
 site description, A:57–111
 surface water masses, B:493–514

- tholeiitic basalt, B:351–365
 volcanic ash, B:309–331, 333–350
 well-logging, A:92–95, 107,
- Site 908, A:113–158
 background and objectives, A:114–116
 biostratigraphy, A:122–125; B:78–80,
 101–124, 132–133, 160–161, 632–634
 Cenozoic paleoenvironment, A:401
 coring, A:116
 dinoflagellates, B:265–266, 273–281
 downhole measurements, A:139–149
 drilling, B:20
 geologic summary, A:401–403
 glaciation, B:569–582
 hydrocarbons, A:386
 inorganic geochemistry, A:129–131
 lithostratigraphy, A:117–122
 Oligocene–Miocene vegetation, B:289–296
 operations, A:116–117
 organic geochemistry, A:131–136
 paleoceanography, B:651
 paleomagnetism, A:125–129
 physical properties, A:136–139, 407
 sediments, B:517–518
 seismic stratigraphy, A:149–153
 site description, A:113–158
 upper Oligocene to lowermost Miocene, A:418
 volcanic ash, B:333–350
 well-logging, A:139–149, 154
- Site 909, A:159–220
 background and objectives, A:160–161
 biostratigraphy, A:171–176; B:159–160,
 169–173, 634–635
 carbonates, B:417
 Cenozoic paleoenvironment, A:401–402
 coring, A:163
 dinoflagellates, B:259–265, 267–272
 downhole measurements, A:200–205
 drilling, B:20
 geologic summary, A:401–404
 hydrocarbon formation, A:413
 hydrocarbon formation and migration,
 A:391–392
 hydrocarbons, A:386–387
 inorganic geochemistry, A:181–183
 lithostratigraphy, A:164–171
 lower to upper Miocene and lower Pliocene,
 A:419
 operations, A:162–164
 organic geochemistry, A:184–194
 organic matter, B:391–405, 407–414
 paleoceanography, B:437–444, 569–582, 651
 paleomagnetism, A:176–181
 physical properties, A:194–200, 407
 Quaternary, B:469–482
 sediments, B:517–518
 seismic stratigraphy, A:205–208, 210
 site description, A:159–220
 surface water masses, B:493–514
 upper Oligocene to lowermost Miocene, A:418
 well-logging, A:200–205, 211
- Site 910, A:221–270
 background and objectives, A:222–225
 biostratigraphy, A:230–236; B:39–43, 157,
 634, 636
 Cenozoic paleoenvironment, A:402–403
 coring, A:226
 downhole measurements, A:255–261
 drilling, B:19–20
 foraminifers, B:187–196
 geologic summary, A:402–405
 hydrocarbons, A:387
 inorganic geochemistry, A:239–241
 lithostratigraphy, A:227–230
 operations, A:225–227
 organic geochemistry, A:241–243
 ostracods, B:197–201
 paleoceanography, B:437–444, 651
 paleomagnetism, A:236–239
 physical properties, A:243–255, 407
 Pliocene–Pleistocene vegetation, B:298
 Quaternary, B:445–454
 sediments, B:377–388
 seismic stratigraphy, A:261–263
 site description, A:221–270
 well-logging, A:255–261, 264
- Site 911, A:271–318
 background and objectives, A:272
 biostratigraphy, A:277–281; B:43–52,
 154–158, 634, 637–638
 carbonates, B:417–418
 Cenozoic paleoenvironment, A:403–404
 coring, A:273
 dinoflagellates, B:243–253
 downhole measurements, A:297–304
 drilling, B:19–20
 geologic summary, A:403–406
 hydrocarbons, A:387
 inorganic geochemistry, A:285–288
 lithostratigraphy, A:274–277
 natural gamma-ray activity profiles,
 B:369–376
 operations, A:273–274
 organic geochemistry, A:288–291
 organic matter, B:391–405
 ostracods, B:197–201
 paleoceanography, B:651
 paleomagnetism, A:281–285
 physical properties, A:291–297, 407
 Pliocene–Pleistocene vegetation, B:298–301
 seismic stratigraphy, A:304–307
 site description, A:271–318
 well logging, A:297–304, 308
- Site 912, A:319–343
 background and objectives, A:320–321
 biostratigraphy, A:326–329; B:157–158, 638
 Cenozoic paleoenvironment, A:404
 coring, A:321
 drilling, B:19–20
 geologic summary, A:404–407
 hydrocarbons, A:387
 inorganic geochemistry, A:332–333
 lithostratigraphy, A:322–326
 operations, A:321–322
 organic geochemistry, A:333–336
 paleoceanography, B:651
 paleomagnetism, A:329–332
 physical properties, A:336–343, 407
 Quaternary, B:469–482
 site description, A:319–343
- Site 913, A:345–382
 background and objectives, A:346–349
 biostratigraphy, A:360–365; B:80–82,
 101–124, 133–134, 161, 173–180,
 203–242, 638–641
 carbonates, B:418–419
 Cenozoic paleoenvironment, A:404–405
 coring, A:352
 dinoflagellates, B:281
 drilling, B:20
 geologic summary, A:404–408
 hydrocarbons, A:387
 inorganic geochemistry, A:366–368
 lithostratigraphy, A:353–360
 middle Eocene, A:418
 middle Miocene, A:418–419
 operations, A:349–353
 organic geochemistry, A:368–371
 paleoceanography, B:648–651
 paleomagnetism, A:365–366
 paleosalinity, B:583–591
 physical properties, A:372–382, 407
 site description, A:345–382
 upper Eocene to lowermost Oligocene, A:418
 volcanic ash, B:333–350
- slump structures,
 carbonates, B:419
 Cenozoic, A:411
 lithologic units, A:359–360
- slumping
 lithologic units, A:170
 photograph, A:170
- Snaefellsnes Peninsula, volcanism, B:327
- sodium
 geochemical indicators, A:412
 interstitial waters, A:182, 239–240, 285–286,
 332–333, 366–367
 sediments, A:181
- sodium oxide
 sediments, A:184, 243, 287, 333–334,
 367–368
 vs. depth, B:358
 vs. silica, B:357
 vs. silica in pillow basalts, A:81
See also potassium oxide + sodium oxide
 sodium oxide + potassium oxide. *See* alkalis
- sonic velocity
 vs. depth, A:141
See also compressional wave velocity; velocity
 sonic velocity logs, vs. depth, A:206, 259, 303
 sorting coefficient, volcanic ash, B:315
 source rocks, hydrocarbons, A:187–189, 388, 395
- Spitsbergen
 Oligocene–Miocene vegetation, B:289–296
See also Svalbard; West Spitsbergen Current
- Spitsbergen Fracture Zone
 mid-ocean ridge spreading axis, A:6–9
 physiography, A:7; B:6–9
- Spitsbergen Transform, mid-ocean ridge spreading
 axis, A:6–9
- spores
 vegetation, B:289–296
 vs. depth, B:295
See also palynomorphs; pollen
- spores, resting, diatoms, B:485–488
 spreading axis, Norwegian–Greenland Sea, A:6–9
- stable isotopes
 apatite, B:583–591
 foraminifers, B:469–482
 stratigraphy, B:445–454
See also carbon isotopes; oxygen isotopes
- steranes, biomarkers, B:412
 sterenes, biomarkers, B:412
- stratigraphy
 correlation, A:417
 stable isotopes, B:445–454
 volcanic ash, B:314, 335
- strength, peak, vs. depth, B:379–381, 384
- strontium, vs. silica, B:360
- sulfate
 geochemical indicators, A:412
 interstitial waters, A:82, 129, 182, 240, 286,
 333, 367
 reduction, A:389–391; B:423–425
 vs. depth, A:82, 130
- sulfides, sediments, A:243
- sulfur
 dropstones, A:134
 sediments, A:84–85, 132, 134–135, 189,
 242–243, 288, 336, 369
 volcanic ash, B:343, 345–347
 vs. depth, A:87, 135, 194

- vs. iron oxide, B:346
 vs. magnesium oxide, B:346
 vs. potassium oxide, B:347
- sulfur, total
 sediments, A:241
 vs. depth, A:292, 336, 371
- surface water masses
 Pliocene–Pleistocene, B:493–514
 temperature, B:466, 478–479
- Svalbard
 biostratigraphy, B:39–59
 continental margins, A:10
 ice sheets, B:445–454
 volcanic history, A:12–16
See also Spitsbergen
- Svalbard Ice Sheet, extent, B:657
- Svalbard Margin
 mid-ocean ridge spreading axis, A:6–9
 volcanic history, A:11–16
- Svalbard, Northwest, glacial loading, A:255
- Svalbard Platform, plate tectonics, B:293
- synuraceans, biostratigraphy, B:101–124
- tachylite, volcanic ash, B:315
- temperature
 dinoflagellates, B:280–281
 logs, A:202
 vs. depth, A:105, 198, 207, 249, 297, 339, 394
 vs. production index for sediments, A:394
- temperature, borehole
 logs, A:259
 sediments, A:141–142
- temperature, bottom-hole, sediments, A:138, 195
- temperature, downhole, sediments, A:247, 337
- temperature, sea-surface, Norwegian–Greenland Sea, A:347
- Tentokuji Formation, Pliocene, B:54
- tephra
 composition, B:341–343
 dating, B:312–315
- tephrochronology, volcanism, B:312–315
- terrestrial environment, pollen, B:298–299, 301
- terrestrial sources
 biomarkers, B:412
 organic carbon, B:397–398
- Tertiary, dinoflagellates, B:255–287
- Tertiary, lower, magmatism and extension, A:348–349
- textures, ash layers, B:337, 339
- thermal conductivity
 cores, A:195
 sediments, A:88, 137–138, 246–247, 293, 337, 372
 Site 907, A:91
 Site 908, A:137–138
 Site 909, A:197–198
 Site 910, A:248
 Site 911, A:296–297
 Site 912, A:338
 Site 913, A:374–375
 vs. depth, A:92, 138, 249, 295, 339, 375–376
- thermal history, organic matter, B:407–414
- thermal maturation, hydrocarbons, A:395
- thermal-neutron capture cross section, vs. depth, A:304
- thermophilic taxa, ostracods, B:197–201
- tholeiites
 petrology, B:351–365
 volcanic ash, B:317–323
See also basalts
- thorium. *See* hafnium/thorium ratio
- thorium logs, vs. depth, A:205, 258, 302
- titanium oxide
 sediments, A:184, 333–334, 367–368
- vs. depth, B:358
 vs. magnesium oxide, B:344
 vs. potassium oxide, B:318, 323
 vs. silica, B:357
 vs. silica in pillow basalts, A:81
- Tortonian, biostratigraphy, B:257, 263, 273
- total organic carbon accumulation rates,
 sediments, B:573
- trace elements
 basalts, B:354–356, 359
 volcanic ash, B:323
- trachyandesite, volcanic ash, B:319
- trachybasalt, volcanic ash, B:319
- trachytes
 tephra, B:341
 volcanic ash, B:315–320, 324–327
- transforms, plate tectonics, A:5–9
- Transpolar Drift, pollen, B:301–305
- transport
 pollen, B:297–305
 sediments, A:66–69, 384–385, 411
 volcanic ash, B:345, 347–349
- traveltime, differential, vs. depth, A:307
- triletes, vs. depth, B:295
- triterpinoids, sediments, B:411–412
- Tsugaepollenites, vs. depth, B:295
- turbidites, Cenozoic, A:411
- twenty-four, twenty-eight-dinor-lupanes,
 biomarkers, B:412
- unconformities
 biostratigraphy, B:641–642
 dinoflagellates, B:257–281
 sediments, B:446–447
 synthetic seismograms, A:150
- underway geophysics, Norwegian–Greenland Sea, A:47–48
- upwelling, dinoflagellates, B:214
- uranium logs
 vs. depth, A:205, 258, 302
- vanadium, vs. silica, B:360
- vegetation, Oligocene–Miocene, B:289–296
- velocity
 vs. depth, A:88, 94, 136, 195, 199, 247–248, 250, 257, 293–294, 297, 377–378
See also compressional wave velocity;
 resistivity–velocity–natural
 gamma-ray logs; sonic velocity
- velocity, sonic, logs, A:104
- Vesteris Bank, physiography, A:11
- videos, X-ray imagery, B:381–383
- void ratio
 vs. depth, A:96, 143, 200, 256, 339, 378
See also porosity
- volcanic ash
 composition, B:333–350
 geochemistry, B:309–331
 lithologic units, A:69
- volcanic ash layers
 lithologic units, A:118–119
 more than 1 cm thick, A:63
 photograph, A:65, 67–68, 124
 stratigraphy, B:337
 vs. depth, A:62
- volcanic ash thickness, vs. depth, B:599
- volcanic glass
 volcanic ash, B:314, 335–350
 vs. depth, B:556
- volcanic glass shards, volcanic ash, B:315
- volcanic history, A:11–16
- volcanism
 eruptions, B:343, 345–347
 history, B:10–11
- paleoceanography, B:651–652
- volcanism, explosive, Pliocene–Pleistocene,
 B:309–331
- Vøring Basin, volcanic history, A:12–16
- Vøring Plateau
 carbonates vs. age, B:499
 deposition, A:277
 Neogene, B:455–468
 plate tectonics, A:5–9
- Wandel Sea, continental margins, A:10
- water content, dry, vs. depth, A:256
- water content, vs. depth, A:92, 96, 138, 143, 147, 197, 249, 255, 295, 299, 343, 375–376, 378, 382
- water masses, circulation, B:243, 249
- water-release structures, photograph, A:327
- well-logging
 natural gamma-ray activity profiles,
 B:369–376
 sediments, A:407–409
 Site 907, A:92–95, 102, 107
 Site 908, A:139–149, 154
 Site 909, A:200–205, 211
 Site 910, A:255–261, 264
 Site 911, A:297–304, 308
- West Spitsbergen Current
 circulation, B:243, 249
 Miocene–Pliocene, B:523–524
 oceanic circulation, A:17–18, 224; B:449
 organic carbon, B:397–398
 paleoclimatology, B:515–517
 pollen, B:301–305
 sea ice, B:25–36
- Whalers Bay, sea ice, B:25–36
- Wyville–Thomson Ridge, volcanism, B:11
- X-ray images, cores, B:377–388
- Yermak Plateau
 aeromagnetic profiles, A:223
 biostratigraphy, B:154–158, 641–642
 Cenozoic sedimentation, A:402–404
 continental margins, A:10
 dinoflagellates, B:243–253
 drilling, A:271–343; B:19–20
 evolution, A:16
 foraminifers, B:187–196
 ice sheets, B:657
 natural gamma-ray activity profiles,
 B:369–376
 oceanic circulation, A:17–18, 224
 organic matter, B:391–405
 ostracods, B:197–201
 paleoceanography, A:25; B:391–405
 paleoclimatology, B:515–517
 physical properties, A:407; B:595–626
 plate tectonics, A:5–9, 14–16
 Pliocene–Pleistocene vegetation, B:297–305
 Quaternary, B:445–454, 469–482
 sea ice, B:25–36
 sediments, B:377–388
 volcanism, B:11
- ytterbium, vs. silica, B:360
- yttrium, vs. silica, B:360
- Zanclean. *See* Messinian–Zanclean
- zinc, vs. silica, B:360
- zirconium, vs. silica, B:360
- zirconium/niobium ratio, vs. lanthanum/samarium ratio, B:363
- zoning, diatoms, B:76–78

VOLUME 151 TAXONOMIC INDEX

- abbreviatum*, *Damassadinium*, Site 913, B:222
Abies, Site 910, B:298
abisectus, *Cydicargolithus*, Site 909, A:173, 175
abyssicola, *Muellerina*, Site 910, B:199–200
abyssorum, *Rhabdammina*
 Site 909, B:173, 183
 Site 910, B:188
 Site 913, B:174, 184, 640
Acarinina sp. aff. *Acarinina rotundimarginata*,
 Site 913, B:161
acephala, *Siphocampe*, Site 913, B:140–141, 151,
 640
Achilleodinium biformoides, Site 913, B:217
Achilleodinium spp., Site 907, B:259
Achomospaera alicornu, Site 913, B:217
Achomospaera sp.
 Site 907, A:73
 Site 908, A:125
 Site 911, B:246, 249
 Site 913, A:364; B:217
Achomospaera sp. 1, Site 908, B:282, 285
Achomospaera? andalousiensis, Site 909,
 B:262–264, 634
acostaensis, *Paragloborotalia*, Site 911, B:157
Acritarch sp. A, Site 911, B:250, 253
Actiniscus elongatus, Site 908, B:124
Actiniscus pentasterias
 Site 913, B:112
 Site 908, B:124
actinocoronata, *Reticulatosphaera*
 Site 907, A:73; B:257
 Site 908, B:273
 Site 909, A:175; B:261, 263–264, 634
 Site 913, B:209–210, 234
Actinocyclus ehrenbergii, Site 908, B:96
Actinocyclus ingens
 Site 907, A:74; B:62, 66
 Site 913, A:362
Actinocyclus ingens Interval, Site 907, B:62
Actinocyclus ingens Zone, Site 913, B:630
Actinocyclus oculatus, Site 912, A:328
Actinomma livae, Site 910, A:232
Actinomma plasticum, Site 907, A:72
Actinomma sp. A, Site 913, B:134, 145
Actinomma sp. C, Site 908, B:135, 145
Actinomma sp. cf. *Actinomma holtedahli*, Site 913,
 B:134, 145
Actinomma sp. D, Site 913, B:135, 146
Actinomma spp.
 Site 907, A:71–72
 Site 908, A:124
 Site 909, A:173
 Site 912, A:328
 Site 913, A:362–363
Actinomma(?) spp. B group, Site 913, B:133–134,
 155
Actinoptychus delicatissimus, Site 908, B:99
Actinoptychus irregularis
 Site 908, B:78
 Site 913, B:81, 97
Actinoptychus irregularis Zone
 Site 908, B:78, 83
 Site 913, B:81, 630, 640
Actinoptychus sp. (triangular), Site 913, A:362
Actinoptychus undulatus, Site 908, B:97
aculeata, *Bulimina*, Site 910, B:196
aculeata, *Stryliodictya*, Site 913, B:134, 136, 147
aculeatum, *Impagidinium*
 Site 911, B:246
 Site 913, B:281
aculeatum, *Impagidinium* cf. *Impagidinium*, Site
 913, B:224
aculeatus, *Distephanus*, East Greenland Margin,
 B:111
aculeifera, *Pterotheca*, Site 913, B:81, 99
acus n. sp., *Hermesinum*, Site 908, B:111, 115,
 124
acuta n. sp., *Ebriopsis*, Site 913, B:112, 115, 121,
 640
Adnatosphaeridium vitattum Zone, Site 913,
 B:209
aequilateralis, *Globigerinella*, Site 910, B:167,
 656
affinis, *Asterolampra*, Site 913, A:362; B:81, 97
alata, *Proboscia*, Site 907, B:68
alatum, *Cytheropteron*, Site 910, B:199
Alaucoseira spp., Site 908, B:78
albiumbilicatum, *Elphidium*, Site 910, B:188–189,
 192, 195
alectrolophum, *Phthanoperidinium*, Site 913,
 B:226
algida, *Islandiella*, Site 910, B:196
Algidasphaeridium? minutum s. l., Site 911,
 B:246, 249
alicornu, *Achomospaera*, Site 913, B:217
Alisocysta margarita, Site 913, B:239
Alnipollenites, Site 908, B:292
Alnus
 Site 910, B:298
 Site 911, B:299
alsatica, *Turrilina*, Site 908, A:125; B:634
Alterbidinium sp., Site 913, B:239
altispira, *Dentoglobigerina*, Site 910, B:157, 167
altispira, *Globoquadrina*, Site 910, B:656
altus, *Chiasmolithus*, Site 908, A:124; B:634
americanum, *Protoperidinium*, Site 911, B:247
americanus, *Spongotochus*, Site 908, B:132, 136,
 147
Amiculosphaera umbracula
 Site 907, B:257
 Site 908, B:273
 Site 909, B:286
amiculum, *Caligodinium*, Site 913, B:216
Anmodiscus cretaceus, Site 909, B:173
Anmodiscus incertus, Site 913, B:184
Anmodochium danicum, Site 908, B:122
Anmodochium dolium, Site 908, B:122
Anmodochium fletcheri
 Site 908, B:122
 Site 913, B:112
Anmodochium novum, Site 913, B:122
Anmodochium pyramidale, Site 908, B:113, 122
Anmodochium rectangulare, Site 908, B:122
Anmodochium serotinum, Site 913, B:122
Anmodochium sp. A, Site 908, B:122
Ammolagena clavata
 Site 909, A:174
 Site 913, A:364; B:184
amoenum, *Phthanoperidinium*
 Site 908, B:273, 285
 Site 913, B:209–210, 226
Amphipternis sp., Site 908, B:132, 136–137, 148
Amphitetras sp., Site 913, B:99
amplectens, *Cyclammina*
 Site 909, A:174–175
 Site 913, A:364
amplectens, *Reticulophragmium*
 Site 909, B:173–174, 180–181, 183, 634, 640
 Site 913, B:185
Anaulus sp., Site 908, B:99
andalousiensis, *Achomospaera?*, Site 909,
 B:262–264, 634
andriashevi, *Lophocytis*, Site 913, B:134, 139,
 149
andriashevi, *Theocyrtis*, Site 913, A:363
angulata, *Rhaphoneis*, Site 908, B:93
angustelineata, *Thalassiosira*, Site 907, B:68
annulatus, *Bathysiphon*, Site 913, B:184
antarctica, *Bolboforma*, Site 913, A:364
Antarctissa robusta, Site 913, B:137, 148
Antarctissa whitei, Site 907, A:71
Antarctissa whitei Zone, Site 907, A:71
antiqua, *Ebriopsis*, Site 913, B:124
antiquus, *Distephanus*
 Site 908, B:113, 119
 Site 913, A:362
Anuloplicata ornata, Site 913, B:81
Apectodinium spiridoides, Site 909, B:634
Apectodinium spp.
 Site 907, B:259
 Site 913, B:239
apiculata, *Corbisema*, East Greenland Margin,
 B:103, 118
apiculata apiculata, *Septamesocena*, Site 913,
 B:121
apiculata glabra, *Septamesocena*, Site 913, B:121
apiculata glabra, *Mesocena*, Site 913, A:362
apiculata glabra, *Septamesocena*, Site 908,
 B:111–112, 121
apiculata/inflata transitional forms, *Mesocena*,
 Site 913, A:362
aplanata, *Hermesinopsis*, Site 913, B:122
Appendicisporites, Site 911, B:301
Appendicisporites potomacensis, Site 910, B:298
Apteodinium australiense, Site 909, B:262
Apteodinium spiridoides, Site 909, B:262
Apteodinium spp., Site 913, A:364
aquaeductum, *Unipontidinium*
 Site 907, B:257
 Site 909, A:175
Aquilapollenites
 Site 911, B:301
 Yermak Plateau, B:302
Aquilapollenites scabridus, Site 910, B:298
arachnea, *Siphocampe*
 Site 907, A:71–72
 Site 913, B:141, 152
araneosa, *Araneosphaera*, Site 913, B:209, 217
Araneosphaera araneosa, Site 913, B:209, 217
archangelskiana, *Corbisema*, Site 908, B:121
architecturalis, *Distephanosira*
 Site 908, B:80
 Site 913, B:81, 95
arctica, *Bolivina*, Site 907, A:73
arctica, *Buccella*, Site 910, B:195
arcuata, *Enneadocysta*, Site 913, B:209
arcuatum, *Cytheropteron*
 Site 910, B:200
 Site 911, B:200
areolata, *Rutilaria*, Site 908, B:94
Areoligera semicirculata, Site 908, B:273
Areoligera? semicirculata, Site 908, B:285
Areoligera spp., Site 913, A:364; B:217
Areosphaeridium diktyoplokus, Site 913,
 B:209–212, 218, 640
Areosphaeridium michoudii, Site 913, B:210, 218
Artemisiocysta cladodichotoma, Site 908, B:282,

- 286
articulata, *Wetzeliella*, Site 908, A:125; B:235
Artostrobos jorgenseni, Site 907, A:71
Artostrobos quadriporus, Site 913, B:133–134, 137, 148
Artostrobos(?) sp., Site 913, B:137, 148
asanoi, *Neogloboquadrina*, Site 909, A:174; B:159, 166
asanoi, *Reticulofenestra*
 Site 910, B:42
 Site 911, B:51, 58–59
aspera, *Naviculopsis*, Site 908, B:120
aspririma, *Henryhowella*, Site 910, B:199
Asterolampra affinis, Site 913, A:362; B:81, 97
Asterolampra insignis, Site 913, A:362; B:81, 97
Asterolampra marylandica, Site 913, B:81
Asterolampra punctifera, Site 913, B:97
Asteromphalus flabellatus, Site 908, B:97
Asteromphalus oligogenicus, Site 908, B:80, 97
Asteromphalus symmetricus?, Site 913, B:97
Asterorhiza limnicola, Site 910, B:188
atlantica, *Neogloboquadrina*
 Arctic Ocean, B:153
 Site 646, B:521
 Site 909, A:174; B:634
 Site 910, B:191
 Site 911, B:154, 157
atlantica, *Nitzschia*, Site 907, A:69
atlantica sinistral atlantica, *Neogloboquadrina*
 Site 910, A:234, 236; B:166
 Site 911, A:279
atlanticus, *Foliactiniscus*, Site 908, B:124
Aulacodiscus spp., Site 908, B:78
australienne, *Apteodinium*, Site 909, B:262
australiensis, *Cicatricosisporites*, Site 910, B:298
axialis, *Fibrocysta*, Site 913, B:210, 222
Axoprunum spp., Site 913, A:363
Azpeitia oligocaenica, Site 908, B:80, 96
Azpetia tuberculata var. *atlantica*, Site 908, A:122; B:80, 96

baculata, *Batiacasphaera*, Site 913, B:216
Baculatisporites, Site 908, B:290–291
balaustum, *Eucampia* sp. aff. *Eucampia*, Site 907, A:70
barbadensis, *Macrora*
 Site 908, B:78, 97
 Site 913, A:362
barboi, *Proboscia*
 Site 907, A:69; B:67–68, 72
 Site 912, A:328
barboi, *Proboscia (Rhizosolenia)*, Site 907, A:69
barboi/praebarboi, *Proboscia*, Site 907, A:70
barleanum, *Nonion*
 Site 910, B:188, 196
 Site 912, B:471–475
barnesae, *Watznaueria*
 Site 907, A:72
 Site 908, A:124
Barssidinium graminosum, Site 908, B:273, 286
Barssidinium spp.
 Site 907, B:259
 Site 908, B:273
bartonensis, *Cerebrocysta*, Site 913, B:209–210, 220
Bathysiphon annulatus, Site 913, B:184
Bathysiphon capillaris, Site 913, B:184
Bathysiphon filiformis, Site 913, B:184
Bathysiphon major, Site 910, B:188
Bathysiphon rufus, Site 910, B:188
Bathysiphon sp., Site 913, B:184
Batiacasphaera baculata, Site 913, B:216
Batiacasphaera compta, Site 913, B:210, 216, 640
Batiacasphaera hirsuta
 Site 907, B:286
 Site 913, B:216
Batiacasphaera micropapillata
 Site 907, B:286
 Site 908, B:273
Batiacasphaera micropapillata s. l., Site 913, B:216
Batiacasphaera sp.
 Site 907, A:73; B:216, 258
 Site 913, A:364
Batiacasphaera sphaerica, Site 907, B:257, 286
Betula
 Site 910, B:298, 656
 Site 911, B:299
 Yermak Plateau, B:302
biapiculata, *Naviculopsis*
 Site 908, B:120
 Site 913, A:362
biffii, *Distatodinium*, Site 908, B:285
biformoides, *Achilleodinium*, Site 913, B:217
biharensis, *Cymatosira*, Site 907, A:70, 77
bijugatus, *Zygrhablithus*, Site 908, A:124
bisectus, *Dictyococites*
 Site 907, A:72
 Site 908, A:124; B:634
 Site 909, A:173, 175
Bitectatodinium tepikiense, Site 911, B:246–247, 249, 253
bivittata, *Drepanotheca*, Site 908, B:93
Bolboforma
 biostratigraphy, A:364
 carbonates, B:418–419
Bolboforma antarctica, Site 913, A:364
Bolboforma antarctica Zone, Site 913, A:364
Bolboforma indistincta, Site 913, A:364
Bolboforma indistincta Zone, Site 913, A:364
Bolboforma praespinosa, Site 913, A:364
Bolboforma spp., Site 913, A:364, 406, 416, 418; B:417
Bolivina arctica, Site 907, A:73; B:630
borealis, *Romyechinus*, Site 910, A:232, 236
borussica, *Rottmestia*, Site 913, B:210
Botryocampe sp., Site 913, B:133, 137, 148
Botryopera(?) pseudoantarctica, Site 913, B:137, 148
Botryostrobos joides, Site 913, A:363; B:133, 137, 148
Botryostrobos seriatus, Site 907, A:71
Botryostrobos sp. aff. *Botryostrobos kerguelensis*, Site 913, B:137, 148
Bourkidinium sp., Site 913, B:204, 239
bradii, *Sarsicytheridea*, Site 910, B:200
brevispinosa, *Hovassebria*, Site 913, B:122
brevispinosa, *Selenomemphix*, Site 909, A:175
Brigantedinium cariacense, Site 911, B:247
Brigantedinium simplex, Site 911, B:246–247, 253
Brigantedinium spp., Site 911, B:246–247, 250, 253
Brightwellia sp., Site 913, B:99, 640
Brizalina sp., Site 910, B:196
bryonalis, *Dictyocha*, Site 908, B:112, 119
bryonalis subsp. A, *Dictyocha*, Site 908, B:119
bryonalis bryonalis, *Dictyocha*, Site 908, B:119
Buccella arctica, Site 910, B:195
Buccella frigida, Site 910, A:236
Budashevella multicamerata, Site 909, A:174; B:173
Bulimina aculeata, Site 910, B:196
bulliformum, *Palaeocystodinium*, Site 913, B:241
bulloides, *Globigerina*
 Site 907, A:72
 Site 909, B:159, 166
 Site 910, A:234; B:191
bulloides, *Globigerina* cf., Site 910, B:157

bulloides, *Pullina*
 Site 909, B:471–472
 Site 910, B:196

Calcidiscus formosus, Site 907, A:72
Calcidiscus leptoporus
 Site 644, B:495
 Site 911, B:58–59
californica, *Cornutella* sp. aff. *Cornutella*, Site 913, A:363; B:134, 138, 149
Caligodinium amiculum, Site 913, B:216
Calocyclus sp., Site 913, A:363
Calocyclus talwanii, Site 913, A:363; B:133, 137–138, 148
Calocyclus talwanii Zone, Site 913, A:363; B:133–134
Canningia? sp. 1, Site 913, B:239
Canningia? sp. 2, Site 913, B:239
Cannopilus hemisphaericus
 East Greenland Margin, B:103
 Site 908, B:111, 118
 Site 913, B:112
Cannopilus hemisphaericus Zone
 East Greenland Margin, B:103, 111
 Site 908, B:630, 632
Cannopilus jouseae, East Greenland Margin, B:112, 118
cantharellum, *Cordosphaeridium*, Site 913, B:219
cantharellum, *Cordosphaeridium* sp. cf. *Cordosphaeridium*, Site 908, A:125
capillaris, *Bathysiphon*, Site 913, B:184
Carduifolia gracilis, Site 908, B:111, 124
Carduifolia lata, Site 908, B:124
Carduifolia onopordoides, Site 908, B:124
carentis, *Dictyocha*, Site 908, B:113
carentis carentis, *Dictyocha*, East Greenland Margin, B:119
carentis incerta, *Dictyocha*, East Greenland Margin, B:119
cariacense, *Brigantedinium*, Site 911, B:247
caribbeanica, *Gephyrocapsa*
 Site 910, A:232–233, 236; B:42, 634
 Site 911, A:279, 281; B:52–53, 58–59, 634
 Site 912, A:328–329
 Site 913, A:363; B:640
carinata, *Cassidulina*, Site 910, A:236
carinifera, *Odontotropis*, Site 913, B:98
carpenteri, *Hormosinella*, Site 909, B:183
carteri, *Helicosphaera*
 Site 907, A:72
 Site 909, A:173, 175; B:172, 634, 641
Carya
 Site 911, B:299
 Yermak Plateau, B:302
Cassidulina carinata, Site 910, A:236
Cassidulina laevigata
 Site 910, B:191
 Site 912, A:329
Cassidulina pliocarinata, Site 910, B:191, 196
Cassidulina porrecta, Site 910, A:236
Cassidulina reniforme
 Site 910, A:236; B:188–189, 191–192, 196
 Site 912, A:329
Cassidulina spp., Site 910, A:236; B:188–189, 191–192
Cassidulina teretis
 Site 907, A:73; B:456–466, 631
 Site 909, A:174
 Site 910, A:235–236; B:188–189, 191–192, 196
 Site 911, A:280–281
 Site 912, A:329; B:471–474
Castanea
 Site 910, B:298

- Site 911, B:299
Catapsydrax unicavus, Site 911, B:157
caudata, *Pseudocythere*, Site 910, B:199
caulei, *Spongurus*, Site 907, A:72
caulleryi, *Haplohermesinum* cf., Site 913, B:122
Cavitatus jouseanus, Site 908, B:78, 80, 93
Cedripites, Site 908, B:292
centrocarpum, *Operculodinium*
 Site 911, B:246–248, 250, 253
 Site 913, B:233
Ceratocyrtis histricosus, Site 907, A:71–72
Ceratocyrtis mashae
 Norwegian–Greenland Sea, B:131
 Site 907, A:72
 Site 908, B:132, 138, 149
Ceratocyrtis robustus, Site 907, A:72
Ceratocyrtis sp., Site 913, A:363
Ceratocyrtis sp. aff. *Ceratocyrtis cucullaris*, Site
 913, B:138, 148
Ceratocyrtis stigi
 Norwegian–Greenland Sea, B:131
 Site 908, B:132, 138, 149
Cerebrocysta bartonensis, Site 913, B:209–210,
 220
Cerodinium sp., Site 909, A:175
Cerodinium striatum, Site 913, B:240
Cestodiscus pulchellus var. *novaezealandica*, Site
 908, B:96
Cestodiscus reticulatus Zone, Site 913, A:362
Cestodiscus sp. 1, Site 913, B:81
Cestodiscus sp. 9, Site 913, A:362
Cestodiscus sp. A, Site 908, B:96
Cestodiscus sp. B, Site 908, B:96
Cestodiscus sp. C, Site 908, B:96
Chaetoceros
 resting spores, B:485–488
 vs. depth, B:487
Chaetoceros cinctus, Site 907, B:489
Chaetoceros spp.
 Site 907, A:69; B:485–492
 Site 908, B:78
 Site 913, B:81
challengeri, *Dictyocha*, Site 913, B:112, 121, 640
challengeri, *Paratrochammina*, Site 909, B:183
Challengeron diodon, Site 907, A:71
Charlesdowniea sp., Site 913, B:235
charoides, *Glomospira*, Site 909, B:173
Chatangiella sp.
 Site 909, A:175
 Site 913, B:242
chenereri, *Pseudotriceratium*, Site 913, B:81
Chiasmolithus altus, Site 908, A:124; B:634
Chiropteridium galea
 Site 908, B:273
 Site 913, B:209, 219
Chiropteridium galea “complex”, Site 908, B:285
Chiropteridium lobospinosum, Site 913, B:209,
 219, 640
Chiropteridium lobospinosum Zone, Site 913,
 B:209
Chiropteridium sp., Site 908, A:125
chlamydophora, *Samlandia*, Site 913, B:234
Chlamydophorella sp., Site 907, B:259
choanophorum, *Melitasphaeridium*
 Site 908, A:125
 Site 909, A:175
Chondrites, Site 913, B:418
Cibicides grimsdalei, Site 908, A:124–125
Cibicides grossa
 Site 907, A:73; B:631
 Site 910, A:235–236; B:189, 191, 195, 634
 Site 913, A:363; B:640
Cibicides kullenbergi, Site 907, A:73; B:631
Cibicides lobatulus, Site 910, B:188
Cibicides spp., Site 907, B:456–466
Cibicides wuellerstorfi, Site 909, B:171, 471–474
Cicatricosisporites
 Site 908, B:290
 Site 911, B:301
Cicatricosisporites australiensis, Site 910, B:298
Cicatricosisporites subrotundus, Site 910, B:298
cinctum, *Hystrichokolpoma*, Site 913, B:224
cinctus, *Chaetoceros*, Site 907, B:489
Circulodinium spp., Site 907, B:259
cladodichotoma, *Artemisiocysta*, Site 908, B:282,
 286
cladoides, *Dinopterygium*, Site 913, B:222
clathrata, *Cornutella*, Site 913, B:138, 149
Clathrospyrus sandellae, Site 907, A:72
clavata, *Ammolagena*
 Site 909, A:174
 Site 913, A:364; B:184
Clavicula polymorpha, Site 913, B:93
claviger, *Riedelia*, Site 913, A:362
claviger?, *Riedelia?*, Site 908, B:94
Cleistosphaeridium spp., Site 913, A:364
clevei, *Lophophaena*, Site 913, B:139–140, 150
clevei, *Phorticium*, Site 907, A:71
cluthae, *Cluthia*
 Site 910, B:200
 Site 911, B:200
Cluthia cluthae
 Site 910, B:200
 Site 911, B:200
Coccolithus miopelagicus, Site 909, A:173
Coccolithus pelagicus
 Arctic Ocean, B:39–59
 Site 644, B:494–506
 Site 907, A:72; B:494–506
 Site 909, B:494–506
 Site 910, A:234; B:42–54
 Site 911, A:279; B:51–52, 58–59
 Site 912, A:328
Coccolithus pelagicus, vs. depth, B:496–497
Cocconeis spp., Site 908, B:78
colligerum, *Diphyes*, Site 913, B:222
Comasphaeridium? sp. 1, Site 913, B:240
comatum, *Phthanoperidinium*, Site 913, B:227
communis, *Lejeunecysta*, Site 911, B:246
communis, *Martinottiella*
 Site 907, A:73; B:631
 Site 913, A:363
communis, *Stylospongia*, Site 913, A:363
compacta, *Cymatosira*, Site 908, B:80, 94
complicata, *Thalassiosira* sp. aff. *Thalassiosira*,
 Site 912, A:328
compressa, *Spirosigmoinella*
 Site 909, B:173, 183
 Site 913, A:363
compta, *Batiacaspasphaera*, Site 913, B:210, 216,
 640
conata, *Hermesinella*, Site 908, B:122
concava, *Stainforthia*, Site 910, B:188, 195
concinna, *Elofsonella*
 Site 910, B:199–200
 Site 911, B:200
conglobatus, *Globigerinoides*, Site 910, B:157,
 656
congregatum, *Polysphaeridium*, Site 909, B:264
conica, *Cycladophora* sp. cf. *Cycladophora*, Site
 908, B:138, 149
Conneximura fimbriata, Site 913, B:240
Conotrochammina sp., Site 913, B:184
constricta, *Naviculopsis*, Site 913, B:120
constricta sensu Perch-Nielsen, *Naviculopsis* aff.,
 Site 908, B:120
continua, *Paragloborotalia*, Site 911, B:157,
 166
contortus, *Recurvoides*, Site 909, B:183
conversa, *Karrerulina*, Site 913, B:184, 640
convexa, *Corbisema*, Site 908, B:118
convexa, *Thalassiosira*, Site 912, A:328
cooksoniae, *Isabelidium* sp. cf. *Isabelidium*,
 Site 909, A:175
cooksoniae, *Svalbardella*, Site 913, B:209, 231
cooksoniae, *Svalbardella* sp. cf. *Svalbardella*, Site
 908, A:125; B:231
Corbisema apiculata, East Greenland Margin,
 B:103, 118
Corbisema apiculata Zone, East Greenland
 Margin, B:103
Corbisema archangelskiana, Site 908, B:121
Corbisema convexa, Site 908, B:118
Corbisema elata, East Greenland Margin, B:118
Corbisema glezeriae, East Greenland Margin,
 B:118
Corbisema globulata, East Greenland Margin,
 B:118
Corbisema hastata, Site 913, A:362
Corbisema hastata globulata, Site 913, A:362
Corbisema hexacantha
 East Greenland Margin, B:103, 118
 Site 913, B:112, 640
Corbisema hexacantha Zone
 East Greenland Margin, B:102–103, 112
 Site 913, B:640
Corbisema inermis minor, Site 913, A:362
Corbisema katharinae, East Greenland Margin,
 B:118
Corbisema lamellifera, Site 908, B:113
Corbisema lamellifera lamellifera, East Greenland
 Margin, B:118
Corbisema reducta, East Greenland Margin,
 B:118
Corbisema regina
 East Greenland Margin, B:118
 Site 913, B:112, 640
Corbisema sp. A, East Greenland Margin, B:118
Corbisema sp. cf. *Corbisema katharinae*, Site 913,
 A:362
Corbisema spinosa, East Greenland Margin,
 B:112, 118
Corbisema spinosa Zone, East Greenland Margin,
 B:102
Corbisema tricantha
 East Greenland Margin, B:118
 Site 912, A:328
 Site 913, A:362
Corbisema tricantha Zone, East Greenland
 Margin, B:111
Corbisema tricantha/glezeriae transitional forms,
 Site 913, A:362
Cordosphaeridium cantharellum, Site 913, B:219
Cordosphaeridium funiculatum, Site 913, B:210,
 212, 219, 640
Cordosphaeridium minimum, Site 913, B:219
Cordosphaeridium sp. cf. *Cordosphaeridium*
cantharellum, Site 908, A:125
cornuta, *Haplohermesinum*, Site 913, B:122
cornuta, *Spiniferites*, Site 908, B:287
cornuta, *Trinacria*, Site 908, B:99
Cornutella clathrata, Site 913, B:138, 149
Cornutella profunda, Site 913, B:138, 149
Cornutella sp., Site 913, B:138, 149
Cornutella sp. aff. *Cornutella californica*, Site
 913, A:363; B:134, 138, 149
cornutus, *Spiniferites*, Site 913, B:238
Corollina (Classopollis), Site 910, B:298
coronata, *Goniothecium*, Site 908, B:78, 80
coronata, *Trochosira*, Site 913, B:81, 95
Corrudinium incompositum, Site 913, B:209–210,
 220

- Corrudinium* spp., Site 913, A:364
Corsinipollenites, Site 908, B:292
Corylus
 Site 910, B:298
 Site 911, B:299
 Yermak Plateau, B:302
Corythospyris hispida, Site 907, A:72
Corythospyris jubata, Site 910, A:232
Corythospyris palmipodiscus
 Site 908, B:132, 632
 Site 913, B:133, 138, 149, 640
Coscinodiscus aff. *tenerrimus*
 Site 908, B:78
 Site 913, B:81
Coscinodiscus aff. *tenerrimus* Zone, Site 908, B:83
Coscinodiscus marginatus, Site 907, A:69, 77
Coscinodiscus marginatus Zone, Site 907, A:69
Coscinodiscus monicae, Site 913, A:362
Coscinodiscus norwegicus, Site 907, B:62
Coscinodiscus norwegicus Interval, Site 907, B:62
Coscinodiscus oligocenicus, Site 913, A:362; B:81, 99
Coscinodiscus plicatus, Site 913, A:362
Costopyxis trochlea
 Site 908, B:78
 Site 913, B:81, 99
Craspedodiscus oblongus Zone, Site 913, A:362
Craspedodiscus spp., Site 908, B:80
crassum, *Operculodinium*, Site 911, B:250
Crenalithus daronicoideis
 Site 909, A:173
 Site 910, A:234, 236
 Site 911, A:279, 281
 Site 912, A:328
crenulata, *Ebriopsis*
 Site 908, B:111, 124
 Site 913, A:362
crenulata, *Paralia*
 Site 908, B:95
 Site 913, B:81
crenulata, *Thaerocythere*, Site 910, B:199
cretacea, *Prediscosphaera*
 Site 907, A:72
 Site 908, A:124
cretacea, *Prediscosphaerella*, Site 913, A:363
cretaceus, *Ammodiscus*, Site 909, B:173
Cribroperidinium giuseppeii, Site 913, B:220
Cribroperidinium sp.
 Site 909, A:175
 Site 913, A:364
Cribroperidinium sp. 1, Site 913, B:240
Cribroperidinium sp. 2, Site 913, B:209, 220
Cribroperidinium tenuitabulatum, Site 913, B:220
Cribrospheraella ehrenbergii, Site 913, A:363
Cribrostomoides sp., Site 913, B:174, 640
crucis, *Liriospyris*, Site 907, A:71
Cristadinium sp. 1
 Site 907, A:73
 Site 909, A:175
Cristadinium sp. cf. *Cristadinium cristatoserratum*, Site 909, A:175
cristatoserratum, *Cristadinium* sp. cf. *Cristadinium*, Site 909, A:175
cristatus, *Sphaerostylus*, Site 913, B:135, 147
Cromyechinus borealis, Site 910, A:232, 236
Cruciferae, Yermak Plateau, B:302
crux, *Distephanus*
 Site 908, B:111
 Site 913, B:112
crux subsp. A, *Distephanus*, Site 908, B:120
crux crux, *Distephanus*, Site 908, B:120
cucullaris, *Ceratocyrtis* sp. aff. *Ceratocyrtis*, Site 913, B:138, 148
curta, *Spongebria*, Site 913, B:124
curvirostris, *Proboscia*, Site 907, B:68
Cyathidites, Site 908, B:291
Cycladophora davisiana davisiana, Site 907, A:71
Cycladophora sp. cf. *Cycladophora conica*, Site 908, B:138
Cyclammina amplexens
 Site 909, A:174–175
 Site 913, A:364
Cyclammina rotundodorsata, Site 909, A:174–175
Cyclammina spp., Site 908, A:125; B:634
Cyclicargolithus abisectus, Site 909, A:173, 175
Cyclonephelium spp., Site 907, B:259
Cyclopsiella elliptica
 Site 908, A:125
 Site 913, B:222
Cyclopsiella? sp., Site 907, A:73
Cyclotella sp. A, Site 908, B:99
Cymatiosphaera invaginata, Site 907, B:258, 287
Cymatosira biharensis, Site 907, A:70, 77
Cymatosira biharensis Zone, Site 907, A:70
Cymatosira compacta, Site 908, B:80, 94
Cymatosira praecompacta, Site 908, B:78, 80, 94
Cymatosira praecompacta Zone, Site 908, B:78, 80, 83, 632
Cymatosira sp. 1, Site 913, A:362
Cymatosira sp. A, Site 913, B:81, 94
Cymatosira spp., Site 908, A:122; B:78
Cyperaceae, Site 911, B:299
Cytheropteron alatum, Site 910, B:199
Cytheropteron arcuatum
 Site 910, B:200
 Site 911, B:200
Cytheropteron hamatum
 Site 910, B:200
 Site 911, B:200
Cytheropteron inflatum
 Site 910, B:199–200
 Site 911, B:200
Cytheropteron n. sp., Site 910, B:200
Cytheropteron paratissimum, Site 910, B:199
Cytheropteron simplex
 Site 910, B:200
 Site 911, B:200
Cytheropteron testudo, Site 910, B:199–200
dalei, *Pentapharsodinium* cf., Site 911, B:246–247, 250, 253
Damassadinium abbreviatum, Site 913, B:222
danica, *Naviculopsis*, Site 908, B:120
danicum, *Ammodoichium*, Site 908, B:122
Dapsilidinium pseudocolligerum, Site 913, B:222
Dapsilidinium? sp. 1, Site 913, B:222
daviesii, *Reticulofenestra*, Site 908, A:124
davisiana davisiana, *Cycladophora*, Site 907, A:71
decoratum, *Goniothecium*, Site 908, A:125; B:78, 80
decoratus, *Microrhabdulus*, Site 907, A:72
decussata, *Micula*
 Site 907, A:72
 Site 908, A:124
Deflandrea granulata, Site 913, B:221
Deflandrea oebisfeldensis, Site 913, B:240
Deflandrea phosphoritica
 Site 908, B:273
 Site 909, A:175; B:221
Deflandrea sp.
 Site 908, A:125
 Site 913, A:364; B:212–213
Deflandrea sp. 1, Site 913, B:221
Deflandrea sp. 2, Site 913, B:221
Deflandrea sp. 3, Site 913, B:221
Deflandrea sp. cf. *Deflandrea leptodermata*, Site 913, A:364
Deflandrea sp. cf. *Deflandrea phosphoritica*, Site 908, A:125
deflandrei, *Dictyochoa*
 Site 908, B:113, 119
 Site 912, A:328
 Site 913, A:362
deformis, *Trochammina*
 Site 909, A:174
 Site 913, B:185
deformis, *Trochammina* cf., Site 909, B:173, 183
delicata, *Thalassiphora*, Site 913, B:225
delicatissimus, *Actinoptychus*, Site 908, B:99
delineata, *Eucytherura*, Site 910, B:199
denticulatum, *Protoperidinium*, Site 911, B:247
Denticulopsis hustedtii, Site 907, A:70; B:62, 67
Denticulopsis hustedtii Interval, Site 907, B:66–67
Denticulopsis hustedtii Zone, Site 907, A:70
Denticulopsis lauta, Site 907, A:70
Dentoglobigerina altispira, Site 910, B:157, 167
desueta, *Discolithina*, East Greenland Margin, B:103
“*Detonia?*” sp., Site 908, B:78, 80, 93
Diconodinium? sp. 1, Site 913, B:240
Dictyochoa bryonalis, Site 908, B:112, 119
Dictyochoa bryonalis subsp. A, Site 908, B:119
Dictyochoa bryonalis bryonalis, Site 908, B:119
Dictyochoa carentis, Site 908, B:113
Dictyochoa carentis carentis, East Greenland Margin, B:119
Dictyochoa carentis incerta, East Greenland Margin, B:119
Dictyochoa challengerii, Site 913, B:112, 121, 640
Dictyochoa deflandrei
 Site 908, B:113, 119
 Site 912, A:328
 Site 913, A:362
Dictyochoa eocaenica, Site 913, B:121
Dictyochoa fischeri?, Site 912, A:328
Dictyochoa frenguelli
 Site 908, B:119
 Site 912, A:328
 Site 913, A:362
Dictyochoa obliqua, Site 908, B:119
Dictyochoa precarentis, Site 908, B:119
Dictyochoa rotundata, Site 908, B:113
Dictyochoa rotundata rotundata, Site 908, B:119
Dictyochoa sp. A, Site 913, B:120
Dictyochoa sp. B, Site 913, B:121
Dictyochoa transitoria, Site 908, B:119
Dictyococcites bisectus
 Site 907, A:72
 Site 908, A:124; B:634
 Site 909, A:173, 175
Dictyococcites productus
 Site 910, A:236
 Site 911, A:279, 281
Dictyococcites spp., Site 911, B:52–54
dictyoides, *Pseudammodoichium*, Site 913, B:122
Dictyomitra spp., Site 912, A:328
diktyoplokus, *Areosphaeridium*, Site 913, B:209–212, 218, 640
Dinopterygium cladoides, Site 913, B:222
Dinopterygium spp., Site 913, A:364
diodon, *Challengeron*, Site 907, A:71
dioneaecysta, *Selenopemphix*
 Site 908, A:125; B:273, 287
 Site 909, A:175
Diphyes colligerum, Site 913, B:222
Diphyes ficusoides, Site 913, B:222
Diploneis spp., Site 908, B:78
Discolithina desueta, East Greenland Margin, B:103
Discolithina spp., Site 910, B:54

- Distatodinium biffii*, Site 908, B:285
Distatodinium ellipticum, Site 913, B:218
Distatodinium paradoxum
 Site 907, B:257
 Site 908, A:125; B:218, 285
 Site 909, B:262
Distatodinium sp., Site 909, A:175
Distephanosira architecturalis
 Site 908, B:80
 Site 913, B:81, 95
Distephanus aculeatus, East Greenland Margin,
 B:111
Distephanus antiquus
 Site 908, B:113, 119
 Site 913, A:362
Distephanus crux
 Site 908, B:111–112
 Site 913, B:112
Distephanus crux subsp. A, Site 908, B:120
Distephanus crux crux, Site 908, B:120
Distephanus norvegiensis, Site 908, B:119
Distephanus paulii, Site 908, B:111–112, 120
Distephanus speculum, Site 908, B:111–112
Distephanus speculum forma *octonarius*, East
 Greenland Margin, B:111
Distephanus speculum forma *pentagonus*, Site
 908, B:119
Distephanus speculum forma *schulzii* n. nom, Site
 908, B:119
Distephanus speculum forma *septenarius*, Site
 908, B:119
Distephanus speculum forma *speculum*, Site 908,
 B:119
Distephanus speculum haliomma Zone, East
 Greenland Margin, B:103
Distephanus stauracanthus Subzone, East
 Greenland Margin, B:111
distinctum, *Phthanoperidinium*, Site 913, B:210,
 227
Ditripodium latum, Site 908, B:124
divaricata, *Glaphrocysta*, Site 913, B:223
divergens, *Operculodinium*, Site 913, B:233
dogieli, *Gondwanaria* sp. aff. *Gondwanaria*, Site
 908, A:124
doliolum, *Ammodochium*, Site 908, B:122
donahuensis, *Nitzschia*, Site 907, B:62, 74
doronicoides, *Crenalithus*
 Site 909, A:173
 Site 910, A:234, 236
 Site 911, A:279, 281
 Site 912, A:328
Drepanotheca bivittata, Site 908, B:93
dubiosa, *Thalassiosira*
 Site 908, B:78
 Site 913, B:81, 95
dutertrei, *Globorotalia*, Site 910, B:157
dutertrei, *Neogloboquadrina*, Site 910, B:157,
 167, 656
dutertrei, *Neogloboquadrina* sp. cf.
Neogloboquadrina
 Site 910, A:234
 Site 913, A:363

Eatonicysta ursulae, Site 913, B:241
Ebriopsis acuta n. sp., Site 913, B:112, 115, 124,
 640
Ebriopsis antiqua, Site 913, B:124
Ebriopsis crenulata
 Site 908, B:111, 124
 Site 913, A:362
Ebriopsis sp. A, Site 913, B:124
eccentrica, *Thalassiosira*, Site 908, A:122, 125
echinatum, *Phthanoperidinium*, Site 913, B:228
ehrenbergii, *Actinocyclus*, Site 908, B:96

ehrenbergii, *Cribrosphaerella*, Site 913, A:363
Eiffelithus eximius, Site 913, A:363
elata, *Corbisema*, East Greenland Margin, B:118
elegans, *Hemiaulus*, Site 913, B:81, 98
elegans group, *Lithomitra*, Site 913, A:363
elizabethae, *Lithomitrella* sp. aff. *Lithomitrella*,
 Site 913, A:363
elizabethae, *Siphocampe*, Site 913, B:141, 152,
 640
elliptica, *Cyclopsiella*
 Site 908, A:125
 Site 913, B:222
elliptica, *Mesocena* sp. cf. *Mesocena*, Site 912,
 A:328
ellipticum, *Distatodinium*, Site 913, B:218
Elofsonella concinna
 Site 910, B:199–200
 Site 911, B:200
elongata, *Hyperammina*
 Site 909, B:183
 Site 913, B:184
elongatus, *Actiniscus*, Site 908, B:124
elongatus, *Reophax*, Site 913, B:184
elongatus, *Spiniferites*, Site 911, B:246–247, 250,
 253
elongatus, *Spiniferites* sp. cf. *Spiniferites*, Site
 908, A:125
Elphidiella hamni, Site 910, B:189, 192, 195
Elphidiella hughesi, Site 910, B:189, 191–192,
 195
Elphidium albiumbilicatum, Site 910, B:188–189,
 192, 195
Elphidium albiumbilicatum Zone, Site 910,
 B:188–189, 192
Elphidium excavatum, Site 910, B:189, 195
Elphidium excavatum forma *clavata*, Site 910,
 B:188–189, 195
Elphidium excavatum forma *clavata* Zone, Site
 910, B:188–189, 192
Elphidium groenlandicus, Site 910, B:189, 195
Elphidium rolfi, Site 910, B:191
Elphidium spp.
 Site 909, A:174
 Site 910, A:236; B:188–189, 191–192
Elytrocysta sp. 1, Site 913, B:219
embrionalis, *Lithomitra*, Site 913, A:363
Emiliania huxleyi
 Site 908, A:124; B:632
 Site 910, A:232, 236; B:42
 Site 911, A:279; B:43, 52–53, 58–59
 Site 913, A:363; B:638
Enneadocysta arcuata, Site 913, B:209, 218
Enneadocysta fenestrata, Site 913, B:218
Enneadocysta multicornuta, Site 913, B:218
eobiapiculata, *Naviculopsis*
 Site 908, B:120
 Site 913, A:362
eocaenica, *Dictyocha*, Site 913, B:121
eocenicum, *Phthanoperidinium* cf.
Phthanoperidinium?, Site 913, B:227
Eocladopyxis peniculata, Site 913, B:219
Epistominella exigua, Site 907, A:73; B:631
Epistominella spp.
 Site 909, A:174
 Site 911, A:280–281
Epistominella vitrea, Site 910, B:188–189,
 191–192
Eponides umbonatus
 Site 907, A:73; B:631
 Site 910, A:235–236
Ericaceae, Site 911, B:299
Ericipites, Site 908, B:292
ericsonii, *Gephyrocapsa*, Site 908, A:124; B:632
erucopsis, *Nonion*, Site 910, B:191

Eucampia sp. aff. *Eucampia balaustium*, Site 907,
 A:70
Eucoronis fridtofjanseni, Site 907, A:72
Eucyrtidium(?) sp., Site 913, B:138, 149
Eucytherura delineata, Site 910, B:199
Eunotia spp., Site 908, B:78
Eunotogramma sp., Site 908, B:78, 93
Eurossia irregularis, Site 908, B:78, 80, 97
Eurossia irregularis var. *incurvatus*, Site 908,
 B:80, 97
Evittosphaerula sp. 2, Site 907, B:259
Evittosphaerula? sp. 2, Site 908, B:273, 282, 286
excavata, *Trinacria*, Site 913, B:81
excavatum, *Elphidium*, Site 910, B:189, 195
excavatum forma *clavata*, *Elphidium*, Site 910,
 B:188–189, 195
excelsa, *Nothia*
 Site 909, B:173–174
 Site 913, B:174–184
exculpta, *Trinacria*, Site 912, A:328
exigua, *Epistominella*, Site 907, A:73; B:631
exigua, *Hermesinopsis*, Site 908, B:111, 122
eximium, *Pseudammodochium*, Site 908, B:122
eximius, *Eiffelithus*, Site 913, A:363
expansus, *Kechehotiske*, Site 909, A:174
extremus, *Globigerinoides*, Site 910, B:157, 656

Falsebria rossica, Site 908, B:122
fenestrata, *Enneadocysta*, Site 913, B:218
fenestrata, *Hermesinella*, Site 913, B:122
femerae n. sp., *Sceptroneis*, Site 908, B:78, 88, 92
feylingi, *Stainforthia*, Site 910, B:188, 195
Fibrocysta axialis, Site 913, B:210, 222
ficusoides, *Diphyes*, Site 913, B:222
filifera, *Filisphaera*, Site 909, A:175
filifera s. l., *Filisphaera*, Site 911, B:246–249, 253
filiformis, *Bathysiphon*, Site 913, B:184
filigranum, *Phthanoperidinium*, Site 913, B:209,
 228
Filisphaera filifera, Site 909, A:175
Filisphaera filifera s. l., Site 911, B:246–249, 253
fimbriata, *Conneximura*, Site 913, B:240
fischeri(?), *Dictyocha*, Site 912, A:328
flabellatus, *Asteromphalus*, Site 908, B:97
fletcheri, *Ammodochium*
 Site 908, B:122
 Site 913, B:112
Florentinia spp., Site 909, A:175
foliacea, *Naviculopsis*, Site 913, B:112, 120, 640
Foliactiniscus atlanticus, Site 908, B:124
formosus, *Calcidiscus*, Site 907, A:72
“*Fragilaria*” *miocenica*, Site 908, B:80, 93
“*Fragilaria*” sp. A, Site 908, B:93
fragilis, *Fromea*, Site 913, B:241
fragilis, *Fromea* sp. cf. *Fromea*, Site 909, A:175
frenguelli, *Dictyocha*
 Site 908, B:119
 Site 912, A:328
 Site 913, A:362
fridtofjanseni, *Eucoronis*, Site 907, A:72
frigida, *Buccella*, Site 910, A:236
Fromea fragilis, Site 913, B:241
Fromea sp. cf. *Fromea fragilis*, Site 909, A:175
funiculatum, *Cordosphaeridium*, Site 913, B:210,
 212, 219, 640
furcula, *Lyramula*, Site 908, B:111, 118
fusca, *Psammospaera*, Site 913, B:184

galea, *Chiropteridium*
 Site 908, B:273
 Site 913, B:209, 219
Gartnerno obliquum, Site 913, A:363
gelida, *Reticulofenestra*, Site 907, A:72
geminatum, *Phthanoperidinium*, Site 913, B:210,

- 212, 229
geminum, *Hermesinum*, Site 908, B:113, 124
gemma, *Grunoviella*, Site 908, B:92
Gephyrocapsa caribbeanica
 Site 910, A:232–233, 236; B:42, 634
 Site 911, A:279, 281; B:52–53, 58–59, 634
 Site 912, A:328–329
 Site 913, A:363; B:640
Gephyrocapsa ericsonii, Site 908, A:124; B:632
Gephyrocapsa oceanica
 Site 907, A:72
 Site 910, A:232, 236; B:42, 448, 634
 Site 911, A:279, 281; B:52–53, 58–59, 634
 Site 912, A:328–329
 Site 913, A:363; B:640
Gephyrocapsa parallela
 Site 907, A:72
 Site 910, B:42, 53
Gephyrocapsa sp.
 Site 909, A:173
 Site 910, A:234; B:42
 Site 911, A:279, 281; B:51
 Site 912, A:328, 332
Gephyrocapsa spp.
 Site 644, B:495
 Site 907, B:495
giuseppi, *Cribroperidinium*, Site 913, B:220
glacialis, *Krithe*
 Site 910, B:199–200
 Site 911, B:200
glacialis, *Spongotrochus*, Site 907, A:71–72
glacialis, *Spongotrochus* sp. aff. *Spongotrochus*,
 Site 908, A:124
Glandulina laevigata, Site 910, B:196
Glaphyrocysta divaricata, Site 913, B:223
Glaphyrocysta ordinata, Site 913, B:223
Glaphyrocysta? reticulosa, Site 913, B:223
Glaphyrocysta semitecta, Site 913, B:223
Glaphyrocysta? vicina, Site 913, B:223, 875
Gleichenioides
 Site 908, B:291
 Site 910, B:298
glezeriae, *Corbisema*, East Greenland Margin,
 B:118
Globigerina bulloides
 Site 907, A:72
 Site 909, B:159, 166
 Site 910, A:234; B:191
Globigerina cf. *bulloides*, Site 910, B:157
Globigerina officinalis, Site 911, B:157
Globigerina praebulloides, Site 911, B:157, 166
Globigerina quinqueloba, Site 910, B:191
Globigerina scitula, Site 909, B:172, 628
Globigerinella aequilateralis, Site 910, B:167,
 656
Globigerinella siphonifera, Site 910, B:167
Globigerinita glutinata
 Site 909, B:166
 Site 913, A:363
Globigerinita glutinata forma *ambitacrena*, Site
 909, B:166
Globigerinoides conglobatus, Site 910, B:157, 656
Globigerinoides extremus, Site 910, B:157, 656
Globigerinoides obliquus extremus, Site 910,
 B:167
Globigerinoides ruber
 Site 910, B:167, 656
 Site 911, B:154, 157
Globigerinoides trilobus, Site 910, B:157, 167,
 656
Globocassidulina globosa, Site 907, A:73
Globocassidulina grooviapertura, Site 910, B:188,
 191–192, 196, 634
Globocassidulina sp., Site 910, B:196
Globoconella inflata
 Site 909, B:159
 Site 911, B:154, 166
Globoquadrina altispira, Site 910, B:656
Globorotalia cf. *zealandica*, Site 911, B:157
Globorotalia dutertrei, Site 910, B:157
Globorotalia scitula
 Site 909, B:159
 Site 911, B:154
globosa, *Globocassidulina*, Site 907, A:73
globulata, *Corbisema*, East Greenland Margin,
 B:118
globulifera, *Hormosina*, Site 909, B:173, 183
Glomospira charoides, Site 909, B:173
glutinata, *Globigerinita*
 Site 909, B:166
 Site 913, A:363
glutinata forma *ambitacrena*, *Globigerinita*, Site
 909, B:166
gochti, *Wetzeliella*, Site 913, B:209–210, 235
golzowense, *Palaeocystodinium*
 Site 907, A:73; B:257, 631
 Site 908, B:273
 Site 909, B:263, 634
 Site 913, B:231, 281
Gondwanaria sp. aff. *Gondwanaria dogieli*, Site
 908, A:124
Goniothecium coronata, Site 908, B:78, 80
Goniothecium decoratum, Site 908, A:125; B:78,
 80
Goniothecium decoratum Zone, Site 908, A:122,
 125
Goniothecium spp., Site 908, B:78
Goniothecium tenue
 Site 907, A:70
 Site 913, B:630
Goniothecium tenue Zone, Site 907, A:70, 74
Gonyaulacysta jurassica, Site 907, B:259
Gonyaulacysta sp., Site 910, A:236
gracilis, *Carduifolia*, Site 908, B:111, 124
gracilis tetracanthus, *Pseudodictyophimus*, Site
 907, A:71
graminosum, *Barssidinium*, Site 908, B:273, 286
Grammatophora spp., Site 908, B:78, 93
grande, *Tectatodinium*, Site 913, B:235
granulata, *Deflandrea*, Site 913, B:221
gravida, *Thalassiosira*, Site 907, B:68
grimsdalei, *Cibicides*, Site 908, A:124–125
groenlandicus, *Elphidium*, Site 910, B:189, 195
grooviapertura, *Globocassidulina*, Site 910,
 B:188, 191–192, 196, 634
grossa, *Cibicides*
 Site 907, A:73; B:631
 Site 910, A:235–236; B:189, 191, 195, 634
 Site 913, A:363; B:640
grossi, *Sirmiodinium*, Site 907, B:259
Grunoviella gemmata, Site 908, B:92
grunowii, *Sceptroneis*, Site 913, B:92
grunowii, *Thalassiosira*, Site 907, B:62
Habibacysta tectata, Site 911, B:246, 248, 253
hamatum, *Cytheropteron*
 Site 910, B:200
 Site 911, B:200
hanni, *Elphidiella*, Site 910, B:189, 192, 195
hanzawae, *Stephanogonia*
 Site 907, A:69
 Site 908, A:122, 125
 Site 912, A:328
 Site 913, A:362
Haplohermesinum cf. *caulleryi*, Site 913, B:122
Haplohermesinum cornuta, Site 913, B:122
Haplohermesinum hovassei, Site 908, B:122
Haplohermesinum sp. A, Site 908, B:122
Haplophragmoides cf. *kirki*
 Site 909, B:173
 Site 913, B:185
Haplophragmoides horridus, Site 913, B:185
Haplophragmoides porrectus, Site 913, B:174,
 185, 640
Haplophragmoides sp. 1, Site 913, B:185
Haplophragmoides sp. 2, Site 913, B:185
Haplophragmoides spp., Site 908, A:125
Haplophragmoides stomatus, Site 909, B:173
Haplophragmoides suborbicularis, Site 913,
 B:185
Haplophragmoides walteri, Site 913, B:185
Haplophragmoides walteri forma *excavatus*
 Site 909, B:173, 183
 Site 913, B:185
hastata, *Corbisema*, Site 913, A:362
hastata globulata, *Corbisema*, Site 913, A:362
haysi, *Prunopyle(?)* sp. aff. *Prunopyle*, Site 908,
 B:135, 146
hebetata forma *hebetata*, *Rhizosolenia*, Site 907,
 B:68
hebetata forma *semispina*, *Rhizosolenia*, Site 907,
 B:68
helenae, *Islandiella*, Site 910, B:196
Helicosphaera carteri
 Site 907, A:72
 Site 909, A:173, 175; B:172, 634, 641
Helicosphaera inversa, Arctic Ocean, B:53
Helicosphaera sellii
 Site 909, A:173
 Site 910, A:234, 236; B:42
 Site 911, A:279; B:51, 54, 58–59
Hemiaulus elegans, Site 913, B:81, 98
Hemiaulus horridus group, Site 908, B:98
Hemiaulus hostilis, Site 908, B:78
Hemiaulus incisus, Site 908, B:78, 80, 98
Hemiaulus polycystinorum, Site 913, A:362; B:81
Hemiaulus polymorphus, Site 913, A:362; B:81
Hemiaulus spp., Site 913, B:81
hemisphaericus, *Cannopilus*
 East Greenland Margin, B:103
 Site 908, B:111, 118
 Site 913, B:112
Henryhowella asperrima, Site 910, B:199
 ?*Hermanites* sp., Site 910, B:200
Hermesinella cf. *transversa*, Site 908, B:122
Hermesinella conata, Site 908, B:122
Hermesinella fenestrata, Site 913, B:122
Hermesinella paraconata n. sp., Site 908, B:111,
 115, 123
Hermesinella schulzii, Site 908, B:122
Hermesinopsis aplanata, Site 913, B:122
Hermesinopsis exigua, Site 908, B:111, 122
Hermesinopsis sp. A, Site 908, B:124
Hermesinopsis sp. B, Site 113, B:112, 640
Hermesinopsis valida, Site 908, B:122
Hermesinopsis? sp. B, Site 913, B:122
Hermesinum acus n. sp., Site 908, B:111, 115, 124
Hermesinum geminum, Site 908, B:113, 124
Hermesinum obliquum, Site 908, B:124
Heteraulacacysta porosa, Site 913, B:209–210,
 223
Heteraulacacysta sp. 1, Site 913, B:223
Heteraulacacysta? leptalea, Site 913, B:223
Heterocyprideis sorbyana, Site 910, B:200
Heterosestrum sexispinatum, Site 913, B:133
Heterosestrum sexispinatum rotundum, Site 913,
 B:135, 145
hexacantha, *Corbisema*
 East Greenland Margin, B:103, 118
 Site 913, B:112, 640
Hexaconthium pachydermum, Site 907, A:71
Hexaconthium sp. aff. *Hexaconthium*

- pachydermum*, Site 913, A:363
Hexacanthium hexactis, Site 913, B:135, 145
Hexacanthium sp., Site 913, B:135, 146
hexactis, *Hexacanthium*, Site 913, B:135, 145
?Hirschmannia sp., Site 910, B:200
hirsuta, *Batiacasphaera*
 Site 907, B:286
 Site 913, B:216
hispida, *Corythospyris*, Site 907, A:72
Histiocysta sp., Site 913, B:224
histricosus, *Ceratocystis*, Site 907, A:71–72
holtedahli, *Actinomma* sp. cf. *Actinomma*, Site 913, B:134, 145
Homotryblium tenuispinosum, Site 913, B:224
Hormosina globulifera, Site 909, B:173, 183
Hormosinella carpenteri, Site 909, B:183
Hormosinella sp., Site 909, B:173, 183
Horologinella sp. 1, Site 913, B:241
horrida, *?Pseudodictyophimus*, Site 908, B:140, 150
horridus, *Haplophragmoides*, Site 913, B:185
horridus, *Stephanopyxis*, Site 912, A:328
horridus group, *Hemiaulus*, Site 908, B:98
hostilis, *Hemiaulus*, Site 908, B:78
Hovassebria brevispinosa, Site 913, B:122
hovassei, *Haplohermesinum*, Site 908, B:122
hughesi, *Elphidiella*, Site 910, B:189, 191–192, 195
humunica var. *rondipoda* n. var., *Sceptroneis*, Site 908, B:78, 80, 88, 92
hustedtii, *Denticulopsis*, Site 907, A:70; B:62, 67
huxleyi, *Emiliana*
 Site 908, A:124; B:632
 Site 910, A:232, 236; B:42
 Site 911, A:279; B:43, 52–53, 58–59
 Site 913, A:363; B:638
Hyperammia elongata
 Site 909, B:183
 Site 913, B:184
Hyperammia rugosa, Site 913, B:184
Hyperammia spp., Site 909, A:174
Hystrichokolpoma cinctum, Site 913, B:224
Hystrichokolpoma rigaudiae, Site 913, B:224
Hystrichokolpoma sp. 2, Site 909, B:261, 634
Hystrichosphaeridium sp., Site 910, A:236
Hystrichosphaeropsis spp., Site 913, A:364
Hystrichostrogylon membraniphorum, Site 913, B:241

ignota, *Melosira*, Site 908, B:78–80, 95
Ikebea tenuis, Site 907, B:62
imbricata, *Siphocampe*
 Site 908, B:132
 Site 913, B:133, 141, 152, 640
Impagidinium aculeatum
 Site 911, B:246
 Site 913, B:281
Impagidinium cf. *Impagidinium aculeatum*, Site 913, B:224
Impagidinium cf. *Impagidinium velorum*, Site 913, B:224
Impagidinium cf. *strialatum*, Site 911, B:249
Impagidinium pallidum, Site 907, B:257
Impagidinium? *pallidum*, Site 911, B:246–248, 253
Impagidinium paradoxum, Site 911, B:246, 248
Impagidinium patulum
 Site 909, B:264
 Site 911, B:246, 248
Impagidinium sp.
 Site 908, A:125
 Site 913, A:364; B:224
Impagidinium sp. 1, Site 909, A:175
Impagidinium sp. 3, Site 907, A:73

Impagidinium sp. A, Site 911, B:246, 250
Impagidinium striatum
 Site 907, B:258–259
 Site 909, B:264, 282
Impagidinium velorum, Site 913, B:224
Inaperturopollenites, Site 908, B:291
Inaperturopollenites, vs. depth, B:295
incertus, *Ammodiscus*, Site 913, B:184
incisus, *Hemiaulus*, Site 908, B:78, 80, 98
incompositum, *Corrudinium*, Site 913, B:209–210, 220
inconspicuum, *Triceratium*, Site 913, B:640
indistincta, *Bolboforma*, Site 913, A:364
indivisa, *Rhizammina?*
 Site 909, B:183
 Site 913, B:184
inermis minor, *Corbisema*, Site 913, A:362
inflata, *Globoconella*
 Site 909; B:159
 Site 911, B:154, 166
inflatum, *Cytheropteron*
 Site 910, B:199–200
 Site 911, B:200
infusorioides, *Palaeohystrichophora*, Site 913, B:242
ingens, *Actinocyclus*
 Site 907, A:74; B:62, 66
 Site 913, A:362
Inoceramus
 Site 907, A:72
 Site 910, B:157, 656
 Site 911, B:154, 157
 Site 912, A:404; B:158
insignis, *Asterolampra*, Site 913, A:362; B:81, 97
Intratropopollenites, Site 908, B:292
invaginata, *Cymatiosphaera*, Site 907, B:258, 287
inversa, *Helicosphaera*, Arctic Ocean, B:53
inversibuccinum, *Paucisphaeridium*, Site 913, B:233
Invertocysta tabulata, Site 908, B:273, 287
irregularis, *Actinoptychus*
 Site 908, B:78
 Site 913, B:81, 97
irregularis, *Eurossia*, Site 908, B:78, 80, 96
irregularis var. *incurvatus*, *Eurossia*, Site 908, B:80, 96
irregulata, *Thalassiosira* sp. aff. *Thalassiosira*
 Site 908, A:123
 Site 913, A:362
Isabelidium sp. cf. *Isabelidium cooksoniae*,
 Site 909, A:175
Isabelidium spp., Site 907, B:259
Islandiella algida, Site 910, B:196
Islandiella helenae, Site 910, B:196
Islandiella norcrossa
 Site 910, B:196
 Site 912, B:471–474
israelianum, *Operculodinium*
 Site 907, B:259
 Site 909, B:264, 280, 282
Isthmolithus recurvus, Site 907, A:72

jacksonii, *Thalassiosira*
 Site 907, A:69, 74; B:67–68, 631
 Site 908, A:122, 125
manduchenei, *Operculodinium*, Site 913, B:281
joides, *Botryostrobos*, Site 913, A:363; B:133, 137, 148
jorgenseni, *Artoctrobos*, Site 907, A:71
jouseae, *Cannopilus*, East Greenland Margin,
 B:112, 118
jouseana, *Synedra*, Site 908, A:123
jouseanus, *Cavitatus*, Site 908, B:78, 80, 93
jubata, *Corythospyris*, Site 910, A:232

Juglanspollenites, Site 908, B:292
jurassica, *Gonyaulacysta*, Site 907, B:259

Kallosphaeridium? sp. 1, Site 913, A:364; B:232
Kamptmerius magnificus, Site 907, A:72
Kannoa spp., Site 908, B:93
Karrerella siphonella, Site 909, B:173
Karrerulina conversa, Site 913, B:184, 640
katharinae, *Corbisema*, East Greenland Margin,
 B:118
katharinae, *Corbisema* sp. cf. *Corbisema*, Site 913, A:362
Kechenotiske expansus, Site 909, A:174
keruelensis, *Botryostrobos* sp. aff. *Botryostrobos*,
 Site 913, B:137, 148
kirki, *Haplophragmoides* cf.
 Site 909, B:173
 Site 913, B:185
kittonianus, *Stictodiscus*, Site 913, A:362
Krithe glacialis
 Site 910, B:199–200
 Site 911, B:200
kryophila, *Thalassiosira*, Site 907, A:77
kullenbergi, *Cibicides*, Site 907, A:73; B:631

labradoricum, *Nonion*, Site 910, B:195
Labyrinthodinium truncatum
 Site 907, A:73; B:262
 Site 908, B:273
 Site 909, B:287, 634
labyrinthus, *Nematosphaeropsis*, Site 911,
 B:246–248, 253
lacunosa, *Pseudoemiliana*
 Site 644, B:495
 Site 908, B:632
 Site 909, A:173
 Site 910, A:233–234, 236; B:42, 54
 Site 911, A:279; B:43, 53, 58–59
 Site 912, A:328
laevigata, *Cassidulina*
 Site 910, B:191
 Site 912, A:329
laevigata, *Glandulina*, Site 910, B:196
lamella, *Recurvoidella*, Site 909, B:183
lamellifera, *lamellifera*, *Corbisema*, East
 Greenland Margin, B:118
lammellifera, *Corbisema*, Site 908, B:113
Larcospira bulbosa Zone, Site 907, A:72
Larix
 Site 910, B:298
 Site 911, B:299
 Yermak Plateau, B:302
lata, *Carduifolia*, Site 908, B:124
laticinctum granulatum, *Pentadinium*, Site 913,
 B:234
laticinctum laticinctum, *Pentadinium*, Site 913,
 B:234
latissima, *Nothia*, Site 909, B:173, 183
latum, *Ditripodium*, Site 908, B:124
lauta, *Denticulopsis*, Site 907, A:70
Lejeunecysta communis, Site 911, B:246
Lejeunecysta sp.
 Site 907, A:73
 Site 908, A:125
 Site 909, A:175
 Site 910, A:236
 Site 911, B:250
 Site 913, A:364
Lejeunecysta sp. cf. *Lejeunecysta tenella*, Site 908,
 A:125
lemniscata, *Nematosphaeropsis*
 Site 909, B:287
 Site 913, B:232
leptalea, *Heteraulacysta?*, Site 913, B:223

- leptodermata*, *Deflandrea* sp. cf. *Deflandrea*, Site 913, A:364
- leptoporus*, *Calcidiscus*
Site 644, B:495
Site 911, B:58–59
- Letinia serrata*, Site 913, B:232
- Letinia* sp. 1, Site 913, B:232
- levimurum*, *Phthanoperidinium* cf. *Phthanoperidinium*, Site 913, B:229
- Licmophora?* sp., Site 908, B:95
- limbata*, *Menardella*, Site 910, B:157, 167, 656
- limnicola*, *Astrorhiza*, Site 910, B:188
- lineatum*, *Thalassionema*
Site 907, A:69; B:67–68
Site 908, A:122
- Lingulodinium machaerophorum*, Site 913, B:232
- Lingulodinium* spp., Site 913, A:364
- Lipmanella* sp., Site 908, B:138, 149
- Liriospyris cricus*, Site 907, A:71
- Liriospyris cricus* Zone, Site 907, A:71
- Lisitzinia ornata*, Site 908, B:78
- Lithelid* gen. et spp. indet., Site 908, B:135, 146
- Lithelius nautiloides*, Site 908, A:124
- Lithelius* sp. aff. *Lithelius nautiloides*, Site 908, B:132, 135, 146
- Lithomelissa setosa*, Site 907, A:72
- Lithomelissa* spp., Site 908, A:124; B:138–139, 149
- Lithomitra elegans* group, Site 913, A:363
- Lithomitra embrionalis*, Site 913, A:363
- Lithomitra* sp. A, Site 913, A:363
- Lithomitra* sp. A Zone, Norwegian–Greenland Sea, B:132
- Lithomitra* sp. aff. *Lithomitra nodosaria*, Site 913, A:363
- Lithomitra(?)* sp. “P”, Site 913, A:363
- Lithomitrella minuta*, Site 913, A:363
- Lithomitrella* sp. aff. *Lithomitrella elizabethae*, Site 913, A:363
- Lithomitrella stathmeporoides*, Site 913, A:363
- litoformis*, *Litotuba*, Site 909, A:174
- litos*, *Lophocyrtis*, Site 913, B:139, 150
- litos*, *Theocyrtis*, Site 913, A:363
- Litosphaeridium* sp., Site 913, B:232
- Litotuba litoformis*, Site 909, A:174
- liviae*, *Actinomma*, Site 910, A:232
- lobatulus*, *Cibicides*, Site 910, B:188
- lobospinosum*, *Chiropteridium*, Site 913, B:209, 219, 640
- longifurcatum*, *Surculosphaeridium*, Site 913, B:204
- longifurcatum*, *Surculosphaeridium?*, Site 913, B:242
- longissima*, *Thalassiosira*, Site 907, B:68
- Lophocorys norvegiensis*, Site 913, A:363
- Lophocorys norvegiensis* Zone, Site 913, A:363; B:133–134
- Lophocyrtis andriashevi*, Site 913, B:134, 139, 149
- Lophocyrtis litos*, Site 913, B:139, 150
- Lophocyrtis norvegiensis*, Site 913, B:139, 150
- Lophocyrtis semipolita*, Site 913, B:139, 150
- Lophocyrtis* spp., Site 913, B:133, 139, 150, 640
- Lophocysta* sp. 1, Site 913, B:232
- Lophophaena clevei*, Site 913, B:139–140, 150
- Lophophaena macrencephala*, Site 913, B:140, 150, 640
- Loxococoncha* sp., Site 910, B:200
- lucifuga*, *Nubecularia*, Site 913, B:184
- Lycopodiumsporites*, Site 908, B:291
- Lycospora*, Site 911, B:301
- Lynamula furcula*, Site 908, B:111, 118
- machaerophorum*, *Lingulodinium*, Site 913, B:232
- macrencephala*, *Lophophaena*, Site 913, B:140, 150, 640
- Macrora barbadensis*
Site 908, B:78, 97
Site 913, A:362
- Macrora* spp., Site 908, B:80
- Macrora stella*, Site 908, B:97, 124
- magnifica*, *Peripyramis*, Site 913, B:140, 150
- magnifica*, *Peripyramis* sp. aff. *Peripyramis*, Site 913, B:134, 140, 150
- magnificus*, *Kampferius*, Site 907, A:72
- major*, *Bathysiphon*, Site 910, B:188
- Manivitella pennatoidea*, Site 913, A:363
- margarita*, *Alisocysta*, Site 913, B:239
- marginatus*, *Coscinodiscus*, Site 907, A:69, 77
- marina/reinholdii*, *Nitzschia*, Site 907, A:69
- marthae*, *Spongebria*, Site 908, B:122
- Martinottiella communis*
Site 907, A:73; B:631
Site 913, A:363
- marylandica*, *Asterolampra*, Site 913, B:81
- mashae*, *Ceratocyrtis*
Norwegian–Greenland Sea, B:131
Site 907, A:72
Site 908, B:132, 138, 149
- Mastagloia* spp., Site 908, B:78
- matalosa*, *Vagalapilla*, Site 913, A:363
- matchigaricus*, *Nonion*, Site 910, B:189, 192, 196
- mayenica*, *Sceptroneis*
Site 908, B:78
Site 913, B:81, 92
- mediaconvexa*, *Thalassiosira*
Site 908, B:78
Site 913, B:81, 95
- Melittasphaeridium choanophorum*
Site 908, A:125
Site 909, A:175
- Melittasphaeridium pseudorecurvatum*, Site 913, B:232
- Melonis zaandamae*
Site 909, A:174
Site 910, A:236
Site 911, A:280–281
- Melosira ignota*, Site 908, B:78–80, 95
- membraniphorum*, *Hystrichostrogylon*, Site 913, B:241
- Membranophoridium* sp., Site 913, B:223
- Menardella limbata*, Site 910, B:157, 166, 656
- Menardella menardii*, Site 910, B:157, 167, 656
- menardii*, *Menardella*, Site 910, B:157, 167, 656
- Mesocena apiculata glabra*, Site 913, A:362
- Mesocena apiculata/inflata* transitional forms, Site 913, A:362
- Mesocena diodon* Zone, East Greenland Margin, B:103, 111
- Mesocena quadrangula*, East Greenland Margin, B:111, 120
- Mesocena quadrangula* Zone, East Greenland Margin, B:111
- Mesocena* sp. cf. *Mesocena elliptica*, Site 912, A:328
- michoudii*, *Areosphaeridium*, Site 913, B:210, 218
- Micrhystridium* sp. 1, Site 913, B:232
- micropapillata*, *Batiacasphaera*
Site 907, B:286
Site 908, B:273
- micropapillata* s. l., *Batiacasphaera*, Site 913, B:216
- Microrhabdulus decoratus*, Site 907, A:72
- Micula decussata*
Site 907, A:72
Site 908, A:124
- Millionella* sp., Site 909, A:174
- minimum*, *Cordosphaeridium*, Site 913, B:219
- minor*, *Naviculopsis*, East Greenland Margin, B:112, 120
- minor/foliacea*, *Naviculopsis* sp. cf. *Naviculopsis*, Site 913, A:362
- minuta*, *Lithomitrella*, Site 913, A:363
- minuta*, *Multispinula*, Site 909, A:175
- minuta*, *Siphocampe*, Site 913, B:134, 141, 152
- minuta*, *Siphocampe* sp. cf. *Siphocampe*, Site 913, B:141, 152
- minutum* s. l., *Algidasphaeridium?*, Site 911, B:246, 249
- miocenica*, “*Fragilaria*”, Site 908, B:80, 93
- miocenica*, *Rhizosolenia*, Site 907, B:74
- miocenica*, *Spongebria*, Site 913, A:362; B:112, 124
- miocenica*, *Thalassiothrix*, Site 907, A:69; B:68, 72
- miopelagicus*, *Coccolithus*, Site 909, A:173
- mirabilis*, *Spiniferites*, Site 909, B:264
- monicae*, *Coscinodiscus*, Site 913, A:362
- Monobrachia* spp., Site 913, B:81, 94
- Monobrachia unicornuta*, Site 913, A:362; B:94
- Muellerina abyssicola*, Site 910, B:199–200
- multicamerata*, *Budashevella*, Site 909, A:174; B:173
- multicornuta*, *Enneadocysta*, Site 913, B:218
- Multispinula minuta*, Site 909, A:175
- multispinum*, *Phthanoperidinium*, Site 913, B:229–230
- Myllocerion* spp., Site 912, A:328
- nana*, *Paragloborotalia*, Site 911, B:166
- nansenii* n. sp., *Thalassiosira*, Site 908, B:78, 80, 89, 95
- Nassellarian* gen. et sp. indet., Site 913, B:140, 150
- nautiloides*, *Lithelius*, Site 908, A:124
- nautiloides*, *Lithelius* aff. *Lithelius*, Site 908, B:132, 135, 146
- Navicula udintsevii*
Site 908, B:78
Site 913, B:81, 93
- Naviculopsis* aff. *constricta* sensu Perch-Nielsen, Site 908, B:120
- Naviculopsis aspera*, Site 908, B:120
- Naviculopsis biapiculata*
Site 908, B:120
Site 913, A:362
- Naviculopsis constricta*, Site 913, B:120
- Naviculopsis danica*, Site 908, B:120
- Naviculopsis eobiapiculata*
Site 908, B:120
Site 913, A:362
- Naviculopsis foliacea*, Site 913, B:112, 120, 640
- Naviculopsis lata* Zone, East Greenland Margin, B:103
- Naviculopsis minor*, East Greenland Margin, B:112, 120
- Naviculopsis navicula* Zone, East Greenland Margin, B:103
- Naviculopsis ponticula*, Site 913, A:362
- Naviculopsis quadratum*, East Greenland Margin, B:103
- Naviculopsis robusta* Zone, East Greenland Margin, B:102
- Naviculopsis* sp., Site 912, A:328
- Naviculopsis* sp. cf. *Naviculopsis minor/foliacea*, Site 913, A:362
- Nematosphaeropsis labyrinthus*, Site 911, B:246–248, 253
- Nematosphaeropsis lemniscata*
Site 909, B:287
Site 913, B:232
- Nematosphaeropsis rigida*

- Site 907, B:257, 259
Site 909, B:264, 282
Nematosphaeropsis sp. 1, Site 913, B:233
Nematosphaeropsis sp. 2, Site 913, B:233
Nematosphaeropsis spp., Site 907, B:259, 282
neocarinata, *Paracassidulina*, Site 910, B:188, 191–192, 634
Neodelphineis pelagica, Site 908, B:93
Neodelphineis spp., Site 908, B:78, 273
Neogloboquadrina asanoi, Site 909, A:174; B:159, 166
Neogloboquadrina atlantica
Arctic Ocean, B:153
Site 646, B:521
Site 909, A:174; B:521, 634
Site 910, B:191
Site 911, B:154, 157
Neogloboquadrina atlantica dextral Zone, Arctic Ocean, B:153–154, 157
Neogloboquadrina atlantica sinistral
Site 910, A:234, 236; B:166
Site 911, A:279, 285
Neogloboquadrina atlantica sinistral Zone
Site 907, A:72; B:631
Site 909, A:173–175; B:159
Site 910, A:234; B:157
Site 911, A:280; B:157
Site 912, A:329; B:157–158
Neogloboquadrina atlantica Superzone
Arctic Ocean, B:153
Site 909, B:159
Neogloboquadrina atlantica Zone,
Norwegian–Greenland Sea, B:628
Neogloboquadrina dutertrei, Site 910, B:157, 167, 656
Neogloboquadrina pachyderma dextral
Site 907, A:72
Site 910, A:236; B:157, 656
Site 911, A:279; B:157
Site 913, A:363
Neogloboquadrina pachyderma sinistral
Site 644, B:494–506
Site 907, A:72; B:314, 438–442, 456–465, 494–503
Site 908, A:124; B:160–161, 632
Site 909, B:159, 438–442, 470–481, 494–506
Site 910, A:234, 236; B:157, 166, 438–442, 445–454, 634
Site 911, A:279, 285; B:154
Site 912, A:329; B:158, 470–481
Site 913, A:363; B:161
vs. depth, B:496–498
Neogloboquadrina pachyderma sinistral Zone
Norwegian–Greenland Sea, B:628
Site 907, A:72
Site 908, B:632
Site 909, A:173, 175; B:159
Site 910, A:234
Site 911, A:280; B:153
Site 913, B:638
Sites 909 and 911, A:415
Neogloboquadrina sp. cf. *Neogloboquadrina dutertrei*
Site 910, A:234; B:157
Site 913, A:363
Neogloboquadrina sp. juv. Zone,
Norwegian–Greenland Sea, B:628
nephroides, *Selenopemphix*
Site 908, A:125
Site 910, A:236
Site 913, B:235
new taxa
East Greenland Margin, B:115, 123–124
Site 908, B:78, 80, 83, 88–89, 92–99
Site 910, B:200
nidulus, *Thalassiosira*
Site 907, A:69
Site 912, A:328
nitidus, *Stictodiscus*, Site 908, B:96
Nitzschia atlantica, Site 907, A:69
Nitzschia donahuensis, Site 907, B:62, 74
Nitzschia donahuensis Interval, Site 907, B:62
Nitzschia marina/reinholdii, Site 907, A:69
Nitzschia pseudocylindrica, Site 907, A:69
niveum, *Nonion*, Site 910, B:191
nodosaria, *Lithomitra* sp. aff. *Lithomitra*, Site 913, A:363
nodulosus, *Reophax*
Site 909, A:174
Site 913, B:184
Nonion barleeanum
Site 910, B:188, 196
Site 912, B:471–475
Nonion erucopsis, Site 910, B:191
Nonion labradoricum, Site 910, B:195
Nonion matchigarius, Site 910, B:189, 192, 196
Nonion niveum, Site 910, B:191
norcrossa, *Islandiella*
Site 910, B:196
Site 912, B:471–474
norvegiensis, *Distephanus*, Site 908, B:119
norvegiensis, *Lophocorys*, Site 913, A:363
norvegiensis, *Rhizocorys*, Site 913, B:139, 150
norvegica, *Rhizosolenia*, Site 907, B:74
norwegicus, *Coscinodiscus*, Site 907, B:62
Nothia excelsa
Site 909, B:173–174
Site 913, B:174, 184
Nothia latissima, Site 909, B:173, 183
Nothia robusta, Site 913, B:184
novum, *Ammodoichium*, Site 913, B:122
Nubecularia lucifuga, Site 913, B:184
obliqua, *Dictyocha*, Site 908, B:119
obliquum, *Gartmergo*, Site 913, A:363
obliquum, *Hermesinum*, Site 908, B:124
obliquus extremus, *Globigerinoides*, Site 910, B:167
occulatus, *Actinocyclus*, Site 912, A:328
oceanica, *Gephyrocapsa*
Site 907, A:72
Site 910, A:232, 236; B:42, 448, 634
Site 911, A:279, 281; B:52–53, 58–59, 634
Site 912, A:328–329
Site 913, A:363; B:640
Oculopollis, Site 911, B:301
Odontella spp., Site 908, B:78
Odontochitina sp.
Site 909, A:175
Site 910, A:236
Site 913, B:241
Odontotropis carinifera, Site 913, B:98
Odontotropis spp., Site 913, B:81
oebisfeldensis, *Deflandrea*, Site 913, B:240
oestrupii, *Thalassiosira*
Site 907, A:69, 74; B:67–68
Site 908, A:122, 125
Site 912, A:328
officinalis, *Globigerina*, Site 911, B:157
oligocaenica, *Azpeitia*, Site 908, B:80, 96
oligocaenica, *Pyxilla*, Site 908, B:80, 94
oligocaenica, *Rhizosolenia*, Site 908, B:78, 80, 94
oligocaenica var. *A*, *Rhizosolenia*, Site 908, B:94
oligocaenica var. *styliforma* n. var., *Rhizosolenia*, Site 908, B:78, 80, 88
oligocaenica var. *tenuis*, *Pyxilla*, Site 908, B:94
oligocenicus, *Asteromphalus*, Site 908, B:80, 97
oligocenicus, *Coscinodiscus*, Site 913, A:362; B:81, 99
Oligosphaeridium sp.
Site 909, A:175
Site 910, A:236
onopordoides, *Carduifolia*, Site 908, B:124
Operculodinium centrocarpum
Site 911, B:246–248, 250, 253
Site 913, B:233
Operculodinium crassum, Site 911, B:250
Operculodinium divergens, Site 913, B:233
Operculodinium israelianum
Site 907, B:259
Site 909, B:264, 280, 282
Operculodinium janduchenei, Site 913, B:281
Operculodinium piaseckii
Site 907, B:257
Site 908, B:273
Operculodinium sp.
Site 907, A:73
Site 908, A:125
Site 913, A:364
Operculodinium sp. 1, Site 913, B:233
Operculodinium sp. A, Site 911, B:250
Orbulina universa
Site 909, B:159
Site 911, B:154, 166
ordinata, *Glaphyrocysta*, Site 913, B:223
Oridorsalis umbonatus
Site 907, B:456–466
Site 909, B:471–474
ornata, *Anuloplicata*, Site 913, B:81
ornata, *Lisitzinia*, Site 908, B:78
ossiformis, *Rhaphoneis*, Site 907, B:74
pachyderma dextral, *Neogloboquadrina*
Site 907, A:72
Site 910, A:236; B:157, 656
Site 911, A:279
Site 913, A:363
pachyderma sinistral, *Neogloboquadrina*
Site 644, B:494–506
Site 907, A:72; B:314, 438–442, 456–466, 494–506
Site 908, A:124; B:160–161, 631
Site 909, B:158, 438–442, 470–477, 494–506
Site 910, A:234, 236; B:157, 166, 438–442, 445–454, 634
Site 911, A:279; B:154
Site 912, A:329; B:158, 470–477
Site 913, A:363; B:161
pachydermum, *Hexacanthium*, Site 907, A:71
pachydermum, *Hexacanthium* sp. aff.
Hexacanthium, Site 913, A:363
paenedehiscens, *Sphaeroidinellopsis* sp. aff.
Sphaeroidinellopsis, Site 910, B:157, 167
Palaeocystodinium bulliformum, Site 913, B:241
Palaeocystodinium golzowense
Site 907, A:73; B:257, 631
Site 908, B:273
Site 909, B:263, 634
Site 913, B:231, 281
Palaeocystodinium sp.
Site 908, A:125
Site 909, A:175
Site 913, A:364
Palaeocystodinium sp. 1
Site 908, B:282, 287
Site 913, B:231
Palaeohystrichophora infusorioides, Site 913, B:242
Palaeotetradinium sp. 1, Site 913, B:241
pallidum, *Impagidinium*, Site 907, B:257
pallidum, *Impagidinium?*, Site 911, B:246–248,

- 253
palmipodiscus, *Corythospyris*
 Site 908, B:132, 632
 Site 913, B:133, 138, 149, 640
panduraeformis, *Xanthopyxis*, Site 913, A:362;
 B:81
pansa, *Thalassiphora*?, Site 908, B:273, 286
Paracassidulina neocarinata, Site 910, B:188,
 191–192, 634
Paracassidulina sagamenensis, Site 910, B:188,
 192, 196, 634
paraconata n. sp., *Hermesinella*, Site 908, B:111,
 115, 123
paradoxum, *Distatodinium*
 Site 907, B:257, 262
 Site 908, A:125; B:218, 285
 Site 909, B:262
paradoxum, *Impagidinium*, Site 911, B:246, 248
Paragloborotalia acostaensis, Site 911, B:157
Paragloborotalia continuosa, Site 911, B:157, 166
Paragloborotalia nana, Site 911, B:166
paralatissimum, *Cytheropteron*, Site 910, B:199
Paralia crenulata
 Site 908, B:95
 Site 913, B:81
Paralia spp., Site 908, B:78
Paralia sulcata
 Site 908, A:122
 Site 909, A:173
 Site 913, B:81
parallela, *Gephyrocapsa*
 Site 907, A:72
 Site 910, B:42, 53
Paramesocena circulus apiculata Zone, East
 Greenland Margin, B:111
Paratrochammina challengeri, Site 909, B:183
Parebriopsis symmetrica
 East Greenland Margin, B:112
 Site 908, B:122
parvus group, *Porodiscus*, Site 913, A:362
patulum, *Impagidinium*
 Site 907, B:264
 Site 911, B:246, 248
Paucilobomorpha triradiata, Site 913, B:234
Paucisphaeridium inversibuccinum, Site 913,
 B:233
paucispina, *Rhombodella*, Site 913, B:204, 242
paulii, *Distephanus*, Site 908, B:111–112, 120
pelagica, *Neodelphinis*, Site 908, B:93
pelagica, *Thalassiphora*, Site 913, B:225
pelagicus, *Coccolithus*
 Arctic Ocean, B:39–59
 Site 644, B:494–506
 Site 907, A:72
 Site 909, B:494–506
 Site 910, A:234; B:42, 54
 Site 911, A:279; B:51–52, 58–59
 Site 912, A:328
permmatoidea, *Manivitella*, Site 913, A:363
peniculata, *Eocladopyxis*, Site 913, B:219
Pentadinium laticinctum granulatum, Site 913,
 B:234
Pentadinium laticinctum laticinctum, Site 913,
 B:234
Pentapharsodinium cf. *dalei*, Site 911, B:246–247,
 250, 253
pentasterias, *Actiniscus*
 Site 913, B:112
 Site 908, B:124
Peripyramis magnifica, Site 913, B:140, 150
Peripyramis sp. aff. *Peripyramis magnifica*, Site
 913, B:134, 140, 150
Peripyramis spp., Site 913, A:363
pesplanus, *Sceptroneis*, Site 908, B:78
Phelodinium spp., Site 913, A:364; B:234
 ?*Phelodinium* spp., Site 909, A:175
Phorticium clevei, Site 907, A:71
Phorticium sp. A, Site 908, A:124–125
Phorticium sp. A Zone, Site 908, B:132–133
phosphoritica, *Deflandrea*
 Site 908, B:273
 Site 909, A:175; B:221
phosphoritica, *Deflandrea* sp. cf. *Deflandrea*, Site
 908, A:125
Phthanoperidinium alectrolophum, Site 913,
 B:226
Phthanoperidinium amoenum
 Site 908, B:273, 285
 Site 913, B:209–210, 226
Phthanoperidinium comatum, Site 913, B:227
Phthanoperidinium distinctum, Site 913, B:210,
 227
Phthanoperidinium echinatum, Site 913, B:228
Phthanoperidinium filigranum, Site 913, B:209,
 228
Phthanoperidinium geminatum, Site 913, B:210,
 212, 229
Phthanoperidinium multispinum, Site 913,
 B:229–230
Phthanoperidinium powellii, Site 913, B:210, 230
Phthanoperidinium resistente, Site 913, B:230
Phthanoperidinium sp. cf. *Phthanoperidinium*?
eocenicum, Site 913, B:227
Phthanoperidinium sp. cf. *Phthanoperidinium*
levimurum, Site 913, B:229
Phthanoperidinium sp. cf. *Phthanoperidinium*
stockmansii, Site 913, A:364
Phthanoperidinium spp., Site 913, A:364
piaseckii, *Operculodinium*
 Site 907, B:257
 Site 908, B:273
Picea
 Site 908, B:292
 Site 910, B:298, 656
 Site 911, B:299
 Yermak Plateau, B:302
Piceapollenites, Site 908, B:292
picus, *Pseudostictidiscus*, Site 913, B:97
Pinnularia spp., Site 908, B:78
Pinus
 Site 910, B:298, 656
 Site 911, B:299
 Yermak Plateau, B:302
Pityosporites, Site 908, B:292
placacantha, *Systematophora*, Site 909, B:263
placenta, *Reticulophragmium*, Site 909, B:173
placenta, *Saccamina*, Site 913, B:184
Planolites, Site 913, B:417–418
plasticum, *Actinomma*, Site 907, A:72
platycephalus, *Pseudodictyophimus*
 Norwegian–Greenland Sea, B:131
 Site 908, B:132, 140, 150, 632
Platycystidia? sp., Site 907, A:73
plicatus, *Coscinodiscus*, Site 913, A:362
pliocarinata, *Cassidulina*, Site 910, B:191, 196
Poaceae
 Site 911, B:299
 Yermak Plateau, B:302
pokrovskaya, “*Rhizosolenia*?”, Site 908, B:94
Polycope sp., Site 911, B:200
polycystinorum, *Hemiaulus*, Site 913, A:362; B:81
Polykrikos sp., Site 908, B:287
polymorpha, *Clavícula*, Site 913, B:93
polymorphus, *Hemiaulus*, Site 913, A:362; B:81
Polypodiaceasporites, Site 908, B:291
Polyporopollenites, Site 908, B:292
Polysphaeridium congregatum, Site 909, B:264
Polysphaeridium zoharyi, Site 909, B:264
ponticula, *Naviculopsis*, Site 913, A:362
Porodiscus parvus group, Site 913, A:362
Porodiscus spp.
 Site 907, A:72
 Site 912, A:328
 Site 913, A:363; B:135, 146
porosa, *Heteraulacacysta*, Site 913, B:209–210,
 223
Porotheca spp., Site 913, B:81
porrecta, *Cassidulina*, Site 910, A:236
porrectus, *Haplophragmoides*, Site 913, B:174,
 185, 640
potomacensis, *Appendicisporites*, Site 910, B:298
powellii, *Phthanoperidinium*, Site 913, B:210, 230
praearboi, *Proboscia*, Site 907, B:62, 66, 631
praearboi s.s., *Proboscia*, Site 907, A:70
praebuloides, *Globigerina*, Site 911, B:157, 166
praecaducea, *Sceptroneis*, Site 908, B:80, 92
praecompacta, *Cymatosira*, Site 908, B:78, 80, 94
Praecystamina sp., Site 913, B:184
praenitida, *Rocella*
 Site 908, A:123; B:80, 98
 Site 912, A:328
praespinosa, *Bolboforma*, Site 913, A:364
prearentis, *Dictyocha*, Site 908, B:119
Prediscosphaera cretacea
 Site 907, A:72
 Site 908, A:124
Prediscosphaerella cretacea, Site 913, A:363
Proboscia alata, Site 907, B:68
Proboscia barboi
 Site 907, A:69; B:67–68, 72
 Site 912, A:328
Proboscia barboi Interval, Site 907, B:67
Proboscia barboi Zone
 Site 907, A:77
 Site 912, A:328
Proboscia barboi Zone/*Thalassiosira oestrupii*
 Zone transition, Site 912, A:328
Proboscia barboi(?) Zone, Site 912, A:416; B:630
Proboscia barboi/praearboi, Site 907, A:70
Proboscia curvirostris, Site 907, B:68
Proboscia curvirostris Interval, Site 907, B:68,
 631
Proboscia praearboi, Site 907, B:62, 66, 631
Proboscia praearboi Interval, Site 907, B:62, 66
Proboscia praearboi s.s., Site 907, A:70
Proboscia (Rhizosolenia) barboi, Site 907, A:69
Proboscia (Rhizosolenia) barboi Zone, Site 907,
 A:69
productus, *Dictyococcites*
 Site 910, A:236
 Site 911, A:279, 281
profunda, *Cornutella*, Site 913, B:138, 149
propinqua, *Sceptroneis*, Site 908, B:80, 93
Protoperidinium americanum, Site 911, B:247
Protoperidinium denticulatum, Site 911, B:247
Protoperidinium punctulatum, Site 911, B:247
Protoperidinium spp., Site 911, B:250
Prunopyle sp. C “group”
 Site 908, A:124
 Site 910, A:232
Prunopyle spp.
 Site 909, A:173
 Site 912, A:328
 Site 913, A:362–363; B:135, 146
Prunopyle(?) sp. aff. *Prunopyle haysi*, Site 908,
 B:135, 146
Psammospaera fusca, Site 913, B:184
Pseudammodochium dictyoides, Site 913, B:122
Pseudammodochium eximium, Site 908, B:122
Pseudammodochium sp. A, Site 908, B:122
Pseudammodochium sp. B, Site 908, B:122
Pseudammodochium sp. C, Site 913, B:122

- pseudoantarctica*, *Botryopera* (?), Site 913, B:137, 148
Pseudoceratium sp., Site 913, B:204
Pseudoceratium sp. 1, Site 913, B:242
pseudocolligerum, *Dapsilidinium*, Site 913, B:222
pseudocylindrica, *Nitzschia*, Site 907, A:69
Pseudocythere caudata, Site 910, B:199
Pseudodictyophimus gracilis tetracanthus, Site 907, A:71
?Pseudodictyophimus horrida, Site 908, B:140, 150
Pseudodictyophimus platycephalus
 Norwegian-Greenland Sea, B:131
 Site 908, B:132, 140, 150, 632
Pseudodictyophimus sp. A, Site 913, B:140, 150
Pseudodictyophimus sp. B, Site 908, B:140, 151
Pseudodictyophimus sp. C, Site 908, B:140, 151
Pseudodictyophimus(?) sp. D, Site 908, B:140, 151
Pseudoemiliania lacunosa
 Site 644, B:495
 Site 908, B:632
 Site 909, A:173
 Site 910, A:233–234, 236; B:42, 54
 Site 911, A:279; B:43–53, 58–59
 Site 912, A:328
pseudofurcatus, *Spiniferites*, Site 913, B:238
Pseudopyxilla spp.
 Site 908, B:78
 Site 913, B:81
pseudorecurvatum, *Melitasphaeridium*, Site 913, B:232
Pseudostictidiscus picus, Site 913, B:97
Pseudotriceratium cheneveri, Site 913, B:81
Pseudotriceratium radiosoreticulatum, Site 908, B:78, 80, 97
pseudoumbilica, *Reticulofenestra*
 Site 907, A:72
 Site 910, B:43
psilatum, *Tectatodinium*, Site 907, B:258, 286
Pteriptera spp., Site 913, B:81
Pterocarya, Site 911, B:299
Pterocaryapollenites, Site 908, B:292
Pterodinium sp. 1, Site 913, B:234
Pterotheca aculeifera, Site 913, B:81, 99
Pterotheca spp.
 Site 907, B:485, 489
 Site 913, B:81
Pterygocythereis vannieuwenhusei, Site 910, B:188, 192, 200, 634
pulchella, *Synedra*, Site 907, B:62, 74, 631
pulchellus var. *novazealandica*, *Cestodiscus*, Site 908, B:96
Pullina bulloides
 Site 909, B:471–472
 Site 910, B:196
punctifera, *Asterolampra*, Site 913, B:97
punctillata, *Sarsicytheridea*, Site 910, B:200
punctulatum, *Protoperidinium*, Site 911, B:247
pupa, *Sceptroneis*, Site 908, B:77–78, 80, 92
pyramidale, *Ammodochium*, Site 908, B:113, 122
Pyxidiella spp., Site 913, A:364
Pyxilla oligocaenica, Site 908, B:80, 94
Pyxilla oligocaenica var. *tenuis*, Site 908, B:94
quadrangula, *Mesocena*, East Greenland Margin, B:111, 120
quadratum, *Naviculopsis*, East Greenland Margin, B:103
quadriflorus, *Artostrobos*, Site 913, B:133–134, 137, 148
quinqueloba, *Globigerina*, Site 910, B:191
quinqueloba, *Turborotalia*
 Site 907, A:72
 Site 909, B:166
 Site 910, B:157, 656
 Site 913, A:363
Rabilimis sp., Site 910, B:199–200
radiosoreticulatum, *Pseudotriceratium*, Site 908, B:78, 80, 97
ramosa, *Saccorhiza*, Site 910, B:188
ramosa, *Spiniferites*, Site 909, B:264
rectangulare, *Ammodochium*, Site 908, B:122
Recurvoidella lamella, Site 909, B:183
Recurvoides contortus, Site 909, B:183
Recurvoides sp. 1, Site 913, B:185
recurvus, *Isthmolithus*, Site 907, A:72
reducta, *Corbisema*, East Greenland Margin, B:118
regina, *Corbisema*
 East Greenland Margin, B:118
 Site 913, B:112, 640
reniforme, *Cassidulina*
 Site 910, A:236; B:188–189, 191–192, 196
 Site 912, A:329
Reophax elongatus, Site 913, B:184
Reophax nodulosus
 Site 909, A:174
 Site 913, B:184
Reophax scorpiurus
 Site 909, B:173
 Site 910, B:188
Reophax sp., Site 909, B:183, 634
resistente, *Phthanoperidinium*, Site 913, B:230
reticulata, *Reticulofenestra*, Site 908, A:124
Reticulatosphaera actinocoronata
 Site 907, A:73; B:257
 Site 908, B:273
 Site 909, A:175; B:261, 263–264, 634
 Site 913, B:209–210, 234
Reticulofenestra asanoi
 Site 910, B:42
 Site 911, B:51, 58–59
Reticulofenestra daviesii, Site 908, A:124
Reticulofenestra gelida, Site 907, A:72
Reticulofenestra pseudoumbilica
 Site 907, A:72
 Site 910, B:43
Reticulofenestra reticulata, Site 908, A:124
Reticulofenestra samodurovii, Site 908, A:124
Reticulofenestra spp.
 Arctic Ocean, B:39–59
 Site 644, B:495
Reticulofenestra umbilica, Site 907, A:72
Reticulophragmium amplexens
 Site 909, B:173–174, 180–181, 183, 634
 Site 913, B:185, 640
Reticulophragmium amplexens assemblage, Site 909, B:173
Reticulophragmium ex gr. *rotundidorsata*, Site 909, B:173, 183, 634
Reticulophragmium placenta, Site 909, B:173
Reticulophragmium sp., Site 913, B:185
reticulosa, *Glaphyrocysta*?, Site 913, B:223
Rhabdammina abyssorum
 Site 909, B:173, 183
 Site 910, B:188
 Site 913, B:174, 184, 640
Rhabdammina abyssorum Zone, Site 913, B:640
Rhabdammina sp.
 Site 909, A:174; B:634
 Site 910, A:235
 Site 913, A:364
Rhabdonema spp., Site 908, A:123
Rhaphoneis angulata, Site 908, B:93
Rhaphoneis ossiformis, Site 907, B:74
Rhaphoneis sp. A, Site 908, B:93
Rhaphoneis spp., Site 908, B:78
Rhizammina? indivisa
 Site 909, B:183
 Site 913, B:184
Rhizammina sp., Site 908, A:125; B:634
Rhizosolenia hebetata forma *hebetata*, Site 907, B:68
Rhizosolenia hebetata forma *semispina*, Site 907, B:68
Rhizosolenia miocenica, Site 907, B:74
Rhizosolenia norvegica, Site 907, B:74
Rhizosolenia oligocaenica, Site 908, B:78, 80, 94
Rhizosolenia oligocaenica var. A, Site 908, B:94
Rhizosolenia oligocaenica var. *styliforma* n. var., Site 908, B:78, 80, 88, 94
 “*Rhizosolenia?*” *pokrovskayae*, Site 908, B:94
 “*Rhizosolenia?*” sp. A, Site 908, B:94
Rhombodella paucispina, Site 913, B:204, 242
Riedelia claviger, Site 913, A:362
Riedelia? claviger?, Site 908, B:94
rigaudiae, *Hystrichokolpoma*, Site 913, B:224
rigida, *Nematosphaeropsis*
 Site 907, B:257, 259
 Site 909, B:264, 282
robusta, *Antarctica*, Site 913, B:137, 148
robusta, *Nothia*, Site 913, B:184
robustus, *Ceratocyrtis*, Site 907, A:72
Rocella praenitida
 Site 908, A:123; B:80, 98
 Site 912, A:328
Rocella praenitida (*Coscinodiscus praenitidis*)
 Zone, Site 908, A:122
rolfi, *Elphidium*, Site 910, B:191
Roperia tessellata, Site 907, A:69
rossica, *Falsebria*, Site 908, B:122
Rottmestia borussica, Site 913, B:210
rotundata, *Dictyocha*, Site 908, B:113
rotundata rotundata, *Dictyocha*, Site 908, B:119
rotundidorsata, *Reticulophragmium* ex gr., Site 909, B:173, 183, 634
rotundimarginata, *Acarinina* sp. aff. *Acarinina*, Site 913, B:161
rotundidorsata, *Cyclammina*, Site 909, A:174–175
Rouxia sp. A, Site 908, B:93
ruber, *Globigerinoides*
 Site 910, B:167, 656
 Site 911, B:154, 157
rufus, *Bathysiphon*, Site 910, B:188
rugosa, *Hyperammina*, Site 913, B:184
Rutilaria areolata, Site 908, B:94
Rzehakina sp., Site 909, A:174
Saccammina placenta, Site 913, B:184
Saccammina sphaerica, Site 909, B:173, 183
Saccorhiza ramosa, Site 910, B:188
sagamensis, *Paracassidulina*, Site 910, B:188, 192, 196, 634
Salix
 Site 910, B:298
 Site 911, B:299
Samlandia chlamydotheca, Site 913, B:234
samodurovii, *Reticulofenestra*, Site 908, A:124
sandellae, *Clathrospyrus*, Site 907, A:72
Sarsicytheridea bradii, Site 910, B:200
Sarsicytheridea punctillata, Site 910, B:200
Saxifragaceae, Yermak Plateau, B:302
scabridus, *Aquilapollenites*, Site 910, B:298
scalaria, *Subreophax*, Site 909, B:183
Sceptroneis fennerae n. sp., Site 908, B:78, 88, 92
Sceptroneis fennerae Zone, Site 908, B:78, 80, 83, 632
Sceptroneis grunowii, Site 913, B:92
Sceptroneis humunica var. *rondipoda* n. var., Site

- 908, B:78 80, 88, 92
Sceptroneis mayenica
 Site 908, B:78
 Site 913, B:81, 92
Sceptroneis pesplanus, Site 908, B:78
Sceptroneis praecaducea, Site 908, B:80, 92
Sceptroneis propinqua, Site 908, B:80, 93
Sceptroneis pupa, Site 908, B:77–78, 80, 92
Sceptroneis pupa Zone, Site 908, A:122; B:77–78, 80, 83, 632
Sceptroneis spp., Site 908, A:122–123; B:92
Sceptroneis tenue, Site 908, B:80, 92
Sceptroneis vermiformis, Site 908, B:80
schulzii, *Hermesinella*, Site 908, B:122
Sciadopitys
 Site 910, B:298
 Site 911, B:299
Sciadopityspollenites, Site 908, B:291
scitula, *Globigerina*, Site 909, B:172, 628
scitula, *Globorotalia*
 Site 909, B:159
 Site 911, B:154
scorpiurus, *Reophax*
 Site 909, B:173
 Site 910, B:188
Selenopemphix brevispinosa, Site 909, A:175
Selenopemphix dioneaecysta
 Site 908, A:125; B:273, 287
 Site 909, A:175
Selenopemphix nephroides
 Site 908, A:125
 Site 910, A:236
 Site 913, B:235
Selenopemphix sp.
 Site 907, A:73
 Site 908, A:125
 Site 909, A:175
 Site 913, A:364
sellii, *Helicosphaera*
 Site 909, A:173
 Site 910, A:234, 236; B:42
 Site 911, A:279; B:51, 54, 58–59
semicirculata, *Areolegira*, Site 908, B:273
semicirculata, *Areoligera*?, Site 908, B:285
semimulina, *Sphaeroidinellopsis*, Site 910, B:157
semipolita, *Lophocyrtis*, Site 913, B:139, 150
semitecta, *Glaphyrocysta*, Site 913, B:223
Septamesocena apiculata apiculata, Site 913, B:121
Septamesocena apiculata evexa, Site 913, B:121
Septamesocena apiculata glabra, Site 908, B:111–112, 121
septata, *Siphocampe*
 Norwegian–Greenland Sea, B:131, 141, 151
 Site 908, B:132
Sequoiapollenites, Site 908, B:291
seriatus, *Botryostrobos*, Site 907, A:71
serotinum, *Ammodochium*, Site 913, B:122
serrata, *Letinia*, Site 913, B:232
setosa, *Lithomelissa*, Site 907, A:72
sexispinatum, *Heterosestrum*, Site 913, B:133
sexispinatum rotundum, *Heterosestrum*, Site 913, B:135, 145
Sheshukovia spp., Site 913, B:81
Silicisigmoinella sp., Site 909, A:174
simplex, *Brigantedinium*, Site 911, B:246, 253
simplex, *Cytheropteron*
 Site 910, B:200
 Site 911, B:200
simulacrum, *Trinacria*, Site 912, A:328
Siphocampe acephala, Site 913, B:140–141, 151, 640
Siphocampe arachnea
 Site 907, A:71–72
 Site 913, B:141, 152
Siphocampe elizabethae, Site 913, B:141, 152, 640
Siphocampe imbricata
 Site 908, B:132, 141, 152
 Site 913, B:133, 640
Siphocampe minuta, Site 913, B:134, 141, 152
Siphocampe septata
 Norwegian–Greenland Sea, B:131, 141, 151
 Site 908, B:132
Siphocampe sp. A, Site 913, B:142, 152
Siphocampe sp. aff. *Siphocampe stathmeporoides*, Site 913, B:141, 152
Siphocampe sp. B, Site 913, B:142, 152
Siphocampe sp. cf. *Siphocampe minuta*, Site 913, B:141, 152
Siphocampe spp., Site 913, A:363
Siphocampe stathmeporoides, Site 913, B:141, 152, 640
siphonella, *Karriella*, Site 909, B:173
siphonifera, *Globigerinella*, Site 910, B:167
Sirmiodinium grossi, Site 907, B:259
“*Skeletonema*” *utriculosa*, Site 908, B:95
Skolithos, Site 913, B:185, 640
sorbysana, *Heterocyprideis*, Site 910, B:200
 Species 1, Site 913, B:236
 Species 2, Site 913, B:236
 Species 3, Site 913, B:237
 Species 4, Site 913, B:237
 Species 5, Site 913, B:237
 Species 6, Site 913, B:238
spectabilis, *Spiroplectammina*, Site 913, B:174, 184, 640
speculum, *Distephanus*, Site 908, B:111
speculum forma *octonarius*, *Distephanus*, East Greenland Margin, B:111
speculum forma *pentagonus*, *Distephanus*, Site 908, B:119
speculum forma *schulzii* n. nom., *Distephanus*, Site 908, B:119
speculum forma *septenarius*, *Distephanus*, Site 908, B:119
speculum forma *speculum*, *Distephanus*, Site 908, B:119
sphaerica, *Batiacasphaera*, Site 907, B:257, 286
sphaerica, *Saccammina*, Site 909, B:173, 183
Sphaeroidinellopsis semimulina, Site 910, B:157
Sphaeroidinellopsis sp., Site 910, B:157
Sphaeroidinellopsis sp. aff. *Sphaeroidinellopsis paenedehiscens*, Site 910, B:157, 167
Sphaerostylus cristatus, Site 913, B:135, 147
Spinidinium sp., Site 913, B:236
Spiniferites cornuta, Site 908, B:287
Spiniferites cornutus, Site 913, B:238
Spiniferites elongatus, Site 911, B:246–247, 250, 253
Spiniferites mirabilis, Site 909, B:264
Spiniferites pseudofurcatus, Site 913, B:238
Spiniferites ramosus, Site 909, B:264
Spiniferites sp. cf. *Spiniferites elongatus*, Site 908, A:125
Spiniferites spp.
 Site 907, A:73
 Site 908, A:125
 Site 909, A:175
 Site 910, A:236
 Site 911, B:246, 250
 Site 913, A:364
spinosa, *Corbisema*, East Greenland Margin, B:112, 118
spinosa, *Trochosira*, Site 908, B:78, 80, 95
spiridoides, *Apectodinium*, Site 909, B:634
spiridoides, *Apteodinium*, Site 909, B:262
Spirillocamina sp.
 Site 907, A:73
 Site 908, A:125
Spiroplectammina spectabilis, Site 913, B:174, 184, 640
Spirosigmoinella compressa
 Site 909, B:173, 183
 Site 913, A:363
Spirosigmoinella sp.
 Site 907, A:73; B:631
 Site 909, B:173, 183
Spongaster? *tetras* Zone, Site 907, A:71
Spongebria curta, Site 913, B:124
Spongebria marthae, Site 908, B:122
Spongebria miocenica, Site 913, A:362; B:112, 124
Spongocore sp., Site 913, B:136, 147
Spongodiscus spp.
 Site 908, A:124
 Site 912, A:328
 Site 913, A:362
Spongotrochus americanus, Site 908, B:132, 136, 147
Spongotrochus glacialis, Site 907, A:71–72
Spongotrochus sp. aff. *Spongotrochus glacialis*, Site 908, A:124
Spongotrochus spp.
 Site 907, A:71–72
 Site 912, A:328
Spongurus cauleti, Site 907, A:71–72
Spongurus cauleti Zone, Site 907, A:72
Spongurus spp.
 Site 907, A:71
 Site 913, A:363
Spongurus(?) spp. A group, Site 913, B:136, 146
Spongurus(?) spp. B group, Site 913, B:136, 147
Spongurus(?) spp. C group, Site 913, B:136, 147
Spumellarian gen. et sp. indet. #2 of Lazarus and Pallant, Site 908, A:124
Stainforthia concava, Site 910, B:188, 195
Stainforthia feylingi, Site 910, B:188, 195
stathmeporoides, *Lithomitrella*, Site 913, A:363
stathmeporoides, *Siphocampe*, Site 913, B:141, 152, 640
stathmeporoides, *Siphocampe* sp. aff. *Siphocampe*, Site 913, B:141, 152
stella, *Macrora*, Site 908, B:97, 124
stellata, *Stylodictya* sp. cf. *Strylodictya*, Site 913, A:362
Stephanogonia hanzawae
 Site 907, A:69
 Site 908, A:122, 125
 Site 912, A:328
 Site 913, A:362
Stephanogonia spp., Site 908, B:78
Stephanopyxis horridus, Site 912, A:328
Stephanopyxis spp., Site 908, B:78
Stephanopyxis turris
 Site 907, A:69
 Site 908, A:122
 Site 909, A:173
 Site 913, B:81
Stictodiscus kittonianus, Site 913, A:362
Stictodiscus nitidus, Site 908, B:96
stigi, *Ceratocyrtis*
 Norwegian–Greenland Sea, B:131
 Site 908, B:132, 138, 149
stockmansii, *Phthanoperidinium* sp. cf. *Phthanoperidinium*, Site 913, A:364
stomatus, *Haplophragmoides*, Site 909, B:173
striatum, *Impagidinium*
 Site 907, B:258–259
 Site 909, B:264, 282
striatum, *Impagidinium* cf., Site 911, B:249
striatum, *Cerodinium*, Site 913, B:240

- Stylatractus* sp. A, Site 913, B:133, 136, 147
Stylatractus sp. B, Site 913, B:136, 147
Stylodictya aculeata, Site 913, B:134, 136, 147
Stylodictya sp. cf. *Stylodictya stellata*, Site 913, A:362
Stylodictya spp.
 Site 908, A:124
 Site 909, A:173
 Site 912, A:328
 Site 913, A:362–363
Stylodictya targaeformis, Site 913, B:133–134, 136, 147, 640
Stylodictya validispina group, Site 913, B:136, 147
Stylodictya variabilis, Site 913, B:133
Stylospongia communis, Site 913, A:363
Stylotractus spp., Site 913, A:363
Stylotractus universus, Site 909, A:173
Subbotina triangularis, Site 913, B:161
subcoronata, *Trinacria*, Site 913, A:362
suborbicularis, *Haplophragmoides*, Site 913, B:185
Subreophax scalaria, Site 909, B:183
subrotundus, *Cicatricosisporites*, Site 910, B:298
sulcata, *Paralia*
 Site 908, A:122
 Site 909, A:173
 Site 913, B:81
Surculosphaeridium longifurcatum, Site 913, B:204
Surculosphaeridium? *longifurcatum*, Site 913, B:242
Svalbardella cooksoniae, Site 913, B:209, 231
Svalbardella sp. 1, Site 908, B:282–283, 287
Svalbardella sp. cf. *Svalcookbardella cooksoniae*, Site 908, A:125; B:231
symmetrica, *Parebriopsis*
 East Greenland Margin, B:112
 Site 908, B:122
symmetricus?, *Asteromphalus*, Site 913, B:97
Synedra jouseana, Site 908, A:123
Synedra pulchella, Site 907, B:62, 74, 631
Synedra pulchella Interval, Site 907, B:62
 “*Synedra?*” sp. 1, Site 908, B:93
Systematophora placacantha, Site 909, B:263
Systematophora spp.
 Site 907, A:73
 Site 913, B:238
tabulata, *Invertocysta*, Site 908, B:273, 287
talwanii, *Calocyclus*, Site 913, A:363; B:133, 137–138, 148
Tanyosphaeridium sp. 1, Site 913, B:242
targaeformis, *Stylodictya*, Site 913, B:133–134, 136, 147, 640
Taxodiaceae, Site 908, B:292
Tecichichnus, Site 913, B:417
tectata, *Habibacysta*, Site 911, B:246, 248, 253
Tectatodinium grande, Site 913, B:235
Tectatodinium psilatatum, Site 907, B:258, 286
Tectatodinium sp.
 Site 907, A:73
 Site 908, A:125
Tectatodinium sp. 1, Site 913, B:235
tenella, *Lejeunecysta* sp. cf. *Lejeunecysta*, Site 908, A:125
tenerrimus, *Coscinodiscus* aff., Site 908, B:78
tenue, *Goniothecium*
 Site 907, A:70
 Site 913, B:630
tenue, *Sceptroneis*, Site 908, B:80, 92
tenuis, *Ikebea*, Site 907, B:62
tenuispinosum, *Homotryblum*, Site 913, B:224
tenuitabulatum, *Cribroperidinium*, Site 913, B:220
tepiensiense, *Bitectatodinium*, Site 911, B:246–247, 249, 253
teretis, *Cassidulina*
 Site 907, A:73; B:456–466, 631
 Site 909, A:174
 Site 910, A:235–236; B:188–189, 191–192, 196
 Site 911, A:280–281
 Site 912, A:329; B:471–474
Tessarastrum thiedei, Site 907, A:72
Tessarastrum thiedei Zone, Site 907, A:72
tessellata, *Roperia*, Site 907, A:69
testudo, *Cytheropteron*, Site 910, B:199–200
Tetrapyle(?) sp. A, Site 913, B:133, 136, 148
Tetrapyle(?) sp. B, Site 913, B:136, 148
Thaerocythere crenulata, Site 910, B:199
Thaerocythere sp., Site 910, B:200
Thalassionema lineatum
 Site 907, A:69; B:67–68
 Site 908, A:122
Thalassiosira angustelineata, Site 907, B:68
Thalassiosira convexa, Site 912, A:328
Thalassiosira dubiosa
 Site 908, B:78
 Site 913, B:81, 95
Thalassiosira eccentrica, Site 908, A:122, 125
Thalassiosira gravida, Site 907, B:68
Thalassiosira grunowii, Site 907, B:62
Thalassiosira jacksonii
 Site 907, A:69, 74; B:67–68, 631
 Site 908, A:122, 125
Thalassiosira jacksonii Interval, Site 907, B:67
Thalassiosira kryophila, Site 907, A:77
Thalassiosira kryophila Zone
 Site 907, A:69
 Site 908, A:122, 125, 416; B:630, 632
 Site 912, A:328
Thalassiosira longissima, Site 907, B:68
Thalassiosira mediaconvexa
 Site 908, B:78
 Site 913, B:81, 95
Thalassiosira nansenii n. sp., Site 908, B:78, 80, 89, 95
Thalassiosira nidulus
 Site 907, A:69
 Site 912, A:328
Thalassiosira oestrupii
 Site 907, A:69, 74; B:67–68
 Site 908, A:122, 125
 Site 912, A:328
Thalassiosira oestrupii Interval, Site 907, B:68
Thalassiosira oestrupii Zone
 Site 907, A:69, 77
 See also *Proboscia barboi* Zone/*Thalassiosira oestrupii* Zone transition
Thalassiosira sp. A, Site 908, B:96
Thalassiosira sp. aff. *Thalassiosira complicata*, Site 912, A:328
Thalassiosira sp. aff. *Thalassiosira irregulara*
 Site 908, A:123
 Site 913, A:362
Thalassiosira sp. B, Site 913, B:96
Thalassiosira trifulta, Site 907, B:68
Thalassiosira yabei, Site 907, B:62, 66
Thalassiosira zabellinae, Site 912, A:328
Thalassiothrix miocenica, Site 907, A:69; B:68, 72
Thalassiothrix miocenica Interval, Site 907, B:67–68
Thalassiphora delicata, Site 913, B:225
Thalassiphora? *pansa*, Site 908, B:273, 286
Thalassiphora pelagica, Site 913, B:225
Thalassiphora sp. 1, Site 913, B:225
Thalassiphora sp. 2, Site 913, B:225
Thalassiphora spp., Site 913, A:364
Theocyrtis andriashevi, Site 913, A:363
Theocyrtis litos, Site 913, A:363; B:134
Theocyrtis litos “Cr” Zone, Site 913, A:363; B:134
thiedei, *Tessarastrum*, Site 907, A:72
Thranium sp., Site 908, B:111, 124
Thymospora, Site 911, B:301
Tilia, Site 911, B:299
Tolypammina vagans, Site 909, B:183
transitoria, *Dictyocha*, Site 908, B:119
transversa, *Hermesinella* cf., Site 908, B:122
triangularis, *Subbotina*, Site 913, B:161
tricantha, *Corbisema*
 East Greenland Margin, B:118
 Site 912, A:328
 Site 913, A:362
tricantha/glezeriae transitional forms, *Corbisema*, Site 913, A:362
Triceratium inconspicuum, Site 913, B:640
Triceratium sp., Site 913, B:99
trifulta, *Thalassiosira*, Site 907, B:68
Trilobosporites, Site 911, B:301
trilobus, *Globigerinoides*, Site 910, B:157, 167, 656
Trinacria cornuta, Site 908, B:99
Trinacria excavata, Site 913, B:81
Trinacria excavata forma *tetragona* Zone, Site 913, B:640
Trinacria excavata sp. cf. *tetragona* Zone, Site 913, A:362
Trinacria exculpta, Site 912, A:328
Trinacria simulacrum, Site 912, A:328
Trinacria subcoronata, Site 913, A:362
Trinovantedinium spp., Site 907, B:262
 ?*Trinovantedinium* spp., Site 909, A:175
Tripodiscium(?) tumulosa, Site 913, B:134
triradiata, *Paucilobimorpha*, Site 913, B:234
Trochammina cf. *deformis*, Site 909, B:173, 183
Trochammina deformis
 Site 909, A:174
 Site 913, B:185
trochlea, *Costopyxis*
 Site 908, B:78
 Site 913, B:81, 99
Trochosira, Site 913, A:362
Trochosira coronata, Site 913, B:81, 95
Trochosira spinosa, Site 908, B:78, 80, 95
Trochosira trochlea, Site 913, A:362
Trudopollis
 Site 908, B:292
 Site 911, B:301
truncatum, *Labyrinthodinium*
 Site 907, A:73; B:262
 Site 908, B:273
 Site 909, B:287, 634
Tsuga
 Site 908, B:292
 Site 910, B:298
 Site 911, B:299
 Yermak Plateau, B:302
Tsugaepollenites, Site 908, B:291–293
Tubaformis cf. *unicormis*, Site 913, B:81, 98
tuberculata var. *atlantica*, *Azpetia*, Site 908, A:122; B:80, 96
Tuberculodinium vancamppoe, Site 909, A:175; B:264, 283, 287
tumulosa, *Tripodiscium(?)*, Site 913, B:134
Turborotalia quinqueloba
 Site 907, A:72
 Site 909, B:166
 Site 910, B:157, 656
 Site 913, A:363
Turrilina alsatica, Site 908, A:125; B:634
Turrilina alsatica Zone

- Site 908, A:125
 Site 909, A:175
turris, *Stephanopyxis*
 Site 907, A:69
 Site 908, A:122
 Site 909, A:173
 Site 913, B:81
- udintsevii*, *Navicula*
 Site 908, B:78
 Site 913, B:81, 93
- umbilica*, *Reticulofenestra*, Site 907, A:72
umbonatus, *Eponides*
 Site 907, A:73; B:631
 Site 910, A:235–236
- umbonatus*, *Oridorsalis*
 Site 907, B:456–466
 Site 909, B:471–474
- umbracula*, *Amiculospaera*
 Site 907, B:257
 Site 908, B:273
 Site 909, B:286
- undulatus*, *Actinoptychus*, Site 908, B:97
unicavus, *Catapsydrax*, Site 911, B:157
unicornis, *Tubaformis* cf., Site 913, B:81, 98
unicornuta, *Monobrachia*, Site 913, A:362; B:94
Unipontidinium aquaeductum
 Site 907, B:257
 Site 909, A:175
- universa*, *Orbulina*
 Site 909, B:159
 Site 911, B:154, 166
- universus*, *Stylotractus*, Site 909, A:173
ursulae, *Eatonicysta*, Site 913, B:241
utriculosa, “*Skeletonema*,” Site 908, B:95
- Vagalapilla matalosa*, Site 913, A:363
vagans, *Tolypammina*, Site 909, B:183
valida, *Hermesinopsis*, Site 908, B:122
validispina group, *Stylodictya*, Site 913, B:136, 147
- vancampoe*, *Tuberculodinium*, Site 909, A:175; B:264, 283, 287
- vannieuwenhusei*, *Pterygocythereis*, Site 910, B:188, 192, 200, 634
- variabilis*, *Stylodictya*, Site 913, B:133
Velicucullus oddgurneri Zone, Site 908, B:132–133
- velorum*, *Impagidinium*, Site 913, B:224
velorum, *Impagidinium* cf. *Impagidinium*, Site 913, B:224
- vermiformis*, *Sceptroneis*, Site 908, B:80
vicina, *Glaphyrocysta*?, Site 913, B:223
vitrea, *Epistominella*, Site 910, B:188–189, 191–192
Vozzhennikovia spp., Site 908, B:283, 287
- walteri*, *Haplophragmoides*, Site 913, B:185
walteri forma *excavatus*, *Haplophragmoides*
 Site 909, B:173, 183
 Site 913, B:185
- Watznaueria barnesae*
 Site 907, A:72
 Site 908, A:124
- Wetzeliella articulata*, Site 908, A:125; B:235
Wetzeliella gochti, Site 913, B:209–210, 235
Wetzeliella sp.
 Site 907, B:259
 Site 909, A:175
 Site 913, A:364
- whitei*, *Antarctissa*, Site 907, A:71
wuellerstorfi, *Cibicides*, Site 909, B:171, 471–474
- Xanthiopyxis panduraeformis*, Site 913, A:362; B:81
- Xanthiopyxis* spp.
 Site 908, B:78
 Site 913, B:81
- yabei*, *Thalassiosira*, Site 907, B:62, 66
- zaandamae*, *Melonis*
 Site 909, A:174
 Site 910, A:236
 Site 911, A:280–281
- zabellinae*, *Thalassiosira*, Site 912, A:328
zealandica, *Globorotalia* cf., Site 911, B:157
zoharyi, *Polysphaeridium*, Site 909, B:264
- zones (with letter prefixes)
 A, Site 907, A:73; B:631
 B, Site 907, A:73; B:631
 C, Site 907, A:73
 CN1b/2, East Greenland Margin, B:103
 CN5b/6, East Greenland Margin, B:111
 CP10, East Greenland Margin, B:102
 CP11, East Greenland Margin, B:102
 CP13, East Greenland Margin, B:102–103
 CP15, East Greenland Margin, B:103
 CP16, East Greenland Margin, B:103
 CP19, East Greenland Margin, B:103
- D, Site 907, A:73
 Mio2, Site 909, B:262
 Mio3, B:257, 262
 Mio4, Site 909, B:262–263
 Mio4–5, Site 907, B:257
 Mio5, B:257, 263, 273, 281
 Mio6, B:264, 281
 Mio6–Pli1, Site 908, B:273
 N9, Arctic Ocean, B:159
 N21, Arctic Ocean, B:161
 NN1/3, East Greenland Margin, B:103
 NN4, Site 113, B:112
 NN5, Site 113, B:112
 NN6, East Greenland Margin, B:111
 NN7, East Greenland Margin, B:111
 NN7–NN8, East Greenland Margin, B:111
 NN8–NN15, A:72, 419
 NN15, Site 910, A:233
 NN15–NN18, A:173, 175, 234, 279, 281
 NN15–NN19, Site 910, A:234
 NN15–NN20, Site 910, A:234
 NN16–NN18, A:72, 419
 NN18, Site 910, A:234
 NN18–NN19, Site 912, A:328–329
 NN18/NN19 boundary, Site 911, A:279
 NN19, A:173, 233–234, 279, 281
 NN19–NN21, A:72, 175, 328–329
 NN19/NN20 boundary, A:173, 233, 363; B:42–43, 640
 NN20, A:233, 279, 281; B:43
 NN21, A:124, 173, 232, 279, 281, 362–363; B:42–43, 634
 NP12, East Greenland Margin, B:102
 NP13, East Greenland Margin, B:102
 NP15, East Greenland Margin, B:103
 NP19–NP20, East Greenland Margin, B:103
 NP20–NP25, Site 908, A:124
 NP22, East Greenland Margin, B:103
 NP24–NP25, East Greenland Margin, B:103
 NP25, East Greenland Margin, B:103
 Oli3, Site 908, B:273
 Oli4, Site 908, B:273
 P2, Arctic Ocean, B:161
 P8a, Arctic Ocean, B:161
 Pli1, B:257, 263–264
- Zoophycos*
 photograph, A:66, 359
 Site 913, B:417–418
 See also bioturbation; burrows
Zygrhablithus bijugatus, Site 908, A:124