

INDEX TO VOLUME 154

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 154 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, or thin-section descriptions and CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 925, for example, is given as “Site 925, A:55–152.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU.

VOLUME 154 SUBJECT INDEX

- absolute age, planktonic foraminiferal datums, B:8–9
- absorption, phosphorus, B:479–481
- acoustic anisotropy
vs. depth, A:121, 203, 260, 313, 396
See also anisotropy
- acoustic units
Ceara Rise, A:44–49
Unit 1, A:44–45
Unit 2, A:45–47
Unit 3, A:47–48
See also velocity
- advection, oxygen isotopes, B:203–205
- age vs. depth
Ceara Rise, B:143, 193, 278, 353, 458
Site 925, A:102
Site 926, A:183
Site 927, A:255
Site 928, A:304
Site 929, A:368
See also sedimentation rates
- alkalinity
interstitial waters, A:89, 91–92, 179, 181, 249, 355, 436–437
vs. age, A:439
vs. depth, A:103, 184, 256, 305, 381
- aluminum
inorganic sediments, B:509–516
vs. calcium, B:517
vs. potassium, B:517
vs. silicon, B:517
vs. titanium, B:517
See also barium/aluminum ratio;
calcium/aluminum ratio;
phosphorus/aluminum ratio;
potassium/aluminum ratio;
silicon/aluminum ratio;
titanium/aluminum ratio
- aluminum oxide
geochemical logs, A:217
vs. calcium oxide, B:503–504
vs. carbon isotopes, B:505
vs. total organic carbon, B:503–504
- Amazon Fan
carbonates, B:190, 195–196
physiography, A:6
sedimentation, A:421–422; B:300–301, 314, 356, 391, 469–470
sediments, B:507–526
seismic reflectors, A:52
- Amazon River, sediments, B:175
- ammonium
interstitial waters, A:249, 304, 359
vs. sulfate, A:103
- Andes, sedimentation, B:469–470
- anisotropy. *See also* acoustic anisotropy
- anisotropy, seismic, vs. carbonate content, B:164, 167–168
- Antarctic Bottom Water
mass accumulation rates, B:139
oceanography, A:6, 8; B:202, 205–206, 285, 294, 299–300, 313, 331, 375, 396, 404
See also deep water
- API units, vs. depth, A:122
- arsenic/tin ratio, vs. cesium/sodium ratio, B:470
- astrophysical age models
Site 925, B:6, 19
See also geochronology; time scales
- astronomical calibration
time scales, B:70–71, 302–304, 352
See also obliquity; precession
- Atlantic Ocean W, equatorial
calcite recrystallization, B:491–499
carbon isotopes, B:501–505
carbonate dissolution, B:229–237
carbonates, B:189–199
cyclostratigraphy, B:101–114
oceanography, A:5–10
organic carbon, B:501–505
paleoceanography, B:207–228, 239–253, 269–297, 299–330, 375–388, 395–431, 437–438, 451–461
sediment flux, B:69–82, 331–345
sediments, B:135–149, 331–345, 507–526
silica, B:483–490
- authigenesis
celestite, B:495–498
phosphorus, B:479
See also diagenesis; dissolution
- barite, inorganic sediments, B:515–516
- barium, inorganic sediments, B:509–516
- barium/aluminum ratio
inorganic sediments, B:509–516
spectral analysis, B:522, 524, 526
vs. depth, B:519–521, 523, 525
- basement, acoustic, seismic reflectors, A:48
- bathymetry, Ceara Rise, A:5–6, 39–41
- bedding, lithologic units, A:60–61
- benthic foraminiferal mass accumulation rate
carbonate content, B:397, 400–401, 404, 412–430, bp
See also foraminifers, benthic; mass accumulation rates
- beryllium 9, sediments, B:389–394
- beryllium 9 flux, vs. beryllium 10 flux, B:393
- beryllium 10
sediments, B:389–394
vs. age, B:393
vs. depth, B:392
- beryllium 10 flux, vs. beryllium 9 flux, B:393
- beryllium 10 flux/beryllium 9 flux ratio, vs. beryllium 9 concentration, B:394
- beryllium isotopes, sediments, B:389–394
- biologic evolution, planktonic foraminifers, B:10–11
- biosiliceous fragments
lithologic units, A:344–346
sedimentation, A:424–426; B:487–488
vs. age, A:427
vs. depth, A:346
See also siliciclastics
- biostratigraphic controls
composite section, A:178
lithologic units, A:64
sedimentation rates, A:89, 183, 259, 302, 367
- biostratigraphic datums
age estimates, A:435; B:5–10
planktonic foraminifers, B:5–10, 32–42
vs. time scales, B:72
- biostratigraphic events
age, B:109
calcareous nannoplankton, A:88–89, 182, 242, 290–291
composite depth section, A:79–80, 87, 300
- biostratigraphy
calcareous microfossils, A:438
Ceara Rise, A:438
- diatoms, B:484
nannofossils, B:85–93
planktonic foraminifers, B:33–68
repeated interval, A:249
Site 925, A:66–78, 88–89; B:3–31
Site 926, A:160–167, 182
Site 927, A:238–244, 249, 258–259
Site 928, A:285–293, 300–302
Site 929, A:347–353, 366–367
vs. magnetic susceptibility, A:252
- Blake–Bahama Outer Ridge, seismic reflectors, A:46, 50
- blebs, lithologic units, A:235–236
- “blue ocean” production, Miocene, B:386
- Brazilian shield, sedimentation, B:470
- burrows
lithologic units, A:61, 157
See also ichnofossils
- calcite
burial, B:285–297, 331–345
recrystallization, A:359; B:491–499
sedimentation, A:355
- calcium
inorganic sediments, B:509–516
interstitial waters, A:87, 93, 181, 249, 304, 361–362
vs. aluminum, B:517
vs. depth, A:103, 184, 256, 305, 381
See also magnesium/calcium ratio;
strontium/calcium ratio
- calcium/aluminum ratio
inorganic sediments, B:515–516
vs. carbonate/noncarbonate ratio, B:518
vs. depth, B:518–521, 523, 525
- calcium–yield logs, vs. depth, A:215
- calcium carbonate
spectral analysis, B:522, 524, 526
vs. reactive phosphorus, B:481
- calcium oxide
geochemical logs, A:217
vs. aluminum oxide, B:503–504
vs. titanium oxide, B:503–504
- caliper logs
vs. depth, A:129, 132–133, 211, 263, 266–267, 325, 327, 398, 400
See also well-logging
- Cape Basin, ocean circulation, B:459–460
- carbon
cyclicality, B:341–345
sediments, A:93–98
- carbon, carbonate, sediments, A:94–98, 186–188, 261, 370–371
- carbon, organic
carbon isotopes, B:501–505
sediments, A:94–98, 186–188, 249, 251, 261, 304–308, 362–363, 370–371; B:233, 243, 307, 309–315
vs. age, B:502
vs. depth, A:105, 185, 257, 305, 390
- carbon, total, organic
vs. aluminum oxide, B:503–504
vs. titanium oxide, B:503–504
- carbon, total, sediments, A:94–98, 186–188, 261, 306–307, 370–371
- carbon/nitrogen ratio
organic materials, B:502–504
vs. age, B:502
See also nitrogen

- carbon dioxide, vs. depth, B:321
- carbon isotopes
- carbonates, B:193–195, 239–253, 271, 288–297, 322–323, 368–371, 451–461
 - power spectra, B:437
 - secular variations, B:501–505
 - time scales, B:73, 304–305
 - vs. age, B:246, 248, 250, 259–260, 296, 308, 324–325, 328, 370, 436, 459, 503
 - vs. aluminum oxide, B:505
 - vs. depth, B:245, 288, 321, 435, 457–458
 - vs. oxygen isotopes, B:326, 443
 - vs. titanium oxide, B:505
- carbonate/noncarbonate ratio, vs. calcium/aluminum ratio, B:518
- carbonate compensation depth
- Cenozoic, A:9, 430
 - evolution, B:193–195, 332–338
 - high-resolution reconstruction, A:430
 - lithologic units, A:285
 - lithostratigraphy, A:421–422
 - mass accumulation rates, A:363
 - Miocene, B:375–388
 - sedimentation, A:327, 390, 395
 - sedimentation rates, B:75
 - See also* lysocline
- carbonate content
- grain size, B:81–82
 - high-resolution reconstruction, A:430
 - linear regression parameters, A:423; B:331–336
 - lithologic units, A:65–66, 235–236, 285, 341–342
 - low-resolution reconstruction, A:436–437
 - natural gamma rays, A:424
 - oxygen isotopes, B:195
 - phosphorus, B:476, 478–481
 - power spectra, B:290, 295, 305–306
 - proxies, A:422; B:332–336, 349–365
 - rock magnetism, B:185–186
 - sediments, A:93–98, 183, 185–188, 249, 251, 261, 304–308, 362–363, 370–371; B:273–276
 - vs. age, A:185, 436; B:145–146, 194–195, 198, 218, 233, 279, 289–290, 337, 359–363, 377–381, 502
 - vs. bulk density, A:120; B:159, 162–164
 - vs. coarse fraction, B:280, 287–289
 - vs. composite depth, B:191, 214
 - vs. compressional wave velocity, B:162–166
 - vs. density, A:189
 - vs. depth, A:62–66, 105, 118–119, 158–160, 185, 188, 236–237, 257, 286–288, 305, 342–345, 390; B:141–142, 158, 216, 230, 277, 287, 300, 350, 377, 518, 532
 - vs. dry density, B:380
 - vs. magnetic susceptibility, A:117–118, 189, 424
 - vs. reflectance percentage, A:71, 105, 118, 189, 424; B:378
 - vs. seismic anisotropy, B:164, 167–168
 - See also* sand/carbonate ratio
- carbonate mass accumulation rate
- power spectra, B:281, 309–311, 336–340, 363
 - variance density spectra, B:147–148, 195–196, 199, 235, 290
 - vs. age, A:119, 257, 309, 391, 437; B:296, 382–386
 - vs. depth, A:119, 194, 257, 309, 390; B:386
 - vs. time and depth, B:365
- carbonates
- cyclicality, B:138–140
 - dissolution, B:229–237
 - ice volume variations, B:190–191
- Miocene, B:367–373, 375–388
- paleoceanography, B:207–228
- preservation, B:299–300, 310–314
- production and dissolution, B:189–199, 349–365
- time–depth variations, B:190
- Ceara Abyssal Plain, physiography, A:6
- Ceara Rise
- beryllium isotopes, B:389–394
 - biostratigraphy, A:438; B:3–31, 33–68
 - calcite, B:491–499
 - carbon isotopes, B:501–505
 - carbonate dissolution, B:229–237
 - carbonate sedimentation, A:436–437
 - carbonates, B:189–199
 - composite section, A:427
 - cyclostratigraphy, B:101–114
 - elastic properties, B:151–155
 - gamma-ray logs, B:117–134
 - geochemistry, B:475–481
 - interstitial waters, A:437–439
 - Leg 154 synthesis, A:421–442
 - lithostratigraphy, A:421–427
 - oceanography, A:5–10
 - oxygen isotopes, B:201–206
 - paleoceanography, A:440–441; B:207–228, 239–253, 269–297, 299–330, 375–388, 451–461
 - paleoclimatology, B:433–439
 - physical properties, B:157–168
 - rock magnetism, B:169–179, 181–186
 - sedimentation, A:424–426, 430, 436; B:349–365, 465–473
 - sediments, B:135–149, 507–526
 - seismic surveys, A:39–52
 - silica, B:483–490
 - site-by-site correlation, A:427
 - stratigraphy, B:441–449
 - terrigenous sedimentation, A:436–437
 - time scale, A:438–440
 - well-logging, A:438–440
- celestite, authigenesis, B:495–498
- celestite saturation, vs. age, B:498
- cementation
- lithologic units, A:60
 - See also* diagenesis
- Cenozoic
- cyclicality, A:422, 424
 - lithostratigraphy, A:421–422; B:465–473
 - paleoceanography, A:440–441; B:491–505
 - time scale, A:438–440
- cerium/chromium ratio, vs. cobalt/hafnium ratio, B:470
- cesium/sodium ratio, vs. arsenic/tin ratio, B:470
- chalk
- sedimentation, A:393; B:436
 - seismic reflectors, A:46
 - See also* ooze/chalk transition
- chalk, nannofossil, lithologic units, A:61–62, 157, 257, 283–284, 344–346
- chlorine, vs. depth, A:103, 184, 256, 305, 381
- chlorinity, interstitial waters, A:89, 179, 249, 300, 302, 355
- Chondrites*
- lithologic units, A:61, 157
 - See also* ichnofossils
- chromium. *See* cerium/chromium ratio
- Chron C3An.n2, geochronology, B:92
- Circumpolar Deep Water
- paleoceanography, B:239–240, 249, 251
 - See also* deep water
- Circumpolar Deep Water, lower. *See* Lower Circumpolar Deep Water
- clay
- lithologic units, A:60, 235–236, 283, 342–343
 - vs. depth, A:72
- clay, nannofossil, lithologic units, A:60, 156, 283–284, 341
- clay, red, sedimentation, A:391
- clay minerals
- inorganic sediments, B:509–516
 - lithologic units, A:60–66
 - magnetization, B:175
 - See also* illite; kaolinite; kaolinite/illite ratio logs
- claystone
- lithologic units, A:342–343
 - sedimentation, A:393
- claystone, nannofossil, Unit III, A:344–346
- coarse fraction, vs. carbonate content, B:280, 287–289
- coarse-fraction mass accumulation rate
- power spectra, B:281, 296
 - See also* mass accumulation rates
- cobalt/hafnium ratio, vs. cerium/chromium ratio, B:470
- color banding, lithologic units, A:60
- color reflectance
- carbonate content proxy, A:422
 - composite section, A:354
 - cyclicality, A:422, 424
 - lithostratigraphy, A:421–422
 - sedimentation, A:391
 - See also* reflectance; reflectance percentage
- compaction, sediments, B:161
- composite section
- Ceara Rise, A:427; B:302–303
 - correlation, A:427; B:302–303, 338–339
 - cycle wavelengths, B:107–110
 - index properties, B:153–154
 - Site 925, A:79–86
 - Site 926, A:168–169, 171–178
 - Site 927, A:244–248
 - Site 928, A:293–296
 - Site 929, A:354, 356–359
- compression, composite section, A:79
- compression, unconfined, pocket penetrometer data, A:124–125, 204–206, 268–269, 320–321, 392–393
- compressional wave velocity
- power spectra, B:149
 - sediments, B:135–149
 - variance density spectra, B:147–148
 - vs. age, A:263
 - vs. carbonate content, B:162–166
 - vs. depth, A:121, 123, 133, 203, 216, 260, 263, 267, 313, 327, 396, 400; B:138, 140–142
 - vs. resistivity, A:133
- consolidation
- sediments, B:152–153
 - vs. depth, A:121
- copper, inorganic sediments, B:509–516
- core expansion, vs. depth, B:153
- core offset
- composite section, A:79, 169–171, 244–245, 296–297, 354
 - vs. depth, A:93, 123, 171, 252, 302, 363, 397
- core–log comparison
- gamma-ray logs, B:119
 - physical properties, A:119, 121, 206–207, 266–267, 325–326, 380–381
- cores
- high-quality methods, B:117–134
 - sediments, B:152
- coring, oceanography, A:8
- correlation

- biostratigraphy, B:34–42
 composite section, A:427; B:120–134, 338
 correlation, site-by-site, A:427, 431–436
 cross-equatorial transport, upper-layer water, B:278
 cross-spectral analysis
 carbonates, B:289, 312, 372–373
 dissolution index, B:344
 vs. eccentricity, B:76, 78–79
See also spectral analysis
 Curie temperature, magnetite, B:173
 currents
 circulation, B:269–284
See also North Brazilian Coastal Current; North Equatorial Counter Current; North Equatorial Current; ocean circulation; South Equatorial Current
 cyclic bedding, lithologic units, A:60–66
 cyclicity
 calcareous microfossils, A:438
 carbon, B:341–345
 Cenozoic, A:129, 212, 422, 424; B:236
 foraminifers, B:190–192, 236
 lithologic units, A:157
 lithostratigraphy, A:421–422
 sedimentation rates, B:75–76, 312
 spectral analysis, B:140–142
See also Milankovitch cycles
 cyclostratigraphy
 nannofossil events, B:83–99
 Oligocene, B:101–114
 Pliocene, B:302–304
See also Milankovitch cycles
 deep water
 Ceara Rise, A:6–8; B:285–297, 299–345, 451–461
See also Antarctic Bottom Water; Circumpolar Deep Water; Lower Circumpolar Deep Water; North Atlantic Deep Water; Northern Component Deep Water; ocean circulation, deep-water; Pacific Deep Water; Southern Component Deep Water; Warm Saline Deep Water
 demagnetization
 discrete samples, A:168
 sediments, A:78–79, 167–168, 244, 353; B:175–176
 demagnetization, thermal, discrete samples, A:80
 demodulation, complex, oxygen isotopes, B:73–74
 density, vs. carbonate content, A:189
 density, bulk
 sediments, A:98–99, 101–104
 vs. carbonate content, A:120; B:159, 162–164
 vs. depth, A:62–66, 118, 120, 123, 133, 158–160, 188, 195, 203, 216, 236–237, 259, 261, 267, 309, 327, 342–345, 391, 396, 400; B:155, 158
 vs. porosity, B:160–162
 density, dry
 vs. carbonate content, B:380
 vs. depth, B:155, 197, 354, 380
 density, grain, sediments, B:161
 density, GRAPE
 sediments, A:193
 vs. age, B:145–146
 vs. depth, B:141–142
 density logs, vs. depth, A:129, 132–133, 211, 266, 325, 398
 density–natural gamma ray logs
 Site 925, A:141–145
 Site 926, A:223–226
 Site 927, A:277–279
 Site 928, A:334–336
 Site 929, A:408–411
 density–porosity–natural gamma ray logs, Site 925, A:150–152
 diachrony
 geochronology, B:93
See also synchrony
 diagenesis
 celestite, B:495–498
 composite section, A:296–297; B:460
 geochemistry, B:476, 478–481
 inorganic sediments, B:515–516
 rock magnetism, B:185
See also authigenesis; cementation; compaction; consolidation; dissolution
 diatoms
 biostratigraphy, B:484
 silica, B:483–490
 dilution
 carbonate content, B:192–193, 231–234, 290–291, 306
See also dissolution
 dispersal, biostratigraphic datums, B:32–42
 dissimilarity coefficients, modern analogs, B:223
 dissolution
 calcite, B:289–292
 carbonate content, B:192–193, 305–307, 312–315, 341–345, 448, 476–481
 cyclostratigraphy, B:105
 foraminifers, B:73–74, 210–212, 214–215
 planktonic foraminifers, B:11, 14, 19
 Pleistocene, B:229–237
 sedimentation, A:391
 silica, B:487–488
 spectral analysis, B:140–142
See also authigenesis; diagenesis; dilution
 dissolution, carbonate, sedimentation, A:355
 dissolution index, vs. age, B:344
 downhole measurements
 Site 925, A:117–123
 Site 926, A:202–232
 Site 927, A:255–260, 263–268
 Site 928, A:319–336
 Site 929, A:371, 380–417
See also well-logging
 Drake Passage, ocean circulation, B:460
 East Antarctic ice sheet, paleoclimatology, B:438
 Eastern Equatorial Pacific, calcite recrystallization, B:491–499
 eccentricity
 time scales, B:70–71, 243, 372
See also obliquity; orbital calculations; precession
 elastic properties, sediments, B:151–155
 elastic rebound, sediments, A:111, 116, 313, 369
 Eocene
 benthic foraminifers, A:353
 calcareous nannofossils, A:73
 lithologic units, A:61–66, 344–346
 ocean circulation, A:9
 planktonic foraminifers, A:77, 351–353; B:48–49, 55
 sedimentation, A:393
See also Paleocene/Eocene boundary
 Eocene/Oligocene boundary, ocean circulation, A:9
 extinction
 biostratigraphic datums, B:32–42
 planktonic foraminifers, B:12
See also pseudoextinction
 faunal groups, glacial/interglacial cycles, B:262–266
 feldspar, sedimentation, A:391
 ferrimagnetic component
 magnetic susceptibility, B:174
 vs. magnetite, B:178
 fold. *See also* layers, folded
 fold, recumbent, photograph, A:239
 foraminiferal fragmentation, vs. age, B:218
 foraminifers
 cyclicity, B:190–192, 381
 diagenesis, B:498–499
 dissolution, B:140–143
 fragmentation, B:229–237
 lithologic units, A:235–237, 283–284
 vs. age, B:382–386
 vs. composite depth, B:210–213
 vs. depth, B:216–217
 foraminifers, benthic
 abundance, B:288–297, 319–330, 395–431
 accumulation rates, B:422–430
 biostratigraphy, A:77–78, 167, 243–244, 292–293, 353
 census data, B:398–405, 408–411
 oxygen isotopes, B:73–74, 236, 433–439, 451–461
 relative abundances, B:412–421
 stable isotopes, B:239–253, 367–373
See also benthic foraminiferal mass accumulation rate
 foraminifers, planktonic
 biologic evolution, B:10–11
 biostratigraphy, A:73–77, 164–167, 239–243, 288–289, 291–292, 349–353; B:3–31, 33–68, 441–449
 carbonate content, B:192–193
 datums, A:76, 166, 243, 291, 352; B:5–10, 35, 43–47, 50–54
 depth distribution, B:217
 oxygen isotopes, B:205–206
 Pliocene, B:255–268
 preservation, B:11, 14
 speciation and extinction rates, B:12
 species diversity, B:11
 vs. age, B:220–222
 foraminifers, resistant, vs. depth, B:216–217
 formation factor
 vs. depth, A:323
 vs. porosity, A:206, 324
 fractionation, isotopes, B:503–504
 frequency-domain analysis, carbonates, B:289
 gadolinium, geochemical logs, A:217
 gamma ray logs
 high quality methods, B:117–134, 351
 vs. age, A:267, 327, 440; B:118
 vs. depth, A:129, 132–133, 211–213, 215, 217, 261, 263, 266, 324–325, 398–399, 401, 439–440; B:179
See also well-logging
 gamma ray logs, natural
 carbonate content proxy, A:422
 composite section, A:296–297, 354
 linear regression parameters, A:423; B:470–472
 sediments, A:111, 313
 vs. carbonate content, A:424
 vs. depth, A:62–66, 122, 158–160, 236–237, 286–288, 298–299, 342–345, 360–361, 364–365, 398–399
See also density–natural gamma ray logs; density–porosity–natural gamma ray logs; resistivity–velocity–natural gamma ray logs
 gamma ray logs, processed, natural, Ceara Rise, A:412–414
 general circulation models, paleoceanography,

- B:279
 geochemical logs
 vs. depth, A:217, 401
 See also thorium logs; uranium logs;
 well-logging
 geochemical logs, processed
 Site 926, A:230–232
 Site 929, A:415–417
 geochemistry
 extracted sediment, B:470–471
 Site 925, A:87, 89, 91–98
 Site 926, A:178–179, 181, 183–189
 Site 927, A:248–249, 251, 256–257, 261
 Site 928, A:300, 302, 304–309
 Site 929, A:355, 359, 361–363, 369–371
 terrigenous sediments, B:467–469, 507–526
 geochronology
 carbonates, B:190, 271
 cyclicality, B:83–99, 114
 sediment flux, B:69–82
 See also astrochronologic age models; time
 scales
 glacial/interglacial cycles
 circulation, B:262–266, 278–282, 323–326,
 341–345, 397, 400–401, 404
 oxygen isotopes, B:203–205, 241, 243
 stable isotopes, B:210–211
 glaciation
 oceanography, A:6, 8; B:196, 278–282,
 311–315
 Quaternary, B:201–206, 235
 sedimentation, A:390, 395
 See also Last Glacial Maximum
 grain size
 magnetite, B:173–174
 rock magnetism, B:185
 vs. age, B:145–146, 271
 vs. depth, B:141–142

 habitats. *See also* paleoecology
 habitats, depth, planktonic foraminifers,
 B:443–444
 hafnium. *See* cobalt/hafnium ratio
 heat flow, sediments, A:195, 202
 hiatuses, composite section, A:245
 high-resolution methods
 compressional wave velocity, B:135–149
 rock magnetism, B:181–186
 terrigenous flux, B:471–472
 Holocene
 paleoceanography, B:239–253, 395–431
 See also Quaternary
 hydrocarbons
 geochemistry, A:87, 178, 248–249, 300, 355
 See also methane; organic materials
 hysteresis
 sediments, B:172–173, 183
 vs. depth, B:184
 See also remanent magnetization

 ice volume, Milankovitch cycles, B:190–192
 ichnofossils
 lithologic units, A:157
 See also burrows; *Chondrites*; *Planolites*;
 Skolithos; trace fossils; *Zoophycos*
 illite
 sedimentation, A:328, 393
 See also clay minerals; kaolinite/illite ratio
 logs
 illite/kaolinite ratio, lithostratigraphy, A:421–422
 impedance, vs. two-way traveltime, A:396
 impedance, acoustic
 discrete measurements, A:123
 vs. two-way traveltime, A:207

 index properties
 corrections, B:153–154
 discrete samples, A:106–111, 190–193, 262,
 310–312, 372–380
 sediments, A:98–99, 101–104, 189–192, 251,
 308, 363
 See also physical properties
 insolation
 orbital eccentricity, B:73–74
 time scales, B:307, 309, 314
 interstitial waters
 Ceara Rise, A:437–439; B:299–318, 492
 geochemistry, A:87, 89, 91–93, 179, 181, 183,
 183–184, 249, 259, 300, 302, 304, 355,
 359, 361–362, 369
 oxygen isotopes, B:201–206
 Intertropical Convergence Zone, Neogene, B:266,
 282–283, 301
 iron oxide
 geochemical logs, A:217
 lithologic units, A:60, 235–236, 283, 341
 vs. depth, A:67
 iron oxyhydroxide, vs. depth, A:67
 Isotope Stage MG2, carbon isotopes, B:328
 isotopes
 stratigraphy, B:451–461
 See also beryllium isotopes; carbon isotopes;
 oxygen isotopes; stable isotopes;
 strontium isotopes

 kaolinite
 sedimentation, A:328, 393
 See also clay minerals; illite/kaolinite ratio
 kaolinite/illite ratio logs, vs. age, A:440

 laminae, contorted, photograph, A:70
 lanthanum, vs. thorium, B:471
 lanthanum/samarium ratio, vs. scandium/thorium
 ratio, B:470
 Last Glacial Maximum
 oxygen isotopes, B:203–205, 283
 sediments, B:225–227, 249
 See also glaciation
 layers, folded
 photograph, A:70
 See also fold
 limestone
 lithologic units, A:61–62, 344–346
 photograph, A:71
 sedimentation, A:393
 linear regression, sedimentation, B:351–352
 lithium
 interstitial waters, A:93, 181, 249, 304, 359,
 361, 436–438
 vs. age, A:439
 vs. depth, A:103, 184, 256, 305, 381
 lithologic units
 Site 925, A:60–66
 Site 926, A:156–160
 Site 927, A:235–238
 Site 928, A:283–285
 Site 929, A:341–347
 Unit I, A:60, 156, 235–236, 283, 341–342
 Unit II, A:60, 156, 236–237, 83, 342–343
 Unit III, A:61–62, 157, 237, 283–284,
 344–346
 lithology
 vs. depth, A:62–66, 158–160, 236–237,
 286–288, 342–345
 well-logging, A:207, 210, 260, 263, 321,
 324–325, 371, 380
 lithostratigraphy
 Ceara Rise, A:421–430; B:352–354
 Site 925, A:60–66

 Site 926, A:156–160
 Site 927, A:235–238
 Site 928, A:282–285
 Site 929, A:341–347
 Lower Circumpolar Deep Water
 carbonates, B:189, 194
 paleoceanography, B:239–240, 249, 251
 See also deep water
 lysocline
 lithologic units, A:285
 spectral analysis, B:140–143
 See also carbonate compensation depth

 maghemite, rock magnetism, B:185–186
 magnesium, interstitial waters, A:87, 361–362
 magnesium/calcium ratio
 calcite, B:491–499
 vs. age, B:495
 vs. depth, B:495
 magnetic declination
 sediments, A:244, 293
 vs. depth, A:79, 168, 245, 297, 354
 magnetic domains
 magnetite, B:183–184
 sediments, B:172–173, 182–183
 magnetic inclination
 sediments, A:244, 293
 vs. depth, A:79, 168–169, 245, 297, 354
 magnetic intensity, vs. depth, A:79, 168, 245, 297,
 354
 magnetic polarity, time scales, B:74
 magnetic susceptibility
 carbonate content proxy, A:422; B:174–175,
 379
 composite section, A:79, 169–171, 244–245,
 296–297, 354
 correlation, B:304, 351, 471–472
 correlation with accumulation rate of benthic
 foraminifers, B:430
 cyclostratigraphy, B:103–104, 303–304
 frequency spectrum, B:305–307
 high-field vs. low-field, B:174, 182
 linear regression parameters, A:423
 lithologic units, A:64, 157–160
 Oligocene–Miocene, B:529–532
 power spectra, B:149
 sediments, B:169–179, 182
 sources, B:174–175
 splice tie points, A:431
 time scales, B:70–71
 variance density spectra, B:147–148
 vs. age, A:432–434; B:73–75, 145–146, 242
 vs. anhystreritic remanent magnetization,
 B:183, 186
 vs. biostratigraphy, A:252
 vs. carbonate content, A:117–118, 189, 424
 vs. depth, A:62–64, 72, 87, 90–91, 99–101,
 118, 132–133; 158–160, 170–171,
 180–181, 188, 212, 215, 236–237,
 250–251, 254–255, 286–288, 298–299,
 303, 342–345, 360–361, 364–365,
 440; B:120, 141–142, 173, 530–532
 vs. oxygen isotopes, B:183
 vs. temperature, B:173, 185
 magnetite
 magnetic domains, B:183–184
 remanent magnetization, B:173–174
 vs. depth, B:178
 vs. saturation remanence, B:178
 major oxides, geochemical logs, A:401
 manganese
 interstitial waters, A:92–93, 359
 vs. depth, A:103–104, 381
 marine geology, Ceara Rise, A:42

- mass accumulation rates
 carbonate content, B:192–193, 195–196, 234–235, 271, 287–289, 326, 352, 396–397
 cyclicity, B:138–140
 lithostratigraphy, A:421–422; B:467–469
 low-resolution reconstruction, A:436
 phosphorus, B:479–481
 sediments, A:185, 188–189, 251, 308, 363 vs. age, B:280
See also benthic foraminiferal mass accumulation rate; carbonate mass accumulation rate; coarse-fraction mass accumulation rate; noncarbonate mass accumulation rate; terrigenous mass accumulation rate
- Meteor Rise, ocean circulation, B:459–460
- methane
 geochemistry, A:87, 178, 248–249, 300, 355
See also hydrocarbons; organic materials
- Mid-Pleistocene Revolution
 productivity, B:269–284
See also Pleistocene; Quaternary
- Milankovitch cycles
 foraminifers, B:190–192, 444–449
 paleoclimatology, B:433–439
 rock magnetism, B:185–186
 spectral analysis, B:140–143, 276–280
See also cyclicity; cyclostratigraphy; orbital calculations
- Miocene
 benthic foraminifers, A:353
 calcareous nannofossils, A:72–73, 163
 carbon isotopes, B:501–505
 carbonates, B:367–373
 inorganic sediments, B:507–526
 lithologic units, A:61–66, 156–157, 236–237, 283–284, 344–346
 nannofossil events, B:83–99
 ocean circulation, A:9
 paleoceanography, B:395–431, 451–461
 planktonic foraminifers, A:75–77, 165–167, 240–243, 289, 291–292, 349–351; B:3–31, 33–68
 sedimentation, A:327, 395; B:349–365
 time scales, B:69–82
See also Oligocene/Miocene boundary
- Miocene, lower, magnetic susceptibility, B:529–532
- Miocene, middle, nannofossils, B:90–91
- Miocene, middle/late Miocene boundary, nannofossils, B:89–90
- Miocene, upper, upper water column, B:255–268
- Miocene/Pliocene boundary, nannofossils, B:85–89
- Modern Analog Technique, foraminifers, B:227
- multisensor track data
 compressional wave velocity, B:137
 sediments, B:160
- nannofossil biostratigraphy, vs. depth, A:293
- nannofossil events, cyclicity, B:83–99
- nannofossils
 abundance, B:271–273, 276–279
 abundance vs. age, B:84–90, 92–96, 98
 biostratigraphy, A:351
 diagenesis, B:498–499
 lithologic units, A:235–237, 283–284
 sedimentation, A:391
- nannofossils, calcareous
 biostratigraphy, A:67–69, 71–73, 161–164, 239, 286–288, 347–349
 datum levels vs. time scales, B:72
 events, A:68–69, 162–163, 348–349
- natural gamma ray logs. *See* density–natural gamma ray logs;
 density–porosity–natural gamma ray logs; gamma-ray logs
- Neogene
 paleoceanography, B:239–253
 paleoclimatology, B:341–345
- neutron activation analysis, terrigenous component, B:466
- nitrogen
 sediments, A:94–98, 186–188, 261, 306–307
See also carbon/nitrogen ratio
- nodules, lithologic units, A:235–236
- noncarbonate mass accumulation rate
 vs. age, A:119, 257, 309, 391, 437
 vs. depth, A:119, 194, 257, 309, 390
See also mass accumulation rates
- North Atlantic Deep Water
 carbonates, B:189, 194, 229, 231
 mass accumulation rates, B:139
 oceanography, A:6, 8; B:202, 205–206, 239–240, 243, 248–249, 251, 278, 285–297, 299–300, 311–314, 325, 396, 404
 sedimentation, A:424–426; B:331, 343–345, 356, 375–388
See also deep water
- North Brazilian Coastal Current
 sedimentation, B:300–301
See also currents
- North Equatorial Counter Current
 changes, B:282–283, 300–301
See also currents
- North Equatorial Current
 changes, B:282–283
See also currents
- Northern Component Deep Water
 circulation, B:324, 328, 354–356, 460, 488
See also deep water
- obliquity
 cyclostratigraphy, B:102–103, 232, 302–304, 438
 phase and amplitude, B:80
 spectral analysis, B:140–143, 239–243, 277–278
 time scales, B:73
See also eccentricity; orbital calculations; precession
- ocean circulation
 Ceara Rise, A:6–8; B:269–297, 299–318, 331–345, 397, 400–401, 404, 451–461
 Pliocene, B:319–330
See also currents; subtropical gyre
- ocean circulation, deep-water, paleoceanography, B:239–253
- Oligocene
 benthic foraminifers, A:353
 calcareous nannofossils, A:73, 163–164
 carbon isotopes, B:501–505
 cyclostratigraphy, B:101–114
 inorganic sediments, B:507–526
 lithologic units, A:157, 283–284, 344–346
 magnetic susceptibility, B:529–532
 mass accumulation rates, A:363
 ocean circulation, A:9; B:451–461
 planktonic foraminifers, A:77, 351; B:48–49, 51, 55
 sedimentation, A:393
See also Eocene/Oligocene boundary
- Oligocene, lower, silica, B:483–490
- Oligocene/Miocene boundary
 carbon isotopes, B:501–505
 geochemistry, B:515–516
- magnetic susceptibility, B:529–532
 paleoclimatology, B:433–439
 stratigraphy, B:441–449
- Ontong Java Plateau, calcite recrystallization, B:491–499
- ooze, seismic reflectors, A:45
- ooze, nannofossil, lithologic units, A:60, 156, 235–236, 283, 341
- ooze/chalk transition, seismic reflectors, A:46
- opal
 density, B:158–159
 organic materials, B:503
 sedimentation, A:424–426
See also silica
- orbital calculations
 cyclostratigraphy, B:102–103, 241–243
 Milankovitch cycles, B:190–192
 nannofossil events, B:83–99
 spectral analysis, B:140–142
 time scales, B:69–74, 372
See also eccentricity; Milankovitch cycles; obliquity; precession
- orbital forcing, precession cycle, A:272
- orbital response, carbonate deposition, B:235–236
- organic materials
 carbon isotopes, B:501–505
 phosphorus, B:479–481
See also hydrocarbons; methane
- overburden stress. *See* shear strength/overburden stress ratio
- oxide, phosphorus, B:479–481
- oxygen, vs. depth, B:321
- oxygen isotopes
 benthic foraminifers, B:434–438, 451–461
 carbonate content, B:195, 239–253, 371–372
 interstitial waters, B:201–206
 marine geology, A:42; B:271, 321, 326–328
 power spectra, B:281, 309–313, 437
 time scales, B:74, 304–305
 vs. age, B:215, 218, 224–226, 232, 246, 258, 260, 278–282, 286, 289–290, 296, 315–316, 321–324, 327, 343–344, 371, 436, 459
 vs. carbon isotopes, B:326, 443
 vs. composite depth, B:215
 vs. depth, B:203–205, 244, 288, 435, 457–458
 vs. magnetic susceptibility, B:183
 vs. organic carbon, B:315
- Pacific Deep Water
 paleoceanography, B:239, 249, 251
See also deep water
- Pacific Ocean E, equatorial, calcite recrystallization, B:491–499
- paleoceanography
 calcite, B:491–499
 Ceara Rise, A:440–441; B:269–297, 299–318
 Cenozoic, A:8–9, 440–441; B:395–431, 451–461
 Neogene, B:239–253
 Pleistocene, B:207–228
 Pliocene, B:319–330
 Quaternary, B:201–206
 sedimentation, A:424–426
- Paleocene
 benthic foraminifers, A:353
 lithologic units, A:344–346
 planktonic foraminifers, B:33–68
- Paleocene/Eocene boundary, sedimentation, A:355
- paleoclimatology
 Cenozoic, A:125, 210, 212
 Eocene/Oligocene boundary, A:9
 Neogene, B:341–345

- Oligocene/Miocene boundary, B:433–439, 441–449
- Pleistocene, B:269–284
- Pliocene, B:255–256
- Quaternary, B:201–206
- sedimentation, A:424–426
- stable isotopes, B:210–211
- thorium/potassium ratio logs, A:438
- paleoecology
- planktonic foraminifers, B:259–262
- See also* habitats
- paleomagnetism
- Site 925, A:78–79, 90–91
- Site 926, A:167–168, 170–171, 180–181
- Site 927, A:244, 250–251, 254–255
- Site 928, A:293, 297–299, 303
- Site 929, A:353–354, 360–361, 364–365
- Panama Isthmus, paleoceanography, B:310–311
- paramagnetism, hysteresis loops, B:175
- pH
- interstitial waters, A:302, 355
- vs. depth, A:103, 184, 256, 305, 381
- phase relationships, carbonates, B:288, 314–316, 318
- phosphate, interstitial waters, A:93, 362
- phosphorus
- inorganic sediments, B:509–516
- sediments, B:475–481
- vs. age, B:480
- vs. depth, A:104
- phosphorus, authigenic, vs. age, B:481
- phosphorus, reactive
- vs. calcium carbonate, B:481
- vs. sedimentation rates, B:481
- phosphorus/aluminum ratio
- inorganic sediments, B:515–516
- spectral analysis, B:522, 524, 526
- vs. depth, B:519–521, 523, 525
- photoelectric effect logs
- vs. depth, A:129, 132
- See also* well-logging
- photosynthesis, sediments, B:505
- physical properties
- core-log comparison, A:266–267, 325–326, 380–381
- life cycles, B:157–168
- sediments, B:135–149
- Site 925, A:98–117, 124–128
- Site 926, A:189–206
- Site 927, A:251–255, 259
- Site 928, A:308–319
- Site 929, A:363–365, 367–369, 371–380
- spectral analysis, B:140–142
- vs. depth, A:65, 286–288; B:159
- See also* index properties
- physiography, Ceara Rise, A:5–6
- plankton, sediments, B:501–505
- Planolites*
- lithologic units, A:61, 157
- See also* ichnofossils
- Pleistocene
- benthic foraminifers, A:353
- calcareous nannofossils, A:69, 161–163
- lithologic units, A:60–66
- mass accumulation rates, A:363
- ocean circulation, A:8–9
- paleoceanography, B:239–253, 269–284, 285–297, 395–431
- planktonic foraminifers, A:73–74, 164–165, 240, 289, 349; B:3–31
- sedimentation, B:331–345
- sediments, B:135–149
- upper water column, B:255–268
- See also* Mid-Pleistocene Revolution;
- Quaternary
- Pleistocene, middle
- carbonate dissolution, B:229–237
- paleoceanography, B:207–228
- paleoproductivity, B:269–284
- Pliocene
- astronomical calibration, B:302–304
- benthic foraminifers, A:353
- calcareous nannofossils, A:69, 71–72, 161–163
- carbon isotopes, B:501–505
- lithologic units, A:60–66, 156, 235–237, 283
- mass accumulation rates, A:363
- ocean circulation, A:8–9
- paleoceanography, B:395–431
- planktonic foraminifers, A:74–75, 164–165, 240, 289, 349; B:3–31
- sedimentation, A:327; B:331–345
- terrigenous sediments, B:299–318
- upper water column, B:255–268
- See also* Miocene/Pliocene boundary
- Pliocene, lower, paleoceanography, B:319–330
- Pliocene, upper
- carbonate dissolution, B:229–237
- paleoceanography, B:239–253
- porosity
- sediments, A:98–99, 101–104
- vs. bulk density, B:160–162
- vs. depth, A:120, 122, 195, 206, 309
- vs. formation factor, A:206, 324
- See also* void ratio
- porosity logs. *See* density–porosity–natural gamma ray logs
- potassium
- inorganic sediments, B:509–516
- interstitial waters, A:93, 362
- vs. aluminum, B:517
- vs. depth, A:103, 184, 256, 305, 381
- potassium logs, vs. depth, A:213, 217, 401; B:126–128
- potassium oxide, geochemical logs, A:217
- potassium/aluminum ratio
- inorganic sediments, B:509–516
- vs. depth, B:519–521, 523, 525
- power spectra
- carbonate content, B:290, 295
- compressional wave velocity, B:149
- oxygen isotopes, B:232, 247
- power spectra, Fourier, cycles, A:71
- precession
- spectra, B:143, 241–243, 276–277, 438
- time scales, B:72, 302–304
- See also* eccentricity; obliquity; orbital calculations
- precession cycle, rhythmic sedimentation, A:272
- preservation
- calcareous microfossils, A:438
- carbonates, B:207–228, 299–300, 310–314, 375–388
- planktonic foraminifers, B:11, 442–443
- time series, B:218
- preservation index
- variance density spectra, B:147–148
- vs. age, B:145–146
- vs. composite depth, B:214
- productivity
- carbonate content, B:192–193, 231–234, 269–284, 289–295, 375–388, 446, 448
- geochemistry, B:515–516
- spectral analysis, B:140–142
- pseudoextinction
- biostratigraphic datums, B:32–42
- See also* extinction
- pseudospeciation
- biostratigraphic datums, B:32–42
- See also* speciation
- pyrite, lithologic units, A:236–237, 341
- pyrite, microcrystalline, photograph, A:67
- pyrrhotite, rock magnetism, B:185–186
- quartz, sedimentation, A:391
- quartz content, sediments, B:167
- Quaternary
- carbon isotopes, B:501–505
- carbonates, B:189–199
- interstitial waters, B:201–206
- lithologic units, A:156, 235–236, 283
- See also* Holocene; Mid-Pleistocene Revolution; Pleistocene
- radiolarians, silica, B:485
- rare earths, terrigenous sediments, B:470–471
- recrystallization, calcite, A:359; B:491–499
- redeposition
- lithologic units, A:62–64, 237–238
- sedimentation, A:426–427
- reflectance
- cyclostratigraphy, B:102, 104, 349–356
- vs. age, B:110, 113–114
- See also* color reflectance
- reflectance percentage
- composite section, A:79, 244–245, 296–297
- linear regression parameters, A:423; B:471–472
- lithologic units, A:157
- vs. age, A:425–426
- vs. carbonate content, A:71, 105, 118, 189, 424; B:378
- vs. depth, A:62–67, 72, 90–91, 100–101, 105, 118, 158–161, 170–171, 180–181, 185, 188, 215, 236–237, 240, 250–251, 254–255, 257, 286–288, 289, 298–299, 303, 305, 342–346, 360–361, 364–365, 390
- See also* color reflectance; reflectance
- reflectivity, vs. depth, A:440
- Reflector Blue, seismic reflectors, A:46
- Reflector Orange, seismic reflectors, A:47–48
- Reflector Purple, seismic reflectors, A:47
- Reflector Red, seismic reflectors, A:45
- Reflector Yellow, seismic reflectors, A:46
- regression analysis, terrigenous component, B:466–467, 469–470
- remanent magnetization
- sediments, A:167–168, 293, 353
- See also* hysteresis; saturation remanence
- remanent magnetization, anhysteretic discrete samples, A:80
- sediments, A:78–79; B:172–173, 182–183
- vs. magnetic susceptibility, B:183
- vs. temperature, B:185
- remanent magnetization, isothermal discrete samples, A:80
- sediments, A:78–79
- remanent magnetization, natural, vs. depth, A:87
- remanent magnetization, saturation isothermal sediments, B:170, 173–174
- vs. depth, B:178
- resistivity
- sediments, A:111, 195, 253, 255, 313, 369
- small probe data, A:270–271, 394–395
- vs. compressional wave velocity, A:133
- vs. depth, A:122, 203, 323, 397
- resistivity, electrical, discrete intervals, A:126–128, 208–210, 322–323
- resistivity logs
- Site 925, A:122
- vs. depth, A:132, 211, 215–216, 260–261, 266,

- 325, 398, 440
See also well-logging
- resistivity–velocity–natural gamma ray logs
 Site 925, A:136–140, 147–149
 Site 927, A:274–276
 Site 928, A:330–333
 Site 929, A:403–407
See also well-logging
- rises, oceanography, A:5–10
- rock magnetism
 high-resolution methods, B:181–186
 sediments, B:169–179
- Romanche Fracture Zone, oceanography, A:6, 8
- salinity
 interstitial waters, A:355
 vs. depth, A:184, 256, 305, 381; B:287, 312
- samarium. *See* lanthanum/samarium ratio
- sand
 content, B:273–276, 307
 power spectra, B:437
 vs. age, B:279, 309–315, 327, 436
 vs. depth, B:277, 435
- sand, foraminifer, photograph, A:71
- sand/carbonate ratio, oxygen isotopes, B:232, 272
- saturation remanence
 vs. magnetite, B:178
See also remanent magnetization
- scandium/thorium ratio, vs. lanthanum/samarium ratio, B:470
- sea level, Pliocene, South America, B:343–345
- sea surface temperature, foraminifers, B:219, 223
- secular variations, carbon isotopes, B:501–505
- sediment flux, carbonates, B:69–82, 354–356
- sedimentary controls, velocity, B:139
- sedimentation
 carbonates, B:189–199, 272, 349–365
 cyclicity, B:138–140, 331–345, 448
 temperature, B:227
 terrigenous sediments, B:299–318, 343–345
See also sediment flux; transport
- sedimentation, biogenic, Miocene, B:375–388
- sedimentation, biosiliceous, A:424–426, 430, 436; B:483–490
- sedimentation, detrital, phosphorus, B:479–481
- sedimentation, rhythmic, precession cycle, A:272
- sedimentation rates
 biostratigraphic control points, A:89, 183, 259, 302, 367
 carbonates, B:190, 381, 478–481, 492
 cycle wavelengths, B:106
 cyclostratigraphy, B:102–107, 338–339
 gamma-ray logs, B:119
 lithologic units, A:64
 nannofossils, B:93–94
 sediment fluxes, B:74–75
 Site 925, A:80, 87–89
 Site 926, A:171, 178, 182–183
 Site 927, A:245, 248, 256, 259
 Site 928, A:297, 299–300, 302, 304
 Site 929, A:355, 367–368
 vs. age, A:102, 256, 304, 368; B:99, 340–341
 vs. reactive phosphorus, B:481
See also age vs. depth
- sediments
 Cenozoic, A:9
 elastic properties, B:151–155
 inorganic composition, B:507–526
 phosphorus, B:475–481
 physical properties, B:157–168
 Pleistocene, B:135–149
 redeposition periods, A:427
 rock magnetism, B:169–179, 181–186
See also sediment flux
- sediments, deep-sea
 beryllium isotopes, B:389–394
 composition, B:395–431
- sediments, noncarbonate, X-ray diffraction data, A:326
- sediments, pelagic
 cyclostratigraphy, B:101–102
 lithologic units, A:235–237
 lithostratigraphy, A:421–422
 model of physical properties, B:158–159
- sediments, terrigenous
 supply, B:299–318
See also terrigenous content
- seismic profiles
 Ceara Rise, A:42–50
 Site 925, A:61
 Site 926, A:157
 Site 927, A:235
 Site 928, A:285
 Site 929, A:341
- seismic reflectors
 Ceara Rise, A:44–49
See also Reflector Blue; Reflector Orange; Reflector Purple; Reflector Red; Reflector Yellow
- seismic stratigraphy, Ceara Rise, A:44–49
- seismic surveys, Ceara Rise, A:39–52
- seismograms, synthetic
 boreholes, A:122–123
 density and velocity logs, A:134
- shear strength
 sediments, A:253, 368–369
 vane shear data, A:320–321
 vs. depth, A:260–261, 323
- shear strength, undrained
 sediments, A:104–105, 111, 195, 309, 313
 vane shear data, A:124–125, 204–206, 268–269, 392–393
 vs. depth, A:121, 396
- shear strength/overburden stress ratio, vs. depth, A:121, 203, 323, 396
- Sierra Leone Rise, oceanography, A:5
- silica
 diatoms, B:483–490
 geochemical logs, A:217
 interstitial waters, A:249, 302, 304, 355, 359, 436
 vs. age, A:439
 vs. depth, A:103, 184, 256, 305, 381
See also opal
- silica, pore-water, vs. age, A:185
- silica switch, sediments, B:460
- siliciclastics
 cyclicity, B:138–140, 309–315, 508–509
See also biosiliceous fragments
- silicon
 inorganic sediments, B:509–516
 vs. aluminum, B:517
- silicon/aluminum ratio
 inorganic sediments, B:515–516
 spectral analysis, B:522, 524, 526
 vs. depth, B:519–521, 523, 525
- Site 526, carbon isotopes, B:503
- Site 607
 glaciation, B:251
 sedimentation, B:286
- Site 608, ocean circulation, B:459–460
- Site 677, glaciation, B:251
- Site 704, ocean circulation, B:459–460
- Site 806, carbonates, B:249
- Site 849, nannofossils, B:92
- Site 853, nannofossils, B:92
- Site 925, A:55–152
 background and objectives, A:56
- beryllium isotopes, B:389–394
- biostratigraphy, A:66–78, 88–89; B:3–31, 42–48
- carbon isotopes, B:501–505
- composite section, A:79–86
- coring, A:58–59
- downhole measurements, A:117–123, 131
- geochemistry, A:87, 89, 91–98; B:475–481
- lithostratigraphy, A:60–66
- magnetic susceptibility, B:529–532
- operations, A:56–59
- oxygen isotopes, B:201–206
- paleoceanography, B:239–253, 255–268, 269–297, 299–330, 375–388
- paleomagnetism, A:78–79, 90–91
- physical properties, A:98–117, 124–127
- rock magnetism, B:181–186
- sedimentation rates, A:80, 87, 89; B:465–473
- site description, A:55–152
- summary and conclusions, A:123, 125, 129
- Site 926, A:153–232
 background and objectives, A:154
 biostratigraphy, A:160–167, 182; B:49–50
- composite section, A:168–169, 171–178
- coring, A:155
- cyclostratigraphy, B:101–114
- downhole measurements, A:202–232
- geochemistry, A:178–179, 181, 183–189; B:475–481, 507–526
- lithostratigraphy, A:156–160
- Miocene, B:367–373
- nannofossil events, B:83–99
- operations, A:154–156
- paleoceanography, B:299–318, 395–431, 451–461
- paleomagnetism, A:167–168, 170–171, 180–181
- physical properties, A:189–206
- sediment flux, B:69–82
- sedimentation rates, A:171, 178, 183
- site description, A:153–232
- stratigraphy, B:441–449
- summary and conclusions, A:210, 212
- Site 927, A:233–279
 background and objectives, A:234
- biostratigraphy, A:238–244, 249, 258–259; B:49, 51
- carbonate dissolution, B:229–237
- composite section, A:244–248
- coring, A:238
- downhole measurements, A:255–260, 263–268, 270–279
- geochemistry, A:248–249, 251, 256–257, 259, 261
- lithostratigraphy, A:235–238
- operations, A:234–235
- paleoceanography, B:207–228, 239–253, 299–318
- paleomagnetism, A:244, 250–251, 254–255
- physical properties, A:251–255, 259
- sedimentation rates, A:245, 248, 256, 259
- sediments, B:135–149
- site description, A:233–279
- summary and conclusions, A:269, 272
- Site 928, A:281–336
 background and objectives, A:282
- biostratigraphy, A:285–293, 300–302; B:51–52
- composite section, A:293–296
- coring, A:284
- cyclostratigraphy, B:101–114
- downhole measurements, A:319–336
- geochemistry, A:300, 302, 304–309
- lithostratigraphy, A:282–285

- operations, A:282
paleoceanography, B:269–297, 299–318, 375–388, 395–431
paleomagnetism, A:293, 297–299, 303
physical properties, A:308–319
sedimentation rates, A:297, 299–300, 302, 304
sediments, B:135–149
silica, B:483–490
site description, A:281–336
summary and conclusions, A:326–328
- Site 929, A:337–417
background and objectives, A:338
biostratigraphy, A:347–353, 366–367; B:51, 53–55
carbonate dissolution, B:229–237
composite section, A:354, 356–359
coring, A:340
downhole measurements, A:371, 380–417
geochemistry, A:355, 359, 361–363, 369–371; B:475–481, 507–526
lithostratigraphy, A:341–347
operations, A:338–341
paleoceanography, B:239–253, 285–297, 299–330, 375–388, 395–431, 451–461
paleoclimatology, B:433–439
paleomagnetism, A:353–354, 360–361, 364–365
physical properties, A:363–365, 367–369, 371–380
rock magnetism, B:169–179
sedimentation rates, A:355, 367–368; B:465–473
silica, B:483–490
site description, A:337–417
summary and conclusions, A:390–391, 393, 395
- Skolithos*
lithologic units, A:61
See also ichnofossils
- slump deposits
lithologic units, A:157, 283, 285, 342–343
lithostratigraphy, A:421–422
location, A:428–430
photograph, A:70, 239
redeposition, A:426–427
- sodium
vs. depth, A:103, 184, 256, 305, 381
See also cesium/sodium ratio
- South America, paleoclimatology, B:343–345
- South Equatorial Current
changes, B:282–283
See also currents
- Southern Component Deep Water
circulation, Ceara Rise, B:324, 328, 354–356, 460
See also deep water
- speciation
planktonic foraminifers, B:12
See also pseudospeciation
- spectral analysis
carbonates, B:289
cyclostratigraphy, B:102, 274, 344
Oligocene/Miocene boundary, B:522
physical properties, B:140–142
power spectra, B:138, 196
See also cross-spectral analysis
- splice tie points
based on graphic correlation of composite magnetic susceptibility records, A:431
Site 925, A:86
Site 926, A:179
Site 927, A:253
Site 928, A:300
Site 929, A:362
- sponge spicules, silica, B:485
- stable isotopes
benthic foraminifers, B:239–253, 288–297, 451–461
carbonates, B:209–210, 367–373
planktonic foraminifers, B:271, 441–449
Pliocene, B:255–268, 304–305, 319–330
See also carbon isotopes; oxygen isotopes
- stratigraphy
carbonates, B:190
stable isotopes, B:210–211, 441–449, 451–461
- stress, effective
vs. void ratio, B:152
See also shear strength/overburden stress ratio
- strontium
interstitial waters, A:93, 181, 249, 304, 359
vs. depth, A:103, 184, 256, 305, 381
strontium isotopes, stratigraphy, B:451–461
strontium, pore water, vs. age, B:498
strontium-87/strontium-86 ratio/vs. depth, Ceara Rise, B:457–458
- strontium/calcium ratio
calcite, B:491–499
vs. age, B:494, 497–498
vs. depth, B:494
- subtropical gyre
circulation, B:278–282
See also ocean circulation
- sulfate
interstitial waters, A:92, 181, 249, 304, 359, 436
vs. ammonium, A:103
vs. depth, A:103, 184, 256, 305, 381, 438
sulfate, pore water, vs. age, B:498
- sulfur
sediments, A:94–98, 186–188, 261, 306–307
vs. depth, A:105, 185, 257, 305
- surface water
Ceara Rise, A:8
Pleistocene, B:207–228
- synchrony
nannofossils, B:93–94
See also diachrony
- temperature
boreholes, A:122
hysteresis, B:183
interstitial waters, B:201–206
rock magnetism, B:181–182
vs. depth, A:134, 207, 216, 272; B:287, 300
vs. magnetic susceptibility, B:173
vs. time, A:206
- temperature, borehole, well-logging, A:210, 267
- terrigenous content
vs. age, A:436; B:198, 234, 271, 355–356, 467
See also carbonate/noncarbonate ratio; sediments, terrigenous
- terrigenous flux
beryllium 10, B:389–394
Ceara Rise, A:436–437; B:289, 465–473
high-resolution reconstruction, A:430
low-resolution reconstruction, A:436
sedimentation, A:327, 393, 395; B:272, 470–471
- terrigenous flux logs
vs. age, A:440
See also well-logging
- terrigenous index, vs. age, B:344
- terrigenous mass accumulation rate
Neogene, B:342, 364, 382–386, 467–469
variance density spectra, B:147–148, 309–315, 336–338, 340–341
vs. age, B:468
- thermal conductivity
sediments, A:195, 202
vs. depth, A:211
whole-round core sections, A:206
- thermocline
sea water, B:227
sedimentation, A:424–426; B:261–262, 282–283, 448
topography, B:278
- thorium
vs. lanthanum, B:471
See also scandium/thorium ratio
- thorium logs
vs. depth, A:213, 217, 401; B:126–128
See also geochemical logs; well-logging
- thorium/potassium ratio logs
paleoclimatology, A:438
vs. age, A:267, 327, 440
vs. depth, A:213, 266, 325, 398–399
See also well-logging
- time scales
calibration, A:438–440; B:302–304, 331–345, 352
Ceara Rise, A:438–440
cyclostratigraphy, B:101–114
sediment flux, B:69–82
See also astrochronologic age models; geochronology
- time scales, tuned, applied to magnetic susceptibility, B:70–71
- tin. *See* arsenic/tin ratio
- titanium
inorganic sediments, B:509–516
vs. aluminum, B:517
- titanium oxide
geochemical logs, A:217
vs. calcium oxide, B:503–504
vs. carbon isotopes, B:505
vs. total organic carbon, B:503–504
- titanium/aluminum ratio
inorganic sediments, B:509–516
vs. depth, B:519–521, 523, 525
- trace fossils
lithologic units, A:60
See also ichnofossils
- trade winds, intensity, B:278–280, 282–283
- transport
sediments, B:476–481
See also sedimentation
- traveltime, two-way
vs. acoustic impedance, A:207
vs. amplitude, A:134
vs. depth, A:396
vs. impedance, A:396
- turbidite
lithologic units, A:61, 157, 341
lithostratigraphy, A:421–422
location, A:428–430
photograph, A:70
redeposition, A:426–427
sedimentation, A:391
- unconformities. *See* hiatuses
- uranium logs
vs. depth, A:217, 401
See also geochemical logs; well-logging
- vanadium, inorganic sediments, B:509–516
- variance density spectra, frequency, B:147–148
- velocity. *See* acoustic units
- velocity, acoustic
discrete samples, A:112–116, 196–202, 264–266, 314–319, 382–390
sediments, A:104, 193–195, 251–253, 308–309, 363, 367–368

VOLUME 154 TAXONOMIC INDEX

- velocity, seismic, vs. carbonate content,
B:162–166
- velocity logs
Site 925, A:122
vs. depth, A:129, 132, 211, 266, 325, 398
See also resistivity–velocity–natural gamma ray logs; well-logging
- Vema Fracture Zone, oceanography, A:6, 8
- Verwey transition, demagnetization, B:176
- void ratio
effective stress, B:152
See also porosity
- Warm Saline Deep Water
silica, B:488
See also deep water
- water column, Pliocene, B:255–268, 341–345
- water content
sediments, A:98–99, 101–104
vs. depth, A:120, 195, 309
- well-logging
Ceara Rise, A:438–440
high quality methods, B:117–134
lithology, A:260, 263, 321, 324–325, 371, 380
log repeatability, A:118–119
shore-based log processing, A:117–123,
131–152, 210, 218, 267, 273, 329, 381,
402
Site 926, A:202–232
Site 927, A:255–260, 263–268, 270–279
Site 928, A:319–336
Site 929, A:371, 380–417
See also caliper logs; density logs;
density–natural gamma ray logs;
density–porosity–natural gamma ray
logs; downhole measurements; gamma
ray logs; geochemical logs;
photoelectric effect logs; resistivity
logs; resistivity–velocity–natural
gamma ray logs; terrigenous flux logs;
- thorium logs; thorium/potassium ratio
logs; uranium logs; velocity logs
- X-ray diffractograms, vs. age, A:440
- zoning
calcareous nannoplankton and planktonic
foraminifers, A:74–75, 164–165,
350–351
calcareous nannoplankton and planktonic
foraminifers vs. depth, A:292
planktonic foraminifers, B:35–42
vs. depth, A:62–66, 158–160, 236–237,
286–288, 342–345
zoning, foraminifer, vs. depth, A:241
zoning, nannoplankton, vs. depth, A:241
- Zoophycos*
lithologic units, A:61, 157
See also ichnofossils

VOLUME 154 TAXONOMIC INDEX

- Abysminina poagi*, Site 929, A:353
- Acarinina angulosa*, Ceara Rise, B:56
- Acarinina bullbrooki*, Ceara Rise, B:56
- Acarinina bullbrooki/spinuloinflata plexus*, Site
925, B:49
- Acarinina coalingensis*, Ceara Rise, B:56
- Acarinina collactea*, Ceara Rise, B:56
- Acarinina cuneicamerata*, Ceara Rise, B:56
- Acarinina libyaensis*, Ceara Rise, B:56
- Acarinina matthewsae*, Ceara Rise, B:56
- Acarinina primitiva*, Ceara Rise, B:56
- Acarinina pseudotopilensis*, Site 929, B:57
- Acarinina rohri*
Ceara Rise, B:57
Site 925, B:48
Site 929, A:352; B:55
- Acarinina soldadoensis*
Ceara Rise, B:57
Site 929, A:352–353; B:55
- Acarinina spinuloinflata*, Ceara Rise, B:57
- Acarinina topilensis*
Ceara Rise, B:57
Site 925, B:48–49
Site 929, A:352
- Acarinina triplex*, Ceara Rise, B:57
- acostaensis*, *Neogloboquadrina*
Ceara Rise, A:434
Site 925, A:75; B:5, 9–10, 18, 255, 261
Site 926, A:165
Site 927, A:240–241
- acuta*, *Morozovella*
Ceara Rise, B:61–62
Site 929, B:55
- acutus*, *Ceratolithus*
Ceara Rise, A:434
Site 925, A:69, 71
Site 926, A:163; B:85–86
Site 928, A:297
- aequa*, *Morozovella*
Ceara Rise, B:62
Site 929, B:55
- aequilateralis*, *Globigerinella*
Site 925, B:19
Site 927, B:212, 218
- alabamensis*, *Hantkenina*
Ceara Rise, B:35, 41, 61, 67
- Site 925, A:77, 87; B:48
Site 929, A:351–352; B:55
- Alabaminella weddellensis*, Ceara Rise,
B:396–431
- albeari*, *Igorina*, Ceara Rise, B:61
- altiaperturus*, *Globigerinoides*
Ceara Rise, B:60
Site 925, B:48
- altispira*, *Dentoglobigerina*
Site 925, A:74; B:6, 9, 17, 42, 260–261
Site 926, A:165, 169
Site 927, A:240
Site 928, A:289
Site 929, A:349
- altispira* s. l., *Dentoglobigerina*, Ceara Rise, B:58
- Amaurolithus amplifitcus*
Ceara Rise, A:434
Site 925, A:69, 72, 87
Site 926, A:178; B:87–88, 91–92, 98
- Amaurolithus delicatus*, Site 925, A:71
- Amaurolithus primus*
Site 925, A:69, 71–72
Site 926, A:163
- Amaurolithus* spp.
Site 925, A:71
Site 926, B:87–88, 92, 98
- Ammodiscus* spp.
Site 925, A:78
Site 929, A:353
- ammophila*, *Hanzawaia*
Site 925, A:78
Site 928, A:293
Site 929, A:353
- Ammovertellina* spp., Site 925, A:78
- ampliapertura*, *Helicosphaera*
Site 925, A:72, 87
Site 926, A:163
- ampliapertura*, *Turborotalia*
Ceara Rise, B:41, 64
Site 925, A:77; B:48
Site 928, A:292; B:51
Site 929, B:55
- amplifitcus*, *Amaurolithus*
Ceara Rise, A:434
Site 925, A:69, 72, 87
Site 926, A:178; B:87–88, 91–92, 98
- angiporoides*, *Subbotina*, Ceara Rise, B:64
- anguliofficialis*, “*Globigerina*”
Ceara Rise, B:58
Site 925, B:48
- angulisuturalis*, “*Globigerina*”
Ceara Rise, B:40, 58
Site 925, A:77; B:48
Site 926, A:167; B:49
Site 928, A:292; B:51
Site 929, B:55
- angulosa*, *Acarinina*, Site 929, B:56
- angustiumblicata*, *Tenuitellinata*
Ceara Rise, B:64, 68
Site 925, B:48
Site 926, B:443–444
- Anomalinooides globulosus*
Site 925, A:78
Site 926, A:167
- Anomalinooides semicribratus*
Site 927, A:244
Site 928, A:293
- apertura*, *Globigerina*
Ceara Rise, A:432
Site 927, A:240
- apertura*, *Globoturborotalita*, Site 925, B:6, 10,
12, 262
- aragonensis*, *Aragonia*, Site 929, A:353
- aragonensis*, *Morozovella*
Ceara Rise, B:35, 41–42, 62, 68
Site 929, A:352–353; B:55
- Aragonia aragonensis*, Site 929, A:353
- archeomenardii*, *Globorotalia*
Ceara Rise, B:38–39, 61, 68
Site 926, B:49
Site 927, A:243
- armatus*, *Ceratolithus*
Site 925, A:71
Site 926, A:163
- asymmetricus*, *Discoaster*
Site 925, A:69
Site 926, A:163
- atlanticus*, *Ceratolithus*
Site 925, A:72
Site 926, A:163; B:85–86
- Aulacoseira* sp., Ceara Rise, B:484–485
- Azpeitia oligocenica*, Ceara Rise, B:485–486, 488

- barleeanus*, *Melonis*, Site 925, A:78
barnetti, *Cibicoides*, Site 926, A:167
baroemoenensis, *Dentoglobigerina*, Ceara Rise, B:58
baroemoenensis, *Globoquadrina*, Site 925, B:9, 17, 31
barri, *Globigerinatheka*, Ceara Rise, B:59
Bathysiphon spp.
 Site 925, A:78
 Site 929, A:353
beccariformis, *Stensioina*, Site 929, A:353
beckmanni, *Orbulinoides*
 Ceara Rise, B:41, 62, 68
 Site 925, A:77, 87; B:49
 Site 929, A:352; B:55
Beella digitata, Site 925, B:19
Beella praedigitata, Site 925, B:19
belemnos, *Sphenolithus*
 Site 925, A:73
 Site 926, A:161, 163, 178
berggrenii, *Discoaster*
 Site 925, A:72
 Site 926, A:169; B:88–89, 91–93, 99
bermudezi, *Clavatorella*
 Ceara Rise, B:35, 38–39, 57, 68
 Site 925, B:42
bijugatus, *Zygrhablithus*, Site 925, A:73
binaensis, *Globoquadrina*
 Ceara Rise, B:39, 60
 Site 925, B:48
 Site 926, B:49
 Site 928, B:51
 Site 929, B:55
birnageae, *Fohsella*, Ceara Rise, B:58
bisphericus, *Globigerinoides*, Ceara Rise, B:60
bolivariana, *Subbotina*
 Ceara Rise, B:64
 Site 925, B:49
Bolivina inflata, Site 927, A:243
bradyii, *Cibicoides*
 Ceara Rise, B:240
 Site 925, A:78
bramlettei, *Tribrachiatas*, Site 929, A:347
broedermanni, *Igorina*
 Ceara Rise, B:61
 Site 929, B:55
brouweri, *Discoaster*
 Ceara Rise, A:432
 Site 925, A:69
 Site 926, A:163; B:89, 92
 Site 928, A:288
Bulimina midwayensis, Site 929, A:353
Bulimina semicostata
 Site 928, A:293
 Site 929, A:353
Buliminella grata
 Site 927, A:244
 Site 928, A:293
bullbrookii, *Acarinina*, Site 929, B:56
bullbrookii/spinuloinflata plexus, *Acarinina*, Site 925, B:49
bulloides, *Globigerina*
 Site 925, B:12–13
 Site 927, B:213, 218
bulloides, *Pullenia*
 Site 925, A:78
 Site 926, A:167
 Site 927, A:244
Calcidiscus protoannula, Site 925, A:73
Calcidiscus spp., Site 929, A:347
calida, *Globigerinella*, Site 925, B:19
calyculus, *Catinaster*
 Site 925, A:72
 Site 926, B:84, 89, 93–94
Campylosphaera eodola, Site 929, A:349
Candeina nitida, Site 925, A:75; B:10, 19
carcoselleensis, *Globorotaloides*, Ceara Rise, B:61
carinatus, *Triquetrorhabdulus*
 Site 925, A:73
 Site 926, A:161, 163
 Site 929, A:347
Cassigerinella chipolensis
 Ceara Rise, B:57
 Site 925, B:48
Catapsydrax dissimilis
 Ceara Rise, B:39, 57, 68
 Site 925, A:77; B:48
 Site 926, A:165; B:49, 442–447
 Site 928, A:292; B:51
 Site 929, A:350–351; B:51
Catapsydrax stainforthi, Ceara Rise, B:57
Catapsydrax unicavus
 Ceara Rise, B:57
 Site 925, B:48
catenata, *Siphotextularia*, Site 925, A:78
Catinaster calyculus
 Site 925, A:72
 Site 926, B:84, 89, 93–94
Catinaster coalitus
 Site 925, A:72
 Site 926, B:89, 93–94
 Site 927, A:239
Cavitatus miocenicus, Ceara Rise, B:485–486, 488
Ceratolithus acutus
 Ceara Rise, A:434
 Site 925, A:69, 71
 Site 926, A:163; B:85–86
 Site 928, A:297
Ceratolithus armatus
 Site 925, A:71
 Site 926, A:163
Ceratolithus atlanticus
 Site 925, A:72
 Site 926, A:163; B:85–86
Ceratolithus rugosus, Site 926, B:85
Ceratolithus separatus, Site 926, B:85
Ceratolithus sp. 1, Site 926, B:85–86
cerroazulensis, *Turborotalia*
 Ceara Rise, B:41, 64
 Site 925, A:77, 87; B:48
 Site 929, A:351–352
Cestodiscus gemmifer, Ceara Rise, B:484–485
Cestodiscus reticulatus, Ceara Rise, B:484
chapmani, *Globanomalina*, Ceara Rise, B:58
charoides, *Repmanina*, Site 925, A:78
Chiasmolithus grandis, Site 925, A:73, 87
Chiasmolithus solitus, Site 925, A:73
Chiasmolithus spp., Site 929, A:347
Chiloguembelina cubensis
 Ceara Rise, B:40, 110–111
 Site 925, A:77
 Site 926, A:166–167, 178; B:49
 Site 928, A:292
 Site 929, A:351
Chiloguembelina spp., Ceara Rise, B:57, 68
Chilostomella oolina, Site 926, A:167
chipolensis, *Cassigerinella*
 Ceara Rise, B:57
 Site 925, B:48
cibaensis, *Globorotalia*
 Ceara Rise, A:434
 Site 925, A:75; B:10
cibaensis, *Hirsutella*, Site 925, B:8, 16, 31, 261
Cibicoides barnetti, Site 926, A:167
Cibicoides bradyii
 Ceara Rise, B:240
 Site 925, A:78
Cibicoides cicatricosus, Ceara Rise, B:240
Cibicoides corpulentus, Ceara Rise, B:319–321
Cibicoides crebbii, Site 926, A:167
Cibicoides eocaenus
 Site 925, A:78
 Site 929, A:353
Cibicoides grimsdalei
 Site 925, A:78
 Site 929, A:353
Cibicoides havanensis
 Site 926, A:167
 Site 929, A:353
Cibicoides hyphalus, Site 929, A:353
Cibicoides incrassatus
 Site 928, A:293
 Site 929, A:353
Cibicoides kullenbergi, Ceara Rise, B:240, 301, 319–321, 367–373
Cibicoides laurissae
 Site 926, A:167
 Site 928, A:293
 Site 929, A:353
Cibicoides mexicanus, Site 929, A:353
Cibicoides mundulus
 Ceara Rise, B:453, 458–460
 Site 925, A:78
 Site 929, B:434–438
Cibicoides perlucidus, Site 926, A:167
Cibicoides praemundulus
 Site 926, A:167
 Site 928, A:293
 Site 929, A:353
Cibicoides sp., Ceara Rise, B:231, 251, 286–295, 367–373
Cibicoides truncatus, Site 925, A:78
Cibicoides wuellerstorfi, Ceara Rise, B:231, 240, 243–251, 286–295, 301, 319–321, 367–373
cicatricosus, *Cibicoides*, Ceara Rise, B:240
ciperoensis, “*Globigerina*”
 Ceara Rise, B:40, 58–59
 Site 925, B:48
ciperoensis, *Sphenolithus*
 Ceara Rise, B:110
 Site 925, A:73
 Site 926, A:163–164
 Site 928, A:288
 Site 929, A:347
circularis, *Praeorbulina*
 Ceara Rise, B:39, 63
 Site 925, B:42
 Site 927, A:243
Clavatorella bermudezi
 Ceara Rise, B:35, 38–39, 57, 68
 Site 925, B:42
Clavigerinella eocanica
 Ceara Rise, B:41, 57, 68
 Site 929, B:55
Clavigerinella spp., Site 929, B:56
clemenciae, *Tenuitella*, Ceara Rise, B:64
coalingensis, *Acarinina*, Site 929, B:56
coalitus, *Catinaster*
 Site 925, A:72
 Site 926, B:89, 91, 93–94
 Site 927, A:239
Coccolithus crassus, Site 929, A:347
Coccolithus eopelagicus, Site 925, A:73
Coccolithus formosus, Site 925, A:73
Coccolithus miopelagicus
 Site 925, A:72
 Site 926, B:89–90, 93–94
Coccolithus spp., Site 929, A:347

- cocoaensis*, *Turborotalia*, Ceara Rise, B:64
collactea, *Acarinina*, Site 929, B:56
conglobata, *Thalmannammina*, Site 925, A:78
conglobatus, *Globigerinoides*
 Site 925, B:13
 Site 927, B:213, 218
conicus, *Sphenolithus*, Site 928, A:288
connecta, *Zeaglobigerina*, Ceara Rise, B:65
continua, *Neogloboquadrina*, Ceara Rise, B:10,
 17
continua, *Paragloborotalia*, Ceara Rise,
 B:62–63
contortus, *Tribrochiatius*, Site 929, A:347
convexa, *Igorina*
 Ceara Rise, B:61
 Site 929, B:55
Coronocyclus nitescens
 Site 925, A:73
 Site 926, A:163
corpulentus, *Cibicidoides*, Ceara Rise, B:319–321
coryelli, *Pullenia*, Site 929, A:353
Coscinodiscus excavatus, Ceara Rise, B:484–490
Coscinodiscus excavatus Zone, Ceara Rise,
 B:484–490
crassaformis, *Globorotalia*
 Ceara Rise, A:434
 Site 927, B:213, 218
 Site 928, A:289
crassaformis, *Truncorotalia*, Site 925, B:8, 16, 31,
 256–268
crassata, *Morozovella*, Site 929, A:352
crassula, *Truncorotalia*, Site 925, B:16, 31
crassus, *Coccolithus*, Site 929, A:347
crebbsi, *Cibicidoides*, Site 926, A:167
Criboecentrum reticulatum, Site 925, A:73
Cribohantkenina inflata
 Ceara Rise, B:41, 57, 68
 Site 925, A:77; B:48
Cribohantkenina lazarii, Site 925, B:48, 58, 68
cubensis, *Chiloguembelina*
 Ceara Rise, B:40, 110–111
 Site 925, A:77
 Site 926, A:166–167, 178; B:49
 Site 928, A:292
 Site 929, A:351
cuneicamerata, *Acarinina*, Site 929, B:56
cunialensis, *Turborotalia*
 Ceara Rise A:41, 64–65
 Site 925, A:77; B:48
curva, *Praeorbulina*
 Ceara Rise, B:63
 Site 927, A:243
cuspis, *Rhombaster*, Site 929, A:349
Cyclammina spp.
 Site 925, A:78
 Site 929, A:353
Cyclicargolithus floridanus
 Site 925, A:73
 Site 926, A:163
 Site 927, A:239
decoraperta, *Globoturborotalia*
 Ceara Rise, A:433; B:12
 Site 929, A:350
deflandrei, *Discoaster*
 Site 925, A:73
 Site 926, A:178
dehiscens, *Globoquadrina*
 Ceara Rise, B:40, 60
 Site 925, B:9, 17
dehiscens, *Sphaeroidinella*
 Ceara Rise, A:434; B:5, 10, 18
 Site 927, A:240
 Site 929, A:349–350
delicatus, *Amaurolithus*, Site 925, A:71
delphix, *Sphenolithus*
 Ceara Rise, B:107, 109–110
 Site 925, A:69, 72–73
 Site 926, A:163–164; B:441
 Site 928, A:288
 Site 929, A:347
densa, *Morozovella*
 Ceara Rise, B:62
 Site 929, A:352; B:55
Dentoglobigerina altispira
 Site 925, A:74; B:6, 9, 17, 42, 260–261
 Site 926, A:165, 169
 Site 927, A:240
 Site 928, A:289
 Site 929, A:349
Dentoglobigerina altispira s. l., Ceara Rise, B:58
Dentoglobigerina baroemoensis, Ceara Rise,
 B:58
Dentoglobigerina galavisi, Ceara Rise, B:58
Dentoglobigerina globularis
 Ceara Rise, B:58
 Site 926, B:443–444
Dentoglobigerina larmei
 Ceara Rise, B:58
 Site 926, B:443–444
diastypus, *Discoaster*, Site 929, A:347
Dictyococcites bisectus–*Dictyococcites hesslandii*
 lineage, Site 925, A:73
Dictyococcites hesslandii, Site 926, A:163
digitata, *Beella*, Site 925, B:19
Discoaster asymmetricus
 Site 925, A:69
 Site 926, A:163
Discoaster berggrenii
 Site 925, A:72
 Site 926, A:169; B:88–89, 91–93, 99
Discoaster brouweri
 Ceara Rise, A:432
 Site 925, A:69
 Site 926, A:163; B:89, 92
 Site 928, A:288
Discoaster deflandrei
 Site 925, A:73
 Site 926, A:178
Discoaster diastypus, Site 929, A:347
Discoaster hamatus
 Site 925, A:72
 Site 926, B:89, 91–92, 94
 Site 927, A:239
Discoaster kugleri
 Site 925, A:73
 Site 926, A:163, 178; B:90, 95
Discoaster lodoensis, Site 929, A:347
Discoaster loeblichii, Site 925, A:72
Discoaster multiradiatus, Site 929, A:349
Discoaster neohamatus, Site 926, B:89, 92, 94
Discoaster pentaradiatus
 Ceara Rise, A:433
 Site 925, A:69
 Site 926, A:161, 163
 Site 928, A:288
Discoaster quinqueramus
 Ceara Rise, A:434
 Site 925, A:69, 72
 Site 928, A:297
Discoaster saipanensis
 Site 925, A:73, 87
 Site 929, A:347
Discoaster sublodoensis, Site 929, A:347
Discoaster surculus
 Ceara Rise, A:433
 Site 926, A:161
Discoaster tamalis
 Ceara Rise, A:433
 Site 925, A:69, 71
 Site 926, A:161
Discoaster variabilis group, Site 926, A:163
dissimilis, *Catapsydrax*
 Ceara Rise, B:39, 57, 68
 Site 925, A:77; B:48
 Site 926, A:165; B:49, 442–447
 Site 928, A:292; B:51
 Site 929, A:350–351; B:51
dissimilis, *Sphenolithus*, Site 928, A:288
distentus, *Sphenolithus*
 Site 925, A:73
 Site 926, A:161, 164, 178
 Site 928, A:288
 Site 929, A:347
Dorothia trochoides, Site 929, A:353
druryi, *Globigerina*, Site 926, A:165
dumblei, *Hantkenina*, Ceara Rise, B:61
dutertrei, *Neogloboquadrina*
 Site 925, A:74; B:9, 18, 255–268
 Site 927, B:210, 215, 218–220, 223–224, 227
Emiliania huxleyi
 Ceara Rise, A:42, 69
 Site 926, A:161
 Site 928, A:287
eminens, *Toweius*, Site 929, A:349
eocaena, *Subbotina*
 Ceara Rise, B:64
 Site 925, B:48
eocaenus, *Cibicidoides*
 Site 925, A:78
 Site 929, A:353
eocanica, *Clavigerinella*
 Ceara Rise, B:41, 57, 68
 Site 929, B:55
eodela, *Campylosphaera*, Site 929, A:349
eopelagicus, *Coccolithus*, Site 925, A:73
Epistominella exigua
 Ceara Rise, B:396–431
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243
 Site 928, A:292–293
 Site 929, A:353
Epistominella sp., Ceara Rise, B:396–431
Ericsonia fenestrata, Site 925, A:73
Ericsonia obruta, Site 925, A:73
Ericsonia robusta, Site 929, A:349
euaperta, *Globoquadrina*, Site 926, B:443–444
excavatus, *Coscinodiscus*, Ceara Rise, B:484–490
exigua, *Epistominella*
 Ceara Rise, B:396–431
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243
 Site 928, A:292–293
 Site 929, A:353
exilis, *Globorotalia*
 Ceara Rise, A:433
 Site 925, A:74
 Site 927, A:240
 Site 929, A:349
exilis, *Menardella*, Site 925, B:6–7, 15, 30
extremus, *Globigerinoides*
 Ceara Rise, A:432
 Site 925, A:75; B:6, 10, 13
 Site 927, A:240
 Site 929, A:350
falconensis, *Globigerina*
 Site 925, B:13
 Site 927, B:212, 218, 223

- fariasi*, "Globigerina," Ceara Rise, B:59
Fasciculithus schaubii, Site 929, A:349
Fasciculithus tympaniformis, Site 929, A:349
fenestrata, *Ericsonia*, Site 925, A:73
finalis, *Pulleniatina*
 Ceara Rise, A:432
 Site 925, A:74; B:9
 Site 926, A:164, 178
 Site 927, A:240
fistulosus, *Globigerinoides*
 Ceara Rise, A:432
 Site 925, A:74; B:6, 14
 Site 926, A:164
 Site 927, A:240
 Site 928, A:289
 Site 929, A:349
fistulosus s. l., *Globigerinoides*, Site 929, A:349
florealis, *Nuttallides*, Site 929, A:353
floridanus, *Cyclicargolithus*
 Site 925, A:73
 Site 926, A:163
 Site 927, A:239
Florisphaera profunda, Ceara Rise, B:139,
 269–283
Fohsella birmageae, Ceara Rise, B:58
Fohsella fohsi
 Ceara Rise, B:38, 58
 Site 926, A:165
 Site 927, A:241–242
 Site 928, A:289; B:51
Fohsella fohsi s. l.
 Site 925, B:5
 Site 926, A:165
Fohsella lineage, Site 925, A:75, 77
Fohsella lobata
 Site 925, A:75
 Site 926, A:165
 Site 927, A:241
Fohsella peripheroacuta
 Ceara Rise, B:38, 58, 68
 Site 925, A:77; B:42
 Site 926, A:165
 Site 927, A:242–243
 Site 928, A:291; B:51
 Site 929, B:51
Fohsella peripheroronda
 Ceara Rise, B:38, 58, 68
 Site 925, A:87
 Site 927, A:242
 Site 928, A:291; B:51
 Site 929, A:350
Fohsella "praefohsi"
 Ceara Rise, B:38, 58
 Site 925, A:77, 87; B:42
 Site 926, A:165
 Site 927, A:242
 Site 928, A:291; B:51
Fohsella robusta
 Site 925, A:75
 Site 926, A:165
 Site 927, A:241
 Site 928, A:289
fohsi, *Fohsella*
 Ceara Rise, B:38, 58
 Site 926, A:165
 Site 927, A:241–242
 Site 928, A:289; B:51
fohsi s. l., *Fohsella*
 Site 925, B:5
 Site 926, A:165
formosa, *Morozovella*
 Ceara Rise, B:62
 Site 929, B:55
formosus, *Coccolithus*, Site 925, A:73
frontosa, *Subbotina*, Ceara Rise, B:64
fusa, *Ilselithina*, Site 928, A:288
galavisi, *Dentoglobigerina*, Ceara Rise, B:58
Gaudryina spp., Site 925, A:78
gemma, *Tenuitella*, Ceara Rise, B:64
gemmifer, *Cestodiscus*, Ceara Rise, B:484–485
Gephyrocapsa omega, Site 928, A:288
Gephyrocapsa parallela, Site 928, A:288
Gephyrocapsa spp.
 Ceara Rise, A:432
 Site 925, A:69
 Site 926, A:161
 Site 928, A:287
Globanomalina chapmani, Ceara Rise, B:58
Globanomalina pseudomenardii
 Ceara Rise, B:42, 58
 Site 929, A:353, 355; B:55
 "Globigerina" *anguliofficialis*
 Ceara Rise, B:58
 Site 925, B:48
 "Globigerina" *angulisuturalis*
 Ceara Rise, B:40, 58
 Site 925, A:77; B:48
 Site 926, A:167; B:49
 Site 928, A:292; B:51
 Site 929, B:55
Globigerina apertura
 Ceara Rise, A:432
 Site 927, A:240
Globigerina bulloides
 Site 925, B:12–13
 Site 927, B:213, 218
 "Globigerina" *ciperoensis*
 Ceara Rise, B:40, 58–59
 Site 925, B:48
Globigerina druryi, Site 926, A:165
Globigerina falconensis
 Site 925, B:13
 Site 927, B:212, 218, 223
 "Globigerina" *fariasi*, Ceara Rise, B:59
Globigerina praebulloides
 Ceara Rise, B:59, 68
 Site 926, B:442–447
Globigerina rubescens, Site 927, B:211, 215, 217,
 221, 227
Globigerinatella insueta
 Ceara Rise, B:38–39, 58, 67
 Site 926, A:165
 Site 928, B:51
Globigerinatella insueta s. str., Site 925, A:77
Globigerinatella sp.
 Ceara Rise, B:39–40, 59, 67
 Site 928, A:291
 Site 929, B:56
Globigerinatheka barri, Ceara Rise, B:59
Globigerinatheka index
 Ceara Rise, B:59
 Site 925, A:77
Globigerinatheka kugleri
 Ceara Rise, B:59
 Site 929, A:352
Globigerinatheka semiinvoluta
 Ceara Rise, B:41, 59
 Site 925, A:77, 87; B:48
Globigerinatheka senni, Ceara Rise, B:59
Globigerinatheka subconglobata, Ceara Rise,
 B:59
Globigerinatheka tropicalis, Ceara Rise, B:59
Globigerinella aequilateralis
 Site 925, B:19
 Site 927, B:212, 218
Globigerinella calida, Site 925, B:19
Globigerinella obesa, Ceara Rise, B:59
Globigerinella praesiphonifera, Ceara Rise, B:59
Globigerinella glutinata
 Ceara Rise, B:59–60, 67
 Site 925, B:18–19, 42, 48, 260–262
 Site 927, B:210, 215, 218–220, 223–224, 227
Globigerinella spp., Site 929, B:56
Globigerinella uvula, Ceara Rise, B:60
Globigerinoides altiapertura
 Ceara Rise, B:60
 Site 925, B:48
Globigerinoides bisphericus, Ceara Rise, B:60
Globigerinoides conglobatus
 Site 925, B:13
 Site 927, B:213, 218
Globigerinoides extremus
 Ceara Rise, A:432
 Site 925, B:210, 215, 218–220, 223–224, 227
 Site 927, A:240
 Site 929, A:350
Globigerinoides fistulosus
 Ceara Rise, A:432
 Site 925, A:74; B:6, 14
 Site 926, A:164
 Site 927, A:240
 Site 928, A:289
 Site 929, A:349
Globigerinoides fistulosus s. l., Site 929, A:349
Globigerinoides mitra, Ceara Rise, B:60
Globigerinoides obliquus
 Ceara Rise, B:60
 Site 925, B:6, 13, 260–261
 "Globigerinoides" *primordius*
 Ceara Rise, B:60
 Site 926, B:443–444
Globigerinoides ruber
 Ceara Rise, B:269–283, 367–373
 Site 925, B:10, 260–262, 264, 266
 Site 927, B:210, 215, 220, 224, 227
Globigerinoides ruber s. l., Ceara Rise, B:60
Globigerinoides sacculifer
 Ceara Rise, B:60, 190–191, 196, 367–373
 Site 925, B:13–14, 256, 258–268
 Site 927, B:208–210, 215, 220, 222, 224–226
Globigerinoides spp., Site 925, B:42
Globigerinoides tenellus, Site 927, B:212, 219,
 222
Globigerinoides trilobus, Site 925, B:48
Globigerinoides trilobus s. l., Ceara Rise, B:40, 60
Globocassidulina subglobosa
 Ceara Rise, B:396–431
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243–244
 Site 928, A:293
 Site 929, A:353
Globoconella puncticulata, Site 925, B:14, 31
Globoconella triangula, Site 925, B:262
Globoconella triangula/inflata group, Site 925,
 B:14–15, 31
globolus, *Anomalinoidea*
 Site 925, A:78
 Site 926, A:167
Globoquadrina baroemoensis, Site 925, B:9, 17,
 31
Globoquadrina binaensis
 Ceara Rise, B:39, 60
 Site 925, B:48
 Site 926, B:49
 Site 928, B:51
 Site 929, B:55
Globoquadrina dehiscens
 Ceara Rise, B:40, 60
 Site 925, B:9, 17
Globoquadrina euaperta, Site 926, B:443–444

- Globoquadrina praedeheiscens*
Ceara Rise, B:60
Site 926, B:443–444
- Globoquadrina pseudovenezuelana*, Ceara Rise, B:60
- Globoquadrina sellii*, Ceara Rise, B:60
- Globoquadrina tripartita*, Ceara Rise, B:60
- Globoquadrina venezuelana*
Ceara Rise, B:60, 68
Site 925, B:9, 17, 31, 42
Site 926, B:442–447
- Globorotalia archeomenardii*
Ceara Rise, B:38–39, 61, 68
Site 926, B:49
Site 927, A:243
- Globorotalia cibaoensis*
Ceara Rise, A:434
Site 925, A:75; B:10
- Globorotalia crassaformis*
Ceara Rise, A:434
Site 927, B:213, 218
Site 928, A:289
- Globorotalia exilis*
Ceara Rise, A:433
Site 925, A:74
Site 927, A:240
Site 929, A:349
- Globorotalia inflata*, Site 926, A:165
- Globorotalia juanai*, Ceara Rise, B:10
- Globorotalia languaensis*
Site 925, B:10, 16
Site 929, A:350
- Globorotalia limbata*, Site 925, B:10
- Globorotalia margaritae*, Site 925, A:75
- Globorotalia menardii*
Site 925, A:74
Site 927, B:211, 215, 217, 224
- Globorotalia menardii neoflexuosa*, Site 927, B:215
- Globorotalia merotumida*, Ceara Rise, B:10, 16–17
- Globorotalia miocenica*
Ceara Rise, A:433
Site 925, A:74; B:5, 260–261
Site 926, A:165
Site 927, A:240
Site 928, A:289
Site 929, A:349
- Globorotalia multicamerata*
Ceara Rise, A:433
Site 926, A:165, 169
Site 927, A:240
Site 928, A:289
Site 929, A:349
- Globorotalia paralanguaensis*, Site 925, B:10, 16
- Globorotalia pertenuis*
Ceara Rise, A:433
Site 925, A:74
Site 927, A:240
Site 928, A:289
Site 929, A:349
- Globorotalia plesiotumida*
Ceara Rise, A:434; B:17
Site 925, A:75; B:5, 8–9, 17
Site 926, A:165
Site 927, A:241
Site 928, A:289
Site 929, A:350
- Globorotalia praemenardii*, Ceara Rise, B:38, 61, 68
- Globorotalia praescitula*, Ceara Rise, B:61
- Globorotalia pseudomiocenica*
Site 925, B:15, 30
Site 926, A:165
- Globorotalia tosaensis*
Site 925, A:73–74
Site 926, A:165
- Globorotalia triangula*, Site 929, A:349
- “*Globorotalia*” *triangula*
Site 926, A:164–165
Site 927, A:240
Site 928, A:289
- Globorotalia truncatulimoides*
Ceara Rise, A:432
Site 925, A:73–74; B:5
Site 926, A:165
Site 927, A:240; B:212–213, 215, 217–218, 222, 225, 227
Site 929, A:349
- Globorotalia tumida*
Ceara Rise, A:434
Site 925, A:74–75; B:5, 8–9, 17, 257
Site 926, A:165
Site 927, A:240; B:213, 215, 224, 227
Site 928, A:289
Site 929, A:350
- Globorotalia ungulata*
Ceara Rise, B:17
Site 925, B:261
- Globorotalia woodi*, Ceara Rise, A:433
- Globorotaloides carcoselleensis*, Ceara Rise, B:61
- Globorotaloides hexagonus*, Site 925, B:18
- Globorotaloides suteri*
Ceara Rise, B:61
Site 929, A:350
- Globorotaloides variabilis*
Ceara Rise, B:61
Site 925, B:10, 18
- globosa*, *Gyroidinoides*, Site 929, A:353
- Globoturborotalita apertura*, Site 925, B:6, 10, 12, 262
- Globoturborotalita decoraperta*
Ceara Rise, A:433; B:12
Site 929, A:350
- Globoturborotalita nepenthes*
Ceara Rise, A:434
Site 925, A:74–75; B:5, 11, 262
Site 926, A:165
Site 927, A:241
Site 928, A:291
Site 929, A:350
- Globoturborotalita rubescens*, Site 925, B:6, 12, 260–261
- Globoturborotalita tenella*, Site 925, B:12
- Globoturborotalita woodi*
Ceara Rise, B:12
Site 925, B:262
- globularis*, *Dentoglobigerina*
Ceara Rise, B:58
Site 926, B:443–444
- glomerosa*, *Praeorbulina*
Ceara Rise, B:39, 63
Site 925, B:42
Site 926, B:49
Site 927, A:243
- glutinata*, *Globigerinita*
Ceara Rise, B:59–60, 67
Site 925, B:18–19, 42, 48, 260–262
Site 927, B:210, 215, 218–220, 223–224, 227
- gortanii*, *Subbotina*, Ceara Rise, B:64
- gracilis*, *Morozovella*, Ceara Rise, B:62
- grandis*, *Chiasmolithus*, Site 925, A:73, 87
- grata*, *Bulminella*
Site 927, A:244
Site 928, A:293
- grimsdalei*, *Cibicidoides*
Site 925, A:78
Site 929, A:353
- Guembelitra* spp., Ceara Rise, B:61
- Guembelitrioides higginsi*, Ceara Rise, B:61
- Guembelitrioides lozanoi*, Ceara Rise, B:61
- Gyroidinoides globosa*, Site 929, A:353
- Gyroidinoides neosoldanii*, Site 926, A:167
- Gyroidinoides orbicularis*, Site 926, A:167
- Gyroidinoides soldanii*
Site 925, A:78
Site 926, A:167
- hamatus*, *Discoaster*
Site 925, A:72
Site 926, B:89, 91–92, 94
Site 927, A:239
- Hantkenina alabamensis*
Ceara Rise, B:35, 41, 61, 67
Site 925, A:77, 87; B:48
Site 929, A:351–352; B:55
- Hantkenina dumblei*, Ceara Rise, B:61
- Hantkenina liebusi*
Ceara Rise, B:61
Site 929, A:352; B:55
- Hantkenina mexicana*, Ceara Rise, B:61
- Hantkenina nuttalli*, Site 929, A:352
- Hantkenina* spp., Site 929, A:351
- Hanzawaia ammphila*
Site 925, A:78
Site 928, A:293
Site 929, A:353
- havanensis*, *Cibicidoides*
Site 926, A:167
Site 929, A:353
- havanensis*, *Tritaxia*, Site 929, A:353
- Helicosphaera ampliaperta*
Site 925, A:72, 87
Site 926, A:163
- Helicosphaera recta*, Site 928, A:288
- Helicosphaera sellii*, Site 925, A:69
- Helicosphaera truempyi*
Site 926, A:163
Site 928, A:288
Site 929, A:347
- hesslandii*, *Dictyococcites*, Site 926, A:163
- heteromorphus*, *Sphenolithus*
Site 925, A:87
Site 926, A:161, 163, 178; B:90–91, 96
Site 927, A:239
- hexagonus*, *Globorotaloides*, Site 925, B:18
- higginsi*, *Guembelitrioides*, Ceara Rise, B:61
- Hirsutella cibaoensis*, Site 925, B:8, 16, 31, 261
- Hirsutella juanai*, Site 925, B:8, 16
- Hirsutella margaritae*, Site 925, B:8, 16, 31, 261
- Hirsutella margaritae margaritae*, Site 925, B:8
- Hirsutella scitula*, Site 925, B:8, 16
- hispida*, *Uvigerina*
Site 925, A:78
Site 926, A:167
- hispidocostata*, *Uvigerina*
Site 925, A:78
Site 926, A:167
Site 927, A:243
- hispidocostata* s. l., *Uvigerina*, Site 927, A:243
- humerosa*, *Neogloboquadrina*
Ceara Rise, B:18
Site 925, B:261
- humilis*, *Turborotalita*, Site 925, B:9, 17
- huxleyi*, *Emiliana*
Ceara Rise, A:42, 69
Site 926, A:161
Site 928, A:287
- hyphalus*, *Cibicidoides*, Site 929, A:353
- Igorina albeari*, Ceara Rise, B:61
- Igorina broedermanni*

- Ceara Rise, B:61
Site 929, B:55
- Igorina convexa*
Ceara Rise, B:61
Site 929, B:55
- Ilseolithina fusa*, Site 928, A:288
- inaequispira*, *Subbotina*, Ceara Rise, B:64
- incrassatus*, *Cibicoides*
Site 928, A:293
Site 929, A:353
- increbescens*, *Turborotalia*, Ceara Rise, B:65
- index*, *Globigerinatheka*
Ceara Rise, B:59
Site 925, A:77
- inflata*, *Bolivina*, Site 927, A:243
- inflata*, *Cribrohantkenina*
Ceara Rise, B:41, 57, 68
Site 925, A:77; B:48
- inflata*, *Globorotalia*, Site 926, A:165
- insueta*, *Globigerinatella*
Ceara Rise, B:38–39, 59, 67
Site 926, A:165
Site 928, B:51
- insueta* s. str., *Globigerinatella*, Site 925, A:77
- intercalaris*, *Sphenolithus*, Site 925, A:73
- Ioanella pusilla*
Site 927, A:243
Site 928, A:292
Site 929, A:353
- Ioanella pusillus*
Site 925, A:78
Site 926, A:167
- Ioanella tumidula*
Ceara Rise, B:396–431
Site 926, A:167
Site 928, A:292
Site 929, A:353
- Ioanella tumidulus*, Site 925, A:78
- Isthmolithus recurvus*, Site 925, A:73
- jarvisi*, *Neoflabellina*, Site 929, A:353
- juanai*, *Globorotalia*, Ceara Rise, B:10
- juanai*, *Hirsutella*, Site 925, B:8, 16
- junctus*, *Neochiastozygus*, Site 929, A:349
- Karrerella* spp., Site 925, A:78
- kochi*, *Sphaeroidinellopsis*, Ceara Rise, B:10, 18
- kugleri*, *Discoaster*
Site 925, A:73
Site 926, A:163, 178; B:90, 95
- kugleri*, *Globigerinatheka*
Ceara Rise, B:59
Site 929, A:352
- kugleri*, *Paragloborotalia*
Ceara Rise, B:40, 63, 68, 107, 110
Site 925, A:77; B:48
Site 926, A:165–166; B:49, 441
Site 928, A:292; B:51
Site 929, A:351
- kullenbergi*, *Cibicoides*, Ceara Rise, B:240, 301, 319–321, 367–373
- lacunosa*, *Pseudoemiliana*
Ceara Rise, A:42, 69, 432
Site 926, A:161
Site 928, A:287
- larneui*, *Dentoglobigerina*
Ceara Rise, B:58
Site 926, B:443–444
- Laticarinina pauperata*
Site 925, A:78
Site 926, A:167
- laurisae*, *Cibicoides*
Site 926, A:167
- Site 928, A:293
Site 929, A:353
- lazarii*, *Cribrohantkenina*, Site 925, B:48, 58, 68
- lehneri*, *Morozovella*, Ceara Rise, B:62
- lenguagensis*, *Globorotalia*
Site 925, B:10, 16
Site 929, A:350
- lensiformis*, *Morozovella*
Ceara Rise, B:35, 62
Site 929, A:353
- libyaensis*, *Acarinina*, Site 929, B:56
- liebusi*, *Hantkenina*
Ceara Rise, B:61
Site 929, A:352; B:55
- limbata*, *Globorotalia*, Site 925, B:10
- limbata*, *Menardella*, Site 925, B:7, 15, 30
- linaperta*, *Subbotina*, Ceara Rise, B:64
- lobata*, *Fohsella*
Site 925, A:75
Site 926, A:165
Site 927, A:241
- lodoensis*, *Discoaster*, Site 929, A:347
- loeblichii*, *Discoaster*, Site 925, A:72
- lozanoi*, *Guembeltrioides*, Ceara Rise, B:61
- margaritae*, *Globorotalia*, Site 925, A:75
- margaritae*, *Hirsutella*, Site 925, B:8, 16, 31, 261
- margaritae margaritae*, *Hirsutella*, Site 925, B:8
- matthewsae*, *Acarinina*, Site 929, B:56
- mayeri*, *Paragloborotalia*
Ceara Rise, B:63, 68
Site 925, A:75; B:5, 9, 17, 42, 48
Site 926, A:165; B:442–447
Site 927, A:241
Site 928, A:289
Site 929, A:350
- Melonis barleeanus*, Site 925, A:78
- Melonis zaandamae*, Site 927, A:244
- Menardella exilis*, Site 925, B:6–7, 15, 30
- Menardella limbata*, Site 925, B:7, 15, 30
- Menardella menardii*, Site 925, B:7, 15, 30, 255
- Menardella miocenica*, Site 925, B:6, 15, 31
- Menardella multicamerata*, Site 925, B:6, 15, 30
- Menardella pertenuis*, Site 925, B:6, 15, 30
- menardii*, *Globorotalia*
Site 925, A:74
Site 927, B:211, 215, 217, 224
- menardii*, *Menardella*, Site 925, B:7, 15, 30, 255
- menardii neoflexuosa*, *Globorotalia*, Site 927, B:215
- mendacis*, *Paragloborotalia*
Site 926, A:166; B:49
Site 929, A:351
- merotumida*, *Globorotalia*, Ceara Rise, B:10, 16–17
- mexicana*, *Hantkenina*, Ceara Rise, B:61
- mexicanus*, *Cibicoides*, Site 929, A:353
- micra*, *Pseudohastigerina*, Ceara Rise, B:63
- midwayensis*, *Bulimina*, Site 929, A:353
- minuta*, *Reticulofenestra*
Site 925, A:72
Site 926, A:163
- miocenica*, *Globorotalia*
Ceara Rise, A:433
Site 925, A:74; B:5, 260–261
Site 926, A:165
Site 927, A:240
Site 928, A:289
Site 929, A:349
- miocenica*, *Menardella*, Site 925, B:6, 15, 31
- miocenica*, *Pullenia*, Site 926, A:167
- miocenicus*, *Cavitatus*, Ceara Rise, B:485–486, 488
- miopelagicus*, *Coccolithus*
Site 925, A:72
Site 926, B:89–90, 93–94
- mitra*, *Globigerinoides*, Ceara Rise, B:60
- Morozovella acuta*
Ceara Rise, B:61–62
Site 929, B:55
- Morozovella aequa*
Ceara Rise, B:62
Site 929, B:55
- Morozovella aragonensis*
Ceara Rise, B:35, 41–42, 62, 68
Site 929, A:352–353; B:55
- Morozovella crassata*, Site 929, A:352
- Morozovella densa*
Ceara Rise, B:62
Site 929, A:352; B:55
- Morozovella formosa*
Ceara Rise, B:62
Site 929, B:55
- Morozovella gracilis*, Ceara Rise, B:62
- Morozovella lehneri*, Ceara Rise, B:62
- Morozovella lensiformis*
Ceara Rise, B:35, 62
Site 929, A:353
- Morozovella oclusa*
Ceara Rise, B:62
Site 929, A:353; B:55
- Morozovella parva*, Site 929, A:353
- Morozovella spinulosa*
Ceara Rise, B:41, 62
Site 925, B:48
Site 929, A:352; B:55
- Morozovella subbotinae*
Ceara Rise, B:62
Site 929, A:353; B:55
- Morozovella velascoensis*
Ceara Rise, B:42, 62, 68
Site 929, A:353, 355; B:55
- multicamerata*, *Globorotalia*
Ceara Rise, A:433
Site 926, A:165, 169
Site 927, A:240
Site 928, A:289
Site 929, A:349
- multicamerata*, *Menardella*, Site 925, B:6, 15, 30
- multiradiatus*, *Discoaster*, Site 929, A:349
- munda*, *Tenuitella*, Ceara Rise, B:64
- mundulus*, *Cibicoides*
Ceara Rise, B:453, 458–460
Site 925, A:78
Site 929, B:434–438
- murrhina*, *Pyrgo*
Ceara Rise, B:301
Site 925, A:78
Site 926, A:167
Site 927, A:243
Site 928, A:293
- naguwichiensis*, *Pseudohastigerina*
Ceara Rise, B:41, 63
Site 925, A:77; B:48
- nana*, *Paragloborotalia*
Ceara Rise, B:63
Site 925, A:77
Site 926, A:166
- Nannotetrina* spp., Site 929, A:347
- Neochiastozygus junctus*, Site 929, A:349
- Neoflabellina jarvisi*, Site 929, A:353
- Neogloboquadrina acostaensis*
Ceara Rise, A:434
Site 925, A:75; B:5, 9–10, 18, 31, 255, 261
Site 926, A:165
Site 927, A:240–241
- Neogloboquadrina continua*, Ceara Rise,

- B:10, 17
Neogloboquadrina dutertrei
 Site 925, A:74; B:9, 18, 255–268
 Site 927, B:210, 215, 218–220, 223–224, 227
Neogloboquadrina humerosa
 Ceara Rise, B:18
 Site 925, B:261
Neogloboquadrina pachyderma
 Ceara Rise, B:17–18
 Site 927, B:211, 217–219, 221, 223, 227
neohamatus, *Discoaster*, Site 926, B:89, 92, 94
neosoldanii, *Gyroidinoides*, Site 926, A:167
nepenthes, *Globoturborotalita*
 Ceara Rise, A:434
 Site 925, A:74–75; B:5, 11, 262
 Site 926, A:165
 Site 927, A:241
 Site 928, A:291
 Site 929, A:350
nitescens, *Coronocylus*
 Site 925, A:73
 Site 926, A:163
nitida, *Candeina*, Site 925, A:75; B:10, 19
nuttalli, *Hantkenina*, Site 929, A:352
Nuttallides florealis, Site 929, A:353
Nuttallides truempyi
 Site 925, A:78
 Site 929, A:353
Nuttallides umbonifera
 Ceara Rise, B:240, 244–247, 286–287,
 396–431
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243
 Site 928, A:292–293
 Site 929, A:353
obesa, *Globigerinella*, Ceara Rise, B:59
obliquiloculata, *Pulleniatina*
 Ceara Rise, B:230, 233–234
 Site 925, A:74; B:18, 262
 Site 927, B:211, 215, 217–219, 221, 224, 227
obliquus, *Globigerinoides*
 Ceara Rise, B:60
 Site 925, B:6, 13, 260–261
obruta, *Ericsonia*, Site 925, A:73
occlusa, *Morozovella*
 Ceara Rise, B:62
 Site 929, A:353; B:55
occultatus, *Toweius*, Site 929, A:349
oligocenica, *Azpeitia*, Ceara Rise, B:485–486, 488
omega, *Gephyrocapsa*, Site 928, A:288
oolina, *Chilostomella*, Site 926, A:167
opima, *Paragloborotalia*
 Ceara Rise, B:40, 63
 Site 925, A:77; B:48
 Site 926, A:166, 178; B:49
 Site 928, A:292
orbicularis, *Gyroidinoides*, Site 926, A:167
Orbulina suturalis
 Site 925, A:77
 Site 926, A:165
 Site 927, A:242–243
Orbulina universa
 Ceara Rise, B:38–39, 62, 68
 Site 925, B:14, 42
 Site 928, B:51
Orbulinoides beckmanni
 Ceara Rise, B:41, 62, 68
 Site 925, A:77, 87; B:49
 Site 929, A:352; B:55
Oridorsalis sp., Site 926, B:368
Oridorsalis umbonatus
 Ceara Rise, B:301
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243–244
 Site 928, A:293
 Site 929, A:353
orthostylus, *Tribrachiatus*, Site 929, A:347
osloensis, *Pullenia*
 Site 925, A:78
 Site 926, A:167
 Site 929, A:353
pachyderma, *Neogloboquadrina*
 Ceara Rise, B:17–18
 Site 927, B:211, 217–219, 221, 223, 227
paenedehiscens, *Sphaeroidinellopsis*, Ceara Rise,
 B:10, 18
palmerae, *Planorotalites*, Site 929, A:352
Paragloborotalia continuosa, Ceara Rise,
 B:62–63
Paragloborotalia kugleri
 Ceara Rise, B:40, 63, 68, 107, 110
 Site 925, A:77; B:48
 Site 926, A:165–166; B:49, 441
 Site 928, A:292; B:51
 Site 929, A:351
Paragloborotalia mayeri
 Ceara Rise, B:63, 68
 Site 925, A:75; B:5, 9, 17, 42, 48
 Site 926, A:165; B:442–447
 Site 927, A:241
 Site 928, A:289
 Site 929, A:350
Paragloborotalia mendacis
 Site 926, A:166; B:49
 Site 929, A:351
Paragloborotalia nana
 Ceara Rise, B:63
 Site 925, A:77
 Site 926, A:166
Paragloborotalia opima
 Ceara Rise, B:40, 63
 Site 925, A:77; B:48
 Site 926, A:166, 178; B:49
 Site 928, A:292
Paragloborotalia pseudokugleri
 Ceara Rise, B:35, 40, 63, 68, 107, 110
 Site 925, B:48
 Site 926, A:165–166; B:49, 442–447
Paragloborotalia siakensis, Site 925, A:75
paralenguaensis, *Globorotalia*, Site 925, B:10, 16
parallela, *Gephyrocapsa*, Site 928, A:288
parva, *Morozovella*, Site 929, A:353
pauperata, *Laticarinina*
 Site 925, A:78
 Site 926, A:167
pentaradiatus, *Discoaster*
 Ceara Rise, A:433
 Site 925, A:69
 Site 926, A:161, 163
 Site 928, A:288
peregrina, *Uvigerina*
 Site 925, A:77–78
 Site 927, A:243
peripheroacuta, *Fohsella*
 Ceara Rise, B:38, 58, 68
 Site 925, A:77; B:42
 Site 926, A:165
 Site 927, A:242–243
 Site 928, A:291; B:51
 Site 929, B:51
peripheroronda, *Fohsella*
 Ceara Rise, B:38, 58, 68
 Site 925, A:87
 Site 927, A:242
 Site 928, A:291; B:51
 Site 929, A:350
perlucidus, *Cibicidoides*, Site 926, A:167
pertenuis, *Globorotalia*
 Ceara Rise, A:433
 Site 925, A:74
 Site 927, A:240
 Site 928, A:289
 Site 929, A:349
pertenuis, *Menardella*, Site 925, B:6, 15, 30
Planorotalites palmerae, Site 929, A:352
Planorotalites pseudoscutula
 Ceara Rise, B:63
 Site 929, B:55
Planulina renzi
 Site 925, A:78
 Site 926, A:167
plesiotumida, *Globorotalia*
 Ceara Rise, A:434; B:17
 Site 925, A:75; B:5, 8–9, 17
 Site 926, A:165
 Site 927, A:241
 Site 928, A:289
 Site 929, A:350
Pleurostomella spp., Site 926, A:167
poagi, *Abyssamina*, Site 929, A:353
pomeroli, *Turborotalia*, Ceara Rise, B:41, 65
praebulloides, *Globigerina*
 Ceara Rise, B:59, 68
 Site 926, B:442–447
praecursor, *Pulleniatina*, Site 925, A:74
praedehiscens, *Globoquadrina*
 Ceara Rise, B:60
 Site 926, B:443–444
praeditigata, *Beella*, Site 925, B:19
“praefohsi”, *Fohsella*
 Ceara Rise, B:38, 58
 Site 925, A:77, 87; B:42
 Site 926, A:165
 Site 927, A:242
 Site 928, A:291; B:51
praemenardii, *Globorotalia*, Ceara Rise, B:38,
 61, 68
praemundulus, *Cibicidoides*
 Site 926, A:167
 Site 928, A:293
 Site 929, A:353
Praeorbulina circularis
 Ceara Rise, B:39, 63
 Site 925, B:42
 Site 927, A:243
Praeorbulina curva
 Ceara Rise, B:63
 Site 927, A:243
Praeorbulina glomerata
 Ceara Rise, B:39, 63
 Site 925, B:42
 Site 926, B:49
 Site 927, A:243
Praeorbulina sicana
 Ceara Rise, B:38–39, 63
 Site 925, A:77; B:42
 Site 926, A:165; B:49
 Site 927, A:243
 Site 928, A:292; B:51
 Site 929, A:350; B:51
Praeorbulina spp., Site 928, A:291
praescitula, *Globorotalia*, Ceara Rise, B:61
praesiphonifera, *Globigerinella*, Ceara Rise, B:59
praeturritilina, *Subbotina*, Ceara Rise, B:64
predistentus, *Sphenolithus*
 Site 926, A:161
 Site 929, A:347
primalis, *Pulleniatina*, Site 925, B:9, 18, 262

- primitiva*, *Acarinina*, Site 929, B:56
primordius, “*Globigerinoides*”
 Ceara Rise, B:60
 Site 926, B:443–444
primus, *Amaurolithus*
 Site 925, A:69, 71–72
 Site 926, A:163
proboscidea, *Uvigerina*
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243
profunda, *Florisphaera*, Ceara Rise, B:139,
 269–283
Protentella sp., Ceara Rise, B:63
protoannula, *Calcidiscus*, Site 925, A:73
Pseudoemiliania lacunosa
 Ceara Rise, A:42, 69, 432
 Site 926, A:161
 Site 928, A:287
Pseudohastigerina micra, Ceara Rise, B:63
Pseudohastigerina naguwichiensis
 Ceara Rise, B:41, 63
 Site 925, A:77; B:48
Pseudohastigerina wilcoxensis, Ceara Rise, B:63
pseudokugleri, *Paragloborotalia*
 Ceara Rise, B:35, 40, 63, 68, 107, 110
 Site 925, B:48
 Site 926, A:165–166; B:49, 442–447
pseudomenardi, *Globanomalina*
 Ceara Rise, B:42, 58
 Site 929, A:353, 355; B:55
pseudomiocenica, *Globorotalia*
 Site 925, B:15, 30
 Site 926, A:165
Pseudoparrella sp.
 Site 928, A:292–293
 Site 929, A:353
pseudoscutula, *Planorotalites*
 Ceara Rise, B:63
 Site 929, B:55
pseudotopilensis, *Acarinina*, Site 929, B:57
pseudovenezuelana, *Globoquadrina*, Ceara Rise,
 B:60
psuedoubilicus, *Reticulofenestra*
 Site 926, A:163; B:88–90
 Site 927, A:239
Pullenia bulloides
 Site 925, A:78
 Site 926, A:167
 Site 927, A:244
Pullenia coryelli, Site 929, A:353
Pullenia miocenica, Site 926, A:167
Pullenia osloensis
 Site 925, A:78
 Site 926, A:167
 Site 929, A:353
Pullenia quinqueloba, Site 925, A:78
Pullenia spp., Site 926, A:167
Pullenia subcarinata, Site 929, A:353
Pulleniatina finalis
 Ceara Rise, A:432
 Site 925, A:74; B:9
 Site 926, A:164, 178
 Site 927, A:240
Pulleniatina lineage
 Ceara Rise, A:433
 Site 925, A:74
 Site 926, A:165
 Site 928, A:289
 Site 929, A:349
Pulleniatina obliquiloculata
 Ceara Rise, B:230, 233–234
 Site 925, A:74; B:18, 262
 Site 927, B:211, 215, 217–219, 221, 224, 227
Pulleniatina praecursor, Site 925, A:74
Pulleniatina primalis, Site 925, B:9, 18, 262
puncticulata, *Globoconella*, Site 925, B:14, 31
pusilla, *Ioanella*
 Site 927, A:243
 Site 928, A:292
 Site 929, A:353
pusillus, *Ioanella*
 Site 925, A:78
 Site 926, A:167
pygmaea, *Uvigerina*, Site 925, B:286–287
Pyrgo murrhina
 Ceara Rise, B:301
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243
 Site 928, A:293
quinqueloba, *Pullenia*, Site 925, A:78
quiqueramus, *Discoaster*
 Ceara Rise, A:434
 Site 925, A:69, 72
 Site 928, A:297
radians, *Sphenolithus*, Site 925, A:73
recta, *Helicosphaera*, Site 928, A:288
recurvus, *Isthmolithus*, Site 925, A:73
renzi, *Planulina*
 Site 925, A:78
 Site 926, A:167
Repmanina charoides, Site 925, A:78
reticulatum, *Cribo centrum*, Site 925, A:73
reticulatus, *Cestodiscus*, Ceara Rise, B:484
Reticulofenestra dictyoda–*Reticulofenestra*
samodurovii–*Reticulofenestra umbilicus*
 lineage, Site 925, A:73
Reticulofenestra minuta
 Site 925, A:72
 Site 926, A:163
Reticulofenestra psuedoubilicus
 Site 926, A:163; B:88–90
 Site 927, A:239
Reticulofenestra psuedoubilicus paracme
 interval
 Site 925, A:72
 Site 926, B:88–89
Reticulofenestra spp., Site 929, A:347
Reticulofenestra umbilicus
 Site 925, A:73, 87
 Site 926, A:161
 Site 929, A:347
Rhomboaster cuspis, Site 929, A:349
Rhomboaster spp., Site 929, A:349
robusta, *Ericsonia*, Site 929, A:349
robusta, *Fohsella*
 Site 925, A:75
 Site 926, A:165
 Site 927, A:241
 Site 928, A:289
rohri, *Acarinina*
 Ceara Rise, B:57
 Site 925, B:48
 Site 929, A:352; B:55
ruber, *Globigerinoides*
 Ceara Rise, B:269–283, 367–373
 Site 925, B:10, 260–262, 264, 266
 Site 927, B:210, 215, 220, 224, 227
ruber s. l., *Globigerinoides*, Ceara Rise, B:60
rubescens, *Globigerina*, Site 927, B:211, 215, 217,
 221, 227
rubescens, *Globoturborotalita*, Site 925, B:6, 12,
 260–261
rugosus, *Ceratolithus*, Site 926, B:85
rugosus, *Triquetrorhabdulus*
 Ceara Rise, A:434
 Site 925, A:69, 71
 Site 926, A:163; B:86–88, 91–92, 97–98
sacculifer, *Globigerinoides*
 Ceara Rise, B:60, 190–191, 196, 367–373
 Site 925, B:13–14, 256, 258–268
 Site 927, B:208–210, 215, 220, 222, 224–226
saipanensis, *Discoaster*
 Site 925, A:73, 87
 Site 929, A:347
schaubii, *Fasciculolithus*, Site 929, A:349
scitula, *Hirsutella*, Site 925, B:8, 16
sellii, *Globoquadrina*, Ceara Rise, B:60
sellii, *Helicosphaera*, Site 925, A:69
semicostata, *Bulimina*
 Site 928, A:293
 Site 929, A:353
semicribratus, *Anomalinoidea*
 Site 927, A:244
 Site 928, A:293
semiinvoluta, *Globigerinatheka*
 Ceara Rise, B:41, 59
 Site 925, A:77, 87; B:48
semimulina, *Sphaeroidinellopsis*
 Ceara Rise, A:433; B:10, 18, 63
 Site 929, A:350
senni, *Globigerinatheka*, Ceara Rise, B:59
 “*senticosa*,” *Uvigerina*, Site 927, A:243
separatus, *Ceratolithus*, Site 926, B:85
siakensis, *Paragloborotalia*, Site 925, A:75
sicana, *Praeorbulina*
 Ceara Rise, B:38–39, 63
 Site 925, A:77; B:42
 Site 926, A:165; B:49
 Site 927, A:243
 Site 928, A:292; B:51
 Site 929, A:350; B:51
Siphotextularia catenata, Site 925, A:78
soldadoensis, *Acarinina*
 Ceara Rise, B:57
 Site 929, A:352–353; B:55
soldanii, *Gyroidinoides*
 Site 925, A:78
 Site 926, A:167
solitus, *Chiasmolithus*, Site 925, A:73
spectabilis, *Spiroplectammina*
 Site 925, A:78
 Site 929, A:353
Sphaeroidinella dehiscens
 Ceara Rise, A:434; B:5, 10, 18
 Site 927, A:240
 Site 929, A:349–350
Sphaeroidinella spp.
 Site 925, A:75
 Site 926, A:165
Sphaeroidinellopsis kochi, Ceara Rise, B:10, 18
Sphaeroidinellopsis paenedehiscens, Ceara Rise,
 B:10, 18
Sphaeroidinellopsis seminulina
 Ceara Rise, A:433; B:10, 18, 63
 Site 929, A:350
Sphaeroidinellopsis spp.
 Site 925, A:75
 Site 929, A:350
Sphenolithus abies/*Sphenolithus neoabies* group,
 Site 926, A:163
Sphenolithus belemnus
 Site 925, A:73
 Site 926, A:161, 163, 178
Sphenolithus ciproensis
 Ceara Rise, B:110
 Site 925, A:73
 Site 926, A:163–164

- Site 928, A:288
Site 929, A:347
Sphenolithus conicus, Site 928, A:288
Sphenolithus delphix
Ceara Rise, B:107, 109–110
Site 925, A:69, 72–73
Site 926, A:163–164; B:441
Site 928, A:288
Site 929, A:347
Sphenolithus dissimilis, Site 928, A:288
Sphenolithus distentus
Site 925, A:73
Site 926, A:161, 164, 178
Site 928, A:288
Site 929, A:347
Sphenolithus heteromorphus
Site 925, A:87
Site 926, A:161, 163, 178; B:90–91, 96
Site 927, A:239
Sphenolithus intercalaris, Site 925, A:73
Sphenolithus predistentus
Site 926, A:161
Site 929, A:347
Sphenolithus radians, Site 925, A:73
Sphenolithus spp., Site 925, A:72
"spincostata," *Uvigerina*, Site 927, A:243
spinuloinflata, *Acarinina*, Ceara Rise, B:57
spinulosa, *Morozovella*
Ceara Rise, B:41, 62
Site 925, B:48
Site 929, A:352; B:55
Spiroplectammina spectabilis
Site 925, A:78
Site 929, A:353
stainforthi, *Catapsydrax*, Ceara Rise, B:57
Stensioina beccariformis, Site 929, A:353
Stilostomella spp.
Site 925, A:78
Site 926, A:167
Streptochilus spp.
Ceara Rise, B:64
Site 925, B:11
Subbotina angiporoides, Ceara Rise, B:64
Subbotina bolivariana
Ceara Rise, B:64
Site 925, B:49
Subbotina eocaena
Ceara Rise, B:64
Site 925, B:48
Subbotina frontosa, Ceara Rise, B:64
Subbotina gortanii, Ceara Rise, B:64
Subbotina inaequispira, Ceara Rise, B:64
Subbotina linaperta, Ceara Rise, B:64
Subbotina praeturritilina, Ceara Rise, B:64
Subbotina velascoensis, Ceara Rise, B:64
subbotinae, *Morozovella*
Ceara Rise, B:62
Site 929, A:353; B:55
subcarinata, *Pullenia*, Site 929, A:353
subconglobata, *Globigerinatheka*, Ceara Rise, B:59
subglobosa, *Globocassidulina*
Ceara Rise, B:396–431
Site 925, A:78
Site 926, A:167
Site 927, A:243–244
Site 928, A:293
Site 929, A:353
sublodoensis, *Discoaster*, Site 929, A:347
surculus, *Discoaster*
Ceara Rise, A:433
Site 926, A:161
suteri, *Globorotaloides*
Ceara Rise, B:61
Site 929, A:350
suturalis, *Orbulina*
Site 925, A:77
Site 926, A:165
Site 927, A:242–243
tamalis, *Discoaster*
Ceara Rise, A:433
Site 925, A:69, 71
Site 926, A:161
tenella, *Globoturborotalita*, Site 925, B:12
tenellus, *Globigerinoides*, Site 927, B:212, 219, 222
Tenuitella clemenciae, Ceara Rise, B:64
Tenuitella gemma, Ceara Rise, B:64
Tenuitella munda, Ceara Rise, B:64
Tenuitellinata angustiumbilicata
Ceara Rise, B:64, 68
Site 925, B:48
Site 926, B:443–444
Thalmannammina conglobata, Site 925, A:78
topilensis, *Acarinina*
Ceara Rise, B:57
Site 925, B:48–49
Site 929, A:352
tosaensis, *Globorotalia*
Site 925, A:73–74
Site 926, A:165
tosaensis, *Truncorotalia*, Site 925, B:8, 16, 261
Toweius eminens, Site 929, A:349
Toweius occultatus, Site 929, A:349
triangula, *Globoconella*, Site 925, B:262
triangula, *Globorotalia*, Site 929, A:349
triangula, "Glorotalia"
Site 926, A:164–165
Site 927, A:240
Site 928, A:289
triangula/inflata, *Globoconella*, Site 925, B:14–15, 31
Tribrachiatus bramlettei, Site 929, A:347
Tribrachiatus contortus, Site 929, A:347
Tribrachiatus orthostylus, Site 929, A:347
Tribrachiatus spp., Site 929, A:347
trilobus, *Globigerinoides*, Site 925, B:48
trilobus s. l., *Globigerinoides*, Ceara Rise, B:40, 60
tripartita, *Globoquadrina*, Ceara Rise, B:60
triplex, *Acarinina*, Ceara Rise, B:57
Triquetrorhabdulus carinatus
Site 925, A:73
Site 926, A:161, 163
Site 929, A:347
Triquetrorhabdulus rugosus
Ceara Rise, A:434
Site 925, A:69, 71
Site 926, A:163; B:86–88, 91–92, 97–98
Tritaxia havanensis, Site 929, A:353
trochoides, *Dorothia*, Site 929, A:353
tropicalis, *Globigerinatheka*, Ceara Rise, B:59
truempyi, *Helicosphaera*
Site 926, A:163
Site 928, A:288
Site 929, A:347
truempyi, *Nuttallides*
Site 925, A:78
Site 929, A:353
truncanus, *Cibicidoides*, Site 925, A:78
truncatulinoides, *Globorotalia*
Ceara Rise, A:432
Site 925, A:73–74; B:5
Site 926, A:165
Site 927, A:240; B:212–213, 215, 217–218, 222, 225, 227
Site 929, A:349
truncatulinoides, *Truncorotalia*, Site 925, B:7–8, 16, 261
Truncorotalia crassaformis, Site 925, B:8, 16, 31, 256–268
Truncorotalia crassula, Site 925, B:16, 31
Truncorotalia tosaensis, Site 925, B:8, 16, 261
Truncorotalia truncatulinoides, Site 925, B:7–8, 16, 261
tumida, *Globorotalia*
Ceara Rise, A:434
Site 925, A:74–75; B:5, 8–9, 17, 257
Site 926, A:165
Site 927, A:240; B:213, 215, 224, 227
Site 928, A:289
Site 929, A:350
tumidula, *Ioanella*
Ceara Rise, B:396–431
Site 926, A:167
Site 928, A:292
Site 929, A:353
tumidulus, *Ioanella*, Site 925, A:78
Turborotalia ampliapertura
Ceara Rise, B:41, 64
Site 925, A:77; B:48
Site 928, A:292; B:51
Site 929, B:55
Turborotalia cerroazulensis
Ceara Rise, B:41, 64
Site 925, A:77, 87; B:48
Site 929, A:351–352
Turborotalia cocoaensis, Ceara Rise, B:64
Turborotalia cumialensis
Ceara Rise, B:41, 64–65
Site 925, A:77; B:48
Turborotalia increbescens, Ceara Rise, B:65
Turborotalia pomeroli, Ceara Rise, B:41, 65
Turborotalita humilis, Site 925, B:9, 17
tympaniformis, *Fasciculithus*, Site 929, A:349
umbilicus, *Reticulofenestra*
Site 925, A:73, 87
Site 926, A:161
Site 929, A:347
umbonatus, *Oridorisalis*
Ceara Rise, B:301
Site 925, A:78
Site 926, A:167
Site 927, A:243–244
Site 928, A:293
Site 929, A:353
umbonifera, *Nuttallides*
Ceara Rise, B:240, 244–247, 286–287, 396–431
Site 925, A:78
Site 926, A:167
Site 927, A:243
Site 928, A:292–293
Site 929, A:353
ungulata, *Globorotalia*
Ceara Rise, B:17
Site 925, B:261
unicavus, *Catapsydrax*
Ceara Rise, B:57
Site 925, B:48
universa, *Orbulina*
Ceara Rise, B:38–39, 62, 68
Site 925, B:14, 42
Site 928, B:51
Uvigerina hispida
Site 925, A:78
Site 926, A:167
Uvigerina hispidocostata
Site 925, A:78
Site 926, A:167
Site 927, A:243

Uvigerina hispidocostata s. l., Site 927, A:243
Uvigerina peregrina
 Site 925, A:77–78
 Site 927, A:243
Uvigerina proboscidea
 Site 925, A:78
 Site 926, A:167
 Site 927, A:243
Uvigerina pygmaea, Site 925, B:286–287
Uvigerina “senticosa,” Site 927, A:243
Uvigerina “spincostata,” Site 927, A:243
Uvigerina spp., Ceara Rise, B:247, 301
wula, Globigerinita, Ceara Rise, B:60

variabilis, Globorotaloides
 Ceara Rise, B:61
 Site 925, B:10, 18

velascoensis, Morozovella
 Ceara Rise, B:42, 62, 68
 Site 929, A:353, 355; B:55

velascoensis, Subbotina, Ceara Rise, B:64

venezuelana, Globoquadrina
 Ceara Rise, B:60, 68
 Site 925, B:9, 17, 31, 42
 Site 926, B:442–447

weddellensis, Alabaminella, Ceara Rise,
 B:396–431

wilcoxensis, Pseudohastigerina, Ceara Rise, B:63

woodi, Globorotalia, Ceara Rise, A:433

woodi, Globoturborotalia
 Ceara Rise, B:12
 Site 925, B:262

woodi, Zeaglobigerina
 Ceara Rise, B:65
 Site 926, B:443–444

wuellerstorfi, Cibicidoides, Ceara Rise, B:231,
 240, 243–251, 286–295, 301, 319–321,
 367–373

zaandamae, Melonis, Site 927, A:244

Zeaglobigerina connecta, Ceara Rise, B:65

Zeaglobigerina woodi
 Ceara Rise, B:65
 Site 926, B:443–444

zones (with letter prefixes)
 CN1, A:161; B:107, 110, 435
 CN1c, Site 929, A:347
 CN2/CN3 boundary, Site 926, A:161
 CN3b, Site 927, A:239
 CN4, Site 929, A:347
 CN5, Site 929, A:347
 CN5b, Site 927, A:239
 CN6, A:239, 347
 CN7, A:72, 239, 287, 347
 CN8, A:72, 347
 CN9, Site 929, A:347
 CN9a, Site 925, A:72
 CN12a, Site 928, A:287
 CN13b, Site 929, A:347
 CN14a, Site 928, A:287
 CN14b, A:161, 287
 CN15, A:67, 161, 239, 347
 CP8, Site 929, A:347
 CP10/CP11, Site 929, A:347
 CP11/CP12, Site 929, A:347
 CP13/CP14 boundary, Site 925, A:67, 73
 CP15, A:286, 347
 CP16, A:73, 286, 347
 CP17, A:73, 286, 288; B:107, 110
 CP18, A:161; B:107, 110
 CP19, Ceara Rise, B:107, 110–111
 N4, A:165, 292, 351; B:40, 48, 107
 N5, A:77, 165
 N5/N6, A:165, 292; B:40, 48, 51, 55
 N6, A:77, 165
 N7, A:77, 165, 292, 350–351; B:39, 48, 51
 N8, A:77, 165, 243, 292, 350; B:38–39, 42, 49,
 51, 55
 N9, A:77, 243, 292, 350; B:38, 51
 N10, A:77, 165, 242, 291, 350; B:38, 42, 49,
 51

N11, A:77, 165, 242, 291; B:38, 42
 N12, A:165, 241–242, 291; B:38, 49
 N13, A:75, 241, 291; B:3, 5, 11
 N14, A:75, 165, 241, 350; B:5, 7, 11
 N15, A:75, 165, 241; B:5, 9
 N15/N16, A:241, 350
 N16, A:75, 165, 241; B:5, 8, 10
 N17, A:75, 241, 350; B:5, 8–9
 N18, A:75, 165, 240; B:5–9
 N19, A:75, 165, 240; B:5, 8, 10
 N19/N20 boundary, Site 925, A:75; B:8–10
 N20, A:74, 165
 N20/N21, A:165, 240; B:5
 N21, A:74, 165; B:7–10
 N21/N22 boundary, Site 925, B:6
 N21a, Site 929, A:351
 N22, A:73, 240; B:5, 7, 9
 N22/N23, Site 929, A:349
 P4c, A:353; B:42, 51, 55
 P5, A:353; B:42
 P6, A:353; B:42
 P7, A:352–353; B:42, 55
 P8, Site 929, A:352
 P9, Site 929, A:352; B:55
 P10, Site 929, A:352; B:55
 P11, A:352; B:41, 55
 P12, A:352; B:41, 49
 P13, A:73, 77–78, 352; B:41, 49, 55
 P14, A:77–78, 352; B:41, 49, 51, 55
 P15, A:78; B:41, 48
 P16, A:78; B:41, 48
 P16/P17, Site 929, A:352; B:55
 P17, A:352; B:41, 48
 P18, A:351; B:41, 48, 55, 110
 P19, A:77, 292, 351; B:41–42, 48, 51, 55, 110
 P20, A:77, 351; B:41
 P21, B:48–49, 107, 110–111
 P21a, A:77, 166, 292; B:40, 49
 P21b, A:77, 166, 292; B:40
 P22, A:77, 166, 292; B:40, 48–49, 435

Zygrhablithus bijugatus, Site 925, A:73