

## INDEX TO VOLUME 155

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 155 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide descriptions, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 930, for example, is given as “Site 930, A:87–122.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: [pub\\_production@ODP.TAMU.EDU](mailto:pub_production@ODP.TAMU.EDU).

## VOLUME 155 SUBJECT INDEX

- accessory minerals  
 lithologic units, A:130–131, 180–181, 183, 207–209, 248–249, 281  
 sediments, A:391, 393–394  
 silty clay, A:415–417  
*See also* individual minerals
- acoustic stratigraphy  
 vs. depth, A:408, 461  
*See also* seismic stratigraphy
- acoustic units, grain size, B:41, 47–50
- age  
 fans, B:353–365  
 foraminifers, B:138  
 vs. *D*-alloisoleucine/*L*-isoleucine ratio, B:377  
 vs. sea-level curve, B:146  
*See also* chronostratigraphy; geochronology
- age vs. depth, Amazon Fan, B:308–309, 590–591
- aggradation, channels, A:25
- alcohols  
 sediments, B:543–545  
*See also n*-alcohols
- alcohols, triterpenoid, sediments, B:548
- alcohols, wax  
 chromatograms, B:546–549  
 vs. depth, B:550, 553
- aldose  
 hydrolysis, B:533–538  
 vs. depth, B:536
- alkalinity  
 interstitial waters, A:105–106, 140, 190, 217, 260, 295, 348, 398, 424, 449, 476, 520, 557, 583, 610, 650, 674–675  
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501
- alkanes. *See n*-alkanes
- alloisoleucine. *See D*-alloisoleucine/*L*-isoleucine ratio
- alteration  
 photograph, A:342  
*See also* authigenesis; diagenesis
- aluminum logs, vs. depth, A:160, 364
- aluminum oxide  
 sediments, A:141, 193, 218, 261, 297  
 vs. calcium oxide+sodium oxide, B:171  
 vs. depth, A:193  
*See also* potassium oxide/aluminum oxide ratio; sodium oxide/aluminum oxide ratio
- Amachron, hardpan, B:245
- Amazon Basin  
 sedimentation, B:153–154, 156  
 vegetation, B:411–418
- Amazon Channel  
 continental margin, A:5–8  
 deposition, A:645–646  
 lithologic units, A:445  
 morphology and structure, A:23–45  
 sediments, A:338  
 turbidity currents, B:53–78
- Amazon Channel down-fan, lithologic units, A:488–489
- Amazon Channel fill, lithologic units, A:587–588
- Amazon Channel-levee System  
 geochemistry, A:478  
 lithofacies, B:621, 627, 630, 633–635, 639, 644–646  
 lithologic units, A:117, 683  
 microstructure, B:427–432
- sedimentation, A:471–472  
*See also* Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee flanks; levees
- Amazon Fan  
 bacteria, B:565–571  
 biostratigraphy, B:577–594  
 clay mineralogy, B:177–192  
 compressional wave velocity, B:477–493  
 continental margin, A:5–16  
 diagenesis, B:497–504  
 diatoms, B:367–373  
 fabric, B:447–464  
 geochronology, B:375–378  
 geology, A:6–8  
 grain size, B:217–228  
 hydrocarbons, B:555–564  
 iron sulfides, B:573  
 isotope stratigraphy, B:281–303  
 lithofacies, A:79–108; B:7–33, 611–651  
 magnetic hysteresis, B:245–249  
 mass transport deposits, B:335–351, 353–365, 465–475  
 mud provenance, B:169–176  
 organic carbon, B:531–538  
 organic matter, B:505–517, 519–530, 539–553  
 paleoceanography, A:17–21; B:319–333  
 paleomagnetism, B:231–243  
 palynomorphs, B:397–409  
 physical properties, B:421–446  
 rock magnetism, B:251–278  
 sedimentation, B:653–675  
 sediments, B:147–168  
 seismic stratigraphy, A:13–14  
 shipboard vs. shore-based spectral data, B:193–215  
 stratigraphy, B:595–609  
 vegetation, B:381–396
- Amazon River  
 continental margin, A:5–16  
 discharge, B:312, 316  
 sedimentation, B:153–154, 156, 170
- Amazon Submarine Canyon, continental margin, A:5–8
- Amazon/Aqua/Purple/Blue Channel-levee Systems, lithologic units, A:403
- Amazon/Blue Channel-levee Systems, lithologic units, A:230
- Amazon/Brown Channel-levee Systems  
 lithologic units, A:362, 455, 457, 588, 622  
 seismic facies, A:621
- Amazon/Brown/Aqua Channel-levee Systems, lithologic units, A:117, 487–488
- Amazon/Brown/Aqua/Purple Channel-levee Systems, lithologic units, A:433
- Amazonian lowlands, Cold-Adapted Vegetation Index, B:385–388
- amino acids  
 correlation, B:596–597  
 racemization, B:375–378  
*See also* racemization
- aminostratigraphy, correlation, B:596–597
- ammonium  
 interstitial waters, A:1, 106, 141, 190–191, 217, 260, 295, 349, 398, 424, 450, 476, 520, 584, 610, 650  
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- amphiboles  
 chemical composition, B:155–156  
*See also* hornblende
- amyryns  
 sediments, B:564  
 vs. depth, B:561–562  
*See also* hydrocarbons, polycyclic, aromatic
- Andean Cordillera  
 continental margin, A:5–16  
 erosion, B:191  
 provenance, B:175  
 sedimentation, B:153–154, 156  
 vegetation, B:381–383
- anoxic reactions, remineralization, B:503
- Aqua Channel Down-fan, lithologic units, A:489; B:627–628
- Aqua Channel-levee System  
 channels, A:33–34  
 core-seismic integration, A:117  
 demagnetization, A:474  
 geochemistry, A:478  
 lithologic units, A:308  
 sediments, A:296–297, 308  
*See also* Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Brown/Aqua Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee flanks; levees
- aragonite, lithologic units, A:507
- arc-volcanic rocks, provenance, B:156
- Atlantic Ocean S, equatorial, paleoclimatology, A:12–13
- Atlantic Ocean W, paleoceanography, B:319–333
- Atlantic Ocean W, equatorial, paleoclimatology, B:666–670
- augite  
 peak intensities, A:212, 255  
 sediments, A:104, 137, 185  
 vs. depth, A:343  
*See also* pyroxenes
- authigenesis  
 carbon:nitrogen:phosphorus ratios, B:515  
 iron-rich crusts, B:245–247  
 remanent magnetization, B:252  
*See also* alteration; diagenesis
- authigenic minerals, biostratigraphy, A:132
- avulsion, deposits, sand, A:653
- backscattering images, sediments, B:427–432, 451
- bacteria  
 sediments, B:565–571  
 vs. depth, B:567–569  
*See also* deep bacterial biosphere
- bacterial degradation, aromatic hydrocarbons, B:559, 561–562
- Barbados, vegetation, B:381–383
- basal scour, photograph, A:545
- bathymetry, A:8–9  
 channels, A:26–27, 32, 35  
 turbidity currents, B:58–59
- bed thickness  
 columns, A:94–95, 129–131, 180, 206–207, 245, 282–283, 326–327, 389, 414–415, 468, 543, 572, 596–597, 639, 660; B:55  
 log–log plots, B:28

- statistics, B:27, 29–31  
 turbidite, B:82, 88  
 bedding, lithologic units, A:508–509  
 bedding, contorted, photograph, A:134, 211, 469, 598–599, 601–603  
 bedding, convoluted, lithologic units, A:178–180  
 bedding, dipping, photograph, A:602, 644  
 bedding, folded, photograph, A:601  
 bedding, graded  
   lithofacies, A:80, 82–84  
   photograph, A:328–329, 544, 641–644, 661–662  
 Benguela Current, ocean circulation, B:373  
 bifurcations, channels, A:29–41  
 biogeochemical markers, sediments, B:557, 559, 561–562  
   *See also* biomarkers  
 biomarkers  
   hemipelagic environment, B:551  
   organic matter, B:551  
   pelagic environment, B:551  
   *See also* biogeochemical markers  
 biostratigraphy  
   Quaternary, B:577–594  
   Site 930, A:96, 98–100  
   Site 931, A:131–132, 136–138  
   Site 932, A:183, 185–188  
   Site 933, A:209–213  
   Site 934, A:249–250, 254–255  
   Site 935, A:281, 286–291  
   Site 936, A:339–343  
   Site 937, A:394–395  
   Site 938, A:419–422  
   Site 939, A:445–447  
   Site 940, A:472–474  
   Site 941, A:512–513, 517–519  
   Site 942, A:549–550  
   Site 943, A:578–579  
   Site 944, A:605–606  
   Site 945, A:646–648  
   Site 946, A:666–670  
 bioturbation  
   lithologic units, A:433, 466–467, 470, 507, 601, 637  
   photograph, A:279, 391; B:89  
 biounits, foraminiferal correlation, B:588  
 bitumen  
   lithofacies, B:551  
   sediments, A:294–295, 346–347, 423–424  
 black staining, sediments, B:573  
 Blake Event  
   correlation, B:604–606  
   geomagnetic events, B:235, 238  
   lithologic units, A:685  
 blebs  
   abundance, A:332  
   lithologic units, A:92  
   photograph, A:286  
 Blue Channel-levee System  
   core-seismic integration, A:117  
   lithofacies, B:627, 662  
   lithologic units, A:433  
   remanent magnetization, A:422, 702  
   sediments, A:230, 424  
   *See also* Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Blue Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee crests; Purple/Blue/Yellow Channel-levee Systems  
 boreholes, vs. depth, A:161  
 Bottom Levee Complex  
   clay mineralogy, B:189  
   correlation, B:605  
   fabric, B:449–450  
   lithofacies, B:27  
   lithologic units, A:165, 232  
   *See also* Lower Levee Complex; Middle Levee Complex; Upper Levee Complex  
 Bouma sequence, lithologic units, B:614  
 Bouma Tbcde sequence, lithologic units, A:599  
 Bouma Tcd sequence, photograph, A:416  
 Bouma Tcde sequence, photograph, A:417, 666  
 Brazilian Shield  
   continental margin, A:5–16  
   sedimentation, B:153–154, 156  
 Brown Channel down-fan  
   lithologic units, A:489  
   seismic profiles, B:24  
 Brown Channel-levee System  
   channel-levee systems, B:20  
   channels, A:34  
   correlation, B:606  
   deposition, A:603  
   geochemistry, A:478  
   lithofacies, B:621, 630, 640  
   *See also* Amazon/Brown Channel-levee Systems; Amazon/Brown/Aqua Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee flanks; levee sections; levees  
 Brown/Purple/Orange HARPs, lithologic units, A:622–623  
 burial. *See* compaction  
 buried deposits, mass flow, B:115–118  
 burrows  
   fan deposits, A:394  
   lithologic units, A:178–180, 388, 412–415, 442, 541–542, 544, 574–576, 637–638, 641, 643, 645  
   photograph, A:417, 443, 546, 667  
 calcite  
   peak intensities, A:212, 255  
   sediments, A:137, 185  
   vs. depth, B:202–213  
 calcium  
   interstitial waters, A:141, 190, 217, 260, 295, 348, 424, 449, 476, 520, 557, 583, 610, 650, 675  
   vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501  
   vs. magnesium, A:457  
 calcium carbonate, vs. depth, A:111, 148, 191, 218, 260, 295, 352, 401, 425, 455, 480, 527, 557, 584, 613, 650, 676; B:202–213  
 calcium logs, vs. depth, A:160, 364  
 calcium oxide, sediments, A:218, 297  
 calcium oxide+sodium oxide  
   vs. aluminum oxide, B:171  
   vs. potassium oxide, B:171  
 calcium oxide/sodium oxide ratio, sediments, B:172  
 caliper logs, vs. depth, A:159, 226–228, 305, 307, 363, 368, 490, 492, 622, 624, 683–684  
 carbohydrates, vs. depth, B:536  
 carbon  
   organic matter, B:505–517  
   pyrolysis, A:148  
   remineralization, B:503  
   sediments, A:103–104, 140, 189–190, 215–217, 259–260, 293–294, 345–346, 351, 398, 401, 423, 425, 448, 455, 475, 480, 519–520, 527, 555–557, 582–584, 608, 610, 613, 649–650, 671, 673, 676  
   *See also* nitrogen/carbon ratio (atomic)  
 carbon, organic  
   preservation, B:531–538  
   provenance, B:312  
   sediments, A:147–148, 191, 218, 260, 294; B:541  
   stable isotopes, B:320–325, 328–332  
   vs. depth, B:329–330, 534, 567, 670–672  
 carbon, organic/organic phosphorus ratio, vs. depth, B:509, 511  
 carbon, organic/surface area ratio, vs. depth, B:534–537  
 carbon, organic/total nitrogen ratio, vs. depth, B:509, 511  
 carbon, terrigenous, organic, vs. depth, B:530  
 carbon, total, organic, vs. depth, A:111, 148, 191, 218, 260, 295, 352, 401, 425, 455, 480, 527, 557, 584, 613, 650, 676; B:542–543  
 carbon/nitrogen ratio, sediments, A:165, 217, 259–260, 475, 519–520, 557, 610, 665, 673  
 carbon:nitrogen:phosphorus ratios  
   carbon isotopes, B:514  
   oxygen isotopes, B:513–515  
   sediments, B:510, 513  
 carbon 14, age, B:308  
 carbon dioxide, sediments, A:293  
 carbon isotopes  
   carbon:nitrogen:phosphorus ratios, B:514  
   foraminifers, B:311  
   isotope stratigraphy, B:287–290  
   organic matter, B:521  
   sediments, B:320–325, 328–332  
   siderite, B:500  
   vs. depth, B:315, 329–330  
   vs. lignin phenols, B:529  
   *See also* deglacial negative carbon isotopic event; stable isotopes  
 carbonate content  
   reflectance, A:699  
   stable isotopes, B:320–325, 328, 332  
   vs. depth, B:329–330  
 carbonates. *See* interglacial deposits  
 channel fills, lithologic units, A:265–266, 588; B:632  
 channel fills, abandoned, lithologic units, A:433  
 Channel-levee System 5  
   clay mineralogy, B:187  
   lithologic units, A:163, 232; B:14–15, 630  
   turbidite, B:659–660  
   *See also* levee crests  
 Channel-levee System 6  
   lithologic units, A:197, 232, 433  
   sediments, A:424  
   *See also* levee crests  
 channel-levee systems  
   aggradation, A:25  
   Amazon Channel, A:10–12  
   biomarkers, B:551  
   clay mineralogy, B:187–189  
   core-seismic integration, A:195–196  
   correlation, B:596–597, 603, 605  
   development, B:37–38, 665  
   evolution, A:471–472  
   grain size, B:41, 47–48  
   lithofacies, B:7–33  
   reflectance, A:699–700  
   sedimentation, A:265–266  
   sediments, A:163, 165, 228–230, 232–234, 308, 310–314  
   seismic profiles, B:113–117  
   timing, B:656–659  
 charcoal, vs. age, B:414–415  
 charcoal, microscopic, vegetation, B:411–418

- chemical reactions, early diagenesis, B:501–503  
chloride  
  interstitial waters, A:105, 140, 190, 217, 295, 348, 398, 424, 475, 520, 557, 583, 610, 650, 674  
  vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- chlorine/hydrogen ratio logs, vs. depth, A:160  
chlorite  
  modal composition, B:150  
  sediments, B:179–191  
  vs. depth, B:202–213  
chlorite–smectite, sediments, B:191  
chloritoid  
  chemical composition, B:152, 165  
  modal composition, B:151
- chronostratigraphy  
  sediments, B:384  
  *See also* age; geochronology  
chrysene, sediments, B:562
- clasts  
  abundance, A:332  
  deposition, A:645–646  
  facies, B:13  
  grain size, B:125–128  
  lithofacies, B:613  
  lithologic units, A:281, 388, 508–509, 600, 662–663  
  photograph, A:518, 573, 602–603; B:123  
  *See also* mud clasts; rock clasts; sand clasts; sandstone clasts
- clasts, clay, photograph, A:668  
clay  
  index properties, B:477–493  
  lithofacies, B:620  
  lithologic units, A:93, 387–388, 391, 443–444, 574–576, 637–638, 641, 643, 645, 661  
  photograph, A:134, 136, 335, 640  
  porosity and velocity, B:491–492  
  reflectance, A:697–700  
  *See also* sand–silt–clay content
- clay, black  
  lithologic units, A:246, 277  
  sediments, A:234
- clay, calcareous  
  fabric, B:458  
  lithologic units, A:91–92, 127, 178, 324, 506–507, 571–572, 637, 661  
  photograph, A:96, 392  
  *See also* highstands; interglacial deposits
- clay, calcareous, surficial, lithologic units, A:308  
clay, foraminifer  
  lithofacies, B:642  
  lithologic units, A:506–507, 573  
  photograph, A:573
- clay, foraminifer–nannofossil, lithologic units, A:165, 204, 245, 277, 386–387, 412, 442, 466, 541, 545, 571–572, 594; B:569
- clay, foraminifer–nannofossil, surficial, lithologic units, A:265, 362, 433, 487, 622
- clay, nannofossil, lithologic units, A:163, 230, 386–387, 455
- clay, nannofossil–foraminifer, lithologic units, A:116, 196, 403, 526, 564, 587
- clay, sandy, lithologic units, A:328–330  
clay, silty  
  facies, B:11  
  Formation MicroScanner imagery, B:14–20  
  lithofacies, B:641  
  lithologic units, A:127–128, 178–180, 204–207, 246–248, 277–278, 280–281, 330, 332, 334–335, 387–388, 391, 412–415, 443–444, 466–467, 470, 507–512, 541–545, 574–576, 595, 599–603, 637–638, 641, 643, 645, 661–663
- mineral composition, A:415–417  
photograph, A:101, 136, 209–211, 250, 253, 279, 331, 391–392, 416, 511–516, 666–667, 669
- photomicrograph, A:280
- clay, terrigenous, lithologic units, A:127–128, 245–246, 277, 466–467, 470, 507, 541–542, 595, 637
- Clay Mineral Zone I, composition, B:189, 191  
Clay Mineral Zone II, composition, B:189, 191  
Clay Mineral Zone III, composition, B:189, 191  
Clay Mineral Zone IV, composition, B:189–191  
Clay Mineral Zone V, composition, B:189–190
- clay minerals  
  lithologic units, A:93–95  
  peak intensities, A:138, 287  
  sediments, B:177–192, 391, 393–394, 444, 670  
  silty clay, A:415–417  
  vs. core number, A:212  
  vs. depth, A:287, 343; B:202–213  
  *See also* illite; montmorillonite; smectite
- climate  
  South America, B:169  
  *See also* paleoclimatology
- coccoliths  
  distribution, B:88  
  *See also* nannofossils
- coercivity, iron sulfides, B:249  
Colombia, vegetation, B:381–383  
color, reflectance, A:697–700  
color bands  
  lithofacies, B:620, 636–638  
  lithologic units, A:92–93, 127–130, 246, 249, 445, 466–467, 470, 508–509, 571–572, 595, 599–600, 661–663
- mud, B:11  
photograph, A:97, 101, 181, 209, 246, 279, 331, 390, 446, 510–511, 513, 515, 600, 639–640, 664–665; B:12–13, 123
- photomicrograph, A:280  
turbidite, B:74
- compaction  
  burial, B:443  
  fabric, B:447–464  
  sediments, B:457–459  
  velocity, B:491–492  
compaction, burial, fabric, B:447–464
- composite sections  
  Site 930, A:92  
  Site 931, A:128  
  Site 932, A:179  
  Site 933, A:205  
  Site 934, A:244  
  Site 935, A:277  
  Site 936, A:325  
  Site 937, A:388  
  Site 938, A:413  
  Site 939, A:441  
  Site 940, A:467  
  Site 941, A:507; B:468  
  Site 942, A:542  
  Site 943, A:572  
  Site 944, A:595  
  Site 945, A:638  
  Site 946, A:659; B:423–424
- compressional wave velocity, sediments, A:108, 145, 195, 220, 262, 300, 352, 400, 427, 454, 459, 479, 481, 485, 559, 561, 612–613, 652, 676; B:477–493
- vs. density porosity, B:446
- vs. depth, A:679; B:446, 483–489  
*See also* velocity
- consolidation, velocity, B:491–492  
consolidation tests, sediments, B:139  
continental margin, A:5–8  
  Brazil, A:5–16  
  geometry, B:48–49  
  ocean circulation, A:17–21  
  sedimentology, A:117–120  
  seismic stratigraphy, A:14  
  South America, B:153–154, 156  
  turbidite, B:85–88
- continental shelf, sedimentation, B:384–388
- core–log comparison  
  sediments, A:227–228, 264, 302, 304  
  Site 934, A:269
- core–seismic integration  
  Site 930, A:110, 112, 114–115  
  Site 931, A:160–163  
  Site 932, A:195–196  
  Site 933, A:228–230  
  Site 935, A:305–307  
  Site 936, A:360, 362  
  Site 938, A:429–431  
  Site 940, A:486–487  
  Site 941, A:524–525  
  Site 942, A:561–563  
  Site 943, A:586–587  
  Site 944, A:620–621  
  Site 946, A:682
- cores  
  shipboard vs. shore-based spectral data, B:193–215  
  tomography, B:465–475
- correlation  
  biostratigraphy, B:583–587, 589  
  fans, A:19  
  foraminifers, A:522  
  interglacial carbonate units, B:357  
  paleomorph zonation, B:409  
  stratigraphy, B:129–130, 595–609
- correlation, between-hole, rock magnetism, B:271–278
- Coulter Counter, grain size, B:218–219  
Coulter laser particle sizer, grain size, B:219
- crenulations, photograph, A:510–511
- cross laminations  
  facies, B:11  
  lithofacies, B:625  
  lithologic units, A:248, 387–388, 391, 466–467, 470, 573  
  photograph, A:134, 183, 209, 334, 391, 416, 470, 519, 544–547, 573, 601, 665–666
- cross stratification, lithofacies, B:613–615
- CT-value  
  vs. water content, B:471  
  vs. wet-bulk density, B:471
- D*-alloisoleucine/*L*-isoleucine ratio  
  enantiomeric ratio, B:376–378  
  racemization, B:376–378  
  vs. age, B:377
- debris flows  
  clay mineralogy, B:187, 189, 191  
  core–seismic integration, A:117  
  deposition, A:528–529  
  fan deposits, A:394  
  foraminifers, A:522  
  lithologic units, A:117, 364–366  
  photograph, A:182, 602–603  
  *See also* mass flows; mass transport deposits; Unit R Debris Flow
- deformation  
  line drawing, A:211

- lithofacies, B:613  
 lithologic units, A:331–332, 508–509  
 mass transport deposits, B:120, 122, 125  
 photograph, A:182, 285, 510–511, 575–576  
 deglacial negative carbon isotopic event  
   foraminifers, B:312, 316  
   *See also* carbon isotopes  
 demagnetization, sediments, A:138, 474, 550,  
   552–553  
 density, bulk  
   fluidized sediments, B:467–469  
   vs. depth, A:115  
 density, grain, vs. depth, A:115, 153, 430, 485,  
   586, 618, 653, 679; B:439  
 density, wet-bulk  
   lithologic units, A:457  
   vs. CT-value, B:471  
   vs. depth, A:115, 153, 195, 222, 264, 300, 358,  
     405, 430, 459, 485, 532, 561, 586, 618,  
     653, 679  
 density (bulk) logs, vs. depth, A:165  
 density logs, vs. depth, A:159, 226, 305, 363, 490,  
   622, 683; B:423–424  
 denudation, continental, sedimentation,  
   B:653–675  
   *See also* weathering  
 deposition  
   channel-levee systems, B:659–660  
   channels, A:44  
   debris flows, A:528–529  
   fabric, B:447–464  
   levees, A:489–490  
   lithofacies, B:611–651  
 depositional cycles, well-logging, A:484–485  
 depth, stratigraphically equivalent, reflections,  
   A:440–441  
 depth, sub-bottom  
   calculation, B:1–2  
   expansion-corrected mbsf, B:1–2  
 diagenesis  
   carbohydrates, B:536–537  
   iron sulfides, B:252  
   iron-rich crusts, B:245–247  
   lithologic units, A:178–180, 412, 442, 507,  
     541, 637  
   phosphorus, B:505–517  
   photograph, A:96  
   polycyclic aromatic hydrocarbons, B:555–564  
   sediments, A:521  
   *See also* alteration; authigenesis; sideritization  
 diagenesis, early, sediments, B:497–504, 672  
 diagenetic crusts  
   lithologic units, A:204, 277  
   *See also* iron-rich crusts  
 diagenetic fronts, lithofacies, A:80–81  
 diatoms  
   abundance, B:370  
   upper Quaternary, B:367–373  
   vs. depth, B:372  
 dilution ratio, terrigenous, organic matter,  
   B:550–551, 553  
 dip–azimuth plots  
   map, B:138  
   mass transport deposits, B:134–137  
 dipping contacts, photograph, A:331  
 dips, laminations, B:59  
 dividing cells, bacteria, B:569  
 downhole logging  
   Site 931, A:148, 150, 153, 155–160  
   Site 933, A:222–228  
   Site 934, A:262–264  
   Site 935, A:302, 304–305  
   Site 936, A:354–355, 358, 360  
   Site 940, A:482, 484–485  
   Site 944, A:614–615, 617–619  
   Site 946, A:679–682  
   *See also* well-logging  
 drainage basins, palynomorphs, B:399, 406  
 drape deposits  
   pelagic/hemipelagic, lithofacies, B:636  
   *See also* mud draping  
 echinoderms, photograph, A:517  
 echofacies, turbidity currents, B:58–59  
 Ecuador, vegetation, B:381–383, 417  
 effective stress, overburden. *See* shear  
   strength/overburden effective stress ratio  
 elastic moduli, velocity, B:491–492  
 electrical facies, lithofacies, B:11  
 electron microprobe data, sediments, B:147–168  
 electron microscopy, scanning  
   microstructure, B:425–426  
   sediments, B:452  
 enantiomeric ratio  
   *D*-alloisoleucine/*L*-isoleucine ratio,  
     B:376–378  
   *See also* *D*-alloisoleucine/*L*-isoleucine ratio  
 enstatite, photograph, A:342  
 environmental magnetism  
   iron oxides, B:252  
   vs. depth, B:254–270  
 epidotes  
   chemical composition, B:152, 164  
   modal composition, B:150  
 erosion  
   mass flow, B:118  
   provenance, B:191  
 fabric  
   photograph, A:278, 598–599, 604  
   sediments, B:447–464  
   *See also* microfabric  
 Facies 1  
   lithofacies, B:613–614  
   photograph, B:93  
 Facies 2  
   lithofacies, B:613, 615  
   photograph, B:94  
 Facies 3, lithofacies, B:613–614, 621–625  
 Facies 3B, photograph, B:95–96  
 Facies 4, lithofacies, B:614, 626–627  
 Facies 4B, photograph, B:97–98  
 Facies 4C, photograph, B:99–100  
 Facies 5  
   lithofacies, B:614–615, 628–629  
   photograph, B:101  
 Facies 6  
   lithofacies, B:615, 630  
   photograph, B:101  
 Facies 7  
   lithofacies, B:615, 632–633  
   photograph, B:102  
 Facies 8, lithofacies, B:620, 634–635  
 Facies 9  
   lithofacies, B:620, 636–638  
   photograph, B:103–105  
 Facies 10, lithofacies, B:620, 639  
 Facies 11, lithofacies, B:620, 640–641  
 Facies 12, lithofacies, B:620, 625, 627, 630,  
   642–647  
 Facies 13, lithofacies, B:630–631, 649  
 Facies 14, lithofacies, B:631, 650  
 Facies 15, lithofacies, B:631  
 factor scores, vs. depth, B:202–213  
 factor-pattern curves, sediments, B:197, 199–201  
 fan channels, continental margin, A:5–8  
 fans  
   correlation, B:583–587, 589  
   deposition, B:408  
   growth, B:654–662  
   interglacial deposits, B:353–365  
   sedimentation, A:18, 20; B:331–332, 384–388,  
     653–675  
 fans, deep-sea  
   growth, A:8–12  
   stratigraphy, B:30–32, 591, 594  
 fans, last-glacial, lower, lithologic units, A:654,  
   683–684  
 fans, submarine  
   grain size, B:35–52  
   lithofacies, B:7–33  
   profiles, B:119  
 fatty acids, sediments, B:545–549  
 fatty acids, marine, vs. depth, B:550, 553  
 faults  
   lithologic units, A:508–509  
   photograph, A:210, 511–516, 600  
   *See also* microfaults  
 feldspar  
   chemical composition, B:151, 153–154  
   lithologic units, A:207–209, 248–249, 281  
   modal composition, B:150  
   peak intensities, A:287  
   sediments, A:141, 335–338, 391, 393–394  
   silty clay, A:415–417  
   vs. depth, A:343  
 feldspar, twinned, photograph, A:342  
 fires, history, B:411–418  
 flocculation, turbidite, B:73  
 fluidized structures  
   density, B:473  
   tomography scan, B:469–473  
 flute casts, photograph, A:545  
 folds  
   lithologic units, A:508–509, 600  
   photograph, A:98, 515–516  
 folds, isoclinal, photograph, A:514  
 foraminiferal assemblages, vs. depth, B:130  
 foraminifers  
   abundance, A:107, 142–143, 187, 214,  
     257–258, 290, 312, 346–347, 396, 420,  
     451, 477, 523, 551, 580, 609, 647, 672  
   age, B:138, 308  
   biostratigraphy, B:354, 359–360  
   correlation, A:522; B:596–597  
   *D*-alloisoleucine/*L*-isoleucine ratio,  
     B:376–378  
   lithologic units, A:457  
   oxygen isotopes, B:358–361  
   photograph, A:667  
   stable isotopes, B:320, 325–328, 335–351  
   vs. depth, A:256  
 foraminifers, benthic  
   abundance, B:346  
   biostratigraphy, A:136, 183, 186, 212, 254,  
     289, 291, 342–343, 395, 419, 421, 446,  
     473, 517, 550, 578, 605, 648, 669  
   depth habitats, B:348  
   stable isotopes, B:336–337, 341–347  
 foraminifers, planktonic  
   abundance, A:108, 145  
   biostratigraphy, A:132, 183, 210–212, 254,  
     287, 289, 340–342, 394–395, 419,  
     445–446, 473, 515, 517, 550, 578, 605,  
     646–648, 669; B:580–581, 668  
   carbon:nitrogen:phosphorus ratios, B:515  
   isotope stratigraphy, B:281–303  
   stable isotopes, B:337–341  
 forests  
   fires, B:414–415  
   fragmentation, B:391–392  
 Formation MicroScanner logs

- boreholes, A:485  
 core-log comparison, A:304  
 lithofacies, B:7–33  
 mass transport deposits, B:124–129  
 sediments, A:358  
 vs. depth, A:368  
 fractures, photograph, A:278
- gamma ray–density–porosity logs  
 Site 931, A:174  
 Site 933, A:236–237  
 Site 935, A:317–318  
 Site 936, A:377–378  
 Site 940, A:498–499  
 Site 944, A:632–633  
 Site 946, A:692–693
- gamma ray–resistivity logs, A:319  
 gamma ray–resistivity–sonic logs, A:172–173  
 gamma ray–resistivity–velocity logs  
 Site 933, A:238–239  
 Site 935, A:271  
 Site 936, A:379–380  
 Site 940, A:500–501  
 Site 944, A:630–631  
 Site 946, A:690–691
- gamma-ray logs  
 Site 931, A:171  
 Site 936, A:381–382  
 vs. depth, A:159, 226–227, 267, 305–306, 363, 365–366, 490, 492, 622–623, 683–684; B:423–424  
 vs. photoelectric effect logs, A:227
- garnets  
 chemical composition, B:152, 162–163  
 modal composition, B:150
- gas disruption, photograph, A:645
- gas expansion  
 lithologic units, A:328  
 sub-bottom depth, B:1–2
- gas hydrates  
 density, B:473  
 evidence, B:128  
 interstitial waters, A:674  
 lithofacies, B:616  
 mass transport deposits, B:142–143, 362–365  
 photograph, A:278, 645  
 porosity and velocity, B:491–492
- gases, sediments, A:110, 146, 190, 217, 259, 293, 350, 400, 424, 479, 526, 556, 583, 612, 649, 675
- geochemical logs  
 Site 931, A:170  
 Site 936, A:375–376  
 vs. depth, A:160, 227, 267, 364, 366
- geochemistry  
 interstitial waters, B:469  
 sediments, A:111, 141, 147–148, 191
- geochemistry, inorganic  
 Site 930, A:104–106, 108  
 Site 931, A:140–141  
 Site 932, A:190–193  
 Site 933, A:217–219  
 Site 934, A:260–261  
 Site 935, A:295–297  
 Site 936, A:347–350  
 Site 937, A:398–400  
 Site 938, A:424  
 Site 939, A:449–453  
 Site 940, A:475–476, 478  
 Site 941, A:520–521  
 Site 942, A:557–558  
 Site 943, A:583–584  
 Site 944, A:610–612  
 Site 945, A:650–651
- Site 946, A:674–675
- geochemistry, organic  
 Site 930, A:103–104  
 Site 931, A:138–140  
 Site 932, A:189–190  
 Site 933, A:215–217  
 Site 934, A:256, 259–260  
 Site 935, A:293–295  
 Site 936, A:345–347  
 Site 937, A:398  
 Site 938, A:423–424  
 Site 939, A:448–449  
 Site 940, A:475  
 Site 941, A:519–520  
 Site 942, A:555–557  
 Site 943, A:579, 582–583  
 Site 944, A:608, 610  
 Site 945, A:649–650  
 Site 946, A:671, 673
- geochronology  
 age, B:581  
 interglacial deposits, B:361–365  
 paleoceanography, A:17–18  
 phytoliths, B:413  
 racemization, B:375–378  
*See also* age; aminostratigraphy; chronostratigraphy
- geomagnetic events, record, B:231–243  
 geomagnetic excursions, record, B:231–243
- geomorphology, A:23–45
- geothermal gradient  
 Amazon Basin, A:21  
 vs. *D*-alloisoleucine/*L*-isoleucine ratio, B:377–378
- glacial periods, sedimentation rates, B:303
- glacial positive oxygen isotopic events  
 foraminifers, B:316  
*See also* oxygen isotopes
- glacial/interglacial cycles  
 clay mineralogy, B:179–184  
 palynomorphs, B:397–409  
 vegetation, B:414–415
- glaciation  
 clay mineralogy, B:189–191  
 Quaternary, A:12–13  
 sedimentation, B:384–388
- goethite, vs. depth, B:202–213
- Gold Channel-levee System  
 lithologic units, A:364–366  
 sediments, A:338
- grading, lithofacies, B:613–615
- grain size  
 average modal silt sizes, B:106  
 columns, A:94–95, 129–131, 180, 206–207, 245, 282–283, 326–327, 389, 414–415, 468, 543, 572, 596–597, 639, 660; B:55  
 interlaboratory comparison of techniques, B:217–228  
 lithofacies, B:29–30  
 sediments, B:35–52  
 turbidite, B:84–88  
 turbidity currents, B:57, 59–61  
 vs. depth, A:94–95, 129–131, 180, 206–207, 245, 282–283; B:39–40
- granules  
 lithologic units, A:331–332  
*See also* rock granules
- granules, quartz, photograph, A:329
- gravel  
 facies, B:13  
 lithofacies, B:613  
 sediments, A:338
- gravel, sandy, lithofacies, B:613
- Green Channel-levee System  
 lithologic units, A:312, 605, 624  
 seismic facies, A:621  
*See also* levee flanks
- greigite  
 environmental magnetism, B:252  
 hardpan, B:246–247  
 sediments, B:573, 672
- Guatemala, paleoclimatology, B:416
- Guiana Shield  
 continental margin, A:5–16  
 sedimentation, B:153–154, 156
- hardpan, Amachron, B:245
- heavy minerals, provenance, B:154, 156
- Heinrich events, oxygen isotopes, B:316
- hematite  
 chemical composition, B:152  
 vs. depth, B:202–213
- hemipelagic environment  
 biomarkers, B:551  
 stratigraphy, B:591, 594  
*See also* highstands; interglacial hemipelagic interval; paleoenvironment
- hentriacontane. *See n*-hentriacontane
- hexane. *See n*-hexane
- high-amplitude reflection packets  
 channel-levee systems, B:14–15  
 correlation, B:631, 664  
 grain size, B:50–51  
 lithofacies, B:29–30  
 lithologic units, A:308, 310, 362–363  
 stratigraphy, B:30–32
- high-amplitude reflectors  
 grain size, B:50–51  
 models, B:664
- highstands  
 calcareous clay, A:366  
 hemipelagic deposits, A:364–366  
*See also* hemipelagic environment
- Holocene  
 biostratigraphy, A:343  
 clay mineralogy, B:179–180, 191  
 correlation, B:605  
 lithologic units, A:91–93, 127–128, 178–180, 204–205, 245–246, 277–278, 324–325, 328, 386–387, 442–444, 466, 506–507, 541–542, 571–572, 574–575, 594, 637, 661  
 sedimentation rates, B:289–290
- Holocene/Pleistocene boundary, isotope stratigraphy, B:287–289
- hopanes  
 sediments, B:564  
*See also* hydrocarbons
- hornblende  
 chemical composition, B:151–152  
 modal composition, B:151  
 peak intensities, A:212, 255  
 photograph, A:342  
 sediments, A:104, 137, 185  
 vs. depth, A:343  
*See also* amphiboles
- hydrocarbons  
 tri-aromatics, B:557  
*See also* fatty acids; hopanes; lignin; methane
- hydrocarbons, polycyclic, aromatic  
 sediments, B:555–564  
*See also* amyryns; chrysene; hopanes; lupeol; methylphenanthrenes; perylene; phenanthrene compounds
- hydrocarbons, volatile, sediments, A:103, 138, 189, 215, 256, 259, 293, 345, 398, 423, 448, 475, 519, 555, 579, 582, 608, 649,

- 671  
hydrogen index, sediments, A:140, 192  
hydrotroilite  
  lithofacies, B:636–637  
  lithologic units, A:93, 178–180, 204, 207,  
  245–246, 277, 325, 387–388, 391, 412,  
  443–445, 466, 507, 601, 637–638, 662  
  photograph, A:135, 208, 279, 444–445, 469,  
  546  
  remineralization, B:502–503  
  sediments, B:573, 672
- ikaite  
  lithologic units, A:507  
  photograph, A:509  
  sediments, A:521
- illite  
  lithologic units, A:433  
  peak intensities, A:212, 255, 287  
  sediments, A:104, 137, 185; B:179–191  
  vs. depth, A:343; B:202–213  
  *See also* clay minerals; (mica+illite)/kaolinite  
  ratio logs
- ilmenite, chemical composition, B:152
- index properties, sediments, A:108–110, 113, 141,  
  144–145, 151–153, 193–195, 219–222,  
  261–263, 297–300, 350–352, 356–358,  
  400, 404–405, 426, 428–429, 453–454,  
  458, 479, 483–484, 521–522, 530–531,  
  559–561, 584–586, 612, 616–617,  
  651–652, 675–676, 678–679;  
  B:427–436, 477–493
- induction logs, vs. depth, A:162
- interglacial deposits  
  carbonate, B:357  
  carbonate-rich clay, A:624  
  clay mineralogy, B:187  
  mass transport deposits, B:355  
  stable isotopes, B:353–365  
  stratigraphy, A:165, 685; B:564, 594
- interglacial deposits, carbonate-rich, correlation,  
  B:596–597
- interglacial hemipelagic interval, lithologic units,  
  A:312
- interstitial waters  
  geochemistry A:104–106, 108, 112, 149,  
  190–192, 217–219, 295–296, 354, 402,  
  426, 449–450, 452, 457, 475–476, 478,  
  481, 520–521, 527, 557–558, 583–584,  
  610–612, 614, 650–651, 674–675, 677;  
  B:469  
  sediments, A:140–141, 347–350, 398–399,  
  424  
  *See also* pore fluid
- Intertropical Convergence Zone, glaciation, B:316
- iron  
  interstitial waters, A:106, 141, 192, 217, 296,  
  349, 399, 424, 452, 478, 521, 558, 584,  
  612, 651, 675  
  reflectance, A:700  
  vs. depth, A:112, 149–150, 192, 219, 261, 296,  
  354, 402, 426, 456, 481, 528, 558, 585,  
  615, 651, 677
- iron indicator ratio logs vs. depth, A:160
- iron logs, vs. depth, A:160, 364
- iron oxides  
  chemical composition, B:167  
  lithologic units, A:248–249  
  modal composition, B:151  
  reduction, B:252  
  sediments, A:193
- iron oxyhydroxides, lithologic units, A:541
- iron sulfides  
  diagenesis, B:252  
  early diagenesis, B:498–501, 672  
  lithofacies, A:80–81  
  magnetic hysteresis, B:245–249  
  nodules, B:245–249  
  sediments, B:573
- iron-rich crusts  
  lithologic units, A:386–387, 412, 442, 466,  
  507, 541, 572, 594, 637, 661  
  magnetic properties, B:245–249  
  photograph, A:96  
  *See also* diagenetic crusts
- isoleucine. *See* D-alloisoleucine/L-isoleucine ratio
- isotope stratigraphy  
  correlation, B:596–597, 606  
  Quaternary, B:281–303
- kaolinite  
  peak intensities, A:212, 255, 287  
  sediments, A:104, 137, 185, 391, 393–394;  
  B:179–191  
  vs. depth, A:343  
  *See also* (mica+illite)/kaolinite ratio logs
- kinks, grain-size profiles, B:65, 72–73
- kyanite, chemical composition, B:152–166
- L-isoleucine. *See* D-alloisoleucine/L-isoleucine  
  ratio
- Lake Mungo Excursion  
  age, B:308, 606, 668  
  geomagnetic events, B:232, 234, 238  
  lithologic units, A:457, 685  
  magnetostratigraphy, A:18, 100, 102  
  remanent magnetization, A:165, 701  
  sediments, A:232–233  
  stratigraphic control, A:197
- Lake Mungo paleomagnetic marker, correlation,  
  B:601–603
- lakes, vegetation, B:417
- laminae  
  lithofacies, B:615  
  photograph, A:83  
  silt, B:11, 88, 90  
  *See also* ripple laminations
- laminations  
  lithologic units, A:92–93, 127–130, 178–180,  
  204–207, 278, 280–281, 328, 388,  
  412–415, 443–444, 466–467, 470,  
  509–510  
  photograph, A:98–100, 132, 136, 181,  
  209–210, 252–253, 279, 285–286, 331,  
  333, 392, 416, 444, 446, 546–547
- Laschamp Excursion, geomagnetic events, B:232,  
  234, 238
- Last Glacial Maximum  
  lithologic units, A:564  
  organic matter, B:526–527  
  paleomorphs, B:388–392  
  vegetation, B:414–415
- late glacial, clay mineralogy, B:184
- lead isotopes, mud provenance, B:169–176
- lead-206/lead-204 ratio  
  vs. lead-207/lead-204 ratio, B:174  
  vs. lead-208/lead-204 ratio, B:174
- lead-207/lead-204 ratio, vs. lead-206/lead-204  
  ratio, B:174
- lead-208/lead-204 ratio, vs. lead-206/lead-204  
  ratio, B:174
- levee crests, lithologic units, A:117, 163, 197, 433
- levee flanks, lithologic units, A:117, 232, 528
- levee sections, lithologic units, A:488–489
- levee sediments, lithologic units, A:364–366
- levee sediments, distal, physical properties, B:450,  
  452, 455–457
- levee sediments, proximal, fabric, B:449–454
- levees  
  channels, A:27–29; B:631–632  
  core–seismic integration, A:117  
  correlation, B:603, 664  
  deposition, A:489–490  
  lithologic units, A:308, 312, 445, 565, 588,  
  624, 683  
  paleoflow, B:64  
  porosity and velocity, B:491–492  
  seismic stratigraphy, A:13–14  
  *See also* Bottom Levee Complex; Lower  
  Levee Complex; Middle Levee  
  Complex; Upper Levee Complex
- levees, distal, lithologic units, A:588, 622–623,  
  685
- lignin  
  composition, B:524  
  *See also* phenols, lignin
- lipids  
  molecular structure, B:541–549  
  sediments, B:539–553
- lipids, polar, lithofacies, B:551
- lithic fragments, vs. age, B:317
- lithofacies  
  core–seismic integration, A:116–117  
  depositional elements, B:611–651, 663  
  fine-grained turbidite, A:79–108  
  turbidite, B:7–33
- lithologic units  
  core–seismic integration, A:117  
  Site 930, A:91–93  
  Site 931, A:127–130  
  Site 932, A:178–180  
  Site 933, A:204–207  
  Site 934, A:245–248  
  Site 935, A:277–281  
  Site 936, A:324–325, 328–335  
  Site 937, A:386–388, 391  
  Site 938, A:412–415  
  Site 939, A:442–444  
  Site 940, A:466–467, 470  
  Site 941, A:506–510  
  Site 942, A:541–545  
  Site 943, A:571–576  
  Site 944, A:594–595, 599–603  
  Site 945, A:637–645  
  Site 946, A:661–663  
  Unit I, A:91–92, 127, 178, 204, 245, 277, 324,  
  386–387, 412, 442, 466, 506–507, 541,  
  571–572, 594, 637, 661  
  Unit II, A:92–93, 127–128, 178–180,  
  204–205, 245–246, 277–278, 325, 328,  
  387–388, 391, 412–415, 443–444,  
  466–467, 470, 507, 541–542, 572,  
  574–575, 595, 599, 637, 661  
  Unit III, A:93, 128–129, 205, 246–247, 278,  
  280, 328–330, 507–509, 542, 544, 575,  
  599–600, 637–638, 641, 643, 645,  
  661–662  
  Unit IV, A:129–130, 206–207, 247–248, 280,  
  330–332, 509–510, 544–545, 600–601,  
  662–663  
  Unit V, A:130, 248, 280, 332, 334, 545, 602,  
  663  
  Unit VI, A:280–281, 335, 545, 575–576, 603,  
  663  
  Unit VII, A:663
- lithology, mass transport deposits, B:120, 122, 125
- lithology indicator ratio logs, vs. depth, A:160
- lithostratigraphy  
  paleoceanography, A:17–21  
  Site 930, A:91–96  
  Site 931, A:125–131  
  Site 932, A:178–183

- Site 933, A:204–209  
 Site 934, A:244–249  
 Site 935, A:276–281  
 Site 936, A:324–339  
 Site 937, A:386–394  
 Site 938, A:411–419  
 Site 939, A:440–445  
 Site 940, A:466–472  
 Site 941, A:506–512  
 Site 942, A:541–549  
 Site 943, A:571–578  
 Site 944, A:594–605  
 Site 945, A:637–646  
 Site 946, A:659–666
- log processing, shore-based, A:169
- log units  
 vs. depth, A:159, 226  
*See also* well-logging
- Lower Levee Complex  
 correlation, B:599–600  
 electron microprobe data, B:148–150  
 fabric, B:449–450  
 lithofacies, B:27  
 trace elements, A:350  
*See also* Bottom Levee Complex; Middle Levee Complex; Upper Levee Complex
- lupeol, sediments, B:564
- mackinawite, sediments, B:573
- magnesium  
 interstitial waters, A:105–106, 141, 190, 217, 260, 295, 348, 398, 424, 449, 476, 520, 557, 583, 610, 650, 675  
 vs. calcium, A:457  
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501
- magnesium oxide, sediments, A:193
- magnetic declination  
 abundance, A:292  
 vs. depth, A:109, 145, 188–189, 216, 258, 349, 398, 422, 452, 478, 525, 553–554, 582, 610–611, 674; B:236–237, 240
- magnetic hysteresis, iron sulfides, B:245–249
- magnetic inclination  
 abundance, A:292  
 correlation, B:602–603  
 vs. depth, A:109–110, 145, 188–189, 216, 258, 349, 399, 422, 452, 478, 525, 553–554, 582, 610–611, 674; B:236–237, 240, 603, 605, 607–608
- magnetic induction logs, vs. depth, A:229–230
- magnetic intensity  
 abundance, A:292  
 vs. depth, A:109–110, 189, 216, 259, 349, 399, 423, 452, 478, 525, 554–555, 582–583, 611, 649, 674; B:233–234, 236–237, 240, 608–609  
 vs. magnetic susceptibility, B:237, 239, 242
- magnetic poles, virtual path, B:234–243
- magnetic susceptibility  
 abundance, A:293  
 depth–depth plots for tie points, B:278  
 sediments, A:103, 138, 189, 213, 256, 293, 345, 397–398, 423, 448, 474–475, 519, 553–555, 579, 607–608, 649, 670–671; B:252, 271–278  
 vs. depth, A:110, 146, 190, 216, 259, 350, 400, 423, 453, 479, 526, 555, 583, 611, 649, 675; B:247, 274–277, 604, 606  
 vs. magnetic intensity, B:237, 239, 242
- magnetic susceptibility anisotropy, turbidity currents, B:53–78
- magnetic susceptibility logs, vs. depth, A:162, 226, 229
- magnetite, chemical composition, B:152
- magnetite, bacterial, environmental magnetism, B:252, 672
- magnetostratigraphy, paleoceanography, A:18
- major elements, sediments, A:150, 193, 220, 262, 297, 355, 403, 427, 457, 482, 529, 559
- manganese  
 interstitial waters, A:108, 192, 218, 260, 296, 350, 399, 424, 452, 478, 521, 558, 584, 612, 651, 675  
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- marcasite, sediments, B:573
- mass accumulation rates  
 sediments, A:104  
*See also* sedimentation rates
- mass flows  
 lithologic units, A:163, 165, 232, 573  
 photograph, A:573  
 sediments, A:227–228, 265
- mass transport deposits  
 age, B:134–135  
 correlation, B:603  
 fabric, B:452, 460–464  
 grain size, B:7–52  
 interglacial deposits, B:355  
 lithologic units, A:310–312, 526, 528, 601; B:635  
 photograph, A:136, 184, 601–603  
 physical properties, B:130, 132  
 porosity and velocity, B:491–492  
 sedimentation, B:663, 665  
 sediments, A:310, 313  
 seismic stratigraphy, B:109–146  
 stable isotopes, B:335–351, 353–365  
 stratigraphy, B:591, 594  
 tomography, B:465–475  
*See also* debris flows; mass flows
- meander loops, abandoned, lithologic units, A:265; B:631–632
- metamorphic rocks, provenance, B:156
- methane  
 interstitial waters, B:567–569  
 sediments, A:138, 215, 256, 259, 293, 345, 398, 423, 475, 519, 555, 579, 582, 608, 649, 671  
 vs. depth, A:110, 146, 190, 217, 293, 350, 400, 424, 454, 479, 526, 556, 583, 612, 649, 675
- methanogenesis, early diagenesis, B:498–501
- methylphenanthrenes  
 sediments, B:557, 559  
 vs. depth, B:559  
*See also* phenanthrene compounds
- mica  
 lithologic units, A:207–209, 248–249, 281  
 modal composition, B:150  
 peak intensities, A:212, 255, 287  
 sediments, A:104, 137, 185, 391, 393–394  
 silty clay, A:415–417  
 vs. depth, A:343
- (mica+illite)/kaolinite ratio logs, vs. depth, A:366
- microfabric  
 image processing, B:427–432  
 vs. depth, B:432–435  
*See also* fabric
- microfaults  
 photograph, A:513  
*See also* faults
- Micromeritics SediGraph, grain size, B:218
- micronodules  
 lithologic units, A:92, 178–180, 246, 387–388, 391, 443–444, 541–542, 574–576  
 photograph, A:444–445  
*See also* nodules
- microripples, photomicrograph, A:280
- microstructure, sediments, B:421–446
- Middle Levee Complex  
 correlation, B:599  
 electron microprobe data, B:149  
 lithofacies, B:27  
 lithologic units, A:364, 564  
 seismic facies, A:621  
 trace elements, A:350  
*See also* Bottom Levee Complex; Lower Levee Complex; Upper Levee Complex
- mineral assemblages, sediments, A:137, 185, 335–338, 391, 393–394, 415–417; B:168
- minerals, chemical composition, B:151–152
- Monte Oscuro, vegetation, B:416
- montmorillonite  
 vs. depth, B:202–213  
*See also* clay minerals
- mottling  
 lithofacies, B:620, 636  
 lithologic units, A:127–128, 204–207, 249, 324, 387–388, 391, 412–415, 466–467, 470, 507, 571–574, 576, 637, 661–663  
 photograph, A:97, 208, 279, 285–286, 390–391, 573, 640, 662; B:89
- mud  
 geochemistry, A:350, 478, 520–521, 527, 558  
 isotopes, B:173  
 lithofacies, A:80, 82–84; B:615, 620  
 lithologic units, A:117, 163, 230, 266, 308, 334, 433, 564  
 photograph, A:99, 181, 447; B:12–13, 83–84, 86–87, 89–90, 92–107  
 physical properties, B:435–436  
 provenance, B:169–176  
 reflectance, A:697–700  
 sedimentation, A:265–266  
 trace elements, A:399  
 turbidity currents, B:57, 59–61
- mud, biogenic, lithofacies, B:630–631
- mud, bioturbated  
 lithologic units, A:197, 403, 433, 587  
 physical properties, B:450, 452, 455
- mud, calcareous, bioturbated, lithologic units, A:685
- mud, chaotic, lithofacies, B:620, 625, 627, 630
- mud, deformed, lithofacies, B:620, 625, 627, 630
- mud, gravelly, lithofacies, B:620
- mud, sandy  
 lithofacies, B:620  
 photograph, A:329, 337, 341
- mud clasts  
 lithofacies, B:620, 625, 627, 630  
 lithologic units, A:93, 130, 328–335, 509, 575, 637–638, 641, 643, 645  
 photograph, A:103, 136, 254, 284–285, 330, 332–333, 337, 339–341, 513, 515–516, 574, 576, 639, 641–642, 662, 664  
*See also* clasts
- mud clasts, folded, lithofacies, B:643
- mud draping  
 photograph, A:338  
*See also* drape deposits
- mudstone, physical properties, B:435–436
- n*-alcohols, chromatograms, B:546–547
- n*-alkanes, sediments, A:294–295, 346–347, 423–424
- n*-hentriacontane, sediments, A:346–347



- n-hexane  
 chromatograms, A:295, 353  
 sediments, A:294–295, 346–347
- n-nonacosane, sediments, A:346–347
- nannofossil acme zones, vs. age, B:356, 580
- nannofossils  
 vs. depth, A:256  
*See also* coccoliths
- nannofossils, calcareous  
 abundance, A:106, 139–140, 186, 213, 256, 288, 312, 344–345, 395, 419, 449, 475, 521, 549, 579, 607, 646, 671  
 biostratigraphy, A:96, 98, 131–132, 183, 209–210, 249–250, 254, 281, 286–287, 339–340, 394, 419, 445, 472–473, 512–513, 515, 549–550, 578, 605, 646, 666–669; B:354, 356, 358–359, 579–580  
 correlation, B:596–599  
 distribution, A:81–82  
 neodymium isotopes, mud provenance, B:169–176  
 neodymium-143/neodymium-144 ratio, vs. samarium-147/neodymium-144 ratio, B:173
- nitrogen  
 organic matter, B:505–517  
 sediments, A:103–104, 140, 189–190, 215–217, 259–260, 293–294, 345–346, 398, 423, 448, 475, 519–520, 555–557, 582–583, 649–650, 671, 673  
 vs. depth, A:111, 148, 191, 218, 260, 295, 352, 401, 425, 455, 480, 527, 557, 584, 613, 650, 676  
*See also* carbon:nitrogen:phosphorus ratios; carbon/nitrogen ratio
- nitrogen, total/organic phosphorus ratio, vs. depth, B:509, 511
- nitrogen/carbon ratio (atomic), vs. depth, B:534
- nodules  
 iron sulfides, B:245–249  
 lithologic units, A:391  
 sediments, A:424  
*See also* micronodules
- nodules, authigenic, biostratigraphy, A:99–100
- nonacosane. *See* n-nonacosane
- North American Coastal Current, ocean circulation, B:306
- North Brazil Coastal Current  
 circulation, B:408  
 currents, A:5  
 paleoceanography, A:12–13; B:306  
 transport, B:383–384
- North Equatorial Countercurrent  
 ocean circulation, B:373  
 paleoceanography, A:12–13; B:306
- North Equatorial Current, paleoceanography, B:306
- North Subtropical Gyre, ocean circulation, B:373
- ocean circulation  
 currents, B:373  
 fans, A:20  
 North Brazil Coastal Current, A:5–6  
 Quaternary, A:12–13  
 sea-level changes, B:331–332  
 stable isotopes, B:306
- olivine, photomicrograph, A:255
- Orange Channel-levee System  
 core–seismic integration, A:112, 114, 117  
 lithologic units, A:117  
*See also* Brown/Purple/Orange HARPs, levee crests
- Orange-1, channel development, channel-levee systems, B:18, 20
- Orange-1 fan growth, seismic profiles, B:24
- organic detritus  
 lithofacies, B:623  
 photograph, A:643, 661–662  
 vs. depth, B:202–213, 408
- organic matter  
 chromatographs, B:523  
 sediments, B:539–553, 669  
 source and burial history, B:505–517  
 stable isotopes, B:319–333
- organic matter, terrigenous, composition, B:519–530
- overbank sediments, lithologic units, A:265; B:631–632
- overconsolidation, velocity, B:491–492
- overpressure, sediments, A:234
- overspill  
 turbidite, B:76–77  
 turbidity currents, B:56  
*See also* spillover
- oxidation, sediments, B:195–196
- oxygen isotopes  
 carbon:nitrogen:phosphorus ratios, B:513–515  
 correlation, B:596–597, 601–605  
 foraminifers, B:310, 317, 321, 358–361, 667  
 isotope stratigraphy, B:287–290  
 siderite, B:500  
 vs. age, B:364  
 vs. depth, B:143, 285–290, 292–302, 313–314, 317, 339–345, 517  
 vs. palynomorphs, B:390  
*See also* glacial positive oxygen isotopic events; stable isotopes
- paleoceanography  
 Amazon Fan, A:17–21  
 Quaternary, A:12–13  
 sedimentation rates, B:289–290  
 stable isotopes, B:305–318  
 upper Quaternary, B:319–333
- paleoclimatology  
 clay mineralogy, B:189–191  
 fans, A:20  
 land record, B:668–670  
 models, B:666–670  
 ocean record, B:666–668  
 Pleistocene, B:169  
 Quaternary, A:12–13; B:525–526  
 sedimentation, B:653–675  
 upper Quaternary, B:411–418  
 vegetation, B:381–396  
*See also* climate
- paleoecology  
 palynomorphs, B:399, 406  
 vegetation, B:384–388
- paleoenvironment  
 clay mineralogy, B:189–191  
 vegetation, B:384–388  
*See also* hemipelagic environment; shelf environment
- paleoflow  
 levees, B:64  
 turbidity currents, B:53–78
- paleointensity, record, B:231–243
- paleomagnetism  
 correlation, B:596–597  
 paleointensity, B:231–243  
 Site 930, A:100, 102–103  
 Site 931, A:138  
 Site 932, A:188–189  
 Site 933, A:213  
 Site 934, A:255–256  
 Site 935, A:291–293
- Site 936, A:343, 345  
 Site 937, A:395, 397–398  
 Site 939, A:447–448  
 Site 940, A:474–475  
 Site 941, A:519  
 Site 942, A:550, 552–555  
 Site 943, A:579  
 Site 944, A:606–608  
 Site 945, A:648–649  
 Site 946, A:670–671
- paleovegetation  
 Quaternary, B:525–526  
*See also* vegetation; vegetation index, cold-adapted
- palynomorphs  
 abundance, A:188, 258, 291, 349, 397, 422, 478, 524, 552, 581, 610, 673; B:383, 668–669  
 biostratigraphy, A:100, 137, 186, 212–213, 254–255, 291, 343, 395, 421, 447, 473, 518–519, 550, 579, 606, 648, 669  
 paleoclimatology, B:411–418  
 Pleistocene, B:397–409  
 Quaternary, B:381–396  
 transport, B:383–384  
 vs. depth, A:188; B:400–407  
*See also* pollen; spores
- Panama  
 paleoclimatology, B:416  
 vegetation, B:381–383
- pebbles  
 lithofacies, B:641  
 lithologic units, A:331–332  
 photograph, A:210, 336, 517
- pebbles, quartz, photograph, A:102
- perylene, sediments, B:556–557
- pH  
 geochemistry, A:105  
 interstitial waters, A:140, 260, 295, 348, 398, 424, 449, 476, 520, 557, 583, 610, 650, 674  
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- phenanthrene compounds  
 sediments, B:557  
*See also* methylphenanthrenes
- phenols, lignin  
 cinnamyl/vanillyl ratio vs. syringyl/vanillyl ratio, B:526  
 composition, B:520–522, 524  
 syringyl phenol/vanillyl phenol ratio vs. vanillic acid/vanillin ratio, B:529  
 vanillyl acid/aldehyde vs. syringyl acid/aldehyde ratios, B:527  
 vs. carbon isotopes, B:529  
 vs. depth, B:525  
*See also* lignin
- phosphate  
 interstitial waters, A:105–106, 141, 191, 217, 260, 295, 349, 398, 424, 450, 476, 520, 558, 584, 611, 675  
 vs. depth, A:112, 149–150, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501, 512
- phosphorus  
 organic matter, B:505–517  
*See also* carbon:nitrogen:phosphorus ratios
- phosphorus, organic. *See* carbon, organic/organic phosphorus ratio; nitrogen, total/organic phosphorus ratio
- phosphorus, solid-phase, vs. depth, B:510
- phosphorus, total, vs. depth, B:508
- photoelectric effect logs

- vs. depth, A:227, 366  
vs. gamma-ray logs, A:227
- physical properties  
mass transport deposits, B:130–133  
sediments, B:449  
Site 930, A:108–110  
Site 931, A:141, 144–146, 148  
Site 932, A:193–195  
Site 933, A:219–222  
Site 934, A:261–262  
Site 935, A:297–302  
Site 936, A:350–352, 354  
Site 937, A:400–402  
Site 938, A:426–429  
Site 939, A:453–454  
Site 940, A:479, 481–482  
Site 941, A:521–522, 524; B:468  
Site 942, A:559–561  
Site 943, A:584–586  
Site 944, A:612, 614  
Site 945, A:651–653  
Site 946, A:675–679  
well-logging, B:421–446
- phytoliths  
vegetation, B:411–418, 668–669  
vs. age, B:414–415
- plagioclase  
lithologic units, A:93–95, 130–131, 180–181, 183  
peak intensities, A:212, 255  
sediments, A:104, 137, 185
- Pleistocene  
biostratigraphy, A:343  
clay mineralogy, B:190–191  
lithologic units, A:93, 127–130, 178–180, 205–207, 246–248, 278–281, 325, 328–335, 387–388, 391, 412–415, 443–444, 661–663  
paleoclimatology, B:169  
palynomorphs, B:397–409  
*See also* Holocene/Pleistocene boundary
- Pleistocene, middle, lithologic units, A:165, 600–603, 685
- Pleistocene, upper  
correlation, B:601–605  
lithologic units, A:466–467, 470, 507–510, 541–545, 572, 574–576, 595, 599–600, 637–638, 641, 643, 645
- pollen  
abundance, A:108, 145  
marine vs. terrestrial records, B:381–396  
*See also* palynomorphs
- pore fluid  
mud, B:435–436  
*See also* interstitial waters
- porosity  
mass transport deposits, B:452  
matrix, B:426–427  
relation to clay and velocity, B:480–481  
vs. depth, A:153, 195, 222, 264, 300, 358, 405, 430, 459, 485, 532, 561, 586, 618, 653, 679; B:450, 483–489  
vs. longitudinal resistivity, A:157  
vs. thermal conductivity, A:119, 157, 305  
vs. velocity, B:481  
*See also* void ratio
- porosity, density  
sediments, B:427–432  
vs. compressional wave velocity, B:446  
vs. depth, B:445
- porosity, in situ, sediments, B:427–432
- porosity, matrix, sediments, B:427–432
- porosity, visible  
fabric, B:458–459
- sediments, B:427–432  
vs. depth, B:439
- porosity logs, vs. depth, A:159, 226, 305, 363, 490, 622, 683, 423–424
- postglacial deposits, Cold-Adapted Vegetation Index, B:385–388
- potassium  
interstitial waters, A:106, 141, 191, 217, 260, 296, 349, 399, 424, 450, 452, 478, 520, 558, 584, 612, 675  
vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677  
*See also* thorium/potassium ratio logs; uranium/potassium ratio logs
- potassium feldspar  
peak intensities, A:212, 255  
photograph, A:342  
photomicrograph, A:255  
sediments, A:104, 137, 185
- potassium logs, vs. depth, A:160, 227, 267, 364
- potassium oxide  
sediments, A:297  
vs. calcium oxide+sodium oxide, B:171
- potassium oxide/aluminum oxide ratio  
mud, A:350  
sediments, A:141, 478  
vs. depth, A:150
- preferred orientation, sediments, B:457–458
- preservation  
diatoms, B:370–371  
organic carbon, B:531–538
- pressure, overburden, mudstone, B:435–436
- productivity, diatoms, B:370–371
- profiles, channels, A:28
- provenance  
mud, B:169–176  
organic matter, B:513, 515, 522  
sediments, B:152–154, 156
- pteropods  
lithologic units, A:391, 506–507  
photograph, A:508, 512
- Purple Channel-levee System  
core–seismic integration, A:112, 117  
lithologic units, A:588  
remanent magnetization, A:702  
*See also* Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; Brown/Purple/Orange HARPs; levee flanks
- ?Purple Channel-levee System, lithologic units, A:528
- Purple/Aqua(?) fan growth, seismic profiles, B:24
- Purple/Blue/Yellow Channel-levee Systems, lithologic units, A:117
- Purple Valley, channels, A:31–33
- pyrite, modal composition, B:151
- pyrolysis, Rock-Eval, sediments, A:140
- pyroxenes  
chemical composition, B:152, 157, 159–161  
modal composition, B:151  
*See also* augite
- quartz  
lithologic units, A:93–95, 130–131, 180–181, 183, 207–209, 248–249, 281  
modal composition, B:150  
peak intensities, A:212, 255, 287  
photomicrograph, A:255  
sediments, A:104, 137, 185, 335–338, 391, 393–394  
silty clay, A:415–417
- Quaternary  
biostratigraphy, B:577–594  
clay mineralogy, B:177–192  
geomagnetic events, B:231–243  
isotope stratigraphy, B:281–303  
paleoclimatology, A:12–13  
paleovegetation, B:525–526  
provenance, B:156  
sedimentation, B:653–675
- Quaternary, upper  
diatoms, B:367–373  
lithofacies, B:7–33  
paleoceanography, B:319–333  
paleoclimatology, B:411–418  
pollen, B:381–396  
racemization, B:375–378
- racemization  
geochronology, B:375–378  
*See also* amino acids; aminostratigraphy
- radiolarians, upper Quaternary, B:369
- Red Channel-levee System  
high-amplitude reflection packets, A:624  
lithofacies, B:614  
lithologic units, A:364, 624  
seismic facies, A:621  
*See also* levee flanks
- red/blue ratio, reflectance, A:700
- redeposition  
lithologic units, A:508–509  
photograph, A:508
- reduction  
iron oxides, B:252  
remineralization, B:503  
*See also* sulfate reduction
- reflectance  
lithologic units, A:94–95, 131, 183, 207–208, 249, 281, 336–338, 393–394, 417, 444–445, 471, 512, 603, 645, 663–664  
sediments, A:697–700  
shipboard vs. shore-based spectral data, B:193–215  
vs. depth, A:699
- refugia  
Cold-Adapted Vegetation Index, B:385–388  
paleoclimatology, B:416
- remanent magnetization  
magnetostratigraphy, A:100, 102  
sediments, A:701–702, 138, 188–189, 213, 255–256, 291–292, 343, 345, 395, 397, 422, 447–448, 474, 519, 550, 552–553, 579, 606–607, 648–649, 670
- remanent magnetization, anhysteretic  
magnetic susceptibility, B:234–243  
sediments, B:251–252
- remanent magnetization, isothermal, sediments, B:252
- remanent magnetization, natural, correlation, B:602–605
- remineralization  
early diagenesis, B:498–501, 503  
organic matter, B:515
- resistivity  
sediments, A:109, 146, 148, 156–157, 195, 198, 220, 222, 224–225, 262, 265, 300, 303, 352, 354, 361, 401–402, 407, 427, 429, 432, 454, 482, 488, 522, 524, 534, 559, 561, 563, 585–587, 614, 620, 652–654, 677, 679, 681  
vs. depth, A:118, 358, 362, 407, 433, 461, 489
- resistivity anisotropy, vs. depth, A:157, 199, 225, 266, 304, 362, 407, 433, 461, 489, 535, 564, 588, 621, 654, 682
- resistivity logs, vs. depth, A:159, 226, 230,

- 267–268, 305–306, 363, 365, 490, 492, 622–623, 683–684; B:423–424
- resistivity, longitudinal  
vs. depth, A:157, 199, 225, 266, 304, 535, 564, 588, 621, 654, 682  
vs. porosity, A:157
- reworking, correlation, B:598–599
- ripple laminations  
photograph, A:547  
sedimentation, A:548  
*See also* laminae; laminations
- rock clasts  
photograph, A:334  
*See also* clasts
- rock fragments, modal composition, B:151
- rock granules  
photograph, A:329  
*See also* granules
- rock magnetism  
between-hole correlations, B:271–278  
sediments, B:251–270
- roughness, samples, B:195
- rutile, modal composition, B:151
- salinity  
interstitial waters, A:104, 140, 190, 217, 260, 295, 348, 398, 424, 449, 475, 520, 557, 583, 610, 650, 674  
vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- samarium-147/neodymium-144 ratio, vs. neodymium-143/neodymium-144 ratio, B:173
- sand  
deposition, A:645–646  
electron microprobe data, B:149  
high-amplitude reflection packets, A:163  
lithofacies, B:7–33  
lithologic units, A:127–128, 204–207, 246–248, 277–278, 280–281, 328, 332, 412–415, 466–467, 470, 541–542, 574, 595, 599–600, 637–638, 641, 643, 645, 661–663  
photograph, A:134, 247–248, 252, 254, 279, 335, 338, 416, 545–547, 574, 576–577, 639–645, 661–662, 664–665, 668  
reflectance, A:697–700  
*See also* avulsion deposits; silt/sand load
- sand, biogenic, lithofacies, B:631
- sand, disorganized, lithofacies, B:613
- sand, foraminiferal, photograph, A:508
- sand, graded, photograph, A:328–329
- sand, organized, lithofacies, B:613–614
- sand, silty  
lithologic units, A:92–93  
photograph, A:100
- sand–silt–clay content, triangular plots, B:41
- sand clasts  
photograph, A:334  
*See also* clasts
- sand types, photomicrograph, A:255
- sandstone, photograph, A:336
- sandstone clasts  
photograph, A:284–285  
*See also* clasts
- savanna, palynomorphs, B:391
- sea-level changes  
continental margin, A:5–8  
correlation, B:600, 609  
fans, B:331–332, 654–662  
Pleistocene, A:12  
sedimentation, B:653–675  
sedimentation rates, B:364–365  
vs. age, timing, B:657  
sea-level curve, vs. age, B:146  
seafloor, depth beneath calculation, B:1–2  
seafloor morphology, turbidite, B:107  
secular variations, remanent magnetization, A:702  
sediment load, channels, A:44  
sediment waves, lithologic units, A:95  
sedimentary structures  
columns, A:94–95, 129–131, 180, 206–207, 245, 282–283, 326–327, 389, 414–415, 468, 543, 572, 596–597, 639, 660; B:55  
turbidity currents, B:57, 59–61
- sedimentation  
Amazon chanel-levee system, A:471–472  
channel-levee systems, B:13, 16–17, 24, 27  
fans, A:18, 20; B:331–332  
lipids, B:539–553  
lithofacies, B:611–651  
mass transport deposits, B:362–365  
organic matter, B:526–527  
Quaternary, B:331–332  
sea-level changes, B:653–675  
source, B:170  
transport, B:383–384
- sedimentation, deep-sea, sedimentation rates, B:289–290
- sedimentation, terrigenous, stable isotopes, B:319–333
- sedimentation rates  
biostratigraphy, A:473–474; B:577–594  
carbonate content, A:548  
correlation, B:601–603  
isotope stratigraphy, B:303  
lithologic units, A:434  
minimum rates, B:594  
Quaternary, A:18  
remanent magnetization, A:701–702  
sea-level changes, B:364–365  
vs. age, B:593  
vs. depth, B:47  
*See also* mass accumulation rates
- sedimentology  
channels, A:117–120  
columns, A:94–95, 326–327, 389, 468, 543, 572, 596–597, 639, 660; B:55
- sediments  
bacteria, B:565–571  
clay mineralogy, B:177–192  
composition, A:104, 335–338; B:198–201, 214  
compressional wave velocity, B:477–493  
early diagenesis, B:497–504  
electron microprobe data, B:147–168  
fabric, B:447–464  
geochemistry, A:111, 141, 191, 521, 558; B:506, 669–670  
grain size, B:35–52, 217–228  
iron sulfides, B:573  
magnetic susceptibility, B:271–278  
mineral assemblages, B:168  
modal composition, B:150–151  
organic matter, B:539–553  
physical properties, B:421–446  
polycyclic aromatic hydrocarbons, B:555–564  
reflectance, A:697–700  
remanent magnetization, A:701–702  
rock magnetism, B:251–270  
shipboard vs. shore-based spectral data, B:193–215  
source, B:145  
sediments, bioturbated, lithologic units, A:653, 683  
sediments, chemogenic, lithofacies, B:631
- sediments, fan-levee, mass transport deposits, B:142–143
- sediments, fluidized, density, B:467–469
- sediments, folded, photograph, B:122–123
- sediments, terrigenous, porosity, B:426–427
- seismic facies  
core–seismic integration, A:535–536, 566–567, 588, 625, 628, 687–688  
correlation with lithostratigraphy, A:119, 121–122, 167–168, 199, 232, 234, 310, 313, 371, 373, 436, 496  
lithologic units, A:565  
Seismic Facies Unit 1, core–seismic integration, A:486–487, 562–563, 586, 621, 682  
Seismic Facies Unit 2, core–seismic integration, A:486–487, 563, 586, 621, 682  
Seismic Facies Unit 3, core–seismic integration, A:486–487, 562, 586, 621, 682  
Seismic Facies Unit 4, core–seismic integration, A:486–487, 562–563, 586–587, 621, 682  
Seismic Facies Unit 5, core–seismic integration, A:486–487, 621  
Seismic Facies Unit 6, core–seismic integration, A:486–487
- seismic facies units, grain size, B:35–52
- seismic profiles  
acoustic facies, A:10  
Amazon Fan, B:21–23, 25–26, 113–117, 475  
channels, A:36–41  
Site 930, A:89–90  
Site 931, A:125–126, 164  
Site 932, A:177–178  
Site 933, A:202–203, 231  
Site 934, A:242–243  
Site 935, A:275–276, 309  
Site 936, A:323–324, 370  
Site 937, A:385–386  
Site 938, A:410–411, 435  
Site 939, A:439  
Site 940, A:465, 496  
Site 941, A:504–505  
Site 942, A:539, 565  
Site 944, A:626  
Site 945, A:637–638  
Site 946, A:686
- seismic reflection, lithologic units, A:686
- seismic reflectors, sedimentation rates, B:47
- seismic stratigraphy  
Amazon Fan, A:13–14  
channel-levee systems, B:13, 15–16, 20, 24  
correlation, B:596–601  
mass transport deposits, B:109–146  
*See also* acoustic stratigraphy
- seismograms, synthetic  
boreholes, A:360, 362  
sediments, A:307  
seismic facies, A:621  
Site 931, A:161, 163  
Site 944, A:627  
vs. depth, A:166  
vs. travelttime, A:233, 311, 372
- sequence stratigraphy, channel-levee systems, B:660–662
- shear strength, sediments, A:108–109, 145–146, 154–155, 195, 220, 223, 352, 400–401, 427, 454, 459, 481–482, 486, 559, 562, 585, 587, 614, 618–619, 652–653, 676–677, 680
- shear strength, residual/peak ratio, vs. depth, A:265, 406, 487, 535, 562
- shear strength, undrained  
sediments, A:116, 195–197, 262, 264, 300–301, 359–360, 406, 430–431, 522, 533

- vs. depth, A:117, 155, 197, 224, 265, 302, 360, 406, 431, 460, 487, 535, 562, 587, 619, 653, 681
- shear strength/overburden effective stress ratio, vs. depth, B:140
- shells
- lithologic units, A:508–509
  - photograph, A:511
- shore-based log processing
- Site 933, A:235
  - Site 934, A:270
  - Site 935, A:315
  - Site 936, A:374
  - Site 940, A:497
  - Site 944, A:629
  - Site 946, A:689
- siderite
- early diagenesis, B:498–501, 672
  - lithologic units, A:391
  - sediments, A:424
- sideritization
- early diagenesis, B:498–501
  - See also* diagenesis
- silica
- interstitial waters, A:141, 191, 193, 217, 261, 295, 349, 398, 450, 478, 520, 558, 611
  - mud, A:218, 296–297, 521
  - vs. depth, A:112, 149, 192–193, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- silica, biogenic, diatoms, B:370–371
- silicates, vs. depth, A:343, 393, 418, 448, 474, 520, 548, 578, 606, 670
- siliceous microfossils
- abundance, A:106, 139–140, 186, 213, 256, 288, 344–345, 395, 419, 449, 475, 521, 549, 579, 607, 646, 671
  - biostratigraphy, A:98–99, 137, 186, 212, 254, 291, 343, 395, 421, 447, 473, 517–518, 550, 579, 606, 648, 669
  - Quaternary, B:369–370
- siliciclastics, lithologic units, A:542–545
- silicon logs, vs. depth, A:160, 364
- silt
- compaction, B:453
  - electron microprobe data, B:149
  - lithofacies, A:80, 82–84; B:615, 620
  - lithologic units, A:92–93, 127–130, 163, 204–207, 246–248, 266, 277–278, 280–281, 330, 332, 412–415, 443–445, 466–467, 470, 541, 544–545, 564, 595, 599–603, 637–638, 641, 643, 645, 661–663
  - photograph, A:83–84, 98–100, 133–134, 181, 209–210, 250, 253, 279, 331, 338, 390–392, 416–417, 444, 446, 469–473, 544, 577, 601, 643
  - reflectance, A:697–700
  - sedimentation, A:265–266
  - turbidity currents, B:57, 59–61
  - See also* Purple/Blue/Yellow Channel-levee Systems
- silt, clayey, photograph, A:102
- silt, disorganized, lithofacies, B:614
- silt, graded, photograph, A:328
- silt, organized, lithofacies, B:614–615
- silt/sand load, textures, B:53–78
- siltstone
- lithofacies, B:641
  - lithologic units, A:508–509
  - photograph, A:336, 517
- sinuosity, channels, A:25–26
- Site 930, A:87–122
- biostratigraphy, A:96, 98–100; B:581
  - core–seismic integration, A:110, 112, 114–115
  - coring, A:91
  - grain size, B:37
  - in situ temperature measurements, A:115–116
  - inorganic geochemistry, A:104–106, 108
  - isotope stratigraphy, B:283
  - lithostratigraphy, A:91–96
  - operations, A:90–91
  - organic geochemistry, A:103–104
  - paleomagnetism, A:100, 102–103
  - physical properties, A:108–110
  - setting and objectives, A:88, 90
  - site description, A:87–122
  - synthesis and significance, A:116–120
- Site 931, A:123–174
- biostratigraphy, A:131–132, 136–138; B:581–582
  - clay mineralogy, B:187–189
  - core–seismic integration, A:160–163
  - coring, A:126
  - downhole logging, A:148, 150, 153, 155–160
  - electron microprobe data, B:148–149
  - grain size, B:37
  - in situ temperature measurements, A:163
  - inorganic geochemistry, A:140–141
  - isotope stratigraphy, B:283
  - lithofacies, B:13–15
  - lithostratigraphy, A:125–131
  - operations, A:125
  - organic geochemistry, A:138, 140
  - paleomagnetism, A:138
  - physical properties, A:141, 144–146, 148
  - setting and objectives, A:124–125
  - site description, A:123–174
  - synthesis and significance, A:163–166
- Site 932, A:175–199
- biostratigraphy, A:183, 185–188; B:582
  - core–seismic integration, A:195–196
  - coring, A:177
  - in situ temperature measurements, A:196
  - inorganic geochemistry, A:190–193
  - isotope stratigraphy, B:283–284
  - lithostratigraphy, A:178–183
  - magnetic intensity, B:238
  - operations, A:176–177
  - organic carbon, B:532–533
  - organic geochemistry, A:189–190; B:507–511
  - oxygen isotopes, B:317
  - paleomagnetism, A:188–189
  - phenols, B:526
  - setting and objectives, A:176
  - site description, A:175–199
  - stable isotopes, B:305–318
  - synthesis and significance, A:196–197
- Site 933, A:201–239
- biostratigraphy, A:209–213; B:582
  - core–seismic integration, A:228–230
  - coring, A:204
  - downhole logging, A:222–228
  - grain size, B:37–38
  - in situ temperature measurements, A:230
  - inorganic geochemistry, A:217–219
  - isotope stratigraphy, B:284–285
  - lithostratigraphy, A:204–209
  - operations, A:202, 204
  - organic geochemistry, A:215–217
  - oxygen isotopes, B:358–359
  - paleomagnetism, A:213
  - physical properties, A:219–222
  - setting and objectives, A:202
  - shore-based log processing, A:235
  - site description, A:201–239
  - stable isotopes, B:305–318, B:335–351
  - synthesis and significance, A:230, 232–234
- well-logging, A:222–228
- Site 934, A:241–271
- bacteria, B:565–571
  - biostratigraphy, A:249–250, 254–255; B:582
  - clay mineralogy, B:184–187
  - coring, A:244
  - downhole logging, A:262–264
  - in situ temperature measurements, A:264–265
  - inorganic geochemistry, A:260–261
  - isotope stratigraphy, B:285
  - lithostratigraphy, A:244–249
  - operations, A:243–244
  - organic geochemistry, A:256, 259–260
  - paleomagnetism, A:255–256
  - physical properties, A:261–262
  - setting and objectives, A:242–243
  - shore-based log processing, A:270
  - site description, A:241–271
  - synthesis and significance, A:265–266
- Site 935, A:273–319
- biostratigraphy, A:281, 286–291; B:582–583
  - core–seismic integration, A:305–307
  - coring, A:276
  - downhole logging, A:302, 304–305
  - grain size, B:38
  - in situ temperature measurements, A:307–308
  - inorganic geochemistry, A:295–297
  - isotope stratigraphy, B:285
  - lithofacies, B:15–16
  - lithostratigraphy, A:276–281
  - operations, A:275–276
  - organic geochemistry, A:293–295
  - paleomagnetism, A:291–293
  - physical properties, A:297–302
  - setting and objectives, A:274–275
  - shore-based log processing, A:315
  - site description, A:273–319
  - synthesis and significance, A:308–314
  - well-logging, A:302, 304–305
- Site 936, A:321–382
- biostratigraphy, A:339–343; B:583–584
  - core–seismic integration, A:360, 362
  - coring, A:324
  - downhole logging, A:354–355, 358, 360
  - electron microprobe data, B:149
  - grain size, B:38–39
  - in situ temperature, A:362
  - inorganic geochemistry, A:347–350
  - isotope stratigraphy, B:285
  - lithofacies, B:16–20
  - lithostratigraphy, A:324–339
  - operations, A:323–324
  - organic geochemistry, A:345–347
  - paleomagnetism, A:343, 345
  - physical properties, A:350–352, 354
  - setting and objectives, A:322–323
  - site description, A:321–382
  - stable isotopes, B:335–351
  - synthesis and significance, A:362–367
- Site 937, A:383–408
- biostratigraphy, A:394–395; B:584–585
  - coring, A:387
  - correlation, B:272
  - in situ temperature measurements, A:402–403
  - inorganic geochemistry, A:398–400
  - isotope stratigraphy, B:285–286
  - lithostratigraphy, A:386–394
  - operations, A:385–386
  - organic geochemistry, A:398
  - paleomagnetism, A:395, 397–398
  - physical properties, A:400–402
  - setting and objectives, A:384–385
  - site description, A:383–408
  - synthesis and significance, A:403, 405

- Site 938, A:409–436  
 biostratigraphy, A:419–422; B:585  
 core–seismic integration, A:429–431  
 coring, A:412  
 correlation, B:272  
 in situ temperature measurements, A:431–432  
 inorganic geochemistry, A:424  
 isotope stratigraphy, B:286  
 lithostratigraphy, A:411–419  
 operations, A:411  
 organic geochemistry, A:423–424  
 paleomagnetism, A:422–423  
 physical properties, A:426–429  
 setting and objectives, A:410–411  
 site description, A:409–436  
 synthesis and significance, A:433–434
- Site 939, A:437–461  
 biostratigraphy, A:445–447; B:585  
 coring, A:440  
 correlation, B:272  
 grain size, B:39  
 in situ temperature measurements, A:454  
 inorganic geochemistry, A:449–453  
 iron sulfides, B:573  
 isotope stratigraphy, B:286  
 lithostratigraphy, A:440–445  
 operations, A:440  
 organic geochemistry, A:448–449  
 paleomagnetism, A:447–448  
 physical properties, A:453–454  
 setting and objectives, A:438–440  
 site description, A:437–461  
 synthesis and significance, A:455, 457–458
- Site 940, A:463–501  
 bacteria, B:565–571  
 biostratigraphy, A:472–474; B:585  
 core–seismic integration, A:486–487  
 coring, A:466  
 downhole logging, A:482, 484–485  
 grain size, B:39  
 in situ temperature measurements, A:487  
 inorganic geochemistry, A:475–476, 478  
 isotope stratigraphy, B:286  
 lithostratigraphy, A:466–472  
 operations, A:464–466  
 organic geochemistry, A:475  
 paleomagnetism, A:474–475  
 palynomorphs, B:397–409  
 physical properties, A:479, 481–482;  
 B:427–430  
 setting and objectives, A:464  
 site description, A:463–501  
 synthesis and significance, A:487–491
- Site 941, A:503–536  
 biostratigraphy, A:512–513, 517–519; B:585  
 core–seismic integration, A:524–525  
 coring, A:506  
 grain size, B:39–40  
 in situ temperature measurements, A:525–526  
 inorganic geochemistry, A:520–521  
 isotope stratigraphy, B:286–287  
 lithostratigraphy, A:506–512  
 mass transport deposits, B:465–475  
 operations, A:505–506  
 organic geochemistry, A:519–520  
 paleomagnetism, A:519  
 physical properties, A:521–522, 524; B:468  
 setting and objectives, A:504–505  
 site description, A:503–536  
 synthesis and significance, A:526, 528–529
- Site 942, A:537–567  
 biostratigraphy, A:549–550; B:585–586  
 channel-levee systems, B:659–660  
 core–seismic integration, A:561–563  
 coring, A:541  
 correlation, B:272  
 in situ temperature measurements, A:563–564  
 inorganic geochemistry, A:557–558  
 isotope stratigraphy, B:287  
 lithostratigraphy, A:541–549  
 operations, A:539–541  
 organic carbon, B:532–533  
 organic geochemistry, A:555–557; B:508–509,  
 511–513, 515  
 paleomagnetism, A:550, 552–555  
 physical properties, A:559–561  
 setting and objectives, A:538–539  
 site description, A:537–567  
 synthesis and significance, A:564–566
- Site 943, A:569–589  
 biostratigraphy, A:578–579; B:586  
 core–seismic integration, A:586–587  
 coring, A:571  
 grain size, B:40  
 inorganic geochemistry, A:583–584  
 isotope stratigraphy, B:287  
 lithostratigraphy, A:571–578  
 operations, A:570–571  
 organic geochemistry, A:579, 582–583  
 paleomagnetism, A:579  
 physical properties, A:584–586  
 setting and objectives, A:569–570  
 site description, A:569–589  
 synthesis and significance, A:587–589
- Site 944, A:591–633  
 biostratigraphy, A:605–606; B:586–587  
 core–seismic integration, A:620–621  
 coring, A:594  
 downhole logging, A:614–615, 617–619  
 electron microprobe data, B:149–150  
 grain size, B:40  
 in situ temperature measurements, A:621–622  
 inorganic geochemistry, A:610–612  
 iron sulfides, B:573  
 isotope stratigraphy, B:287  
 lithofacies, B:20, 24  
 lithostratigraphy, A:594–605  
 operations, A:593–594  
 organic geochemistry, A:608, 610  
 paleomagnetism, A:606–608  
 palynomorphs, B:397–409  
 physical properties, A:612, 614  
 setting and objectives, A:592–593  
 site description, A:591–633  
 synthesis and significance, A:622–627
- Site 945, A:635–655  
 biostratigraphy, A:646–648; B:587  
 coring, A:638  
 grain size, B:40  
 inorganic geochemistry, A:650–651  
 isotope stratigraphy, B:287  
 lithostratigraphy, A:637–646  
 operations, A:636–637  
 organic geochemistry, A:649–650  
 paleomagnetism, A:648–649  
 physical properties, A:651–653  
 setting and objectives, A:635–636  
 site description, A:635–655  
 synthesis and significance, A:653–654
- Site 946, A:657–693  
 biostratigraphy, A:666–670; B:587  
 core–seismic integration, A:682  
 coring, A:659  
 downhole logging, A:679–682  
 grain size, B:41  
 in situ temperature measurements, A:682–683  
 inorganic geochemistry, A:674–675  
 isotope stratigraphy, B:287  
 lithofacies, B:24, 27  
 lithostratigraphy, A:659–666  
 operations, A:658–659  
 organic geochemistry, A:671, 673  
 paleomagnetism, A:670–671  
 palynomorphs, B:397–409  
 physical properties, A:675–679; B:430–432  
 setting and objectives, A:658  
 site description, A:657–693  
 synthesis and significance, A:682–683
- slumps  
 lithologic units, A:249, 281, 599  
 photograph, A:469, 600
- smectite  
 peak intensities, A:212, 255, 287  
 sediments, A:104, 137, 185; B:179–191  
*See also* chlorite–smectite; clay minerals
- sodium  
 interstitial waters, A:106, 141, 192, 217, 260,  
 296, 349, 399, 424, 452, 478, 521, 558,  
 584, 612, 675  
 vs. depth, A:149, 192, 219, 261, 296, 354, 402,  
 426, 456, 481, 528, 558, 585, 615, 651,  
 677
- sodium oxide  
 sediments, A:297  
*See also* calcium oxide+sodium oxide; calcium  
 oxide/sodium oxide ratio
- sodium oxide/aluminum oxide ratio  
 mud, A:350  
 sediments, A:141, 478  
 vs. depth, A:150
- soft sediment deformation  
 lithologic units, A:247, 508–509, 599  
 photograph, A:98, 250–251
- sonar, side-scan, A:540
- South America  
 climate, B:169  
 continental margin, B:153–154, 156  
 South America, equatorial, continental margin,  
 A:5–16
- South Equatorial Current, ocean circulation, B:373
- South Subtropical Gyre, ocean circulation, B:373
- sphene. *See* titanite
- spillover  
 turbidite, B:60, 245  
*See also* overspill
- spinel, chromian, chemical composition, B:152,  
 166
- sponge spicules, upper Quaternary, B:369
- spores  
 abundance, A:108, 145  
*See also* palynomorphs
- Spreiten*  
 lithologic units, A:388, 544  
 photograph, A:417, 443, 546
- stable isotopes  
 isotope stratigraphy, B:281–303  
 mass-transport deposits, B:335–351  
 remineralization, B:502–503  
 sedimentation, B:305–333  
*See also* carbon isotopes; oxygen isotopes
- staurolite  
 chemical composition, B:152, 166  
 modal composition, B:151
- steroids, sediments, B:543–545, 548
- sterols  
 chromatograms, B:546–547, 549  
 lithofacies, B:551
- stratification  
 lithofacies, B:613–615  
 photograph, A:248
- stratigraphy  
 correlation, B:595–609

- turbidite facies, B:108  
strength, sediments, B:473  
stress, porosity and velocity, B:491–492  
structure profiles, channels, A:42–43  
submarine canyons, continental margin, A:5–8  
submarine failures, mass transport deposits,  
B:465–475
- sulfate  
interstitial waters, A:105–106, 141, 190, 217,  
260, 295, 348, 398, 424, 449–450, 476,  
519–520, 557–558, 583, 610, 675;  
B:567–569  
vs. depth, A:112, 149–150, 192, 219, 261, 296,  
354, 402, 426, 456, 481, 528, 558, 585,  
615, 651, 677; B:498–502
- sulfate reduction  
early diagenesis, B:502–503  
*See also* reduction
- sulfur  
sediments, A:103–104, 140, 189–190,  
215–217, 259–260, 293–294, 313,  
345–346, 398, 423, 448, 475, 519–520,  
555–557, 582–583, 608, 610, 649–650,  
673  
vs. depth, A:111, 148, 191, 218, 260, 295, 352,  
401, 425, 455, 480, 527, 557, 584, 613,  
650, 676
- sulfur logs, vs. depth, A:160, 364
- surface area  
minerals, B:531–538  
*See also* carbon, organic/surface area ratio
- talweg, turbidite, B:76–77
- temperature  
boreholes, A:305, 360, 485, 619, 682  
vs. depth, A:121, 162, 167, 199, 229, 233, 269,  
308, 312, 369, 373, 408, 436, 461, 494,  
496, 535, 566, 625, 627, 685, 687
- temperature measurements, in situ  
Site 930, A:115–116  
Site 931, A:163  
Site 932, A:196  
Site 933, A:230  
Site 934, A:264–265  
Site 935, A:307–308  
Site 936, A:362  
Site 937, A:402–403  
Site 938, A:431–432  
Site 939, A:454  
Site 940, A:487  
Site 941, A:525–526  
Site 942, A:563–564  
Site 944, A:621–622  
Site 946, A:682–683
- terrane, source, B:170
- textures, silt/sand load, B:53–78
- thermal conductivity  
sediments, A:109–110, 148, 158, 300, 302,  
304  
vs. depth, A:119  
vs. porosity, A:119, 157, 305
- thorium. *See* uranium/thorium ratio logs
- thorium logs, vs. depth, A:227, 267, 366
- thorium/potassium ratio logs, vs. depth, A:227
- titanite, chemical composition, B:152
- tomography, mass transport deposits, B:465–475
- topography  
continental margin, A:5–8  
fans, B:473
- tourmaline, modal composition, B:151
- trace elements  
mud, A:350, A:399  
sediments, A:150, 193, 220, 262, 297, 355,  
403, 427, 457, 482, 529, 559
- transgressions, sedimentation, A:548–549
- transport, palynomorphs, B:383–384
- traveltime, vs. depth, A:165; B:482, 490
- triterpinoid. *See* alcohols, triterpinoid
- turbidite  
bed characteristics, B:82  
bed thickness, B:88  
channel-levee systems, B:659–660  
clay mineralogy, B:191  
grain size, B:69–76  
lithofacies, B:7–33  
lithologic units, A:95–96, 163, 209, 278,  
280–281, 334, 418, 445, 565, 599  
photograph, A:247, 417, 661–662; B:83–84,  
86–87, 89–90, 92–105  
sedimentation, A:548  
spillover, B:60, 245  
*See also* Channel-levee System 5
- turbidite, bioclastic, lithofacies, B:636
- turbidite, fine-grained  
grain size, B:217–228  
lithofacies, A:79–108
- turbidite, graded, muddy, photograph, A:390
- turbidite, overbank, sediments, A:338
- turbidite, sandy, vs. depth, B:550
- turbidity currents  
deposition, A:603, 605; B:663  
lithologic units, A:183  
overspill, B:53–78  
physical properties, B:435–436
- underway geophysics, Amazon Fan, A:83
- Unit R Debris Flow  
age, B:136–137  
lithologic units, A:363–364, 623  
trace elements, A:350
- Upper Levee Complex  
electron microprobe data, B:149–150  
fabric, B:449–450  
geochemistry, A:478  
grain size, B:217–228  
lithofacies, B:27, 29  
trace elements, A:350  
*See also* Bottom Levee Complex; Lower  
Levee Complex; Middle Levee  
Complex
- uranium logs, vs. depth, A:227, 267, 366
- uranium/potassium ratio logs, vs. depth, A:227
- uranium/thorium ratio logs, vs. depth, A:227
- valleys, channels, A:31–41
- vegetation  
paleoclimatology, B:381–396  
phytoliths, B:411–418
- vegetation, alpine, palynomorphs, B:391
- vegetation index, cold-adapted  
sedimentation, B:385–388  
*See also* paleovegetation; vegetation
- velocity  
comparison between calculated and log results,  
B:480–482  
relation to porosity and clay, B:480–481  
vs. depth, A:485, 561  
vs. porosity, B:481  
*See also* compressional wave velocity
- velocity logs, vs. depth, A:159, 165, 226, 305,  
363, 490, 496, 622, 683; B:423–424
- vivianite  
abundance, A:108, 145, 332  
carbon:nitrogen:phosphorus ratios, B:515  
early diagenesis, B:498–501, 672  
lithologic units, A:207–209, 443  
photograph, A:445  
sediments, A:448–449
- vivianite crystals, photograph, A:336
- void ratio  
sub-bottom depth, B:1–2  
vs. depth, B:141  
*See also* porosity
- volcanic rocks, microlitic, photomicrograph,  
A:255
- water content  
fluidized sediments, B:467–469  
vs. CT-value, B:471  
vs. depth, A:115, 153, 195, 222, 264, 300, 358,  
405, 430, 459, 485, 532, 561, 586, 618,  
653, 679; B:130, 141–142
- waxes  
lithofacies, B:551  
*See also* alcohols, wax
- weathering  
sediments, A:141; B:171–172
- well-logging  
channel-levee systems, B:13, 16–17, 24, 27  
comparison with lithology, A:160  
mass transport deposits, B:131–133  
physical properties, B:421–446  
Site 931, A:148, 150, 153, 155–160  
Site 933, A:222–228  
Site 934, A:262–264  
Site 935, A:302, 304–305  
Site 936, A:354–355, 358, 360  
Site 940, A:482, 484–485  
Site 944, A:614–615, 617–619  
Site 946, A:679–682  
velocity, B:482  
*See also* log processing; log units
- wetness, samples, B:195
- wireline logs  
clay-porosity-velocity, B:493  
physical properties, B:421–446
- wood fragments  
deposition, A:645–646  
lithologic units, A:331–332, 661  
photograph, A:247, 642
- X-ray computed tomography. *See* CT-value;  
tomography
- X-ray diffraction data  
clay mineralogy, B:183, 185–186  
iron sulfides, B:248  
peak intensities, A:93–94, 104, 130–131, 137,  
180–181, 183, 185, 207, 212, 248–249,  
255, 281, 287, 335–336, 342, 391, 393,  
415–418, 444, 448, 470, 474, 510–512,  
520, 545, 548, 576, 578, 603, 606,  
645–646, 663, 670
- Yellow Channel-levee System  
core-seismic integration, A:117  
fan deposits, A:394  
lithofacies, B:626–627, 629, 637–639  
lithologic units, A:232, 403, 433  
lithology, A:394  
remanent magnetization, A:701  
sediments, A:229, 232  
*See also* levee flanks; Purple/Blue/Yellow  
Channel-levee Systems
- zircon, modal composition, B:151
- Zone X, sediments, A:673
- Zone Z, clay mineralogy, B:179–180
- Zone Z/Y boundary, clay mineralogy, B:179–180
- zoning  
biostratigraphy, B:579–580, 669  
clay mineralogy, B:189–191

VOLUME 155 TAXONOMIC INDEX

*Acalypha*, Amazon Fan, B:385  
*Actinocyclus curvatulus*  
 Site 931, A:137  
 Site 933, A:212  
 Site 939, A:447  
*Actinocyclus ellipticus*, Site 940, A:473  
*Actinocyclus* sp., Site 932, A:186  
*aculeata*, *Bulimina*, Amazon Fan, B:344–345,  
 347–350  
 Adiantaceae, Amazon Fan, B:399  
*aenariensis*, *Bolivina*, Amazon Fan, B:345–347,  
 350  
*Aeschynomene*, Amazon Fan, B:400–405  
*africanus*, *Coscinodiscus*  
 Site 931, A:137  
 Site 933, A:212  
*Alchornea*, Amazon Fan, B:384–385, 399  
*Alnipollenites verus*, Amazon Fan, B:384  
*Alnus*  
 Amazon Fan, B:382, 384–385, 388, 398, 406,  
 669  
 Site 931, A:137  
 Site 935, A:291  
*Ammonia beccarri*, Amazon Fan, B:345  
*Amphistegina lessonii*, Amazon Fan, B:345  
*andreevi*, *Buttinia*, Amazon Fan, B:399  
 Annonaceae, Amazon Fan, B:413–415  
*Anthoceros*, Amazon Fan, B:399  
 Aspleniaceae, Amazon Fan, B:399  
*atlanticum*, *Pseudononton*, Amazon Fan,  
 B:345–346, 351  
*Aulacosira granulata*, Amazon Fan, B:368  
*Azpeitia nodulifera*, Amazon Fan, B:368

Bambusoideae, Amazon Fan, B:386  
*Bathysiphon* spp., Amazon Fan, B:347  
*beccarri*, *Ammonia*, Amazon Fan, B:345  
*bermudezi*, *Globorotalia*, Amazon Fan, B:581  
*bicostata*, *Bulimina*, Site 936, B:351  
*bicostata*, *Quinqueloculina*, Amazon Fan, B:345  
*Bolivina aenariensis*, Amazon Fan, B:345–347,  
 350  
*Bolivina* spp.  
 Site 934, A:254  
 Site 941, A:517  
*Bolivina striatula*  
 Site 931, A:136  
 Site 933, A:212  
 Site 935, A:289  
 Site 936, A:342  
 Bombacaceae, Amazon Fan, B:384  
*Borreria*, Amazon Fan, B:387  
*Brizalina semicarinata*, Amazon Fan, B:345–346  
*Bulimina aculeata*, Amazon Fan, B:344–345,  
 347–350  
*Bulimina bicostata*, Site 936, B:351  
*Bulimina* cf. *gibba*, Amazon Fan, B:344–345,  
 347–350  
*Bulimina costata*, Amazon Fan, B:344–345,  
 347–350  
*Bulimina exilis*, Site 936, A:342  
*Bulimina marginata*  
 Amazon Fan, B:344–345, 347–350  
 Site 931, A:136  
 Site 933, A:212  
 Site 934, A:254  
 Site 935, A:289  
 Site 936, A:342  
*Bulimina* spp., Site 941, A:517

Burseraceae, Amazon Fan, B:413–414  
*Buttinia andreevi*, Amazon Fan, B:399  
*Byrsonima*  
 Amazon Fan, B:384, 387, 391, 399, 406  
 Site 940, A:473, 489  
 Site 943, A:579  
*Byttneria*, Amazon Fan, B:400–405

*calida calida*, *Globigerina*  
 Site 931, A:132  
 Site 933, A:212  
 Site 935, A:287  
*calida calida*, *Globorotalia*, Amazon Fan, B:581  
*caribbeanica*, *Gephyrocapsa*  
 Amazon Fan, B:356, 358, 596–600  
 Site 931, B:582  
 Site 935, B:582  
 Site 936, B:584  
 Site 944, B:587  
 Site 946, B:587  
 Caryophyllaceae, Site 936, A:343  
*Cassia*, Site 943, A:579  
*Cassidulina laevigata*, Amazon Fan, B:345, 350  
*Cassidulina* spp., Amazon Fan, B:344–345,  
 347–350  
*Cecropia*  
 Amazon Fan, B:383–385  
 Site 931, A:137  
 Site 946, A:669  
*Ceratolithus cristatus*, Site 932, A:183  
*Ceratolithus* sp., Site 930, A:96  
 Chrysobalanaceae, Amazon Fan, B:413–415  
*Cibicides refulgens*, Amazon Fan, B:345  
*Cibicides wuellerstorfi*, Amazon Fan, B:338, 341,  
 343, 345, 347, 349, 354, 359, 361, 599  
*Coccolithus pelagicus*  
 Site 934, A:250  
 Site 935, A:283, 310  
 Site 939, B:585  
 Site 940, A:473  
 Combretaceae, Amazon Fan, B:384–385, 399  
*complanata*, *Stainforthia*, Amazon Fan,  
 B:345–347, 350  
 Compositae  
 Amazon Fan, B:391, 399  
 Site 935, A:291  
 Site 937, A:395  
 Site 939, A:447  
 Site 940, A:473, 489  
*Cordia*, Amazon Fan, B:384  
*Coscinodiscus africanus*  
 Site 931, A:137  
 Site 933, A:212  
*Coscinodiscus eccentricus*  
 Site 931, A:137  
 Site 933, A:212  
*Coscinodiscus nodulifer*  
 Site 938, A:421  
 Site 941, A:517  
*Coscinodiscus* spp., Site 932, A:186  
*costata*, *Bulimina*, Amazon Fan, B:344–345,  
 347–350  
*crassaformis hessi*, *Globorotalia*  
 Amazon Fan, B:581  
 Site 931, A:132  
*crassaformis viola*, *Globorotalia*, Amazon Fan,  
 B:581  
*Crassoretiriletes vanraadshoovenii*, Amazon Fan,  
 B:399

*cristatus*, *Ceratolithus*, Site 932, A:183  
*Croton*, Amazon Fan, B:384, 387  
 Cucurbitaceae, Amazon Fan, B:414–415  
*Curatella*, Amazon Fan, B:399, 406  
*curvatulus*, *Actinocyclus*  
 Site 931, A:137  
 Site 933, A:212  
 Site 939, A:447  
*cuspidata*, *Cyathea*, Amazon Fan, B:399  
*Cyathea cuspidata*, Amazon Fan, B:399  
*Cyathea horrida*, Amazon Fan, B:399  
 Cyatheaceae  
 Amazon Fan, B:399, 406  
 Site 930, A:100  
 Site 931, A:137  
 Site 932, A:186  
 Site 935, A:291  
 Site 936, A:343  
 Site 937, A:395  
 Site 938, A:421  
 Site 940, A:473  
 Site 941, A:517  
 Site 942, A:550  
 Site 943, A:579  
 Site 944, A:606  
 Site 946, A:669  
*Cyclococcolithus leptoporus*  
 Site 937, A:394  
 Site 938, A:419  
 Site 939, A:445  
 Site 942, A:550  
*Cyclotella striata*, Amazon Fan, B:368  
 Cyperaceae  
 Amazon Fan, B:387  
 Site 930, A:100  
 Site 931, A:137  
 Site 932, A:186  
 Site 938, A:421  
 Site 940, A:473  
 Site 941, A:517  
 Site 942, A:550  
 Site 943, A:579

*Dalechampia*, Amazon Fan, B:400–405  
*deflandrei*, *Discoaster*, Site 936, A:339  
*Dictyocha* sp., Site 941, A:517  
*Didymopanax*, Amazon Fan, B:384–385  
 Dilleniaceae, Amazon Fan, B:414–415  
*Discoaster deflandrei*, Site 936, A:339  
*Discoaster* spp.  
 Site 930, A:96  
 Site 941, A:515  
*Dodonea*, Amazon Fan, B:400–405  
*doliolus*, *Pseudoeuonotia*, Site 930, A:97  
*dutertrei*, *Neogloboquadrina*, Amazon Fan,  
 B:307–315, 337, 339–342, 344, 349,  
 354, 358, 360–361, 377, 517, 581

*eccentricus*, *Coscinodiscus*  
 Site 931, A:137  
 Site 933, A:212  
*Echinocardium*, Site 942, A:548  
 ?*Echinocardium*  
 lithologic units, A:542, 544, 548  
 photograph, A:443  
*Echitriporites trianguliformis*, Amazon Fan,  
 B:399  
*ellipticus*, *Actinocyclus*, Site 940, A:473  
*Emiliania huxleyi*

- Amazon Fan, B:354, 356, 580, 595–600, 605  
 Site 932, A:183  
 Site 935, A:281, 286  
 Site 936, A:339–340  
 Site 937, A:394  
 Site 938, A:419  
 Site 939, A:445  
 Site 941, A:513  
 Site 942, A:549–550; B:586  
 Site 944, A:605  
 Site 946, A:668
- Emiliania huxleyi* acme assemblage  
 Site 931, A:132  
 Site 932, A:210
- Ericaceae  
 Site 931, A:137  
 Site 942, A:550
- Eriosema*, Amazon Fan, B:400–405
- Euphorbiaceae, Amazon Fan, B:413–414  
 Site 930, A:100  
 Site 932, A:186  
 Site 939, A:447  
 Site 941, A:517  
 Site 944, A:606
- exilis*, *Bulimina*, Site 936, A:342
- fimbriata*, *Globorotalia*  
 Amazon Fan, B:581, 605  
 Site 934, A:254–256, 258, 266
- flexuosa*, *Mauritia*, Site 934, A:254
- Fursenkoina pontoni*, Amazon Fan, B:345–346
- Fuschia*, Amazon Fan, B:400–405
- Gephyrocapsa caribbeana*  
 Amazon Fan, B:356, 358, 596–600  
 Site 931, B:582  
 Site 935, B:582  
 Site 936, B:584  
 Site 944, B:587  
 Site 946, B:587
- Gephyrocapsa oceanica*  
 Site 935, B:582  
 Site 937, A:394  
 Site 938, A:419  
 Site 939, A:445  
 Site 940, A:473
- Gephyrocapsa oceanica/mullerae*, Site 946, B:587
- Gephyrocapsa* spp.  
 Site 931, A:138  
 Site 933, A:210  
 Site 935, A:286–287  
 Site 936, A:339  
 Site 942, A:549  
 Site 944, A:605–606, 625  
 Site 946, A:668–669
- gibba*, *Bulimina* cf., Amazon Fan, B:344–345, 347–350
- Globigerina calida calida*  
 Site 931, A:132  
 Site 933, A:212  
 Site 935, A:287
- Globigerinoides ruber*  
 Amazon Fan, B:129–130, 140, 282, 287–288, 294, 296, 307, 309–315, 320, 327–328, 337, 339–342, 344, 354, 358, 360–361, 377–378, 581, 601, 668  
 Site 931, A:138  
 Site 932, B:284  
 Site 933, A:212–213  
 Site 936, A:340, 343, 364
- Globigerinoides sacculifer*, Amazon Fan, B:143, 282, 285–286, 289–290, 292–293, 295, 297–302, 307, 309–315, 320, 327–328, 337, 339–342, 344, 349, 354, 358, 360–361, 668, 601, 668  
 Site 931, A:138  
 Site 932, B:284  
 Site 933, A:212–213  
 Site 936, A:340, 343, 364
- Globorotalia tumida*  
 Amazon Fan, B:283, 377, 580–581, 588, 605  
 Site 930, A:96, 100  
 Site 931, A:132, 138  
 Site 932, A:183, 186  
 Site 933, A:211–213, 232  
 Site 934, A:254–256, 258, 266  
 Site 935, A:287, 289, 291, 310–312  
 Site 936, A:340, 342–343, 365  
 Site 937, A:394–395  
 Site 938, A:419, 421–422, 433  
 Site 939, A:447  
 Site 940, A:473–474  
 Site 941, A:517, 519, 526  
 Site 942, A:550, 564  
 Site 943, A:578  
 Site 944, A:605–606  
 Site 945, A:646, 648  
 Site 946, A:669–670, 685
- Globorotalia* spp., Amazon Fan, B:376
- Globorotalia tosaensis*, Amazon Fan, B:354, 356
- Globorotalia truncatulinoides*  
 Amazon Fan, B:307–315, 337, 339–342, 344, 349, 354, 358, 360, 377, 581  
 Site 933, A:212
- Globorotalia truncatulinoides truncatulinoides*  
 Zone, Amazon Fan, B:581
- Globorotalia tumida*  
 Amazon Fan, B:283, 377, 580–581, 588, 605  
 Site 930, A:96, 100  
 Site 931, A:132, 138  
 Site 932, A:183, 186  
 Site 933, A:211–213, 232  
 Site 934, A:254–256, 258, 266  
 Site 935, A:287, 289, 291, 310–312  
 Site 936, A:340, 342–343, 365  
 Site 937, A:394–395  
 Site 938, A:419, 421–422, 433  
 Site 939, A:445, 447  
 Site 940, A:473–474  
 Site 941, A:515, 517, 519, 526  
 Site 942, A:550, 564  
 Site 943, A:578  
 Site 944, A:605–606, 625  
 Site 945, A:646, 648  
 Site 946, A:669–670, 685
- Globorotalia tumida flexuosa*  
 Amazon Fan, B:359, 581, 588  
 Site 931, A:132, 138  
 Site 933, A:212–213
- Site 935, A:287, 289, 291, 310–312  
 Site 936, A:340, 342–343, 365  
 Site 944, A:605–606, 625  
 Site 946, A:685
- Globorotalia tumida/truncatulinoides*, Amazon Fan, B:377
- Gramineae  
 Amazon Fan, B:384, 386, 391, 399, 669  
 Site 930, A:100  
 Site 931, A:137  
 Site 932, A:186  
 Site 935, A:291  
 Site 936, A:343  
 Site 940, A:473, 489  
 Site 942, A:550  
 Site 943, A:579  
 Site 946, A:669
- Grammatidaceae, Site 946, A:669
- granulata*, *Aulacosira*, Amazon Fan, B:368
- granulata*, *Melosira*  
 Site 932, A:186  
 Site 937, A:395  
 Site 939, A:447  
 Site 941, A:517
- Grimsdalea magnaclavata*, Amazon Fan, B:384, 399
- Hedyosmum*, Amazon Fan, B:382, 384–385, 388, 398, 406, 411, 669
- Helicosphaera inversa*  
 Site 935, A:286  
 Site 936, A:340
- Helicosphaera kemptneri*, Site 932, A:183
- Helicosphaera* spp., Site 946, A:667
- hexagonus*, *Globorotalia*  
 Amazon Fan, B:359, 581  
 Site 936, A:366  
 Site 946, A:685
- horrida*, *Cyathia*, Amazon Fan, B:399
- Humiria*, Amazon Fan, B:400–405
- huxleyi*, *Emiliania*  
 Amazon Fan, B:354, 356, 580, 595–600, 605  
 Site 932, A:183  
 Site 935, A:281, 286  
 Site 936, A:339–340  
 Site 937, A:394  
 Site 938, A:419  
 Site 939, A:445  
 Site 941, A:513  
 Site 942, A:549–550; B:586  
 Site 944, A:605  
 Site 946, A:668
- Hybiscus*, Amazon Fan, B:400–405
- Hymenophyllum*, Site 936, A:343
- Ilex*, Amazon Fan, B:399, 411
- inflata*, *Globorotalia*, Amazon Fan, B:377
- inversa*, *Helicosphaera*  
 Site 935, A:286  
 Site 936, A:340
- Iriarteia*, Amazon Fan, B:384
- Juglans*, Amazon Fan, B:400–405
- kemptneri*, *Helicosphaera*, Site 932, A:183
- lacunosa*, *Pseudoemiliania*  
 Amazon Fan, B:354, 356, 580, 595–600, 605  
 Site 931, A:132  
 Site 933, A:210  
 Site 935, A:286–287  
 Site 936, A:340



- Site 944, A:605  
*laevigata*, *Cassidulina*, Amazon Fan, B:345, 350  
*lamarckiana*, *Quinqueloculina*, Amazon Fan, B:345, 351  
*Laticarinina pauperata*, Amazon Fan, B:347  
*Lepidium*, Amazon Fan, B:400–405  
*leptoporus*, *Cyclococcolithus*  
 Site 937, A:394  
 Site 938, A:419  
 Site 939, A:445  
 Site 942, A:550  
*lessonii*, *Amphistegina*, Amazon Fan, B:345  
*Lophosoria*, Amazon Fan, B:399  
 Lycopodiidae  
 Site 930, A:100  
 Site 932, A:186  
  
*Mabea*, Site 937, A:395  
*magnaclavata*, *Grimsdalea*, Amazon Fan, B:384, 399  
 Malpighiaceae, Amazon Fan, B:399  
 Marantaceae, Amazon Fan, B:415  
*marginata*, *Bulimina*  
 Amazon Fan, B:344–345, 347–350  
 Site 931, A:136  
 Site 933, A:212  
 Site 934, A:254  
 Site 935, A:289  
 Site 936, A:342  
*marina*, *Nitzschia*, Site 938, A:421  
*Mauritia*  
 Amazon Fan, B:384, 387, 399  
 Site 936, A:343  
*Mauritia flexuosa*  
 Site 934, A:254  
 Melastomataceae, Amazon Fan, B:384–385, 399, 406  
*Melosira granulata*  
 Site 932, A:186  
 Site 937, A:395  
 Site 939, A:447  
 Site 941, A:517  
*menardii*, *Globorotalia*  
 Amazon Fan, B:354, 356, 359–360, 362–363, 580–581, 588, 605  
 Site 930, A:96, 100  
 Site 931, A:132, 138  
 Site 932, A:186  
 Site 933, A:211–212, 232  
 Site 934, A:254–256, 258, 266  
 Site 935, A:287, 289, 291, 310–312  
 Site 936, A:340, 342–343, 365  
 Site 937, A:394–395  
 Site 938, A:419, 421–422, 433  
 Site 939, A:447  
 Site 940, A:473–474  
 Site 941, A:517, 519, 526  
 Site 942, A:550, 564  
 Site 943, A:578  
 Site 944, A:605–606  
 Site 945, A:646, 648  
 Site 946, A:669–670, 685  
*Miliolinella* spp., Site 941, A:517  
*minuta*, *Stetsonia*, Amazon Fan, B:345  
 monolete spores  
 Site 930, A:100  
 Site 931, A:137  
 Site 932, A:186  
 Site 935, A:291  
 Site 936, A:343  
 Site 937, A:395  
 Site 938, A:421  
 Site 940, A:473  
 Site 941, A:517  
  
 Site 942, A:550  
 Site 943, A:579  
 Site 944, A:606  
 Site 946, A:669  
 monosulcus pollen  
 Site 935, A:291  
 Site 936, A:343  
 Site 937, A:395  
 Site 938, A:421  
 Site 939, A:447  
 Moraceae, Amazon Fan, B:384–385, 413–415  
 Myrtaceae, Amazon Fan, B:385, 399  
  
*Navicula* sp., Site 931, A:137  
*Neogloboquadrina dutertrei*, Amazon Fan, B:307–315, 337, 339–342, 344, 349, 354, 358, 360–361, 377, 517, 581  
*Nitzschia marina*, Site 938, A:421  
*Nitzschia* spp., Site 932, A:186  
*nodulifer*, *Coscinodiscus*  
 Site 938, A:421  
 Site 941, A:517  
*nodulifera*, *Azpeitia*, Amazon Fan, B:368  
*Notofagus*, Amazon Fan, B:399  
  
*obliquiloculata*, *Pulleniatina*  
 Amazon Fan, B:111, 121, 129–130, 137–138, 140, 307–313, 315, 326–327, 337, 339–342, 344, 349, 354, 358, 360–362, 377, 581, 588, 596  
 Site 930, A:97, 117; B:581  
 Site 931, A:165; B:582  
 Site 932, A:183, 189, 197; B:582  
 Site 933, A:232; B:582  
 Site 935, A:287, 291, 310–312; B:583  
 Site 936, A:340–343, 366; B:584  
 Site 937, A:394–395, 403  
 Site 938, A:419, 433; B:585  
 Site 939, A:445, 447, 457  
 Site 940, A:473–474, 489  
 Site 942, A:550, 564; B:586  
 Site 943, A:578–579, 588  
 Site 945, A:646, 648, 654  
 Site 946, A:685  
*oceanica*, *Gephyrocapsa*  
 Site 935, B:582  
 Site 937, A:394  
 Site 938, A:419  
 Site 939, A:445  
 Site 940, A:473  
*oceanica/mullerae*, *Gephyrocapsa*, Site 946, B:587  
*oestruppi*, *Thalassiosira*, Amazon Fan, B:368  
*Orbulina* spp., Amazon Fan, B:376  
*Orbulina universa*, Amazon Fan, B:377  
*Oxandra*, Amazon Fan, B:415  
  
 Palmae  
 Amazon Fan, B:384, 399  
 Site 935, A:291  
 Site 936, A:343  
 Site 937, A:395  
 Site 938, A:421  
 Site 939, A:447  
*pauperata*, *Laticarinina*, Amazon Fan, B:347  
*pelagicus*, *Coccolithus*  
 Site 934, A:250  
 Site 935, A:283, 310  
 Site 939, B:585  
 Site 940, A:473  
*peregrina*, *Uvigerina*, Site 936, B:350  
 phytoliths, Amazon Fan, B:411–417  
*Pinus*, Amazon Fan, B:399  
*Podocarpus*, Amazon Fan, B:382–386, 388, 391–392, 398, 406, 411, 669  
 Polypodiaceae, Amazon Fan, B:399  
*pontoni*, *Fursenkoina*, Amazon Fan, B:345–346  
*Pontosphaera* spp.  
 Site 938, A:419  
 Site 939, A:445  
 Site 946, A:668  
 Proteaceae  
 Site 931, A:137  
 Site 946, A:669  
*Pseudoemiliana lacunosa*  
 Amazon Fan, B:354, 356, 580, 595–600, 605  
 Site 931, A:132  
 Site 933, A:210  
 Site 935, A:286–287  
 Site 936, A:340  
 Site 944, A:605  
*Pseudoenotia doliolus*, Site 930, A:97  
*Pseudononion atlanticum*, Amazon Fan, B:345–346, 351  
*Pulleniatina obliquiloculata*  
 Amazon Fan, B:111, 121, 129–130, 137–138, 140, 307–313, 315, 326–327, 337, 339–342, 344, 349, 354, 358, 360–362, 377, 581, 588, 596  
 Site 930, A:97, 117; B:581  
 Site 931, A:165; B:582  
 Site 932, A:183, 189, 197; B:582  
 Site 933, A:232; B:582  
 Site 935, A:287, 291, 310–312; B:583  
 Site 936, A:340–343, 366; B:584  
 Site 937, A:394–395, 403  
 Site 938, A:419, 433; B:585  
 Site 939, A:445, 447, 457  
 Site 940, A:473–474, 489  
 Site 942, A:550, 564; B:586  
 Site 943, A:578–579, 588  
 Site 945, A:646, 648, 654  
 Site 946, A:685  
*Pyrgo* spp.  
 Site 931, A:136  
 Site 932, A:186  
 Site 933, A:212  
 Site 935, A:289  
 Site 936, A:343  
 Site 941, A:517  
  
*Quercus*, Amazon Fan, B:400–406  
*Quinqueloculina bicostata*, Amazon Fan, B:345  
*Quinqueloculina lamarckiana*, Amazon Fan, B:345, 351  
*Quinqueloculina* sp.  
 Amazon Fan, B:344–345, 347–350  
 Site 931, A:136  
 Site 933, A:212  
 Site 935, A:289  
 Site 936, A:342  
*Quinqueloculina* sp. A, Amazon Fan, B:345, 347, 350  
  
*refulgens*, *Cibicides*, Amazon Fan, B:345  
*Reticulofenestra* spp.  
 Site 930, A:96  
 Site 946, A:668  
*Rhizophora*, Amazon Fan, B:399  
 Rhizophoraceae  
 Site 931, A:137  
 Site 932, A:186  
 Site 938, A:421  
*Rhizolenia* sp., Site 931, A:137  
*Rhus*, Amazon Fan, B:400–405  
*rotundiporus*, *Verrutricolporites*, Amazon Fan, B:399  
*ruber*, *Globigerinoides*

- Amazon Fan, B:129–130, 140, 282, 287–288, 294, 296, 307, 309–315, 320, 327–328, 337, 339–342, 344, 354, 358, 360–361, 377–378, 581, 601, 668  
 Site 931, A:138  
 Site 932, B:284  
 Site 933, A:212–213  
 Site 936, A:340, 343, 364
- sacculifer*, *Globigerinoides*, Amazon Fan, B:143, 282, 285–286, 289–290, 292–293, 295, 297–302, 307, 309–315, 320, 327–328, 337, 339–342, 344, 349, 354, 358, 360–361, 596, 601, 668
- Sagittaria*, Amazon Fan, B:388  
*Salix*, Site 940, A:473  
*Sapium*, Amazon Fan, B:400–405  
 Sapotaceae, Amazon Fan, B:399  
*Scyphosphaera* spp.  
 Site 932, A:183  
 Site 938, A:419  
 Site 939, A:445
- semicarinata*, *Brizalina*, Amazon Fan, B:345–346  
*Serjania*, Amazon Fan, B:385  
*Spatiphyllum*, Amazon Fan, B:400–405  
*Sphenolithus* sp., Site 930, A:96  
*Spinonocolpites*, Amazon Fan, B:399  
*Stainforthia complanata*, Amazon Fan, B:345–347, 350
- stephanocolpate pollen, Site 941, A:517  
 stephanoporate pollen  
 Site 931, A:137  
 Site 932, A:186  
 Site 936, A:343
- Stetsonia minuta*, Amazon Fan, B:345  
*striata*, *Cyclotella*, Amazon Fan, B:368  
*striatula*, *Bolivina*  
 Site 931, A:136  
 Site 933, A:212  
 Site 935, A:289  
 Site 936, A:342
- subglobosa*, *Globocassidulina*, Amazon Fan, B:345, 351  
*Symmeria*, Amazon Fan, B:384–385, 388  
*Symplocos*, Amazon Fan, B:382, 385
- Thalassiosira oestruppi*, Amazon Fan, B:368  
 Thelypteridaceae, Amazon Fan, B:399  
*Thoracosphaera* spp.  
 Site 942, A:549  
 Site 946, A:667–668
- tosaensis*, *Globorotalia*, Amazon Fan, B:354, 356  
*Tournefortia*, Amazon Fan, B:400–405  
*Trema*, Amazon Fan, B:384–385  
*trianguliformis*, *Echitriporites*, Amazon Fan, B:399
- tricolpate pollen  
 Site 931, A:137  
 Site 932, A:186  
 Site 936, A:343  
 Site 940, A:473
- Site 941, A:517  
 Site 942, A:550  
 Site 944, A:606  
 Site 946, A:669
- tricolporate pollen  
 Site 930, A:100  
 Site 931, A:137  
 Site 932, A:186  
 Site 935, A:291  
 Site 936, A:343  
 Site 937, A:395  
 Site 939, A:447  
 Site 940, A:473  
 Site 946, A:669
- trilete spores  
 Site 941, A:517  
 Site 942, A:550  
 Site 946, A:669
- trilobus*, *Globigerinoides*  
 Amazon Fan, B:282, 287, 307–315, 337, 339–342, 344, 349, 354, 358, 360–361, 377, 517, 581  
 Site 932, B:284
- triporate pollen  
 Site 931, A:137  
 Site 937, A:395  
 Site 939, A:447
- truncatulinoidea*, *Globorotalia*  
 Amazon Fan, B:307–315, 337, 339–342, 344, 349, 354, 358, 360, 377, 581  
 Site 933, A:212
- tumida*, *Globorotalia*  
 Amazon Fan, B:283, 377, 580–581, 588, 605  
 Site 930, A:96, 100  
 Site 931, A:132, 138  
 Site 932, A:183, 186  
 Site 933, A:211–213, 232  
 Site 934, A:254–256, 258, 266  
 Site 935, A:287, 289, 291, 310–312  
 Site 936, A:340, 342–343, 365  
 Site 937, A:394–395  
 Site 938, A:419, 421–422, 433  
 Site 939, A:445, 447  
 Site 940, A:473–474  
 Site 941, A:515, 517, 519, 526  
 Site 942, A:550, 564  
 Site 943, A:578  
 Site 944, A:605–606, 625  
 Site 945, A:646, 648  
 Site 946, A:669–670, 685
- tumida flexuosa*, *Globorotalia*  
 Amazon Fan, B:359, 581, 588  
 Site 931, A:132, 138  
 Site 933, A:212–213  
 Site 935, A:287, 289, 291, 310–312  
 Site 936, A:340, 342–343, 365  
 Site 941, A:517, 519, 526  
 Site 942, A:550, 564  
 Site 944, A:605–606, 625  
 Site 946, A:685
- tumida/truncatulinoidea*, *Globorotalia*, Amazon Fan, B:377
- universa*, *Orbulina*, Amazon Fan, B:377  
*Unonopsis*, Amazon Fan, B:415  
 Urticaceae, Amazon Fan, B:384–385  
*Uvigerina peregrina*, Site 936, B:350  
*Uvigerina* sp., Amazon Fan, B:338, 343, 349–351, 354, 359, 361
- Uvigerina* spp., Amazon Fan, B:599  
 Site 931, A:136  
 Site 932, A:186  
 Site 933, A:212  
 Site 935, A:289  
 Site 936, A:343
- vanraadshoovenii*, *Crassoretitriletes*, Amazon Fan, B:399  
*Verrutricolporites rotundiporus*, Amazon Fan, B:399  
*verus*, *Ahnpollenites*, Amazon Fan, B:384  
*Virola*, Amazon Fan, B:400–405
- Weinmannia*, Amazon Fan, B:382, 400–406  
*wuellerstorfi*, *Cibicides*, Amazon Fan, B:338, 341, 343, 345, 347, 349, 354, 359, 361, 599
- zones (with letter prefix)  
 A, Amazon Fan, B:399  
 B, Amazon Fan, B:399  
 C, Amazon Fan, B:399  
 CN14b, A:131–132, 209–210, 213, 281, 283, 286, 339–340, 550, 606, 669–670, 685–686; B:111, 137, 356, 358, 362, 364, 582, 587, 596–597  
 CN14b/CN15a boundary, Amazon Fan, B:356, 580, 582  
 CN15, A:281, 283, 286, 513  
 CN15a, A:132, 339, 364, 549, 668–670, 685–686; B:111, 137, 356, 358, 362, 364, 580, 581–582, 584, 587, 600  
 CN15b, A:131–132, 183, 209–210, 250, 281, 283, 286, 339, 394–395, 419, 421, 445, 447, 472–474, 579–580, 605–606, 646, 648; B:111, 586  
 D, Amazon Fan, B:399  
 E, Amazon Fan, B:399  
 F, Amazon Fan, B:399  
 G, Amazon Fan, B:399  
 W, A:550, 669  
 X, A:291, 342, 550  
 Y, A:211–213, 254, 291, 312, 340, 343, 394, 419, 421–422, 445, 515, 517, 519, 550, 579–580, 646, 648, 654, 669; B:581  
 Z, A:100, 138, 211–212, 254, 291, 340, 343, 394–395, 419, 421–422, 445, 447, 515, 517, 519, 550, 579–580, 646, 648, 654, 669  
 Z/Y boundary, A:97, 100, 117, 138, 183, 186, 340, 343, 395, 419, 421–422, 445, 447, 670; B:580–587