

INDEX TO VOLUME 158

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 158 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, thin-section data, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU.

VOLUME 158 SUBJECT INDEX

absorption, vs. velocity, B:348
 accretion
 neovolcanic zones, A:18–21
 spreading centers, A:5–14
 active zones, geology, A:18–19
 age
 sulfides, B:111–117
 vs. uranium content, B:113–114
 alteration fronts
 geochemistry, B:265, 269–270, 289–293
 photograph, A:200
See also alteration halos; hydrothermal alteration
 alteration halos
 hydrothermal alteration, petrology, A:197
 photograph, A:86, 91, 105, 121, 132, 162, 198;
 B:246–249
 rare earths, B:266
 relation to veins, A:113–114
See also alteration fronts; hydrothermal alteration
 aluminum
 hydrothermal mounds, B:370–380
 phyllosilicates, B:242
 sulfides and sediments, B:45
 vs. calcium+sodium+potassium, B:242
 aluminum oxide
 basalts, B:217
 hydrothermal clays, B:217
 metabasaltic clasts, B:217
 mineral separates, B:28–29, 94, 370–373
 sulfides and sediments, B:43
 vs. barium, B:263
 vs. potassium oxide, B:263
 vs. sodium oxide, B:263
 vs. titanium oxide, B:263
 vs. water content, B:264
 Alvin hydrothermal zone
 heat flow, A:23–29
 hydrothermal fields, A:7–8, 16; B:391
 amorphous deposits
 hydrothermal fields, A:8
See also silica, amorphous
 anemones, hydrothermal fields, A:9
 anhydrite
 active zones, A:19
 breccia, A:71, 73–79
 fluid inclusions, B:178–190
 geochemical section, B:366–367
 geochemistry, B:46–70
 hydrothermal fields, A:7–13; B:9–11, 13–17,
 22, 42–46, 368–369
 microthermometry, B:166–170
 petrology, A:216, 219
 photograph, A:78, 80, 86–87, 91, 95, 98, 100,
 102–109, 147, 153, 156, 161, 215–217;
 B:134, 147–149, 249
 porosity vs. seismic velocity, B:313–327
 precipitation, B:119–127, 307–308
 rare earths, B:143–159
 role in growth rate of mineralization, B:411
 stable isotopes, B:85–90
 stratigraphy, A:67–68
 strontium and oxygen isotopes, B:129–141,
 306–308
 sulfur isotopes, B:19–20, 74–79
 thermal properties, B:329–335
 veins, A:68, 81–83, 86–87, 91, 95, 98,
 100–109, 144, 211

See also breccia; clasts; veins
 anhydrite, colloform, photograph, A:152
 anhydrite, granular, photograph, A:74
 anhydrite percentage, vs. compressional wave velocity, B:325
 antimony
 mineral separates, B:33
 sulfides, B:37, 39
 sulfides and sediments, B:45
 vs. depth, B:54–55, 58, 60, 62
 Argo-II, hydrothermal fields, A:16, 18–20
 arsenic
 element correlations, B:378–381, 384
 mineral separates, B:33, 37, 39, 349, 370–376,
 395
 sulfides and sediments, B:44
 vs. depth, B:54–55, 58, 60, 62, 374–376
 atacamite, hydrothermal fields, A:8
 Atlantis Fracture Zone, basalts, B:106
 bacterial cells, nucleotides, B:358–359
 banding, photograph, A:98–103; B:197
 barium
 mineral separates, B:30
 sulfides and sediments, B:43, 45
 vs. aluminum oxide, B:263
 basalts
 geochemistry, B:213–229, 269–270
 hydrothermal alteration, A:160–163, 193,
 194–199, 219
 hydrothermal fields, A:7; B:231–254
 lithology, A:202–205
 magnetic susceptibility, B:347
 osmium and rhenium, B:95–100
 photograph, A:196
 porosity vs. seismic velocity, B:313–327
 silification and paragonitization, B:257,
 263–264
 thermal conductivity, B:332
See also glasses; igneous rocks; olivine
 basalts; pillow basalts
 basalts, altered
 geochemistry, B:281
 petrology, A:150; B:301
 photograph, A:116–117, 162, 197–199,
 217–218; B:246–248
 strontium and oxygen isotopes, B:302
 basalts, aphyric, petrology, A:163–164
 basalts, chloritized
 geochemistry, B:267, 270–271, 290–291
 photograph, B:246–248
 rare earths, B:266
 strontium and oxygen isotopes, B:302–308
 trace elements, B:53–56, 264–266
 vertical distribution, B:14–17, 237–238
 basalts, mid-ocean ridge
 geochemistry, B:307
 lead isotopes, B:104–107
 basalts, paragonitized
 geochemistry, B:291–292
 trace elements, B:53–56
 basalts, paragonitized–silicified, geochemistry,
 B:267
 basalts, silicified
 clasts, A:104–105, 107
 geochemical section, B:367
 photograph, A:126, 130
 strontium and oxygen isotopes, B:302
 vertical distribution, B:14–17, 22

base metals
 hydrothermal mounds, B:370–380
 stratigraphy, A:11–13
See also metals; precious metals
 basement
 clasts, B:243–244
 hydrothermal alteration, B:255–276, 289–293
 bathymetry
 hydrothermal fields, A:6–7, 16–18; B:6, 131
 lead isotopes, B:105
 benthic fauna, hydrothermal fields, A:8–9
 beryllium
 mineral separates, B:30
 sulfides and sediments, B:45
 biosphere, subsurface, slow-spreading ridges,
 B:355–360
 Black Smoker Complex
 geochemical section, B:365–366
 hydrothermal fields, A:7–8, 9–13, 18–19
 lead isotopes, B:104–109
 lithostratigraphy, B:232–236
 petrology, A:199–200
 sulfur isotopes, B:76
 black smokers
 age, B:113
 fluid inclusions, B:395
 geochemical section, B:365–366
 geochemistry, B:51–52, 307
 heat flow, A:25–27
 hydrothermal fields, A:7, 9–10, 19; B:5–26
 major and trace elements, B:51–56
 rare earths in anhydrite, B:152, 157–158
 relation to veins, A:113–114
 seawater mixing, B:135–136
 strontium and oxygen isotopes, B:129–141
 sulfur isotopes, B:76
See also Black Smoker Complex; Kremlin
 white smoker field; white smokers
 bornite, petrology, B:9–11, 14
 breccia
 clasts, A:73; B:243–244
 hydrothermal fields, A:9–10, 12; B:11, 22–23,
 42–46
 mineralization, A:144
 ores, B:411–412
 osmium, B:99
 photograph, A:70–71, 73–81, 152
 rare earths in anhydrite, B:155–159
 silica, A:79–81
 stratigraphy, A:67–68
 sulfides, A:103–104
 sulfur isotopes, B:19–20, 74–79
 thermal conductivity, B:332
See also anhydrite; clasts; veins
 breccia, anhydrite, composition, A:71, 73–79
 breccia, basaltic, photograph, A:116–117, 131;
 B:248
 breccia, chert–sulfide
 deposits, A:145
 photograph, A:149
 breccia, chloritized basalt
 geochemistry, B:52
 hydrothermal alteration, A:107–109, 113
 photograph, A:116–120, 131–132; B:84
 strontium and oxygen isotopes, B:302
 breccia, massive pyrite, petrology, A:151–154
 breccia, nodular
 photograph, A:73, 75–77, 79–83, 91–92,
 127–128

- pyrite, A:70–71, 73–74
 breccia, nodular pyrite
 petrology, A:158, 217, 219
 photograph, A:125, 215
 breccia, nodular pyrite-anhydrite
 photograph, A:216; B:147, 177
 tomography, B:204–205
 breccia, nodular pyrite-silica
 petrology, A:155, 158
 photograph, A:156; B:177
 breccia, paragonitized basalt, strontium and oxygen isotopes, B:302–308
 breccia, pillow
 geochemistry, B:269–270
 photograph, B:246
 rare earths, B:266
 breccia, porous, photograph, A:73, 125
 breccia, porous nodular pyrite, photograph, A:153
 breccia, pyrite
 geochemistry, B:52
 magnetic susceptibility, B:347
 mineralization, A:144
 petrology, A:70–71, 212; B:394
 photograph, A:73
 breccia, pyrite-anhydrite
 geochemistry, B:52
 petrology, A:71, 73–75, 79, 212–213, 219; B:394
 photograph, A:73–86, 127–128, 215, 217; B:26, 84
 sulfides, B:194–195, 394
 trace elements, B:53–58, 61–62
 breccia, pyrite-anhydrite-silica, geochemistry, B:52
 breccia, pyrite-quartz, photograph, B:26
 breccia, pyrite-quartz-anhydrite, photograph, B:26
 breccia, pyrite-silica
 geochemistry, B:52
 mineralization, A:144
 petrology, A:79–81, 154, 183, 188–191, 214, 216; B:394
 photograph, A:88–91, 115, 154–155, 185, 190–194, 215; B:84, 177, 251
 tomography, B:205
 trace elements, B:53–62
 breccia, pyrite-silica-anhydrite
 petrology, A:79, 155
 photograph, A:87–88, 159
 sulfides, B:194–195
 tomography, B:205
 breccia, silicified wallrock
 geochemistry, B:52
 hydrothermal alteration, A:105, 107
 petrology, A:81, 154–155, 189, 216
 photograph, A:92–97, 116, 130, 157–158, 161, 193, 195, 197, 218; B:84, 249, 252
 strontium and oxygen isotopes, B:302–308
 trace elements, B:53–56, 58–62
 brecciation, photograph, A:109
 bromine, mineral separates, B:33, 37, 39
 cadmium
 element correlations, B:379–381, 384
 hydrothermal fields, A:10; B:370–373, 395
 mineral separates, B:31
 sulfides, A:93–94, 97–98, 156, 158–160, 172, 189–191
 sulfides and sediments, B:44
 vs. depth, A:195; B:53, 57, 59, 61, 374–376
 calcium
 element correlations, B:378–382
 enrichment, B:377
 fluid geochemistry, A:126, 140
 hydrothermal mounds, B:370–380
 mineral separates, B:94
 sulfides, B:37, 39
 sulfides and sediments, B:45
 vs. depth, B:53, 57, 59, 61, 374–376
 See also magnesium/calcium ratio;
 strontium/calcium ratio
 calcium+sodium+potassium, vs. aluminum, B:242
 calcium oxide
 basalts, B:217
 hydrothermal clays, B:217
 metabasaltic clasts, B:217
 mineral separates, B:29
 sulfides and sediments, B:43
 vs. water content, B:264
 calcium oxide/aluminum oxide ratio
 vs. latitude, B:220
 vs. magnesium oxide, B:224
 cauliflower textures, photograph, A:182
 cesium, mineral separates, B:32
 chalcedony, photograph, A:147–148, 155, 180, 184–185
 chalcopyrite
 copper–iron–sulfur system, B:13
 hydrothermal fields, A:7, 9–13; B:9–13, 194, 368–369, 395
 lead isotopes, B:105–108
 major and trace elements, B:36–39
 mineralization, A:144, 211
 paragenesis, B:194–195
 photograph, A:79, 102–103, 114, 117, 123, 147, 151, 153, 155–156, 191–192, 194, 214–215, 217; B:147
 stratigraphy, A:67–68
 sulfur isotopes, B:17–21, 74–79
 trace elements, B:36–39, 55–56
 chalcopyrite, colloform, photograph, B:197
 chalcopyrite, interstitial, photograph, A:74
 chalcopyrite, massive, photograph, A:124
 chalcopyrite percentage, vs. compressional wave velocity, B:325
 chalcopyritization, breccia, B:177
 chemoautotrophs, hydrothermal fields, A:9
 chemosynthetic activity, hydrothermal fields, A:8–9
 chert
 geochemistry, B:52
 hydrothermal alteration, A:162
 hydrothermal fields, A:9–11; B:7–11
 photograph, A:81, 149–150, 158
 stratigraphy, A:142–144
 vertical distribution, B:14–17
 chert, red, Cyprus-type deposits, B:409
 chert, red and gray deposits
 lithology, A:145, 147–148, 150–151, 155
 petrology, A:171–172, 179–180, 184–186, 188
 photograph, A:179–183, 187
 chimneys
 active zones, A:18–19
 hydrothermal fields, A:7; B:379–381
 chloride, fluid geochemistry, A:126, 173
 chlorite
 hydrothermal alteration, A:161, 197
 hydrothermal fields, A:9–10; B:14, 236–241, 368–369
 photograph, A:132, 198–199, 201; B:246–249, 254
 strontium isotopes, B:306–308
 chlorite-smectite mixture
 petrology, B:240–241
 photograph, B:247
 See also clay minerals; mixed-layer minerals
 chlorite volume percent, vs. oxygen isotopes, B:290
 chloritization
 geochemistry, B:271–273, 290–291
 hydrothermal alteration, A:162–163
 hydrothermal fields, A:10, 12; B:264–267, 269–270
 oxygen isotopes, B:293
 photograph, A:132, 200; B:248, 254
 chromium
 basalts, B:218
 hydrothermal clays, B:218
 metabasaltic clasts, B:218
 mineral separates, B:30
 clasts
 breccia, A:70–71, 73–74; B:74–79
 hydrothermal alteration petrology, A:193, 194–199, 220
 hydrothermal fields, A:9–10
 origin, B:243–244
 petrology, A:79–81
 photograph, A:73, 76–77, 81–83, 88–89, 91–92, 115–116, 123, 126, 130–132, 154–157, 181, 185, 187–188, 190–192, 195–197, 215–217; B:147, 248
 silicification and paragonitization, B:257, 263–264
 silicified basalt, A:104–105, 107
 stratigraphy, A:67–68, 142–144
 sulfides, A:103–104
 See also anhydrite; breccia; veins
 clasts, basaltic, photograph, A:92, 116, 118, 130; B:200, 249–253
 clasts, chert, vertical distribution, B:14–17
 clasts, metabasaltic, geochemistry, B:217–218, 221
 clasts, silicified
 hydrothermal alteration, A:160–163
 strontium and oxygen isotopes, B:302–308
 clay minerals
 hydrothermal alteration, A:108; B:239–241, 277–284, 368–369
 mineralogy and chemical composition, B:277–284
 photograph, A:131
 See also phyllosilicates and individual clay minerals
 clays, hydrothermal, geochemistry, B:215, 217–220
 clinopyroxene
 fractional crystallization, B:220–225
 See also olivine-clinopyroxene-quartz system
 cobalt
 distribution in massive sulfides, B:405
 element correlations, B:378–381, 384–385
 mineral separates, B:30, 33, 37, 39, 370–376
 pyrite, B:12
 sulfides, B:19
 sulfides and sediments, B:44
 vs. copper, B:398
 vs. depth, B:54, 56, 58, 60, 62, 374–376
 vs. selenium, B:398
 vs. water content, B:265
 colloform textures
 hydrothermal fields, A:12
 photograph, A:107, 114, 124, 182; B:197
 compressional wave velocity
 breccia, A:117, 136, 164, 167, 221
 mineralization, B:319–325
 vs. anhydrite percentage, B:325
 vs. bulk density, B:322
 vs. depth, A:137; B:321
 vs. porosity, A:137
 vs. shear wave velocity, B:324
 vs. sulfides (pyrite+chalcopyrite) percentage, B:325

- vs. total porosity, B:323
See also seismic velocity; ultrasonic data
- compressional wave velocity, ultrasonic, vs. depth, B:321–322
- conduction
 heat flow, A:23–29
See also thermal conductivity
- convection, hydrothermal fields, A:8
- copper
 distribution in massive sulfides, B:405
 element correlations, B:65, 378–381, 384
 enrichment, B:377
 hydrothermal fields, A:9–10; B:370–380, 395, 397
 mineral separates, B:30, 94
 pyrite, B:12
 sphalerite, B:13
 sulfides, A:93–94, 97–98, 156, 158–160, 172
 sulfides and sediments, B:44
 vs. cobalt, B:398
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
 vs. water content, B:265
 vs. zinc, B:398
 zonation, B:397
See also zinc/copper ratio
- copper–iron sulfides, hydrothermal fields, A:8
- copper–iron–sulfur system, chalcopyrite, B:13
- copper/iron ratio
 sulfides, A:97–98, 158
 vs. depth, A:129
- core barrels, motor-driven, A:31–35
- coring, systems, A:31–35
- correlation coefficients
 hydrothermal mounds, B:52, 63–65
See also element correlations; partition coefficient; principal component analysis; statistical analysis
- covellite, petrology, B:9–11, 14
- crusts
 hydrothermal fields, A:7, 10
 sulfides, A:101–103
- crystal chemistry
 anhydrite, B:122–124
 phyllosilicates, B:241
- crystal growth, photograph, A:99–101
- Curie temperature
 magnetism, B:345
See also magnetic properties
- Cyprus
 comparison of massive sulfides with, B:390, 398–404
 massive sulfides, B:78
- Cyprus-type deposits, comparison of massive sulfides with Trans-Atlantic Geotraverse, A:12; B:195, 389–415
- demagnetization
 discrete samples, B:340–344
See also Koenigsberger ratio
- demagnetization, alternating-field
 equal-area projection, A:223
 sulfides, A:121–122, 139–140, 166–167
 vectors, A:168, 207, 222
- demagnetization, thermal, sulfides, A:121–122, 139
- density, tomography, B:203–204
- density, bulk
 breccia, B:208
 vs. compressional wave velocity, B:322
 vs. depth, A:135, 138, 166, 206, 220
 vs. porosity, A:135, 166, 206, 221
- density, grain
 breccia, B:208
- vs. depth, A:135, 138, 166, 206, 220
 density, wet-bulk, vs. depth, A:136, 138, 165, 172, 222
- digenite, petrology, B:9–11, 14
- dip, vs. depth, A:113
- dissolution
 clasts, B:243–244
 textures, B:195
- dissolution cavities, photograph, A:92, 115
- DNA extraction, subsurface biosphere, B:356
- East Pacific Rise, geochemical comparison with Trans-Atlantic Geotraverse, B:380–381
- electron microscopy, subsurface biosphere, B:356–359
- element correlations
 hydrothermal mounds, B:52, 63–65
See also correlation coefficients; partition coefficient; principal component analysis; statistical analysis
- enrichment, subsurface biosphere, B:356–359
- erosion, gossan, B:409–410
- eupropium
 anhydrite, B:150–159
 vs. depth, B:156
 vs. gadolinium, B:158
 vs. lanthanum/ytterbium ratio, B:158
- extension, active mounds, A:19–20
- fault systems
 hydrothermal fields, A:6, 12–13
 neovolcanic zones, A:18–21
- faults, listric, active mounds, A:19–20
- fluid–rock interactions, hydrothermal systems, B:97–99, 195
- fluid evolution
 anhydrite precipitation, B:123–124
 oxygen isotopes, B:292–293
- fluid flow
 geochemistry, B:88–89
 hydrothermal mounds, B:124
 porosity, B:324, 326
 spreading centers, A:5–14
See also Kuster–Tokoz theory; permeability; porosity
- fluid inclusions
 anhydrite, B:123
 geochemistry, B:88–89
 photograph, B:178, 182, 252
 temperature, B:163–190, 395
See also microthermometry; temperature
- fluid mixing
 anhydrite, B:119–127, 187–189
 chlorite and smectite, B:283
 oxygen isotopes, B:137–138, 306–308
- fluids, geochemistry, A:123–124, 126–127, 168–169, 173–174
- formation factor, breccia, A:136
- fractional crystallization, basalts, B:220–225, 228–229
- fractures
 photograph, A:85, 93, 183, 185; B:197
 textures, B:195
- fracturing
 clasts, B:243–244
See also hydrofracturing
- frost heave, clasts, B:243–244
- gadolinium, vs. europium, B:158
- gallium
 mineral separates, B:32
 vs. depth, B:54, 58, 60, 62
- gamma rays, vs. depth, A:136, 138, 165, 172, 222
- geochemical section, Trans-Atlantic Geotraverse, B:363–387
- geochemistry
 basalts, B:213–229
 basement, B:255–276
 fluids, A:123–124, 126–127, 168–169, 173–174
 hydrothermal clays, B:215, 217–220
 hydrothermal mounds, B:47–70
 igneous rocks, A:163, 199–200
 massive sulfides and sediments, B:41–46
 shipboard samples, B:27–39
 statistical analysis, B:376–381
 sulfides, A:93–94, 97–98, 155–159, 172, 189–191, 216–219; B:19–20
- geochemistry, bulk, hydrothermal mounds, B:367, 370–376, 395–397
- geochronology
 hydrothermal fields, A:8
 sulfides, B:111–117
See also time scales
- geology
 hydrothermal fields, A:16–18
 Trans-Atlantic Geotraverse, A:6–8
- geomagnetic excursions, magnetism, B:349
- germanium, mineral separates, B:370–373
- glass shards, photograph, A:132
- glasses
 petrology, A:199–200
 photograph, A:196, 201; B:248
- glasses, banded, photograph, A:150
- glasses, chloritized, strontium and oxygen isotopes, B:302
- goethite
 hydrothermal fields, A:8
 nucleotides, B:357, 359
- gold
 element correlations, B:65, 395
 mineral separates, B:33, 36, 39
 sulfides, A:158–159
 sulfides and sediments, B:46
 vs. depth, B:54–55, 58, 60, 62
 zonation, B:397
- gold, native, hydrothermal fields, B:14
- gossan
 development, B:409–410
 hydrothermal fields, A:7
- grabens. *See* rift valleys
- grabens, axial, active zones, B:380–381
- grade
 zonation, B:397–398, 409
See also tonnage
- growth bands, photograph, B:197–199
- growth models, hydrothermal mounds, B:405–406, 408
- growth rate, mineralization, B:411
- hafnium, mineral separates, B:32
- heat flow
 active mounds, A:19–20, 23–29; B:307
 conduction, A:23–29
See also thermal conductivity
- heat transfer, massive sulfides, B:332–334
- hematite
 hydrothermal alteration, A:161
 hydrothermal fields, A:8; B:9–11, 14, 368–369
 photograph, A:101, 156, B:246
- holohyaline textures
 petrology, A:199–200
 photograph, A:200
- hyaloclastite
 hydrothermal alteration, A:161
 photograph, A:132, 161, 193
- hybridization, subsurface biosphere, B:356–359
- hydrofracturing

- clasts, B:243–244
See also fracturing
- hydrogeology, active mounds, A:19–21
- hydrothermal alteration
- basement, B:255–276
 - distribution, B:407–409
 - sequence, B:241–243, 266, 268, 307
 - sulfides, A:103–109, 113–114
 - TAG-2 area, A:160–163
 - TAG-4 area, A:193–199
 - TAG-5 area, A:219–220
- See also* alteration fronts; alteration halos; basalts, altered; breccia, silicified wallrock; chalcopyritization, breccia; chloritization; pyritization; silicification; wallrock alteration
- hydrothermal circulation, spreading centers, A:5–14
- hydrothermal fields
- lead isotopes, B:105–108
 - tectonics, A:6–8
- hydrothermal fluids
- fluid inclusions, B:187–188
 - geochemistry, B:88–89
 - osmium isotopes, B:97–98
 - rare earths in anhydrite, B:152–155
- hydrothermal mound–stockwork complexes, development, B:404–410
- hydrothermal mounds
- active zones, A:18–19; B:231–254
 - anhydrite precipitation, B:119–127
 - comparison of massive sulfides of Cyprus-type and Trans-Atlantic Geotraverse, B:389–415
- geochemical section, B:363–387
- geochemistry, B:47–70
- growth and evolution, B:21–23, 405–408
- heat flow, A:23–29
- hydrothermal fields, A:7–8
- oxygen isotopes, B:129–141
- petrology, B:5–26
- stratigraphy, A:11–13, 67–68; B:14–17
- strontium and oxygen isotopes, B:297–309
- structure and morphology, A:15–21; B:392–394
- sulfur isotopes, B:71–84
- hydrothermal systems
- comparison of sulfur isotopes, B:77–79
 - redox, B:98–99
 - spreading centers, A:5–14
- hydrothermal vents, subsurface biosphere, B:356–359
- hysteresis
- breccia, B:341, 343–344
 - See also* magnetic properties; remanent magnetization
- iddingsite, photograph, A:162
- igneous rocks
- geochemistry, A:163, 199–200
 - petrology, A:163, 199–200
 - See also* basalts; glasses; olivine basalts; pillow basalts
- illite(?), hydrothermal alteration, A:108
- inclusions
- photograph, A:74, 115, 131, 153, 183–184, 190
 - pyrite, B:195
- index properties
- breccia, A:163–165, 205, 220–221
 - mineralization, B:313–315
 - silicified iron oxides, A:173
 - sulfides, A:115–120, 135, 220
- indium
- mineral separates, B:31, 370–373
- vs. depth, B:54, 58, 60, 62
- interstitial waters, geochemistry, A:173
- ions, fluids, A:124, 126–127, 140, 169, 173–174
- iridium, mineral separates, B:33
- iron
- basalts, B:217
 - clay minerals, B:281–282
 - element correlations, B:378–381
 - hydrothermal clays, B:217
 - mineral separates, B:33, 36, 38, 94, 370–376
 - sphalerite, B:13
 - sulfides, A:93–94, 97–98, 156, 158–160, 172
 - sulfides and sediments, B:44
 - vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
 - vs. silica, B:263
- See also* copper–iron–sulfur system; copper/iron ratio; zinc/iron ratio
- iron/(iron+magnesium) ratio, vs. silicon, B:242
- iron oxides
- clay minerals, B:280–282
 - deposits, A:145, 156, 158
 - geochemistry, B:52
 - hydrothermal fields, A:7
 - metabasaltic clasts, B:217
 - mineral separates, B:29
 - osmium and rhenium, B:95–100
 - petrology, A:184, 190
 - photograph, A:147–151, 157, 180, 186–187, 195
 - sulfides and sediments, B:43
 - vs. magnesium oxide, B:283
 - vs. water content, B:264
- See also* hematite; magnetite
- iron oxides, silicified, petrology, A:172
- iron oxyhydroxides
- geochemical section, B:366–367
 - hydrothermal fields, A:7; B:7–11, 14, 236–239, 368–369
 - photograph, A:157; B:246
- iron sulfides
- hydrothermal fields, A:8; B:9
 - See also* copper–iron sulfides
- isotope equilibrium, geochemistry, B:88–89
- isotopes. *See* stable isotopes
- Juan de Fuca Ridge, thermal properties
- comparison with Trans-Atlantic Geotraverse, B:329–335
- Kane Fracture Zone, basalts, B:106
- Koenigsberger ratio
- breccia, A:221–222; B:342
 - sulfides, A:167
 - See also* demagnetization; magnetic properties
- Kremlin white smoker field
- geochemical section, B:366
 - geochemistry, B:52
 - hydrothermal fields, A:8
 - lead isotopes, B:104–109
 - major and trace elements, B:52, 57–59
 - stratigraphy, A:142–144; B:232–236
 - sulfur isotopes, B:76–77
 - See also* white smokers
- Kuster–Tokoz theory
- fluid flow, B:324, 326
 - See also* fluid flow
- lanthanum, sulfides and sediments, B:45
- lanthanum/samarium ratio
- basalts, B:218
 - hydrothermal clays, B:218
 - metabasaltic clasts, B:218
- vs. latitude, B:221
- lanthanum/ytterbium ratio
- anhydrite, B:154
 - vs. europium, B:158
- lead
- element correlations, B:378–381, 384
 - mineral separates, B:31, 370–376
 - sulfides, petrology, A:93–94, 97–98, 156, 158–160, 189–191; B:106–107
 - sulfides and sediments, B:44
 - vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
- lead isotopes
- comparison of Trans-Atlantic Geotraverse with North Atlantic MORB, B:104–107
 - mineralization, B:101–109
- lead–210, sulfides, B:111–117
- lepidocrocite, photograph, B:246
- lherzolite. *See* spinel lherzolite
- lithology
- stratigraphy, A:67–68, 142–144, 177–178; B:232–236, 286–288, 298–301
 - sulfides, A:210–211
 - vs. depth, A:70–71
- loss on ignition
- basalts, B:215, 217–218
 - hydrothermal clays, B:217–218
 - metabasaltic clasts, B:217–218
 - mineral separates, B:29
 - sulfides and sediments, B:43
- magnesium
- anhydrite, B:121–124, 133–135
 - clay minerals, B:281–283
 - fluid geochemistry, A:126, 140, 173
 - See also* iron/(iron+magnesium) ratio
- magnesium/calcium ratio
- anhydrite, B:121–124, 133–135
 - vs. depth, B:125, 135
- magnesium number, basalts, B:215
- magnesium oxide
- clay minerals, B:280–282
 - mineral separates, B:29, 94
 - sulfides and sediments, B:43
 - vs. calcium oxide/aluminum oxide ratio, B:224
 - vs. iron oxide, B:283
 - vs. sodium oxide, B:224
 - vs. water content, B:264
- magnetic anisotropy, minerals, B:349
- magnetic inclination, vs. depth, A:139, 167; B:342
- magnetic intensity
- sulfides, A:121–122
 - vs. depth, A:139, 167; B:342
- magnetic properties
- cores, A:207
 - TAG-5 area, A:223; B:337–351
 - See also* Curie temperature; hysteresis; Koenigsberger ratio; remanent magnetization
- magnetic susceptibility
- breccia, B:340
 - silicified iron oxides, A:173
 - sulfides, A:122, 167–168
 - vs. temperature, B:347
- magnetic susceptibility, anisotropy, sulfides, A:168
- magnetic susceptibility, low-field, breccia, B:342–343
- magnetic susceptibility, volume vs. depth, A:136, 138, 140, 165, 169, 172, 222
- magnetic, magnetic properties, B:349–350
- major elements
- basalts, B:215–216, 218, 222, 224

- basalts and clasts, B:259
 clay minerals, B:279–284
 hydrothermal alteration, B:27–39, 49–63,
 94–96
 hydrothermal mounds, B:367, 370–376
- manganese
 hydrothermal mounds, B:370–373
 sulfides and sediments, B:44
See also nodules, manganese
- manganese oxide
 hydrothermal fields, A:7
 mineral separates, B:29
 sulfides and sediments, B:43
- mantle, geochemistry, B:225
- marcasite
 hydrothermal fields, A:10; B:9–11, 13, 194,
 368–369
 photograph, A:149, 181–183, 189, 217; B:198
 sulfur isotopes, B:17–19
- marcasite, colloform, photograph, A:152, 184,
 187–188
- marcasite, massive, colloform, photograph, A:181
- mass wasting
 hydrothermal fields, A:8
 neovolcanic zones, A:18–21
- massive deposits
 stratigraphy, A:67–68
See also sulfides, massive
- melting
 mantle, B:225
See also partial melting
- mercury, mineral separates, B:33
- metabasalts, geochemistry, B:217–218, 221
- metals
 hydrothermal fields, A:93–94, 97–98; B:395,
 397, 412
See also base metals; precious metals, and
 individual metals
- microbial cells, nucleotides, B:357–359
- microlites
 petrology, A:163, 200; B:236
 photograph, A:132, 162; B:246
- microorganisms, subsurface biosphere, B:356–359
- microphenocrysts
 photograph, B:246
See also phenocrysts
- microthermometry
 anhydrite precipitation, B:122–123
 fluid inclusions, B:166–170, 182–183
See also fluid inclusions; temperature
- Mid-Atlantic Ridge
 basalts, B:104–107, 213–229
 hydrothermal systems, A:5–14
 sulfides, B:193–210
- mid-ocean ridges, hydrothermal fields, A:5–14
- mid-ocean ridges, slow-spreading, subsurface
 biosphere, B:355–360
- mineral abundance, tomography, B:201–210
- mineral separates, major elements, B:27–39
- mineralization
 hydrothermal fields, A:9–10; B:6–7, 21–22,
 195, 201–210
 lead isotopes, B:101–109
 pyrite, A:178, 211
 remanent magnetization, B:337–351
 stratigraphy, A:68
 sulfides, A:144
See also ores; precious metals; sulfides
- mineralization, hydrothermal
 lateral variations, B:17
 petrology, B:5–26, 307
- mineralogy
 geochemical section, B:366–367, 394–395
 sulfides, A:72
- Mir hydrothermal zone, hydrothermal fields,
 A:7–8; B:391
- mixed-layer minerals
 petrology, B:240–241
See also chlorite-smectite mixture; clay
 minerals
- molybdenum
 element correlations, B:384
 mineral separates, B:31, 33, 37, 39, 370–376
 sulfides and sediments, B:44
 vs. depth, B:54, 56, 58, 60, 62, 374–376
- morphology, neovolcanic zones, A:18–21
- Mossbauer spectra
 magnetism, B:345
 velocity vs. absorption, B:348
- mud
 hydrothermal fields, A:9–10
 stratigraphy, A:142–144
- neodymium, anhydrite, B:150–152
- neodymium/ytterbium ratio
 anhydrite, B:153
 vs. depth, B:156
- neovolcanic zones
 hydrothermal fields, A:16–18
See also numbered zones
- Newfoundland, massive sulfides, B:79
- nickel
 distribution in massive sulfides, B:405
 mineral separates, B:30, 37, 39
 sulfides and sediments, B:44
 vs. water content, B:265
- niobium
 mineral separates, B:32
 sulfides and sediments, B:45
- nodules, manganese, lead isotopes, B:105
- nontronite, hydrothermal fields, A:7
- Northern Hemisphere Reference Line, sulfides,
 B:105
- Notre Dame Bay, massive sulfides, B:79
- nucleotides
 goethite, B:357, 359
See also polynucleotides
- olivine
 basalts, B:214–215
 fractional crystallization, B:220–225
 petrology, A:200
 photograph, A:120, 130, 162, 199; B:246
- olivine basalts, lithology, A:202–205
- olivine-clinopyroxene-quartz system,
 pseudoternary projections, B:221
- Oman
 comparison of massive sulfides with
 Trans-Atlantic Geotraverse, B:390,
 404, 407
 massive sulfides, B:79
- ooze, hydrothermal fields, A:7
- opal
 chimneys, B:381–382
See also quartz; silica
- ophiolite, comparison of Cyprus-type massive
 sulfides with Trans-Atlantic Geotraverse,
 B:399–404
- ores
 distribution, B:400–403
 tonnage, B:397–398
See also mineralization
- osmium isotopes, hydrothermal mounds,
 B:91–100
- oxidation. *See* redox
- oxides, magnetism, B:345
- oxygen isotopes
 anhydrite and sulfides, B:85–90
- buffering by hydrothermal circulation,
 B:138–139
- chloritization, B:293
- fluid mixing, B:137–138, 306–308
- hydrothermal mounds, B:129–141, 285–295,
 297–309
- paragonitization, B:292
 vs. chlorite volume percent, B:290
 vs. depth, B:86, 135
 vs. strontium-87/strontium-86 ratio, B:138,
 305
 vs. sulfur isotopes, B:87
- oxygen isotopes, quartz, vs. depth, B:291
- paleomagnetism
 hydrothermal fields, A:10–11; B:337–351
 TAG-1 area, A:120–123
 TAG-2 area, A:166–168
 TAG-4 area, A:201–203
 TAG-5 area, A:221–223
See also remanent magnetization
- palladium, sulfides and sediments, B:46
- paragenesis
 hydrothermal alteration, B:241–243, 266, 268
 pyrite-chalcopyrite, B:194–195
- paragonite
 composition, B:237–241, 291–293
 photograph, B:248–253
 vertical distribution, B:14–17, 237–241
- paragonitization
 basalts and clasts, B:257, 263–264
 geochemistry, B:270–273, 291–293
 oxygen isotopes, B:292
 photograph, B:249–254
- partial melting
 basalts, B:220–225, 228–229
See also melting
- partition coefficient
 anhydrite, B:122–124
 strontium/calcium ratio, B:136–137
 vs. precipitation temperature, B:139
 vs. strontium-87/strontium-86 ratio, B:139
See also correlation coefficients; element
 correlations
- partition coefficient, magnesium, vs. depth, B:126
- partition coefficient, strontium, vs. depth, B:126
- partitioning, strontium, B:122–123
- permeability
 fluid flow, B:324, 326
See also fluid flow; porosity
- petrography
 breccia, A:68–93
 hydrothermal alteration, B:9–10, 42, 236–239
 magnetism, B:345
 tomography, B:203–204
- petrology
 hydrothermal mineralization, B:5–26
 igneous rocks, A:163, 199–200
 sulfides, A:68–93, 95–96, 98–114, 144–155,
 157, 159–160, 171–172, 178–189,
 191–193, 212–216, 219
- phase relationships
 textures, B:195
 vs. pressure, B:174
- phenocrysts
 petrology, A:200
 photograph, A:120, 199
See also microphenocrysts
- phosphate, fluid geochemistry, A:168–169
- phosphorus oxide
 mineral separates, B:29, 94
 sulfides and sediments, B:43
- phylosilicates
 hydrothermal alteration, A:193; B:239–241

- photograph, A:196, 200–201
See also clay minerals; illite; smectite
- phylosilicates, sodium-rich, hydrothermal alteration, B:14
- physical properties
- hydrothermal fields, A:10–11
 - Site 957, A:114–120
 - sulfides, B:205, 208–209
 - TAG-1 area, A:114–120
 - TAG-2 area, A:163–166
 - TAG-3 area, A:172–173
 - TAG-4 area, A:200–201
 - TAG-5 area, A:220–221
 - vs. thermal conductivity, B:332
- See also* index properties
- pillow basalts
- hydrothermal fields, A:7, 12; B:237, 265–267
 - petrology, A:163, 199–200
 - photograph, B:246–249
- See also* basalts; glasses; olivine basalts
- pillow rim
- chemical composition, B:281
 - hydrothermal alteration, A:198–199
 - photograph, A:200–201
- plagioclase
- basalts, B:214–215
 - fractional crystallization, B:220–225
 - petrology, A:163
 - photograph, A:132, 162, 254
- platinum, sulfides and sediments, B:46
- polychaetes, hydrothermal fields, A:9
- polynucleotides
- goethite, B:357, 359
 - See also* nucleotides
- pore geometry, aspect ratio, B:326
- porosity
- mineralization, B:316
 - models, B:318, 321–324
 - tomography, B:203–204
 - vs. bulk density, A:135, 166, 206, 221
 - vs. compressional wave velocity, A:137
 - vs. seismic velocity, B:313–327
 - vs. thermal conductivity, B:333
 - See also* fluid flow; permeability
- porosity, total, vs. compressional wave velocity, B:323
- potassium, fluid geochemistry, A:126
- potassium oxide
- mineral separates, B:29, 94
 - sulfides and sediments, B:43
 - vs. aluminum oxide, B:263
- precious metals
- sulfides and sediments, B:46
 - See also* base metals; gold; metals; palladium; platinum
- precipitates, thermal properties, B:329–335
- pressure, confining, vs. seismic velocity, B:323–325
- principal component analysis
- geochemistry, B:376–381
 - See also* correlation coefficients; element correlations; statistical analysis
- propylitization, clasts, B:243–244
- pseudomorphs, photograph, A:162; B:248
- pyrite
- breccia, A:70–71, 73–81
 - clasts, B:243–244
 - geochemistry, B:12, 42–46
 - hydrothermal fields, A:7, 9–13; B:9–12, 14–17, 21–23, 237–239, 366–367, 392–393
 - lead isotopes, B:105–108
 - magnetic properties, B:349–350
 - major and trace elements, B:36–39
 - mineralization, A:144, 178, 211
 - osmium and rhenium, B:95–100
 - paragenesis, B:194–195
 - petrology, A:216, 219
 - photograph, A:147, 156–157, 197; B:148–149, 247–249
 - stratigraphy, A:67–68, 142–144
 - sulfur isotopes, B:17–21, 74–79
 - thermal conductivity, B:332–334
 - trace elements, B:36–39, 55–56
 - pyrite, anhedral, photograph, B:198
 - pyrite, brecciated, photograph, A:84–87
 - pyrite, colloform
 - lithology, A:178
 - photograph, A:152, 184, 188; B:197 - pyrite, disseminated, photograph, A:90, 94, 97, 123, 131–132, 157, 179–180, 183, 185, 187, 217–218
 - pyrite, euhedral, photograph, A:148, 153, 181–185, 187, 189, 194, 214–215, 197–200, 251
 - pyrite, fine-grained, photograph, A:152, 158
 - pyrite, granular, photograph, A:74, 184
 - pyrite, massive
 - geochemistry, B:52
 - petrology, A:180, 182–183, 188, 190, 212
 - photograph, A:73, 114, 116, 121, 123–124, 126, 151, 155, 185, 190
 - trace elements, B:53–60
 - See also* sulfides, massive - pyrite, massive, colloform, photograph, A:181
 - pyrite, massive, granular
 - petrology, A:69–70
 - photograph, A:184, 190–191, 215 - pyrite, nodular, photograph, A:92, 125
 - pyrite percentage, vs. compressional wave velocity, B:325
 - pyrite, polycrystalline, photograph, A:184
 - pyrite, porous
 - lithology, A:178
 - photograph, A:124–125 - pyrite, porous, massive
 - petrology, A:172
 - photograph, A:149, 152, 181–183, 187, 189, 214 - pyrite, recrystallized, photograph, A:74
 - pyrite, siliceous, photograph, A:116
 - pyrite, spheroidal, photograph, A:149
 - pyritization
 - hydrothermal fields, A:10
 - photograph, A:86, 91, 98, 103, 105, 109, 121, 218, 249–253 - pyrrhotite
 - magnetic properties, B:349–350
 - petrology, B:9–11, 14
 - photograph, A:117

quartz

 - breccia, A:74, 79–81
 - chimneys, B:381–382
 - fluid inclusions, B:178
 - geochemical section, B:366–367
 - hydrothermal alteration, A:199
 - hydrothermal fields, A:8; B:9–11, 13–17, 22–23, 195, 237–239, 368–369
 - microthermometry, B:166–170
 - oxygen isotopes, B:291, 304–306
 - petrology, A:216
 - photograph, A:96–97, 115, 130–131, 154, 156–157, 180, 185, 191, 194, 197, 218; B:200, 251–253
 - stratigraphy, A:67–68
 - veins, A:68, 144
 - See also* olivine–clinopyroxene–quartz

system; opal; silica

quartz bands, photograph, A:196

quartz, colloform-banded, photograph, A:97

quartz, euhedral, photograph, A:88, 90, 93, 97, 117

quartz, interstitial, photograph, A:74

radium-226/uranium-234, age, B:115

rare earths

 - alteration halos, B:266
 - altered basaltic clasts, B:264
 - anhydrite, B:143–159
 - basalts, B:215–216, 219–220, 222–223, 225
 - basalts and clasts, B:261–262
 - chloritized basalts, B:266
 - hydrothermal clays, B:219
 - mantle, B:225
 - mineral separates, B:34–35
 - pillow breccias, B:266
 - standard reference materials, B:276
 - variation diagrams, B:219

recrystallization

 - photograph, A:74, 123; B:198, 200
 - textures, B:194–195

redox

 - hydrothermal systems, B:98–99
 - relic zones, hydrothermal fields, A:7

remagnetization, chemical, minerals, B:349–350

remanent magnetization

 - sulfides, A:121–122; B:337–351
 - vs. temperature, B:346
 - See also* hysteresis; magnetic properties; paleomagnetism

remanent magnetization, anhysteretic, breccia, B:343

remanent magnetization, natural, breccia, B:340–342

replacement textures, sulfides, A:103–104

resistivity, breccia, A:117, 136, 164, 167, 221

rhodium, hydrothermal mounds, B:91–100

rift valleys

 - neovolcanic zones, A:16–18
 - See also* grabens

Rimicaris exoculata, hydrothermal fields, A:9

rock magnetics

 - breccia, A:201–201; B:343–345
 - sulfides, A:167–168

rubidium, mineral separates, B:32, 37, 39

salinity

 - fluid geochemistry, A:124, 168–169
 - fluid inclusions, B:179–190
 - vs. depth, B:173, 186

samarium. *See* lanthanum/samarium ratio

sand

 - hydrothermal fields, A:9–10
 - stratigraphy, A:142–144

scandium

 - mineral separates, B:30
 - sulfides and sediments, B:45

seafloor spreading, neovolcanic zones, A:18

seawater, osmium isotopes, B:97–98

seawater mixing, black smokers, B:135–136

sediments

 - geochemistry, B:41–46
 - lead isotopes, B:105

sediments, metalliferous

 - Cyprus-type deposits, B:409
 - hydrothermal fields, A:7–8

seismic velocity

 - vs. confining pressure, B:323–325
 - vs. porosity, B:313–327
 - See also* compressional wave velocity; shear wave velocity; ultrasonic data

- selenium
 element correlations, B:378–381, 384–385
 mineral separates, B:33, 37, 39, 370–376
 sulfides, B:19–20, 22
 vs. cobalt, B:398
 vs. depth, B:54, 56, 58, 60, 62, 374–376
- selvage
 photograph, A:86, 103, 105, 108, 120, 130, 156, 217–218; B:198–200, 248
 textures, B:194–195
- Semail Massif, comparison of massive sulfides with Trans-Atlantic Geotraverse, B:390, 404, 407
- shear wave velocity
 orthogonal in massive sulfides, B:325
 vs. compressional wave velocity, B:324
- shrimps, hydrothermal fields, A:9
- sidescan imagery, backscatter, neovolcanic zones, A:16–18
- silica
 basalts, B:217
 breccia, A:79–81
 clay minerals, B:280–282
 element correlations, B:378–382
 fluid geochemistry, A:124, 168–169, 173
 geochemistry, B:46–70
 hydrothermal clays, B:217
 hydrothermal fields, A:8–10; B:7, 11, 21–22, 42–46, 370–380
 metabasaltic clasts, B:217
 mineral separates, B:28–29, 94
 photograph, A:80–81, 191
 stratigraphy, A:67–68
 vs. depth, B:53, 57, 59, 61, 374–376
 vs. iron, B:263
 vs. water content, B:264
 zonation, B:397
See also opal; quartz
- silica, amorphous
 hydrothermal mounds, B:368–369
 petrology, B:9–11, 14
 photograph, A:150, 180
- silica, gray
 deposits, A:145
 photograph, A:148
- silicification
 basalts and clasts, B:257, 263–264
 geochemistry, B:270–273
 hydrothermal alteration, A:219
 hydrothermal fields, A:10, 12
 petrology, A:193, 194–199
 photograph, A:218, 131; B:249–253
- silicon
 enrichment, geochemistry, B:377
 phyllosilicates, B:242
 vs. iron/(iron+magnesium) ratio, B:242
- silver
 element correlations, B:384
 hydrothermal fields, A:9–10; B:370–373, 395
 mineral separates, B:31, 33, 36, 39
 sphalerite, B:13
 sulfides
 petrology, A:93–94, 97–98, 156, 158–160, 172, 189–191
 sulfides and sediments, B:44
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61
- Site 957, A:65–223
 clay minerals, B:277–278
 coring, A:32–33
 fluid geochemistry, A:123–124, 126–127, 168–169, 173–174
- geochemistry of shipboard samples, B:27–39
- hydrothermal alteration, A:104–109, 113–114, 160–163, 193–199, 219–220; B:6–7, 256–257
- hydrothermal fields, A:9
 igneous geochemistry, A:163, 200
 igneous petrology, A:163, 199–200
 operations, A:55–62
 paleomagnetism, A:120–123, 166–168, 201–202, 221–223
 physical properties, A:114–120, 163–166, 172–173, 200–201, 220–221
 site description, A:65–223
 stratigraphy, A:67–68, 142–144, 177–178, 210–212; B:232–236
 structural data, A:110–112
 sulfide geochemistry, A:93–94, 97–98, 155–156, 158, 172, 189–191, 216–219
 sulfide petrology, A:68–93, 95–96, 98–114, 144–155, 157, 159–160, 171–172, 178–189, 191–193, 212–216, 219
- smectite
 geochemistry, B:280–281
 petrology, B:240–241
 photograph, A:162, 199
See also chlorite-smectite mixture
 snails, buccinid, hydrothermal fields, A:9
- Snakepit, geochemical comparison with Trans-Atlantic Geotraverse, B:379–380
- sodium
 mantle, B:225
 sulfides, B:37, 39
 sulfides and sediments, B:45
- sodium oxide
 mineral separates, B:29, 94
 sulfides and sediments, B:43
 vs. aluminum oxide, B:263
 vs. latitude, B:220
 vs. magnesium oxide, B:224
 vs. water content, B:264
- soils, clasts, B:243–244
- spectrometry, magnetism, B:345
- sphalerite
 composition, B:395
 geochemistry, B:13
 hydrothermal fields, A:7; B:9–13, 21, 194, 368–369, 394–395
 lead isotopes, B:105–108
 mineralization, A:144
 photograph, A:74, 115, 123, 147, 149–151, 181, 189, 214; B:197–199
 stratigraphy, A:142–144
- spinel lherzolite, partial melting, B:220–225, 228–229
- spreading centers, hydrothermal circulation, A:5–14
- stable isotopes
 anhydrite and sulfides, B:85–90
See also oxygen isotopes
- standard reference materials, geochemistry, B:275
- statistical analysis
 geochemistry, B:376–381
See also correlation coefficients; element correlations; principal component analysis
- stockwork zones
 basement, B:255–276
 comparison of Cyprus-type massive sulfides with Trans-Atlantic Geotraverse, B:389–415
 hydrothermal alteration, B:130–132, 232–254, 269–270, 285–295, 298–301
 mineralization, A:178
 petrology, A:163
 stratigraphy, A:11–13, 68
 structure, B:393
 sulfides, A:103–104
- sulfur isotopes, B:71–84
- stockwork zones, subseafloor, development, B:406–407, 412
- stratigraphy
 hydrothermal fields, A:11–13; B:14–17
 Site 957, A:67–68
 TAG-2 area, A:142–144
 TAG-4 area, A:177–178
 TAG-5 area, A:210–212
- strontium
 anhydrite, B:121–124, 133–137, 139–140
 basalts, B:218
 element correlations, B:378–382
 hydrothermal clays, B:218
 mantle, B:225
 metabasaltic clasts, B:218
 mineral separates, B:30, 37, 39, 370–376
 sulfides and sediments, B:43, 45
 vs. depth, B:374–376
 vs. strontium-87/strontium-86 ratio, B:304
 vs. water content, B:265
- strontium/calcium ratio
 anhydrite, B:121–124, 133–137, 139
 partition coefficients, B:136–137
 vs. depth, B:125, 135
 vs. strontium-87/strontium-86, B:136
- strontium-87/strontium-86 ratio
 vs. anhydrite partition coefficients, B:139
 vs. depth, B:124, 135
 vs. oxygen isotopes, B:138, 305
 vs. strontium, B:304
 vs. strontium/calcium ratio, B:136
- strontium isotopes
 anhydrite, B:121–124
 anhydrite and sulfides, B:88–90
 hydrothermal mounds, B:129–141, 297–309
 vs. depth, B:303
- subvariolitic textures
 photograph, B:251–253
See also variolitic textures
- sulfate reduction, geochemistry, B:20, 89
- sulfates
 fluid geochemistry, A:126, 140
 hydrothermal circulation, B:138–139
 porosity vs. seismic velocity, B:313–327
 stable isotopes, B:85–90
 sulfur isotopes, B:74–79
 thermal properties, B:329–335
- sulfide percentage, vs. compressional wave velocity, B:325
- sulfides
 age, B:111–117
 composition, A:218
 geochemistry, A:93–94, 97–98, 155–159, 172, 189–191, 216–219; B:19–20
 heat flow, A:25–27; B:333–334
 hydrothermal alteration, petrology, A:199
 hydrothermal fields, A:7, 9–13, 19; B:9–11, 14–17
 index properties, A:115–120
 lead isotopes, B:101–109
 mineralogy, A:72
 petrology, A:68–93, 95–96, 98–114, 144–155, 157, 159–160, 171–172, 178–189, 191–193, 212–216, 219
 photograph, A:117
 porosity vs. seismic velocity, B:317–326
 stable isotopes, B:85–90
 sulfur isotopes, B:17–21, 74–79
 textures, B:193–210
 thermal properties, B:329–335
See also bornite; chalcopyrite; copper–iron sulfides; covellite; digenite; marcasite; mineralization; pyrite; pyrrhotite;

sphalerite; zinc sulfides
 sulfides, massive
 comparison between Cyprus-type and Trans-Atlantic Geotraverse deposits, A:145–146, 148–149, 151
 geochemical section, B:366–367, 379–385
 geochemistry, B:41–46
 hydrothermal fields, A:12; B:9, 11
 osmium and rhenium, B:95–100
 photograph, B:84
 stratigraphy, A:142–144
 tomography, B:206–207
See also massive deposits; pyrite, massive
 sulfides, porous, geochemical section, B:366–367
 sulfides, seafloor, comparison of sulfur isotopes, B:77–79
 sulfur
 element correlations, B:378–381
 mineral separates, B:29, 94, 370–376
 sources in sulfides, B:86–87
 sphalerite, B:13
 sulfides, A:93–94, 97–98, 158–159, 172
 sulfides and sediments, B:43
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
See also copper–iron–sulfur system
 sulfur isotopes
 anhydrite and sulfides, B:85–90
 histograms in sulfides and sulfates, B:75
 hydrothermal mounds, B:71–84, 404, 406
 models, B:79–82
 spatial distributions, B:76–77
 sulfides, B:17–21, 47–70
 vs. depth, B:69, 86
 vs. oxygen isotopes, B:87
 vs. textures, B:76, 81

TAG. *See* Trans-Atlantic Geotraverse

TAG-1 area
 altered basalt clasts, B:264–265
 fluid geochemistry, A:123–124, 126–127
 geochemical section, B:365–374
 hydrothermal fields, A:9
 major and trace elements, B:51–56
 paleomagnetism, A:120–123
 physical properties, A:114–120
 rare earths in anhydrite, B:145–150, 153, 157–158
 site description, A:65–140
 stratigraphy, A:67–68
 sulfide geochemistry, A:93–94, 97–98
 sulfide petrology, A:68–93, 95–96, 98–114
 sulfur isotopes, B:76

TAG-2 area
 altered basalt clasts, B:265
 fluid geochemistry, A:168–169
 geochemical section, B:366, 370–375
 hydrothermal alteration, A:160–163
 hydrothermal fields, A:9–10
 igneous petrology and geochemistry, A:163
 major and trace elements, B:52, 57–59
 paleomagnetism, A:166–168
 physical properties, A:163–166
 rare earths in anhydrite, B:145–150, 153–154, 158
 site description, A:141–169
 stratigraphy, A:142–144
 sulfide geochemistry, A:155–159
 sulfide petrology, A:144–155, 157, 159–160
 sulfur isotopes, B:76–77

TAG-3 area
 fluid geochemistry, A:173–174
 geochemical section, B:366
 hydrothermal fields, A:10

physical properties, A:172–173
 site description, A:171–174
 sulfide geochemistry, A:172
 sulfide petrology, A:171–172

TAG-4 area
 altered basalt clasts, B:265–266
 geochemical section, B:366, 370–376
 hydrothermal alteration, A:193–199
 hydrothermal fields, A:10
 igneous petrology and geochemistry, A:199–200
 major and trace elements, B:52, 59–60
 paleomagnetism, A:201–203
 physical properties, A:200–201
 site description, A:175–207
 stratigraphy, A:177–178
 sulfide geochemistry, A:189–191
 sulfide petrology, A:178–189, 191–193
 sulfur isotopes, B:77

TAG-5 area
 geochemical section, B:366, 370–374, 376
 hydrothermal alteration, A:219–220
 hydrothermal fields, A:10
 major and trace elements, B:52, 61–62
 paleomagnetism, A:221–223
 physical properties, A:220–221
 rare earths in anhydrite, B:145–150, 154
 site description, A:209–223
 stratigraphy, A:210–212
 sulfide geochemistry, A:216–219
 sulfide petrology, A:212–216, 219
 sulfur isotopes, B:77
 talc, hydrothermal alteration, B:241
 tantalum, mineral separates, B:32
 tectonic dips, lava extrusion, B:348
 tectonics
 hydrothermal mounds, A:15–21
 Trans-Atlantic Geotraverse, A:6–8

temperature
 anhydrite precipitation, B:122–123
 fluid inclusions, B:163–190
 mineralization, B:307–308
 sulfides, B:116
 vs. depth, A:28; B:185, 291
 vs. salinity, B:185
 vs. time, A:28
See also fluid inclusions; microthermometry

temperature, homogenization, vs. depth, B:172, 184

temperature, precipitation, vs. partition coefficients for anhydrite, B:139–140

temperature, trapping
 black smokers, B:395
 vs. depth, B:171–172, 185
See also fluid inclusions; microthermometry

terraces, neovolcanic zones, A:18–21

textures
 sulfides, B:193–210
 X-ray computed tomography, B:201–210
See also cauliflower textures; colloform textures; holohyaline textures; subvariolitic textures; variolitic textures

thallium
 mineral separates, B:31
 vs. depth, B:54, 58, 60, 62

thermal conductivity
 breccia, A:117, 137, 164–167, 221; B:208–209
 massive sulfides, tomography, B:205, 208–209
 precipitates, B:329–334
 vs. depth, A:138
 vs. physical properties, B:332
 vs. porosity, B:333
See also conduction; convection; heat flow

thermal properties, precipitates, B:329–335
 thin sections, sulfides, B:203–204

thorium
 mineral separates, B:32
 sulfides and sediments, B:44

thorium-230/uranium-234, sulfides, B:111–117

thorium-232, sulfides, B:112

time scales
 hydrothermal mounds, B:124
See also geochronology

tin
 mineral separates, B:33, 370–373
 sulfides and sediments, B:45

titanium
 hydrothermal mounds, B:370–380
 mantle, B:225
 sulfides and sediments, B:43, 45

titanium oxide
 mineral separates, B:28–29, 94
 sulfides and sediments, B:43
 vs. aluminum oxide, B:263

titano-magnetite, petrology, A:200

tomography, textures, B:201–210

tonnage
 ores, B:397–398, 410
See also grade

trace elements
 anhydrite, B:121–124, 143–159
 basalts, B:215–216, 219–220, 222–223, 225
 basalts and clasts, B:260
 clay minerals, B:280–284
 element correlations, B:65
 hydrothermal alteration, B:27–39, 49–63
 sulfides, B:21–22, 46–70, 396

Trans-Atlantic Geotraverse
 age of sulfides, B:111–117
 basalts, B:213–229
 biosphere, B:355–360
 clay minerals, B:277–284
 comparison with Cyprus-type massive sulfides, B:389–415
 fluid inclusions, B:163–190
 fluid mixing, B:119–127
 geochemical section, B:363–387
 geochemistry, B:41–70, 255–276
 geology, A:6–8
 heat flow, A:23–29
 hydrothermal mounds, A:15–21; B:231–254
 hydrothermal systems, A:5–14
 lead isotopes, B:101–109
 magnetic properties of cores, B:337–351
 osmium isotopes, B:91–100
 oxygen isotopes, B:285–295
 petrology, B:5–26
 rare earths, B:143–159
 seismic velocity–porosity relationship, B:313–327
 stable isotopes, B:85–90
 strontium and oxygen isotopes, B:129–141, 297–309
 sulfides, B:193–210
 sulfur isotopes, B:71–84

tectonics, A:6–8

thermal properties comparison with middle valley of Juan de Fuca Ridge, B:329–335

thermal properties of precipitates, B:329–335
See also Black Smoker Complex; black smokers; Kremlin white smoker field; TAG-1 area; TAG-2 area; TAG-3 area; TAG-4 area; TAG-5 area

Troodos Massif, comparison of massive sulfides with Trans-Atlantic Geotraverse, B:390, 398–404

- tungsten, mineral separates, B:33
- ultrasonic data
mineralization, B:314–315
See also seismic velocity
- upflow, hydrothermal, localization, A:19–20
- uranium
mineral separates, B:32–33, 37, 39
sulfides and sediments, B:44
See also radium-226/uranium-234; thorium-230/uranium-234
- uranium-238, sulfides, B:112
- vanadium
mineral separates, B:30
sulfides and sediments, B:45
vs. water content, B:265
- variolites, photograph, B:247
- variolitic textures
photograph, A:200–201
See also subvariolitic textures
- veinlets, photograph, A:181
- veins
hydrothermal alteration, A:196–199, 108–109, 161
petrology, B:11–12, 14–17
photograph, A:148, 157–158, 161, 181, 185, 197, 217–218; B:247–251
- quartz, A:144
rare earths in anhydrite, B:155–159
- sulfides, A:211
sulfur isotopes, B:19–21, 76
textures, B:195
thermal conductivity, B:332
variations with depth, A:81–83, 89
See also breccia; clasts
- veins, anhydrite
petrology, A:68, 81–83, 211; B:22, 392
photograph, A:75–76, 86, 91, 98–109, 120; B:84, 147–149
- veins, chlorite, photograph, A:118
- veins, crustiform–banded, photograph, A:98–103
- veins, pyrite–anhydrite, photograph, A:93
- veins, pyrite–quartz
lithology, A:178
photograph, A:118–120, 122, 130
- velocity
vs. absorption, B:348
See also compressional wave velocity; seismic velocity; shear wave velocity
- vents, hydrothermal fields, A:8
- vesicles, photograph, A:116, 200
- volcanic domes, hydrothermal fields, A:7
- vugs
hydrothermal alteration, A:108
photograph, A:92, 100, 121, 158, 192
- wallrock alteration
hydrothermal fields, A:9–10, 12
stratigraphy, A:67–68
- water content
vs. major oxides, B:264
vs. trace elements, B:265
- weathering, gossan, B:409–410
- white smokers
geochemical section, B:366
hydrothermal fields, A:8–10; B:307
lead isotopes, B:104–109
major and trace elements, B:52, 57–59
rare earths in anhydrite, B:152, 158
sulfur isotopes, B:76–77
See also black smokers; Kremlin white smoker field
- X-ray computed tomography, textures, B:201–210
- X-ray diffraction data, hydrothermal alteration, A:133–134
- X-ray fluorescence data
basalts, A:204
mud, A:163–164
- ytterbium. *See* lanthanum/ytterbium ratio; neodymium/ytterbium ratio
- yttrium, vs. zirconium, B:263
- zinc
- basalts, B:215, 217
clay minerals, B:280, 283
distribution in massive sulfides, B:405
- element correlations, B:65, 382–384
- enrichment, geochemistry, B:377
- hydrothermal clays, B:217
- hydrothermal fields, A:9–13; B:367, 370–379, 395, 397
- metabasaltic clasts, B:217
- mineral separates, B:30, 33, 36–37, 39, 94
- pyrite, B:12
- sphalerite, B:13
- sulfides, A:93–94, 97–98, 156, 158–160, 189–191
- sulfides and sediments, B:44
- vs. copper, B:398
- vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
- vs. water content, B:265
- zonation, B:397
- zinc/copper ratio
sulfides, A:97–98, 158
vs. depth, A:129
- zinc/iron ratio
sulfides, A:97–98, 158
- zinc sulfides, hydrothermal fields, A:8
- zirconium
basalts, B:218
hydrothermal clays, B:218
mantle, B:225
metabasaltic clasts, B:218
mineral separates, B:32
sulfides and sediments, B:43
vs. yttrium, B:263
- zonation, hydrothermal alteration, B:11, 395, 397, 412
- Zone 1, neovolcanic zones, A:16–18
- Zone 2, neovolcanic zones, A:16–18
- Zone 3, neovolcanic zones, A:16–18
- Zone 4, neovolcanic zones, A:16–18