

INDEX TO VOLUME 159T

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 159T of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 958, for example, is given as “Site 958, A:3–13.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU

VOLUME 159T SUBJECT INDEX

- Africa NW, sedimentation, B:3–16
African Easterly Jet, aridity, B:12–13, 23–28
age control, composite sections, B:8
age vs. depth, Site 958, A:6; B:17
alkenones, sediments, B:17–21
Amaranthaceae. *See*
 Chenopodiaceae–Amaranthaceae
aridity, Sahara, B:12–13
Atlantic Ocean N, geology, A:3–13
- biostratigraphy, Site 958, A:6–7
Brunhes Chron, Canary Current, B:10–11
burrows, pyritized, lithologic units, A:6
- Canary Current
 nutrients, B:11–12
 sea-surface temperature, B:10–11
carbon, organic
 sediments, A:9; B:31–32
 vs. depth, B:32
carbon/nitrogen ratio, vs. depth, B:32
carbon isotopes, ooze, B:5
carbonate content
 ooze, B:4
 sediments, A:10–11
 vs. depth, A:10; B:5–6, 32
carbonates
 geochemistry, A:9
 Neogene, B:17–21
 sedimentation, B:3–16
Chenopodiaceae–Amaranthaceae, vs. depth, B:27
chronostratigraphy, sedimentation rates, B:8, 10
coarse fraction, composition, B:5–7
color banding, lithologic units, A:6
composite sections, age control, B:8
continental slope, nitrogen, B:31–32
currents, Canary Current, B:10–13
- demagnetization, sediments, A:8–9
density, bulk, vs. depth, A:11, 13
density, grain
 sediments, A:11
 vs. depth, B:26
dinoflagellates
 Neogene, B:23–30
 vs. depth, B:26
dust, eolian, aridity, B:12–13
dust, temperature, B:20
- eolian processes, sedimentation, B:3–16, 26–27
- foraminifer datums, age, B:13
foraminifers. *See Globigerinoides ruber*
foraminifers, planktonic
 paleoceanography, B:8
 sediments, B:6–9
 vs. depth, B:8–10
- gamma rays
 sediments, A:11
 vs. depth, A:11, 13
geochemistry, carbonates, A:9
glaciation
 Canary Current, B:10–11
 Pliocene, B:19–20
 See also Last Glacial Maximum
Globigerinoides ruber, vs. depth, B:12
grain size
 ooze, B:4
 vs. silt percentage, B:15
 See also coarse fraction
- halite, X-ray diffraction data, B:31
hemipelagic sedimentation, lithologic units, A:6
- illite/kaolinite ratio, vs. depth, B:14
index properties, sediments, A:12–13
- kaolinite
 X-ray diffraction data, B:31
 See also illite/kaolinite ratio
- Last Glacial Maximum, temperature, B:19
lithologic units
 Site 958, A:5–6
 Unit I, A:5–6
lithostratigraphy, A:5–6
- magnetic intensity, sediments, A:8–9
magnetic polarity, sediments, A:9
magnetic susceptibility
 sediments, A:7–8
 vs. depth, A:11, 13; B:14
magnetic susceptibility, volume, vs. depth, A:7;
 B:10
manganese, lithologic units, A:6
Matuyama Chron, sediments, A:9
mean destructive field, sediments, A:9
micas, X-ray diffraction data, B:31
Milankovitch cycles, Canary Current, B:10–11
Miocene, sediments, B:17–21
Miocene, upper, biostratigraphy, A:6–7
- nannofossil datums, A:7; B:13
nannofossils, calcareous, biostratigraphy, A:6–7
nannofossils, sedimentation rates, A:7
Neogene
 paleomorphs, B:23–30
 productivity, B:3–16
nitrogen
 sediments, B:31–32
 vs. depth, B:32
 See also carbon/nitrogen ratio
nutrients, Canary Current, B:11–12
- ooze, bioturbated nannofossil, lithologic units,
 A:5–6
ooze, foraminifer nannofossil, lithologic units,
 A:5–6
organic matter, sediments, B:17–21
oxygen isotopes
 ooze, B:4–5
 vs. age, B:20
 vs. depth, B:11–12, 14
- paleoceanography
 Neogene, B:3–21
 planktonic foraminifers, B:8
 sediments, A:11
paleoclimatology, Neogene, B:3–20
paleomagnetism, Site 958, A:7–9
paleoproductivity
 Canary Current, B:11–12
 Neogene, B:3–16
 vs. depth, B:12
paleomorphs, Neogene, B:23–30
pelagic sedimentation, Neogene, B:17–21
physical properties, Site 958, A:9–11
physical properties units, sediments, A:10–11
Pinus, vs. depth, B:27
Pleistocene, lithologic units, A:5–6
Pliocene
 biostratigraphy, A:6–7
 glaciation, B:19–20
 sediments, B:17–21
pollen
 Neogene, B:23–30
 vs. depth, B:26–27
porosity
 sediments, A:11
 vs. depth, A:11, 13
preservation, paleomorphs, B:26–27
productivity. *See* paleoproductivity
provenance, siliciclastics, B:15
pyrite, X-ray diffraction data, B:31
- Quaternary, biostratigraphy, A:6–7
- radiolarians, composition, B:5–6
remanent magnetization, isothermal, sediments,
 A:9
remanent magnetization, natural, sediments,
 A:8–9
remanent magnetization, saturation
 sediments, A:8–9
 vs. depth, A:9
- Sahara, aridity, B:12–13
Saharan Air Layer, aridity, B:12
sedimentation, eolian processes, B:3–16
sedimentation rates
 chronostratigraphy, B:8, 10, 14–15
 nannofossils, A:7
 Site 958, A:7
seismic profiles, Site 958, A:5
shell fragments, composition, B:5–6
siliciclastics
 aridity, B:13
 sources, B:15
silt percentage, vs. grain size, B:15
Site 958, A:3–13
 biostratigraphy, A:6–7
 carbonate geochemistry, A:9
 coring, A:5
 lithostratigraphy, A:5–6
 operations, A:4–5
 organic carbon, B:31–32
 paleoclimatology, B:3–20
 paleomagnetism, A:7–9
 paleomorphs, B:23–30
 physical properties, A:9–11
 sedimentation, B:3–16
 sedimentation rates, A:7
 site description, A:3–13
smectite, X-ray diffraction data, B:31
stable isotopes, ooze, B:4–5
- temperature, sea-surface
 Canary Current, B:10–11
 Neogene, B:3–16
 sediments, B:17–21
 vs. age, B:20
 vs. depth, B:11
turbidites
 depth and thickness, B:5
 lithologic units, A:5–6
 X-ray diffraction data, B:31

unconformities, sediments, A:11
 Unit P-1, sediments, A:11
 Unit P-2, sediments, A:11
 Unit P-3, sediments, A:11

Unit P-4, sediments, A:11
 Unit P-5, sediments, A:11
 unsaturation, alkenones, B:17–20

X-ray diffraction data, turbidites, B:31
 Zijderveld plots, sediments, A:8–9

VOLUME 159T TAXONOMIC INDEX

aculeatum, *Impagidinium*, Site 958, B:27
altispira, *Dentoglobigerina*, Site 958, B:5, 10
 Amaranthaceae, Site 958, B:26–27

Brigantedinium sp., Site 958, B:27
bulloides, *Globigerina*, Site 958, B:6–7, 9, 11

Calcidiscus macintyreii, Site 958, B:10
Cassia, Site 958, B:27
 Chenopodiaceae, Site 958, B:26–27

Dentoglobigerina altispira, Site 958, B:5, 10
dutertrei, *Neogloboquadrina*, Site 958, B:6–7

Emiliana huxleyi, Site 958, A:7; B:17

Gephyrocapsa oceanica, Site 958, B:17–18
Globigerina bulloides, Site 958, B:6–7, 9, 11
Globigerina glutinata, Site 958, B:7
Globigerinoides ruber, Site 958, B:4–5, 7–9,
 11–15
Globigerinoides trilobus, Site 958, B:7, 9
Globigerinoides trilobus trilobus, Site 958, B:8
Globorotalia inflata, Site 958, B:6–7, 9

Globorotalia menardii, Site 958, B:8–9
Globorotalia menardii/tumida, Site 958, B:7, 9
Globorotalia miocenica, Site 958, B:10
Globorotalia puncticulata, Site 958, B:6, 10
Globorotalia truncatulinoides, Site 958, B:6, 10

Globorotaloides hexagonus, Site 958, B:7–8
glutinata, *Globigerina*, Site 958, B:7

Helicosphaera sellii, Site 958, B:8, 10
hexagonus, *Globorotaloides*, Site 958, B:7–8
huxleyi, *Emiliana*, Site 958, A:7; B:17

Impagidinium aculeatum, Site 958, B:27
Indigofera, Site 958, B:27
inflata, *Globorotalia*, Site 958, B:6–7, 9
Invertocysta lacrymosa, Site 958, B:27
Invertocysta tabulata, Site 958, B:27

lacrymosa, *Invertocysta*, Site 958, B:27
lacunosa, *Pseudoemiliana*, Site 958, A:7

macintyreii, *Calcidiscus*, Site 958, B:10
menardii, *Globorotalia*, Site 958, B:8–9
menardii/tumida, *Globorotalia*, Site 958, B:7, 9
miocenica, *Globorotalia*, Site 958, B:10

Neogloboquadrina dutertrei, Site 958, B:6–7
Neogloboquadrina pachyderma, Site 958, B:5–7,
 9

obliquiloculata, *Pulleniatina*, Site 958, B:7–9
oceanica, *Gephyrocapsa*, Site 958, B:17–18

pachyderma, *Neogloboquadrina*, Site 958, B:5–7,
 9

Pinus, Site 958, B:26–27
Polysphaeridium zoharyi, Site 958, B:27
Pseudoemiliana lacunosa, Site 958, A:7
Pulleniatina obliquiloculata, Site 958, B:7–9
puncticulata, *Globorotalia*, Site 958, B:6, 10

Reticulofenestra umbilica, Site 958, B:5, 10
ruber, *Globigerinoides*, Site 958, B:4–5, 7–9,
 11–15

sellii, *Helicosphaera*, Site 958, B:8, 10

tabulata, *Invertocysta*, Site 958, B:27
trilobus, *Globigerinoides*, Site 958, B:7, 9
trilobus trilobus, *Globigerinoides*, Site 958, B:8
truncatulinoides, *Globorotalia*, Site 958, B:6, 10

umbilica, *Reticulofenestra*, Site 958, B:5, 10

zoharyi, *Polysphaeridium*, Site 958, B:27
 zones (with letter prefixes)
 NN11b, Site 958, A:7
 NN16a, Site 958, A:7
 NN16b, Site 958, A:7
 NN17, Site 958, A:7
 NN18a, Site 958, A:7
 NN20, Site 958, A:7
 NN21, Site 958, A:7