

INDEX TO VOLUME 161

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 161 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, thin-section descriptions, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 974, for example, is given as “Site 974, A:55–111.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU

VOLUME 161 SUBJECT INDEX

- abrupt contacts
 thickness vs. depth, A:367
 vs. depth, A:366
 absolute age, volcanic glass, B:147–148
 abundance, relative, planktonic foraminifers, B:442–447
 acoustic imagery, downhole measurements, B:323
 actinolite, petrography, B:358
 advection, basement, B:296, 299, 303
 Aeolian Arc
 pyroclastics, B:150, 152
 rare earths, B:367–368
 African Plate
 convergence, B:557
 extensional basins, A:5–11
 age
 argon isotopes, B:300–305
 biostratigraphy, B:472
 calibration fixpoints, B:474
 control points, B:483
 fission tracks, B:299
 insolation cycle, B:160
 Messinian, B:547
 nanofossil datums, B:176
 oxygen isotopes, B:482
 planktonic foraminifers, B:471–476
 sedimentary cover, B:561–562
 volcanic pebbles, B:568–569
 volcanic rocks, B:357–373
 vs. measured mean fission-track length, B:300
 vs. oxygen isotopes, B:475–476, 499
 vs. salinity, B:499
 See also chronostratigraphy; geochronology; isochrons
 age, astronomical, biostratigraphic datums, B:163, 165–166, 169–170
 age vs. depth
 Site 974, A:76; B:151, 162, 212
 Site 975, A:138; B:164, 212
 Site 976, B:34, 167
 Site 977, A:313, 318; B:34, 168
 Site 978, A:375
 Site 979, A:403; B:171
 Sites 975–976, B:514
 Al-Mansour Seamount
 post-rift sediments, A:15, 309
 sediment sources, A:362
 sediments, B:80
 tectonics, A:318; B:95, 347–348, 352, 568–569
 volcanic rocks, B:574
 albite, plagioclase composition, B:269
 Alboran Basin
 biostratigraphy, B:164–169, 185–195, 223–237
 brittle deformation, B:331–344
 extensional basins, A:8–9; B:319–329
 geochronology, B:295–305
 lithofacies, B:21–36
 Messinian basins, B:543–551
 metamorphic-rock correlation, B:307–317
 metamorphism, B:251–261, 263–279, 281–294
 organic matter, B:385, 391–400
 origin and tectonic history, B:555–580
 sand provenance, B:37–56
 sedimentary sequences, B:69–76, 83–97
 See also Eastern Alboran Basin; Southern Alboran Basin; Western Alboran Basin
 Alboran Channel, tectonics, B:352–354
 Alboran Domain
 collisional tectonics, B:310
 orogenic belts, A:7
 sediments, B:70–71
 terrains, B:557–558
 Alboran Island, basalt and andesite, B:574
 Alboran Ridge
 extensional basins, A:8–9
 tectonics, A:399; B:95, 347, 570
 volcanics, A:309
 Alboran Sea
 bacteria, B:433–438
 crustal stretching, B:576
 extensional basins, A:5–11
 gases, A:319
 geochemistry, B:375–379
 Messinian, B:529–541
 Miocene subduction, B:357–373
 paleogeography, B:556–559
 pore water, B:424, 426–431
 Quaternary paleoceanography, B:441–455, 469–479, 505–518
 Quaternary paleoenvironment, B:457–468
 sedimentation, B:46–50
 Alboran Sea NW, lithofacies, B:57–68
 Alboran Trough, extensional basins, A:8–9
 algae
 biogenic components, B:78–80
 Messinian, B:543–546
 photomicrograph, B:54
 algae, coralline, photograph, B:79
 Algerian Current, sea-surface temperature, B:490
 Algerian Margin, brines, A:405
 alkali basalts
 basins, A:11
 lava, B:350
 alkalinity
 diagenesis, A:146, 236
 pore water, A:89, 320–321, 380, 403–405
 redox, A:236, 238
 vs. depth, A:92, 152, 260–261, 332, 387, 412; B:419, 426–427
 alkalis
 granites, A:216
 volcanic glass, B:146
 vs. silica, B:366
 alkanediols
 vs. depth, B:397
 See also n-alkanediols, isomeric
 alkanes. *See* n-alkanes
 alkanols. *See* n-alkanols
 alkenones
 paleotemperature, A:82, 144, 233, 318
 sapropels, B:492–499
 sea-surface temperature, B:489–503
 vs. depth, B:493–498
 See also n-alkenones
 alkenones, long-chain, organic-rich layers, B:395–396
 allochems, lithologic units, A:357
 almandine, garnet composition, B:268, 287
 Almería Basin, Messinian, B:543–551
 Almería channel, sedimentation, B:50
 Almería platform
 sediments, B:80
 tectonics, B:347
 Almería-Cabo de Gata region, sediments, B:80
 Alpujarride Complex
 metamorphic rocks, A:230; B:290–293
 metamorphic-rock correlation, B:307–317
 metamorphism, B:274, 571
 orogenic belts, A:7
 phase equilibria, B:567
 sediments, B:70–71
 terrains, B:557
 Alpujata peridotite massif, lithostratigraphy, B:308–314
 alteration
 basement/sediment contact, A:216
 photograph, A:64, 68
 photomicrograph, A:247
 aluminosilicates, phase equilibria, B:314
 aluminum
 amphibole, B:256
 gneiss, B:283
 aluminum oxide
 granites, A:216
 metamorphic rocks, B:375
 volcanic rocks, B:364–369
 vs. aluminum oxide/silica ratio, B:377
 vs. major oxides, B:377
 See also calcium oxide/aluminum oxide ratio
 aluminum oxide/silica ratio, vs. aluminum oxide, B:377
 ammonium
 organic matter, A:145–146, 236
 pore water, A:83, 320–321, 405
 vs. depth, A:94, 153, 260–261, 333, 387, 412; B:425–427
 amphibole
 aluminum, B:256
 calc-silicate rock, B:254–256
 petrography, B:357–359
 photomicrograph, B:261
 amphibole, calcic, basement/sediment contact, A:215
 amphibolite facies, metamorphic rocks, A:230
 Andalucía-A1 Well, subsidence, B:73
 andalusite
 gneiss, B:264–265, 283–284
 photograph, A:228
 photomicrograph, A:244–246; B:278–279, 285
 pressure-temperature conditions, B:566–567
 schist, B:264–265, 282–283, 312
 andalusite porphyroblasts
 basement/sediment contact, A:215, 220
 textures, A:223–224
 Andarax River
 sedimentation, B:50
 sediments, B:80
 andesite
 magmatism, B:574
 petrography, B:357–359
 thin sections, A:1020, 1023
 volcanic pebbles, B:569
 andesite, basaltic
 petrography, B:357–359
 photomicrograph, B:362
 anhydrite
 flux, A:83, 145
 lithologic units, A:125–126, 128, 131
 photograph, A:146
 anhysteretic magnetic susceptibility
 vs. depth, A:213, 216, B:512
 vs. paleoclimatic curves, B:512
 anhysteretic remanence susceptibility. *See*

- magnetic susceptibility/anhysteretic remanence susceptibility ratio
anisotropy. *See* magnetic susceptibility anisotropy
ankerite
 associated with peaks in magnetic susceptibility, A:309
 basement/sediment contact, A:215
 breccia, A:217
 magnetic susceptibility, A:316
 rock magnetism, cores, A:322
 X-ray fluorescence data, A:237–238
annite
 breccia, A:217
 high-grade schist, A:213, 215
 X-ray fluorescence data, A:237–238
anorthite, plagioclase composition, B:267–268
anoxia
 lithologic units, A:62
 sapropels, A:12
apatite
 basement/sediment contact, A:215
 fission tracks, B:297
 schist, B:265
Aquitanian
 extensional basins, A:9
 sediments, B:71–73
 thermal history, B:296
Arenicolites?
 lithologic units, A:118
 photograph, A:120
arenite. *See* quartz arenite
argillite, petrography, B:39
argon isotopes
 ages, B:300–305
 volcanic glass, B:147–148
 volcanic pebbles, B:574
 volcanic rocks, B:357–373
aridity, Quaternary, B:465–466
asthenosphere, seismicity, B:371
Atlantic Ocean. *See* Modified Atlantic Water
Atlantic Ocean N
 paleoceanography, B:190–193
 See also North Atlantic Oscillation
Atlantic Ocean NE, oxygen isotopes vs. age, A:14
Atlantic-Mediterranean water exchange,
 circulation, A:13
atmospheric circulation, patterns, B:476
augen gneiss
 deformation, A:220
 metamorphic rocks, A:230
 photomicrograph, A:247
Australia, methane, A:233
azimuth, orientation, A:76, 138, 207, 319, 404
backarc basins
 extensional basins, A:5–11
 lithologic units, A:62
bacteria
 carbon, A:145
 sediments, B:433–438
 vs. depth, B:434–435, 437
Balearic Basin
 Messinian, B:529–541
 See also North Balearic front; South Balearic Basin; West Balearic Basin
Balearic Margin. *See* South Balearic Margin
Balearic Rise, Cenozoic paleoceanography,
 B:489–503, 505–518
Balearic Sea, biostratigraphy, B:223–237
banding
 photograph, A:228–229, 240
 textures, A:223–224
barium
 granites, A:216
 sedimentation, B:29
 sediments, B:28, 32–33
 volcanic rocks, B:370
 vs. depth, B:32–34
barnacles, biogenic components, B:78–80
basalt
 ages, B:363
 petrography, B:357–359
 volcanic pebbles, East, B:569
 See also tholeiite
basalt, andesitic, thin sections, A:1020, 1023
basement
 contour map, A:186
 depth contours, B:339
 extensional basins, A:9–10
 geochemistry, B:375–379
 geochronology, B:295–305
 lithologic column, A:224–226
 lithologic units, A:195
 metamorphic rocks, B:565–568
 metamorphism, B:251–261, 263–279,
 281–294, 311, 576–577
 photograph, A:242
 physical properties, A:241
 regional context, A:230
 sedimentary cover, B:562
 Serravallian, B:573
 tectonics, A:209–230; B:319–329, 331–344
 basement/sediment contact, deformation,
 A:210–211
 basement depth, contour map, A:393
basins
 deposition, B:95
 geometry and kinematics, B:576
 Messinian, B:543–551
 origin and tectonic history, B:555–580
 paleobathymetry, B:73–75
 strike-slip faults, B:348–352
 terrains, B:557
 See also depressions; extensional basins
basins, marginal, Messinian evolution, B:547
bathymetry
 extensional basins, A:9
 tectonics, Yusuf Basin, B:351
beach sand
 petrography, B:42–51
 photomicrograph, B:56
bedding
 structure, A:373–374
 See also cross laminations; graded bedding
Benarraba imbrications, structure, B:310
Beni-Busera peridotite, extensional basins,
 A:9–10
Bermeja peridotite massif, lithostratigraphy, B:310
Betic Cordillera
 basement, A:230; B:302
 crustal stretching, B:576
 metamorphic rocks, B:290–291, 307–317
 metamorphism, B:571
 Miocene, A:6–8
 paleogeography, B:556–559
 pollen sources, B:463
 sediments, B:69–76
 See also Western Betic Cordillera
biocalcarene, petrography, B:6, 42
biochronology, planktonic foraminifers,
 B:187–190, 442–447
bioclasts
 composition, B:78–80
 petrography, B:86–87
 photograph, A:364; B:79
 vs. depth, A:399; B:15
bioevents, nannofossil datums, B:176–180,
 224–226
biogenic components
 carbonates, B:78–80
 sedimentation, B:32, 34, 59–67
 vs. depth, A:399
 See also detrital components
bioherms. *See* reefs
bioherms, corals, B:544–546
biohorizons
 paleoceanography, B:193–194
 Pleistocene, B:170, 176–180
biomarkers, paleotemperature, A:82, 144, 233,
 318
biometrics, *Scyphosphaera*, B:239
biomicrite, petrography, B:6, 42
biomicrite, sandy, photomicrograph, B:18
biostratigraphic datums
 astronomical ages, B:163, 165–166, 169–170
 paleoceanography, B:193–194
biostratigraphic events, age, A:76, 138, 207, 319,
 378, 404; B:209, 211, 213
biostratigraphy
 age, B:472
 calcareous nannofossils, B:159–183
 planktonic foraminifers, B:185–195, 469–479
 Quaternary, B:441–455, 505–518
 Site 974, A:64–73
 Site 975, A:132–137
 Site 976, A:197–204
 Site 977, A:309, 311–313
 Site 978, A:362–363, 365–367
 Site 979, A:397–399
 biostratigraphy, high-resolution, foraminifers,
 B:197–221
biotite
 argon-isotope age, B:147–155, 300–305
 gneiss, B:267, 283–284
 high-grade schist, A:213, 215, 220
 isochrons, B:304
 mineral chemistry, B:269–271
 photograph, A:199, 233, 312
 photomicrograph, A:239, 241, 243–246;
 B:276, 278–279, 286–287, 344, 362
 pressure-temperature conditions, B:566–567
 sandstone, B:334–335
 schist, B:264–266, 283, 288
 textures, A:223–224
 thermobarometry, B:288, 290–293
 X-ray diffraction data, A:230
bioturbation
 lithologic units, A:59–64, 118–120, 128, 196,
 304–305, 357–358, 361, 393–394;
 B:85–86
 petrography, B:59
 photograph, A:69, 71, 120–121, 193, 310, 362,
 364–368
biozones, correlation, A:135, 204, 312–313,
 365–366, 398
bivalves
 biogenic components, B:78–80
 photograph, B:79
Blake Event, sediments, B:508
Blanca Group, lithostratigraphy, B:308–314
blebs, sandy, photograph, B:87
borehole deviation, vs. depth, B:322, 325
boreholes, rupture, B:325–326
boudinage, sediments, A:316
boudinage, brittle, photograph, A:146
Bouguer anomalies, extensional basins, A:9
Bouma sequence, petrography, B:59, 62, 64
Braarudosphaera Chalk, paleoecology, A:136
brachiopods, biogenic components, B:78–80
breccia
 basement/sediment contact, A:210–211, 216;
 B:332–335

- clasts, A:235
deposition, B:95–96
photograph, A:68, 236, 241–243; B:341
photomicrograph, B:342–344
thin sections, A:994, 1013, 1015
See also fault breccia
- breccia, cataclastic, brittle deformation, A:222–223
- breccia, cemented
petrography, B:334–335
X-ray fluorescence data, A:237
- breccia, intraclastic
lithologic units, A:304–305, 309, 396
photograph, A:310–311, 401
- breccia, polymictic, deformation, B:332–334
- brecciation
basement/sediment contact, B:335–336
brittle deformation, B:568
photograph, A:374, 381
- brines
evaporites, A:83; B:430–431
incursion, B:436
Messinian, A:235–236
pore water, A:321, 405
redox, A:236, 238
- brines, saline, origin, B:427–429
- bromine
pore water, A:235
vs. chloride, B:427–429
vs. depth, A:260
- Brunhes Chron, sediments, B:508
- Brunhes/Matuyama boundary,
magnetostratigraphy, A:77, 140; B:162
- bryozoans, biogenic components, B:78–80
- Burdigalian
extensional basins, A:9
sediments, B:70–73
- burrow fills
lithologic units, A:188–189
photograph, A:368
- burrows
lithologic units, A:118–120, 128, 188–189,
191–193, 304–305, 357–358, 361,
393–394
photograph, A:39, 120, 191–192, 197–198,
360–361, 364–367, 372, 374; B:86
- Cabo de Gata
tectonics, B:568–569
volcanics, A:309, 362
- calc-silicate rock
basement/sediment contact, A:211, 215
fission tracks, B:295–300
metamorphism, B:251–261
mineral composition, A:226
photograph, A:231–232
structure, B:310
thin sections, A:995–997, 1008, 1010–1014,
1016
- calcarenite
Messinian, B:543–546
photomicrograph, B:18
See also biocalcarenite
- calcite
backscattered electronic images, B:104–105,
107–108
breccia, A:217
hemipelagite, B:101–104
lithologic units, A:130–131
metamorphism, B:258
petrography, B:59–65, 86–87, 357–359
photograph, A:241
photomicrograph, B:260–261
sand, B:105
- schist interlayers, B:264–265
vs. age, B:102–103
vs. carbonate content, B:63, 65, 88
vs. clay, B:32, 34
vs. depth, B:14, 22–24
X-ray fluorescence data, A:237
See also carbonate content; clay/calcite ratio;
quartz/calcite ratio
- calcite flux
hemipelagite, B:102–104
vs. age, B:106
See also mass accumulation rates
- calcite marble, basement/sediment contact, A:215
- calcium
diagenesis, A:236, 319
evaporites, A:83
garnet, B:267
gypsum, A:145
pore water, A:235, 321, 381, 403, 405
vs. depth, A:92, 152, 260–261, 332, 387, 412;
B:425–427
See also magnesium/calcium ratio;
strontium/calcium ratio
- calcium/chloride ratio, vs. depth, B:430–431
- calcium carbonate, sediments, A:230, 232
- calcium oxide
granites, A:216
volcanic rocks, B:364–369
- calcium oxide/aluminum oxide ratio, volcanic
rocks, B:364–369
- calibration, sapropels, B:172–173, 175
- caliper logs
gouge, B:334
vs. depth, A:101–104, 107–108, 162–165,
170–173, 267–270, 273–275, 335–341,
344, 348–350, 415–418, 421–423;
B:322, 328
- capillary pressure, compressibility, B:125–127
- carbon, sediments, A:81, 87–89, 142–143,
147–149, 232, 252–255, 318, 324–327,
374, 382–384, 403, 406–407
- carbon, carbonate, Quaternary, B:464
- carbon, organic
frequency distribution, A:196
frequency plot, A:308
Quaternary, B:464, 513
sapropels, B:402–408, 492
sediments, B:384–385
vs. carbon/nitrogen ratio, B:386
vs. depth, A:90, 150, 256, 328, 384, 408;
B:393–394, 406–408, 459–460, 463,
493–498, 506, 507, 510
vs. hydrogen index, A:90, 150, 256; B:387
- carbon, total organic
basin geographic variability, B:523–525
maximum content, B:525
sapropels, B:521–524
sediments, B:522
vs. depth, B:435–436, 515
vs. sulfur, B:514
weight distribution, B:521
- carbon/nitrogen ratio
organic matter, A:81–82, 143–144, 233, 318,
374–375, 403; B:384–386, 389, 506,
507, 510
vs. organic carbon, B:386
- carbon isotopes
organic matter, B:408
paleoceanography, B:481–488
pore water, B:413–421
sapropels, B:401–411
vs. depth, B:406–408, 419
- carbon number, sterols, B:400
- carbonate compensation depth, lithologic units,
A:61–62, 362
- carbonate content
lithologic units, A:304
petrography, B:59, 62
Quaternary, B:464
sapropels, B:492
sediments, A:401
vs. age, B:93–94
vs. calcite + dolomite, B:88
vs. calcite, B:63, 65
vs. depth, A:90, 150, 256, 306, 328, 363, 384,
408; B:89, 90–92, 101, 200, 206,
393–394, 459–460, 463, 493–498
vs. grain size, B:63, 65
See also calcite; calcium carbonate
- carbonate domes, basin margins, B:548–549
- carbonate minerals, associated with peaks in
magnetic susceptibility, A:309
- carbonates
debris flows, B:77–81
deposition, B:96
diagenesis, A:89, 146, 236, 319, 380–381,
403–404
photograph, A:243
provenance, B:94–95
schist/gneiss contact, B:283
structure, B:310
Tortonian/Messinian, B:546–548
See also dolomitic sparite; packstone
- carbonates, post-evaporite, sedimentation, B:16
- cataclasis, brittle deformation, B:568
- cataclastic
breccia, B:334–336, 340
photograph, B:341
photomicrograph, B:342–344
- Celebes Sea, gases, A:319
- celestite
lithologic units, A:131
sediments, B:11
- cells, dividing and divided, sediments, B:434–436
- cementation
breccia, B:334–335
volcanic pebbles, B:568
- Cenozoic, sea-surface temperature, B:489–503
- cerium, vs. lanthanum, B:366
- chalk, petrography, B:5–7
- chalk, foraminifer-nannofossil, photomicrograph,
B:18
- chalk, gypsiferous
lithologic units, A:125–126, 128, 131
petrography, B:5
photograph, A:132
photomicrograph, B:19
- chalk, nannofossil
lithologic units, A:358–359, 362
photograph, A:367
- chemical weathering, sedimentation, B:32, 34
- chert
petrography, B:47
volcanic pebbles, B:568
- chert, argillaceous, photomicrograph, B:55
- chloride
gouge, B:333
pore water, A:235, 378, 405
vs. bromine, B:427–429
vs. depth, A:92, 152, 260, 332, 387, 412;
B:425–427
vs. iodide, B:428–429
vs. sodium, A:387; B:427–429
See also calcium/chloride ratio;
magnesium/chloride ratio;
sodium/chloride ratio;
strontium/chloride ratio
- chlorite

- high-grade schist, A:215
 petrography, B:357–359
 photomicrograph, A:247; B:277
 schist, B:265
 sedimentation, B:30
 sediments, B:24
 vs. depth, B:29
 X-ray fluorescence data, A:238
- chlorophyll
 circulation, A:12–13
See also Deep Chlorophyll Maximum
 cholestan, organic-rich layers, B:396–397
 cholesterol, organic-rich layers, B:396–397
Chondrites
 lithologic units, A:118, 304–305, 357–358, 361, 394, 396
 photograph, A:120, 197, 361, 364–366
 chromium, volcanic rocks, B:364–369
 Chron 3n, magnetostratigraphy, A:372–373
 Chron C1n/C1r.1r boundary, magnetostratigraphy, B:162
 Chron C1r.2r, magnetostratigraphy, A:77
 Chron C1r.2r–2n/C2n boundary, magnetostratigraphy, B:161
 Chron C2n, magnetostratigraphy, A:77
 chronostratigraphy
 nannofossils, B:226
 Quaternary, B:507–508
See also age; geochronology
 chrons, vs. depth, A:379
 clastic dikes, photograph, A:375
 clasts
 basement/sediment contact, A:216
 breccia, A:235
 carbonates, B:78
 foraminifers, B:207
 lithologic units, A:195, 306
 petrography, B:42
 photograph, A:68, 236, 310; B:341, 533
 photomicrograph, B:362
 volcanic pebbles, B:568
See also intraclasts; limestone clasts; quartzite clasts; rip-up clasts; volcanic clasts
- clay
 breccia, B:335
 lithofacies, B:59, 62–64
 lithologic units, A:59–64, 125–126, 128, 131, 304–305
 lithostratigraphy, B:84–86
 petrography, B:86–87
 photograph, A:401
 textures, B:89–90
 vs. calcite, B:32, 34
 vs. depth, B:14, 22–24, 90–92
 vs. phyllosilicates, B:63, 65
See also quartz/clay ratio
- clay, calcareous
 lithologic units, A:118–120, 128, 393–397
 lithostratigraphy, B:85–86
 photograph, A:311
- clay, micritic, lithologic units, A:120–121, 125, 130–131
- clay, nannofossil
 lithologic units, A:59–64, 118–120, 128, 189–193, 304–305, 357–358, 361, 393–397
 photograph, A:68, 121–122, 126, 191–192, 311, 362, 364; B:86–87
- clay, silty
 lithofacies, B:63
 lithologic units, A:59–64, 125–126, 128, 131, 188–189, 304–305, 357–358, 361, 393–397
 lithostratigraphy, B:84–86
- photograph, A:70–71, 121–122, 126–127, 198, 200, 368
 textures, B:89–90
- clay/calcite ratio
 sediments, B:11
 vs. depth, B:14
- clay mineralogy
 backscattered electronic images, B:104
 basement/sediment contact, A:216–217
 sediments, B:24, 27–31
 vs. age, B:102–103
 vs. depth, B:90–92
See also illite; illite/smectite ratio; kaolinite; mixed-layer clays; montmorillonite; palygorskite; sepiolite; smectite
- claystone
 lithologic units, A:359–360, 362
 photograph, A:374
- claystone, calcareous, lithologic units, A:191–193, 358–359, 362; B:86
- claystone, nannofossil
 lithologic units, A:191–193, 358–359, 362
 photograph, A:197
- claystone, nannofossil-foraminifer, lithologic units, A:191–193
- claystone, sandy, lithologic units, A:191–193
- claystone, silty
 lithologic units, A:358–360, 362
 photograph, A:372–375
- cleavage. *See* crenulation cleavage
 cleavage, disjunctive, photograph, A:227
 clinohlore, high-grade schist, A:215
 clinohumite, marbles, B:313–314
 clinopyroxene
 basement/sediment contact, A:215
 calc-silicate rock, B:254–255
 petrography, B:357–359
 photomicrograph, B:260–261, 362
- clinozoisite
 basement/sediment contact, A:215; B:256
 metamorphism, B:258
- cobalt, volcanic rocks, B:364–369
- coccolithophores, organic-rich layers, B:395–396
Coccolithus pelagicus
 abundance, B:236–237
See also *Discoaster brouweri/Coccolithus pelagicus* ratio
- collisional tectonics, extensional basins, A:5–11; B:310
- color banding
 lithologic units, A:59–64, 118–121, 125, 128, 188–189; B:85–86
 photograph, A:66, 122–123, 308
- color index
 lithologic units, A:393
 lithology, A:61, 119
 vs. depth, A:360, 396
See also Munsell index
- color reflectance, vs. depth, A:82, 144, 219
- Colorado, rock magnetism, A:322
- compaction, overpressure, B:118–127
- composite depths
 correlation, A:209
 Site 974, A:78–81
 Site 975, A:141–142
 Site 976, A:209, 217
- compressibility, sediments, B:121–127
- compression
 rupture, B:325–326
 Tortonian/Messinian boundary, B:75
- compressional faults, structure, B:348, 352
- compressional wave velocity
 cores, A:240–241
 sediments, A:90, 150–151, 323, 408
- vs. depth, A:266, 271–272
- conglomerate
 Messinian, B:545
See also microconglomerate
- conjugate fractures, sediments, A:141
- continental environment
 Cenozoic, B:539
 pollen, B:462–464
 Quaternary, B:457–468
See also paleoenvironment; terrigenous environment
- contourite facies
 lithofacies, B:28
 Pliocene–Pleistocene, B:64–65
- contours. *See* depth contours
- contractive structures
 evolution, B:573, 577
 post-Miocene, B:569–570
- convergent plate boundaries, extensional tectonics, B:574–576
- cooling, metamorphic rocks, B:296, 303
- copper
 sediments, B:28, 32–33
 vs. depth, B:32–34
- corals, bioherms, B:544–546
- cordierite
 gneiss, B:264–265, 267, 283–284
 leucosomes, B:288
 mineral chemistry, B:271
 photomicrograph, A:247; B:278–279
 pressure-temperature conditions, B:566–567
 schist, B:313–314
 textures, A:224
- cordierite porphyroblasts, basement/sediment contact, A:215
- cores, splitting, B:135
- coring, disturbance of physical properties, A:152–153
- correlation
 between holes, B:90–94
 biozones, A:135, 204, 312–313, 365–366, 398
 composite depths, A:79–80, 140, 209
 core-to-core, A:84
 metamorphic rocks, B:307–317
 organic matter, B:410
 organic-rich layers, A:65
 sapropels, B:161–170, 491–492, 524–526
 sedimentary sequences, B:69–76, 560
 seismic profiles, B:560
 well-logs, A:166
- corundum
 gneiss, B:284
 photomicrograph, A:245
 pressure-temperature conditions, B:566–567
 schist, B:266, 283
 textures, A:223
- crabs, biogenic components, B:78–80
- crenulation cleavage
 basement/sediment contact, A:218–219
 photomicrograph, A:241, 244–246
- crenulation folds, photomicrograph, B:313
- cross laminations
 lithologic units, A:59–64, 360
 photograph, A:372–373
See also ripple-cross laminations
- crust
 evolution, B:570–577
 extensional basins, A:9–10
 friction, B:325
 structure, B:572
 thinning, A:10–11
See also lithosphere
- crustal stretching
 basins, B:576

- rifting, B:573
See also lithospheric stretching
 crustal thickening, collisional tectonics, B:310
 crystal age, apatite, B:298
 crystal growth, backscattered electron images, B:109
 crystallization
 gneiss, B:272, 284
 schist, B:283–284, 287–288
 cyclic sedimentation
 deposition, B:14–16, 95–96
 lithologic units, A:196, 361–362
 pre-evaporites, B:546–547
 Quaternary, B:515–517
 cyclicity, foraminifers, B:202
- D1 Assemblage, high-grade schist, A:228
 D2 Assemblage, high-grade schist, A:228
 D3 Assemblage, melting, A:228, 230
 dacite
 ages, B:362–364
 petrography, B:357–359
 volcanic pebbles, B:568
 dark beds, vs. depth, A:366–367
 De Marchi Seamount, sedimentation rates, B:509
 debris flows
 lithofacies, B:28
 uppermost Pliocene, B:77–81
 See also gravity-flow facies
 decompression
 mineral assemblages, B:314
 pressure-temperature conditions, B:273–274
 Deep Chlorophyll Maximum, circulation, A:12
 deep water, circulation, A:13
 deformation
 basins, B:561
 drilling, B:134–135, 326–327
 photomicrograph, A:246
 pressure-temperature conditions, A:250; B:282–288, 290–293, 315
 See also microstructure
 deformation, brittle
 basement/sediment contact, B:331–344
 faulting, B:568
 quartz veins, A:221–223
 deformation, ductile, basement/sediment contact, A:217
 deglaciation, Quaternary, B:464–466
 degradation, organic matter, A:83, 85, 89, 145–146, 236, 320–321, 404–405; B:420
 dehydration, metamorphic rocks, B:290
 delamination
 extensional tectonics, A:6; B:574–576
 See also mantle
 demagnetization, sediments, A:73–77, 206, 367, 369, 372, 399
 demagnetization, alternating-field, sediments, A:79–80, 140, 210–211, 405
 demagnetization, thermal, sediments, A:215
 density, vs. depth, A:94–98, 100–103, 154, 156–163, 262–265, 267–268, 333, 388, 413
 density, bulk, vs. depth, A:100, 161, 265, 334, 388, 414
 density, grain, vs. depth, A:100, 161, 265, 334, 388, 414
 density, GRAPE, vs. depth, A:220, 223
 density correction logs, vs. depth, A:101–102, 162–163, 267–268, 273, 275, 335–337, 340, 415–416
 density logs
 vs. depth, A:101–102, 162–163, 267–268, 273, 275, 335–337, 340, 342–344, 415–416
- See also* gamma ray–density–porosity logs
 depocenters
 deposition, B:95, 352–354
 post-Miocene, B:569–570
 sedimentary cover, B:562–565
 deposition
 environment, B:14–16
 Pliocene–Pleistocene, B:57–68
 See also paleoenvironment; sedimentation
 depressions
 post-Miocene, B:569–570
 See also basins
 depth contours, basement, B:339
 dessication
 Messinian, A:14
 salt, B:547
 detachment faults
 lithosphere, B:371
 terrains, B:557
 detrital components
 deposition, B:95–96
 lithologic units, A:308–309
 sedimentation, B:31–32, 34, 46, 59–67
 vs. depth, A:200, 306, 360, 399
 See also biogenic components; epiclastic components
 dewatering veinlets, photograph, A:68, 368
 diachronism, nannofossil datums, B:178
 diagenesis
 carbonates, A:89, 146, 236, 319, 380–381, 403–404; B:13–14
 dolomite, B:425
 evaporites, B:430–431
 lithologic units, A:131
 magnetic susceptibility, A:140
 organic matter, B:410, 513
 sulfates, B:417
 diapirism, sedimentary cover, B:563
 diatexite, photomicrograph, B:313
 diatom content, vs. depth, A:399
 diffusion, brines, B:427–429
 dikes
 basement/sediment contact, A:215
 See also granite dikes
 dikes, neptunian, breccia, B:335
 dinocysts
 marine environment, B:459–462
 vs. depth, B:460, 462
 See also palynomorphs
 dinoflagellates
 organic-rich layers, B:394–395
 Quaternary, B:457–468
 See also palynomorphs
 dinosterol, organic-rich layers, B:397
 diols, organic-rich layers, B:395–396
 diopside
 basement/sediment contact, A:215
 marbles, B:313–314
 dip
 foliation, A:227–228; B:325
 soft sediments, A:80–81
 vs. depth, B:320
 See also foliation dip
Discoaster brouweri, abundance, B:236–237
Discoaster brouweri/Coccolithus pelagicus ratio, Pliocene paleoclimatology, B:233–234
 dissolution
 diagenesis, A:146
 evaporites, B:414–418, 420, 430–431
 gypsum, A:145, 405
 halite, A:235
 hemipelagite, B:103
 petrography, B:41
 pore water, A:321–322
- docosan. *See* *n*-docosan
 dolomicrosparite, thin sections, A:1023
 dolomite
 associated with peaks in magnetic susceptibility, A:309
 breccia, A:217; B:335
 diagenesis, A:146, 319; B:425
 hemipelagite, B:104
 petrography, B:86–87
 photograph, B:341
 photomicrograph, B:36, 342–344
 pore water, A:404
 sand, B:105
 schist interlayers, B:264–265
 sedimentation, B:29
 sediments, B:11
 volcanic pebbles, B:568
 vs. carbonate content, B:88
 vs. depth, B:14, 22–24
 X-ray fluorescence data, A:237
 dolomite marble, basement/sediment contact, A:215
 dolomitization
 breccia, B:335–336
 brittle deformation, B:568
 downhole measurements
 Site 974, A:91–93
 Site 975, A:153
 Site 976, A:242–244
 Site 977, A:323–328
 Site 979, A:409
 drilling, deformation, B:134–135
 Dryas. *See* Oldest Dryas; Younger Dryas
- Eagle Mine, rock magnetism, A:322
 Eastern Alboran Basin
 biostratigraphy, B:166–168
 debris flows, B:77–81
 marine sediments, B:85–86
 post-rift sediments, A:15
 sedimentation, B:50
 tectonics, A:303; B:345–355, 568
 eastonite, biotite composition, B:269–271
 eccentricity. *See* orbital eccentricity
 echinoids, biogenic components, B:78–80
 eclogite facies
 metamorphic rocks, A:230
 metamorphism, B:312–314
 Eemian interglacial, sediments, B:508
 electrical conductivity, vs. depth, B:328
 elongate crystals
 photomicrograph, A:244
 textures, A:223–225
 Eolian Arc. *See* Aeolian Arc
 epiclastic components, geochronology, B:148
 epidote
 calc-silicate rock, B:254, 256
 petrography, B:357–359
 equatorial fauna, planktonic foraminifers, B:449, 451–452, 454
 erosion
 lithologic units, A:196
 pre-evaporites, B:547
 Escalate Group, lithostratigraphy, B:308
 ethane, sediments, A:378, 403
 ethylcholest, organic-rich layers, B:396–397
 Eurasian Plate, extensional basins, A:5–11
 European Plate, convergence, B:557
 evaporites
 diagenesis, B:430–431
 flux, A:83, 145, 321, 378–380, 405
 lithologic units, A:125–126, 128, 131; B:12–14
 Messinian, B:543–551, 547–548

- sedimentation, B:14–16
sulfur isotopes, B:414–416
See also celestite; gypsum; halite; salt
- exhumation
basement, B:296, 303, 339
extensional tectonics, B:571
Exmouth Plateau, methane, A:233
extensional basins, geology, A:5–11; B:557–559
extensional faults, structure, B:348–350
extensional tectonics
age, B:577
breccia, B:335–340
evolution, B:571–577
geochronology, B:304
metamorphism, B:310, 312
middle Miocene, B:331–344
models and causes, B:574–576
thermal history, B:561
- fabric
basement/sediment contact, A:217–221; B:340
breccia, B:334–335
deformation, B:332–334
gneiss, B:266–267
photomicrograph, A:239, 241, 243–244, 246
See also magnetic fabric; microfabric
- fabric, ductile
basement, B:565–568
schist, B:265
- fabric, mylonitic, photomicrograph, A:246
Facies Class E, lithologic units, A:196
fan deltas, basin margins, B:548–549
fatty acids
organic-rich layers, B:394–395
See also n-fatty acids
- fault breccia, schist/gneiss contact, B:283
fault gouge
basement/sediment contact, A:211, 216
photograph, A:241
X-ray fluorescence data, A:238
fault planes
brittle deformation, A:222–223
photograph, A:241
faulting
basement/sediment contact, B:335–336
brittle deformation, B:568
stress fields, B:323, 325
faults
collisional tectonics, B:310
displacements, B:329
Pliocene–Pleistocene succession, A:399
sedimentary cover, B:562–565
seismic unit V, A:248, 250
well-logging, B:328–329
See also compressional faults; detachment faults; extensional faults; grabens; microfaults; normal faults; oblique-slip faults; reverse faults; shear zones; strike-slip faults; thrust belts; thrust faults
- fecal pellets, photograph, A:362
feldspar
basement/sediment contact, A:215
hemipelagite, B:104
petrography, B:39–46
photomicrograph, A:246
scanning electron microscopy, B:95
sedimentation, B:29
vs. age, B:102–103
vs. depth, A:200, 306, 360, 399; B:90–92
See also orthoclase; plagioclase; potassium feldspar
- ferrimagnetic minerals, sources, B:513
ferrimagnetic susceptibility, vs. depth, A:213
- ferromagnetic grains
anisotropy, B:132
low-temperature magnetic susceptibility curves, B:114
ferromagnetism, hemipelagite, B:111–116
fibers, photograph, A:241
fibrolite
gneiss, B:266–267, 272, 283–284
photomicrograph, A:246–247; B:276, 278–279
pressure-temperature conditions, B:566–567
schist, B:265, 282–283
textures, A:223
See also sillimanite
- fissility, Pliocene–Pleistocene succession, A:399, 401
fission tracks, basement, B:295–300
fissures, photograph, A:242–243
fluid circulation, breccia, B:335–336
fluid flux, volcanic rocks, B:370
fluid mixing, brines, B:427–429
fluids, overpressure, B:117–128
Flysch Complex, orogenic belts, A:7
Flysch Trough Units, terrains, B:557
folds
metamorphism, B:310
photograph, A:240
photomicrograph, A:243; B:276, 313
schist, B:283
See also crenulation folds; microfolds; slump folds
- folds, disharmonic, sediments, A:316
folds, isoclinal
photograph, A:322
photomicrograph, B:285
foliation
basement/sediment contact, A:215, 217–221
dip, A:227–228
gneiss, B:266–267, 283–284
magnetic fabric, A:77–78
metamorphism, B:312–314
microstructure, B:284, 287–288
photograph, A:228–229, 231, 238–241
photomicrograph, A:239, 241, 243–246; B:276–278, 285, 313, 343
schist, B:282–283
structure, B:310
vs. depth, A:216
See also magnetic foliation
- foliation dip, vs. depth, B:320
foraminifer datums, occurrence, B:190
foraminifer ghosts, photomicrograph, B:342
foraminiferal zones
Site 974, A:74–76
Site 975, A:136–138
Site 976, A:203–205
Site 977, A:316–317
Site 978, A:376–377
Site 979, A:401–402
foraminifers
backscattered electronic images, B:104, 107–108
biogenic components, B:78–80
Messinian, B:529–541
paleoecology, A:313, 366–367, 399
photograph, A:365; B:207
photomicrograph, B:19
scanning electron microscopy, B:95
vs. depth, B:15, 509, 399, 515
foraminifers, benthic
biostratigraphy, A:72, 134–135, 204, 312, 363, 365, 398; B:202–204
distribution curves vs. cycles, B:211
frequency curves, B:211
- Messinian, B:537
foraminifers, planktonic
abundance and preservation, A:69, 133, 200, 202, 311, 363, 397; B:209
basin margins, B:549
biostratigraphy, A:69–72, 133, 202–204, 311–312, 363, 397–398; B:185–195, 201, 206
Messinian, B:544–545
modern analogs, B:190–193
morphotype and species abundances, B:186–189
oxygen isotopes, B:500–501
photograph, B:533–536
Pleistocene, B:469–479
Quaternary, B:441–455
sapropels, B:516
species diversity, B:200, 206
statistical analysis, B:190–194
vs. magnetic susceptibility, B:509
See also equatorial fauna; intermediate fauna; modern analogs; polar fauna; subpolar fauna; subtropical-tropical fauna
- forests, Quaternary, B:465
Formation MicroScanner imagery, basement, B:320–324
Formation MicroScanner logs, vs. depth, A:103–104, 107–108, 164–165, 269–270, 281–285
forsterite, marbles, B:313–314
fractionation
isotopes, B:414–420
volcanic pebbles, B:569
fractures
basement/sediment contact, A:217
lithostratigraphy, B:347
photograph, B:341
See also conjugate fractures, microfractures
fractures, dilational, photograph, A:380–381
fractures, stylolitic, photograph, A:146
fracturing
basement/sediment contact, B:335–336
brittle deformation, B:568
See also hydraulic fracturing
frequency domain analysis, planktonic foraminifers, B:472–475
frequency spectra, planktonic isotope records, B:474
friction
crust, B:325
vs. stress, B:329
friedelan-3-one, organic-rich layers, B:396
fucosterol, organic-rich layers, B:397
Fuengirola Canyon, sedimentation, B:65–66
- gamma ray–density–porosity logs
Site 974, A:109
Site 975, A:172–173
Site 976, A:286–290, 297
Site 977, A:351–353
gamma ray–porosity logs, A:424–426
gamma ray–resistivity–sonic logs
Site 974, A:107–108
Site 975, A:170–171
Site 976, A:281–285, 296
Site 977, A:348–350
Site 979, A:421–423
gamma rays
matrix magnetic susceptibility, B:114
vs. depth, A:99, 101–104, 156–160, 221, 223, 262–270, 273–275, 333, 388, 413; B:112, 322, 328
gamma-ray logs
gouge, B:334

- Site 974, A:110
 Site 975, A:174–175
 Site 976, A:291–292
 vs. depth, A:101–104, 107–110, 267–270, 273–275, 340–344, 415–416, 421–426
- garnet**
 basement/sediment contact, A:215
 calc-silicate rock, B:254–255
 composition, B:256
 gneiss, B:267
 mineral chemistry, B:267–269
 photomicrograph, A:239, 244; B:260, 277–278, 285–287, 313
 porphyroblasts, B:254
 pressure-temperature conditions, B:566–567
 schist, B:264–266, 282–283, 312
 textures, A:223, 225; B:284, 287–288
 thermobarometry, B:288, 290–293
See also grossular; pyrope; spessartine
- garnet, idiomorphic, photomicrograph, A:244**
- gas saturation, porosity, B:125–127**
- gases, headspace**
 methanogenesis, A:144
 sediments, A:82, 233, 258, 318–319, 331, 375, 377–378, 386, 403, 410
- gases, vacutainer, sediments, A:259**
- gastropods, biogenic components, B:78–80**
- geobarometry**
 gneiss, B:274
 metamorphic rocks, B:288, 290–293
 schist, B:273–274
- geochemical indicator ratios, geochemical logs, A:271**
- geochemical logs**
 Site 974, A:111
 Site 975, A:176–177
 Site 976, A:293–294
 vs. depth, A:101–104, 109–110, 162–166, 271
- geochemistry**
 basement, B:375–379
 extensional tectonics, B:575
 lithofacies, B:21–36
 pore water, B:413–421, 423–432
 volcanic pebbles, B:568–569
 volcanic rocks, B:357–373
- geochemistry, inorganic**
 Site 974, A:82–83, 85, 87–89
 Site 975, A:144–146, 149–150
 Site 976, A:233–238
 Site 977, A:319–323
 Site 978, A:378–381
 Site 979, A:403–408
- geochemistry, organic**
 Site 974, A:81–82; B:401–411
 Site 975, A:142–144
 Site 976, A:230, 232–233
 Site 977, A:318–319; B:391–400
 Site 978, A:374–375, 377–378
 Site 979, A:401, 403
- geochronology**
 basement, B:295–300
 volcanoclastics, B:137–156
See also age; chronostratigraphy; isochrons
- geology, Alboran Sea, A:5–19**
- geothermometry**
 gneiss, B:274
 metamorphic rocks, B:288, 290–293, 296, 299
 schist, B:273–274
- Gibraltar Arc, extensional basins, A:6–8**
- Gibraltar Strait, paleogeography, B:556–559**
- glacial/interglacial cycles**
 oxygen isotopes, B:473, 475–477, 485–487
 Quaternary, B:465
 sapropels, B:409–410
- glaciation**
 circulation, A:13
 global cycles, A:14–15
 marine environment, B:460
 Quaternary, B:464–466
See also Last Glacial Maximum
- glauconite**
 lithologic units, A:193–194
 petrography, B:41
 photomicrograph, B:342
 sandstone, B:334–335
 vs. depth, A:399
- Globigerina bulloides*, oxygen-isotope profile, B:471–473**
- Globigerinoides* spp., vs. depth, B:200, 206**
- gneiss**
 basement, B:565–568
 basement/sediment contact, A:215
 gouge, B:333
 mineral composition, A:226
 photomicrograph, A:241
 photomicrograph, A:246–247; B:278–279, 286
 pressure-temperature conditions, B:566–567
 rock magnetism, A:207–209
 sandstone, B:334–335
 structure, B:310
 thin sections, A:1004–1009
 X-ray fluorescence data, A:234
- gneiss, garnet, mineral assemblages, B:313–314**
- gneiss, high-grade, structure, B:283–284**
- gneiss, migmatitic**
 basement/sediment contact, A:215
 melting, A:228, 230
 mineral composition, A:226
 photograph, A:231
 photomicrograph, A:247
 structure, B:283–284
 textures, B:266–267
- gneiss, pelitic**
 composition, B:264–265
 fission tracks, B:295–300
 textures, B:266–267
- gouge**
 fluids, B:568
See also fault gouge
- gouge, clay-rich**
 basement/sediment contact, B:332–335
 photograph, B:341
- grabens**
 faults, B:349
 sedimentary cover, B:563
 seismic profiles, B:338–339
- gradational contacts**
 thickness vs. depth, A:367
 vs. depth, A:366
- graded bedding, deposition, B:95–96**
- grain size**
 gypsum, A:131
 lithofacies, B:62
 petrography, B:87
 vs. carbonate content, B:63, 65
- Granada-D1 Well, subsidence, B:73, 563**
- granite**
 basement/sediment contact, A:215
 bulk chemistry, A:215–216
 metamorphism, B:310
 mineral composition, A:227
 photomicrograph, B:313
 thin sections, A:1001, 1006, 1008
 X-ray fluorescence data, A:234
- granite dikes, basement/sediment contact, A:215**
- granitic rocks, classification, A:235**
- granulite facies, metamorphic rocks, A:230**
- graphite**
 photomicrograph, A:239, 241, 245; B:276–277, 285
 schist, B:265, 283
- grasses, Quaternary, B:465**
- gravel**
 lithologic units, A:305–307
 Messinian, B:568
- gravel, carbonate, photograph, B:79**
- gravel, extraformational, lithologic units, A:193–194**
- gravity currents, deposition, B:95–96**
- gravity-flow facies**
 lithofacies, B:28
 Pliocene–Pleistocene, B:63
 sedimentary cover, B:562
See also debris flows
- grossular, garnet composition, B:267–268, 287**
- Group G2, lithologic units, A:196**
- Guadaiza Unit, lithostratigraphy, B:308–314**
- gypsum**
 correlation, B:560
 dissolution, B:414–416
 flux, A:83, 145
 lithologic units, A:125–126, 128, 131
 Messinian, B:425–426, 544–548
 petrography, B:5–7
 photograph, A:129–132; B:9–11
 photomicrograph, A:131
 pore water, A:322–323, 381, 405
See also selenite
- gypsum, crenulated, photograph, B:11**
- gypsum, detrital, photomicrograph, B:20**
- gypsum, laminated**
 petrography, B:5–7
 photograph, A:129–130; B:10
- gypsum, lenticular, photomicrograph, B:19**
- gypsum, nodular, photograph, A:129–130**
- gypsum, pinch-and-swell**
 petrography, B:7
 photograph, B:13
 photomicrograph, B:20
- gypsum crystals, photomicrograph, B:19**
- gypsum cycle, lithofacies, A:133; B:12–14, 16–17**
- gyres, circulation, A:13–14**
- Habibas Escarpment, brines, A:405**
- halite**
 dissolution, A:235
 fluxes, A:83, 145
 pore water, A:378, 405
See also evaporites; salt
- heat flow**
 contours, A:346, 419
 extensional basins, A:10
 Site 976, A:277
- hematite**
 petrography, B:357–359
 schist, B:265
- hemipelagic facies**
 lithologic units, A:304–305, 307–309, 393–397
 Pliocene–Pleistocene, B:58–59
- hemipelagic sedimentation, lithologic units, A:62**
- hemipelagite**
 backscattered electronic images, B:104–105
 lithofacies, B:28
 magnetic susceptibility, B:111–116
 mineralogy, B:101–104
 photomicrograph, B:36
 sedimentary cover, B:562
See also marl
- heptatriaconta-8(E), 15(E), 22(E)-triene, organic-rich layers, B:395–396**

- heptatriaconta-15(E), 22(E)-diene, organic-rich layers, B:395–396
- hercynite
photomicrograph, B:285
schist, B:266, 283
textures, A:223
- Holocene
planktonic foraminifers, B:447
See also interval I; Pleistocene–Holocene succession; Pliocene–Holocene succession
- holotypes, image analysis, B:239–247
- Huang-Meinschein diagram, sterol carbon number, B:400
- hydraulic fracturing, photograph, A:374
- hydrogen index
organic matter, A:233, 318, 403
Quaternary, B:464
vs. organic carbon, A:256; B:387
vs. oxygen index, A:90, 150, 256, 329, 385, 409; B:387
vs. temperature, B:389
- hydrogen index, Rock-Eval, vs. organic carbon, A:90, 150
- hydrography
circulation, A:12–13
oxygen isotopes, B:500–501
- hydrothermal alteration, breccia, B:335–336
- hydroxydotriacontan-15-one, organic-rich layers, B:395–396
- hydroxytriacontan-15-one, organic-rich layers, B:395–396
- hysteresis
matrix magnetic susceptibility, B:112–113
parameter ratios, B:115
- Iberia
methane, A:233
See also South Iberian paleomargin; Spain
- Iberian Abyssal Plain, gases, A:319
- ichnofacies, lithologic units, A:396
- illite
breccia, A:217
sediments, B:24
vs. depth, B:29
X-ray fluorescence data, A:237
- illite/smectite ratio, normalized formula, B:31
- ilmeneite
garnet, B:312
gneiss, B:266–267
marbles, B:313–314
photomicrograph, B:277
pressure-temperature conditions, B:566–567
schist, B:266, 283
- image analysis
basement, B:320–323, 326
calcareous nannofossil holotypes, B:239–247
- inclusions
basement/sediment contact, A:215
gneiss, B:266–267
metamorphic rocks, B:284, 287–288
photomicrograph, A:131, 241, 244–247; B:276–277, 285–287, 313
schist, B:282–283
- index properties
cores, A:240–241
sediments, A:90–91, 151–152, 323, 408
- insolation cycle
ages, B:160
atmospheric circulation, B:476
calibration, B:172–173
oxygen isotopes, B:472
sapropels, A:11–12; B:161–175
- intermediate fauna, planktonic foraminifers, B:449, 451–452, 454
- intertidal environment, lithologic units, A:131
- interval I
carbon isotopes, B:485
oxygen isotopes, B:483
planktonic foraminifers, B:443, 449, 454
See also Holocene
- interval II
carbon isotopes, B:485
oxygen isotopes, B:483–484
planktonic foraminifers, B:443, 449, 454
See also Pleistocene, lower
- interval III
carbon isotopes, B:485
oxygen isotopes, B:484
planktonic foraminifers, B:443, 447, 449, 454
See also Pleistocene, lower
- interval IV
carbon isotopes, B:485
oxygen isotopes, B:484–485
planktonic foraminifers, B:447, 449, 454
See also Pliocene/Pleistocene boundary
- intraclasts
carbonates, B:78
photograph, A:364, 401; B:79
See also clasts
- iodide, vs. chloride, B:428–429
- iron
biotite, B:288
cordierite, B:288
garnet, B:267, 287
gouge, B:333
redox, A:236, 238
reduction, A:320–321
schist, B:283
staurolite, B:271–272
vs. depth, A:261
- iron oxide
volcanic rocks, B:364–369
vs. aluminum oxide, B:377
- Ischia eruption, pyroclastics, B:152
- isochrons
argon-isotope ages, B:392, 304, 364
biotite, B:150
lithofacies, B:72
- isotopes
extensional tectonics, B:575–576
sapropels, B:401–411
See also stable isotopes
- Italy
sand provenance, B:52
sapropels, A:11
- Jubrique Group, lithostratigraphy, B:308–312
- Jubrique Unit
lithostratigraphy, B:308–312
metamorphic rocks, A:230
- kaolinite
fault gouge, A:217
sediments, B:24
vs. depth, B:29
X-ray fluorescence data, A:238
- ketols
organic-rich layers, B:395–396
vs. depth, B:397
- ketones, pentacyclic triterpenoid, organic-rich layers, B:396
- kinematics, orogenic belts, A:6–8
- kutnohorite
associated with peaks in magnetic susceptibility, A:309
basement/sediment contact, A:215
X-ray fluorescence data, A:238
- kyanite
metamorphic rocks, B:288, 290
schist, B:312
- lacustrine environment, Cenozoic, B:539
- Lago Mare facies
basin margins, B:549
lithologic units, A:64
ostracodes, B:537
paleoecology, A:72, 137
- laminae, planar-cumulus, origin, B:13–14
- laminae, planar-wavy, origin, B:13–14
- laminations
brittle deformation, A:222–223
lithologic units, A:59–64, 118–121, 125–126, 128, 130–131, 189, 191; B:13–14
petrography, B:5–7
photograph, A:70, 122, 127, 130, 132, 194, 198, 311, 361; B:9–11
photomicrograph, B:20
See also cross laminations; ripple-cross laminations
- laminites, lithologic units, A:130–131
- lamproite, Messinian, A:11
- Langhian
correlation, B:560
sediments, B:70–73
See also Serravallian–Langhian succession
- lanthanum
vs. cerium, B:366
vs. neodymium, B:366
vs. tantalum, B:366
vs. thorium, B:366
vs. zirconium, B:366
- Last Glacial Maximum, vegetation, B:464–465
- lava, alkali basalts, B:350
- lava, shoshonitic, Messinian, A:11
- layering, differentiated, quartz/biotite, A:223, 229
- lead, volcanic rocks, B:370
- leucogranite
basement/sediment contact, A:215; B:283
metamorphism, B:571
photograph, A:233; B:310
- leucosomes
basement, B:565–568
gneiss, B:266–267, 283–284, 290
plagioclase, B:268–269
schist, B:265
- leucosomes, granitic
photograph, A:231
photomicrograph, A:247; B:279
textures, A:225
- lignin, organic-rich layers, B:397
- Ligurian Sea, circulation, A:13
- limestone, petrography, B:39
- limestone clasts, photograph, A:312
- lineation
magnetic fabric, A:77–78
photograph, A:241
See also magnetic lineation
- lipids, Cenozoic, B:489–503
- lithic fragments
petrography, B:39, 41–42, 46
photomicrograph, B:54
sand provenance, B:52
- lithic fragments, carbonate, photomicrograph, B:18
- lithic fragments, tachylitic, photomicrograph, B:18
- lithium
evaporites, B:430–431
organic matter, A:236
pore water, A:85, 235, 321, 379, 405
vs. depth, A:92, 152, 260, 332, 387, 412; B:425–427

- lithodensity logs, vs. depth, A:101–102, 162–163, 267–268, 335–337, 340, 415–416
- lithofacies**
carbonates, B:78
correlation with lithostratigraphy, B:67
gypsum cycle, A:133; B:12–14, 16–17
mineralogy, B:21–36
Pliocene–Pleistocene, B:57–68
See also Facies Class E; hemipelagic facies; ichnofacies
- lithologic column, basement, A:224–226**
- lithologic units**
correlation with seismic data, A:278
Site 974, A:58–64
Site 975, A:118–132
Site 976, A:188–197
Site 977, A:304–309
Site 978, A:357–362
Site 979, A:393–397
Unit I, A:59–64, 118–120, 128, 188–189, 196, 304–305, 357–358, 361–362, 393–397; B:5, 7, 11–12
Unit II, A:60–64, 120–121, 125, 130–131, 189, 191, 196, 305–307, 358–359, 362; B:5, 7, 11–12
Unit III, A:60–61, 64, 125–126, 128, 131, 191–193, 196, 359–360, 362; B:5, 12
Unit IV, A:193–196
- lithology**
basement/sediment contact, A:211–213, 215–217
color, A:61, 119
- lithoseismic units**
seismic profiles, B:336–338
See also seismic units; well-log units
- lithosphere**
extensional basins, A:6–12
geophysical data, B:560–561
phase equilibria, B:568
subduction, B:371
See also crust
- lithospheric stretching**
basins, B:576
See also crustal stretching
- lithostratigraphy**
correlation with lithofacies, B:67
Neogene, A:190
Pliocene–Holocene succession, B:83–86
Site 974, A:58–64
Site 975, A:118–132
Site 976, A:188–197
Site 977, A:304–309
Site 978, A:357–362
Site 979, A:393–397
- Lithotype 1, basement/sediment contact, A:213, 215
- Lithotype 2, basement/sediment contact, A:215
- Lithotype 3, basement/sediment contact, A:215
- Lithotype 4, basement/sediment contact, A:215
- Lithotype 5, basement/sediment contact, A:215
- Lithotype 6, basement/sediment contact, A:215
- Lithotype 7, basement/sediment contact, A:216
- Lithotype 8, basement/sediment contact, A:216
- log unit I**
well-log units, A:242–243
well-logs, A:328
- log unit II**
well-log units, A:243
well-logs, A:328
- log unit III, well-log units, A:243**
- Los Castaños, sills, B:547–548
- Lujar-Gador Group, lithostratigraphy, B:308
- lup-20(29)-en-3-one, organic-rich layers, B:396
- M Reflector**
gravel, B:574
Miocene/Pliocene boundary, B:538–539
seismic profiles, B:338
seismic unit V, A:248, 250
seismic units, B:72
strike-slip faults, B:569–570
unconformities, B:348–349
- Maghreb Chain, Miocene, A:6–8
- Maghreb paleomargin, terrains, B:557
- magmatism**
evolution, B:359, 369–371
extensional tectonics, B:575
Miocene, B:574
- Magnagh Seamount, pyroclastics, B:150
- magnesium**
cordierite, B:271–272
diagenesis, A:146, 236, 319
pore water, A:235, 403
vs. depth, A:92, 152, 260–261, 332, 387, 412; B:425–427
- magnesium/calcium ratio, vs. depth, B:432
- magnesium/chloride ratio, vs. depth, B:430–431
- magnesium oxide**
volcanic rocks, B:364–369
vs. aluminum oxide, B:377
- magnetic declination**
sediments, B:132
vs. depth, A:320, 378–379, 404–405; B:133
- magnetic declination, core-coordinate, vs. depth, A:77–79, 139–140, 208–209
- magnetic declination, geographic, vs. depth, A:320
- magnetic domains, rock magnetism, A:140
- magnetic fabric**
geometry, B:132–135
sediments, A:77–78
vs. depth, A:216
- magnetic fabric, coring-induced, sediments, B:129–136
- magnetic foliation, vs. depth, A:216
- magnetic inclination, vs. depth, A:77–80, 139–141, 208–209, 211, 320, 378–379, 404; B:508
- magnetic intensity, vs. depth, A:77–79, 139–140, 208–209, 320, 378–379, 404
- magnetic lineation, cores, B:135
- magnetic minerals**
sources, B:513
See also hematite; magnetite
- magnetic polarity, magnetostratigraphy, A:372–373
- magnetic reversals, demagnetization, A:211
- magnetic susceptibility**
hemipelagic marls, B:111–116
matrix contribution vs. depth, B:114
matrix contribution vs. initial susceptibility, B:114
periodicity, A:399
rock magnetism, A:206–207
sapropels, A:140
sediments, A:80
sources, A:314, 316
vs. depth, A:83, 94–98, 141, 143, 154, 156–160, 218, 262–265, 308, 320, 322, 333, 343, 379, 388, 397, 413; B:509, 512, 514
vs. planktonic foraminifers, B:509
See also anhysteretic magnetic susceptibility
- magnetic susceptibility anisotropy
sediments, A:80, 209, 216; B:130–136
vs. depth, A:266; B:131
- magnetic susceptibility, bulk, vs. depth, B:111–112
- magnetic susceptibility, low-field, vs. depth, A:213, 405
- magnetic susceptibility, matrix, hysteresis, B:112
- magnetic susceptibility, mean, vs. depth, A:216
- magnetic susceptibility/anhysteretic remanence susceptibility ratio, vs. depth, A:322
- magnetic susceptibility/saturated isothermal remanence susceptibility ratio, vs. depth, A:321
- magnetite**
gneiss, B:267
magnetic susceptibility, B:115
mineral chemistry, B:271
petrography, B:357–359
photomicrograph, B:278
pressure-temperature conditions, B:566–567
schist, B:265
sources, B:513
- magnetosomes, bacterial, sources, B:513
- magnetostratigraphy, sediments, A:77, 140, 372–373
- Maimonides Ridge, sediment sources, A:362
- major elements**
basement, B:375–379
volcanic glass, B:139–148
volcanic pebbles, B:569
volcanic rocks, B:364–369
- major oxides**
vs. aluminum oxide, B:377
vs. silica, B:366
- Málaga Graben, sedimentary cover, B:563
- Málaga margin**
deposition, B:66–67
tectonics, B:347
- Málaga Complex**
sediments, B:70–71
terrains, B:557
- manganese**
garnet, B:267
mobilization, A:146
organic matter, A:320–321
pore water, A:89
redox, A:236, 238
vs. depth, A:93, 153, 260–261, 333, 387, 412
- mantle**
delamination, B:574–576
geophysical data, B:560–561
structure, B:572
- mantle depletion**
basin evolution, B:576
extensional tectonics, B:576
- marble**
basement/sediment contact, A:211, 215
breccia, B:333
composition, B:252, 254
photograph, A:231–232; B:341
photomicrograph, B:260
schist interlayers, B:264–265
structure, B:310, 313–314
thin sections, A:1001–1003, 1013
See also calcite marble; dolomite marble
- marginal environment, Messinian, B:543–551
- marine environment**
Cenozoic, B:539
dinocysts, B:459–462
lithologic units, A:128, 195
Messinian, B:543–551
Pleistocene, B:391–400
Quaternary, B:457–468
- Marker 2, pyroclastics, B:151
- Marker 3, pyroclastics, B:151–152
- Marker 4, pyroclastics, B:152
- Marker 5, pyroclastics, B:152
- Marker 6, pyroclastics, B:152

- marl
 basin margins, B:549
 magnetic susceptibility, B:111–116
See also hemipelagite
- marl, dolomitic, lithologic units, A:120–121, 125, 130–131
- Marsili Seamount, pyroclastics, B:150
- mass accumulation rates. *See* calcite flux; sedimentation rates
- Matuyama Chron. *See* Brunhes/Matuyama boundary
- median destructive field
 sediments, A:314
 vs. depth, A:321
- Mediterranean Outflow Water, salt, A:14
- Mediterranean Ridge, sapropels, B:401–411
- Mediterranean Rise, sapropels, B:409–410
- Mediterranean Sea, hydraulics, B:464–467, 475–477, 486–487
- Mediterranean Sea E
 organic matter, B:401–411
 sapropels, B:519–527
- Mediterranean Sea W
 bacteria, B:433–438
 biostratigraphy, B:159–195, 197–221, 223–237
 fluid overpressures, B:117–128
 geochemistry, B:413–421
 geology, A:5–19
 magnetic fabric, B:129–136
 magnetic susceptibility, B:111–116
 Messinian paleoenvironment, B:529–541
 organic matter, B:383–390
 pore water, B:412–432
 sapropels, B:519–527
 sediments, B:99–110
- melobesoids, biogenic components, B:80
- melts
 aluminosilicates, B:314
 gneiss, B:272, 283–284
 migmatitic gneiss, A:228, 230
See also partial melting
- Menorca, Triassic, B:16
- Menorca Ridge, organic matter, B:385, 389
- Menorca Rise
 biostratigraphy, B:162–164, 185–195
 circulation, A:15
 Quaternary paleoceanography, B:441–455, 481–488
 sedimentation, B:3–16
- Messinian
 basins, B:543–551
 brines, A:235–236
 correlation, B:560
 dessication, A:14
 foraminifers, B:201, 213
 gravel, B:568
 gypsum, A:145; B:425–426, 430–431
 lamproite, A:11
 lithologic units, A:120–121, 125, 130–131
 paleoecology, A:137
 paleoenvironment, B:529–541
 petrology, B:3–20
 reefs, B:546
 sedimentary cover, B:562
 sediments, B:70–76
 seismic profiles, B:338
 seismic unit II, A:247–248
 stratigraphy, B:545
 sulfate reduction, B:416
 volcanic pebbles, B:574
See also Tortonian/Messinian boundary
- metabasite, metamorphism, B:310
- metabolization, organic carbon, A:145
- metacarbonate, basement, B:565–568
- metamorphic grade
 assemblages, A:230
See also amphibolite facies; eclogite facies; granulite facies
- metamorphic rocks
 ages, B:295–305
 basement, B:565–568
 correlation, B:307–317
 mineral composition, A:248–249; B:289
 physical properties, A:241
 rock magnetism, A:207–209
See also marble; metabasite; metapelite; metasedimentary rocks; quartzite
- metamorphism
 lithostratigraphy, B:308
 phase equilibria, B:257–258
 pressure-temperature conditions, A:227–228, 230; B:263–279
 tectonics, B:319–329, 331–344
 terrains, B:557, 560
 textures, A:225–230
- metamorphism, high-grade
 mineral assemblages, B:313–314
 pressure-temperature conditions, B:281–294, 339
- metapelite
 basement, B:565–568
 metamorphism, B:252, 254
 photomicrograph, B:260, 313
 pressure-temperature conditions, B:264–265, 283
- metasedimentary rocks, volcanic pebbles, B:568
- metasomatism, extensional tectonics, B:576
- methane
 compressibility, B:125–127
 oxidation, B:434–436
 sediments, A:144, 233, 258–259, 375, 377–378, 403
 vs. depth, A:257, 318–319, 330, 385, 409; B:419, 435–436
- methanogenesis
 bacterial populations, B:436
 organic matter, B:420
 pore water, B:427
 redox, A:238
- methylcholesta, organic-rich layers, B:396–397
- mica
 basement/sediment contact, A:213, 215
 petrography, B:39–46
 photomicrograph, A:247; B:36
 vs. depth, A:200, 306, 360, 399; B:90–92
See also biotite; muscovite
- mica, detrital, sedimentation, B:29
- micrite
 lithologic units, A:120–121, 125–126, 130–131
 Messinian, B:529–541
 petrography, B:86–87
 photograph, A:70, 126–127; B:532–536
 sediments, B:11–12
 vs. depth, A:363; B:15
- micritization, diagenesis, A:146
- microbes, basin margins, B:548–549
- microconglomerate. *See* conglomerate
- microconglomerate, intraclastic, photograph, B:11
- microfabric
 sediments, B:99–110
See also fabric
- microfaults
 soft sediments, A:80–81
See also faults
- microfolds
 gneiss, B:284
- photomicrograph, B:285
See also folds
- microfossils
 sedimentation rates, A:399
See also foraminifers; nannofossils; palynomorphs
- microfractures
 breccia, B:335–336
See also fractures
- microlitic textures, photograph, A:368
- microporosity, backscattered electronic images, B:104
- microsparite
 petrography, B:42
See also dolomicrosparite
- microstructure
 metamorphic rocks, B:284–288
 photomicrograph, B:286
- migmatite
 fission tracks, B:295–307
 gneiss, B:283–284
 metamorphism, B:310
 mineral assemblages, B:313–314
- Milankovitch cycles
 deposition, B:96
 paleoceanography, B:387–389
- millipede structure, photomicrograph, B:285
- mineral assemblages
 high-grade schist, A:228, 230; B:271–272, 282–283
 metamorphism, B:252, 254
 pelitic and migmatite gneiss, B:272–273
 pressure-temperature conditions, B:566–567
- mineral chemistry
 calc-silicate rock, B:255–256
 metamorphic rocks, B:284, 287–288
- mineralogy
 lithofacies, B:21–36
 sediments, B:7, 11–12, 99–110
- mineralogy, bulk
 sand, B:39–46
 sediments, B:22–27, 59, 61–65, 90–94
 vs. age, B:102–103
- Miocene
 correlation, B:560
 lithofacies, B:21–36
 lithologic units, A:60–64, 120–121, 125–126, 128, 130–131, 191–196, 306–307, 359–360, 362
 magmatism, B:574
 metamorphism, B:293
 orogenic belts, A:6–8
 rifting, B:573
 subduction, B:357–373
- Miocene/Pliocene boundary
 high-resolution biostratigraphy, B:197–221
 lithologic units, A:60, 64
 lithology, B:201, 204
 M Reflector, B:538–539
 nannofossils, B:226–227
 ostracodes, B:538
 sedimentary cover, B:562
 sediments, B:3–20
 unconformities, B:568
- Miocene, middle, extensional tectonics, B:331–344
- Miocene, upper, paleogeography, B:548
- mixed-layer clays
 normalized formula, B:31
 sedimentation, B:29
- mizzonite, metamorphism, B:257–258
- modern analogs, planktonic foraminifers, B:449, 451–452, 454
- Modified Atlantic Water, sea-surface temperature,

- B:490
molecular indicators, paleoenvironment, B:391–400
monoclines, syntectonic deposition, B:350, 352
Mont Saint Hilaire, rock magnetism, A:322
Montemayor tectonic slices, lithostratigraphy, B:310
montmorillonite, basement/sediment contact, A:215
Morocco
 Miocene, A:6–8
 paleogeography, B:556–559
 pollen source, B:462
mottling, photograph, A:191
mud, lithofacies, B:59
mud balls, lithofacies, B:64–66
mud diapirs, lithofacies, B:72
mudstone
 carbonates, B:78
 lithologic units, A:131
 photograph, A:380–381; B:79
mudstone, dolomitic, thin sections, A:1020
Munsell index
 vs. depth, A:360, 396
 See also color index
muscovite
 argon-isotope ages, B:300–305
 gneiss, B:272–273
 high-grade schist, A:215
 isochrons, B:304
 photomicrograph, B:278
 schist, B:265, 282–283, 313–314
 textures, A:225
myrmekitic textures, photomicrograph, A:247
- n*-alkandiols, isomeric, mass spectra, B:396
n-alkanes, organic-rich layers, B:394–395
n-alkanols, organic-rich layers, B:395–396
n-alkenones, long-chain, vs. depth, B:397
n-docosan-1-ol, vs. depth, B:396
n-fatty acids, vs. depth, B:396
nannofossil datum 1, ages, B:180
nannofossil datum 2, ages, B:180
nannofossil datum 3, ages, B:180
nannofossil datum 4, ages, B:179–180
nannofossil datum 5, ages, B:179
nannofossil datum 6, ages, B:179
nannofossil datum 7, ages, B:179
nannofossil datum 8, ages, B:178–179
nannofossil datum 9, ages, B:178
nannofossil datum 10, ages, B:178
nannofossil datum 11, ages, B:178
nannofossil datum 12, ages, B:178
nannofossil datum 13, ages, B:177–178
nannofossil datum 14, ages, B:177
nannofossil datum 15, ages, B:177
nannofossil datum 16, ages, B:177
nannofossil datum 17, ages, B:176–177
nannofossil datums, ages, B:176
nannofossil events, position, B:163, 165–166
nannofossil zones
 Site 974, A:72–74, 76
 Site 975, A:134–136, 138
 Site 976, A:201–202, 205
 Site 977, A:315, 317
 Site 978, A:376–377
 Site 979, A:401–402
nannofossils
 backscattered electronic images, B:104–105
 Messinian, B:529–541
 scanning electron microscopy, B:95
 vs. depth, A:363, 399; B:15
nannofossils, calcareous
 abundance and preservation, A:64, 133,
 197–198, 309, 362–363, 397
 biostratigraphy, A:64–69, 132–133, 198–200,
 309, 311, 363, 397; B:159–183,
 223–237
 holotype image analysis, B:239–247
neodymium
 vs. lanthanum, B:366
 See also samarium/neodymium ratio;
 tantalum/neodymium ratio
Neogene
 extensional basins, A:8–9; B:559
 lithostratigraphy, A:190
 paleoceanography, B:387–388
 paleoclimatology, B:223–237
 sediments, B:69–76
 tectonics, B:345–355
 terrains, B:557
 See also Cenozoic; Holocene; Pleistocene;
 Pliocene; Pliocene/Pleistocene
 boundary; Pliocene–Holocene
 succession; Quaternary
Neogloboquadrina pachyderma (left-coiling)
 relative abundance, B:446
 vs. sea-surface temperature, B:447
neutron porosity logs
 vs. depth, B:322
 See also thermal neutron porosity logs
Nevado-Filábride Complex
 orogenic belts, A:7
 sediments, B:70–71
 terrains, B:557
niobium
 volcanic rocks, B:370
 See also yttrium/niobium ratio;
 zirconium/niobium ratio
nitrogen
 sapropels, B:402–405
 See also carbon/nitrogen ratio
nitrogen isotopes
 organic matter, B:409
 sapropels, B:401–411
 vs. depth, B:406–408
nodules, lithologic units, A:125–126, 128, 131
normal faults
 Miocene, A:11
 photograph, A:84, 322, 380
 sediments, A:316
 seismic profiles, B:563
 soft sediments, A:80–81
 structure, B:352
North Atlantic Oscillation, atmospheric
 circulation, B:476
North Balearic front, sea-surface temperature,
 B:490
- oblique-slip faults, photograph, A:242
obliquity. *See* orbital obliquity
ocean circulation
 currents, B:392
 productivity, A:13–14
Ojen Unit
 lithostratigraphy, B:308–314, 572
 metamorphism, B:571
Oldest Dryas, paleoclimatology, B:466
Olduvai Subchron, magnetostratigraphy, A:77;
 B:161
olean-12-en-3-one, organic-rich layers, B:396
olistostromes, basins, B:73
olivine
 petrography, B:357–359
 photograph, A:312
 See also forsterite
ooze, diatomaceous
 laminations, A:194
 lithologic units, A:304–305
 lithology, A:193
 photograph, A:193–194
 photomicrograph, A:194
ooze, foraminifer-nannofossil, petrography, B:6
ooze, nannofossil
 lithologic units, A:59–64, 118–120, 128,
 191–193, 304–305, 357–358, 361
 photograph, A:121–122
ooze, pelagic, foraminifers, B:204
orbital eccentricity
 deposition, B:95–96
 oxygen isotopes, B:474
 sapropels, A:12
orbital forcing, planktonic foraminifers,
 B:469–479
orbital obliquity, ages, B:471
organic matter
 degradation, A:83, 85, 89, 145–146, 320–321,
 404–405
 diagenesis, B:513
 geochemistry, B:394
 Pleistocene, B:391–400
 Quaternary, B:464
 remineralization, B:487
 sources, A:81–82, 143–144, 233, 318,
 374–375, 403
 sources and preservation, B:383–390
organic matter, amorphous, Quaternary,
 B:458–459, 464
organic-rich layer L5, photograph, A:308
organic-rich layer L7, photograph, A:314
organic-rich layer L16, photograph, A:307
organic-rich layers
 correlation, A:65, 67, 124–125, 195–196
 correlation with oxygen isotopes, B:477
 frequency, A:307
 lipids, B:489–503
 lithologic units, A:59–64, 118–120, 128,
 188–189, 304–305, 309, 394; B:510
 location, A:397
 magnetic susceptibility, B:112, 115
 origin, A:62
 paleoenvironment, B:391–400
 photograph, A:66–67, 123, 307–308, 314
 Rock-Eval pyrolysis, A:257, 385
 vs. depth, A:313
 See also sapropels
orogenic belts
 Miocene, A:6–8
 See also tectonics
orthoclase
 basement/sediment contact, A:215
 See also potassium feldspar
ostracodes
 biogenic components, B:78–80
 Messinian, B:529–541
 Miocene/Pliocene boundary, B:538
 photograph, B:535
overgrowths, photomicrograph, B:286
overpressure, fluids, B:117–128
overprinting, paleomagnetism, A:138, 140
oxidation
 methane, B:420, 434–436
 organic matter, B:386
 sapropels, B:500
 See also redox; reduction; sulfate reduction
oxides, photomicrograph, A:245–246
oxygen index
 organic matter, A:233, 318, 403; B:387
 vs. hydrogen index, A:90, 150, 256, 329, 385,
 409; B:387
oxygen isotopes
 ages, B:482

- nannofossils, B:174
paleoceanography, B:481–488
planktonic foraminifers, B:469–479
pore water, B:413–421
vs. age, A:14; B:475–476, 499
vs. depth, B:418, 427
vs. paleoclimatic curves, B:511, 513
vs. sulfate, B:417
vs. sulfur isotopes, B:418
- packstone
carbonates, B:78
lithologic units, A:357–358, 361
photograph, A:364
- paleobathymetry, subsidence, B:73
- paleoceanography
Cenozoic, B:489–503
deposition, B:66–67
Neogene, A:11–15; B:387–388
Pleistocene, B:469–479, 481–488
Pliocene, B:185–195
Quaternary, B:441–455, 505–518
- paleoclimatic curves
vs. anhysteretic magnetic susceptibility, B:512
vs. depth, B:511
vs. oxygen isotopes, B:511, 513
- paleoclimatology
Cenozoic, B:489–503
cyclic processes, B:515–517
foraminifer modern analogs, B:190–193
foraminifers, B:485–487
marine environment, B:461
Neogene, B:223–237
paleoceanography, B:387–389
Pleistocene, B:475–477
Pliocene–Holocene, B:95–96
Quaternary, B:464–466, 505–518
Tortonian/Messinian, B:546–548
See also temperate climate, tropical climate
- paleoecology
foraminifers, A:313, 366–367, 399
Lago Mare facies, A:72
microfossils, A:135–137
- paleoenvironment
carbonates, B:77–81
deposition, B:14–16
foraminifers, B:204
magnetic minerals, B:513
Messinian, B:529–541, 543–551
organic matter, B:391–400
planktonic foraminifers, B:449, 451–452, 454
Quaternary, B:457–468
See also continental environment; deposition; intertidal environment; lacustrine environment; marginal environment; marine environment; sedimentation; semi-desert environment; subaqueous environment; supratidal environment
- paleofluid
brines, A:235–236
pore water, A:321, 378
- paleogeography
Messinian, B:547–548
terrains, B:557–559
upper Miocene, B:548
- paleomagnetism
overprinting, A:138, 140
Quaternary, B:505–518
Site 974, A:73–78
Site 975, A:137–140
Site 976, A:204–209
Site 977, A:313–314, 316
Site 978, A:367, 369, 372–373
Site 979, A:399
- paleoproductivity
hemipelagite, B:102–104, 109
marine environment, B:459–462
organic-rich layers, B:397
paleoclimatology, B:388, 409–410
Pleistocene, B:487
sapropels, B:517
sedimentation, B:29
See also productivity
- paleosalinity. *See* salinity
- paleotemperature, alkenones, A:82, 144, 233, 318
organic-rich layers, B:396
vs. depth, B:397
See also temperature, sea-surface
- paleotemperature, sea-surface
biomarkers in sapropels, A:91, 151
vs. depth, A:91, 151
- paleovegetation
continental environment, B:462–464
See also grasses; pollen; vegetation
- palygorskite, sedimentation, B:31
- palynomorphs
Quaternary, B:457–468
See also dinocysts; dinoflagellates; pollen
- Pantelleria peralkaline volcanic complex, pyroclastics, B:150–151
- paragenesis
high-grade schist, B:271–272
pelitic and migmatitic gneiss, B:272–273
- paramagnetism, sediments, B:130
- partial melting
metamorphic rocks, B:290
See also melts
- pebbles
lithologic units, A:358–359, 362
metamorphic rocks, B:334–335
volcanic rocks, B:359
See also rhyodacite pebbles
- pebbles, basalt/andesite
lithologic units, A:309
photograph, A:312
- pebbles, nonvolcanic, photograph, A:371
- pebbles, rhyodacite, photograph, A:312
- pebbles, volcanic
age and geochemistry, B:568–569
Miocene, B:577
photograph, A:369–370
- pelite schist, pressure-temperature conditions, B:264–265
- peridotite, extensional basins, A:9–10
- Permian, lithostratigraphy, B:308
- petrography
cemented breccia, B:334–335
lithologic units, B:5–7
sand, B:39–46
sediments, B:86–87
volcanic rocks, B:357–359
volcaniclastics, B:139, 144–148
- petrology
Messinian, B:3–20
Site 976, A:212–217, 223–230
- pH, vs. depth, A:92, 152, 260, 332, 387, 412
- phase equilibria
aluminosilicates, B:314
basement, B:567
metamorphic rocks, B:257–258, 288, 290–293
- phenocrysts
cordierite, B:272
petrography, B:357–359
photomicrograph, B:276, 362
volcanic pebbles, B:568
- phenols, organic-rich layers, B:397
phenols, cinnamyl, vs. depth, B:400
phenols, syringyl, vs. depth, B:400
- phenols, vanillyl, vs. depth, B:400
- phillipsite
basement/sediment contact, A:215
petrography, B:41
photograph, A:64
- Phlegrean fields, pyroclastics, B:150, 152
- phlogopite
basement/sediment contact, A:215
biotite composition, B:269–271
marbles, B:313–314
- phosphate
organic matter, A:236
pore water, A:85, 89, 320–321, 404–405
redox, A:236, 238
vs. depth, A:261, 333, 412
- phosphorus oxide, volcanic rocks, B:364–369
- photoelectric factor logs
gouge, B:334
vs. depth, A:101–102, 162–163, 267–268, 274, 276, 338–341, 345, 417–418; B:322
- phyllite, petrography, B:41
- phyllosilicates, vs. clay, B:63, 65
- physical properties
Site 974, A:89–91
Site 975, A:150–153
Site 976, A:238–241
Site 977, A:323
Site 978, A:381
Site 979, A:408–409
- physiography, deposition, B:95
- phytoplankton, organic-rich layers, B:394–395
- Piacenzian, sedimentary cover, B:562
- pinch-and-swell structures, origin, B:13–14
- placoliths, nannofossil datums, B:176–177
- plagioclase
calc-silicate rock, B:254–255
gneiss, B:264–265, 267, 283–284
mineral chemistry, B:267–270
petrography, B:39–46, 357–359
photograph, A:312
photomicrograph, A:239, 241, 243–246; B:56, 260, 277, 279, 285–286, 362
pressure-temperature conditions, B:566–567
schist, B:264–266, 282–283, 288, 312
textures, A:223–225
- plagioclase, twinned, photomicrograph, A:247
- Planolites*
lithologic units, A:118, 304–305, 357–358, 361, 394, 396
photograph, A:120, 364
Planolites?, photograph, A:197
- plate boundaries. *See* convergent plate boundaries
- Pleistocene
biostratigraphy, B:159–183
lithofacies, B:21–36
lithologic units, A:59–64, 118–120, 128, 188–189, 196, 304, 357–358, 361, 393–397
organic matter, B:401–411
paleoceanography, B:469–479, 481–488
sediments, B:71–75
See also interval I; interval II; interval III; interval IV; Pliocene–Pleistocene succession; Pliocene/Pleistocene boundary
- Pleistocene, lower, insolation cycle, B:172–173, 175
- Pleistocene–Holocene succession
biostratigraphy, B:228, 230
tectonics, B:570
- Pliocene
basins, A:11
biostratigraphy, B:185–195
lithofacies, B:21–36

- lithologic units, A:59–64, 118–121, 125, 128, 130–131, 188–193, 196, 304–306, 357–359, 361–362, 393–397
- sedimentary cover, B:562
- sediments, B:70–75, 568
- stratigraphy, B:545
- tectonics, B:345–355
- See also* Miocene/Pliocene boundary
- Pliocene, upper
- debris flows, B:77–81
- insolation cycle, B:172–173, 175
- Pliocene–Holocene succession, marine sediments, B:83–97
- Pliocene–Pleistocene succession
- biostratigraphy, B:224–226
- geochronology, B:148–155
- hemipelagite, B:111–116
- lithofacies, B:57–68
- organic matter, B:383–390
- sapropels, A:11–12; B:519–527
- seismic unit I, A:247
- Pliocene/Pleistocene boundary
- correlation, B:86, 166, 169
- nannofossils, B:226
- planktonic foraminifers, B:443, 484–485
- tectonics, B:570
- See also* interval IV
- poikiloblasts
- metamorphism, B:255
- photomicrograph, B:261
- polar fauna, planktonic foraminifers, B:449, 451–452, 454
- pollen
- continental environment, B:462–464
- Quaternary, B:457–468
- vs. depth, B:461–463
- See also* grasses; paleovegetation; vegetation
- polymorphs, aluminum oxides, B:266–267
- Pontine Island eruptive centers, pyroclastics, B:152
- pore water
- compressibility, B:125–127
- geochemistry, A:82–83, 85, 89, 92, 144–146, 149–150, 152, 233, 235–236, 238, 259, 261, 319–323, 332, 378–381, 386, 404–405, 408, 411; B:413–421, 423–432
- porosity
- compaction, B:118–127
- microfabrics, B:106–107
- vs. depth, A:100, 161, 265, 334, 388, 414; B:89, 110, 119, 121, 123–125, 322
- See also* microporosity; void ratio
- porosity logs. *See* gamma ray–density–porosity logs; gamma ray–porosity logs; neutron porosity logs; thermal neutron porosity logs
- porphyroblasts
- garnet, B:267
- gneiss, B:266–267
- photograph, A:228; B:341
- photomicrograph, A:239, 241, 243–247; B:276–279, 285–287, 343–344
- plagioclase, B:267–268
- pressure–temperature conditions, B:264–265
- schist, B:282–283
- textures, A:223–224
- See also* andalusite porphyroblasts, cordierite porphyroblasts
- potassium
- evaporites, B:430–431
- pore water, A:89, 236, 321–322, 379, 405
- sediments, A:146
- vs. depth, A:93, 153, 260, 333, 387, 412; B:425–427
- potassium feldspar
- as a function of plagioclase composition, B:269
- calc-silicate rock, B:254
- gneiss, B:264–265, 267, 283–284
- mineral chemistry, B:267–269
- photomicrograph, A:247; B:54, 278–279, 285
- pressure–temperature conditions, B:566–567
- schist, B:282–283, 313–314
- textures, A:223, 225
- See also* orthoclase
- potassium logs
- gouge, B:334
- vs. depth, A:266, 273, 276, 335–337, 341, 415–416
- potassium oxide
- granites, A:216
- metamorphic rocks, B:375
- vs. silica, B:146, 153, 366
- See also* sodium oxide/potassium oxide ratio
- potassium oxide + sodium oxide, vs. sodium oxide/ potassium oxide ratio, B:152
- precession
- ages, B:471, 475
- paleoclimatology, B:388
- preferred orientation
- photograph, A:228–229, 238
- photomicrograph, A:246
- preservation, organic matter, B:387–388, 410
- pressure solution
- compressibility, B:122–127
- sediments, A:141
- pressure–temperature conditions
- high-grade schist, A:250; B:273–274, 281–294, 571
- metamorphism, A:227–228, 230; B:263–279, 312–314, 566–567
- pelitic and migmatite gneiss, B:274
- principal component analysis
- planktonic foraminifers, B:447, 449–452
- See also* Q-mode principal component analysis
- productivity
- circulation, A:13–14
- organic matter, A:403
- sapropels, A:12
- See also* paleoproductivity
- propane
- compressibility, B:125–127
- sediments, A:403
- protoliths
- basement, A:230; B:282–283
- lithostratigraphy, B:308
- provenance
- lithofacies, B:65–66
- sand, B:37–56
- sedimentation, B:28–32
- siliciclastics, B:94–95
- prymnesiophytes, organic-rich layers, B:395–396
- pteropods, photograph, A:63
- pumice, photomicrograph, B:54
- pumice, silicic, photomicrograph, B:145
- pumice lapilli, photograph, A:63
- pycnocline, depth, B:487
- pyrite
- photograph, A:192
- photomicrograph, B:260
- vs. depth, A:399
- pyroclastics
- sources, B:150–151
- See also* tephra
- pyrolysis, Rock-Eval
- organic matter, B:384, 386
- organic-rich layers, A:257
- sapropels, A:91, 151
- pyrope, garnet composition, B:268, 287
- pyroxene
- photograph, A:312
- See also* clinopyroxene
- Q-mode principal component analysis, planktonic foraminifers, B:447–450
- quartz
- backscattered electronic images, B:107–108
- gneiss, B:264–265, 283–284
- hemipelagite, B:103–104
- petrography, B:39–46, 59–65
- photograph, A:312
- photomicrograph, A:246–247; B:36, 54, 277–279, 285, 343–344, 362
- pressure–temperature conditions, B:566–567
- provenance, B:95–96
- sand, B:104–105
- sandstone, B:334–335
- scanning electron microscopy, B:95
- schist, B:264–265, 282–283, 313–314
- textures, A:223–225
- vs. age, B:93–94, 102–103
- vs. depth, A:200, 306, 360, 399; B:14, 22–24, 90–92
- vs. sand, B:63, 65
- X-ray fluorescence data, A:237–238
- quartz arenite, petrography, B:42
- quartz schist, volcanic pebbles, B:568
- quartz veins
- brittle deformation, A:221–223
- high-grade schist, A:215
- photograph, A:229, 236, 240–241
- photomicrograph, A:239
- quartz/calcite ratio
- sediments, B:11
- vs. depth, B:14
- quartz/clay ratio, vs. depth, B:14
- quartzite
- breccia, B:333
- photomicrograph, B:343–344
- structure, B:310
- volcanic pebbles, B:568
- quartzite clasts, photograph, A:312
- Quaternary
- extensional basins, A:8–9
- paleoceanography, B:441–455, 505–518
- paleoenvironment, B:457–468
- tectonics, B:345–355
- Quebec, rock magnetism, A:322
- rare earths
- basalts and andesites, B:367–370
- metamorphic rocks, B:375–376
- normalized samples, B:378–379
- sediments, B:28, 32–33
- volcanic pebbles, B:569
- volcanic rocks, B:364–369
- vs. depth, B:32–34
- reaction zones
- metamorphism, B:252–254
- mineral assemblages, B:254, 284, 287–288
- origin, B:256–257
- photograph, A:231–232
- photomicrograph, A:239; B:277, 285–287
- recrystallization
- diagenesis, A:146, 319
- lithoclastics, A:119
- photomicrograph, A:243
- pore water, A:404
- redox
- profiles, A:236, 238
- See also* oxidation; reduction; sulfate reduction

reduction

iron, A:320–321
See also oxidation; redox; sulfate reduction
 reduction zones, organic matter, A:146
 reefs
 Messinian, B:543–546
 paleogeography, B:548
 temporal distribution, B:546
 reflectors. *See* seismic reflectors
 relict crystals, X-ray fluorescence data, A:237
 relict grains, photomicrograph, A:244
 remagnetization, pervasive radial, cores, B:135
 remanent magnetization
 ratio plots, B:515
 sediments, A:205–206, 313–314, 367, 369, 372, 399; B:511
 remanent magnetization, anhysteretic
 sediments, A:206
 vs. depth, A:321; B:512, 514
 remanent magnetization, isothermal
 gneiss, A:207–209
 thermal demagnetization, A:215
 vs. temperature, B:115
 remanent magnetization, natural
 sediments, A:73–77
 Sites 974–976, B:508–509
 vs. depth, A:321
 remanent magnetization, saturated isothermal
 sediments, A:314
 vs. depth, A:213, 321; B:512, 514
 remineralization
 diagenesis, A:146
 organic matter, B:487
 sapropels, B:409–410
 residues, photograph, B:532–536
 resistivity
 vs. depth, A:418
 See also thermal resistivity
 resistivity logs
 vs. depth, A:103–104, 107–108, 164–165, 269–272, 274–275, 338–339, 342, 344, 417–418; B:321
 See also gamma ray–resistivity–sonic logs
 restite, gneiss, B:284
 reverse faults
 photograph, A:66, 86, 145, 372
 sediments, A:141, 316
 seismic profiles, B:338
 structure, B:352
 rhyodacite
 petrography, B:42
 thin sections, A:1019–1022
 rhyodacite pebbles, photograph, A:312
 rhyolite
 ages, B:362–363
 magmatism, B:574
 petrography, B:357–359
 photomicrograph, B:362
 pyroclastics, B:151–155
 volcanic pebbles, B:569
 Rif Chain
 metamorphic rocks, B:291
 Miocene, A:6–8
 paleogeography, B:556–559
 pollen sources, B:463
 tectonics, B:350–351
 terrains, B:557
 rifting
 extensional basins, A:10–11
 geometry, B:561
 Miocene, B:573
 subsidence, B:75
 rip-up clasts, photograph, A:373
 ripidolite, high-grade schist, A:215

ripple-cross laminations, photograph, A:70
 rock magnetism
 cores, A:321–322
 hard rocks, A:214
 magnetic domains, A:140
 metamorphic rocks, A:207–209
 sediments, A:206–207, 212, 314
 vs. depth, A:213, 216
 Ronda peridotite massif
 extensional basins, A:9–10
 metamorphic rocks, A:230
 metamorphism, B:274, 309–314, 571
 phase equilibria, B:567
 Rossello, sapropels, A:11
 rubidium
 granites, A:216
 sediments, B:28, 32–33
 volcanic rocks, B:370
 vs. depth, B:32–34
 rutile
 garnet, B:312
 marbles, B:313–314
 pressure-temperature conditions, B:566–567
 schist, B:266
 textures, A:224
 Sabatini eruption, pyroclastics, B:152
 Sahara, colian sedimentation, B:513
 salinity
 circulation, A:13; B:475
 evaporites, B:430–431
 marine environment, B:459
 oxygen isotopes, B:500–501
 pore water, A:235, 321, 378, 405; B:427–429
 sapropels, B:516
 sediments, B:434–436
 transects, A:13
 vs. age, B:499
 vs. depth, A:92, 152, 260, 332, 387, 412
 vs. temperature, A:13
 Salinity Crisis, basin margins, B:549
 salt
 dessiccation, B:547
 See also evaporites; halite
 samarium/neodymium ratio, vs.
 tantalum/neodymium ratio, B:369
 sand
 lithofacies, B:59, 62–64
 lithologic units, A:59–64, 189, 191, 305–307, 393–397
 mineralogy, B:104–105
 petrography, B:5–7
 photograph, A:121, 197, 199, 396
 photomicrograph, B:55–56
 provenance, B:37–56
 volcaniclastics, B:152, 155
 vs. depth, A:360
 vs. quartz, B:63, 65
 sand, bioclastic, photograph, A:401
 sand, calcareous, lithologic units, A:120–121, 125, 130–131
 sand, calcitic, lithologic units, A:193–194
 sand, conglomeratic, petrography, B:334–335
 sand, pebbly
 lithologic units, A:193–194
 photograph, A:199–200
 sand, silty
 petrography, B:334–335
 photograph, A:128–129
 sand, terrigenous, petrography, B:6
 sand, zeolitic, lithologic units, A:193–194
 sand layers, location, A:398
 sandstone
 petrography, B:41

photograph, A:372–373
 photomicrograph, B:55, 342
 sedimentation, B:16
 sandstone, cemented, petrography, B:334–335
 sandstone, clayey, lithologic units, A:359–360, 362
 sandstone, foraminifer, lithologic units, A:358–359, 362
 sandstone, lithic, petrography, B:6
 sandstone, post-evaporite, sedimentation, B:16
 sandstone, silty, lithologic units, A:359–360, 362
 sanidine
 argon isotopes, B:148
 petrography, B:358
 sapropel A5, isotopes vs. depth, B:407
 sapropel A6, isotopes vs. depth, B:407
 sapropel A7, isotopes vs. depth, B:407
 sapropel S3, isotopes vs. depth, B:406
 sapropel S5, isotopes vs. depth, B:406
 sapropel S6, isotopes vs. depth, B:406
 sapropel S7, isotopes vs. depth, B:406
 sapropel S8, isotopes vs. depth, B:406
 sapropel T1, isotopes vs. depth, B:407
 sapropel T4, isotopes vs. depth, B:408
 sapropel T5, isotopes vs. depth, B:408
 sapropels
 biostratigraphy, B:159–183
 calibration, B:172–173, 175
 deposition, B:487, 505–518
 global cycles, A:14–15
 isotopes, B:401–411
 lipids, B:489–503
 magnetic susceptibility, A:140
 occurrence, B:516
 organic matter, A:81–82, 143–144; B:393–411
 oxidation, B:500
 oxygen isotopes, B:482
 paleoceanography, B:387–388
 Pliocene–Pleistocene succession, A:11–12; B:519–527
 Rock-Eval pyrolysis, A:91, 151, 329
 stratigraphy, B:521, 523–524
 term definition, B:521
 See also organic-rich layers
 saturated isothermal remanence susceptibility. *See* magnetic susceptibility/saturated isothermal remanence susceptibility ratio
 scapolite
 basement/sediment contact, A:215
 calc-silicate rock, B:254–256
 chemical variation, B:256
 photomicrograph, B:261
 schist
 basement, B:565–568
 basement/sediment contact, A:211
 breccia, B:333
 photograph, B:341
 photomicrograph, B:54, 313
 sandstone, B:334–335
 structure, B:310
 volcanic pebbles, B:568
 X-ray fluorescence data, A:237
 See also pelite schist; quartz schist
 schist, banded quartz–biotite–sillimanite, photograph, A:228–229, 238–241
 schist, biotite, photograph, A:236
 schist, biotite-plagioclase, photomicrograph, A:245
 schist, high-grade
 basement/sediment contact, A:213, 215
 deformation, A:250; B:282–283
 fission tracks, B:295–300
 mineral composition, A:226
 photomicrograph, A:239, 243–246;

- B:276–277, 287
 pressure-temperature conditions, B:566–567, 571
 textures, B:265–266
 thin sections, A:991–1004, 1010–1011, 1013–1017
 X-ray fluorescence data, A:234
 schist, interlayered biotite-sillimanite, photograph, A:231
 schist, quartz-biotite, photograph, A:240
 schist, quartz-biotite-sillimanite, photomicrograph, A:245
 schistosity, deformation, B:283, 287–288
Scyphosphaera, holotype image analysis, B:239–247
Scyphosphaera amphora, vs. *Scyphosphaera campanula*, Mediterranean Sea W, B:241
Scyphosphaera antilleana, vs. *Scyphosphaera apsteinii* var. *dilata*, Mediterranean Sea W, B:241
Scyphosphaera apsteinii
 vs. *Scyphosphaera biarrizensis*, Mediterranean Sea W, B:241
 vs. *Scyphosphaera graphica*, Mediterranean Sea W, B:242
 vs. specimen, Site 975, B:244
Scyphosphaera apsteinii var. *dilata*
 vs. *Scyphosphaera antilleana*, Mediterranean Sea W, B:241
 vs. *Scyphosphaera cohenii*, Mediterranean Sea W, B:242
Scyphosphaera australiensis, vs. *Scyphosphaera kamptneri*, Mediterranean Sea W, B:243
Scyphosphaera biarrizensis, vs. *Scyphosphaera apsteinii*, Mediterranean Sea W, B:241
Scyphosphaera campanula, vs. *Scyphosphaera amphora*, Mediterranean Sea W, B:241
Scyphosphaera cohenii, vs. *Scyphosphaera apsteinii* var. *dilata*, Mediterranean Sea W, B:242
Scyphosphaera conica, vs. specimen, Site 975, B:244
Scyphosphaera cylindrica, vs. *Scyphosphaera galeana*, Mediterranean Sea W, B:242
Scyphosphaera deflandrei, vs. *Scyphosphaera queenslandensis*, Mediterranean Sea W, B:243
Scyphosphaera expansa, vs. *Scyphosphaera porosa*, Mediterranean Sea W, B:243
Scyphosphaera galeana, vs. *Scyphosphaera cylindrica*, Mediterranean Sea W, B:242
Scyphosphaera graphica, vs. *Scyphosphaera apsteinii*, Mediterranean Sea W, B:242
Scyphosphaera kamptneri, vs. *Scyphosphaera australiensis*, Mediterranean Sea W, B:243
Scyphosphaera lagena, vs. *Scyphosphaera turris*, Mediterranean Sea W, B:244
Scyphosphaera porosa, vs. *Scyphosphaera expansa*, Mediterranean Sea W, B:243
Scyphosphaera queenslandensis, vs. *Scyphosphaera deflandrei*, Mediterranean Sea W, B:243
Scyphosphaera turris, vs. *Scyphosphaera lagena*, Mediterranean Sea W, B:244
 sea-level changes
 Cenozoic, B:75, 475–476
 deposition, B:96
 dessication, B:547
 detrital components, A:309
 Messinian, B:546
 Pliocene–Pleistocene, B:66–67
 sapropels, A:12; B:409–410
 secondary minerals, metamorphism, B:252, 254–255
 sediment injection, breccia, B:335–336
 sedimentary cover, age and subsidence, B:561–562
 sedimentary sequences, correlation, B:69–76
 sedimentation
 post-evaporites, B:548–549
 provenance, B:28–32
See also deposition; hemipelagic sedimentation; paleoenvironment
 sedimentation rates
 argon isotopes, B:148
 biostratigraphy and isotopes, B:508, 513
 calcite flux, B:106
 compressibility, B:122
 decompaction, B:89
 foraminifers, B:204, 212
 lithologic units, A:307–308
 microfossils, A:73, 204, 313, 367, 399; B:34
 Pliocene/Quaternary, A:137
 sapropels, B:525
 tectonics, B:570
 vs. depth, A:138, 200, 206, 313, 318, 375, 403; B:90–92, 514
 vs. sulfate reduction rates, B:416
See also calcite flux
 sediments
 bacteria, B:433–438
 magnetic fabric, B:129–136
 mineralogy, B:99–110
 petrography, B:86–87
 photograph, B:8
 Pliocene/Miocene boundary, B:3–20
 post-evaporite section, A:133
 sediments, diatomaceous, lithologic units, A:394
 sediments, marine, Pliocene–Holocene succession, B:83–97
 seismic data, correlation with lithostratigraphic units, A:278; B:60
 seismic profiles
 correlation, B:560, 569
 lithoseismic units, B:336–338
 sedimentary cover, B:562–565
 Site 974, A:57–58, 116, 168
 Site 976, A:183–184, 277–279
 Site 977, A:302
 Site 979, A:392
 tectonics, B:348–354
 seismic reflectors
 intracrustal, rifting, B:573
See also M Reflector
 seismic unit I, Pliocene/Pleistocene, A:247
 seismic unit II, Messinian, A:247–248
 seismic unit III, Tortonian, A:248
 seismic unit IV, Serravallian, A:248
 seismic unit V, Serravallian–Langhian, A:248, 250
 seismic units
 correlation with lithofacies, B:67
 sediments, B:71–73
See also lithoseismic units; well-log units
 seismites, sediments, B:80
 selenite
 Messinian, B:544–546
See also gypsum
 selvaige, basement, B:565–568
 semi-desert environment, Quaternary, B:465
 sepiolite, sedimentation, B:31
 serpentinite, petrography, B:41
 serpulids
 biogenic components, B:78–80
 photograph, B:79
 Serrania de Ronda, metamorphic rocks, A:230
 Serravallian
 basement, B:573
 correlation, B:560
 deformation, B:332–334
 geochronology, B:299
 sedimentary cover, B:562
 sediments, B:70–73
 seismic unit IV, A:248
 volcanic pebbles, B:574
 volcanic rocks, A:11
 Serravallian–Langhian succession, seismic unit V, A:248, 250
 shale, schist protoliths, B:282–283
 shale, laminated, photograph, A:146
 shear zones
 boreholes, B:327
 evolution, B:573
 gneiss, B:284
 photograph, A:368
 photomicrograph, B:285
 strike-slip faults, B:351
 shell fragments
 lithologic units, A:393–397
 photograph, A:192
 shore-based processing, well-logs, A:106, 169, 280, 295, 347, 420
 shoshonite, pyroclastics, B:151–152
 Sicily, sapropels, A:11
 siderite
 associated with peaks in magnetic susceptibility, A:309
 breccia, A:217
 magnetic susceptibility, A:316
 rock magnetism, cores, A:322
 X-ray fluorescence data, A:237–238
 Sierra Cabrera, basement outcrops, B:547–548
 Sierra de Filabres, basement outcrops, B:547–548
 silica
 granites, A:216
 metamorphic rocks, B:375
 pore water, A:89, 236, 321–322, 405, 408
 sediments, diagenesis, A:149
 volcanic rocks, B:364–369
 vs. alkalis, B:146, 366
 vs. depth, A:94, 153, 260, 333, 387, 412
 vs. major oxides, B:366
 vs. potassium oxide, B:146, 153, 366
See also aluminum oxide/silica ratio
 silicates. *See* aluminosilicates; phyllosilicates
 siliciclastics
 deposition, B:95–96
 lithologic units, A:196, 307–308
 Messinian, B:545
 transport, B:94–95
 silicon, gouge, B:333
 sillimanite
 basement/sediment contact, A:215, 220
 gneiss, B:266–267, 283–284
 photograph, A:228, 238, 240
 photomicrograph, B:276–277, 279, 286, 313
 schist, B:264–265, 282–283, 312–314
 textures, A:224
 thermobarometry, B:288, 290
See also fibrolite
 sillimanite, fibrolitic, photomicrograph, A:239, 241, 243, 245, 247
 sillimanite, prismatic, photomicrograph, A:244
 sills, Messinian, B:547–548
 silt
 backscattered electron images, B:107
 lithofacies, B:59, 62–64
 lithologic units, A:59–64, 393–397
 photograph, A:313–314, 361, 364–366
 vs. depth, A:360
 silt, calcareous, lithologic units, A:188–189
 silt, micritic, lithologic units, A:189, 191

- silt, sandy
 lithologic units, A:357–358, 361
 photograph, A:310, 361
 silt layers, location, A:398
 siltstone
 petrography, B:42
 photograph, A:373, 375
 siltstone, calcareous, lithologic units, A:359–360, 362
 siltstone, foraminifer, lithologic units, A:358–359, 362
 similarity index, *Scyphosphaera* biometrics, B:246–247
 Singa, sapropels, A:11
 Site 122, gravel, B:16
 Site 372, gypsum, B:15
 Site 374, mudstone, B:15
 Site 532, gases, A:319, 403
 Site 659, oxygen isotopes vs. age, A:14
 Site 681, brine incursion, B:436
 Site 762, methane, A:233
 Site 763, methane, A:233
 Site 767, gases, A:319
 Site 897, gases, A:319
 Site 898, gases, A:319
 Site 969, sapropels, B:401–411
 Site 974, A:55–111
 background and objectives, A:56–57
 biostratigraphy, A:64–73; B:161–162, 198–202, 209–211
 composite depths, A:78–80
 coring, A:59
 downhole measurements, A:91–93
 in situ temperature, A:93
 inorganic geochemistry, A:82–83, 85, 87–89
 lithostratigraphy, A:58–64
 Messinian paleoenvironment, B:530–531
 operations, A:57–58
 organic geochemistry, A:81–82
 paleomagnetism, A:73–78; B:111–116, 509
 physical properties, A:89–91
 pore water, B:424–426
 porosity, B:123–127
 sand, B:39, 46
 sapropels, A:15; B:401–411, 520
 sea-surface temperature, B:489–503
 sedimentation rates, B:509
 site description, A:55–111
 smear slides, A:949–952
 structural geology, A:80–81
 volcanoclastics, B:137–156
 Site 975, A:113–177
 background and objectives, A:115
 biostratigraphy, A:132–137; B:162–164, 185–195, 201–204, 206–213, 218–220, 228
 circulation, A:15
 composite depths, A:141
 coring, A:117
 downhole measurements, A:153
 in situ temperature, A:153–154
 inorganic geochemistry, A:144–146, 149–150
 lithostratigraphy, A:118–132
 Messinian paleoenvironment, B:531, 537
 operations, A:115–118
 organic geochemistry, A:142–144
 paleoclimatology, B:509–510
 paleomagnetism, A:137–140
 petrology, B:3–20
 physical properties, A:150–153
 pore water, B:424–426
 porosity, B:125
 Quaternary paleoceanography, B:441–455, 481–488, 505–518
 sapropels, B:520
 sea-surface temperature, B:489–503
 site description, A:113–177
 site geophysics, A:154
 smear slides, A:953–956
 structural geology, A:141–142
 Site 976, A:179–297
 background and objectives, A:181–184
 bacteria, B:433–438
 basement, A:209–230; B:281–294
 biostratigraphy, A:197–204; B:164–166, 185–195, 228–230
 composite depths, A:209
 coring, A:187–188
 downhole measurements, A:242–244
 geochemistry, B:375–379
 geochronology, B:295–305
 in situ temperature, A:244–246
 inorganic geochemistry, A:233–238
 lithofacies, B:21–36, 57–68
 lithostratigraphy, A:188–197; B:84–85
 metamorphic-rock correlation, B:307–317
 metamorphism, B:251–261, 263–279
 Miocene–Pleistocene succession, A:15
 operations, A:184–188
 organic geochemistry, A:230, 232–233
 paleomagnetism, A:204–209; B:111–116, 510–512
 petrology, A:212–217, 223–230
 physical properties, A:238–241
 pore water, B:424, 426–431
 Quaternary paleoceanography, B:441–455, 469–479, 505–518
 Quaternary paleoenvironment, B:457–468
 sand, B:39, 41, 46–50
 sapropels, B:520–521
 sedimentary sequences, B:69–75
 site description, A:179–297
 site geophysics, A:246–250
 smear slides, A:957–962
 structural geology, A:209–212, 217–223, 230; B:319–329, 331–344
 tectonics, B:561–568
 thin sections, A:991–1017
 Site 977, A:299–353
 background and objectives, A:300–302
 bacteria, B:433–438
 biostratigraphy, A:309, 311–313; B:166–168, 230–231
 coring, A:303
 downhole measurements, A:323, 328
 in situ temperature, A:328–329
 inorganic geochemistry, A:319–323
 lithofacies, B:21–36
 lithostratigraphy, A:304–309; B:85–86
 operations, A:302–304
 organic geochemistry, A:318–319; B:391–400
 paleomagnetism, A:313–314, 316; B:111–116
 physical properties, A:323
 pore water, B:424, 426–431
 post-rift sediments, A:15
 Quaternary paleoceanography, B:469–479
 sand, B:42, 46, 50
 sapropels, B:520–521
 sedimentary sequences, B:69–75
 site description, A:299–353
 smear slides, A:964–973
 structural geology, A:316, 318; B:345–355
 subduction, B:357–373
 tectonics, B:568
 thin sections, A:1019–1022
 Site 978, A:355–388
 background and objectives, A:300–302, 356
 bacteria, B:433–438
 biostratigraphy, A:362–363, 365–367; B:231
 coring, A:356
 debris flows, B:77–81
 inorganic geochemistry, A:378–381
 lithostratigraphy, A:357–362; B:86
 Messinian paleoenvironment, B:537–538
 operations, A:356–357
 organic geochemistry, A:374–375, 377–378
 paleomagnetism, A:367, 369, 372–373
 physical properties, A:381
 pore water, B:424, 426–431
 post-rift sediments, A:15
 sand, B:42, 46, 50
 sedimentary sequences, B:69–75
 site description, A:355–388
 smear slides, A:974–979
 structural geology, A:373–374; B:345–355
 subduction, B:357–373
 tectonics, B:568
 thin sections, A:1023
 Site 979, A:389–426
 background and objectives, A:390–391
 biostratigraphy, A:397–399; B:168–169, 231–232
 coring, A:394
 downhole measurements, A:409
 in situ temperature, A:410
 inorganic geochemistry, A:403–408
 lithostratigraphy, A:393–397; B:86
 operations, A:391, 393
 organic geochemistry, A:401, 403
 paleomagnetism, A:399
 physical properties, A:408–409
 pore water, B:424, 426–431
 porosity, B:125
 sand, B:42, 46, 50
 sapropels, B:520–521
 sedimentary sequences, B:69–75
 site description, A:389–426
 smear slides, A:980–987
 structural geology, A:399, 401; B:345–355
 syn-sedimentary folds, A:15–16
 tectonics, B:570
 site geophysics
 Site 975, A:154
 Site 976, A:246–250
 Site MD 84641, sapropels, B:409–410
Skolithos, lithologic units, A:357–358, 361
Skolithos?, photograph, A:360
 slump folds
 lithologic units, A:358
 photograph, A:85–86, 311, 367–368
 Pliocene–Pleistocene succession, A:399
 sediments, A:141, 316
 slumping
 deposition, B:95–96
 lithologic units, A:118–120, 128, 309
 photograph, A:322
 reconstruction, A:322
 soft sediments, A:80–81
 smear slides
 Site 974, A:949–952
 Site 975, A:953–956
 Site 976, A:957–962
 Site 977, A:964–973
 Site 978, A:974–979
 Site 979, A:980–987
 smectite
 aluminum-iron-magnesium diagrams, B:32
 normalized formula, B:30–31
 sedimentation, B:29–31
 sediments, B:24
 vs. depth, B:29
 X-ray fluorescence data, A:238

- See also* illite/smectite ratio
- sodium
pore water, A:235, 321, 405
vs. chloride, A:387, B:427–429
vs. depth, A:93, 153, 260, 333, 387, 412;
B:425–427
- sodium/chloride ratio, pore water, A:378, B:426
- sodium oxide
granites, A:216
See also potassium oxide + sodium oxide
- sodium oxide/potassium oxide ratio, vs. potassium
oxide + sodium oxide, B:152
- soft sediment deformation
lithologic units, A:59–64
photograph, A:145, 367, 373
- solid solution, metamorphism, B:257–258
- sonic logs. *See* gamma ray–resistivity–sonic logs;
velocity logs
- Sorbas Basin, Messinian, B:543–551
- sorting, vs. depth, B:90–92
- South Balearic Basin
biostratigraphy, B:162–164, 201–204,
206–211, 218–220
extensional basins, A:6–12
halite, A:379
paleogeography, B:556–559
sedimentation, B:3–16
sediments, B:80
tectonics, B:568–569
- South Balearic Margin, sea-surface temperature,
B:489–503
- South Iberian paleomargin, terrains, B:557
- Southern Alboran Basin
biostratigraphy, B:168–169
marine sediments, B:86
sedimentation, B:50
syn-sedimentary folds, A:15–16
tectonics, A:399; B:347, 570
- Spain, Miocene, A:6–8
- Spain S
Messinian, B:543–551
paleogeography, B:556–559
pollen source, B:462
- species diversity
planktonic foraminifers, B:200, 206
vs. depth, B:200, 206
- spessartine, garnet composition, B:268
- sphene. *See* titanite
- spicule content, vs. depth, A:399
- spinel
marbles, B:313–314
mineral chemistry, B:272
photomicrograph, A:245
- splice tables
Site 974, A:83
Site 975, A:145
Site 976, A:222
- stable isotopes
sapropels, B:491
See also carbon isotopes; oxygen isotopes;
sulfur isotopes
- statistical analysis
planktonic foraminifers, B:190–194
See also principal component analysis;
Q-mode principal component analysis
- stauroilite
mineral chemistry, B:271
photomicrograph, A:244; B:276–277,
285–287
pressure-temperature conditions, B:566–567
schist, B:265–266, 282–283
textures, A:223
thermobarometry, B:288, 290
- steinkerns, petrography, B:42
- sterols
carbon number, B:400
nomenclature, B:398
organic-rich layers, B:393, 396–397
sediments, B:400
- stress
metamorphism, B:319–329
vs. friction, B:329
- stress fields, drilling-induced faulting, B:323, 325
- striations, basement/sediment contact, A:210–211
- strike-slip faults
evolution, B:573–574
post-Miocene, B:569–570
tectonics, B:347–354
- stromatolites
basin margins, B:548–549
bioherms, B:544–546
- strontium
diagenesis, A:146, 236, 319
evaporites, A:83
granites, A:216
pore water, A:235, 381, 404
sediments, B:28, 32–33
volcanic rocks, B:364–369
vs. depth, A:92, 152, 260, 332, 387, 412;
B:32–34, 425–427
- strontium/calcium ratio, vs. depth, B:432
- strontium/chloride ratio, vs. depth, B:430–431
- strontium isotopes, extensional tectonics, B:576
- structural geology
Site 974, A:80–81
Site 975, A:141–142
Site 976, A:209–212, 217–223, 230
Site 977, A:316, 318
Site 978, A:373–374
Site 979, A:399, 401
- stylolites
photomicrograph, A:131
sediments, A:141
- subaqueous environment, lithologic units, A:131
- subduction, Miocene, B:357–373
- submarine canyons, sedimentation, B:50
- submarine fans, lithologic units, A:362
- subpolar fauna, planktonic foraminifers, B:449,
451–452, 454
- subsidence
age, B:577
evolution, B:574
sedimentary cover, B:561–562
sedimentary sequences, B:69–76
tectonics, B:350–354
- subsidence curves, Cenozoic, B:74
- subtropical-tropical fauna, planktonic
foraminifers, B:449, 451–452, 454
- sulfate
gypsum, A:145
organic matter, A:236, 320–321
pore water, A:379; B:426
redox, A:236, 238
vs. depth, A:93, 153, 260–261, 333, 387, 412;
B:415, 425–427, 435–436, 506–507
vs. oxygen isotopes, B:417
vs. sulfur isotopes, B:417
- sulfate reduction
organic matter, A:146
pore water, A:322, 404; B:414, 425–427
See also oxidation; redox; reduction
- sulfate reduction rates, vs. sedimentation rates,
B:416
- sulfur, vs. total organic carbon, B:514
- sulfur isotopes
gypsum and chalk, B:418
pore water, B:413–421
vs. depth, B:415
- vs. oxygen isotopes, B:418
vs. sulfate, B:417
- supratidal environment, lithologic units, A:131
- tantalum
volcanic rocks, B:370
vs. lanthanum, B:366
- tantalum/neodymium ratio, vs.
samarium/neodymium ratio, B:369
- tantalum/ytterbium ratio, vs. thorium/ytterbium
ratio, B:369
- tectonics
basins, B:555–580
deposition, B:95
evolution, A:185; B:73–75
extensional basins, A:10–11
metamorphic rocks, B:263–279, 281–294,
296–299, 303–304, 307–317
orogenic belts, A:6–8
profile, A:186
sedimentation, B:32, 34, 50–52
See also collisional tectonics; contractive
structures; extensional tectonics;
orogenic belts
- teconite
petrography, B:39, 41–42
photomicrograph, B:55–56
- Tell Chain
Miocene, A:6–8
terrains, B:557
- temperate climate, Tortonian/Messinian,
B:546–548
- temperature
vs. depth, A:100, 167, 330, 418; B:122, 388
vs. hydrogen index, B:389
vs. integrated thermal resistivity, A:105, 167,
276
vs. isothermal remanent magnetization, B:115
vs. salinity, A:13
vs. thermal resistivity, A:345, 419
vs. time, A:105, 167, 271, 276, 345, 419;
B:300
- temperature, in situ
Site 974, A:93
Site 975, A:153–154
Site 976, A:244–246
Site 977, A:328–329
Site 979, A:410
- temperature, sea-surface
alkenones, B:489–503
marine environment, B:462
Messinian, B:545–546
Quaternary, B:465
unsaturation index, B:499–500
vs. *Neoglobobadrina pachyderma*
(left-coiling), B:447
See also paleotemperature
- tephra
age, B:148
correlation, B:154
origin, B:148, 150–155
See also pyroclastics
- terrigenous environment
Pleistocene, B:391–400, 409
See also continental environment;
paleoenvironment
- terrigenous sources, provenance, B:65–66
- textures
deformation, B:332–334
gneiss, A:224–225
high-grade schist, A:223–224
lithofacies, B:59–67
metamorphism, B:252, 254, 285
schist, B:265–267

- sediments, B:89–90
 thermobarometry, B:314
 vs. depth, B:90–92
See also microlitic textures; myrmekitic textures; poikiloblasts; porphyroblasts
- thermal boundary, extensional tectonics, B:575
 thermal conductivity
 sediments, A:90, 150, 240, 323, 408
 vs. depth, A:99, 161, 265, 334, 388, 413
- thermal history
 extension, B:561
 metamorphic rocks, B:296, 303
- thermal maturity, organic matter, B:383–390
 thermal modeling, high-grade schist, B:567–568
 thermal neutron porosity logs, vs. depth, A:103–104, 164–165, 274–275, 338–339, 342, 345, 417–418
 thermal resistivity, vs. temperature, A:105, 167, 276, 345, 419
- thermobarometry
 metamorphic rocks, B:263–279, 288, 290–293, 312
 textures, B:314
See also geobarometry; geothermometry
- thermohaline layer, salt, A:14
- thin sections
 Site 976, A:991–1017
 Site 977, A:1019–1022
 Site 978, A:1023
- tholeiite
 magmatism, B:574
See also basalt
- thorium
 volcanic rocks, B:370
 vs. lanthanum, B:366
- thorium logs
 gouge, B:334
 vs. depth, A:101–104, 109–110, 162–166, 266–270, 273, 276, 340–341, 415–416; B:322
See also uranium/thorium ratio logs
- thorium/ytterbium ratio, vs. tantalum/ytterbium ratio, B:369
- thrombolites, basin margins, B:548–549
 thrust belts, evolution, B:570–577
 thrust faults, terrains, B:557
 Tiber River, sand provenance, B:52
 time, vs. temperature, A:271, 276; B:300
 time domain analysis, planktonic foraminifers, B:471–472
- titanite
 basement/sediment contact, A:215
 calc-silicate rock, B:256
- titanium, volcanic rocks, B:370
- titanium oxide
 metamorphic rocks, B:375
 volcanic rocks, B:364–369
 vs. aluminum oxide, B:377
- titanomagnetite
 gneiss, B:267
 mineral chemistry, B:271
 photomicrograph, B:362
 schist, B:265, 283
- Toorox Unit, phase equilibria, B:567
- Tortonian
 correlation, B:560
 reefs, B:546
 sedimentary cover, B:562
 sediments, B:70–73
 seismic profiles, B:338
 seismic unit III, A:248
 stratigraphy, B:545, 558
 volcanic rocks, A:11
- Tortonian/Messinian boundary, compression, B:75, 543
- tourmaline
 basement/sediment contact, A:215
 gneiss, B:284
 photograph, A:233
 schist, B:265
- trace elements
 basement, B:375–379
 extensional tectonics, B:575–576
 sediments, B:24, 28
 volcanic pebbles, B:569
 volcanic rocks, B:364–369
- trachyandesite, pyroclastics, B:150
 trachybasalt, pyroclastics, B:150
 trachyte
 pyroclastics, B:151
 thin sections, A:1023
- Trans-Alboran shear zones, tectonics, B:351
 transport, siliciclastics, B:94–95
 Triassic, lithostratigraphy, B:308
 tropical climate, Tortonian/Messinian, B:546–548
 tropical fauna. *See* subtropical-tropical fauna
- tuff, altered, photograph, A:368
 tuffite, Miocene, A:11
- turbidite
 lithofacies, B:28
 Messinian, B:529–541
 pyroclastics, B:151–152
 sedimentary cover, B:562
- turbidite, base-cut-out, photograph, A:313
 turbidite facies, Pliocene–Pleistocene, B:59, 62–63
- turbidity currents
 carbonates, B:78
 deposition, B:95–96
 lithologic units, A:196
- Tuscan-Roman-Campanian magmatic province, pyroclastics, B:151–152
- Tyrrhenian Basin
 organic matter, B:385
 sand provenance, B:37–56
 volcanoclastics, B:137–156
- Tyrrhenian Sea
 biostratigraphy, B:161–162, 198–202, 209–211, 223–237
 pore water, B:424–426
 sapropels, A:15; B:401–411
 sea-surface temperature, B:489–503
- unconformities
 lithologic units, A:397
 lithostratigraphy, B:84–86, 560
 M Reflector, B:348–352
 Miocene/Pliocene boundary, B:538–539, 568
 post-Miocene, B:569–570
 sediments, B:70–73
 seismic profiles, B:336–338
 seismic unit I, A:247
 seismic unit V, A:248, 250
- unsaturation index
 sea-surface temperature, B:499–500
 vs. depth, B:493–499
- uplifts
 lithologic units, A:196–197
 paleobathymetry, B:73
 tectonics, B:570
- upwelling, sapropels, B:409–410
 uranium, volcanic rocks, B:370
 uranium/thorium ratio logs, vs. depth, B:322
- uranium logs
 gouge, B:334
 vs. depth, A:101–104, 109–110, 162–166, 266–270, 273, 276, 340–341, 415–416; B:322
- Vavilov Seamount, pyroclastics, B:150
- vegetation
 Quaternary, B:464–466
See also grasses; paleovegetation; pollen veinlets. *See* dewatering veinlets
- veins
 basement, B:565–568
 photograph, A:231
 photomicrograph, B:56
 plagioclase, B:268–269
See also quartz veins
- velocity
 vs. depth, A:94–99, 154, 156–161, 262–264, 333–334, 388, 414; B:321
See also compressional wave velocity
- velocity logs
 vs. depth, A:167, 170–171, 276, 342, 344
See also gamma ray–resistivity–sonic logs
- Vico eruption, pyroclastics, B:152
- void ratio
 vs. depth, A:265, 334, 388, 414
See also porosity
- volcanic ash
 backscattered electron images, B:109
 composition, B:106
 layers, A:62
 lithologic units, A:59–64
 petrography, B:47
 photograph, A:63–64, 68–69
- volcanic clasts, petrography, B:357–359
- volcanic glass
 backscattered electron images, B:109
 composition, B:106
 petrography and major elements, B:139–148
 photograph, A:63
 photomicrograph, B:145
- volcanic glass, vesicular, photomicrograph, B:55
- volcanic rocks
 geochemistry, B:357–373
 Tortonian, A:11
- volcanoclastics
 age, B:148
 chronology and composition, B:137–156
 lithologic units, A:62
 petrography, B:39
 sand provenance, B:52
- volcanism, shoshonite, B:350
 Vrica, sapropels, A:11
 Vulsino eruption, pyroclastics, B:152
- Walvis Ridge, gases, A:319
 weathering. *See* chemical weathering
- well-log units
 lithology, A:242–244
See also log unit I; log unit II; log unit III; lithoseismic units; seismic units
- well-logging
 Site 974, A:91–93
 Site 975, A:153
 Site 976, A:242–244
 Site 977, A:323–328
 Site 979, A:409
- well-logs
 sedimentary cover, B:562–565
 shore-based processing, A:106, 169, 280, 295, 347, 420
- West Balearic Basin, Pleistocene
 paleoceanography, B:481–488
- Western Alboran Basin
 biostratigraphy, B:164–166
 extensional basins, A:9
 marine sediments, B:84–85
 Miocene–Pleistocene succession, A:15
 tectonics, A:185; B:331–344, 561–568

- Western Betic Cordillera, metamorphism, B:274
- X-ray diffraction data, sediments, B:7, 11–12
- xenocrysts, petrography, B:358
- xenoliths, photomicrograph, B:313
- Younger Dryas, paleoclimatology, B:466
- ytterbium. *See* tantalum/ytterbium ratio;
thorium/ytterbium ratio
- yttrium, granites, A:216
- yttrium/niobium ratio, vs. zirconium/niobium
ratio, B:369
- Yusuf Basin, strike-slip faults, B:348–354,
569–570
- Yusuf Fault
- strike-slip faults, B:348–350, 352–353,
569–570
- volcanic rocks, B:574
- Yusuf Ridge
sediments, A:309
structure, B:348
tectonics, A:318; B:352–353, 568–569
- Zanclean, sedimentary cover, B:562
- zeolites
geochemistry, A:89
petrography, B:41
photograph, A:64, 368
- zinc, granites, A:216
- zircon, schist, B:265
- zirconium
granites, A:216
vs. lanthanum, B:366
- zirconium/niobium ratio, vs. yttrium/niobium
ratio, B:369
- Zone MP11, foraminifers, B:214–220
- zoning
biostratigraphy, B:224–232
garnet, B:267
metamorphism, B:310
plagioclase, B:267–268
- Zoophycos*
lithologic units, A:118, 304–305, 357–358,
361, 394, 396
photograph, A:365; B:86

VOLUME 161 TAXONOMIC INDEX

- abelei*, *Scyphosphaera*, Mediterranean Sea W,
B:240, 247
- Abies*, Site 976, B:463
- abies*, *Sphenolithus*
Mediterranean Sea W, B:226
Site 976, B:230
- acostaensis*, *Neogloboquadrina*
Mediterranean Sea W, B:226, 544–545
Site 975, A:133
Site 976, A:202–203
- acostaensis* (left-coiling), *Neogloboquadrina*
Site 974, B:199, 209, 213
Site 975, B:201–202, 210, 213, 442–451, 454,
549
- acostaensis* (right-coiling), *Neogloboquadrina*
Site 974, B:199, 209, 213
Site 975, B:201, 210, 213, 442–445, 447–451
- aculeata*, *Bulimina*
Site 974, A:72
Site 975, A:134
- acutus*, *Ceratolithus*, Mediterranean Sea W,
B:225–226
- affinis*, *Globobulimina*, Site 975, A:134
- Algidasphaeridium?* cf. *minutum*, Site 976, B:460
- Amaurolithus delicatus*
Site 976, A:199
Site 978, A:363; B:537
- Amaurolithus primus*
Mediterranean Sea W, B:226
Site 976, B:230
Site 978, B:537
- Amaurolithus primus* Subzone, Mediterranean Sea
W, B:226
- Amaurolithus tricorniculatus*, Mediterranean Sea
W, B:225
- Ammonia* spp.
Site 974, A:73
Site 976, A:204
- Ammonia tepida*
Site 975, A:135; B:16, 201, 533, 537, 549
Site 978, B:537–538
- Amnicythere idonea*, Site 975, B:537
- amphora*, *Scyphosphaera*, Mediterranean Sea W,
B:240–241, 246
- antilleana*, *Scyphosphaera*, Mediterranean Sea W,
B:240–241, 246
- apertura* group, *Globigerina*, Sites 975–976,
B:187–189, 191, 193
- apsteinii*, *Scyphosphaera*, Mediterranean Sea W,
B:227, 240–242, 244, 246–247
- apsteinii* var. *dilata*, *Scyphosphaera*,
Mediterranean Sea W, B:241–242
- aranta*, *Scyphosphaera*, Mediterranean Sea W,
B:227
- Artemisia*, Site 976, B:461–464
- Articulina tubulosa*
Site 974, A:72
Site 975, A:134
- asanoi*, *Crenalithus*
Mediterranean Sea W, B:178–179
Site 975, B:163, 182–183
Site 976, B:165
Site 977, B:167
- asanoi*, *Reticulofenestra*, Sites 975–976, B:447
- Asterigerina* spp., Site 976, A:204
- Astrononion stelligerum*, Site 974, B:199
- asymmetricus*, *Discoaster*, Mediterranean Sea W,
B:225, 232
- australiensis*, *Scyphosphaera*, Mediterranean Sea
W, B:243, 246
- balthica*, *Hyalinea*, Site 975, A:134
- Beella digitata*
Site 974, A:71
Sites 975–976, B:187, 191, 452
- biarritzensis*, *Scyphosphaera*, Mediterranean Sea
W, B:227, 241, 246
- bigelowii*, *Braarudosphaera*
Mediterranean Sea W, B:172, 176
Site 974, B:161–162
Site 977, B:166, 168
Site 979, B:171
- Bigenerina nodosaria*, Site 975, B:201, 203
- Bitectatodinium tepikiense*, Site 976, B:459–462,
465–466
- Bolivina* cf. *paralica*
Site 974, B:213
Site 975, B:201, 211, 531, 533, 537, 541
- bononiensis*, *Globorotalia*
Site 975, A:133
Site 977, A:312
Site 978, A:363
Site 979, A:398–399; B:232
Sites 975–976, B:190, 193–194
- Braarudosphaera bigelowii*
Mediterranean Sea W, B:172, 176
- Site 974, B:161–162
Site 977, B:166, 168
Site 979, B:171
- bradyi*, *Karrerella*
Site 974, B:201–202, 211, 214
Site 975, B:201, 203
- bradyi*, *Trifarina*, Site 975, B:201, 211, 214
- brevis*, *Scyphosphaera*, Mediterranean Sea W,
B:227, 239
- Brigantedinium* spp., Site 976, B:459–461, 465
- Brizalina dentellata*, Site 978, A:363; B:537–538
- Brizalina-Bolivina* group
Site 974, B:199
Site 975, B:201–202, 211
- brouweri*, *Discoaster*
Mediterranean Sea W, B:232–235
Site 974, B:233–234
Site 975, B:163, 234
Site 976, B:229
Site 977, B:233
Site 978, B:234
Site 979, B:169
- brouweri* s.l., *Discoaster*, Mediterranean Sea W,
B:232
- brouweri* subsp. *bipartitus*, *Discoaster*,
Mediterranean Sea W, B:232
- brouweri* var. *rutellus*, *Discoaster*, Mediterranean
Sea W, B:232
- Bulimina aculeata*
Site 974, A:72
Site 975, A:134
- Bulimina echinata*, Site 978, A:363; B:537–538
- bulloides*, *Globigerina*
Mediterranean Sea W, B:174, 508, 510–511,
515–516
Site 974, A:70; B:491–502
Site 975, B:482–487, 491–502
Site 976, A:202
Sites 975–976, B:442–445, 447–451
Sites 976–977, B:471–477
- bulloides* group, *Globigerina*
Site 978, A:363
Sites 975–976, B:187–191
- calcareum*, *Phymatolithon*, Site 978, B:80
- Calcidiscus leptoporus*, Site 975, B:183
- Calcidiscus macintyre*
Mediterranean Sea W, B:176–177, 471

- Site 975, B:181–183
 Site 976, A:199; B:230
 Site 977, A:311
calida, *Globigerina*, Sites 975–976, B:187, 191, 452
campanula, *Scyphosphaera*, Mediterranean Sea W, B:240–241
Candona sp.
 Site 974, B:530, 541
 Site 978, B:538
cariaensis, *Globigerina*
 Site 974, A:70–71
 Sites 975–976, B:443
caribbeanica, *Gephyrocapsa*
 Mediterranean Sea W, B:170–171, 176–178, 180
 Site 974, A:65
 Site 975, B:163
 Site 976, B:165
Cassidulina neocarinata, Site 975, A:134
Cassidulina spp.
 Site 978, B:78
 Site 979, A:398
Catinaster coalitus, Site 976, B:230
Cedrus, Site 976, B:461–464
Ceratolithus acutus, Mediterranean Sea W, B:225–226
Ceratolithus rugosus, Mediterranean Sea W, B:225–226
challengeri, *Hayella*, Site 977, A:309
Cibicides spp., Site 975, A:134
Cibicides kullenbergi
 Site 975, A:134
 Site 976, A:204
Cibicides robertsonianus, Site 974, A:72
Cibicides wuellerstorfi
 Site 659, A:14
 Sites 976–977, B:472–473
Cistus, Site 976, B:462–463
coalitus, *Catinaster*, Site 976, B:230
Coccolithus miopelagicus
 Mediterranean Sea W, B:226
 Site 975, B:228
 Site 976, B:230
 Site 977, B:231
 Site 978, B:231
Coccolithus pelagicus
 Mediterranean Sea W, B:232–235
 Site 974, B:233
 Site 977, B:233
 Site 978, B:234
Coccolithus pelagicus Subzone, Mediterranean Sea W, B:226
Coccolithus spp., Site 976, A:199
cohenii, *Scyphosphaera*, Mediterranean Sea W, B:242, 246
columella, *Scyphosphaera*, Mediterranean Sea W, B:239–240
communis, *Martinottiella*, Site 975, B:214
conglobatus, *Globigerinoides*, Sites 975–976, B:190–191, 452
conica, *Scyphosphaera*, Mediterranean Sea W, B:240, 244, 246–247
conoidea, *Globorotalia*, Site 976, A:202
conomiozea, *Globorotalia*
 Mediterranean Sea W, B:226
 Site 975, A:133; B:549
 Site 976, A:204
 Site 978, B:537
conomiozea, *Globorotalia* cf., Site 978, A:363
conomiozea group, *Globorotalia*, Site 976, A:204
continua, *Neogloboquadrina*, Site 976, A:202
corallioides, *Lithothamnion*, Site 978, B:80
crassaformis group, *Globorotalia*
 Site 976, A:202
 Site 977, A:312
 Sites 975–976, B:187–188, 190–191, 193–194
Crenalithus asanoi
 Mediterranean Sea W, B:178–179
 Site 975, B:163, 182–183
 Site 976, B:165
 Site 977, B:167
Crenalithus doronocoides
 Mediterranean Sea W, B:227
 Site 975, B:182–183
Crenalithus japonicus n. comb., Site 975, B:182–183
Cryptococcolithus mediaperforatus
 Mediterranean Sea W, B:226
 Site 975, B:228
 Site 976, B:230
 Site 978, B:231
cultrata, *Globorotalia*, Sites 975–976, B:187, 452
Cyclicargolithus floridanus
 Site 977, A:311; B:231
 Site 978, B:231
cylindrica, *Scyphosphaera*, Mediterranean Sea W, B:240, 242, 246
Cyprideis spp.
 Site 974, A:73; B:530, 541
 Site 975, B:541
 Site 978, B:538, 541
Cyrtococcolithus mediaperforatus, Site 977, A:309
dalei, *Pentapharsodinium* cf., Site 976, B:460, 465
deflandrei, *Scyphosphaera*, Mediterranean Sea W, B:240, 243, 245–247
dehiscens, *Sphaeroidinella*, Sites 975–976, B:452
delicatus, *Amaurolithus*
 Site 976, A:199
 Site 978, A:363; B:537
Dentalina filiformis
 Site 974, B:214
 Site 975, B:203
Dentalina spp., Site 974, B:201–202, 211
dentellata, *Brizalina*, Site 978, A:363; B:537–538
digitata, *Beella*
 Site 974, A:71
 Sites 975–976, B:187, 191, 452
Discoaster asymmetricus, Mediterranean Sea W, B:225, 232
Discoaster brouweri
 Mediterranean Sea W, B:232–235
 Site 974, B:233–234
 Site 975, B:163, 234
 Site 976, B:229
 Site 977, B:233
 Site 978, B:234
 Site 979, B:169
Discoaster brouweri s.l., Mediterranean Sea W, B:232
Discoaster brouweri subsp. *bipartitus*, Mediterranean Sea W, B:232
Discoaster brouweri var. *rutellus*, Mediterranean Sea W, B:232
Discoaster hamatus, Mediterranean Sea W, B:226
Discoaster intercalaris, Mediterranean Sea W, B:232
Discoaster kugleri, Site 976, A:199; B:230
Discoaster pentaradiatus
 Mediterranean Sea W, B:225
 Site 976, A:199; B:229–230
 Site 979, A:399; B:232
Discoaster quinqueramus
 Mediterranean Sea W, B:225
 Site 976, A:199
Discoaster quinqueramus var. A, Site 974, A:67
Discoaster spp., Site 977, A:313
Discoaster surculus, Site 976, B:229
Discoaster tamalis
 Mediterranean Sea W, B:225, 232
 Site 976, B:229
 Site 977, A:313
Discoaster triradiatus
 Mediterranean Sea W, B:232
 Site 979, B:169
Discoaster variabilis, Mediterranean Sea W, B:232
Ditrupea sp., Site 978, B:78, 80
djaffarovi, *Loxochonca*, Site 975, B:537–538, 541
doronocoides, *Crenalithus*
 Mediterranean Sea W, B:227
 Site 975, B:182–183
dutertrei, *Neogloboquadrina*
 Mediterranean Sea W, B:510–511, 513, 516
 Site 974, A:70–71
 Site 975, A:133
 Site 976, A:202
 Site 977, A:312
 Sites 975–976, B:452
dutertrei group, *Neogloboquadrina*, Sites 975–976, B:187, 191
echinata, *Bulimina*, Site 978, A:363; B:537–538
Elphidium spp.
 Site 975, A:134–135
 Site 976, A:204
 Site 978, B:78
Emiliania huxleyi
 Mediterranean Sea W, B:180, 447, 508
 Site 974, A:82; B:499, 501
 Site 975, A:144, 150; B:164, 499, 501
 Site 976, A:198–199
 Site 977, B:168
 Site 979, B:169
Ephedra, Site 976, B:462–463
Epistominella exigua, Site 975, B:201–202
Epistominella sp., Site 978, B:78
Eponides pusillus, Site 975, B:201–202
Euxinocythere praebaquana, Site 975, B:537
exigua, *Epistominella*, Site 975, B:201–202
expansa, *Scyphosphaera*, Mediterranean Sea W, B:243, 246
extremus, *Globigerinoides*, Site 978, A:363
falconensis, *Globigerina*
 Site 975, A:133
 Sites 975–976, B:187, 189, 443–445, 451
filiformis, *Dentalina*
 Site 974, B:214
 Site 975, B:203
floridanus, *Cyclicargolithus*
 Site 977, A:311; B:231
 Site 978, B:231
fragilis, *Syracosphaera*, Site 977, A:309
Fursenkoina spp., Site 974, B:199
galeana, *Scyphosphaera*, Mediterranean Sea W, B:242, 246
gelida, *Reticulofenestra*, Mediterranean Sea W, B:226
Geminilithella rotula, Site 976, A:199
Gephyrocapsa caribbeanica
 Mediterranean Sea W, B:170–171, 176–178, 180
 Site 974, A:65
 Site 975, B:163
 Site 976, B:165
Gephyrocapsa oceanica
 Mediterranean Sea W, B:170–171, 176–178,

- 225–227, 471
 Site 974, A:65; B:161, 499
 Site 975, B:163, 228, 499
 Site 976, B:165
 Site 977, A:309; B:230
 Site 978, A:363
 Site 979, B:169
Gephyrocapsa oceanica s.l., Mediterranean Sea W, B:171, 176
Gephyrocapsa omega
 Mediterranean Sea W, B:178–179
 Site 975, B:163
 Site 976, B:165
 Site 977, B:166
Gephyrocapsa protohuxleyi, Mediterranean Sea W, B:180
Gephyrocapsa (small) Zone, Mediterranean Sea W, B:178–179
Gephyrocapsa sp. 3, Mediterranean Sea W, B:179
Gephyrocapsa sp. B, Mediterranean Sea W, B:171
Gephyrocapsa spp.
 Mediterranean Sea W, B:177–178, 180, 443, 447
 Site 976, A:199; B:471
 Site 977, B:166, 471
 Site 979, B:169
gizensis, Hughesius, Site 977, A:309
Globigerina apertura group, Sites 975–976, B:187–189, 191, 193
Globigerina bulloides
 Mediterranean Sea W, B:174, 508, 510–511, 515–516
 Site 974, A:70; B:491–502
 Site 975, B:482–487, 491–502
 Site 976, A:202
 Sites 975–976, B:442–445, 447–451
 Sites 976–977, B:471–477
Globigerina bulloides group
 Site 978, A:363
 Sites 975–976, B:187–191
Globigerina calida, Sites 975–976, B:187, 191, 452
Globigerina cariacensis
 Site 974, A:70–71
 Sites 975–976, B:443
Globigerina cariacensis Zone
 Site 974, A:71
 Site 975, A:133
 Site 976, A:202–203
 Site 977, A:312
 Site 979, A:397
Globigerina cariacensis/Globorotalia zonal boundary, Site 978, A:363
Globigerina falconensis
 Site 975, A:133
 Sites 975–976, B:187, 189, 443–445, 451
Globigerina multiloba, Alboran Basin, B:544–545
Globigerina nepenthes, Site 975, B:201
Globigerina quinqueloba
 Mediterranean Sea W, B:508, 510–511, 515
 Site 976, A:202
Globigerina riveroae, Sites 975–976, B:443
Globigerina spp.
 Site 974, A:71
 Site 977, A:312
Globigerina umbilicata, Sites 975–976, B:443
Globigerinella siphonifera, Sites 975–976, B:452
Globigerinita glutinata
 Mediterranean Sea W, B:510–511
 Sites 975–976, B:187–189, 191, 443–445, 451
Globigerinoides conglobatus, Sites 975–976, B:190–191, 452
Globigerinoides ex group *ruber*, Mediterranean Sea W, B:511
Globigerinoides extremus, Site 978, A:363
Globigerinoides extremus Zone, Site 976, A:204
Globigerinoides obliquus, Site 978, A:363
Globigerinoides obliquus group, Sites 975–976, B:187–190, 193–194, 447
Globigerinoides obliquus–Globigerinoides extremus group, Sites 975–976, B:190
Globigerinoides quadrilobatus, Sites 975–976, B:447
Globigerinoides ruber
 Mediterranean Sea W, B:510, 516
 Site 974, A:71
 Site 975, A:133
 Site 976, A:202
 Site 977, A:312
 Sites 975–976, B:442–445, 447–450, 454
Globigerinoides ruber group, Sites 975–976, B:187–191, 194
Globigerinoides ruber var. *rosea*, Sites 975–976, B:447, 516
Globigerinoides spp.
 Site 974, B:200, 204, 209
 Site 975, B:202, 206, 210, 537
 Site 977, A:312
Globigerinoides trilobus group, Sites 975–976, B:187–189, 191, 447, 452
Globobulimina affinis, Site 975, A:134
Globocassidulina spp.
 Site 975, B:203
 Site 979, A:398
Globocassidulina subglobosa
 Site 974, B:201–202, 211
 Site 975, B:201–203, 211
 Site 976, A:204
Globorotalia bononiensis
 Site 975, A:133
 Site 977, A:312
 Site 978, A:363
 Site 979, A:398–399; B:232
 Sites 975–976, B:190, 193–194
Globorotalia cf. *conomiozea*, Site 978, A:363
Globorotalia conoidea, Site 976, A:202
Globorotalia conomiozea
 Mediterranean Sea W, B:226
 Site 975, A:133; B:549
 Site 976, A:204
 Site 978, B:537
Globorotalia conomiozea group, Site 976, A:204
Globorotalia conomiozea Zone
 Site 975, A:133; B:549
 Site 976, A:202
Globorotalia crassaformis group
 Site 976, A:202
 Site 977, A:312
 Sites 975–976, B:187–188, 190–191, 193–194
Globorotalia cultrata, Sites 975–976, B:187, 452
Globorotalia hirsuta, Sites 975–976, B:187–189, 191, 451
Globorotalia hirsuta–Globorotalia margaritae group, Sites 975–976, B:187–189
Globorotalia inflata
 Mediterranean Sea W, B:510–511, 515
 Site 974, A:71
 Site 975, A:133
 Site 976, A:202
 Site 977, A:312
 Sites 975–976, B:442–445, 447–451, 454
Globorotalia inflata group, Sites 975–976, B:187–191, 193–194
Globorotalia margaritae
 Mediterranean Sea W, B:225–226
 Site 974, A:71; B:198–199, 209, 212–213
 Site 975, B:201–202, 209–210, 212–213
 Site 976, A:202
 Site 977, A:312
 Site 978, A:363
 Sites 975–976, B:190–194
 Site 979, A:397
 Site 976, A:202
 Site 977, A:312
 Site 978, A:363, 372
 Sites 975–976, B:187–190, 193–194
Globorotalia margaritae Zone, Sites 975–976, B:190
Globorotalia mediterranea
 Alboran Basin, B:544, 549
 Site 975, A:133
 Site 976, A:202, 204
Globorotalia menardii group
 Site 975, B:537
 Site 976, A:204
Globorotalia merotumida, Site 975, B:549
Globorotalia miotumida
 Site 975, A:133; B:549
 Site 976, A:202, 204
 Site 978, A:363
Globorotalia miotumida group
 Alboran Basin, B:544–545
 Site 975, B:537
Globorotalia puncticulata
 Mediterranean Sea W, B:226
 Site 974, A:71
 Site 976, A:202
 Site 977, A:312
 Site 978, A:372
 Sites 975–976, B:190–194
Globorotalia saphoea, Site 976, A:202
Globorotalia scitula
 Mediterranean Sea W, B:510–511
 Site 974, A:70
 Site 975, A:133
 Sites 975–976, B:443–445, 447, 451
Globorotalia scitula (right-coiling)
 Site 974, B:199, 209
 Site 975, B:201, 210
Globorotalia siakensis, Site 976, A:202–204
Globorotalia suteræ
 Site 976, A:202, 204
 Site 978, A:363
Globorotalia suteræ Zone, Site 976, A:204
Globorotalia truncatulinoides excelsa, Sites 975–976, B:447
Globorotalia truncatulinoides excelsa Zone
 Site 975, A:133
 Site 976, A:202–203
 Site 977, A:312
 Site 978, A:363
 Site 979, A:397
Globorotalia truncatulinoides (left-coiling), Sites 975–976, B:451
Globorotalia truncatulinoides (right-coiling), Sites 975–976, B:187, 190, 443–445, 452
Globorotalia tumida group, Sites 975–976, B:187, 452
Globoturborotalia rubescens, Sites 975–976, B:443–445, 452
Globoturborotalia tenella, Sites 975–976, B:452
glutinata, *Globigerinita*
 Mediterranean Sea W, B:510–511
 Sites 975–976, B:187–189, 191, 443–445, 451
granosum, *Protelphidium*, Site 978, B:537
graphica, *Scyphosphaera*, Mediterranean Sea W, B:240, 242
Gyroidina laevigata
 Site 974, A:72
 Site 975, A:134; B:203
Gyroidina spp., Site 975, A:134
Gyroidinoides laevigatus, Site 974, B:201, 211, 214
Gyroidinoides soldanii group
 Site 974, B:201–202, 211
 Site 975, B:201–203, 211, 537

- Gyroidinoides* spp.
Site 974, B:201–202, 211, 214
Site 975, B:211
Site 976, A:204
- Halimeda*, Alboran Basin, B:544
hamatus, *Discoaster*, Mediterranean Sea W, B:226
haqii, *Reticulofenestra*, Mediterranean Sea W, B:227
Hayella challengerii, Site 977, A:309
Helicosphaera intermedia
Mediterranean Sea W, B:225–226
Site 974, A:66
Site 975, A:132
Site 976, A:199
Site 977, B:230
Helicosphaera orientalis
Mediterranean Sea W, B:226
Site 975, B:228
Site 976, A:199
Site 977, A:309, 311
Site 978, B:231
Helicosphaera sellii
Mediterranean Sea W, B:178, 443
Site 976, B:230
Site 977, B:166, 230
Helicosphaera stalis
Mediterranean Sea W, B:226
Site 976, A:199
Helicosphaera stalis ovata
Site 975, B:228
Site 978, B:231
Helicosphaera stalis stalis
Site 975, B:228
Site 977, A:309; B:231
Site 978, B:231
Helicosphaera walbersdorfensis, Site 976, A:199; B:230
heteromorphus, *Sphenolithus*, Mediterranean Sea W, B:226
hirsuta, *Globorotalia*, Sites 975–976, B:187–189, 191, 451
Hoeglundina sp., Site 978, B:78
Hughesius gizoensis, Site 977, A:309
huxleyi, *Emiliania*
Mediterranean Sea W, B:180, 447, 508
Site 974, A:82; B:499, 501
Site 975, A:144, 151; B:164, 499, 501
Site 976, A:198–199
Site 977, B:168
Site 979, B:169
Hyalinea balthica, Site 975, A:134
- idonea*, *Ammicythere*, Site 975, B:537
ilex, *Quercus*, Site 976, B:461–464
Impagidinium patulum, Site 976, B:459–460
inflata, *Globorotalia*
Mediterranean Sea W, B:510–511, 515
Site 974, A:71
Site 975, A:133
Site 976, A:202
Site 977, A:312
Sites 975–976, B:442–445, 447–451, 454
inflata group, *Globorotalia*, Sites 975–976, B:187–191, 193–194
intercalaris, *Discoaster*, Mediterranean Sea W, B:232
intermedia, *Helicosphaera*
Mediterranean Sea W, B:225–226
Site 974, A:66
Site 975, A:132
Site 976, A:199
Site 977, B:230
intermedia, *Scyphosphaera*, Mediterranean Sea W, B:240, 245–247
Islandiella spp., Site 979, A:398
Isoetes, Site 976, B:461–464
- japonica*, *Pontosphaera*
Site 976, A:199
Site 977, A:309
japonicus n. comb., *Crenalithus*, Site 975, B:182–183
- kamptneri*, *Scyphosphaera*, Mediterranean Sea W, B:243, 246
Karreriella bradyi
Site 974, B:201–202, 211, 214
Site 975, B:201, 203
kugleri, *Discoaster*, Site 976, A:199; B:230
kullenbergi, *Cibicides*
Site 975, A:134
Site 976, A:204
- labyrinthea*, *Nematosphaeropsis*, Site 976, B:459–462, 465–466
lacunosa, *Pseudoemiliania*
Mediterranean Sea W, B:178–180, 225, 227, 447, 471, 508
Site 975, A:140; B:164
Site 976, B:165, 230
Site 977, B:166–168, 230
Site 978, A:372
Site 979, B:169
lacunosa lacunosa n. comb., *Pseudoemiliania*
Mediterranean Sea W, B:179
Site 975, B:183
lacunosa var. *ovata* n. comb., *Pseudoemiliania*, Site 974, B:182–183
laevigata, *Gyroidina*
Site 974, A:72
Site 975, A:134; B:203
laevigatus, *Gyroidinoides*, Site 974, B:201, 211, 214
lagena, *Scyphosphaera*, Mediterranean Sea W, B:244, 246
Lenticulina spp., Site 978, B:78
Leptocythere limbata, Site 975, B:537
leptoporus, *Calcidiscus*, Site 975, B:183
limbata, *Leptocythere*, Site 975, B:537
Lingulodinium machaerophorum, Site 976, B:460–461, 463
Lithothamnion corallioides, Site 978, B:80
Lithothamnion spp., Site 978, B:78, 80
Loxochonca djaffarovi, Site 975, B:537–538, 541
Loxochonca mülleri, Site 978, B:538, 541
- machaerophorum*, *Lingulodinium*, Site 976, B:460–461, 463
macintyreii, *Calcidiscus*
Mediterranean Sea W, B:176–177, 471
Site 975, B:181–183
Site 976, A:199; B:230
Site 977, A:311
Malletia, Site 976, B:511
margaritae, *Globorotalia*
Mediterranean Sea W, B:225–226
Site 974, A:71; B:198–199, 209, 212–213
Site 975, B:201–202, 209–210, 212–213
Site 976, A:202
Site 977, A:312
Site 978, A:363, 372
Sites 975–976, B:187–190, 193–194
Martinottiella communis, Site 975, B:214
Martinottiella spp., Site 975, B:201, 203, 214
mediaperforatus, *Cryptococcolithus*
Mediterranean Sea W, B:226
Site 975, B:228
Site 976, B:230
Site 978, B:231
mediaperforatus, *Cyrtococcolithus*, Site 977, A:309
mediterranea, *Globorotalia*
Alboran Basin, B:544, 549
Site 975, A:133
Site 976, A:202, 204
Megathiris sp., Site 978, B:78, 80
menardii group, *Globorotalia*
Site 975, B:537
Site 976, A:204
Mergelia sp., Site 978, B:78, 80
merotumida, *Globorotalia*, Site 975, B:549
minuta, *Reticulofenestra*, Mediterranean Sea W, B:226
minutula, *Reticulofenestra*
Mediterranean Sea W, B:226–227
Site 976, A:200
minutula s.l., *Reticulofenestra*, Mediterranean Sea W, B:227
minutum, *Algidasphaeridium?* cf., Site 976, B:460
miopelagicus, *Coccolithus*
Mediterranean Sea W, B:226
Site 975, B:228
Site 976, B:230
Site 977, B:231
Site 978, B:231
miotumida, *Globorotalia*
Site 975, A:133; B:549
Site 976, A:202, 204
Site 978, A:363
miotumida group, *Globorotalia*
Alboran Basin, B:544–545
Site 975, B:537
mirabilis s.l., *Spiniferites*, Site 976, B:459–460, 462, 465
mülleri, *Loxochonca*, Site 978, B:538, 541
multiloba, *Globigerina*, Alboran Basin, B:544–545
murrhina, *Pyrgo*, Site 975, A:134
- Nematosphaeropsis labyrinthea*, Site 976, B:459–462, 465–466
neoabies, *Sphenolithus*, Mediterranean Sea W, B:226
neocarinata, *Cassidulina*, Site 975, A:134
Neogloboquadrina acostaensis
Mediterranean Sea W, B:226, 544–545
Site 975, A:133
Site 976, A:202–203
Neogloboquadrina acostaensis (left-coiling)
Site 974, B:199, 209, 213
Site 975, B:201–202, 210, 213, 442–451, 454, 549
Neogloboquadrina acostaensis (right-coiling)
Site 974, B:199, 209, 213
Site 975, B:201, 210, 213, 442–445, 447–451
Neogloboquadrina acostaensis Zone
Alboran Basin, B:73
Site 976, A:202, 204
Neogloboquadrina continua, Site 976, A:202
Neogloboquadrina continua–*Globorotalia siakensis* Zone, Site 976, A:204
Neogloboquadrina dutertrei
Mediterranean Sea W, B:510–511, 513, 516
Site 974, A:70–71
Site 975, A:133
Site 976, A:202
Site 977, A:312
Sites 975–976, B:452
Neogloboquadrina dutertrei group, Sites 975–976, B:187, 191
Neogloboquadrina pachyderma

- Mediterranean Sea W, B:508, 510–511, 515
 Site 974, A:70–71
 Site 976, A:202–203
 Site 977, A:312
- Neogloboquadrina pachyderma* (left-coiling),
 Sites 975–976, B:187–191, 193–194,
 442–451, 454
- Neogloboquadrina pachyderma* (right-coiling),
 Sites 975–976, B:187–189, 191,
 442–445, 447–451
- nepenthes*, *Globigerina*, Site 975, B:201
- nephroides*, *Selenopemphix*, Site 976, B:459–460
 new combinations, Site 974, B:182–183
- nodosaria*, *Bigenerina*, Site 975, B:201, 203
- Nonion* spp., Site 974, B:201–202, 211, 214
- obliquiloculata*, *Pulleniatina*, Sites 975–976,
 B:187, 452
- obliquus*, *Globigerinoides*, Site 978, A:363
- obliquus* group, *Globigerinoides*, Sites 975–976,
 B:187–190, 193–194, 447
- oceanica*, *Gephyrocapsa*
 Mediterranean Sea W, B:170–171, 176–178,
 225–227, 471
 Site 974, A:65; B:161, 499
 Site 975, B:163, 228, 499
 Site 976, B:165
 Site 977, A:309; B:230
 Site 978, A:363
 Site 979, B:169
- oceanica* s.l., *Gephyrocapsa*, Mediterranean Sea
 W, B:171, 176
- Olea*, Site 976, B:462–463
- omega*, *Gephyrocapsa*
 Mediterranean Sea W, B:178–179
 Site 975, B:163
 Site 976, B:165
 Site 977, B:166
- Orbulina* spp.
 Site 975, B:537
 Site 977, A:312
- Orbulina universa*
 Mediterranean Sea W, B:511, 516
 Site 974, A:71
 Site 978, A:363
 Sites 975–976, B:187–189, 191, 443–445, 452
- oremesa*, *Scyphosphaera*, Mediterranean Sea W,
 B:227
- Oridorsalis* spp., Site 974, B:201–202, 211, 214
- Oridorsalis stellatus*
 Site 974, A:72; B:201–202, 211
 Site 975, A:134; B:201, 203, 211, 214, 537
- Oridorsalis umbonatus*
 Site 974, B:211
 Site 975, B:201–203, 211, 214
 Site 976, A:204
- orientalis*, *Helicosphaera*
 Mediterranean Sea W, B:226
 Site 975, B:228
 Site 976, A:199
 Site 977, A:309, 311
 Site 978, B:231
- Orthomorphina* spp., Site 975, B:537
- pachyderma*, *Neogloboquadrina*
 Mediterranean Sea W, B:508, 510–511, 515
 Site 974, A:70–71
 Site 976, A:202–203
 Site 977, A:312
- pachyderma* (left-coiling), *Neogloboquadrina*,
 Sites 975–976, B:187–191, 193–194,
 442–451, 454
- pachyderma* (right-coiling), *Neogloboquadrina*,
 Sites 975–976, B:187–189, 191,
 442–445, 447–451
- pacifica*, *Pseudoemiliana*, Site 974, B:182–183
- paralica*, *Bolivina* cf.
 Site 974, B:213
 Site 975, B:201, 211, 531, 533, 537, 541
- patulum*, *Impagidinium*, Site 976, B:459–460
- pelagicus*, *Coccolithus*
 Mediterranean Sea W, B:232–235
 Site 974, B:233
 Site 977, B:233
 Site 978, B:234
- Pentapharsodinium* cf. *dalei*, Site 976, B:460, 465
- pentaradiatus*, *Discoaster*
 Mediterranean Sea W, B:225
 Site 976, A:199; B:229–230
 Site 979, A:399; B:232
- Phillyrea*, Site 976, B:462–463
- Phymatolithon calcareum*, Site 978, B:80
- Picea*, Site 976, B:463
- Pinus*, Site 976, B:461–464
- Pistacia*, Site 976, B:462–463, 465
- Planulina wuellerstorfi*, Site 975, A:134
- Pontosphaera japonica*
 Site 976, A:199
 Site 977, A:309
- Porites*, Alboran Basin, B:544–548
- porosa*, *Scyphosphaera*, Mediterranean Sea W,
 B:243
- praebaquana*, *Euxinocythere*, Site 975, B:537
- praeglobulata*, *Scyphosphaera*, Mediterranean Sea
 W, B:239, 246
- primus*, *Amaurolithus*
 Mediterranean Sea W, B:226
 Site 976, B:230
 Site 978, B:537
- procera*, *Scyphosphaera*, Mediterranean Sea W,
 B:227
- Protelphidium granosum*, Site 978, B:537
- protohuxleyi*, *Gephyrocapsa*, Mediterranean Sea
 W, B:180
- Pseudoemiliana lacunosa*
 Mediterranean Sea W, B:178–180, 225, 227,
 447, 471, 508
 Site 975, A:140; B:164
 Site 976, B:165, 230
 Site 977, B:166–168, 230
 Site 978, A:372
 Site 979, B:169
- Pseudoemiliana lacunosa lacunosa* n. comb.
 Mediterranean Sea W, B:179
 Site 975, B:183
- Pseudoemiliana lacunosa* var. *ovata* n. comb.,
 Site 974, B:182–183
- Pseudoemiliana pacifica*, Site 974, B:182–183
- pseudorecurvata*, *Scyphosphaera*, Mediterranean
 Sea W, B:239, 246
- pseudoumbilicus*, *Reticulofenestra*
 Mediterranean Sea W, B:225–227
 Site 974, A:65, 67, 69
 Site 975, A:132
 Site 976, B:230
- pulcherrima*, *Scyphosphaera*, Mediterranean Sea
 W, B:240, 245–247
- Pullenia quinqueloba*, Site 975, A:134
- Pulleniatina obliquiloculata*, Sites 975–976,
 B:187, 452
- puncticulata*, *Globorotalia*
 Mediterranean Sea W, B:226
 Site 974, A:71
 Site 976, A:202
 Site 977, A:312
 Site 978, A:372
 Sites 975–976, B:190–194
- pusillus*, *Eponides*, Site 975, B:201–202
- pygmaea*, *Uvigerina*, Site 974, B:214
- pygmaea-peregrina*, *Uvigerina*, Site 975, B:201,
 203, 211
- Pyrgo murrhina*, Site 975, A:134
- Pyrgo* spp.
 Site 974, A:72
 Site 975, A:134
- quadrilobatus*, *Globigerinoides*, Sites 975–976,
 B:447
- queenslandensis*, *Scyphosphaera*, Mediterranean
 Sea W, B:243
- Quercus ilex*, Site 976, B:461–464
- quinqueloba*, *Globigerina*
 Mediterranean Sea W, B:508, 510–511, 515
 Site 976, A:202
- quinqueloba*, *Pullenia*, Site 975, A:134
- quinqueloba*, *Turborotalita*, Sites 975–976,
 B:188–189, 442–445, 447, 451
- quinqueramus*, *Discoaster*
 Mediterranean Sea W, B:225
 Site 976, A:199
- quinqueramus* var. *A*, *Discoaster*, Site 974, A:67
- reticulata*, *Siphonina*
 Site 975, A:134
 Site 976, A:204
- Reticulofenestra asanoi*, Sites 975–976, B:447
- Reticulofenestra gelida*, Mediterranean Sea W,
 B:226
- Reticulofenestra haqii*, Mediterranean Sea W,
 B:227
- Reticulofenestra minuta*, Mediterranean Sea W,
 B:226
- Reticulofenestra minutula*
 Mediterranean Sea W, B:226–227
 Site 976, A:200
- Reticulofenestra minutula* s.l., Mediterranean Sea
 W, B:227
- Reticulofenestra pseudoumbilicus*
 Mediterranean Sea W, B:225–227
 Site 974, A:65, 67, 69
 Site 975, A:132
 Site 976, B:230
- Reticulofenestra rotaria*
 Mediterranean Sea W, B:226
 Site 976, A:198–199; B:230
 Site 977, A:309
 Site 978, A:363; B:231, 537
- Reticulofenestra rotaria* Subzone
 Mediterranean Sea W, B:226
 Site 978, B:231, 537
- Reticulofenestra* spp.
 Mediterranean Sea W, B:226–227
 Site 976, A:199
- riveroae*, *Globigerina*, Sites 975–976, B:443
- robertsonianus*, *Cibicidoides*, Site 974, A:72
- Rosalina* spp., Site 975, B:201, 537
- rotaria*, *Reticulofenestra*
 Mediterranean Sea W, B:226
 Site 976, A:198–199; B:230
 Site 977, A:309
 Site 978, A:363; B:231, 537
- rotula*, *Geminilithella*, Site 976, A:199
- ruber*, *Globigerinoides*
 Mediterranean Sea W, B:510, 516
 Site 974, A:71
 Site 975, A:133
 Site 976, A:202
 Site 977, A:312
 Sites 975–976, B:442–445, 447–450, 454
- ruber*, *Globigerinoides* ex group, Mediterranean
 Sea W, B:511
- ruber* group, *Globigerinoides*, Sites 975–976,

- B:187–191, 194
ruber var. *rosea*, *Globigerinoides*, Sites 975–976, B:447, 516
rubescens, *Globoturborotalita*, Sites 975–976, B:443–445, 452
rugosus, *Ceratolithus*, Mediterranean Sea W, B:225–226
- saphoe*, *Globorotalia*, Site 976, A:202
scitula, *Globorotalia*
 Mediterranean Sea W, B:510–511
 Site 974, A:70
 Site 975, A:133
 Sites 975–976, B:443–445, 447, 451
scitula (right-coiling), *Globorotalia*
 Site 974, B:199, 209
 Site 975, B:201, 210
Scyphosphaera abelei, Mediterranean Sea W, B:240, 247
Scyphosphaera amphora, Mediterranean Sea W, B:240–241, 246
Scyphosphaera antilleana, Mediterranean Sea W, B:240–241, 246
Scyphosphaera apsteinii, Mediterranean Sea W, B:227, 240–242, 246–247
Scyphosphaera apsteinii var. *dilata*, Mediterranean Sea W, B:241–242
Scyphosphaera aranta, Mediterranean Sea W, B:227
Scyphosphaera australiensis, Mediterranean Sea W, B:243, 246
Scyphosphaera biarritzensis, Mediterranean Sea W, B:227, 241, 246
Scyphosphaera brevis, Mediterranean Sea W, B:227, 239
Scyphosphaera campanula, Mediterranean Sea W, B:240–241
Scyphosphaera cohenii, Mediterranean Sea W, B:242, 246
Scyphosphaera columella, Mediterranean Sea W, B:239–240
Scyphosphaera conica, Mediterranean Sea W, B:240, 244, 246–247
Scyphosphaera cylindrica, Mediterranean Sea W, B:240, 242, 246
Scyphosphaera deflandrei, Mediterranean Sea W, B:240, 243, 245–247
Scyphosphaera expansa, Mediterranean Sea W, B:243, 246
Scyphosphaera galeana, Mediterranean Sea W, B:242, 246
Scyphosphaera graphica, Mediterranean Sea W, B:240, 242
Scyphosphaera intermedia, Mediterranean Sea W, B:240, 245–247
Scyphosphaera kamptneri, Mediterranean Sea W, B:243, 246
Scyphosphaera lagena, Mediterranean Sea W, B:244, 246
Scyphosphaera oremesa, Mediterranean Sea W, B:227
Scyphosphaera porosa, Mediterranean Sea W, B:243
Scyphosphaera praeglobulata, Mediterranean Sea W, B:239, 246
Scyphosphaera procera, Mediterranean Sea W, B:227
Scyphosphaera pseudorecurvata, Mediterranean Sea W, B:239, 246
Scyphosphaera pulcherrima, Mediterranean Sea W, B:240, 245–247
Scyphosphaera queenslandensis, Mediterranean Sea W, B:243
Scyphosphaera turris, Mediterranean Sea W, B:244, 246
- B:244, 246
Selenopemphix nephroides, Site 976, B:459–460
sellii, *Helicosphaera*
 Mediterranean Sea W, B:178, 443
 Site 976, B:230
 Site 977, B:166, 230
siakensis, *Globorotalia*, Site 976, A:202–204
Siderastraea, Alboran Basin, B:547
siphonifera, *Globigerinella*, Sites 975–976, B:452
Siphonina reticulata
 Site 975, A:134
 Site 976, A:204
soldanii group, *Gyroidinoides*
 Site 974, B:201–202, 211
 Site 975, B:201–203, 211, 537
Sphaeroidinella dehiscens, Sites 975–976, B:452
Sphaeroidinellopsis acme interval
 Site 974, B:199, 209, 212–213
 Site 975, B:201–202, 209–210, 212–213
Sphaeroidinellopsis group, Sites 975–976, B:187, 190, 193
Sphaeroidinellopsis spp.
 Site 974, A:71; B:199, 209, 212
 Site 975, B:537
Sphenolithus abies
 Mediterranean Sea W, B:226
 Site 976, B:230
Sphenolithus heteromorphus, Mediterranean Sea W, B:226
Sphenolithus neoabies, Mediterranean Sea W, B:226
Spiniferites mirabilis s.l., Site 976, B:459–460, 462, 465
stalis, *Helicosphaera*
 Mediterranean Sea W, B:226
 Site 976, A:199
stalis ovata, *Helicosphaera*
 Site 975, B:228
 Site 978, B:231
stalis stalis, *Helicosphaera*
 Site 975, B:228
 Site 977, A:309; B:231
 Site 978, B:231
Stelladinium spp., Site 976, B:460, 465
stellatus, *Oridorsalis*
 Site 974, A:72; B:201–202, 211
 Site 975, A:134; B:201, 203, 211, 214, 537
stelligerum, *Astrononion*, Site 974, B:199
subglobosa, *Globocassidulina*
 Site 974, B:201–202, 211
 Site 975, B:201–203, 211
 Site 976, A:204
surculus, *Discoaster*, Site 976, B:229
suterae, *Globorotalia*
 Site 976, A:202, 204
 Site 978, A:363
symeonidesii, *Tetralithoides*, Site 977, A:309
Syracosphaera fragilis, Site 977, A:309
- tamalis*, *Discoaster*
 Mediterranean Sea W, B:225, 232
 Site 976, B:229
 Site 977, A:313
Tarbellastraea, Alboran Basin, B:547
tenella, *Globoturborotalita*, Sites 975–976, B:452
tepid, *Ammonia*
 Site 975, A:135; B:16, 201, 533, 537, 549
 Site 978, B:537–538
tepiense, *Bitectatodinium*, Site 976, B:459–462, 465–466
Tetralithoides symeonidesii, Site 977, A:309
tricorniculatus, *Amaurolithus*, Mediterranean Sea W, B:225
Trifarina bradyi, Site 975, B:201, 211, 214
- trilobus* group, *Globigerinoides*, Sites 975–976, B:187–189, 191, 447, 452
triradiatus, *Discoaster*
 Mediterranean Sea W, B:232
 Site 979, B:169
truncatulinoidea excelsa, *Globorotalia*, Sites 975–976, B:447
truncatulinoidea (left-coiling), *Globorotalia*, Sites 975–976, B:451
truncatulinoidea (right-coiling), *Globorotalia*, Sites 975–976, B:187, 190, 443–445, 452
tubulosa, *Articulina*
 Site 974, A:72
 Site 975, A:134
tumida group, *Globorotalia*, Sites 975–976, B:187, 452
Turborotalita quinqueloba, Sites 975–976, B:188–189, 442–445, 447, 451
turris, *Scyphosphaera*, Mediterranean Sea W, B:244, 246
- umbilicata*, *Globigerina*, Sites 975–976, B:443
umbonatus, *Oridorsalis*
 Site 974, B:211
 Site 975, B:201–203, 211, 214
 Site 976, A:204
universa, *Orbulina*
 Mediterranean Sea W, B:511, 516
 Site 974, A:71
 Site 978, A:363
 Sites 975–976, B:187–189, 191, 443–445, 452
Uvigerina pygmaea, Site 974, B:214
Uvigerina pygmaea-peregrina, Site 975, B:201, 203, 211
- Valvulinera* spp., Site 976, A:204
variabilis, *Discoaster*, Mediterranean Sea W, B:232
- walbersdorfensis*, *Helicosphaera*, Site 976, A:199; B:230
wuellerstorfi, *Cibicidoides*
 Site 659, A:14
 Sites 976–977, B:472–473
wuellerstorfi, *Planulina*, Site 975, A:134
- zones (with letter prefixes)
 MNN12/NN12 boundary, Mediterranean Sea W, B:225
 MNN13, Mediterranean Sea W, B:225
 MNN14/MNN15 boundary, Mediterranean Sea W, B:225
 MNN16A, Mediterranean Sea W, B:225
 MNN16B, Mediterranean Sea W, B:225
 MNN17, Mediterranean Sea W, B:225
 MNN18, Mediterranean Sea W, B:225
 MNN19A/MNN19B boundary, Mediterranean Sea W, B:225
 MPL1, A:71, 312, 363; B:201, 204
 MPL2, A:71, 200, 202–203, 312, 363; B:193, 201
 MPL3, A:71, 312, 363; B:193
 MPL4, Sites 975–976, B:193
 MPL4b, Site 978, A:363
 MPL5, Sites 975–976, B:193
 MPL5a, A:133, 312, 398
 MPL5b, A:202; B:193
 MPL6, A:133, 200, 202, 312, 363, 398
 NN2, Site 976, A:200
 NN5/NN6 boundary, Mediterranean Sea W, B:226
 NN7, A:198–199, 311; B:230–231, 235
 NN8, A:199; B:230–231, 235

| | | |
|---|---|---|
| <p>NN8/NN9 boundary, Mediterranean Sea W, B:226</p> <p>NN9, A:199; B:230–231, 235</p> <p>NN10, A:199; B:230–231, B:235</p> <p>NN11, A:68, 198–199, 363; B:225–228, 230–231</p> <p>NN11/MNN12 boundary, Mediterranean Sea W, B:226</p> <p>NN11/NN12 boundary, B:227–228, 230–231</p> <p>NN11B, Site 976, A:199</p> <p>NN12, A:66, 132, 198–199, 309; B:75, 225–226, 228, 230, 233–234</p> <p>NN12–NN13, Site 975, A:132</p> <p>NN12/NN13 boundary, B:225, 227–228, 231, 235</p> <p>NN12a, Mediterranean Sea W, B:225</p> | <p>NN12a/NN12b boundary, Site 974, A:66</p> <p>NN12b, B:225, 227, 230</p> <p>NN12c, Mediterranean Sea W, B:225</p> <p>NN13, A:68, 309; B:75, 225, 230, 233–235</p> <p>NN14, A:68, 309; B:75, 227, 230, 233–235</p> <p>NN14/NN15 boundary, Mediterranean Sea W, B:225</p> <p>NN15, A:68; B:227, 230, 234–235</p> <p>NN15/NN16 boundary, A:65; B:225</p> <p>NN16, B:225, 227, 229, 232–235</p> <p>NN16A, A:397; B:230, 232–235</p> <p>NN16B, A:68; B:230, 233–235</p> <p>NN17, A:68, 133; B:225, 228–230, 232–235</p> <p>NN17/NN18 boundary, Mediterranean Sea W, B:226</p> <p>NN18, A:68, 198; B: 225, 227, 229–230,</p> | <p>232–235</p> <p>NN18/NN19A boundary, Site 976, B:229</p> <p>NN19, Site 976, B:230</p> <p>NN19A, A:65, 67, 199</p> <p>NN19B, A:65, 133, 363; B:235</p> <p>NN19B/NN19A boundary, A:132, 309, 397; B:227–232</p> <p>NN19C, Site 975, A:133</p> <p>NN19D, Site 978, A:363</p> <p>NN19D–NN19C, Site 974, A:68</p> <p>NN19F, Site 978, A:363; B:231</p> <p>NN20, Site 974, A:65</p> <p>NN21A/NN21B boundary, Site 976, B:228</p> <p>NN21B, A:132–133, 198–199, 309, 397; B:228, 232</p> |
|---|---|---|