

## INDEX TO VOLUME 162

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 162 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, thin-section descriptions, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 982, for example, is given as “Site 982, A:91–138.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: [pub\\_production@ODP.TAMU.EDU](mailto:pub_production@ODP.TAMU.EDU)

## VOLUME 162 SUBJECT INDEX

- abundance  
 diatoms, B:58  
 dinoflagellate cysts, B:89–91  
 Oligocene deep-water agglutinated foraminifers, B:172
- actiniscidians, biostratigraphy, A:111–112, 154, 189, 240, 269
- age  
 control points, A:72, 75, 114, 159, 192, 244, 273, 309, 367; B:266  
 dinoflagellate biostratigraphy, B:99–102  
 magnetic polarity, A:242, 271, 366  
 vs. carbonate content, B:186–187  
 vs. fatty alcohols, B:213  
 vs. hopanoid hydrocarbons, B:215  
 vs. hydrocarbons, B:212  
 vs. mass accumulation rates, B:205  
 vs. reflectance, B:262–263
- age models  
 glacial fan deposits, B:149–166  
 glaciation, B:244  
 sediments, B:200
- age vs. depth  
 Site 907, A:242–243; B:142  
 Site 982, A:114  
 Site 983, A:159  
 Site 984, A:190  
 Site 985, B:143  
 Site 986, A:309; B:166  
 Site 987, A:366; B:166  
 Sites 980–981, A:73–74  
 Sites 980–984, B:128
- alcohols, fatty  
 organic-rich sediments, B:211–214  
 vs. age, B:213
- alkalinity  
 pore water, A:76, 79, 115, 157, 246, 274, 309, 361  
 vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374
- alkanes. *See n-alkanes*
- aluminosilicates  
 mass accumulation rates vs. age, B:205  
 mass accumulation rates vs. barium accumulation rates, B:206  
 mass accumulation rates vs. carbonate accumulation rates, B:206  
 mass accumulation rates vs. total organic carbon accumulation rates, B:206  
 sediments, B:201
- aluminum. *See* titanium/aluminum ratio
- aluminum oxide  
 vs. magnesium oxide, B:228  
 vs. silica, B:228  
 vs. titanium oxide, B:204
- ammonium  
 pore water, A:76, 79, 115, 246, 274, 309, 361  
 vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374
- amphibolite schist, photograph, A:302
- anoxic environment, organic-rich sediments, B:215
- Antarctic Bottom Water, deep water, A:11
- Arctic Ocean  
 paleoceanography, A:5–20  
 water-mass exchange, A:9–13
- assemblages, Oligocene deep-water agglutinated foraminifers, B:169–177
- Atlantic Ocean N  
*Bolboforma* biostratigraphy, B:35–49  
 magnetostratigraphy, B:274–275  
 paleoceanography, A:5–20  
 planktonic foraminifers, B:19–34  
 sea-surface temperature, B:179–190
- authigenesis, magnetostratigraphy, A:270
- Barents Sea Shelf, continental margin, A:6
- barium  
 diagenesis, B:201–202, 205–206  
 mass accumulation rates vs. age, B:205  
 mass accumulation rates vs. aluminosilicate accumulation rates, B:206  
 mass accumulation rates vs. carbonate content accumulation rates, B:206  
 mass accumulation rates vs. total organic carbon accumulation rates, B:206  
 sediments, B:201–202, 205–206
- barium, carbonate-free, vs. depth, B:204
- bathymetric barriers, paleoceanography, B:174–175
- bathymetry  
 Nordic Seas, A:6–8, 10  
 Northern Gateway, A:17
- bedding  
 photograph, A:66, 186–187, 305  
*See also* graded bedding
- beta*-sitosterol, sediments, B:213
- bicarbonates, lithologic units, A:298, 302
- biogenic materials  
 lithologic units, A:106–108, 184, 231, 261  
 vs. depth, A:239, 301
- biomarkers, chromatograms, B:214
- biosiliceous materials  
 lithologic units, A:263  
 sediments, A:267
- biostratigraphic datums  
 depth range, A:67, 110, 156, 188, 240  
 diatoms, B:52, 55–57  
 synchronicity, B:27, 29
- biostratigraphic events, correlation, B:129–130
- biostratigraphic zones  
 depth range, A:67–68, 109, 156, 188, 240, 262, 269, 307  
*See also* zonation
- biostratigraphy  
*Bolboforma*, B:35–49  
 diatoms, B:51–62  
 dinoflagellates, B:83–97, 99–109  
 magnetic polarity, B:151–154  
 magnetostratigraphy, B:114–116  
 Oligocene deep-water agglutinated foraminifers, B:173–175  
 planktonic foraminifers, B:19–34  
 silicoflagellates, B:63–81  
 Site 907, A:231, 234, 238–240  
 Site 982, A:108–112  
 Site 983, A:152–154  
 Site 984, A:184, 186–189  
 Site 985, A:268–269  
 Site 986, A:303–304; B:3–17  
 Site 987, A:356–357  
 Sites 980–981, A:66–70
- bioturbation  
 lithologic units, A:263  
 photograph, A:64, 107, 155, 187
- Bjorn Drift  
 bathymetry, A:13  
 magnetostratigraphy, B:114–116
- multisensor track data, B:247–257  
 planktonic foraminifers, B:23–24, 28  
 pore water, A:192–193, 195–196  
 sediment drifts, A:14
- Bolboforma*  
 biostratigraphy, A:69; B:35–49  
 Hatton-Rockall Basin, B:35–49
- Boreas Basin, physiography, A:6
- bottom waters, pore water, A:276
- bottom-water currents, sediment drifts, A:13–14
- Brunhes Chron  
 correlation, B:275  
 magnetostratigraphy, A:70–71, 112, 154, 189, 358  
 paleoclimatology, A:15
- Brunhes/Matuyama boundary  
 correlation, B:275  
 magnetostratigraphy, A:70–73, 112, 154, 156, 189, 241, 358; B:113–114, 116, 135, 151
- bulk mineralogy  
 feldspar, B:241  
 vs. depth, B:235–236
- burrows, lithologic units, A:106, 261
- butane. *See iso-butane; n-butane*
- calcite  
 bulk mineralogy, B:241  
 lithologic units, A:296, 298, 350, 353  
 recrystallization, A:158
- calcite, biogenic, recrystallization, A:81
- calcium  
 depletion, A:79  
 pore water, A:76, 115, 157, 193, 246–247, 274–275, 309, 361  
 vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374  
 vs. magnesium, A:162, 196, 248, 281, 318, 374
- calcium/magnesium ratio, pore water, A:246–247, 275
- calcium oxide  
 vs. magnesium oxide, B:228  
 vs. silica, B:228
- caliper logs, vs. depth, A:125, 204, 326, 377
- carbon, organic  
 dark layers, A:273–274  
 flux, A:245  
 mass accumulation rates, A:245  
 sediments, B:201  
 vs. depth, A:75–76
- carbon, sediments, A:73–74, 113–114, 157, 191–192, 243–244, 274, 308, 361
- carbon, total, sediments, A:77–79, 117–118, 161, 194–195, 246, 277–279, 315–316, 371–372
- carbon, total organic  
 mass accumulation rate, A:247  
 mass accumulation rates vs. age, B:205  
 mass accumulation rates vs. aluminosilicate accumulation rates, B:206  
 mass accumulation rates vs. barium accumulation rates, B:206  
 mass accumulation rates vs. carbonate accumulation rates, B:206  
 sediments, A:117–118, 161, 194–195, 246, 277–279, 315–316, 371–372  
 vs. depth, A:116, 160, 192, 245, 280, 317, 382; B:211

- vs. total nitrogen, A:79, 118, 162, 195, 247, 280, 317, 372  
 vs. total sulfur, A:247; B:211
- carbon/nitrogen ratio  
 organic matter, A:74, 157, 192, 244–245, 308, 361  
 plankton, A:115  
 sediments, A:77–79, 117–118, 161, 194–195, 246, 277–279, 315–316, 371–372  
 vs. depth, A:75–76, 116, 160, 192, 245, 280, 317, 372; B:211
- carbon/sulfur ratio, sediments, A:246, 277–279, 315–316, 371–372
- carbon dioxide, ocean circulation, A:8–9
- carbon isotopes, spliced records, B:251, 254
- carbon numbers  
*n*-alkanes, B:212  
 organic-rich sediments, B:211–215  
 vs. age, B:212
- carbon preference indexes  
 organic-rich sediments, B:211–215  
 vs. age, B:212
- carbonate content  
 cyclic sedimentation, A:74  
 dark layers, A:273–274  
 geochemistry, B:197–207  
 lithologic units, A:58, 61, 101, 105–108, 152, 181, 184, 261, 265  
 mass accumulation rates vs. age, B:205  
 mass accumulation rates vs. aluminosilicate accumulation rates, B:206  
 mass accumulation rates vs. barium accumulation rates, B:206  
 mass accumulation rates vs. total organic carbon accumulation rates, B:206  
 sediments, A:77–79, 117–118, 161, 194–195, 246, 277–279, 315–316, 371–372; B:181, 185–189, 201  
 vs. age, B:186–187  
 vs. composite depths, B:199  
 vs. depth, A:75–76, 116, 153, 192, 245, 280, 317, 372; B:182, 192  
 vs. foraminifers, B:188  
 vs. reflectance, A:66, 188; B:199, 261
- carbonates  
 grain size, B:191–194  
*See also* bicarbonates; calcite
- Cenozoic  
 paleoclimatology, A:14–15  
*See also* individual epochs; Neogene
- chalk, lithologic units, A:106–108
- chalk, nannofossil, lithologic units, A:106–108
- Charlie-Gibbs Fracture Zone  
 plate tectonics, A:6–7  
 water-mass exchange, A:13
- Chattian. *See* Rupelian/Chattian boundary
- chemical composition  
 volcanic ash, B:217–230  
*See also* geochemistry
- chloride  
 pore water, A:76, 81, 116, 157, 193, 247, 275, 310, 362  
 vs. depth, A:119, 162, 196, 248, 281, 318, 374  
 vs. sodium, A:119, 162, 196  
 vs. temperature, A:319  
*See also* sodium/chloride ratio
- chlorite  
 grain-size distribution between seismic reflectors, B:239–240  
 lithologic units, A:263, 298
- cholesterol, sediments, B:213
- Chron 2r.2r, magnetostratigraphy, A:358
- Chron 3n.4n, magnetostratigraphy, A:358
- Chron 4n.2, magnetostratigraphy, A:241
- Chron 5ABn/5ACn, magnetostratigraphy, A:241
- Chron 5ACn/5ADn, magnetostratigraphy, A:241
- Chron 5n.1n/5n.2n, magnetostratigraphy, A:241
- Chron 5n.2, magnetostratigraphy, A:241
- chron boundaries  
 magnetic polarity, A:71, 113, 158, 190, 241, 271, 365; B:135, 138–139, 142–143, 155, 158
- Chron C3An  
 sedimentation rates, A:242  
*See also* Gilbert/C3An boundary
- Chron C3Ar/C3Bn boundary, sedimentation rates, A:270
- Chron C5ABr, sedimentation rates, A:242
- Chron C5n.2n, sedimentation rates, A:242
- Chron C5r.1r, sedimentation rates, A:242
- Chron C5r.2r, biostratigraphy, B:139
- chronostratigraphy  
 magnetic polarity, B:151–154, 243  
 seismic units, B:83–84  
*See also* geomagnetic polarity time scale
- chrons, magnetic polarity, B:117, 139, 143
- clasts  
 foraminifer sand, A:115  
 greater than 1 cm in size, A:356  
 photograph, A:360
- clathrates  
 pore water, A:310  
*See also* gas hydrates
- clay  
 lithologic units, A:55, 58, 146, 149, 152, 178, 181, 184, 261, 263, 265–266, 296, 298  
 photograph, A:302  
 vs. depth, A:360
- clay, greenish, organic geochemistry, B:209–216
- clay, nannofossil, lithologic units, A:101, 105–108, 181, 184, 261
- clay, silty  
 lithologic units, A:101, 105–108, 146, 149, 152, 181, 184, 227, 231, 261, 265–266, 296, 298, 350, 353, 355–356  
 photograph, A:360
- clay mineralogy  
 discrete samples, B:254–255  
 sediments, A:276; B:237  
 vs. depth, B:235–236  
*See also* chlorite; illite; kaolinite; smectite
- clay minerals  
 dehydration, A:362  
 lithologic units, A:261
- clays, hydration, A:158
- Cobb Mountain Subchron, magnetostratigraphy, A:71, 154; B:114
- coccoliths  
 carbonate content, B:181–183, 185–189  
 vs. depth, B:182, 184
- Cochiti Subchron, sedimentation rates, A:242
- coherency, magnetic susceptibility, B:269
- color banding, lithologic units, A:263
- color contact  
 lithologic units, A:61, 64–65, 101, 105–108, 227, 261  
 photograph, A:64, 107, 155, 187
- color mottling, lithologic units, A:263
- composite depths  
 depth offsets, A:61, 101, 149, 263, 355  
 Site 907, A:226–231; B:144–147  
 Site 982, A:94–101  
 Site 983, A:141–146  
 Site 984, A:173–178  
 Site 985, A:256–261  
 Site 986, A:292–296  
 Site 987, A:350–353  
 Sites 980–981, A:52–58
- vs. carbonate content, B:199  
 vs. depth offsets, A:181, 234
- composite sections, magnetostratigraphy, B:132–135, 148
- compression, faunal units, B:14
- compressional wave velocity, sediments, A:81, 83, 120, 163, 197, 249, 282, 320, 374
- concretions  
 lithologic units, A:263  
 photograph, A:267  
 sediments, A:267  
*See also* nodules
- continental margin, plate tectonics, A:6
- contorted bedding  
 lithologic units, A:61, 353, 355–356  
 photograph, A:361
- convection, Greenland Sea, A:11
- core-log comparison  
 Site 982, A:122–124  
 Site 984, A:202–204
- correlation  
 biostratigraphic events, B:129–130  
 Oligocene deep-water agglutinated foraminifers, B:173–175  
 tie points, B:139  
 upper Pliocene, B:15
- correlation coefficients  
 magnetic susceptibility, B:268  
 multisensor track data, B:252–255  
*Neogloboquadrina pachyderma* (sinistral), B:193
- cyclic processes  
 lithologic units, A:65, 101, 105–108, 146, 149, 152; B:206–207  
 sediments, A:74, 268  
*See also* Milankovitch cycles
- dark layers, geochemistry, A:273–274
- debris flows  
 deposition, B:245  
 Formation MicroScanner imaging, A:320  
 lithologic units, A:303, 350, 353, 355–356  
 photograph, A:303, 360  
*See also* slumps
- deep water  
 production, B:186  
 water-mass exchange, A:11
- dehydration, clay minerals, A:362
- demagnetization, alternating-field  
 magnetostratigraphy, B:113–130, 133–143, 152, 154, 157, 160–161  
 sediments, A:71, 157
- Denmark Strait, physiography, A:8
- Denmark Strait Overflow Water, water-mass exchange, A:13
- density  
 core-log comparison, A:124, 203–204, 367  
 sediments, A:81, 319
- density, bulk, vs. depth, A:124–125, 199, 203, 282
- density, grain, vs. depth, A:282, 322, 376
- density, GRAPE  
 spliced records, B:251, 254  
 vs. depth, A:60, 63, 82–83, 100, 102–104, 120–121, 147–148, 150–151, 164, 179–180, 182–183, 198–199, 232–233, 235–237, 262, 264, 297, 299, 322, 354, 356; B:136–138, 142
- density, wet bulk, vs. depth, A:250–251, 322, 376
- density logs, vs. depth, A:124–125, 203–204, 326, 377
- deposition  
 environment, B:233–246  
 preservation, B:13–14
- depth, core-log comparison, A:122

- depth offsets, composite depths, A:61, 101, 149, 181, 234, 263, 355
- detritus, ice-rafted  
correlation coefficients, B:193  
sediments, B:181–183, 185–189  
vs. age, B:186, 188  
vs. depth, B:182, 184, 192
- detritus, photograph, A:239
- diachroneity, biostratigraphic datums, B:27, 29, 174
- diagenesis  
organic matter, A:75  
remobilization, B:201–202, 205–206  
*See also* authigenesis; recrystallization; silicification
- diatoms  
biostratigraphy, A:69, 111, 153, 187–188, 239–240, 269, 304, 357; B:138–139, 142  
Pleistocene, B:51–62
- diffusion, pore water, A:274
- dinoflagellates  
biostratigraphy, B:99–109  
Pliocene–Pleistocene interval, B:83–97  
*See also* gonyaulacoid/peridinioid ratio
- dinosterol, sediments, B:213
- dip, photograph, A:305
- diploptene, vs. age, B:215
- dissolution  
lithologic units, A:106  
silica, A:158
- drift, Pleistocene, A:87–88
- dropstones  
greater than 1 cm in size, A:65, 106, 154, 186, 238, 265, 304  
lithologic units, A:58, 105–106, 149, 181, 184, 227, 261, 296, 298, 353, 355–356  
number vs. depth, A:301  
photograph, A:64–65, 302–303  
sediments, A:268
- dropstones, crystalline, photograph, A:154
- Earth  
history, B:273–275  
magnetic field, B:274–275
- East Greenland margin  
planktonic foraminifers, B:27, 33  
plate tectonics, A:7
- East Greenland Shelf, continental margin, A:6
- ebriidians, biostratigraphy, A:111–112, 154, 189, 240, 269
- ethane  
concentration, A:276  
sediments, A:73, 156–157, 191, 306–307, 311–312, 360, 369–370  
vs. depth, A:160, 192, 310, 368  
*See also* methane/ethane ratio
- ethylene  
concentration, A:276  
sediments, A:311, 360, 369–370  
vs. depth, A:368
- Faeroe Islands, physiography, A:8
- Faeroe-Shetland Channel, water-mass exchange, A:13
- faults, seismic profiles, A:284
- faunal units, preservation, B:13–14
- feldspar  
bulk mineralogy, B:241  
lithologic units, A:296–298
- Feni Drift  
basement, A:79  
magnetostratigraphy, B:114–116  
multisensor track data, B:247–257
- planktonic foraminifers, B:21–23  
sediment drifts, A:14  
seismic stratigraphic units, A:87–88
- fluorapatite  
lithologic units, A:263, 265  
photograph, A:267  
sediments, A:267
- flux, organic carbon, A:245
- folding, lithologic units, A:355–356
- foraminifers  
biostratigraphy, B:3–17  
carbonate content, B:181–183, 185–189  
lithologic units, A:55, 58  
strontium isotopes, B:242  
vs. carbonate content, B:188  
vs. depth, B:182, 184  
*See also* *Neogloboquadrina pachyderma* (sinistral)
- foraminifers, agglutinated  
assemblages, B:12–13  
biostratigraphy, B:9–13  
Oligocene, B:169–177  
sediments, A:276
- foraminifers, benthic, biostratigraphy, A:68–69, 109–111, 152, 186–187, 239, 268–269, 304, 357; B:6–9, 11
- foraminifers, planktonic  
biostratigraphy, A:68, 109, 152, 186, 238–239, 268, 304, 357; B:4–6, 19–34  
correlation coefficients, B:193  
sedimentation, B:185–189  
vs. depth, B:192
- Formation MicroScanner imaging  
logs, A:204  
sediments, A:319–320, 367
- Fram Strait  
paleoclimatology, A:14–15  
plate tectonics, A:7
- Gakkel Ridge, plate tectonics, A:7
- gamma ray-density-porosity logs  
Site 982, A:135–138  
Site 984, A:217–219  
Site 986, A:337–339, 342–343  
Site 987, A:385–387
- gamma ray-resistivity-sonic logs  
Site 982, A:131–134  
Site 984, A:211–213  
Site 986, A:334–336, 340–341  
Site 987, A:382–384
- gamma rays  
multisensor track data, B:249, 250, 251, 254  
sediments, A:83  
vs. depth, A:59–60, 64–65, 104, 120–121, 147–148, 150–151, 153, 179–180, 182–183, 185, 198, 204, 232–233, 235–238, 250, 262, 264–265, 272, 282, 297, 299–300, 322, 326, 357; B:143
- gamma-ray logs, vs. depth, A:123, 125, 204, 214–216, 326, 378
- Gardar, bathymetry, A:13
- Gardar Drift  
diatom biostratigraphy, B:51–62  
magnetostratigraphy, B:114–116  
planktonic foraminifers, B:22, 27  
sediment drifts, A:14  
seismic units, A:164–165
- gas hydrates  
pore water, A:276, 310  
sediments, A:273, 359–361  
*See also* clathrates
- gases, vs. depth, A:274
- gases, headspace, sediments, A:76, 115, 160, 193, 245, 275
- Gauss Chron  
chron boundaries, A:270  
magnetostratigraphy, B:135  
sedimentation rates, A:242
- Gauss/Gilbert boundary, magnetostratigraphy, A:358
- Gauss/Matuyama boundary  
biostratigraphy, B:27–28, 41  
magnetostratigraphy, A:71, 73, 112, 241, 270, 358; B:113–114
- geochemical logs, Site 984, A:220–222
- geochemistry  
carbonate content, B:197–207  
volcanic ash, B:217–230  
*See also* chemical composition
- geochemistry, inorganic  
Site 907, A:245–248  
Site 982, A:115–116  
Site 983, A:157–158  
Site 984, A:192–193, 195  
Site 985, A:274–276  
Site 986, A:308–310, 312  
Site 987, A:361–363  
Sites 980–981, A:74–76, 79–81
- geochemistry, organic  
Site 907, A:243–245  
Site 982, A:113–115  
Site 983, A:156–157  
Site 984, A:191–192  
Site 985, A:271–274; B:209–216  
Site 986, A:306–308  
Site 987, A:358–361  
Sites 980–981, A:73–74
- geomagnetic polarity time scale, chron boundaries, A:270
- geotechnical stratigraphy, sediments, A:84–85, 116, 118–121, 159–160, 249–252, 312–314, 316–317, 325, 363–365
- Geotechnical Unit G1, sediments, A:84, 116, 159–160, 197–198, 249, 251, 276–277, 279, 312, 314, 363
- Geotechnical Unit G1A, sediments, A:197–198, 276–277, 279
- Geotechnical Unit G1B, sediments, A:197–198, 276–277, 279
- Geotechnical Unit G2, sediments, A:85, 116, 118, 121, 197–198, 249, 251, 276–277, 279, 313–314, 363
- Geotechnical Unit G2A, sediments, A:277, 279
- Geotechnical Unit G2B, sediments, A:277, 279
- Geotechnical Unit G2C  
core data, A:282–283  
sediments, A:277, 279
- Geotechnical Unit G2D, sediments, A:277, 279
- Geotechnical Unit G3, sediments, A:118–119, 121, 198, 249, 251–252, 277, 279, 314, 316–317, 364
- Geotechnical Unit G3A  
core data, A:283  
sediments, A:250–252, 277, 279
- Geotechnical Unit G3B, sediments, A:250–252, 277, 279
- Geotechnical Unit G4, sediments, A:118–119, 121, 251–252, 314, 316–317, 364
- Geotechnical Unit G5, sediments, A:118, 121, 364–365
- geotechnical units  
correlation with downhole logs, A:198–199  
correlation with lithostratigraphy, A:198–199  
correlation with seismic stratigraphic units, A:127–129  
correlation with seismic stratigraphy, A:198–199  
physical properties, A:250, 321, 375

- sediments, A:84–85, 116, 118–121, 159–160, 197–199, 249–252, 276–277, 279
- seismic stratigraphy, A:285, 332, 380
- vs. depth, A:82–83, 120–121, 164, 198, 250–251, 282, 322, 376
- vs. seismic stratigraphy, A:88, 128, 166, 207
- See also* physical properties
- geothermal gradient
- mineralogy, B:243–244
- vs. chloride, A:319
- vs. depth, A:377
- Gilbert Chron
- chron boundaries, A:270
- magnetostratigraphy, A:240, 306, 358; B:135
- sedimentation rates, A:270
- See also* Gauss/Gilbert boundary
- Gilbert/C3An boundary, sedimentation rates, A:241
- glacial fan deposits, age models, B:149–166
- glacial–interglacial cycles
- biostratigraphy, B:29, 92–93
- cyclic sedimentation, A:74; B:15
- glaciation
- bulk mineralogy, B:239–242, 244
- clay mineralogy, B:257
- deposition, B:245
- lithologic units, A:298, 302
- Neogene, B:179–190
- onset, B:183–185
- Pleistocene, A:87–88
- Pliocene, A:15
- glauconite, clasts, A:115
- gonyaulacoid/peridinioid ratio, dinoflagellate cysts, B:91
- graded bedding, photograph, A:359
- gradients, sea-surface, sedimentation, B:185–189
- grain size
- carbonates, B:191–194
- distribution between seismic reflectors, B:239
- vs. depth, A:360; B:183, 185, 192
- gravel
- lithologic units, A:353
- photograph, A:360
- Greenland
- plate tectonics, A:6–7
- See also* East Greenland margin; East Greenland Shelf
- Greenland Basin, physiography, A:6
- Greenland E, glacial fan deposits, B:149–166
- Greenland Fracture Zone, physiography, A:6
- Greenland Ice Sheet
- glacial fan deposits, B:149–166
- glaciation, B:183–185
- Greenland Sea, plate tectonics, A:7
- Greenland-Scotland Ridge
- bathymetric barriers, B:174–175
- paleoclimatology, A:14–15
- physiography, A:6
- plate tectonics, A:7
- sedimentation, A:266–268
- halite, precipitation, A:116
- Haltenbanken, Oligocene deep-water agglutinated foraminifers, B:173–175
- Hatton Drift, carbonates, A:114
- Hatton-Rockall Basin
- Bolboforma* biostratigraphy, B:35–49
- See also* Rockall-Hatton Bank
- heat flow, sediments, A:84, 199–201, 317, 365
- hemipelagic sedimentation, deposition, B:245
- hexane. *See iso-hexane; n-hexane*
- Holocene, lithologic units, A:261, 296
- Hovgård Ridge, Oligocene–Miocene, A:16
- hydration
- clays, A:158
- pore water, A:247
- hydrocarbons
- chromatograms, B:214
- concentration, A:276
- formation, A:307–308
- vs. depth, A:274
- See also* alkanes; ethane; *iso*-hexane; methane; methane/ethane ratio; methane/propane ratio; *n*-hexane; pentane; propane; propylene
- hydrocarbons, hopanoid
- sediments, B:214–215
- vs. age, B:215
- hydrocarbons, isoprenoid, organic-rich sediments, B:211–214
- hydrocarbons, normal, organic-rich sediments, B:211–214
- hydrocarbons, volatile, sediments, A:73, 113, 156, 191, 243, 271–273, 306–308, 359–361
- hydrogen index
- dark layers, A:274
- organic matter, A:308
- sediments, A:277, 313
- vs. depth, A:313
- vs. oxygen index, A:307–308, 314
- ice rafting, lithologic units, A:298, 302
- ice sheets
- paleoclimatology, A:15
- Pliocene–Pleistocene interval, B:273–275
- Iceland Plateau
- continental margin, A:6
- silicoflagellate biostratigraphy, B:63–81
- Iceland Sea, planktonic foraminifers, B:20–21, 24, 29
- Iceland Shelf, physiography, A:8
- Iceland-Scotland Overflow Water, water-mass exchange, A:13
- ichnofossils. *See* bioturbation; burrows
- ikaite, pore water, A:276
- illite, lithologic units, A:298
- index properties, sediments, A:81–82, 120, 163, 248, 281, 320, 374
- interglacial periods. *See* glacial–interglacial cycles
- iron oxide
- vs. magnesium oxide, B:228
- vs. silica, B:228
- iron sulfides
- authigenesis, A:270
- reduction, A:79
- See also* pyrite
- iso*-butane
- concentration, A:276
- sediments, A:307, 311
- vs. depth, A:310
- iso*-hexane
- concentration, A:276
- sediments, A:307, 311
- vs. depth, A:310
- iso*-pentane
- concentration, A:276
- sediments, A:307, 311
- vs. depth, A:310
- isotope stratigraphy, correlation with diatom biostratigraphy, B:51–62
- Jan Mayen Fracture Zone
- physiography, A:6
- plate tectonics, A:7
- Jaramillo Subchron
- magnetostratigraphy, A:70–71, 73, 112, 151, 154–155, 156, 189, 358; B:113–114, 151
- Kaena Subchron, magnetostratigraphy, A:358
- kaolinite
- grain-size distribution between seismic reflectors, B:239–240
- lithologic units, A:263
- kerogen
- sediments, A:277, 307–308, 313
- vs. depth, A:313
- Knipovich Ridge, plate tectonics, A:7
- Labrador Sea
- foraminifers, B:174
- plate tectonics, A:7
- lithium
- dissolution, A:76
- pore water, A:116, 195, 247, 275, 309–310, 362
- vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374
- lithofacies
- deposition, B:233–246
- lithologic units, A:55, 58, 61, 64–65, 181, 184
- lithologic units
- Site 907, A:227, 231
- Site 982, A:101, 105–108
- Site 983, A:146, 149, 152
- Site 984, A:178, 181, 184
- Site 985, A:261, 263, 265–268
- Site 987, A:350, 353, 355–356
- Sites 980–981, A:55, 58, 61, 64–65
- Unit I, A:55, 58, 101, 105–106, 146, 149, 152, 178, 181, 184, 227, 261, 296, 350
- Unit II, A:58, 61, 106–108, 231, 261, 296, 298, 350, 353
- Unit III, A:231, 261, 263, 298, 353, 355
- Unit IV, A:231, 263, 265, 298, 355
- Unit V, A:265–266, 355–356
- lithostratigraphy
- seismic stratigraphy, A:285, 332, 380
- Site 907, A:227, 231
- Site 982, A:101, 104–108
- Site 983, A:142, 146, 149, 152
- Site 984, A:173, 178, 181, 184
- Site 985, A:257, 261, 263, 265–268
- Site 986, A:292, 296, 298, 300–303
- Site 987, A:350, 353, 355–356
- Sites 980–981, A:55, 58–61, 64–66
- volcanic ash, B:217–219, 221–222
- vs. seismic stratigraphy, A:88, 128, 166, 207
- Lower Atlantic Deep Water, water-mass exchange, A:13
- magnesium
- pore water, A:76, 79, 115, 157, 193, 246–247, 275, 309, 361
- vs. calcium, A:162, 196, 248, 281, 318, 374
- vs. depth, A:80–81, 119, 162, 196, 281, 318, 374
- See also* calcium/magnesium ratio
- magnesium oxide
- vs. iron oxide, B:228
- vs. major oxides, B:228
- magnetic anomaly maps, A:255
- magnetic field, Earth, B:274–275
- magnetic inclination, vs. depth, A:71–72, 113, 158, 189–190, 242, 270, 308, 364; B:116, 120, 122, 124, 127, 134, 140, 142, 153, 155–156, 162
- magnetic intensity, vs. depth, A:72, 112; B:119
- magnetic polarity
- biostratigraphic datums, B:27, 29
- chron boundaries, A:71, 73, 112–113, 158, 190, 241, 270–271, 365; B:135, 138–139, 142–143, 155, 158

- chrons, B:139, 143  
 magnetostratigraphy, B:113–130, 265–269  
 sedimentation rates, A:156, 241–242  
*See also* geomagnetic polarity time scale  
 magnetic susceptibility  
 core vs. log, B:269  
 core-log comparison, A:202, 365–366  
 magnetostratigraphy, B:265–269  
 multisensor track data, B:249, 250, 251, 254  
 power spectra, A:191  
 sediments, A:81, 319  
 vs. depth, A:59–60, 62–65, 82–83, 100,  
 120–121, 147–148, 150–151, 153, 164,  
 179–180, 182–183, 185, 198, 202,  
 232–233, 235–238, 250, 262, 264–265,  
 282, 297, 299–300, 325, 354, 356–357,  
 376–377; B:119, 136–138, 142,  
 268–269  
 magnetometer measurements, pass-through  
 cryogenic data, A:70, 112, 156, 189, 241,  
 269, 308, 363  
 magnetostratigraphy  
 magnetic polarity, B:265–269  
 Neogene, B:131–151  
 Pliocene–Pleistocene interval, B:113–130  
 vs. depth, B:266–267  
*See also* geomagnetic polarity time scale  
 major elements  
 sediments, B:200–202, 206–207  
 volcanic ash, B:218, 224–230  
 mass accumulation rates  
 glacial fan deposits, B:150–159  
 organic carbon, A:245  
 sediments, B:206–207  
 total organic carbon, A:247  
 mass accumulation rates, aluminosilicates, vs. age,  
 B:205  
 mass accumulation rates, barium, vs. age, B:205  
 mass accumulation rates, carbonates, vs. age,  
 B:205  
 mass accumulation rates, total, vs. age, B:205  
 mass accumulation rates, total organic carbon, vs.  
 age, B:205  
 Matuyama Chron  
 correlation, B:275  
 magnetostratigraphy, A:71, 112, 154, 189, 241,  
 306, 358; B:113–114, 151, 154–155,  
 243  
*See also* Brunhes/Matuyama boundary;  
 Gauss/Matuyama boundary  
 methane  
 concentration, A:276  
 pore water, A:310  
 sediments, A:73, 113, 156–157, 191, 243,  
 271–273, 306–307, 311–312, 359–361,  
 369–370  
 vs. depth, A:75–76, 116, 160, 162, 192, 196,  
 245, 274, 310, 368  
*See also* sulfate/methane boundary  
 methane/ethane ratio  
 sediments, A:156–157, 191, 307–308,  
 311–312, 360–361, 369–370  
 vs. depth, A:160, 192, 310, 368  
 methane/hydrocarbon gases ratio, sediments,  
 A:311–312  
 methane/propane ratio, sediments, A:311–312  
 methanogenesis  
 gases, A:192–193  
 pore water, A:274, 309  
 reduction, A:157  
 sediments, A:272–273, 361  
 mica, lithologic units, A:263, 296, 298  
 Milankovitch cycles  
 paleoclimatology, A:15  
*See also* cyclic processes  
 mineralogy  
 multisensor track data, B:247–257  
*See also* bulk mineralogy; clay mineralogy  
 minor elements  
 sediments, B:203  
*See also* major elements; trace elements  
 Miocene  
*Bolboforma* biostratigraphy, B:35–49  
 lithologic units, A:106–108, 231, 261, 263,  
 265–266, 355–356  
 magnetostratigraphy, B:131–148  
 silicoflagellate biostratigraphy, B:63–81  
 Miocene, lower, dinoflagellate biostratigraphy,  
 B:99–109  
 Miocene, middle, volcanic ash, B:217–230  
 Mohns Ridge, physiography, A:6  
 Morris Jesup Rise, plate tectonics, A:7  
 Morris Jesup volcanic area, plate tectonics, A:7  
 mud veins, photograph, A:306  
 multisensor track data  
 sedimentology, B:247–257  
 vs. isotopes, B:251–253  
*n*-alkanes  
 chain-length distributions, B:212  
 organic-rich sediments, B:211–214  
 vs. age, B:212  
*n*-butane  
 concentration, A:276  
 sediments, A:307, 311  
 vs. depth, A:310  
*n*-hexane  
 concentration, A:276  
 sediments, A:307, 311  
 vs. depth, A:310  
*n*-pentane  
 concentration, A:276  
 sediments, A:307, 311  
 vs. depth, A:310  
 nannofossils, lithologic units, A:55, 58, 146, 149,  
 152, 178, 181, 184, 227, 296  
 nannofossils, calcareous  
 biostratigraphy, A:67–68, 108–109, 152, 184,  
 186, 234, 238, 268, 303–304, 357  
 vs. depth, A:153  
 Neogene  
 foraminiferal biostratigraphy, B:19–34  
 magnetostratigraphy, B:131–151  
 sea-surface temperature, B:179–190  
*Neogloboquadrina pachyderma* (sinistral)  
 correlation coefficients, B:193  
 vs. depth, B:192  
 nepheloid layer, sediment drifts, A:13–14  
 nitrogen  
 dark layers, A:274  
 sediments, A:73–74, 113–114, 157, 191–192,  
 243–244, 274, 308, 361  
*See also* carbon/nitrogen ratio  
 nitrogen, total  
 sediments, A:77–79, 117–118, 161, 194–195,  
 246, 277–279, 315–316, 371–372  
 vs. depth, A:75–76, 116, 160, 192, 280, 317,  
 372; B:211  
 vs. total organic carbon, A:79, 118, 162, 195,  
 247, 280, 317, 372  
 nodules  
 lithologic units, A:106  
*See also* concretions  
 Nordic Seas  
 ocean circulation, A:8–9  
 paleoceanography, A:5–20  
 planktonic foraminifers, B:19–34  
 water-mass exchange, A:9–13  
 North Atlantic Current, sediments, B:93–94  
 North Atlantic Deep Water  
 circulation, A:8, 13  
 deep water, A:11  
 paleoclimatology, A:14–15  
 North European Ice Sheet, paleoclimatology, A:15  
 Northern Gateway  
 bathymetry, A:17  
 paleoclimatology, A:14–15  
 plate tectonics, A:6  
 Northern Hemisphere, glaciation onset,  
 B:183–185  
 Norway Basin  
 continental margin, A:6  
 Oligocene deep-water agglutinated  
 foraminifers, B:169–177  
 organic geochemistry, B:209–216  
 plate tectonics, A:7  
 Norwegian Current, glaciation, B:184  
 Norwegian margin, physiography, A:6  
 Norwegian Sea  
 dinoflagellate biostratigraphy, B:99–109  
 glaciation, B:179–190  
 Norwegian Sea Overflow Water, water-mass  
 exchange, A:13  
 Norwegian Sea S, Oligocene deep-water  
 agglutinated foraminifers, B:169–177  
 Norwegian-Greenland Sea  
 magnetostratigraphy, B:131–148  
 sedimentation, A:266–268  
 sediments, A:16  
 ocean circulation  
 carbon dioxide, A:8–9  
 sea-surface temperature, B:179–190  
 water-mass exchange, A:8–13  
 Olduvai Subchron  
 biostratigraphy, B:27–28  
 magnetostratigraphy, A:71, 112, 154, 156,  
 189, 241, 358; B:114, 116, 135, 151,  
 154–155, 158, 243  
 Oligocene  
 deep-water agglutinated foraminifers,  
 B:169–177  
 dinoflagellate biostratigraphy, B:99–109  
 lithologic units, A:263, 265–266  
 ooze, foraminifer, photograph, A:108  
 ooze, nannofossil  
 lithologic units, A:55, 58, 61, 64–65, 101,  
 105–108, 146, 149, 152, 181, 184, 261  
 photograph, A:107  
 ooze, seismic stratigraphic units, A:87  
 opal, biogenic, sediments, B:201  
 organic matter  
 composition, A:115, 157, 192, 244–245, 308,  
 361  
 dark layers, A:274  
 diagenesis, A:75  
 sediments, A:74  
 oxygen index  
 sediments, A:277, 313  
 vs. depth, A:313  
 vs. hydrogen index, A:307–308, 314  
 oxygen isotopes  
 carbonate content, B:181  
 correlation with diatoms, B:56  
 spliced records, B:251, 254  
 paleoceanography  
 Arctic Ocean, A:5–20  
 biostratigraphic datums, B:174–175  
 diatoms, B:58  
 lithologic units, A:302–303  
 paleoclimatology

- Arctic Ocean, A:5–20  
 Cenozoic, A:14–15  
 millennial-scale variability, A:15  
 Neogene, B:273–275  
 Pliocene–Pleistocene, B:92–93  
 sedimentation, A:266–268
- paleoenvironment  
 dinoflagellate cysts, B:88, 91–93  
 sedimentation, B:233–246  
 silicoflagellates, B:67, 70–71  
*See also* hemipelagic sedimentation; shelf environment
- Paleogene, dinoflagellates, B:99–109
- paleomagnetism  
 Site 907, A:240–241  
 Site 982, A:112  
 Site 983, A:154  
 Site 984, A:189  
 Site 985, A:269–270  
 Site 986, A:304, 306  
 Site 987, A:357–358  
 Sites 980–981, A:70–71
- pentane. *See iso*-pentane; *n*-pentane
- peridinioid dinoflagellates. *See gonyaulacoid/* peridinioid ratio
- petroleum potential  
 sediments, A:277, 313  
 vs. depth, A:313
- pH  
 pore water, A:310  
 vs. depth, A:119, 318
- phosphate  
 pore water, A:76, 79, 116, 157, 246  
 vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374
- photoelectric effect logs, vs. depth, A:125, 204
- physical properties  
 geotechnical units, A:248–252, 321, 375  
 Site 982, A:116, 118–121  
 Site 983, A:158–160  
 Site 984, A:195, 197–201  
 Site 985, A:276–277, 279  
 Site 986, A:312–314, 316–317  
 Site 987, A:363–365  
 Sites 980–981, A:81–85  
*See also* geotechnical units
- physiography, Nordic Seas, A:6–8
- phytane. *See* pristane/phytane ratio
- plagioclase, lithologic units, A:263
- plankton, carbon/nitrogen ratio, A:74, 115
- plate tectonics, Nordic Seas, A:6–8
- Pleistocene  
 deposition, B:233–246  
 diatom biostratigraphy, B:51–62  
 lithologic units, A:101, 105–106, 261, 296, 298, 350  
 magnetostratigraphy, B:131–148
- Pliocene  
 biostratigraphy, B:3–17  
*Bolboforma* biostratigraphy, B:35–49  
 glaciation, A:15  
 lithologic units, A:55, 58, 61, 64–65, 101, 105–108, 146, 149, 152, 178, 181, 184, 231, 261, 298, 350, 353, 355–356  
 magnetostratigraphy, B:131–148
- Pliocene, lower, volcanic ash, B:217–230
- Pliocene, upper, deposition, B:233–246
- Pliocene–Pleistocene interval  
 dinoflagellates, B:83–97  
 magnetic field, B:274–275  
 magnetostratigraphy, B:113–130  
 paleoclimatology, B:273–275
- pore water, geochemistry, A:74–76, 79–80, 115–116, 119, 157–158, 162, 192–193, 195–196, 245–248, 274–276, 281, 308–310, 312, 361–363, 373
- porosity  
 core-log comparison, A:203–204  
 vs. depth, A:82–83, 120–121, 164, 198, 251, 282, 322, 376
- porosity logs, vs. depth, A:203
- potassium  
 pore water, A:79, 81, 158, 193, 195, 247, 275, 309, 362  
 vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374  
*See also* thorium/potassium ratio logs
- potassium oxide  
 sediments, B:200, 206–207  
 vs. depth, B:204  
 vs. magnesium oxide, B:228  
 vs. silica, B:228  
 vs. titanium oxide, B:228  
*See also* sodium oxide + potassium oxide
- potassium oxide/titanium oxide ratio, vs. silica, B:230
- preservation  
 faunal units, B:13–14  
 lithologic units, A:149, 152
- preservational units, compression, B:13–14
- pristane/phytane ratio  
 organic-rich sediments, B:211  
 vs. age, B:212
- productivity, lithologic units, A:149, 152
- productivity index  
 dark layers, A:274  
 sediments, A:277, 313  
 vs. depth, A:313
- prokaryotes, organic-rich sediments, B:215
- propane  
 concentration, A:276  
 sediments, A:191, 311–312, 360, 369–370  
 vs. depth, A:160, 192, 310, 368  
*See also* methane/propane ratio
- propylene, sediments, A:311, 369–370
- provenance, sediments, B:93–94
- pyrite  
 lithologic units, A:261, 296, 350  
 sediments, A:243, 267  
*See also* iron sulfides
- pyrolysis, Rock-Eval  
 dark layers, A:274  
 sediments, A:280, 313
- pyroxene, lithologic units, A:261, 298
- quartz  
 bulk mineralogy, B:241  
 clasts, A:115  
 lithologic units, A:261, 296, 298
- Quaternary, lithologic units, A:55, 58, 146, 149, 152, 178, 181, 184, 227, 231, 261, 296, 298
- radiolarians, biostratigraphy, A:69–70, 111, 304, 357
- recrystallization  
 biogenic calcite, A:81  
 calcite, A:158
- reduction  
 pore water, A:361  
 sulfate, A:75–76, 115, 157, 192–193, 245–246
- reflectance  
 average first-derivative, B:264  
 lithologic units, A:61, 64–65, 149, 152, 181, 184, 227  
 sediments, B:259–264  
 vs. age, B:262–263  
 vs. bulk carbonate content, A:188
- vs. carbonate content, A:66; B:199, 261  
 vs. depth, A:59, 62, 64–66, 100, 102–105, 153, 185, 238, 265, 300, 357
- reflection coefficients  
 synthetic seismograms, A:127, 330  
 vs. depth, A:207
- Reflector R0, seismic stratigraphic units, A:125–129
- Reflector R1  
 core data, A:282–283  
 correlation with geotechnical units, A:160  
 correlation with seismic units, A:164–165  
 sediments, A:277, 321, 370  
 seismic stratigraphic units, A:85, 87–88  
 seismic units, A:205  
 synthetic seismograms, A:207–208
- Reflector R1A, seismic stratigraphic units, A:125–129
- Reflector R1B, seismic stratigraphic units, A:125–129
- Reflector R2  
 correlation with geotechnical units, A:160, 198–199  
 correlation with seismic units, A:164–165  
 sediments, A:321, 368, 370, 372  
 seismic stratigraphic units, A:85, 87–88, 125–129, 205, 280  
 synthetic seismograms, A:207–208
- Reflector R3  
 compressional wave velocity, A:83  
 correlation with geotechnical units, A:160  
 correlation with seismic units, A:164–165  
 sediments, A:368, 370  
 seismic stratigraphic units, A:85, 87–88, 125–129, 205  
 synthetic seismograms, A:207–208
- Reflector R4  
 sediments, A:322, 370  
 seismic stratigraphic units, A:85, 87–88, 125–129, 205  
 synthetic seismograms, A:208
- Reflector R5  
 sediments, A:322; B:243  
 seismic stratigraphic units, A:125–129, 205
- Reflector R6  
 grain-size distribution between seismic reflectors, B:239–240  
 sediments, A:322; B:240–243  
 seismic stratigraphic units, A:205
- Reflector R7  
 grain-size distribution between seismic reflectors, B:239–240  
 sediments, A:322, 325
- reflectors  
 seismic profiles, A:206  
 seismic units, A:126  
 Sites 980–981, A:87  
*See also* seismic stratigraphy
- remanent magnetization, natural, sediments, A:70, 112
- remobilization, diagenesis, B:201–202, 205–206
- resistivity logs, vs. depth, A:123, 125, 204, 326, 378; B:151
- Reunion Subchron, magnetostratigraphy, A:71, 73, 112, 189; B:115, 151
- reworking, dinoflagellate cysts, B:88, 106
- Reykjanes Ridge, water-mass exchange, A:13
- Rockall Plateau  
*Bolboforma*, B:44–45  
 glaciation, B:179–190  
 olivine basalt, A:79  
 planktonic foraminifers, B:21–22, 24–26  
 Pleistocene, A:88  
 silicoflagellate biostratigraphy, B:63–81

- Rockall-Hatton Bank  
 water-mass exchange, A:13  
*See also* Hatton-Rockall Basin
- Rupelian, dinoflagellates, B:99–109
- Rupelian/Chattian boundary, dinoflagellates, B:107
- salinity  
 pore water, A:116, 157, 193, 275, 310, 363  
 sediments, A:276  
 vs. depth, A:80–81, 119, 162, 196, 281, 318, 374
- sand  
 lithologic units, A:296, 298, 353, 355–356  
 photograph, A:359  
 vs. depth, A:301, 360
- sand, foraminifer, clasts, A:115
- Scandinavia, glaciation, B:184
- schists. *See* amphibolite schist
- sea ice  
 paleoclimatology, A:14–15  
 water-mass exchange, A:10
- sea surface, Neogene, B:179–190
- sea-surface gradients, sedimentation, B:185–189
- seafloor spreading, sedimentation, A:266–268
- sediment drifts, bottom-water currents, A:13–14
- sedimentary structures. *See* bioturbation; burrows; graded bedding
- sedimentation  
 environment, B:233–246  
 paleoclimatology, A:15; B:185–189  
 sea-surface gradients, B:185–189  
 tectonics, A:266–268  
*See also* hemipelagic sedimentation; shelf environment
- sedimentation rates  
 biostratigraphic datums, B:27–29  
 glacial fan deposits, B:154–155, 158  
 magnetic polarity, A:156, 189, 241–242  
 magnetostratigraphy, B:114–116, 125  
 Pliocene–Miocene, A:113  
 Site 907, A:241, 243  
 Site 982, A:112–113  
 Site 983, A:154, 156  
 Site 984, A:189–191  
 Site 985, A:270–271  
 Site 986, A:306  
 Site 987, A:358  
 Sites 980–981, A:72–73  
 vs. age, A:73–74, 114, 159, 191, 245, 273, 309, 367; B:205  
 vs. depth, A:73–74, 114, 159, 191, 245, 273, 309, 367
- sedimentology, multisensor track data, B:247–257
- sediments  
 clay mineralogy, B:237  
 low-frequency oscillations, B:197–207  
 provenance, B:93–94  
 reflectance, B:259–264  
 Rock-Eval data, A:280, 313
- sediments, organic-rich, geochemistry, B:209–216
- seismic profiles  
 Site 982, A:126  
 Site 983, A:165  
 Site 984, A:206  
 Site 985, A:284  
 Site 986, A:329–330; B:242  
 Site 987, A:378–379  
 Sites 980–981, A:87
- seismic reflectors, lithology, B:164–165
- Seismic Stratigraphic Unit BJ-I, definition, A:205
- Seismic Stratigraphic Unit BJ-II, definition, A:205
- Seismic Stratigraphic Unit BJ-III, definition, A:205
- Seismic Stratigraphic Unit BJ-IV, definition, A:205
- Seismic Stratigraphic Unit BJ-V, definition, A:205
- Seismic Stratigraphic Unit EG-I, sediments, A:368, 370
- Seismic Stratigraphic Unit EG-II, sediments, A:368, 370
- Seismic Stratigraphic Unit EG-III, sediments, A:368, 370, 372
- Seismic Stratigraphic Unit EG-IV, sediments, A:370
- Seismic Stratigraphic Unit EG-V, sediments, A:370
- Seismic Stratigraphic Unit EG-VA, sediments, A:370
- Seismic Stratigraphic Unit EG-VB, sediments, A:370
- Seismic Stratigraphic Unit GA-I, correlation with geotechnical units, A:162–165
- Seismic Stratigraphic Unit GA-II, correlation with geotechnical units, A:162–165
- Seismic Stratigraphic Unit GA-III, correlation with geotechnical units, A:162–165
- Seismic Stratigraphic Unit GA-IV, correlation with geotechnical units, A:162–165
- Seismic Stratigraphic Unit GA-V, correlation with geotechnical units, A:162–165
- Seismic Stratigraphic Unit GA-VI, correlation with geotechnical units, A:162–165
- Seismic Stratigraphic Unit GA-VII, correlation with geotechnical units, A:162–165
- Seismic Stratigraphic Unit IC-I, sediments, A:280
- Seismic Stratigraphic Unit IC-II, core data, A:282–283
- Seismic Stratigraphic Unit IC-III, core data, A:283
- Seismic Stratigraphic Unit NA-I, seismic stratigraphic units, A:125–126
- Seismic Stratigraphic Unit NA-II, seismic stratigraphic units, A:125–126
- Seismic Stratigraphic Unit NA-III, seismic stratigraphic units, A:126
- Seismic Stratigraphic Unit NA-IV, seismic stratigraphic units, A:126
- Seismic Stratigraphic Unit NA-V, seismic stratigraphic units, A:126
- Seismic Stratigraphic Unit NA-VI, seismic stratigraphic units, A:126
- Seismic Stratigraphic Unit NA-VII, seismic stratigraphic units, A:126
- Seismic Stratigraphic Unit SV-I, sediments, A:321, 325
- Seismic Stratigraphic Unit SV-II, sediments, A:321, 325
- Seismic Stratigraphic Unit SV-III, sediments, A:321–322, 325
- Seismic Stratigraphic Unit SV-IV, sediments, A:321–322, 325
- Seismic Stratigraphic Unit SV-V, sediments, A:322, 325
- Seismic Stratigraphic Unit SV-VI, sediments, A:322, 325
- Seismic Stratigraphic Unit SV-VII, sediments, A:322, 325
- seismic stratigraphic units  
 core data, A:280, 282–283  
 correlation with geotechnical units, A:127–129, 162–165  
 isopach maps, A:90  
 reflectors, A:126, 206  
 sediments, A:85, 87–88, 125–129, 280, 290, 321–323, 368, 370, 372  
 unconformities, A:205
- seismic stratigraphy  
 lithostratigraphy and geotechnical units, A:88, 128, 166, 207, 285, 332, 380
- Site 982, A:124–129
- Site 983, A:160, 162–165
- Site 984, A:204–208
- Site 985, A:279–280, 282–283
- Site 986, A:320–325
- Site 987, A:368, 370, 372
- Sites 980–981, A:85, 87–88  
*See also* reflectors
- seismic units  
 correlation with lithology, B:238  
 Pliocene–Pleistocene, B:85–88, 164–165  
 Site 986, B:240–243
- seismograms, synthetic  
 reflection coefficients, A:127, 207, 330  
 relationship to core data, A:208, 323–324
- shear strength, undrained  
 sediments, A:82–83, 120, 163, 197, 249, 282, 320, 374–375  
 vs. depth, A:82–83, 120–121, 164, 198, 250–251, 282, 322, 376
- shelf environment, lithologic units, A:298, 302–303
- shore-based processing, well-logging, A:130, 210, 333, 381
- silica  
 dissolution, A:79, 158  
 pore water, A:76, 115–116, 193, 247, 276, 310, 312, 362  
 sediments, B:200  
 vs. depth, B:204  
 vs. magnesium oxide, B:228  
 vs. major oxides, B:229  
 vs. potassium oxide/titanium oxide ratio, B:230  
 vs. sodium oxide + potassium oxide, B:223
- siliciclastics  
 lithologic units, A:231, 298  
 vs. depth, A:239
- silicification, preservational units, B:14
- silicoflagellates, biostratigraphy, A:70, 111–112, 153–154, 188–189, 240, 268–269, 304, 357; B:63–81
- silicon, vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374
- silt  
 lithologic units, A:55, 58, 178, 181, 184, 227, 231, 261, 263, 296, 298, 353, 355–356  
 Miocene, A:267  
 photograph, A:302
- silt, clayey, lithologic units, A:146, 149, 152, 181, 184
- Site 116  
*Bolboforma* biostratigraphy, B:37, 42–43  
 pore water, A:79
- Site 117, olivine basalt, A:79
- Site 552  
 carbonates, A:114  
 glaciation, B:184
- Site 609, oxygen isotopes, B:57
- Site 643  
 agglutinated foraminifers, A:276  
 carbonate content, B:181  
 dinoflagellate biostratigraphy, B:102–105  
 foraminifers, B:174  
 Oligocene deep-water agglutinated foraminifers, B:173–175
- Site 907, A:223–252  
 background and objectives, A:224–226  
 biostratigraphy, A:231, 234, 238–240  
 carbonate content, B:181  
 composite depths, A:226–231  
 coring, A:227  
 inorganic geochemistry, A:245–248



- lithostratigraphy, A:227, 231  
 magnetostratigraphy, B:132–143  
 middle/late Miocene boundary, A:16  
 operations, A:226  
 organic geochemistry, A:243–245  
 paleomagnetism, A:240–241  
 physical properties, A:248–252  
 planktonic foraminifers, B:20–21  
 sedimentation rates, A:241, 243  
 silicoflagellate biostratigraphy, B:68–70  
 site description, A:223–252  
 smear slides, A:1163–1165
- Site 908, Oligocene–Miocene, A:16  
 Site 913, middle Eocene, A:16  
 Site 980  
   magnetostratigraphy, B:113  
   planktonic foraminifers, B:21–22  
 Site 981  
   magnetostratigraphy, B:113–114  
   multisensor track data, B:247–257  
   planktonic foraminifers, B:21, 23  
 Site 982, A:91–138  
   background and objectives, A:93  
   biostratigraphy, A:108–112  
   *Bolboforma* biostratigraphy, B:36–41  
   composite depths, A:94–101  
   coring, A:94  
   glaciation, B:179–190  
   inorganic geochemistry, A:115–116  
   lithostratigraphy, A:101, 104–108  
   magnetostratigraphy, B:114  
   operations, A:93–94  
   organic geochemistry, A:113–115  
   paleomagnetism, A:112  
   physical properties, A:116, 118–121  
   planktonic foraminifers, B:21–22, 24–26  
   sedimentation rates, A:112–113  
   seismic stratigraphy, A:124–129  
   silicoflagellate biostratigraphy, B:66–67, 70–71  
   site description, A:91–138  
   smear slides, A:1149–1151  
   volcanic ash, B:217–230  
   wireline logging, A:121–124  
 Site 983, A:139–167  
   background and objectives, A:140–141  
   biostratigraphy, A:152–154  
   composite depths, A:141–146  
   coring, A:142  
   diatom biostratigraphy, B:51–62  
   inorganic geochemistry, A:157–158  
   lithostratigraphy, A:142, 146, 149, 152  
   magnetostratigraphy, B:114  
   operations, A:141  
   organic geochemistry, A:156–157  
   paleomagnetism, A:154  
   physical properties, A:158–160  
   planktonic foraminifers, B:22, 27  
   sedimentation rates, A:154, 156  
   sediments, B:197–207  
   seismic stratigraphy, A:160, 162–165  
   site description, A:139–167  
   smear slides, A:1153–1155  
 Site 984, A:169–222  
   background and objectives, A:170–171  
   biostratigraphy, A:184, 186–189  
   carbonates, B:191–194  
   composite depths, A:173–178  
   coring, A:172  
   inorganic geochemistry, A:192–193, 195  
   lithostratigraphy, A:173, 178, 181, 184  
   magnetic polarity and susceptibility, B:265–269  
   magnetostratigraphy, B:114  
   multisensor track data, B:247–257  
   operations, A:171–173  
   organic geochemistry, A:191–192  
   paleomagnetism, A:189  
   physical properties, A:195, 197–201  
   planktonic foraminifers, B:23–24, 28  
   sedimentation rates, A:189–191  
   seismic stratigraphy, A:204–208  
   site description, A:169–222  
   smear slides, A:1157–1161  
   wireline logging, A:201–204  
 Site 985, A:253–285  
   background and objectives, A:254–256  
   biostratigraphy, A:268–269  
   carbonate content, B:181  
   composite depths, A:256–261  
   coring, A:257  
   dinoflagellate biostratigraphy, B:99–109  
   glaciation, B:179–190  
   inorganic geochemistry, A:274–276  
   lithostratigraphy, A:257, 261, 263, 265–268  
   magnetic anomaly maps, A:255  
   magnetostratigraphy, B:135–143  
   Oligocene deep-water agglutinated foraminifers, B:169–177  
   operations, A:256  
   organic geochemistry, A:271–274; B:209–216  
   paleomagnetism, A:269–270  
   physical properties, A:276–277, 279  
   planktonic foraminifers, B:24, 29  
   sedimentation rates, A:270–271  
   seismic stratigraphy, A:279–280, 282–283  
   site description, A:253–285  
   smear slides, A:1167–1170  
   volcanic ash, B:217–230  
 Site 986, A:287–343  
   background and objectives, A:288–290  
   biostratigraphy, A:303–304; B:3–17  
   composite depths, A:292–296  
   coring, A:291  
   dinoflagellates, B:83–97  
   glacial fan deposits, B:149–166  
   inorganic geochemistry, A:308–310, 312  
   lithostratigraphy, A:292, 296, 298, 300–303  
   magnetic polarity and susceptibility, B:265–269  
   magnetostratigraphy, B:150–151  
   operations, A:290–292  
   organic geochemistry, A:306–308  
   paleomagnetism, A:304, 306  
   physical properties, A:312–314, 316–317  
   planktonic foraminifers, B:24, 27, 31  
   sedimentation, B:233–246  
   sedimentation rates, A:306  
   seismic stratigraphy, A:320–325  
   site description, A:287–343  
   smear slides, A:1171–1176  
   wireline logging, A:317, 319–320  
 Site 987, A:345–387  
   background and objectives, A:347–348  
   biostratigraphy, A:356–357  
   composite depths, A:350–353  
   coring, A:349  
   glacial fan deposits, B:149–166  
   inorganic geochemistry, A:361–363  
   lithostratigraphy, A:350, 353, 355–356  
   magnetic polarity and susceptibility, B:265–269  
   magnetostratigraphy, B:151  
   operations, A:348–350  
   organic geochemistry, A:358–361  
   paleomagnetism, A:357–358  
   physical properties, A:363–365  
   planktonic foraminifers, B:27, 33  
   sedimentation rates, A:358  
   seismic stratigraphy, A:368, 370, 372  
   site description, A:345–387  
   smear slides, A:1177–1182  
   wireline logging, A:365–368  
 Sites 980–981, A:49–90  
   background and objectives, A:51–52  
   biostratigraphy, A:66–70  
   composite depths, A:52–58  
   coring, A:53  
   inorganic geochemistry, A:74–76, 79–81  
   lithostratigraphy, A:55, 58–61, 64–66  
   operations, A:52  
   organic geochemistry, A:73–74  
   paleomagnetism, A:70–71  
   physical properties, A:81–85  
   sedimentation rates, A:72–73  
   seismic stratigraphy, A:85, 87–88  
   site description, A:49–90  
   smear slides, A:1147–1148  
 Sites 980–984, magnetostratigraphy, B:113–130  
 sitosterol. *See beta-sitosterol*  
 slumps  
   lithologic units, A:355–356  
   photograph, Site 981, A:66  
   *See also* debris flows  
 smear slides  
   Site 907, A:239, 1163–1165  
   Site 982, A:1149–1151  
   Site 983, A:1153–1155  
   Site 984, A:1157–1161  
   Site 985, A:1167–1170  
   Site 986, A:1171–1176  
   Site 987, A:1177–1182  
   Sites 980–981, A:1147–1148  
 smectite  
   change to illite, A:310, 362  
   grain-size distribution between seismic reflectors, B:239–240  
   lithologic units, A:263, 298  
   sediments, B:237  
 sodium  
   pore water, A:76, 81, 116, 157–158, 193, 247, 275, 310  
   vs. chlorine, A:119, 196, 162  
   vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374  
   sodium/chloride ratio  
   pore water, A:247, 310  
   vs. depth, A:248, 318  
   sodium oxide + potassium oxide, vs. silica, B:223  
 Southern Gateway  
   paleoclimatology, A:14–15  
   structure, plate tectonics, A:7–8  
 spicules, lithologic units, A:106  
 splice tie points  
   Site 907, A:234  
   Site 980, A:61  
   Site 981, A:61  
   Site 982, A:101  
   Site 983, A:149  
   Site 984, A:181  
   Site 985, A:263  
   Site 987, A:355  
 stable isotopes  
   vs. multisensor track data, B:251–253  
   *See also* carbon isotopes; isotope stratigraphy; oxygen isotopes; strontium isotopes  
 sterols  
   sediments, B:213  
   vs. age, B:213  
   *See also beta-sitosterol*; cholesterol; dinosterol  
 Storfjorden Trough, sediments, B:93  
 stratigraphy

- sea-surface temperature, B:180–181  
*See also* chronostratigraphy; geotechnical stratigraphy; isotope stratigraphy; lithostratigraphy; seismic stratigraphy
- strontium  
 dissolution, A:76  
 pore water, A:116, 195, 312, 362–363  
 vs. depth, A:80–81, 119, 162, 196, 248, 281, 318, 374
- strontium isotopes  
 foraminifers, B:164, 242  
 sediments, B:238
- structure, volcanic ash, B:218, 221–222
- sulfate  
 pore water, A:274, 309, 361  
 reduction, A:75–76, 79, 115, 157, 192–193, 245–246  
 sediments, A:272–273  
 vs. depth, A:119, 162, 196, 248, 281, 318, 374; B:205
- sulfate/methane boundary, vs. depth, A:157
- sulfate reduction, pore water, A:309
- sulfur  
 dark layers, A:274  
 sediments, A:73–74, 113–114, 157, 191–192, 243–244, 274, 308, 361  
*See also* carbon/sulfur ratio
- sulfur, total  
 sediments, A:77–79, 117–118, 161, 194–195, 246, 277–279, 315–316, 371–372  
 vs. depth, A:75–76, 116, 160, 192, 245, 280, 317, 372; B:211  
 vs. total organic carbon, A:247; B:211
- Svalbard, glacial fan deposits, B:149–166
- Svalbard margin  
 biostratigraphy, B:3–17  
 planktonic foraminifers, B:24, 27, 31  
 seismic units, A:290
- Svalbard margin W  
 dinoflagellates, B:83–97  
 sedimentation, B:233–246
- Svalbard Shelf, continental margin, A:6
- Svalbard-Barents Ice Sheet, glacial fan deposits, B:149–166
- synchronicity, biostratigraphic datums, B:27, 29
- taxonomy, silicoflagellates, B:71–77
- tectonics, sedimentation, A:266–268
- temperature  
 bottom-water measurements, A:86, 200  
 downhole measurements logs, A:124, 204  
 sediments, A:313  
 vs. chloride, A:319  
 vs. depth, A:86, 125, 200, 205, 323, 328, 377  
 temperature, downhole sediments, A:320, 367–368  
 temperature, sea-surface, Neogene, B:179–190  
 terrigenous materials, lithologic units, A:298, 302  
 textures  
 sediments, A:251–252  
 volcanic ash, B:218, 221–222
- thermal conductivity  
 sediments, A:84, 197, 249, 321, 375  
 vs. depth, A:85, 199
- thermohaline circulation, A:8–11
- thorium  
 sediments, B:200–201, 206–207  
*See also* uranium/thorium ratio logs
- thorium, carbonate-free  
 vs. depth, B:204  
 vs. titanium/aluminum ratio, B:204
- thorium/potassium ratio logs, vs. depth, A:125, 326
- titanium oxide  
 sediments, B:201  
 vs. aluminum oxide, B:204  
 vs. magnesium oxide, B:228  
 vs. potassium oxide, B:228  
*See also* potassium oxide/titanium oxide ratio
- titanium/aluminum ratio  
 sediments, B:200–201, 206–207  
 vs. carbonate-free thorium, B:204  
 vs. depth, B:204
- trace elements  
 sediments, B:200–201  
*See also* minor elements
- turbidites, lithologic units, A:303
- unconformities, seismic stratigraphic units, A:205
- uranium/thorium ratio logs, vs. depth, A:326
- veins. *See* mud veins
- velocity  
 core-log comparison, A:122–124, 202–203, 366–367  
 sediments, A:319  
 vs. depth, A:82–83, 120–121, 164, 198–199, 203–204, 250, 282, 322, 376
- velocity logs, vs. depth, A:123, 203–204, 326, 377
- Vøring Plateau  
 agglutinated foraminifers, A:276  
 glaciation, B:184
- volcanic ash  
 chemical composition, B:217–230  
 greater than 1 cm in thickness, A:266  
 layer thickness vs. depth, A:251, 267  
 lithologic units, A:149, 181, 184, 227, 231, 261  
 magnetostratigraphy, B:132, 135  
 photograph, A:107, 155, 186–187, 266
- water content, vs. depth, A:250–251, 282
- water-mass exchange, Arctic Ocean, A:9–13
- well-logging  
 depth intervals, A:122, 201, 324, 376  
 shore-based processing, A:121–124, 130, 210, 333, 381  
 Site 984, A:201–204  
 Site 986, A:317, 319–320  
 Site 987, A:365–368
- West Spitsbergen Current, sediments, B:94
- wireline logging  
 Site 982, A:121–124  
 Site 984, A:201–204  
 Site 986, A:317, 319–320; B:155  
 Site 987, A:365–368; B:163
- Wyville-Thomson Ridge, water-mass exchange, A:13
- Wyville-Thomson Ridge Overflow, water-mass exchange, A:13
- X-ray diffraction data, vs. depth, B:235–236
- Yermak Plateau, plate tectonics, A:7
- Yermak volcanic area, plate tectonics, A:7
- zeolites  
 lithologic units, A:263  
 pore water, A:362  
 sediments, A:276
- zonation  
 diatoms, B:57–58  
 Oligocene deep-water agglutinated foraminifers, B:173–175  
 silicoflagellates, B:63–66  
*See also* biostratigraphic zones

## VOLUME 162 TAXONOMIC INDEX

- Achomospaera andalusiensis*, Site 986, B:87, 96
- acostaensis*, *Neoglobobadrina*  
 Atlantic Ocean N, B:29, 33  
 Site 981, B:21  
 Site 982, B:22
- Actiniscus pentasterias*  
 Site 985, A:269  
 Site 986, A:304
- Actiniscus pentasterias* Zone  
 Site 907, A:240  
 Site 981, A:70  
 Site 982, A:111–112  
 Site 983, A:153  
 Site 984, A:189
- Actiniscus planatus*, Site 985, A:269
- Actiniscus tetrasterias* Zone, Site 907, A:240
- actinocoronata*, *Reticulatosphaera*  
 Site 985, B:102  
 Site 986, B:85, 92  
 Site 987, B:153
- Actinocyclus curvatus*, Site 983, B:52
- Actinocyclus ingens*, Site 985, A:269
- Actinocyclus ocellatus*, Site 983, B:62
- aculeatum*, *Impagidium*, Site 986, B:92
- aculeatus*, *Distephanus*, Site 984, A:188
- Adercotryma agterbergi*, Site 985, B:171, 175
- aequilateralis*, *Globigerinella*, Atlantic Ocean N, B:32
- agterbergi*, *Adercotryma*, Site 985, B:171, 175
- alata*, *Bolboforma*, Site 982, B:36, 47
- alata*, *Proboscia*, Site 983, B:62
- albicans*, *Thurammina* aff., Site 986, B:12
- albiumbilicatum*, *Elphidium*, Site 986, B:6–9, 11, 14
- algaeformis*, *Rhizammina*, Site 986, B:9–14
- Algidasphaeridium? minutum*, Site 986, B:87, 92–93, 96
- alsatica*, *Turrilina*, Site 643, B:174
- Amaurolithus primus*  
 Atlantic Ocean N, B:27  
 Site 981, A:73
- Amiculosphaera umbracula*, Site 986, B:87, 93, 96, 152
- Ammodiscus incertus*, Site 986, B:12
- Ammodiscus latus*, Site 985, B:171, 174
- Ammodiscus tenuis*, Site 986, B:13–14
- Ammodiscus tenuis* assemblage, Site 986, B:13–14
- Ammodochium serotinum*  
 Site 982, A:111  
 Site 985, A:269
- Ammodochium serotinum* Zone  
 Site 981, A:70  
 Site 982, A:111  
 Site 983, A:153

- Site 984, A:189  
*Ammolagena clavata*, Site 985, B:171  
*Ammomarginulina aubertae*, Site 985, B:171  
*Ammomarginulina foliacea*, Site 986, B:9–14  
*Ammomarginulina recurva*, Site 986, B:14  
*Ammosphaeroidina pseudopauciloculata*  
 Site 643, B:173–175  
 Site 985, B:175  
*amplectens*, *Reticulophragmium*  
 Site 643, B:173  
 Site 985, B:171, 174–175  
*andalousiensis*, *Achomosphaera*, Site 986, B:87,  
 96  
*Angulogerina angulosa*, Site 986, B:6–9, 11  
*Angulogerina fluens*, Site 986, B:6–9  
*angulosa*, *Angulogerina*, Site 986, B:6–9, 11  
*angulosa*, *Trifarina*, Site 982, A:109  
*angulosa*, *Trifarina* (*Angulogerina*), Site 980,  
 A:69  
*Annectina biedai*, Site 985, B:175  
*Antarctissa whitei*  
 Site 981, A:70  
 Site 982, A:111  
*Antarctissa whitei* Zone, Site 981, A:69  
*apicularis*, *Karrerella*, Site 986, B:9–14  
*apiculata apiculata*, *Bachmannocena*  
 Site 907, B:64–65, 72, 138  
 Site 982, B:64–65, 72  
*apiculata curvata*, *Bachmannocena*  
 Site 907, B:64–65, 138  
 Site 982, B:64–65, 71  
*apiculata* ssp., *Bachmannocena*  
 Site 907, B:70  
 Site 982, B:71  
*Aptea polymorpha*, Site 985, B:106  
*Apteodinium australiense*, Site 985, B:104  
*Apteodinium spiridoideus*, Site 985, B:102  
*aquaeductum*, *Unipontidinium*  
 Site 985, B:105  
 Site 987, B:153  
*Aquilapollenites*, Site 986, B:88  
*aquilonarius*, *Botryostrobus*, Site 982, A:111  
*arcticum*, *Diconodinium*, Site 986, B:88  
*arcuata*, *Dictyocha*, Site 982, B:64, 74, 79  
*Areoligera semicirculata*, Site 985, B:102  
*Artemisiocysta cladodictotoma*, Site 985, B:102  
*asklundi*, *Elphidium*, Site 986, A:304; B:11  
*atlantica*, *Bolboforma*, Site 982, B:37, 42, 49  
*atlantica*, *Neogloboquadrina*  
 Atlantic Ocean N, B:29, 33  
 Site 907, B:20–21  
 Site 981, A:68; B:21  
 Site 982, B:22  
 Site 984, A:186; B:23–24  
 Site 986, A:304, 306; B:4–6, 14, 24, 152  
*aubertae*, *Ammomarginulina*, Site 985, B:171  
*australiense*, *Apteodinium*, Site 985, B:104
- Bachmannocena apiculata apiculata*  
 Site 907, B:64–65, 72, 138  
 Site 982, B:64–65, 72  
*Bachmannocena apiculata curvata*  
 Site 907, B:64–65, 138  
 Site 982, B:64–65, 71  
*Bachmannocena apiculata* ssp.  
 Site 907, B:70  
 Site 982, B:71  
*Bachmannocena circulus apiculata* nov. comb.  
 Site 907, B:65, 70, 72, 81, 138  
 Site 982, B:65, 70–72, 81  
*Bachmannocena circulus apiculata* Zone (new)  
 Site 907, B:64–65, 70  
 Site 982, B:64–65, 71  
*Bachmannocena circulus circulus* nov. comb.
- Site 907, B:65, 72, 80  
 Site 982, B:72, 80  
*Bachmannocena didon borderlandensis*, Site  
 982, B:65, 72, 81  
*Bachmannocena didon didon*  
 Site 907, B:72, 81  
 Site 982, B:64–65, 71–72, 81  
*Bachmannocena didon nodosa*  
 Site 907, B:65, 70, 72, 81, 139  
 Site 982, B:65, 70–72, 81  
*Bachmannocena didon nodosa* Subzone (new)  
 Site 907, B:65, 70  
 Site 982, B:65, 71  
*Bachmannocena didon triodon*  
 Site 907, B:72, 80  
 Site 982, B:65, 72, 80  
*Bachmannocena didon* Zone  
 Site 907, B:65–66, 70  
 Site 982, B:65–66, 71  
*Bachmannocena dumitricae*, Site 907, B:72  
*Bachmannocena elliptica elliptica*, Site 982,  
 B:64–65, 71, 73, 79  
*Bachmannocena elliptica miniformis*  
 Site 907, B:64–65, 73, 79  
 Site 982, B:73, 79  
*Bachmannocena hexalitha*, Site 907, B:73, 80  
*Bachmannocena quadrangula*, Site 907, B:73, 81  
*Bachmannocena quadrata*, Site 907, B:65  
*Bachmannocena* sp. cf. *Bachmannocena didon*  
*borderlandensis*, Site 982, B:73, 81  
*Bachmannocena* spp., Site 982, B:71  
*Bachmannocena triangula*, Site 982, B:73, 80  
*baculata*, *Batiacasphaera*, Site 985, B:105–106,  
 109  
*badenensis*, *Bolboforma*, Site 982, B:49  
*bakeri*, *Isabelidium*, Site 986, B:88  
*barleanus*, *Melonis*, Site 980, A:69  
*baroemoenensis*, *Globoquadrina*, Atlantic Ocean  
 N, B:32  
*Bathysiphon hirudinea*, Site 986, B:13  
*Bathysiphon* spp., Site 985, B:171  
*Batiacasphaera baculata*, Site 985, B:105–106,  
 109  
*belemnos*, *Sphenolithus*, Site 982, A:109  
*biedai*, *Annectina*, Site 985, B:175  
*biharensis*, *Cymatostra*, Site 907, B:142  
*bilobata*, *Orbulina*, Atlantic Ocean N, B:33  
*bilocularis*, *Reophax*, Site 986, B:13–14  
*Bitectatodinium tepikiense*, Site 986, B:87, 92–93,  
 96  
*Bolboforma alata*, Site 982, B:36, 47  
*Bolboforma atlantica*, Site 982, B:37, 42, 49  
*Bolboforma badenensis*, Site 982, B:49  
*Bolboforma badenensis* Zone, Site 982, B:37  
*Bolboforma capsula*, Site 982, B:48  
*Bolboforma capsula* Zone, Site 982, B:37  
*Bolboforma capsula/Bolboforma subfragoris*  
 zonal boundary, Site 982, B:41  
*Bolboforma carina*, Site 982, B:36, 47  
*Bolboforma carinaspinosa*, Site 982, B:36, 47  
*Bolboforma* cf. *laevis*, Site 982, B:49  
*Bolboforma clodiusi*, Site 981, A:69  
*Bolboforma communis*, Site 982, B:47  
*Bolboforma compressispinosa*, Site 982, B:49  
*Bolboforma compressispinosa* Zone, Site 982,  
 B:37  
*Bolboforma contorta contorta*, Site 982, B:48  
*Bolboforma contorta sculpturata*, Site 982, B:48  
*Bolboforma costairregularis*, Site 981, A:69  
*Bolboforma costairregularis costairregularis*, Site  
 982, B:36, 41, 47  
*Bolboforma costairregularis* Subzone, Site 116,  
 B:39, 41  
*Bolboforma costairregularis variabilis*
- Site 116, B:37  
 Site 982, B:36, 47  
*Bolboforma costairregularis* Zone, Site 982,  
 B:36–37  
*Bolboforma costata*, Site 981, A:69  
*Bolboforma danielsi*, Site 982, B:37, 42, 49  
*Bolboforma danielsi* Zone, Site 116, B:39  
*Bolboforma deformis*, Site 982, B:48  
*Bolboforma elegans*, Site 982, B:36, 41, 47  
*Bolboforma fava*, Site 982, B:49  
*Bolboforma fragori*, Site 982, B:49  
*Bolboforma gracilireticulata*, Site 982, B:48  
*Bolboforma groenlandica*, Site 982, B:47  
*Bolboforma hispida*, Site 982, B:36, 47  
*Bolboforma intermedia*, Site 982, B:41, 47  
*Bolboforma intermedia* Zone, Site 982, B:37  
*Bolboforma laevis*  
 Site 981, A:69  
 Site 982, B:47  
*Bolboforma lockeri*, Site 982, B:37, 48  
*Bolboforma metzmacheri metzmacheri*, Site 982,  
 B:37, 48  
*Bolboforma metzmacheri ornata*, Site 982, B:37,  
 48  
*Bolboforma metzmacheri solida*, Site 982, B:37,  
 48  
*Bolboforma metzmacheri* Zone, Site 982, B:37,  
 42, 44  
*Bolboforma moravica*, Site 982, B:49  
*Bolboforma mutabilis*, Site 982, B:48  
*Bolboforma oblongireticulata*, Site 982, B:49  
*Bolboforma pentaspinosa*, Site 982, B:49  
*Bolboforma pisiformis*, Site 982, B:48  
*Bolboforma platyreticulata*  
 Site 116, B:39  
 Site 982, B:37, 49  
*Bolboforma polygonalis*, Site 982, B:37, 42, 48  
*Bolboforma praeintermedia*, Site 982, B:37, 48  
*Bolboforma pustulaintermedia*, Site 982, B:47  
*Bolboforma reticulata*  
 Site 116, B:39  
 Site 982, B:37, 49  
*Bolboforma reticulata* Zone  
 Site 116, B:39, 41  
 Site 982, B:37, 41  
*Bolboforma robusta*, Site 982, B:48  
*Bolboforma rotunda*, Site 982, B:37, 49  
*Bolboforma rotunda* Zone, Site 116, B:39  
*Bolboforma sphaerica*, Site 982, B:37, 47  
*Bolboforma spinosa*, Site 982, B:37, 49  
*Bolboforma spinosa* Zone, Site 116, B:39  
*Bolboforma spiralis*, Site 982, B:37, 49  
*Bolboforma spiralis* Zone, Site 116, B:39  
*Bolboforma stella*, Site 982, B:36, 47  
*Bolboforma subfragoris*, Site 982, B:49  
*Bolboforma subfragoris magna*, Site 982, B:49  
*Bolboforma subfragoris* Zone, Site 982, B:37  
*Bolboforma superba*, Site 982, B:48  
*Bolboforma tenuis*  
 Site 116, B:37  
 Site 982, B:36, 47  
*Bolboforma trochospiralis*, Site 982, B:48  
*Bolboforma verrucosa*, Site 982, B:49  
*Bolboforma vulgaris*, Site 982, B:37, 49  
*boliviensis*, *Distephanus*, Site 907, B:66  
*boliviensis binoculus*, *Distephanus*, Site 907,  
 B:74–75  
*boliviensis boliviensis*, *Distephanus*, Site 907,  
 B:75  
*boliviensis major*, *Distephanus*, Site 907, B:75  
*Bolivina* cf. *robusta*, Site 986, B:11  
*Bolivina* spp.  
 Site 907, A:239  
 Site 981, A:69

- Site 982, A:109, 111  
Site 984, A:186–187
- borealis*, *Cromechinus*, Site 986, A:304
- botryocyrtris*, *Lithostrobos*, Site 980, A:69
- Botryostrobos aquilonarius*, Site 982, A:111
- bradyi*, *Haplophragmoides*, Site 986, B:13–14
- bradyi*, *Haplophragmoides* cf., Site 986, B:12
- brevispina ausonia*, *Dictyocha*, Site 982, B:65, 71, 74, 81
- brevispinosa*, *Selenopemphix*, Site 986, B:85, 92–93, 152
- Brigantedinium* spp., Site 986, B:87, 92–93, 96
- Buccella frigida*, Site 986, B:6–9
- Buccella tenerrima*, Site 986, B:6–9
- Bulimina striata*, Site 982, A:111
- buliminoides*, *Rotaliatina*, Site 643, B:174
- bulloides*, *Globigerina*  
Atlantic Ocean N, B:31  
Site 980, A:68; B:21  
Site 981, A:68; B:21  
Site 983, A:152; B:22  
Site 984, A:186  
Site 986, B:4–6, 14, 152, 236
- bulloides*, *Pullenia*  
Site 982, A:109  
Site 986, B:6–9, 11
- Calcidiscus macintyreii*  
Site 980, A:68  
Site 984, A:184
- Calcidiscus miopelagicus*, Atlantic Ocean N, B:27
- calida*, *Dictyocha*, Site 980, A:70
- calloviense*, *Paragonyaulacysta*, Site 986, B:88
- Calocyclus costata* Zone, Site 982, A:111
- Canningea colliveri*, Site 985, B:106
- Cannopilus depressus*, Site 907, A:240
- Cannopilus hemisphaericus*, Site 985, A:269
- Cannopilus* spp.  
Site 907, B:70  
Site 982, B:72
- cantharellum*, *Cordosphaeridium*, Site 985, B:102
- capsula*, *Bolboforma*, Site 982, B:48
- Carduifolia gracilis*, Site 985, A:269
- carina*, *Bolboforma*, Site 982, B:36, 47
- carinaspinosa*, *Bolboforma*, Site 982, B:36, 47
- Caryocha depressa*  
Site 907, B:65, 73  
Site 982, B:64–65, 73
- Caryocha ernestinae*, Site 907, B:65, 70, 73
- Caryocha jouseae*, Site 907, B:73
- Caryocha picassoi*, Site 982, B:73
- Caryocha* spp., Site 982, B:71
- Caryocha* spp. Subzone (New)  
Site 907, B:65  
Site 982, B:65, 71
- Cassidulina laevigata*, Site 980, A:68
- Cassidulina obtusa*  
Site 980, A:68  
Site 981, A:69
- Cassidulina reniforme*  
Site 984, A:186  
Site 986, A:304; B:6–9, 11
- Cassidulina* spp., Site 982, A:109
- Cassidulina teretis*  
Site 907, A:239  
Site 980, A:68  
Site 982, A:109  
Site 983, A:152  
Site 984, A:186  
Site 986, A:304; B:9, 11, 14  
Site 987, A:357
- Catapsydrax dissimilis*  
Atlantic Ocean N, B:29, 31  
Site 982, B:22
- Catapsydrax stainforthi*, Atlantic Ocean N, B:31
- centrocarpum*, *Operculodinium*, Site 986, B:87–88, 92–93, 153
- cerastes*, *Chytrioesphaeridia*, Site 986, B:88
- challengeri*, *Paratrochammina* cf., Site 986, B:13
- charoides*, *Glomospira*, Site 647, B:174
- charoides*, *Repmanina*, Site 986, B:12, 145
- Chatangiella ditissima*, Site 986, B:88
- Chatangiella granulifera*, Site 986, B:88
- Chatangiella tripartita*, Site 985, B:106
- Chichaouadinium vestitum*, Site 985, B:106
- Chiropteridium galea*, Site 985, B:102
- Chlamydophorella ectotabulata*, Site 986, B:88
- Chlamydophorella? grossa*, Site 986, B:88
- Chytrioesphaeridia cerastes*, Site 986, B:88
- Cibicides grossus*, Site 986, A:304; B:6–9, 14
- Cibicides lobatulus*, Site 986, B:6–9
- Cibicides telegdi*, Site 986, B:7–9
- Cibicidoides kullenbergi*, Site 982, A:109, 111
- Cibicidoides* spp.  
Site 982, A:109  
Site 986, A:304
- Cibicidoides wuellerstorfi*  
Site 907, A:239  
Site 981, A:69  
Site 983, A:152  
Site 984, A:186  
Site 985, A:268  
Site 986, A:304; B:11
- Circulodinium distinctum*, Site 985, B:106
- circulus apiculata* nov. comb., *Bachmannocena*  
Site 907, B:65, 70, 72, 81, 138  
Site 982, B:65, 70–72, 81
- circulus circulus*, *Paramesocena*, Site 981, A:70
- circulus circulus* nov. comb., *Bachmannocena*  
Site 907, B:65, 72, 80  
Site 982, B:72, 80
- cladaro*, *Cyrtocapsella*, Site 982, A:111
- cladodicotoma*, *Artemisiocysta*, Site 985, B:102
- clathratum*, *Parathranium*, Site 981, A:70
- clavata*, *Ammolagena*, Site 985, B:171
- clodiusi*, *Bolboforma*, Site 981, A:69
- Coccolithus miopelagicus*, Site 907, B:139
- Coccolithus pelagicus*  
Site 907, A:238  
Site 982, B:181–182, 185–187  
Site 985, A:268; B:183, 187  
Site 986, A:303–304  
Site 987, A:357
- colliveri*, *Canningea*, Site 985, B:106
- communis*, *Bolboforma*, Site 982, B:47
- communis*, *Martinottiella*, Site 907, A:239
- compressa*, *Spirosigmoilinella*  
Site 643, B:173  
Site 985, B:171, 174–175
- compressispinosa*, *Bolboforma*, Site 982, B:49
- conglobatus*, *Globigerinoides*, Atlantic Ocean N, B:32
- conoidea*, *Globorotalia*, Atlantic Ocean N, B:32
- conomiozea*, *Globorotalia*, Atlantic Ocean N, B:32
- Conotrochammina voeringensis*  
Site 643, B:173–174  
Site 985, B:175–177
- constricta*, *Naviculopsis*, Site 907, B:70, 76
- continua*, *Neogloboquadrina*, Atlantic Ocean N, B:33
- contorta contorta*, *Bolboforma*, Site 982, B:48
- contorta sculpturata*, *Bolboforma*, Site 982, B:48
- convexa*, *Thalassiosira*, Site 984, A:188
- convexa convexa*, *Thalassiosira*, Site 981, A:69
- cooksoniae*, *Svalbardella*, Site 985, B:102
- Corbisema hastata*, Site 907, B:70
- Corbisema hastata hastata*, Site 907, B:73
- Corbisema inermis*, Site 907, B:70
- Corbisema inermis inermis*, Site 907, B:73–74
- Corbisema triacantha*  
Site 907, B:64, 74  
Site 982, B:64–65, 71, 74, 79
- Corbisema triacantha* Zone  
Site 907, A:240  
Site 982, A:111
- Corbisema triacantha* Zone (Lower), Site 982, B:64, 71
- Corbisema triacantha* Zone (Upper)  
Site 907, B:64, 70  
Site 982, B:64, 71
- Cordosphaeridium cantharellum*, Site 985, B:102
- cornuta*, *Ebriopsis*, Site 982, A:111
- cornuta*, *Spiniferella*, Site 985, B:102
- Cornutella profunda*, Site 980, A:69
- Corythospyris reuschi*, Site 982, A:111
- Coscinodiscus marginatus* Zone, Site 907, A:240
- Coscinodiscus norwegicus*, Site 907, B:142
- costairregularis*, *Bolboforma*, Site 981, A:69
- costairregularis costairregularis*, *Bolboforma*, Site 982, B:36, 41, 47
- costairregularis variabilis*, *Bolboforma*  
Site 116, B:37  
Site 982, B:36, 47
- costata*, *Bolboforma*, Site 981, A:69
- costata*, *Odontochitina*, Site 985, B:106
- crassaformis*, *Globorotalia*  
Atlantic Ocean N, B:32  
Site 981, B:21
- crassipes*, *Thranium* cf., Site 985, A:269
- crassula*, *Globorotalia*, Site 981, A:68
- crassula*, *Globorotalia* cf.  
Atlantic Ocean N, B:32  
Site 981, B:21  
Site 982, B:22
- Cribroperidium orthoceras*, Site 985, B:106
- Cribrostomoides* spp., Site 643, B:173
- Cribrostomoides subglobosus*, Site 986, B:14
- Cromechinus borealis*, Site 986, A:304
- crux*, *Distephanus*, Site 985, A:269
- crux crux*, *Distephanus*, Site 982, B:75, 79
- crux hanna*, *Distephanus*, Site 982, B:75
- crux lockeri* n. ssp., *Distephanus*  
Site 907, B:70–71, 75, 79  
Site 982, B:75
- crux longispinus*, *Distephanus*, Site 907, B:75, 80
- crux parvus*, *Distephanus*, Site 982, B:75, 80
- crux scutulatus*, *Distephanus*, Site 982, B:75, 80
- crux* ssp., *Distephanus*  
Site 907, B:64–65  
Site 982, B:64–65
- crux stradneri*, *Distephanus*  
Site 907, B:75, 80  
Site 982, B:75, 80
- curvatulus*, *Actinocyclus*, Site 983, B:52
- curvirostris*, *Proboscia*, Site 983, B:52, 55, 57–58, 61–62
- curvirostris*, *Rhizosolenia*  
Site 983, A:153  
Site 986, A:304
- Cycladophora davisiana*  
Site 980, A:69  
Site 982, A:111
- Cycladophora davisiana* Zone  
Site 980, A:69  
Site 981, A:69  
Site 982, A:111
- Cyclammina placenta*, Site 643, B:173
- Cyclammina pusilla*, Site 986, B:9–14
- Cyclammina pusilla* assemblage, Site 986, B:14
- Cyclammina trullissata*, Site 986, B:13–14
- cylindrica*, *Nitzschia*, Site 982, A:111

- Cymatosira biharensis*, Site 907, B:142  
*Cymatosira biharensis* Zone, Site 907, A:240  
*Cymosphaeridium validum*, Site 985, B:106  
*Cyrtocapsella cladaros*, Site 982, A:111  
*Cyrtocapsella cladaros* Zone, Site 982, A:111  
*Cyrtocapsella japonica*, Site 982, A:111  
*Cyrtocapsella tetrapera*, Site 981, A:70  
*Cystamina* sp., Site 985, B:171
- danielsi*, *Bolboforma*, Site 982, B:37, 42, 49  
*davisiana*, *Cycladophora*  
 Site 980, A:69  
 Site 982, A:111  
*decoraperta*, *Globigerina*, Atlantic Ocean N, B:31  
*Deflandrea* sp. B, Site 985, B:106, 109  
*deformis*, *Bolboforma*, Site 982, B:48  
*dehiscens*, *Globoquadrina*, Atlantic Ocean N,  
 B:32  
*delmontensis*, *Stichocorys*, Site 981, A:70  
*Denticulopsis hustedtii*  
 Site 907, B:142  
 Site 982, A:111  
*Denticulopsis hustedtii* Zone, Site 907, A:240  
*Denticulopsis lauta*, Site 985, A:269  
*Denticulopsis praedimorpha*  
 Site 907, B:139  
 Site 982, A:111  
*depressa*, *Caryocha*  
 Site 907, B:65, 73  
 Site 982, B:64–65, 73  
*depressus*, *Cannopilus*, Site 907, A:240  
*diaphanes*, *Eucyrtidium*, Site 982, A:111  
*Diartus pettersoni* Zone, Site 982, A:111  
*Diconodinium arcticum*, Site 986, B:88  
*Dictyocha arcuata*, Site 982, B:64, 74, 79  
*Dictyocha brevispina ausonia*, Site 982, B:65, 71,  
 74, 81  
*Dictyocha calida*, Site 980, A:70  
*Dictyocha* cf. *lingi*, Site 984, A:188  
*Dictyocha fibula*  
 Site 907, B:64–65, 70–71, 74, 79  
 Site 982, B:64, 74  
*Dictyocha hessii*  
 Site 980, A:70  
 Site 984, A:188  
*Dictyocha messanensis stapedia* f. *stapedia*, Site  
 982, B:65, 74  
*Dictyocha perlaevis*  
 Site 980, A:70  
 Site 984, A:188  
*Dictyocha rhombica*, Site 907, B:70  
*Dictyocha* sp., Site 985, A:269  
*Dictyocha* sp. 1, Site 982, B:65, 71, 74, 79  
*Dictyocha* sp. 2, Site 907, B:65, 71, 74, 80  
*Dictyocha* sp. 3, Site 907, B:65, 74, 80  
*Dictyocha* sp. 4, Site 907, B:74, 79  
*Dictyocha* sp. cf. *Dictyocha rhombica*,  
 Site 907, B:74, 79  
*Dictyocha subclinata*  
 Site 907, B:65, 74, 80  
 Site 982, B:65, 74  
*Dictyocha varia*  
 Site 907, B:65, 74  
 Site 982, B:65, 74  
*difficile*, *Heterosphaeridium*, Site 986, B:88  
 Dinocyst 3, Site 985, B:106, 109  
*diodon borderlandensis*,  
*Bachmannocena*, Site 982, B:65, 72, 81  
*Bachmannocena* sp. cf. *Bachmannocena*, Site  
 982, B:73, 81  
*diodon diodon*, *Bachmannocena*  
 Site 907, B:72, 81  
 Site 982, B:64–65, 71–72, 81  
*diodon nodosa*, *Bachmannocena*  
 Site 907, B:65, 70, 72, 81, 139  
 Site 982, B:65, 70–72, 81  
*diodon triodon*, *Bachmannocena*  
 Site 907, B:72, 80  
 Site 982, B:65, 72, 80  
*dioneaecysta*, *Selenopemphix*, Site 986, B:85  
*Discoaster* spp., Site 981, A:73  
*Discoaster surculus*  
 Atlantic Ocean N, B:27  
 Site 981, A:68  
*Discoaster tamalis*, Site 981, A:68  
*Discolithina enormis*, Site 985, B:102  
*discreta*, *Rhabdammina*, Site 986, B:14  
*disjuncta*, *Sphaeroidinellopsis*, Atlantic Ocean N,  
 B:33  
*dissimilis*, *Catapsydrax*  
 Atlantic Ocean N, B:29, 31  
 Site 982, B:22  
*Distephanus aculeatus*, Site 984, A:188  
*Distephanus aculeatus* Zone  
 Site 981, A:70  
 Site 982, A:111  
 Site 983, A:153  
 Site 984, A:188  
*Distephanus boliviensis*, Site 907, B:66  
*Distephanus boliviensis binoculus*, Site 907,  
 B:74–75  
*Distephanus boliviensis boliviensis*, Site 907, B:75  
*Distephanus boliviensis major*, Site 907, B:75  
*Distephanus boliviensis* Zone, Site 907, B:66, 70  
*Distephanus crux*, Site 985, A:269  
*Distephanus crux crux*, Site 982, B:75, 79  
*Distephanus crux hannai*, Site 982, B:75  
*Distephanus crux lockeri* n. ssp.  
 Site 907, B:70–71, 75, 79  
 Site 982, B:75  
*Distephanus crux longispinus*, Site 907, B:75, 80  
*Distephanus crux parvus*, Site 982, B:75, 80  
*Distephanus crux scutulatus*, Site 982, B:75, 80  
*Distephanus crux* ssp.  
 Site 907, B:64–65  
 Site 982, B:64–65  
*Distephanus crux stradneri*  
 Site 907, B:75, 80  
 Site 982, B:75, 80  
*Distephanus crux stradneri* Subzone (new)  
 Site 907, B:65, 70  
 Site 982, B:65, 71  
*Distephanus lingi*, Site 984, A:188  
*Distephanus polyactis*, Site 982, B:65, 75  
*Distephanus quinarius*  
 Site 907, B:65, 75, 80  
 Site 982, B:64  
*Distephanus schulzii*, Site 982, B:64, 75–76  
*Distephanus* sp. aff. *Distephanus slavincii*, Site  
 982, B:76  
*Distephanus speculum binoculus*, Site 982, B:76  
*Distephanus speculum hemisphaericus*, Site 982,  
 B:76  
*Distephanus speculum minutus*, Site 907, B:76, 81  
*Distephanus speculum pentagonus*, Site 907,  
 B:76, 471  
*Distephanus speculum speculum*, Site 907, B:76,  
 81  
*Distephanus speculum speculum* f. *notabilis*, Site  
 907, B:76  
*Distephanus speculum speculum* f. *pseudofibula*,  
 Site 907, B:76  
*Distephanus speculum speculum* f. *septenarius*,  
 Site 907, B:76  
*Distephanus speculum* ssp.  
 Site 907, B:66  
 Site 982, B:64–65  
*Distephanus speculum triommata*, Site 907, B:76
- Distephanus speculum* Zone  
 Site 907, A:240  
 Site 981, A:70  
 Site 982, A:111  
 Site 983, A:153  
 Site 984, A:188  
*Distephanus* spp., Site 982, B:71  
*Distephanus stauracanthus*  
 Site 907, B:138–139  
 Site 982, A:111; B:65, 76, 79  
*Distephanus stauracanthus* Subzone, Site 982,  
 A:111  
*Distephanus xenus*, Site 982, B:65, 76, 81  
*distinctum*, *Circulodinium*, Site 985, B:106  
*ditissima*, *Chatangiella*, Site 986, B:88  
*doliolus*, *Pseudoeunotia*  
 Site 980, A:69  
 Site 983, A:153; B:52, 57–58  
 Site 984, A:187–188  
*Dorcadospyris alata* Zone, Site 982, A:111  
*Dorothia siegliei*, Site 643, B:173–174  
*Dorothia siegliei* Zone, Site 985, B:173  
*downiei*, *Nematosphaeropsis*, Site 985, B:102  
*druggii*, *Elytrocysta*, Site 986, B:88  
*dumitricae*, *Bachmannocena*, Site 907, B:72  
*Duppattractus* cf. *universus*, Site 981, A:70
- eamsi*, *Globigerina*, Atlantic Ocean N, B:31  
*Eatonicysta* sp. 1, Site 985, B:102, 106, 109  
*Ebriopsis cornuta*, Site 982, A:111  
*Ebriopsis cornuta* Zone  
 Site 907, A:240  
 Site 981, A:70  
 Site 982, A:111  
 Site 984, A:189  
*ectotabulata*, *Chlamydothorella*, Site 986, B:88  
*egelida*, *Globigerina*, Site 987, A:357  
*Eggerelloides* cf. *scaber*, Site 986, B:12  
*Ehrenbergina trigona*, Site 982, A:109  
*Ehrenbergina variabilis*, Site 986, B:7–9  
*eisenackii*, *Pseudoceratium*, Site 985, B:106  
*elegans*, *Bolboforma*, Site 982, B:36, 41, 47  
*elegans*, *Hoeglundina*, Site 983, A:152  
*elliptica elliptica*, *Bachmannocena*, Site 982,  
 B:64–65, 71, 73, 79  
*elliptica miniformis*, *Bachmannocena*  
 Site 907, B:64–65, 73, 79  
 Site 982, B:73, 79  
*elongatus*, *Reophax*  
 Site 643, B:173  
 Site 985, B:171, 174  
*elongatus*, *Spiniferites*, Site 986, B:87  
*Elphidiella hannai*, Site 986, B:8  
*Elphidium albiumbilicatum*, Site 986, B:6–9, 11,  
 14  
*Elphidium asklundi*, Site 986, A:304; B:11  
*Elphidium excavatum*  
 Site 984, A:186  
 Site 986, A:304; B:6–9, 11  
 Site 987, A:357  
*Elphidium excavatum* f. *clavata*, Site 986, B:11  
*Elphidium* spp., Site 986, B:6–9  
*Elphidium subarcticum*, Site 986, B:11  
*Elytrocysta druggii*, Site 986, B:88  
*Emiliania huxleyi*  
 Site 907, A:238  
 Site 980, A:67, 72  
 Site 981, A:73  
 Site 982, A:112  
 Site 983, A:156  
 Site 984, A:189  
 Site 986, A:303  
 Site 987, A:357  
*enormis*, *Discolithina*, Site 985, B:102

- obioapiculata*, *Naviculopsis*, Site 982, B:76  
*Epistominella* cf. *exigua*, Site 986, A:304  
*Epistominella exigua*  
 Site 980, A:68  
 Site 981, A:69  
 Site 982, A:109, 111  
 Site 983, A:152  
 Site 984, A:186  
 Site 985, A:268  
 Site 986, B:6–9, 11  
 Site 987, A:357  
*Epistominella* spp., Site 986, B:6–9, 14  
*Eponides pygmeus*, Site 986, B:7–9  
*Eponides umbonatus*  
 Site 907, A:239  
 Site 987, A:357  
*ernestinae*, *Caryocha*, Site 907, B:65, 70, 73  
*Eucoronis fridjofnanseni/Corythospyris reuschi*  
 Zone, Site 982, A:111  
*Eucyrtidium diaphanes*, Site 982, A:111  
*Evittosphaerula paratabulata*, Site 985, B:102, 105  
*Evittosphaerula?* sp. 2, Site 987, B:153  
*excavatum*, *Elphidium*  
 Site 984, A:186  
 Site 986, A:304; B:6–9, 11  
 Site 987, A:357  
*excavatum* f. *clavata*, *Elphidium*, Site 986, B:11  
*exigua*, *Epistominella*  
 Site 980, A:68  
 Site 981, A:69  
 Site 982, A:109, 111  
 Site 983, A:152  
 Site 984, A:186  
 Site 985, A:268  
 Site 986, B:6–9, 11  
 Site 987, A:357  
*exigua*, *Epistominella* cf., Site 986, A:304
- falconensis*, *Globigerina*, Atlantic Ocean N, B:31  
*fava*, *Bolboforma*, Site 982, B:49  
*fibula*, *Dictyocha*  
 Site 907, B:64–65, 70–71, 74, 79  
 Site 982, B:64, 74  
*filifera*, *Filisphaera*  
 Site 986, B:85, 87  
 Site 987, B:153  
*filifera* s. l., *Filisphaera*, Site 986, B:93, 96  
*filigranum*, *Phthanoperidinium*, Site 985, B:102  
*Filisphaera filifera*  
 Site 986, B:85, 87  
 Site 987, B:153  
*Filisphaera filifera* s. l., Site 986, B:93, 96  
*Filisphaera filifera*–PM2 Zone, Site 986, B:85  
*fluens*, *Angulogerina*, Site 986, B:6–9  
*foliacea*, *Ammomarginulina*, Site 986, B:9–14  
*fossilis*, *Nitzschia*  
 Site 980, A:69, 72  
 Site 983, A:153; B:52, 56, 58, 61–62  
*fragori*, *Bolboforma*, Site 982, B:49  
*frigida*, *Buccella*, Site 986, B:6–9  
*frigida*, *Triloculina*, Site 985, A:268  
*furcula*, *Lyracula*, Site 907, B:76  
*fusca*, *Psammospaera*, Site 985, B:171  
*fusiformis*, *Stainforthia*  
 Site 980, A:69  
 Site 981, A:69  
 Site 982, A:109
- galea*, *Chiropteridium*, Site 985, B:102  
 Gen. et sp. indet., Site 985, B:102, 106, 108  
*Geodia* sp.–*Globigerina bulloides* Zone, Site 986, B:14  
*Gephyrocapsa* spp., Site 983, A:152, 156
- Gephyrocapsa* spp. A/B  
 Site 980, A:68, 72  
 Site 984, A:184  
 Site 985, A:268  
*Gephyrocapsa* spp. C/D, Site 980, A:67, 72  
*glacialis*, *Spongotrochus*, Site 980, A:69  
*Globigerina bulloides*  
 Atlantic Ocean N, B:31  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 983, A:152; B:22  
 Site 984, A:186  
 Site 986, B:4–6, 14, 152, 236  
*Globigerina bulloides* Zone  
 Site 981, B:21  
 Site 982, B:22  
*Globigerina bulloides*–*Cassidulina teretis* Zone,  
 Site 986, B:14  
*Globigerina decoraperta*, Atlantic Ocean N, B:31  
*Globigerina eamsi*, Atlantic Ocean N, B:31  
*Globigerina egelida*, Site 987, A:357  
*Globigerina falconensis*, Atlantic Ocean N, B:31  
*Globigerina nepenthes*, Atlantic Ocean N, B:31  
*Globigerina praebulloides*, Atlantic Ocean N,  
 B:31–32  
*Globigerina quinqueloba*  
 Atlantic Ocean N, B:32  
 Site 980, B:21  
 Site 981, B:21  
 Site 983, A:152; B:22  
 Site 984, A:186  
*Globigerina woodi*, Atlantic Ocean N, B:32  
*Globigerinella aequilateralis*, Atlantic Ocean N,  
 B:32  
*Globigerinita glutinata*  
 Atlantic Ocean N, B:32  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 983, A:152; B:22  
 Site 984, A:186  
 Site 986, B:4–6  
*Globigerinita uvula*, Atlantic Ocean N, B:32  
*Globigerinoides conglobatus*, Atlantic Ocean N,  
 B:32  
*Globigerinoides obliquus*, Atlantic Ocean N, B:32  
*Globigerinoides quadrilobatus*, Atlantic Ocean N,  
 B:32  
*Globigerinoides ruber*, Atlantic Ocean N, B:32  
*Globigerinoides subquadratus*, Atlantic Ocean N,  
 B:32  
*Globigerinoides triloba*, Atlantic Ocean N, B:32  
*globigerum*, *Streptochilus*  
 Atlantic Ocean N, B:33  
 Site 982, B:22  
*Globobulimina* spp., Site 984, A:187  
*Globocassidulina subglobosa*  
 Site 980, A:68  
 Site 981, A:69  
 Site 982, A:109, 111  
*Globoquadrina baroemoenensis*, Atlantic Ocean  
 N, B:32  
*Globoquadrina dehiscens*, Atlantic Ocean N, B:32  
*Globorotalia* cf. *crassula*  
 Atlantic Ocean N, B:32  
 Site 981, B:21  
 Site 982, B:22  
*Globorotalia conoidea*, Atlantic Ocean N, B:32  
*Globorotalia conoidea* Zone, Site 982, A:109  
*Globorotalia conomiozea*, Atlantic Ocean N, B:32  
*Globorotalia conomiozea* Zone, Site 982, B:22  
*Globorotalia crassaformis*  
 Atlantic Ocean N, B:32  
 Site 981, B:21  
*Globorotalia crassula*, Site 981, A:68
- Globorotalia inflata*  
 Atlantic Ocean N, B:29  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 982, B:22  
 Site 983, A:152; B:22  
 Site 984, A:186; B:24  
*Globorotalia inflata* Zone  
 Site 981, A:68; B:21  
 Site 982, A:109; B:22  
*Globorotalia inflata/Globigerina bulloides* Zone,  
 Site 984, B:24  
*Globorotalia juanae*, Atlantic Ocean N, B:32  
*Globorotalia margaritae*, Atlantic Ocean N, B:32  
*Globorotalia margaritae* Zone  
 Site 981, A:68; B:21  
 Site 982, A:109; B:22  
*Globorotalia miozea*, Atlantic Ocean N, B:32  
*Globorotalia praescitula*, Atlantic Ocean N, B:32  
*Globorotalia puncticulata*  
 Atlantic Ocean N, B:29, 32  
 Site 981, A:68; B:21  
 Site 982, A:68; B:22  
*Globorotalia puncticulata* Zone  
 Site 981, B:21  
 Site 982, B:22  
*Globorotalia puncticulata/Neogloboquadrina*  
*atlantica* Zone  
 Site 981, A:68  
 Site 982, A:109  
*Globorotalia scitula*  
 Atlantic Ocean N, B:32–33  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 983, A:152; B:22  
 Site 984, A:186  
*Globorotalia truncatulinoidea*, Atlantic Ocean N,  
 B:33  
*Globorotalia zealandica*, Atlantic Ocean N, B:33  
*Glomospira charoides*, Site 647, B:174  
*Glomospira gordialis*, Site 986, B:12  
*Glomospirella* sp., Site 986, B:12  
*glutinata*, *Globigerinita*  
 Atlantic Ocean N, B:32  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 983, A:152; B:22  
 Site 984, A:186  
 Site 986, B:4–6  
*Goniothecium tenue* Zone, Site 907, A:240  
*gordialis*, *Glomospira*, Site 986, B:12  
*gracilireticulata*, *Bolboforma*, Site 982, B:48  
*gracilis*, *Carduifolia*, Site 985, A:269  
*gradsteini*, *Psammiponeta*  
 Site 643, B:173  
 Site 985, B:171, 174–175, 177  
*granulifera*, *Chatangiella*, Site 986, B:88  
*gravida*, *Thalassiosira*, Site 983, B:52, 62  
*groenlandica*, *Bolboforma*, Site 982, B:47  
*grossa*, *Chlamyphorella?*, Site 986, B:88  
*grossii*, *Sirmiodinium*, Site 986, B:88  
*grossus*, *Cibicides*, Site 986, A:304; B:6–9, 14  
*guttifer*, *Reophax*, Site 986, B:14
- hannai*, *Elphidiella*, Site 986, B:8  
*Haplophragmoides bradyi*, Site 986, B:13–14  
*Haplophragmoides* cf. *bradyi*, Site 986, B:12  
*Haplophragmoides kirki*, Site 643, B:173–174  
*Haplophragmoides* spp.  
 Site 986, B:12  
 Site 987, A:357  
*Haplophragmoides walteri*  
 Site 643, B:173–174  
 Site 985, B:171

- hastata*, *Corbisema*, Site 907, B:70  
*hastata hastata*, *Corbisema*, Site 907, B:73  
*hebetata*, *Rhizosolenia*, Site 983, B:52  
*Helicosphaera sellii*, Site 980, A:67, 72  
*hemisphaericus*, *Cannopilus*, Site 985, A:269  
*hessii*, *Dictyocha*  
 Site 980, A:70  
 Site 984, A:188  
*heteromorphus*, *Sphenolithus*  
 Atlantic Ocean N, B:27  
 Site 982, A:109, 112  
*Heterosphaeridium difficile*, Site 986, B:88  
*hexalitha*, *Bachmannocena*, Site 907, B:73, 80  
*hirudinea*, *Bathysiphon*, Site 986, B:13  
*hispida*, *Bolboforma*, Site 982, B:36, 47  
*Hoeglundina elegans*, Site 983, A:152  
*horridus*, *Stephanogonia*, Site 985, A:269  
*humerosa*, *Neogloboquadrina*, Atlantic Ocean N,  
 B:33  
*hustedtii*, *Denticulopsis*  
 Site 907, B:142  
 Site 982, A:111  
*huxleyi*, *Emiliania*  
 Site 907, A:238  
 Site 980, A:67, 72  
 Site 981, A:73  
 Site 982, A:112  
 Site 983, A:156  
 Site 984, A:189  
 Site 986, A:303  
 Site 987, A:357  
*Hyperammina rugosa*  
 Site 643, B:173–174  
 Site 985, B:171  
*Hystriocholpoma* sp. 2, Site 985, B:106, 109  
  
*Ikebea tenuis*, Site 907, B:142  
*Impagidinium aculeatum*, Site 986, B:92  
*Impagidinium japonicum*, Site 986, B:87  
*Impagidinium multiplexum*, Site 986, B:87  
*Impagidinium pallidum*, Site 986, B:96  
*Impagidinium patulum*, Site 986, B:92  
*Impagidinium velorum*, Site 986, B:87  
*incertus*, *Ammodiscus*, Site 986, B:12  
*inermis*, *Corbisema*, Site 907, B:70  
*inermis inermis*, *Corbisema*, Site 907, B:73–74  
*inflata*, *Globorotalia*  
 Atlantic Ocean N, B:29  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 982, B:22  
 Site 983, A:152; B:22  
 Site 984, A:186; B:24  
*infusorioides*, *Palaeohystriochophora*, Site 985,  
 B:106  
*ingens*, *Actinocyclus*, Site 985, A:269  
*intermedia*, *Bolboforma*, Site 982, B:41, 47  
*Invertocysta lacrymosa*, Site 986, B:85, 93, 152  
*Isabelidium bakeri*, Site 986, B:88  
*israelianum*, *Operculodinium*, Site 986, B:87,  
 92–93, 96, 152  
  
*japonica*, *Cyrtocapsella*, Site 982, A:111  
*japonicum*, *Impagidinium*, Site 986, B:87  
*jouseae*, *Caryocha*, Site 907, B:73  
*jouseae*, *Thalassiosira*, Site 983, B:52, 58, 62  
*juanae*, *Globorotalia*, Atlantic Ocean N, B:32  
  
*Karreriella apicularis*, Site 986, B:9–14  
*Karreriella siegliei*, Site 985, B:171, 173, 175, 177  
*kirki*, *Haplophragmoides*, Site 643, B:173–174  
*kochi*, *Sphaeroidinellopsis*, Atlantic Ocean N,  
 B:33  
*kullenbergi*, *Cibicidoides*, Site 982, A:109, 111  
  
*Labrithodinium truncatum*, Site 987, B:153  
*labyrinthus*, *Nematosphaeropsis*, Site 986, B:87,  
 93, 96  
*lacrymosa*, *Invertocysta*, Site 986, B:85, 93, 152  
*lacunosa*, *Pseudoemiliania*  
 Atlantic Ocean N, B:27, 29  
 Site 907, A:238  
 Site 980, A:67, 72  
 Site 981, A:73  
 Site 983, A:156  
 Site 984, A:184, 189  
 Site 986, A:303–304; B:151, 243  
 Site 987, A:357–358  
*laevigata*, *Cassidulina*, Site 980, A:68  
*laevis*, *Bolboforma*  
 Site 981, A:69  
 Site 982, B:47  
*laevis*, *Bolboforma* cf., Site 982, B:49  
*Larcospira quadrangula*, Site 981, A:70  
*lata*, *Naviculopsis*, Site 982, B:77  
*Laticarinina pauperata*, Site 982, A:109  
*latus*, *Ammodiscus*, Site 985, B:171, 174  
*lauta*, *Denticulopsis*, Site 985, A:269  
*legumen*, *Technitella*, Site 986, B:14  
*lepidula*, *Stilosomella*  
 Site 980, A:69  
 Site 981, A:69  
 Site 983, A:152  
 Site 984, A:186  
*Leptodinium* sp. III, Site 985, B:102, 104, 106, 109  
*lineata*, *Lithomitra*  
 Site 980, A:69  
 Site 982, A:111  
*lineata*, *Lithomitra* ex gr., Site 981, A:70  
*lingi*, *Dictyocha* cf., Site 984, A:188  
*lingi*, *Distephanus*, Site 984, A:188  
*Lingulodinium machaerophorum*, Site 986, B:93  
*Lithelius spiralis*  
 Site 981, A:69–70  
 Site 982, A:111  
*Lithomitra* ex gr. *lineata*, Site 981, A:70  
*Lithomitra lineata*  
 Site 980, A:69  
 Site 982, A:111  
*Lithostrobilus botryocytis*, Site 980, A:69  
*lobatulus*, *Cibicides*, Site 986, B:6–9  
*lockeri*, *Bolboforma*, Site 982, B:37, 48  
*loeblichii*, *Stainforthia*, Site 980, A:69  
*loeblichii*, *Virgulina*, Site 986, B:6–9, 11  
*longissima*, *Thalassiothrix*, Site 983, B:52  
*Lophocysta* sp. 1, Site 985, B:102, 106, 108  
*Lophocysta* sp. 2, Site 985, B:102, 106, 108  
*Lophocysta sulcolimbata*, Site 985, B:102, 105  
*Lyramula furcula*, Site 907, B:76  
  
*machaerophorum*, *Lingulodinium*, Site 986, B:93  
*macintyreii*, *Calcidiscus*  
 Site 980, A:68  
 Site 984, A:184  
*margaritae*, *Globorotalia*, Atlantic Ocean N, B:32  
*Martinottiella communis*, Site 907, A:239  
*mayeri*, *Paragloborotalia*  
 Atlantic Ocean N, B:29, 33  
 Site 982, B:22  
*Melonis barleeanus*, Site 980, A:69  
*Melonis pomiloides*, Site 980, A:68  
*Melonis* spp.  
 Site 983, A:152  
 Site 984, A:186  
*Melonis zaandamae*, Site 986, B:14–15  
*Melonis zaandamae*–*Cassidulina teretis* Zone,  
 Site 986, B:6–9, 15  
*Melosira* spp., Site 986, A:304  
*Mesocena diodon* Zone  
 Site 907, A:240  
 Site 982, A:111  
*Mesocena quadrangula*  
 Site 981, A:70  
 Site 984, A:188  
*Mesocena quadrangula* Subzone  
 Site 983, A:153  
 Site 984, A:188  
*Mesocena* spp., Site 982, B:71  
*messanensis stapedia* f. *stapedia*, *Dictyocha*, Site  
 982, B:65, 74  
*metzmacheri metzmacheri*, *Bolboforma*, Site 982,  
 B:37, 48  
*metzmacheri ornata*, *Bolboforma*, Site 982, B:37,  
 48  
*metzmacheri solida*, *Bolboforma*, Site 982, B:37,  
 48  
*minor*, *Naviculopsis*, Site 907, B:77  
*minuta*, *Reticulofenestra*, Site 986, A:303  
*minutum*, *Algidosphaeridium?*, Site 986, B:87,  
 92–93, 96  
*miocenica*, *Spongebria*, Site 985, A:269  
*miopelagicus*, *Calcidiscus*, Atlantic Ocean N,  
 B:27  
*miopelagicus*, *Coccolithus*, Site 907, B:139  
*miozea*, *Globorotalia*, Atlantic Ocean N, B:32  
*mirabilis*, *Spiniferites*  
 Site 985, B:102  
 Site 986, B:93  
*moravica*, *Bolboforma*, Site 982, B:49  
*mortenseni*, *Reophax*, Site 986, B:9–13  
*multiplexum*, *Impagidinium*, Site 986, B:87  
*Multispinula quanta*, Site 986, B:96  
*murrhina*, *Pyrgo*, Site 986, B:11  
*mutabilis*, *Bolboforma*, Site 982, B:48  
  
*nana*, *Trochammina* cf., Site 986, B:12–13  
*Navicula* spp., Site 986, A:304  
*Naviculopsis constricta*, Site 907, B:70, 76  
*Naviculopsis eobioapiculata*, Site 982, B:76  
*Naviculopsis lata*, Site 982, B:77  
*Naviculopsis minor*, Site 907, B:77  
*Naviculopsis* spp., Site 982, A:111  
*Naviculopsis transitoria* nov. comb., Site 907,  
 B:77  
*Nematosphaeropsis downiei*, Site 985, B:102  
*Nematosphaeropsis labyrinthus*, Site 986, B:87,  
 93, 96  
*Nematosphaeropsis?* sp. A, Site 985, B:102  
*Neodenticula seminae*, Site 983, A:153; B:52,  
 56–58, 61  
*Neodenticula seminae* Zone, Site 983, B:53–54,  
 58  
*Neogloboquadrina acostaensis*  
 Atlantic Ocean N, B:29, 33  
 Site 981, B:21  
 Site 982, B:22  
*Neogloboquadrina acostaensis* Zone, Site 982,  
 B:22  
*Neogloboquadrina atlantica*  
 Atlantic Ocean N, B:29, 33  
 Site 907, B:20–21  
 Site 981, A:68; B:21  
 Site 982, B:22  
 Site 984, A:186; B:23–24  
 Site 986, A:304, 306; B:4–6, 14, 24, 152  
*Neogloboquadrina atlantica* (sinistral) Zone, Site  
 986, A:304; B:6, 15  
*Neogloboquadrina atlantica* Zone  
 Site 981, B:21  
 Site 982, B:22  
*Neogloboquadrina atlantica/Globorotalia*  
*puncticulata* Zone, Site 984, B:24  
*Neogloboquadrina atlantica/Neogloboquadrina*

- acostaensis* Zone, Site 982, A:109  
*Neogloboquadrina continuosa*, Atlantic Ocean N, B:33  
*Neogloboquadrina humerosa*, Atlantic Ocean N, B:33  
*Neogloboquadrina pachyderma*  
 Atlantic Ocean N, B:33  
 Site 907, A:238; B:20  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 982, A:109; B:181, 187–189  
 Site 983, A:152; B:22  
 Site 984, A:186; B:23–24, 191–193  
 Site 985, A:268  
 Site 986, A:304; B:4–6, 24  
 Site 987, A:357  
*Neogloboquadrina pachyderma* Zone  
 Atlantic Ocean N, B:29  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 982, A:109; B:21–22  
 Site 983, A:152; B:22  
 Site 984, B:23–24  
 Site 985, B:24  
 Site 986, B:24  
*Neogloboquadrina* spp., Site 986, B:236  
*nepenthes*, *Globigerina*, Atlantic Ocean N, B:31  
*nephroides*, *Selenopemphix*, Site 986, B:96  
 new taxa  
 Site 907, B:70–72, 75, 77, 79–81, 138  
 Site 982, B:65, 70–72, 75, 81  
 new zones  
 Site 907, B:64–65, 70  
 Site 982, B:64–65, 71  
*Nitzschia cylindrica*, Site 982, A:111  
*Nitzschia fossilis*  
 Site 980, A:69, 72  
 Site 983, A:153; B:52, 56, 58, 61–62  
*Nitzschia jouseae* Zone  
 Site 981, A:69  
 Site 984, A:188  
*Nitzschia marina* Zone  
 Site 981, A:69  
 Site 984, A:188  
*Nitzschia reinholdii*  
 Site 980, A:69, 72  
 Site 981, A:69  
 Site 983, A:153; B:52, 56–58, 61  
*Nitzschia reinholdii* Zone  
 Site 980, A:69  
 Site 981, A:69  
 Site 983, B:54–55, 58  
 Site 984, A:188  
*Nonionella* spp.  
 Site 980, A:69  
 Site 981, A:69  
 Site 982, A:109  
 Site 984, A:186  
*norwegicus*, *Coscinodiscus*, Site 907, B:142  
*obliquus*, *Globigerinoides*, Atlantic Ocean N, B:32  
*oblongireticulata*, *Bolboforma*, Site 982, B:49  
*obtusata*, *Cassidulina*  
 Site 980, A:68  
 Site 981, A:69  
*oculatus*, *Actinocyclus*, Site 983, B:62  
*Odontochitina costata*, Site 985, B:106  
*oestruppi*, *Thalassiosira*  
 Site 907, A:240  
 Site 980, A:69  
 Site 983, B:52–53, 61  
*Operculodinium centrocarpum*, Site 986, B:87–88, 92–93, 153  
*Operculodinium israelianum*, Site 986, B:87, 92–93, 96, 152  
*Orbulina bilobata*, Atlantic Ocean N, B:33  
*Orbulina suturalis*  
 Atlantic Ocean N, B:29, 33  
 Site 982, B:22  
*Orbulina suturalis* Zone, Site 982, A:109; B:22  
*Orbulina universa*  
 Atlantic Ocean N, B:33  
 Site 981, B:21  
*Oridorsalis umbonatus*, Site 985, A:268  
*orthoceras*, *Cribroperidinium*, Site 985, B:106  
*pachyderma*, *Neogloboquadrina*  
 Atlantic Ocean N, B:33  
 Site 907, A:238; B:20  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 982, A:109; B:181, 187–189  
 Site 983, A:152; B:22  
 Site 984, A:186; B:23–24, 191–193  
 Site 985, A:268  
 Site 986, A:304; B:4–6, 24  
 Site 987, A:357  
*paenedehiscens*, *Sphaeroidinellopsis*, Atlantic Ocean N, B:33  
*Palaeohystrichophora infusorioides*, Site 985, B:106  
*pallidum*, *Impagidinium*, Site 986, B:96  
*pannosum*, *Perisseiasphaeridium*, Site 986, B:88  
*papillata*, *Thurammina*, Site 986, B:9–14  
*Paragloborotalia mayeri*  
 Atlantic Ocean N, B:29, 33  
 Site 982, B:22  
*Paragloborotalia mayeri* Zone, Site 982, A:109  
*Paragonyaulacysta calloviense*, Site 986, B:88  
*Paramesocena circulus apiculata* Zone  
 Site 907, A:240  
 Site 982, A:111–112  
*Paramesocena circulus circulus*, Site 981, A:70  
*Paramesocena* spp., Site 982, B:71  
*paratabulata*, *Evittosphaerula*, Site 985, B:102, 105  
*Parathranium clathratum*, Site 981, A:70  
*Parathranium clathratum* Zone  
 Site 907, A:240  
 Site 982, A:112  
*Paratrochammina* cf. *challengeri*, Site 986, B:13  
*patulum*, *Impagidinium*, Site 986, B:92  
*pauperata*, *Laticarinina*, Site 982, A:109  
*pelagicus*, *Coccolithus*  
 Site 907, A:238  
 Site 982, B:181–182, 185–187  
 Site 985, A:268; B:183, 187  
 Site 986, A:303–304  
 Site 987, A:357  
*pellitum*, *Tectatodinium*, Site 986, B:87  
*pellucid*, *Subtilisphaera*, Site 985, B:106  
*pentaspinosa*, *Bolboforma*, Site 982, B:49  
*pentasterias*, *Actiniscus*  
 Site 985, A:269  
 Site 986, A:304  
*peregrina*, *Stichocorys*, Site 982, A:111  
*Perisseiasphaeridium pannosum*, Site 986, B:88  
*perlaevis*, *Dictyochea*  
 Site 980, A:70  
 Site 984, A:188  
*Phthanoperidinium filigranum*, Site 985, B:102  
*picassoii*, *Caryocha*, Site 982, B:73  
*pisiformis*, *Bolboforma*, Site 982, B:48  
*placenta*, *Cyclammina*, Site 643, B:173  
*planatus*, *Actiniscus*, Site 985, A:269  
*platyreticulata*, *Bolboforma*  
 Site 116, B:39  
 Site 982, B:37, 49  
*pliocenicum*, *Sumatradinium*, Site 986, B:85, 93, 96, 152  
*polyactis*, *Distephanus*, Site 982, B:65, 75  
*polygonalis*, *Bolboforma*, Site 982, B:37, 42, 48  
*polymorpha*, *Aptea*, Site 985, B:106  
*pomiloides*, *Melonis*, Site 980, A:68  
*Porodiscus* sp., Site 982, A:111  
*praebergonii*, *Rhizosolenia*, Site 984, A:188  
*praebulloides*, *Globigerina*, Atlantic Ocean N, B:31–32  
*praedimorpha*, *Denticulopsis*  
 Site 907, B:139  
 Site 982, A:111  
*praeintermedia*, *Bolboforma*, Site 982, B:37, 48  
*Praeorbulina* Zone, Site 982, B:22  
*Praeorbulina*/*Globigerinoides triloba* Zone, Site 982, A:109  
*praescitula*, *Globorotalia*, Atlantic Ocean N, B:32  
*primus*, *Amaurolithus*  
 Atlantic Ocean N, B:27  
 Site 981, A:73  
*Proboscia alata*, Site 983, B:62  
*Proboscia curvirostris*, Site 983, B:52, 55, 57–58, 61–62  
*Proboscia curvirostris* Zone, Site 983, B:53, 57–58  
*producta*, *Reticulofenestra*  
 Site 985, A:268  
 Site 986, A:304  
*productus*, *Reticulofenestra*, Site 986, A:303  
*profunda*, *Cornutella*, Site 980, A:69  
*Psammionopelta gradsteini*  
 Site 643, B:173  
 Site 985, B:171, 174–175, 177  
*Psammionopelta* sp. Zone, Site 985, A:268  
*Psammionopelta* sp.–*Cyclammina amplexens*  
 Zone, Site 985, A:268  
*Psammosphaera fusca*, Site 985, B:171  
*Pseudoceratium eisenackii*, Site 985, B:106  
*Pseudoceratium securigerum*, Site 985, B:106  
*Pseudoemiliania lacunosa*  
 Atlantic Ocean N, B:27, 29  
 Site 907, A:238  
 Site 980, A:67, 72  
 Site 981, A:73  
 Site 983, A:156  
 Site 984, A:184, 189  
 Site 986, A:303–304; B:151, 243  
 Site 987, A:357–358  
*Pseudoemiliania doliolus*  
 Site 980, A:69  
 Site 983, A:153; B:52, 57–58  
 Site 984, A:187–188  
*Pseudoemiliania doliolus* Zone  
 Site 980, A:69  
 Site 984, A:188  
*pseudopauciloculata*, *Ammosphaeroidina*  
 Site 643, B:173–175  
 Site 985, B:175  
*pseudoubilicus*, *Reticulofenestra*  
 Site 907, A:238  
 Site 987, A:357  
*Pullenia bulloides*  
 Site 982, A:109  
 Site 986, B:6–9, 11  
*Pullenia* spp.  
 Site 907, A:239  
 Site 983, A:152  
 Site 984, A:186  
*Pullenia subcarinata*, Site 986, B:6–9, 11  
*puncticulata*, *Globorotalia*  
 Atlantic Ocean N, B:29, 32  
 Site 981, A:68; B:21



- Site 982, A:68; B:22  
*pusilla*, *Cyclammia*, Site 986, B:9–14  
*pustulaintermédia*, *Bolboforma*, Site 982, B:47  
*pygmeus*, *Eponides*, Site 986, B:7–9  
*Pyrgo murrhina*, Site 986, B:11  
*Pyrgo* spp., Site 983, A:152  
*Pyxidinosps* sp. 1, Site 985, B:106, 109
- quadrangula*, *Bachmannocena*, Site 907, B:73, 81  
*quadrangula*, *Larcospira*, Site 981, A:70  
*quadrangula*, *Mesocena*  
 Site 981, A:70  
 Site 984, A:188  
*quadrata*, *Bachmannocena*, Site 907, B:65  
*quadrilobatus*, *Globigerinoides*, Atlantic Ocean N,  
 B:32  
*quanta*, *Multispinula*, Site 986, B:96  
*quinarius*, *Distephanus*  
 Site 907, B:65, 75, 80  
 Site 982, B:64  
*quinqueloba*, *Globigerina*  
 Atlantic Ocean N, B:32  
 Site 980, B:21  
 Site 981, B:21  
 Site 983, A:152; B:22  
 Site 984, A:186  
*quinqueloba*, *Turborotalita*, Site 986, B:4–6  
*Quinqueloculina seminulum*, Site 986, B:6–9
- recurva*, *Ammomarginulina*, Site 986, B:14  
*Recurvodes* spp.  
 Site 643, B:173  
 Site 985, B:171  
 Site 987, A:357  
*Recurvodes turbinatus*, Site 986, B:9–14  
*Recurvodes turbinatus* assemblage, Site 986,  
 B:12–14  
*reinholdii*, *Nitzschia*  
 Site 980, A:69, 72  
 Site 981, A:69  
 Site 983, A:153; B:52, 56–58, 61  
*reniforme*, *Cassidulina*  
 Site 984, A:186  
 Site 986, A:304; B:6–9, 11  
*Reophax bilocularis*, Site 986, B:13–14  
*Reophax elongatus*  
 Site 643, B:173  
 Site 985, B:171, 174  
*Reophax guttifer*, Site 986, B:14  
*Reophax mortenseni*, Site 986, B:9–13  
*Reophax* sp.  
 Site 984, A:186  
 Site 986, A:304  
 Site 987, A:357  
*Repmanina charoides*, Site 986, B:12, 145  
*resurgens*, *Spongodiscus*  
 Site 980, A:69  
 Site 981, A:69–70  
 Site 982, A:111  
*reticulata*, *Bolboforma*  
 Site 116, B:39  
 Site 982, B:37, 49  
*Reticulatosphaera actinocoronata*  
 Site 985, B:102  
 Site 986, B:85, 92  
 Site 987, B:153  
*Reticulofenestra minuta*, Site 986, A:303  
*Reticulofenestra producta*  
 Site 985, A:268  
 Site 986, A:304  
*Reticulofenestra productus*, Site 986, A:303  
*Reticulofenestra pseudoumbilicus*  
 Site 907, A:238  
 Site 987, A:357
- Reticulophragmium amplexans*  
 Site 643, B:173  
 Site 985, B:171, 174–175  
*Reticulophragmium rotundidorsatum*, Site 985,  
 B:171, 173–175, 177  
*reuschi*, *Corythospyris*, Site 982, A:111  
*Rhabdammina discreta*, Site 986, B:14  
*Rhabdammina* spp.  
 Site 643, B:173  
 Site 985, B:171  
*Rhaphoneis* spp., Site 986, A:304  
*Rhizammina algaeformis*, Site 986, B:9–14  
*Rhizammina* sp., Site 986, B:9–14  
*Rhizosolenia barboi* Zone, Site 907, A:240  
*Rhizosolenia curvirostris*  
 Site 983, A:153  
 Site 986, A:304  
*Rhizosolenia hebetata*, Site 983, B:52  
*Rhizosolenia praebergonii*, Site 984, A:188  
*rhombica*, *Dictyocha*, Site 907, B:70  
*rhombica*, *Dictyocha* sp. cf. *Dictyocha rhombica*,  
 Site 907, B:74, 79  
*robusta*, *Bolboforma*, Site 982, B:48  
*robusta*, *Bolivina* cf., Site 986, B:11  
*Rotaliatina bulminoides*, Site 643, B:174  
*rotunda*, *Bolboforma*, Site 982, B:37, 49  
*rotundidorsatum*, *Reticulophragmium*, Site 985,  
 B:171, 173–175, 177  
*ruber*, *Globigerinoides*, Atlantic Ocean N, B:32  
*rugosa*, *Hyperammia*  
 Site 643, B:173–174  
 Site 985, B:171
- scaber*, *Eggerelloides* cf., Site 986, B:12  
*schlumbergeri*, *Sigmolopsis*, Site 982, A:109  
*schulzii*, *Distephanus*, Site 982, B:64, 75–76  
*scitula*, *Globorotalia*  
 Atlantic Ocean N, B:32–33  
 Site 980, A:68; B:21  
 Site 981, A:68; B:21  
 Site 983, A:152; B:22  
 Site 984, A:186  
*scitulus*, *Verneuilinoides*, Site 986, B:9–13  
*securigerum*, *Pseudoceratium*, Site 985, B:106  
*Selenopemphix brevispinosa*, Site 986, B:85,  
 92–93, 152  
*Selenopemphix dioneaecysta*, Site 986, B:85  
*Selenopemphix nephroides*, Site 986, B:96  
*sellii*, *Helicosphaera*, Site 980, A:67, 72  
*semicirculata*, *Areoligera*, Site 985, B:102  
*seminae*, *Neodenticula*, Site 983, A:153; B:52,  
 56–58, 61  
*seminulum*, *Quinqueloculina*, Site 986, B:6–9  
*serotinum*, *Ammodochium*  
 Site 982, A:111  
 Site 985, A:269  
*sieglii*, *Dorothia*, Site 643, B:173–174  
*sieglii*, *Karreriella*, Site 985, B:171, 173, 175,  
 177  
*Sigmolopsis schlumbergeri*, Site 982, A:109  
*Sirmiodinium grossii*, Site 986, B:88  
*slavincii*, *Distephanus* sp. aff. *Distephanus*, Site  
 982, B:76  
*spectabilis*, *Spiroplectamma*, Site 985, B:171,  
 173  
*speculum binoculus*, *Distephanus*, Site 982, B:76  
*speculum hemisphaericus*, *Distephanus*, Site 982,  
 B:76  
*speculum minutus*, *Distephanus*, Site 907, B:76,  
 81  
*speculum pentagonus*, *Distephanus*, Site 907,  
 B:76, 471  
*speculum speculum*, *Distephanus*, Site 907, B:76,  
 81
- speculum speculum* f. *notabilis*, *Distephanus*, Site  
 907, B:76  
*speculum speculum* f. *pseudofibula*, *Distephanus*,  
 Site 907, B:76  
*speculum speculum* f. *septenarius*, *Distephanus*,  
 Site 907, B:76  
*speculum* spp., *Distephanus*  
 Site 907, B:66  
 Site 982, B:64–65  
*speculum triommata*, *Distephanus*, Site 907, B:76  
*sphaerica*, *Bolboforma*, Site 982, B:37, 47  
*Sphaeroidinellopsis disjuncta*, Atlantic Ocean N,  
 B:33  
*Sphaeroidinellopsis kochi*, Atlantic Ocean N, B:33  
*Sphaeroidinellopsis paenedehiscens*, Atlantic  
 Ocean N, B:33  
*Sphenolithus belemmos*, Site 982, A:109  
*Sphenolithus heteromorphus*  
 Atlantic Ocean N, B:27  
 Site 982, A:109, 112  
*Spiniferella cornuta*, Site 985, B:102  
*Spiniferites elongatus*, Site 986, B:87  
*Spiniferites mirabilis*  
 Site 985, B:102  
 Site 986, B:93  
*Spiniferites* sp. 1, Site 985, B:106, 109  
*Spiniferites* spp., Site 986, B:87–88, 92–93  
*spinosa*, *Bolboforma*, Site 982, B:37, 49  
*spiralis*, *Bolboforma*, Site 982, B:37, 49  
*spiralis*, *Lithelius*  
 Site 981, A:69–70  
 Site 982, A:111  
*spiridoides*, *Apteodinium*, Site 985, B:102  
*Spiroplectamma spectabilis*, Site 985, B:171,  
 173  
*Spirosigmoinella compressa*  
 Site 643, B:173  
 Site 985, B:171, 174–175  
*Spirosigmoinella compressa* assemblage, Site  
 985, B:171  
*Spirosigmoinella* sp.  
 Site 907, A:239  
 Site 987, A:357  
*Spongaster tetras*  
 Site 981, A:69  
 Site 982, A:111  
*Spongaster tetras* Zone  
 Site 981, A:69  
 Site 982, A:111  
*Spongebria miocenica*, Site 985, A:269  
*Spongebria miocenica* Zone, Site 985, A:269–270  
*Spongodiscus resurgens*  
 Site 980, A:69  
 Site 981, A:69–70  
 Site 982, A:111  
*Spongotrochus glacialis*, Site 980, A:69  
*stainforthi*, *Catapsydrax*, Atlantic Ocean N, B:31  
*Stainforthia fusiformis*  
 Site 980, A:69  
 Site 981, A:69  
 Site 982, A:109  
*Stainforthia loeblichii*, Site 980, A:69  
*Stainforthia* spp., Site 983, A:152  
*stauracanthus*, *Distephanus*  
 Site 907, B:138–139  
 Site 982, A:111; B:65, 76, 79  
*stella*, *Bolboforma*, Site 982, B:36, 47  
*Stephanogonia horridus*, Site 985, A:269  
*Stephanopyxis turris*, Site 983, B:62  
*Stichocorys delmontensis*, Site 981, A:70  
*Stichocorys peregrina*, Site 982, A:111  
*Stichocorys peregrina* Zone, Site 982, A:111  
*Stilostomella lepidula*  
 Site 980, A:69

- Site 981, A:69  
 Site 983, A:152  
 Site 984, A:186  
*Stilostomella* spp., Site 980, A:69  
*Streptochilus globigerum*  
 Atlantic Ocean N, B:33  
 Site 982, B:22  
*Streptochilus tokelauae*, Atlantic Ocean N, B:33  
*striata*, *Bulimina*, Site 982, A:111  
*Stylochlamydidium venustum*, Site 981, A:69–70  
*Stylodictya validispina*, Site 982, A:111  
*subarcticum*, *Elphidium*, Site 986, B:11  
*subcarinata*, *Pullenia*, Site 986, B:6–9, 11  
*subclinata*, *Dictyocha*  
 Site 907, B:65, 74, 80  
 Site 982, B:65, 74  
*subfragoris*, *Bolboforma*, Site 982, B:49  
*subfragoris magna*, *Bolboforma*, Site 982, B:49  
*subglobosa*, *Globocassidulina*  
 Site 980, A:68  
 Site 981, A:69  
 Site 982, A:109, 111  
*subglobosus*, *Cribrostomoides*, Site 986, B:14  
*subquadratus*, *Globigerinoides*, Atlantic Ocean N,  
 B:32  
*Subtilisphaera pellucid*, Site 985, B:106  
*sulcolimbata*, *Lophocysta*, Site 985, B:102, 105  
*Sumatradinium pliocenicum*, Site 986, B:85, 93,  
 96, 152  
*superba*, *Bolboforma*, Site 982, B:48  
*surculus*, *Discoaster*  
 Atlantic Ocean N, B:27  
 Site 981, A:68  
*suturalis*, *Orbulina*  
 Atlantic Ocean N, B:29, 33  
 Site 982, B:22  
*Svalbardella cooksoniae*, Site 985, B:102
- tamalis*, *Discoaster*, Site 981, A:68  
*Tectinitella legumen*, Site 986, B:14  
*Tectatodinium pellitum*, Site 986, B:87  
*telegdi*, *Cibicides*, Site 986, B:7–9  
*tenerrima*, *Buccella*, Site 986, B:6–9  
*tenuis*, *Ammodiscus*, Site 986, B:13–14  
*tenuis*, *Bolboforma*  
 Site 116, B:37  
 Site 982, B:36, 47  
*tenuis*, *Ikebea*, Site 907, B:142  
*tepiense*, *Bitectatodinium*, Site 986, B:87,  
 92–93, 96  
*teretis*, *Cassidulina*  
 Site 907, A:239  
 Site 980, A:68  
 Site 982, A:109  
 Site 983, A:152  
 Site 984, A:186  
 Site 986, A:304; B:9, 11, 14  
 Site 987, A:357  
*tetrapera*, *Cyrtocapsella*, Site 981, A:70  
*tetras*, *Spongaster*  
 Site 981, A:69  
 Site 982, A:111  
*Textulariina* genus indeterminate, Site 986,  
 B:11–14  
*Thalassiosira convexa*, Site 984, A:188  
*Thalassiosira convexa convexa*, Site 981, A:69
- Thalassiosira gravis*, Site 983, B:52, 62  
*Thalassiosira jouseae*, Site 983, B:52, 58, 62  
*Thalassiosira kryophila* Zone, Site 907, A:240  
*Thalassiosira oestruppi*  
 Site 907, A:240  
 Site 980, A:69  
 Site 983, B:52–53, 61  
*Thalassiosira oestruppi* Zone  
 Site 907, A:240  
 Site 983, B:53, 57  
*Thalassiothrix longissima*, Site 983, B:52  
*Thranium* cf. *crassipes*, Site 985, A:269  
*Thurrammina* aff. *albicans*, Site 986, B:12  
*Thurrammina papillata*, Site 986, B:9–14  
*tokelauae*, *Streptochilus*, Atlantic Ocean N, B:33  
*transitoria* nov. comb., *Naviculopsis*, Site 907,  
 B:77  
*triacantha*, *Corbisema*  
 Site 907, B:64, 74  
 Site 982, B:64–65, 71, 74, 79  
*triangula*, *Bachmannocena*, Site 982, B:73, 80  
*Trifarina* (*Angulogerina*) *angulosa*, Site 980, A:69  
*Trifarina angulosa*, Site 982, A:109  
*trigona*, *Ehrenbergina*, Site 982, A:109  
*trihedra*, *Triloculina*, Site 986, B:11  
*triloba*, *Globigerinoides*, Atlantic Ocean N, B:32  
*Triloculina frigida*, Site 985, A:268  
*Triloculina* sp., Site 986, B:6–9  
*Triloculina trihedra*, Site 986, B:11  
*tripartita*, *Chatangiella*, Site 985, B:106  
*Trithyrodonium verrucosum*, Site 986, B:88  
*Trochammina* cf. *nana*, Site 986, B:12–13  
*Trochammina* cf. *nana* assemblage, Site 986,  
 B:12–13  
*trochospiralis*, *Bolboforma*, Site 982, B:48  
*trullissata*, *Cyclammina*, Site 986, B:13–14  
*truncatulinoides*, *Globorotalia*, Atlantic Ocean N,  
 B:33  
*truncatum*, *Labrinthodinium*, Site 987, B:153  
*turbinata*, *Recurvodes*, Site 986, B:9–14  
*Turborotalita quinqueloba*, Site 986, B:4–6  
*Turrilina alsatica*, Site 643, B:174  
*turris*, *Stephanopyxis*, Site 983, B:62
- umbonatus*, *Eponides*  
 Site 907, A:239  
 Site 987, A:357  
*umbonatus*, *Oridorsalis*, Site 985, A:268  
*umbracula*, *Amiculospaera*, Site 986, B:87, 93,  
 96, 152  
*Unipontidinium aquaeductum*  
 Site 985, B:105  
 Site 987, B:153  
*universa*, *Orbulina*  
 Atlantic Ocean N, B:33  
 Site 981, B:21  
*universus*, *Dupptractus* cf., Site 981, A:70  
*Uvigerina* spp.  
 Site 982, A:109, 111  
 Site 984, A:186  
*uvula*, *Globigerinita*, Atlantic Ocean N, B:32
- validispina*, *Stylodictya*, Site 982, A:111  
*validum*, *Cymosphaeridium*, Site 985, B:106  
*varia*, *Dictyocha*  
 Site 907, B:65, 74
- Site 982, B:65, 74  
*variabilis*, *Ehrenbergina*, Site 986, B:7–9  
*velorum*, *Impagidinium*, Site 986, B:87  
*venustum*, *Stylochlamydidium*, Site 981, A:69–70  
*Verneulinoides scitulus*, Site 986, B:9–13  
*Verneulinoides* sp.  
 Site 985, B:171  
 Site 986, B:12  
*verrucosa*, *Bolboforma*, Site 982, B:49  
*verrucosum*, *Trithyrodonium*, Site 986, B:88  
*vestitum*, *Chichaouadinium*, Site 985, B:106  
*Virgulina loeblichii*, Site 986, B:6–9, 11  
*voeringensis*, *Conotrochammina*  
 Site 643, B:173–174  
 Site 985, B:175–177  
*vulgaris*, *Bolboforma*, Site 982, B:37, 49
- walteri*, *Haplophragmoides*  
 Site 643, B:173–174  
 Site 985, B:171  
*whitei*, *Antarctissa*  
 Site 981, A:70  
 Site 982, A:111  
*woodi*, *Globigerina*, Atlantic Ocean N, B:32  
*wuellerstorfi*, *Cibicidoides*  
 Site 907, A:239  
 Site 981, A:69  
 Site 983, A:152  
 Site 984, A:186  
 Site 985, A:268  
 Site 986, A:304; B:11
- xenus*, *Distephanus*, Site 982, B:65, 76, 81
- zaandamae*, *Melonis*, Site 986, B:14–15  
*zealandica*, *Globorotalia*, Atlantic Ocean N, B:33  
 zones (with letter prefixes)  
 CN3–CN4 interval, Site 982, B:64  
 CN4, Site 982, B:64  
 CN4/CN5 boundary, Site 907, B:139  
 CN5, B:65, 139  
 CN5/CN6 boundary, Site 907, B:139  
 CN6–CN9 interval, Site 982, B:65–66  
 CN7/CN8 boundary, Site 982, B:41  
 CN12a/CN12b boundary, Site 981, A:68  
 CN12b/CN12c boundary, Site 981, A:68  
 CN14a, Site 987, A:357  
 CN15, Site 987, A:357  
 D, Site 907, A:239  
 Mio6/Pli1 boundary, Site 987, B:153  
 N16, Site 986, B:85  
 NN9/NN8 boundary, Site 982, B:41  
 NN11/NN12 boundary, Site 987, B:153  
 NN12–NN14 interval, Site 986, B:85  
 NN14/NN15 boundary, Site 987, B:153  
 NN16–NN18 interval, Site 986, B:85  
 NN18–NN19 interval, Site 986, B:87  
 NN19, Site 986, B:87  
 NP25, Site 985, B:102  
 Pli1, Site 986, B:85  
 Pli1/Pli2 boundary, Site 987, B:153  
 Pli3, Site 986, B:85  
 PM2, Site 987, B:153  
 PM3/PM4 boundary, Site 987, B:153  
 Qty1, Site 986, B:87