

INDEX TO VOLUME 164

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 164 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, thin-section descriptions, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 994, for example, is given as “Site 994, A:99–174.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU

VOLUME 164 SUBJECT INDEX

- acetate, pore water, B:389
- acoustic logs, gas hydrates, B:193–198
- acoustic reflection tomography, gas hydrates, B:273–281
- adenosine 5'-triphosphate proxy
bacteria, B:393–398
principal component analysis, B:396–398
vs. depth, B:396
vs. luminescence, B:396
- advection
chloride profiles, B:132–136
evidence, A:270
methane, A:266, 272
pore water, B:221–228
- age vs. depth
Blake Ridge, B:258, 310, 336
Site 994, A:118
Site 995, A:188
Site 996, A:260
Site 997, A:291; B:136
Sites 991–993, A:81; B:326
- Alaska North Slope, gas hydrates, B:180
- algae, sediments, B:48, 50–51, 53–56
- alkalinity
pore water, A:89, 128, 264, 300–301
sediments, A:249
sulfate depletion, A:90
vs. depth, A:93, 131, 203, 271, 303; B:89, 91–92, 144, 305
- alkanes
sediments, B:48–51
See also isoalkanes; *n*-alkanes
- alteration, flora, B:337–338
- aluminum logs, vs. depth, A:140
- aluminum/titanium ratio, sediments, B:149
- ammonium
pore water, A:89, 128, 264, 300; B:171–172
vs. depth, A:93, 131, 203, 271, 303; B:172
- ammonium/chloride ratio, vs. depth, A:273
- Anomaly 5/Gilbert boundary, sediments, A:190
- aragonite
authigenic carbonates, B:287–289
lithologic units, A:75, 246–247, 249
photomicrograph, A:255; B:290
scanning electron microscopy, B:291
vs. depth, A:255
- Archie relation, well-logging, B:187–189
- argon, time–pressure–volume plots, A:265
- arsenic, vs. depth, B:159
- ascidians, Site 991, A:81
- assemblages
planktonic foraminifers, B:350
See also gyre-margin/slope-water assemblage; Mid-Pleistocene Revolution; subpolar assemblage; subtropical gyre assemblage; warm-water (Gulf Stream) assemblage
- Atlantic Ocean W, gas hydrates, A:5–12
- attenuation, compressional wave velocity, B:265–271
- authigenesis
carbonates, B:285–311
lithologic units, A:78–79, 96
photomicrograph, A:75
sediments, A:190
See also diagenesis
- bacteria
adenosine 5'-triphosphate proxy, B:393–398
- biogeochemical cycling, B:388–389
- biomass, B:387–388
- gas hydrates, B:8–9
- populations, B:383–384, 386
- potential activity, B:384–386
- productivity, B:387–388
- proxy, B:393–398
- sediments, B:381–391, 393–398
vs. depth, B:383, 385, 387–389, 397
See also geomicrobiology
- banding. *See* color bands
- barium, vs. depth, B:161
- basement, contours, A:10
- bathymetry
contours, A:10
Site 994, A:102, 104
- beta-hopanes, sediments, B:48–51
- biocalcarenite, photomicrograph, A:255
- biocalcirudite
lithologic units, A:246–247
photograph, A:252
See also calcirudite
- bioclasts
photograph, A:252
See also clasts
- biogenic components, lithologic units, A:110–111
- biogeochemical cycling, bacteria, B:388–389
- biomass, bacteria, B:387–388
- biostratigraphic datum events
calcareous nannofossils, B:333–334, 336
new, B:336
- biostratigraphic datums. *See* nannofossil datums
- biostratigraphy
diatoms, B:365–376
nannofossils, B:331–341
Site 991, A:81–82
Site 992, A:82
Site 993, A:82
Site 994, A:114–117
Site 995, A:185–189
Site 996, A:256, 258
Site 997, A:290–292; B:344–351
vs. depth, A:80
- bioturbation
lithologic units, A:106–107, 109–110, 179–182, 246, 283–284
photograph, A:285
See also burrows
- bituminite, composition, B:50–56
- bivalves, lithologic units, A:246
- Blake Outer Ridge, lithology, B:229–236
- Blake Ridge
authigenic carbonates, B:301–312
biostratigraphy, B:331–341
compressional wave velocity, B:265–272
diagenesis, B:139–146
gas hydrates, A:5–12; B:3–10, 13–46, 247–249
gas sources, B:67–78
geochemical logs, B:199–215
geology, A:9–10
geomicrobiology, B:379–391
geotechnical properties, B:421–429
grain size, B:237–245
hydrocarbons, B:47–58
magnetostratigraphy, B:411–418
methane, B:79–85, 87–128
noble gases, B:165–170
oxygen isotopes, B:59–66
- pore-water geochemistry, A:300–301; B:129–137
- pressure core sampler, B:439–443
- reflectors, B:273–281
- rock magnetism, B:401–409
- sediment composition, B:313–324
- seismic profiles, A:47–56, 59
- seismic and thermal surveys, B:253–264
- structure, A:47–48
- water content and porosity, B:431–434
- well-logging, B:179–191, 193–198
See also Blake Outer Ridge; Blake Ridge Diapir; Cape Fear Diapir
- Blake Ridge Diapir
authigenic carbonates, B:285–300
gas hydrates, B:219–228
geotechnical properties, B:421–429
origin, A:272
salinity, B:5–7
seafloor pockmarks, A:249–250
- Blake Ridge Transect, sediments, B:3–4
- blanking, gas hydrates, B:260
- Bolliella*, vs. depth, B:356
- bromide
gas hydrates, B:8
vs. depth, B:134
- Brunhes/Matuyama boundary
sediments, A:119, 189, 258, 292
water masses, B:359
- Brunhes Chron
sediments, A:119
water masses, B:358, 362
See also Brunhes/Matuyama boundary; Matuyama/Brunhes boundary
- buried faults, gas hydrates, A:49–51
- burrows
lithologic units, A:107–108, 180–182, 284
photograph, A:285
- butanes. *See* isobutane; isobutane/*n*-butane ratio; *n*-butane
- cadmium, vs. depth, B:161
- calcirudite
lithologic units, A:246–247
photograph, A:253
See also biocalcirudite
- calcite
authigenic carbonates, B:287–289, 303–306
carbon/oxygen ratio, B:206–207
diagenesis, B:139–146
lithologic units, A:75, 110–111, 182–183, 246–247
photomicrograph, A:255
vs. depth, A:74, 78, 80, 112, 182, 255, 286; B:155, 207–210, 308
X-ray diffraction data, A:112
- calcite, magnesian, authigenic carbonates, B:287–289
- calcium
lithologic units, A:285
pore water, A:89, 128, 264, 300–301
vs. depth, A:131, 203, 271, 303; B:155, 303, 305
water-sampling probe, A:196
See also magnesium/calcium ratio; strontium/calcium ratio
- calcium/chloride ratio, vs. depth, A:273
- caliper logs, vs. depth, A:138, 209, 307; B:182
- Cape Fear Diapir

- diagenesis, B:139–145
geology, A:9–10, 94–96
geotechnical properties, B:421–429
salinity, B:5–7
- Cape Fear Slide
geochronology, B:325–327
geology, A:9–10
- carbon
anaerobic methane oxidation, B:94
gas hydrates, A:143–144, 215
sediments, A:91
- carbon, dissolved inorganic, carbon isotopes, B:67–77
- carbon, in-situ dissolved inorganic, origin, B:72–73
- carbon, total organic
mass accumulation rates, A:149, 221; B:53
sediments, A:87, 125, 128, 197, 263–264, 269, 297–298, 301; B:48–51, 395
vs. depth, A:90, 129, 149, 202, 221, 269, 302, 314; B:48, 396
- carbon/nitrogen ratio
sediments, A:88, 126–128, 197, 297–298, 301; B:395–398
vs. depth, A:90, 129, 202, 302; B:396
- carbon/oxygen ratio
gas hydrates, A:143–144; B:203–211
logs, A:144
reservoir models, B:200–203
vs. porosity, B:201, 203–204
- carbon-14 age
sediments, B:325–327
vs. depth, B:326
See also geochronology
- carbon dioxide
gas hydrates, A:255; B:40–45
isotopes, B:67–77
mass balance, B:76
sediments, A:197, 263
vs. depth, Blake Ridge, A:199–200, 268–269; B:91, 383
See also methane/carbon dioxide ratio
- carbon dioxide, total dissolved, vs. depth, B:89
- carbon isotopes
anaerobic methane oxidation, B:94
aragonite cemented vein-like void filling, B:299
authigenic carbonates, B:289–290, 292–294
carbonates, B:140–146, 303–311
degassing of methane-saturated water, B:111–112
dissolved inorganic carbon, B:67–77
gases, B:51, 53, 67–77, 140–146, 303–311
methane in gas hydrates, B:21–23, 40–45, 79–85, 101–112
pore water and authigenic carbonates, B:292
pore-water carbon dioxide vs. depth, B:298
time series plots of methane values, B:105–107
vs. depth, B:45, 54, 74, 84, 104, 144, 308–310; B:299
vs. deuterium, B:23, 75
vs. methane volume, B:108–110
vs. methane/ethane + propane ratio, B:58
vs. methane/ethane ratio, B:75
vs. molecular ratios of hydrocarbons, B:23
vs. oxygen isotopes, B:297, 308
vs. successive increments in models, B:77
- carbon isotopes, in ethane, vs. carbon isotopes in propane, Blake Ridge, B:58
- carbon isotopes, in propane, carbon isotopes in ethane, B:58
- carbonate, diagenetic, vs. depth, A:74, 78, 80
- carbonate cement, photograph, A:253
- carbonate concretions
depth, A:251
lithologic units, A:246
See also carbonate nodules
- carbonate concretions, authigenic
distribution, A:275
lithologic units, A:246–247
- carbonate content
authigenic carbonates, B:289, 303–306
carbon/oxygen ratio, B:203–206
lithologic units, A:179–182, 284
sedimentation, A:220–221
sediments, A:91, 128, 201, 269, 301; B:231–236, 315–316, 395
vs. depth, A:90, 129, 202, 269, 302; B:232, 256–257, 316, 396
- carbonate crusts, lithologic units, A:248–249
- carbonate nodules
photograph, A:79, 252–253, 285
See also carbonate concretions
- carbonate nodules, authigenic, gas hydrates, B:8–9
- carbonate rhombs, authigenic, photograph, A:183
- carbonate rhombs, sediments, A:183
- carbonates
cement, A:271–272
diagenesis, A:8
lithologic units, A:111
mass accumulation rates, A:149
percentage vs. depth, B:292
precipitation, A:266; B:290–291
spectral data, B:319–322
stable isotopes, B:139–146
X-ray diffraction data, B:307
See also aragonite; biocalcarenite; biocalcirudite; calcirudite; calcite; carbonate cement; carbonate concretions; carbonate crusts; carbonate nodules; carbonate rhombs; dolomite; dolomite nodules; dolomite rhombs; sparite
- carbonates, authigenic
methane-derived, B:285–300
mineralogy, B:305–306
photomicrograph, B:290
zonation, B:301–312
- carbonates, diagenetic
lithologic units, A:285
vs. depth, A:111, 181, 283
- Carolina Rise
gas hydrates, A:5–12; B:3–10
geology, A:9–10
- Carolina Rise Diapirs
geology, A:9–10
rock magnetism, B:401–409
- Carolina Trough
diapirs, A:272
geology, A:9–10
- cement
authigenic carbonates, B:287–289
carbonates, A:271–272
scanning electron microscope photomicrograph, B:291
See also carbonate cement
- cement, peloidal micritic, photomicrograph, A:255
- cementation
photograph, A:253, 285
sediments, A:249
See also carbonate cement
- chemosynthetic communities
lithologic units, A:248–249
photograph, A:249
- chloride
advecting fluids, A:272
diffusion, A:130–132
- enrichment, A:89–90, 96
gas-hydrate estimates, A:315–316
gas hydrates, A:200; B:7–8, 220
gradients, A:130–132
pore water, A:88–89, 128, 198, 264, 296, 298–301; B:4
remanent magnetization, A:260–261
vs. chlorine isotopes, B:135
vs. depth, A:93, 130, 151, 154, 203–204, 223–224, 271, 303, 316–317; B:6, 63–64, 91, 131–135, 222, 224, 230, 256–257
vs. deuterium, B:223
vs. sodium/chloride ratio, A:93
vs. temperature, A:204
water-sampling probe, A:196
See also ammonium/chloride ratio; calcium/chloride ratio; chlorinity; magnesium/chloride ratio; sodium/chloride ratio; strontium/chloride ratio
- chloride anomalies, vs. oxygen isotopes, B:61, 63
- chlorine isotopes
pore water, B:129–137
vs. chloride, B:135
vs. depth, B:131–135
- chlorinity
gas hydrates, A:317; B:40, 42–43, 247–249
vs. depth, B:238–245
vs. grain size, B:238–245
See also chloride
- chlorite, spectral data, B:319–322
- chromium, vs. depth, B:157
- chromium/nickel ratio, vs. depth, B:162
- Chron C1n, sediments, A:119, 189
- Chron C1n/C1r boundary, sediments, A:119, 189, 292
- Chron C1n/C1r.1r boundary, sediments, A:258
- Chron C1r, sediments, A:119, 189
- Chron C1r.1r/C1r.1n boundary, sediments, A:258
- Chron C2An, sediments, A:119
- Chron C2An/C2r boundary, sediments, A:189, 292
- Chron C2Ar/C2An boundary, sediments, A:190
- Chron C2n, sediments, A:119, 189, 292
- Chron C2r, sediments, A:119
- Chron C3An/C3r boundary, sediments, A:190
- Chron C3r/C3n boundary, sediments, A:190
- clasts
cement, A:271–272
lithologic units, A:246
See also bioclasts; clay clasts; intraclasts; mud clasts
- clay, foraminifer-bearing, lithologic units, A:281–283
- clay, nannofossil
lithologic units, A:69–72, 74–75, 78–79, 94–96, 105–109, 179–181, 245–246, 281–284
photograph, A:107–109
- clay, silty
lithologic units, A:73–75, 245–246
photograph, A:108
- clay clasts
lithologic units, A:69–75, 78, 94–96, 110
photograph, A:76–77, 110
- clay conglomerate
lithologic units, A:69–70, 75–80, 110
sediments, A:247–249
- clay minerals
carbon/oxygen ratio, B:205–206
lithologic units, A:110–111, 284–286
sediments, A:182–183
vs. depth, B:375
X-ray diffraction data, A:112

- See also* chlorite; illite; kaolinite;
montmorillonite; nontronite; smectite
- clays
lithologic units, A:75
photograph, A:61, 183
vs. depth, A:74, 78, 80, 112, 182, 255, 286;
B:233, 375
- claystone, bioturbated, photograph, A:285
- claystone, lithologic units, A:110, 181–182, 284
- claystone, nannofossil-bearing, photograph, A:285
- cobalt, vs. depth, B:158
- coercivity
greigite, B:403–404
magnetite, A:191–192
sediments, A:85–86, 121, 261; B:404
- coercivity spectra
demagnetization, A:85
sediments, A:121–122; B:405, 407, 408
- color. *See* variegated color
- color bands, lithologic units, A:70–73, 77–78, 246
- color reflectance, lithologic units, A:179–182,
281–284
- composite section
Site 995, A:180
Site 997, A:282
vs. depth, A:70
- compressional wave velocity
attenuation, B:257, 265–272
gas hydrates, B:254–255, 257
in-situ measurements, B:265–272
vs. depth, A:217
- concretions. *See* carbonate concretions
- conglomerate. *See* clay conglomerate
- consolidation
sediments, B:422–423, 426
vs. void ratio, B:427–428
- contamination, samples, A:132
- continental margin
hydrocarbon gases, B:29–46
sediment instability, A:6
- contourite, lithologic units, A:111, 286
- cooling, faunal assemblages, B:361–362
- copper, vs. depth, B:158
- core recovery, vs. depth, A:150, 223, 314
- cores
gas hydrates, B:247–249
porosity, B:185
- correlation coefficients, major elements, B:148
- crenulated structures, photograph, A:72
- cross laminations, lithologic units, A:284
- crystal habit, gas-hydrate, photomicrograph,
A:257
- crystal structure, gas hydrates, A:8; B:9, 39, 41–42
- cyclopentane, gas hydrates, B:30–35
- Davis/Villinger Temperature Probe, sediments,
A:311
- debris flows
lithologic units, A:246–249
photograph, A:110
See also landslides; mass transport deposits;
slumps
- decomposition, gas hydrates, B:285–300
- deformation
hysteresis parameters, B:407
lithologic units, A:69–73, 94–96
photograph, A:71–74, 76–77
See also crenulated structures; liquid limit;
overconsolidation; plasticity index;
recumbent folds; soft sediment
deformation
- degassing
lithologic units, A:109, 284
methane, B:101–112
- photograph, A:108
- pressure core sampler, B:113–126
- water-sampling probe, A:196
- demagnetization
plots, A:84
sediments, A:190–191
Zijderveld plots, A:119, 262, 293; B:412
- demagnetization, thermal
sediments, B:404
vs. temperature, A:193
- density, grain, vs. depth, A:94–95, 134, 205, 274,
304
- density, wet-bulk, vs. depth, A:94–95, 134, 205,
274, 304
- density logs
porosity, B:185
vs. depth, A:139, 142–143, 210, 212–214, 308
See also gamma ray–density logs; gamma
ray–density–porosity logs
- deposition
shallow hydrates, B:233–234
See also precipitation; sedimentation
- deuterium
gas hydrates, A:8; B:40–45, 220–221
methane in gas hydrates, B:21–23, 67–77
pore water, B:129–137
vs. carbon isotopes, B:23, 75
vs. chloride, B:223
vs. depth, B:132, 222
- diagenesis
authigenic carbonates, B:301–312
cement, A:271–272
lithologic units, A:285
lithology, A:313–314
methanogenesis, B:82–84, 88–92, 227–228
photograph, A:109
photomicrograph, A:75
sedimentation, A:220–221
sediments, A:6, 190, 247–249; B:139–146
siderite and dolomite, A:149
sulfate models, B:93, 95
zonation, B:306–307
See also authigenesis; cementation; induration;
magnetic diagenesis
- diapirs
echograms, A:251
geology, A:9–10, 79–80
origin, A:272
rock magnetism, B:401–409
salinity, B:5–7
seafloor pockmarks, A:270–272
side-scan sonar, A:67
- diatom abundance
vs. age, B:376
vs. sedimentation rates, B:375
- diatoms
biostratigraphy, B:365–376
lithologic units, A:78, 110, 180–182, 245–246,
284
photograph, B:236
supersaturation, B:233–234
vs. depth, A:78, 111, 181, 283; B:375
- Didemnidae, Site 991, A:81
- diffusion, chloride profiles, B:132–136
- dissolution
lithologic units, A:75
planktonic foraminifers, B:351
- dolomite
authigenic carbonates, B:287–289, 303–306
crystallography and stable isotopes, B:145
diagenesis, A:149, 314; B:139–146
lithologic units, A:75, 78, 109–111, 180–182,
285
nodules, B:293
- photograph, A:109, 182–183
- sediments, A:247
vs. depth, A:74; B:155
X-ray diffraction data, A:112
- dolomite, authigenic, photomicrograph, A:75
- dolomite, ferroan, paramagnetism, A:84
- dolomite, microcrystalline, photomicrograph,
A:80
- dolomite beds, lithologic units, A:283
- dolomite nodules
lithologic units, A:283–284
photograph, A:108
- dolomite rhombs, scanning electron microscope
photomicrographs, B:306
- domain structure
magnetite, B:404
See also pseudo single domains
- downhole measurements
Site 994, A:122–124, 136–144
Site 995, A:193–197, 207–215
Site 996, A:261–262
Site 997, A:295–297, 307–310
See also well-logging
- echograms, diapirs, B:287
- epithermal neutron porosity logs, vs. depth, A:141
- equilibrium dissociation, gas hydrates, B:22–26
- ethane
gas hydrate occurring zone, B:55–56
gas hydrates, A:255; B:30–35, 40–45, 51,
53–56
isotopes, B:71–72
lithologic units, A:113
microbial origin, B:73–75
sediments, A:87, 125, 197, 262–263, 297
vs. depth, A:199–200, 268–269, 299; B:53
See also methane/ethane + propane ratio;
methane/ethane ratio
- ethene, gas hydrates, B:30–35
- euphotic zone, nannoflora, B:338
- eustacy
diatom abundance, B:376
See also sea level changes
- fabric
authigenic carbonates, B:287–289
gas hydrates, A:7
- fabric, in-situ, gas hydrates, B:8
- factor analysis, spectral data, B:318–323
- faults
gas hydrates, A:49–51, 289–290; B:8–9, 262
lithologic units, A:70, 77
seismic controls, B:257–258
See also buried faults; microfaults; shallow
faults
- feldspar
lithologic units, A:75, 78, 110–111, 285
vs. depth, A:74
X-ray diffraction data, A:112
See also potassium feldspar
- ferrimagnetism, sediments, B:402–404
- ferromanganese oxide, photograph, A:107
- Fisseler Water Sampler, pore water, A:296
- fissility, lithologic units, A:284
- fluid flow
gas hydrates, A:7; B:9, 219–228
precipitation, B:290–291
salinity, A:130–132
shallow hydrates, B:233–234
- fluid seepage, diagenesis, A:247
- fluid venting, gas hydrates, B:285–300
- folds
lithologic units, A:70, 77
photograph, A:72

- See also* recumbent folds
- foliation, magnetic susceptibility anisotropy, A:86
- foraminifer beds, lithologic units, A:283
- foraminifers
- isotope stratigraphy, B:173–175
 - lithologic units, A:69, 79, 110–111, 179–181, 245–246, 284
 - Neogene, B:343–363
 - photograph, A:107
 - photomicrograph, B:290
 - scanning electron microscopy, B:291
 - Varimax factor matrix, B:358
 - vs. depth, B:351–362
- foraminifers, planktonic assemblages, B:350
- biostratigraphy, B:344–363
 - coiling change, B:350
 - preservation and dissolution, B:351
 - species diversity, B:351, 353
- formation evaluation, geochemical logs, B:199–215
- fractionation
- gas hydrates, A:8; B:45, 102–104
 - oxygen isotopes, B:59–66
- fractionation factor
- noble gases, B:167–168
 - vs. depth, B:76
- fractures
- lithologic units, A:110
 - photograph, A:62, 259
- fragmentograms, sediments, B:50
- frequency, vs. depth, B:270
- gamma ray–density logs, A:323–326
- gamma ray–density–porosity logs
- Site 994, A:158–160, 167–170
 - Site 995, A:230–233
- gamma ray–resistivity–sonic logs
- Site 994, A:161–163, 171–174
 - Site 995, A:234–237
 - Site 997, A:327–330
- gamma-ray logs
- Site 995, A:227–229
 - vs. depth, A:139–140, 156–157, 210–211, 227–229, 308, 320–322
- gamma rays
- sediments, A:91–93, 133, 201, 269, 304
 - vs. depth, A:94–95, 134, 205, 274, 304
- gas/water volume ratio, gas hydrates, B:39–43
- gas composition
- collection chambers, A:301
 - pressure core sampler, A:296
- gas fields, gas hydrate detection, B:169
- gas hydrate concentration
- estimate, B:221–224
 - vs. depth, B:195–197, 214–215, 223, 281
- gas hydrate occurring zone, gas composition, B:55–56
- gas hydrates
- acoustic velocity, A:144
 - bacteria, B:387–388
 - carbonate nodules, B:9, 309–310
 - Carolina Rise, A:5–12
 - catwalk temperature, A:288
 - chloride, A:200
 - chloride enrichment, A:89–90
 - chlorinity, A:317
 - composition, A:255, 287–288, 297; B:13–28, 30–46
 - composition and gas volume, A:257
 - compressional wave velocity, B:265–272
 - concentration, B:247–249, 277–278
 - continental margin, B:29–36
 - cores, A:184
 - crystal structure, A:8; B:9, 39, 41–42
 - decomposition, B:285–300
 - defining zone of occurrence, A:151
 - depth to base, A:316
 - detection and indications, A:221–222, 314–317; B:169, 179–191
 - direct sampling, A:314
 - discrepancy between observed and predicted base of stability, A:151, 315
 - dissociation, A:130–132
 - distribution, A:275, 316
 - equilibrium dissociation, B:22–26
 - estimates, A:151–152, 315–316
 - gas-collection chambers, A:185, 288–289
 - habit, A:223, 317
 - hydration number, B:16–20
 - in-situ fabric, B:8
 - isothermal decompression analysis system, B:437–438
 - lateral variability, B:8
 - lithologic units, A:111–114; B:229–236
 - log units, A:142–144
 - microscale distribution, B:261–262
 - migration, B:8–9
 - noble gases, B:165–170
 - nodules, A:305
 - occurrence, A:222, 270–271, 289–290, 315; B:13–15, 183–185
 - origin of fresher pore water, A:317
 - overview, B:3–10
 - photograph, B:5, 15, 41
 - photomicrograph, A:257–258
 - physical properties, B:8
 - physical properties units, A:213–215
 - pore water, B:59–66
 - pressure–temperature conditions, B:22–26
 - proxy measurements, A:150–151, 221–222, 314–315
 - reflectors, B:8, 273–281
 - saturation, B:61–63, 187–189, 210–212
 - seafloor pockmarks, A:271
 - seismic and thermal surveys, B:253–264
 - Site 996, A:249–255
 - Site 997, A:286–290
 - sources, A:7; B:168–170
 - stability zone, A:193, 222, 294
 - structure, B:16–20
 - temperature, A:144, 255
 - volume, A:194–195, 222–223; B:189–191, 193–198
 - vs. depth, A:154, 224, 317; B:66
 - well-logging, A:309–310; B:193–198
 - X-ray CT imagery, B:14–15
 - See also* methane; natural gas
- gas hydrates, massive, photograph, A:287
- gas hydrates, vein-type, photograph, A:259
- gas hydrates and indications, detection, A:149–152
- gas release, sediment recovery, B:125–126
- gas venting, seafloor, hydrogen sulfide, B:6
- gas voids, sediments, A:87
- gas volume
- collection chambers, A:255–256
 - vs. depth, A:116, 187, 260, 289
 - vs. methane/ethane ratio, A:266
- gases
- collection chambers, A:125, 127, 197, 201, 268, 297
 - composition, A:89–90, 124; B:384, 386–387
 - continental margin, B:29–36
 - gas hydrates, B:20–22
 - geochemistry, B:30–46
 - hydrate gas vs. sediment gas, B:43–45
 - in-situ sampling, B:5
 - isotopes, B:67–77
 - pressure core sampler, A:194, 266, 295
 - release experiments, A:193–194
 - sources, B:224–225
 - time–pressure–volume plots, A:265
 - volume, A:89, 114, 186
 - See also* methane; microbial gases; natural gas; thermogenic gases; water/gas molar ratio
- gases, free
- chromatograms, A:200, 300
 - composition, A:126, 199, 268, 299
 - samplers, A:197
 - sediments, A:125, 297
 - volume, B:189–191, 277–278
- gases, headspace
- composition, A:88, 125, 199, 267, 297–298
 - sediments, A:125–128, 262–263
- gases, residual, gas hydrates, B:30–36
- Gauss Chron. *See* Gilbert/Gauss boundary
- Gauss/Matuyama boundary, sediments, A:189, 292
- geochemical logs
- formation evaluation, B:199–215
 - Site 995, A:238–240
 - Site 997, A:331–334
 - vs. depth, A:140, 156–157, 164–165, 211
 - See also* aluminum logs; potassium logs; thorium logs; uranium logs
- geochemical stratigraphy, trace elements, B:155–163
- geochemistry
- authigenic carbonates, B:291–294
 - gases, B:30–35, 40–45
 - sample storage effects, A:199
 - sediments, B:147–149
 - See also* biogeochemical cycling
- geochemistry, inorganic
- Site 994, A:128–132
 - Site 995, A:198–200
 - Site 996, A:264–266
 - Site 997, A:298, 300–301; B:147–149, 151–163
 - Sites 991–993, A:88–90
- geochemistry, organic
- Site 994, A:124–128; B:49
 - Site 995, A:197; B:49
 - Site 996, A:262–264
 - Site 997, A:297–298; B:49
 - Sites 991–993, A:87–88
- geochronology
- sediments, B:325–327
 - See also* carbon-14 age
- geomicrobiology
- deep-marine sediments, B:379–391
 - See also* bacteria
- geophysics
- Site 994, A:135–136
 - Site 995, A:204–207
 - Site 997, A:305–307
- geotechnical properties
- sediments, B:421–429
 - See also* physical properties
- geothermal gradient
- free gases, B:261
 - heat flow, A:146, 219–220
 - sediments, A:312–313
 - vs. depth, A:149, 152, 216
- Gephyrocapsa* taxa, intermittent occurrence, B:333, 336
- Gilbert Chron. *See* Anomaly 5/Gilbert boundary
- Gilbert/Gauss boundary, sediments, A:190
- glacial/interglacial cycles
- lithologic units, A:111

- lithology, A:184
 Neogene, B:358–362
 glaciation, sea-level changes, A:6
 glauconite
 lithologic units, A:108–110, 283–284
 spectral data, B:319–322
 glauconite beds, lithologic units, A:283
Globigerina, vs. depth, B:354, 356
Globigerinella, vs. depth, B:353
Globigerinita, vs. depth, B:354
Globigerinoides, vs. depth, B:353
Globorotalia, vs. depth, B:355–356
 goethite, spectral data, B:319–320
 graded bedding, photograph, A:107
 grain size
 porosity, B:434
 sediments, B:237–245, 395–396
 vs. chlorinity, B:238–245
 vs. depth, B:238–245
 greigite
 coercivity, A:191, 261; B:403–404
 rock magnetism, A:120–122
 Gulf Stream. *See* warm-water (Gulf Stream)
 assemblage
 gyre-margin/slope-water assemblage, faunal
 assemblages, B:357–358
 gyres
 faunal assemblages, B:357–362
 Pliocene, B:339

 hafnium, vs. depth, B:161
 heat flow
 geothermal gradient, A:146, 219–220
 sediments, A:312–313
 helium, time–pressure–volume plots, A:265
 helium isotopes, gas hydrates, B:169
 hematite
 coercivity, A:191–192
 Perkin-Elmer data vs. depth, B:317–318
 sediments, B:316–317
 spectral data, B:319–320
 heptanes. *See* isoheptane; *n*-heptane
 hexanes. *See* isohexane; methylcyclohexane;
 n-hexane; neohexane
 Holocene, lithologic units, A:69, 75–78, 94–96,
 105–108, 179, 245–246, 281–283
 hopanes
 vs. depth, B:50
 See also beta-hopanes
 hopenes, sediments, B:48–51, 54
 huminite. *See* vitrinite
 hydration number, gas hydrates, A:8; B:16–20
 hydrocarbon molecular ratios, vs. carbon isotopes,
 B:23
 hydrocarbons
 continental margin, B:29–46
 sediments, B:47–58, 68–77
 thermogenesis, A:298
 See also hexanes; hopanes; hopenes;
 isoprenoids; methane; pentanes;
 propane; triterpenoids
 hydrocarbons, visible, sediments, A:297–298
 hydrocarbons, volatile, sediments, A:87–88, 125,
 197, 262–263, 297
 hydrogen index
 sediments, A:87, 298; B:54
 vs. oxygen index, B:53
 hydrogen isotopes. *See* deuterium
 hydrogen sulfide
 gas venting, B:6
 sediments, A:263
 vs. depth, A:268
 hydrology
 carbonates, A:266
 gas hydrates, A:8
 hydrophones, seismic surveys, A:45
 hysteresis, parameters
 anoxic conditions, B:402–404
 vs. depth, B:404, 406
 ice, photomicrograph, A:258
 IDAS. *See* isothermal decompression analysis
 system
 illite
 carbon/oxygen ratio, B:205–206
 spectral data, B:320–321
 vs. depth, B:207–208
 in-situ measurements, compressional wave
 velocity, B:265–272
 index properties, sediments, A:91–94, 133, 201,
 205, 269, 273, 303–304; B:421, 423
 induration
 carbonates, A:266
 cement, A:271–272
 photograph, A:182
 inertinite, sediments, B:50–56
 interglacials. *See* glacial/interglacial cycles
 interstitial water. *See* pore water
 Intertropical Convergence Zone, faunal
 assemblages, B:360
 intraclasts
 authigenic carbonates, B:287–289
 lithologic units, A:247
 photomicrograph, A:255; B:290
 iodide, vs. depth, B:134
 ion exclusion, chloride enrichment, A:89–90
 ions, diffusion, A:130–132
 iron, vs. depth, B:155
 iron oxides, spectral data, B:319–322
 iron sulfides, magnetic susceptibility, A:119–120
 isoalkanes, sediments, A:197
 isobutane
 gas hydrates, B:30–35, 40–45
 sediments, A:263, 296
 isobutane/*n*-butane ratio, vs. depth, A:300
 isoheptane, gas hydrates, B:30–35
 isohexane, gas hydrates, B:30–35
 isopentane
 gas hydrates, B:30–35
 sediments, A:263
 isopentane/*n*-pentane ratio, vs. depth, A:300
 isoprenoids, sediments, B:48–51
 isothermal decompression analysis system, status,
 B:437–438
 isotope stratigraphy
 carbon isotopes, B:77
 oxygen isotopes, B:173–175
 isotopes
 gas hydrates, A:8; B:41, 44–45
 noble gases, B:169
 vs. depth, B:89
 See also chlorine isotopes; helium isotopes;
 nitrogen isotopes; oxygen isotopes;
 stable isotopes

 Jaramillo Subchron
 sediments, A:119, 189, 258, 292
 water masses, B:358–360

 kaolinite
 carbon/oxygen ratio, B:205–206
 vs. depth, B:207–208, 211
 kerogen
 gas hydrate occurring zone, B:55–56
 sediments, B:48–51
 krypton, vs. xenon, B:168

 laminations
 photograph, A:71–72, 285
 See also cross laminations
 Lamont-Doherty dipole shear tool, gas hydrates,
 A:144
 landslides
 geochronology, B:325–327
 See also debris flows; mass transport deposits;
 slumps
 lead, vs. depth, B:161
 Leg 164, overview, B:3–10
 limestone. *See* aragonite; biocalcarene;
 biocalcirudite; calcirudite
 lineation, magnetic susceptibility anisotropy, A:86
 liptinite, sediments, B:50–56
 liquid limit, vs. plasticity index, B:424
 lithification, lithologic units, A:110, 182
 lithofacies, organic matter, B:54–55
 lithologic units
 sedimentation, A:146–147
 Site 994, A:105–110
 Site 995, A:179–184
 Site 996, A:245–249
 Site 997, A:281–284
 Unit I, A:69, 75–79, 105–108, 179, 245–246,
 281–283
 Unit II, A:69–73, 78, 109, 179–181, 284
 Unit III, A:73–74, 109–110, 181–182, 284
 lithology, magnetic properties, B:405–407
 lithostratigraphy
 Site 991, A:68–75
 Site 992, A:75–78
 Site 993, A:78–81
 Site 994, A:105–114
 Site 995, A:179–185
 Site 996, A:245–249
 Site 997, A:281–286
 Log Unit 1, sediments, A:138; B:182
 Log Unit 2, sediments, A:138–139; B:183
 Log Unit 3, sediments, A:138; B:183
 low oxygen event, faunal assemblages, B:360–361
 luminescence, vs. adenosine 5'-triphosphate proxy,
 B:396

 magnesium
 pore water, A:89, 128, 264, 300–301
 vs. depth, A:131, 203, 271, 303; B:155, 305
 water-sampling probe, A:196
 magnesium/calcium ratio, vs. depth, B:305
 magnesium/chloride ratio, vs. depth, A:273
 magnetic declination, vs. depth, A:83–84,
 118–119, 189–190, 261, 293; B:413–414
 magnetic diagenesis, anoxic conditions,
 B:402–404
 magnetic inclination, vs. depth, A:83, 118–119,
 189, 191, 261, 263, 293; B:413–414
 magnetic intensity, vs. depth, A:83, 118, 189, 261;
 B:413–414
 magnetic polarity, vs. depth, A:191; B:415, 416,
 417
 magnetic susceptibility
 cores, A:190
 sediments, A:119–120, 258, 260, 293;
 B:404–405
 Sites 991–992, B:404
 vs. depth, A:84, 191–192, 263, 294; B:403,
 406
 magnetic susceptibility anisotropy, sediments,
 A:86
 magnetic susceptibility, bulk, vs. depth, A:86
 magnetic susceptibility, whole-core, sediments,
 A:83–85
 magnetite
 coercivity, A:191–192, 261; B:403–404
 pseudo single domains, A:118

- reduction, A:119–120, 192, 294
 rock magnetism, A:120–122
 sediments, A:190
- magnetostratigraphy
 Neogene, A:117–119
 Pliocene–Quaternary interval, B:411–418
 Quaternary, A:82–83
 sediments, A:189–190, 258, 292
- major elements
 correlation coefficients, B:148
 sediments, B:147–149, 154
- manganese, vs. depth, B:158
- mass accumulation rates
 carbonate content, A:221
 lithologic units, A:147, 149
 lithology, A:313–314
 total organic carbon, A:221; B:53
 vs. depth, A:149, 221, 313–314; B:54
See also sedimentation rates
- mass balance, methane, B:76, 225–226
- mass transport deposits
 lithologic units, A:79–81
 sediments, A:247–249
See also debris flows; landslides; slumps
- maturity, organic matter, A:298
- Matuyama Chron
 water masses, B:359–361
See also Brunhes/Matuyama boundary;
 Gauss/Matuyama boundary;
 Matuyama/Brunhes boundary
- Matuyama/Brunhes boundary
 sediments, A:119, 189, 258, 292
 water masses, B:359
- Messoyakha gas field, gas hydrate detection,
 B:169
- methane
 advecting fluids, A:272
 advection, A:266; B:225–226
 anaerobic oxidation, B:79–85
 concentration, B:92, 94, 122–123
 continental margin, B:29–36
 detection in pressure core sampler, B:113–126
 fault transport, A:261
 gas hydrate occurring zone, B:55–56, 273–281
 gas hydrates, A:7, 255; B:15–16, 30–35,
 40–41, 44–45, 51, 53–56, 247–249
 gas venting, B:6
 isotopes, B:21–23, 67–77, 101–112
 lithologic units, A:112–113
 mass balance, B:76
 microbial origin, B:73–75
 noble gases, B:165–170
 nodules, B:307–311
 oxidation, A:248–249
 oxidation rates, B:80–85, 87–99
 precipitation, B:290–291
 release experiments, A:193–194
 sediments, A:87–88, 125–128, 197, 262–263,
 296–297
 sources, B:35, 67–77
 time–pressure–volume plots, A:265
 vs. depth, A:88, 125–126, 199–200, 268–269,
 299–300; B:7, 34, 53, 82–83, 89, 230
 vs. sulfate, A:131
See also gas hydrates; methanogenesis;
 sulfate/methane interface;
 sulfate/methane ratio; upper
 methanogenic zone
- methane, headspace, vs. depth, B:383, 385, 387
- methane/carbon dioxide ratio, vs. depth, A:126,
 200, 299
- methane/ethane + propane ratio
 gas hydrates, B:30–35, 40–45
 vs. carbon isotopes in methane, B:58
 vs. depth, B:55–56
- methane/ethane ratio
 gas hydrates, A:10; B:9
 sediments, A:125–128, 298
 time–pressure–volume plots, A:265
 vs. carbon isotopes, B:75
 vs. depth, A:88, 96, 125–126, 200, 269, 299
 vs. gas volume, A:266
- methane/sulfate ratio, sulfate depletion, A:90
- methane oxidation
 biogeochemical cycling, B:388–389
 vs. depth, B:383, 385, 387, 389
- methane oxidation rate, vs. depth, B:83
- methane volume, vs. carbon isotopes, B:108–110
- methanogenesis
 acetate, B:389
 carbon isotopes, B:107–111
 high-resolution sampling, B:90
 sediments, A:126–128, 298
 sulfate reduction, B:80–84
 vs. depth, B:383, 385, 387, 389
- methylcyclohexane, gas hydrates, B:30–35
- micrite, photomicrograph, B:290
- microbial gases, gas hydrates, A:9–10
- microfaults, lithologic units, A:248–249
- Mid-Pleistocene Revolution, faunal assemblages,
 B:361–362
- migration, gas hydrates, B:8–9
- Miocene
 biostratigraphy, A:81–82, 116–117, 188
 kerogen, B:55–56
 lithologic units, A:73–75, 78–79, 96, 109–110,
 181–182, 284
 upwelling, B:338–339
See also Pliocene–Miocene interval
- mixing, sulfate models, B:93, 95
- molality, vs. pressure, B:114
- molybdenum, vs. depth, B:160
- montmorillonite
 first-derivative curves, B:323
 spectral data, B:320–321
- mud clasts, photograph, A:254
- mussel beds, photograph, A:249–250
- n*-alkanes, sediments, B:48–51
- n*-butane
 gas hydrates, B:30–35, 40–45
See also isobutane/*n*-butane ratio
- n*-heptane
 gas hydrates, B:30–35
 sediments, A:296
- n*-hexane, gas hydrates, B:30–35
- n*-pentane
 gas hydrates, B:30–35
See also isopentane
- nannofossil datums, pelagic sedimentation, A:117
- nannofossils
 biostratigraphy, A:114–117, 185–188, 256,
 258, 290–291; B:331–341
 lithologic units, A:79, 110–111, 245–246,
 284–286
 lithology, A:184
 vs. depth, A:74, 78, 80, 111, 181, 283; B:375
- nannofossils, calcareous, biostratigraphy, A:81–82
- natural gas, gas hydrates, A:6
- needles, scanning electron microscopy, B:291
- Neogene
 biostratigraphy, B:331–341
 diatoms, B:365–376
 mass accumulation rates, A:313–314
 paleoceanography, B:343–363
See also Holocene; Pleistocene; Pliocene;
 Quaternary
- Neogloboquadrina*, vs. depth, B:354
- neohexane, gas hydrates, B:30–35
- neon, vs. xenon, B:168
- neopentane, gas hydrates, B:30–35
- neutron porosity logs
 porosity, B:186
 sediments, A:139–140, 210
See also epithermal neutron porosity logs;
 thermal neutron porosity logs
- nickel
 vs. depth, B:158
See also chromium/nickel ratio
- niobium, vs. depth, B:160
- nitrogen
 sediments, A:91, 128, 201, 263–264, 269
See also carbon/nitrogen ratio
- nitrogen isotopes
 ammonium, B:171–172
 organic matter, B:74
 vs. depth, B:172
- nitrogen, total
 sediments, A:87, 125–126, 197, 297–298, 301;
 B:395
 vs. depth, B:396
- noble gases
 gas hydrates, B:9, 165–170
See also krypton; neon; xenon
- nodules
 authigenic carbonates, B:287–289, 305–306
 diagenesis, A:149
 dolomite, B:293
 gas hydrates, A:61–62, 253–254, 305
 lithologic units, A:181–182, 246, 284
 photomicrograph, B:290
 sulfur isotopes, B:143–146
See also carbonate concretions; carbonate
 nodules; dolomite nodules; pyrite
 nodules; siderite nodules
- nontronite, first-derivative curves, B:323
- North American continental margin SE, gases,
 B:29–46
- nuclear magnetic resonance. *See* spectroscopy,
 nuclear magnetic resonance
- Olduvai Subchron, sediments, A:189, 292
- ooze, foraminifer
 lithologic units, A:107–108, 179, 181–182
 photograph, A:181
- opal
 sediments, B:231–236
 vs. depth, B:233
 vs. porosity, B:234
- Orbulina*, vs. depth, B:356
- organic matter
 isotopes, B:67–77
 maturity, A:298
 petrography, B:52
 sediments, B:48–51
 spectral data, B:319–322
 transformation, B:55
- organic matter, soluble, sediments, B:48–51
- overconsolidation, sediments, A:93
- oxidation. *See* methane oxidation; methane
 oxidation rate
- oxidation, anaerobic, methane, B:79–85, 87–99
- oxides. *See* iron oxides
- oxidized beds, lithologic units, A:105–106
- oxygen
 borehole correction factors, B:213
 gas hydrates, A:143–144, 215
See also carbon/oxygen ratio; low oxygen
 event
- oxygen index, vs. hydrogen index, B:53
- oxygen isotopes
 authigenic carbonates, B:289–290, 292–294

- carbonates, B:140–146, 306–311
 foraminifers, B:173–175
 gas hydrates, A:8; B:7
 isotope stratigraphy, B:173–175
 pore water, B:59–66, 129–137
 pore water and authigenic carbonates, B:292
 vs. age, B:175
 vs. carbon isotopes, B:297, 308
 vs. chloride anomalies, B:61, 63
 vs. depth, A:62–63, 65, 132, 144, 175, 308, 311; B:299
 water in gas hydrates, B:20–21
- P-waves. *See* compressional wave velocity
- paleoceanography
 nanoflora, B:338–339
 Neogene, B:343–363
See also gyre; water masses
- paleoclimatology
 lithologic units, A:111
 planktonic foraminifers, B:344, 350
- paleoenvironment, nanoflora, B:338–339
- paleomagnetism
 Pliocene–Quaternary interval, B:411–418
 Site 994, A:117–122
 Site 995, A:189–193
 Site 996, A:258, 260–261
 Site 997, A:292–295
 Sites 991–993, A:82–87
See also rock magnetism
- paleoproductivity
 diatoms, B:366, 376
See also productivity
- paleoseawater, chloride, B:133–134
- paramagnetism, ferroan dolomite, A:84
- pelagic sedimentation, nanofossil datums, A:117
- pentanes. *See* cyclopentane; isopentane;
n-pentane; neopentane
- petrography
 authigenic carbonates, B:287–289
 organic matter, B:52
- phase equilibria
 gas hydrates, B:260–261
See also pressure–temperature conditions;
 stability zone
- phosphate
 pore water, A:129, 300–301
 vs. depth, A:131, 203, 303; B:157
- physical properties
 gas hydrates, B:8
 sediments, A:7–8; B:421–429
 Site 991, A:90–91
 Site 992, A:91–92
 Site 993, A:92–94
 Site 994, A:132–135
 Site 995, A:200–204
 Site 996, A:266, 269–270
 Site 997, A:301, 303–305
See also geotechnical properties
- physical properties unit A, sediments, A:305
- physical properties unit B, sediments, A:305
- physical properties unit C, sediments, A:305
- physical properties unit D, sediments, A:305
- physical properties unit E, sediments, A:305
- physical properties units, sediments, A:91–93, 133, 202–203, 305
- phytane
 sediments, B:48–51
See also pristane/phytane ratio
- placoliths, flora, B:337–338
- plagioclase, sediments, A:183
- plasticity index, vs. liquid limit, B:424
- Pleistocene
 biostratigraphy, A:81, 82, 114–115, 187–188,
- 290
 kerogen, B:55–56
 lithologic units, A:69–73, 75–79, 94–96, 105–109, 179–181, 245–246, 281–284
See also Mid-Pleistocene Revolution
- Pleistocene, upper, sediments, B:313–323
- Pliocene
 biostratigraphy, A:81, 115–116, 291
 kerogen, B:55–56
 lithologic units, A:69–73, 75–79, 109–110, 179–182, 284
 upwelling, B:338–339
- Pliocene–Miocene interval, sediments, B:3–4
- Pliocene–Quaternary interval
 magnetostratigraphy, B:411–418
 sedimentation, B:402–404
 sulfate reduction, B:402–404
- pockmarks. *See* seafloor pockmarks
- pore water
 advection, B:221
 ammonium, B:171–172
 authigenic carbonates, B:301–312
 gas hydrates, A:8; B:59–77, 79–85, 87–99, 247–249
 geochemistry, A:87, 92, 128–132, 196, 198–199, 203, 264–266, 270, 297–298, 300–302; B:384, 386–387
 geochemistry vs. time, A:205
 origin, A:317
 sediments, B:4
 stable isotopes, B:129–137
 storage artifacts, A:132
 vs. depth, A:198
- porosity
 acoustic velocity logs, A:140–141
 core porosity, B:185
 density logs, A:140; B:185
 electrical resistivity logs, A:141
 gas hydrates, A:8; B:247–249
 neutron porosity logs, B:186
 resistivity log calculation, B:186–187
 sediments, A:139–141, 210–212; B:231–236, 395, 431–434
 velocity logs, B:194
 vs. carbon/oxygen ratio, B:201, 203–204
 vs. depth, A:134; B:185–187, 195–197, 234, 396, 433
 vs. opal, B:234
See also void ratio
- porosity, acoustic-velocity, sediments, A:210–211
- porosity, density, sediments, A:210–211
- porosity, electrical-resistivity, sediments, A:211–212
- porosity logs
 vs. depth, A:142–143, 212, 214
See also epithermal neutron porosity logs;
 gamma ray–density–porosity logs;
 neutron porosity logs; thermal neutron
 porosity logs
- potassium
 pore water, A:89, 128, 264, 300
 vs. depth, A:131, 203, 271, 303
 vs. thorium, A:140, 212
- potassium feldspar, sediments, A:183
- potassium logs, vs. depth, A:140, 156–157, 211
- precipitates
 authigenic carbonates, B:287–289
 photomicrograph, B:290
- precipitation, carbonates, A:266; B:290–291, 293–294
- preservation, planktonic foraminifers, B:351
- pressure
 pressure core sampler, B:441
 vs. molality, B:114
- vs. temperature, B:27–28, 114
 vs. time, A:122–123, 265; B:124–125
 vs. volume, B:115, 117–124
See also time–pressure plots
- pressure core sampler
 deployment, A:122–123, 193–194, 265, 295; B:439–443
 methane detection, B:113–126
- pressure–temperature conditions, gas hydrates, A:8–9; B:22–26, 114
- principal component analysis
 adenosine 5'-triphosphate proxy, B:396–398
 faunal assemblages, B:353–358
- pristane, sediments, B:48–51
- pristane/phytane ratio
 sediments, B:50
 vs. depth, B:50
- productivity
 bacteria, B:387–388
 lithologic units, A:111
See also paleoproductivity
- propane
 gas hydrate occurring zone, B:55–56
 gas hydrates, B:30–35, 40–45, 51, 53–56
 lithologic units, A:112–113
 sediments, A:197, 263
 vs. depth, A:199; B:53
See also methane/ethane + propane ratio
- propene, gas hydrates, B:30–35
- proxy, bacteria, B:393–398
- pseudo single domains
 coercivity, A:261
 magnetite, A:192
- pteropods, lithologic units, A:69, 283
- Pulleniatina*, vs. depth, B:356
- pyrite
 carbon/oxygen ratio, B:206–207
 diagenesis, B:145–146
 lithologic units, A:73–75, 79, 110–111, 285
 photomicrograph, A:75
 reduction, A:294
 rock magnetism, A:121–122
 sediments, A:183–184
 vs. depth, A:74, 80, 111, 181, 283; B:207–208
 X-ray diffraction data, A:112
- pyrite nodules, lithologic units, A:283–284
- pyrolysis. *See* Rock-Eval pyrolysis
- pyrrhotite, coercivity, A:191, 261
- quality factor, compressional wave velocity, B:265–271
- quartz
 carbon/oxygen ratio, B:206–207
 lithologic units, A:75, 78–79, 110–111, 182–183, 284–285
 vs. depth, A:74, 78, 80, 111–112, 181–182, 255, 283, 286; B:207–210
 X-ray diffraction data, A:112
- Quaternary
 biostratigraphy, A:256, 258; B:331–341
 sedimentation rates, A:82
See also Holocene; Mid-Pleistocene
 Revolution; Pleistocene
- radiotracers, methane, B:79–85
- Raman spectroscopy. *See* spectroscopy
- recumbent folds, photograph, A:72
- red sediments, lithologic units, A:111
- reduction
 magnetite, A:294
See also sulfate reduction
- reflectance
 organic matter, B:51
See also color reflectance

- reflection, bottom-simulating, gas hydrates, A:48–49
- reflections, velocity, A:206–207
- reflectors
 gas hydrates, B:8, 30, 34–35, 260, 273–281
 spectral modeling, B:268–269
- reflectors, bottom-simulating, gas hydrates, B:273–281
- remanent magnetization, anhysteretic acquisition, A:264
 sediments, A:85–86, 121–122, 192
- remanent magnetization, detrital, sediments, A:118
- remanent magnetization, isothermal acquisition, A:264
 sediments, B:404
- remanent magnetization, natural, sediments, A:189–190; B:418
- remanent magnetization, partial anhysteretic, sediments, B:402–408
- remanent magnetization, post-depositional, sediments, A:190
- remanent magnetization, saturation isothermal sediments, A:260–261, 293–294
 vs. depth, A:86, 120–122, 190–192, 263, 294
- remanent magnetization, saturation isothermal/bulk magnetic susceptibility ratio, vs. depth, A:86, 120, 192, 263, 294
- remanent magnetization, sediments, B:404
- remanent magnetization, viscous, sediments, A:118, 292
- resistivity logs
 gas hydrates, A:142–144; B:179–191
 porosity, B:186–187
 vs. depth, A:139, 142, 210, 213–214, 308–309; B:6, 258
See also gamma ray–resistivity–sonic logs
- resources, gas hydrates, A:6
- rock magnetism
 sediments, A:85–86, 120–122, 190–193, 260–261, 293–295; B:402–405
See also coercivity; goethite; greigite; hematite; hysteresis; magnetite; paleomagnetism; paramagnetism; siderite; sulfides
- Rock-Eval pyrolysis, sediments, A:92
- rubidium, vs. depth, B:159
- S-waves. *See* shear wave velocity
- salinity
 diapirs, B:5–7
 gradients, A:130–132
- salts, sources, A:265–266
- scandium
 sediments, B:231–236
 vs. depth, B:157, 233
See also thorium/scandium ratio
- scouring, photograph, A:181
- sea water. *See* paleoseawater
- sea-level changes
 glaciation, A:6
 lithology, A:184
See also eustasy
- seafloor pockmarks
 diapirs, A:270–272
 gas hydrates, A:271
 photograph, A:249
- sediment drift, structure, A:47–48
- sediment instability, continental margin, A:6
- sediment penetration rate, vs. depth, A:254
- sediment properties, pressure core sampler, A:296
- sediment recovery, gas release, B:125–126
- sedimentation
 diagenesis, A:220–221
- lithologic units, A:79–81
- lithology, A:146–147, 313
- Pliocene–Quaternary interval, B:402–404
- shallow hydrates, B:233–234
See also pelagic sedimentation; precipitation
- sedimentation, hemipelagic, lithologic units, A:80
- sedimentation rates
 biostratigraphy, A:188–189, 258, 291–292; B:365–366
 calcareous nannofossils, B:333
 gas hydrates, B:136
 lithologic units, A:147, 149
 nannofossil datums, A:117
 organic carbon, A:286
 Quaternary, A:82
 vs. depth, B:375
 vs. diatom abundance, B:375
See also mass accumulation rates
- sediments
 bacteria, B:393–398
 carbon-14, B:325–327
 composition, B:231–233, 313–324
 compressional wave velocity, B:265–272
 diagenesis, A:6, 247–249; B:139–146
 geochemistry, B:147–149, 151–163
 geotechnical properties, B:421–429
 grain size, B:237–245
 hydrocarbons, B:47–58, 101–112
 isotopes, B:67–77
 Minolta data, B:318–323
 photograph, A:71–74, 76–77
 physical properties, A:7–8, 196
 Pliocene–Miocene interval, B:3–4
 Rock-Eval pyrolysis, A:92, 129, 202, 302
 X-ray diffraction data, A:183, 256, 286
See also red sediments
- sediments, deep-marine, geomicrobiology, B:379–391, 393–398
- sediments, hemipelagic, scanning electron microscope photomicrographs, B:306
- seismic amplitude reduction, gas hydrates, A:48–49
- seismic profiles
 arrivals vs. arrival time, A:135
 Blake Ridge, A:47–56, 59; B:4, 181, 254
 Cape Fear Diapir, A:69
 depths, A:135
 Site 994, A:101–104
 Site 995, A:177
 Site 996, A:244–248
 Site 997, A:280
- seismic profiles, vertical
 depth, A:206–207
 experimental design, A:135–136, 305–306
 reflectors, B:269–270
- seismic reflection, marine gas hydrates, A:5
- seismic surveys
 gas hydrates, B:253–264
 systems, A:43–46
- seismogram stacks, vs. depth, A:208
- shallow faults, gas hydrates, A:51
- Shannon/Weaver diversity
 planktonic foraminifers, B:351, 353
 vs. depth, B:357
- shear, Lamont-Doherty dipole shear tool, A:215
- shear strength
 sediments, B:422–423
 vs. depth, A:94–96, 205, 274, 304; B:425
- shear strength, undrained, sediments, A:91–93, 133, 201, 269, 304
- shear wave velocity
 gas hydrates, B:255–257
 vs. depth, A:217
- shells
 lithologic units, A:246
 photograph, A:252
 sediments, A:247
- shore-based processing, well-logging, A:155, 166, 226, 319
- Siberia, gas hydrate detection, B:169
- side-scan sonar, diapirs, A:67
- siderite
 authigenic carbonates, B:303–306
 diagenesis, A:149, 314; B:139–146
 lithologic units, A:285–286
 sediments, A:183–184
 vs. depth, A:112, 182, 286; B:308
 X-ray diffraction data, A:112
- siderite beds, lithologic units, A:283
- siderite nodules, lithologic units, A:111, 283
- siderite rhombs, scanning electron microscope photomicrographs, B:306
- silica
 pore water, A:129, 264–265, 300–301
 vs. depth, A:131, 203, 271, 303; B:233
See also opal
- silt, aragonitic clayey, lithologic units, A:246
- silt, clayey, photograph, A:74
- silt, lithologic units, A:69–72, 74–75, 78–79
- silt, nannofossil clayey, photomicrograph, A:80
- Site 533, gases, B:35
- Site 570, gas hydrates, B:180
- Site 991
 biostratigraphy, A:81–82
 diapirs, B:30
 lithostratigraphy, A:68–75
 physical properties, A:90–91
 slide scars, B:325–327
- Site 992
 biostratigraphy, A:82
 diapirs, B:30
 lithostratigraphy, A:75–78
 physical properties, A:91–92
- Site 993
 biostratigraphy, A:82
 diapirs, B:30
 lithostratigraphy, A:78–81
 physical properties, A:92–94
- Site 994, A:99–174
 background and objectives, A:100–103
 bacteria, B:393–398
 biostratigraphy, A:114–117; B:331–341
 coring, A:105
 diapirs, B:30, 34–35
 downhole measurements, A:122–124, 136–144
 gas hydrates, B:247–249
 geomicrobiology, B:383–384
 geophysics, A:135–136
 grain size, B:237–245
 in-situ temperature, A:144–146
 inorganic geochemistry, A:128–132
 isotope stratigraphy, B:173–175
 lithology, B:229–236
 lithostratigraphy, A:105–114
 operations, A:103–105
 organic geochemistry, A:124–128
 oxygen isotopes, B:59–66
 paleomagnetism, A:117–122
 physical properties, A:132–135
 seismic profiles, A:47–56, 59
 site description, A:99–174
 synthesis and significance, A:146–152
 well-logging, A:136–144
- Site 995, A:175–240
 background and objectives, A:176–177
 biostratigraphy, A:185–189; B:331–341
 coring, A:178

- diapirs, B:30, 34–35
downhole measurements, A:193–197, 207–215
gas hydrates, B:247–249
geomicrobiology, B:384–386
geophysics, A:204–207
grain size, B:237–245
in-situ temperature, A:215–220
inorganic geochemistry, A:198–200
lithostratigraphy, A:179–185
operations, A:177–179
organic geochemistry, A:197
paleomagnetism, A:189–193
physical properties, A:200–204; B:424
seismic profiles, A:47–56, 59
site description, A:175–240
synthesis and significance, A:220–224
well-logging, A:207–215
- Site 996, A:241–275
background and objectives, A:243
biostratigraphy, A:256, 258
coring, A:250
diapirs, B:30
downhole measurements, A:261–262
gas hydrates, A:249–255; B:219–228
inorganic geochemistry, A:264–266; B:285–300
lithostratigraphy, A:245–249
operations, A:243–245
organic geochemistry, A:262–264
paleomagnetism, A:258, 260–261
physical properties, A:266, 269–270
site description, A:241–275
synthesis and significance, A:270–272
- Site 997, A:277–334
ammonium, B:171–172
background and objectives, A:278–279
biostratigraphy, A:290–292; B:331–341, 343–363
coring, A:281
diapirs, B:30, 34–35
diatoms, B:365–376
downhole measurements, A:295–297, 307–310
gas hydrates, A:286–290; B:247–249
geomicrobiology, B:386–387
geophysics, A:305–307
grain size, B:237–245
in-situ temperature, A:310–313
inorganic geochemistry, A:298, 300–301; B:147–149, 151–163
lithostratigraphy, A:281–286
operations, A:279–281
organic geochemistry, A:297–298
oxygen isotopes, B:59–66
paleoceanography, B:343–363
paleomagnetism, A:292–295
physical properties, A:301, 303–305
seismic profiles, A:47–56, 59
site description, A:277–334
stable isotopes, B:129–137
synthesis and significance, A:313–317
well-logging, A:307–310
- Sites 991–993, A:65–97
background and objectives, A:66–67
coring, A:69
inorganic geochemistry, A:88–90
operations, A:68
organic geochemistry, A:87–88
paleomagnetism, A:82–87
physical properties, B:424
site description, A:65–97
synthesis and significance, A:94, 96
- slide scars
carbon-14 age, B:325–327
deformation, B:6
photograph, B:327
- slumps
gas hydrates, B:9
geochronology, B:325–327
lithologic units, A:246–249
See also debris flows; landslides; mass transport deposits
- smear slides, photomicrograph, A:75
- smectite
carbon/oxygen ratio, B:205–206
porosity, B:434
vs. depth, B:207–208
- sodium
pore water, A:89, 264–265
vs. depth, A:271
- sodium/chloride ratio
salts, A:89–90, 266
vs. chloride, A:93
vs. depth, A:273
- soft sediment deformation, lithologic units, A:75, 77–78, 94–96, 246–249
- sonic logs. *See* gamma ray–resistivity–sonic logs; velocity
- sparite
lithologic units, A:246–247
photomicrograph, A:255
- species diversity
nannoflora, B:339
planktonic foraminifers, B:351, 353
- spectra, seismic surveys, A:45
- spectral data, shore-based, sediments, B:313–324
- spectral modeling, reflectors, B:268–269
- spectroscopy, nuclear magnetic resonance, gas hydrates, B:17–18
- spectroscopy, Raman, gas hydrates, B:18, 20
- Sphaeroidinella*, vs. depth, B:356
- spicules, biostratigraphy, A:81–82
- sponge spicules, lithologic units, A:284
- spores, sediments, B:52
- sporinite, organic matter, B:55
- stability zone, gas hydrates, A:317
- stable isotopes
authigenic carbonates, B:289–290, 292–294, 303–306
carbonates and sulfides, B:139–146
methane, B:79–85
pore water, B:129–137
See also carbon isotopes; oxygen isotopes; strontium isotopes; sulfur isotopes
- stress, sediments, B:421–429
- stress, vertical effective
vs. depth, B:429
vs. void ratio, B:427–428
- strontium
pore water, A:89, 129, 264–265, 300–301
vs. depth, A:131, 203, 271, 303; B:159, 305
- strontium/calcium ratio, vs. depth, B:305
- strontium/chloride ratio, vs. depth, A:283; B:305
- strontium isotopes
authigenic carbonates, B:289–290, 292–294
pore water and authigenic carbonates, B:292–293
vs. depth, B:298
- structure, gas hydrates, A:47–48; B:16–20
- subpolar assemblage, faunal assemblages, B:358
- subtropical gyre assemblage, faunal assemblages, B:358
- sulfate
concentration, B:94
depletion, A:90; B:35–36, 93–96
focused consumption, A:132
pore water, A:89, 128, 264
vs. depth, A:93, 131, 203, 271, 303; B:82, 85, 89–91, 383, 385, 387
vs. methane, A:131
See also methane/sulfate ratio
- sulfate/methane interface, authigenic carbonates, B:307
- sulfate/methane ratio, vs. depth, A:88
- sulfate flux, models, B:92–93
- sulfate reduction
authigenic carbonates, B:307–309
high-resolution sampling, B:90
methanogenesis, A:126–128; B:80–85, 87–99
organic matter transformation, B:55
Pliocene–Quaternary interval, B:402–404
pyrite, B:145
sediments, A:197, 298
vs. depth, B:85, 383, 385, 387, 389
- sulfides
lithologic units, A:181–182
reduction, A:193
stable isotopes, B:139–146
See also iron sulfides; pyrite; pyrrhotite
- sulfides, disseminated, lithologic units, A:284
- sulfides, magnetic, reduction, A:294
- sulfur, sediments, A:91, 128, 201, 263–264, 269
- sulfur, total, sediments, A:125–126, 197, 297–298, 301; B:48–51
- sulfur isotopes
pyrite, B:143–146
vs. depth, B:91–92
- supersaturation, diatoms, B:233–234
- taxonomy, calcareous nannofossils, B:332–333
- temperature
anomalous measurements, A:146
chloride, A:198–199
core recovery, B:5
core slabs, A:184–185
cores, A:185–186, 288
downhole core profiles, A:113, 185
equilibrium temperature, B:258–260
gas hydrates, A:144, 255; B:247–249
porosity, B:431–434
slab samples, A:185
tools, A:215
vs. chloride, A:204
vs. depth, A:149, 152, 184, 220, 223, 287, 289, 313, 316; B:256–257
vs. pressure, B:27–28
vs. thermal conductivity, B:25
vs. thermal demagnetization, A:193
vs. time, A:148, 218–220, 311–312
water, A:197; B:120–122
water-sampling probe, A:195–196
See also pressure–temperature conditions
- temperature, core
distribution, A:260
vs. depth, A:115, 186
- temperature, core slab, gas hydrates, A:113
- temperature, in-situ
sampling, B:5
Site 994, A:144–147
Site 995, A:215–220
Site 997, A:310–313
- temperature, surface, isothermal surface plot, A:114–115
- temperature logs, vs. depth, A:145, 216
- temperature probe, pore water, A:296–297
- terrigenous components
lithologic units, A:111
mass accumulation rates, A:149
- textures, authigenic carbonates, B:287–289
- thermal anomalies, gas hydrates, A:113
- thermal conductivity

gas hydrates, A:8; B:22, 24–25
 sediments, A:92–93, 133, 201–202, 270, 304–305
 vs. depth, A:134, 206, 274, 305
 vs. temperature, B:25
 thermal neutron porosity logs, vs. depth, A:141
 thermal surveys, gas hydrates, B:253–264
 thermogenesis, hydrocarbons, A:298
 thermogenic gases, gas hydrates, A:9–10
 thorium
 vs. depth, B:162
 vs. potassium, A:140, 212
 thorium/scandium ratio, vs. depth, B:163
 thorium/uranium ratio, vs. depth, B:163
 thorium logs, vs. depth, A:156–157
 time, vs. pressure, A:122–123, 265, B:124–125
 time–pressure plots, pressure core sampler, A:195
 titanium. *See* aluminum/titanium ratio
 tomography. *See* acoustic reflection tomography
 trace elements
 authigenic carbonates, B:293
 sediments, B:151–163, 231–236
 traveltime
 gas hydrates, A:223–224
 vs. depth, A:136
 vs. frequency, B:268
 vs. trace number, B:276
 traveltime, one-way, vs. depth, A:137, 207, 306
 traveltime, two-way, vs. depth, A:137, 146, 208
 triterpenoids, sediments, B:50

 upper methanogenic zone, authigenic carbonates, B:307–309
 upwelling, nannoflora, B:338–339
 uranium
 vs. depth, B:162
See also thorium/uranium ratio
 uranium logs, vs. depth, A:156–157

 vanadium, vs. depth, B:157
 variegated color, photograph, A:71–72
 veins, gas hydrates, A:251, 254
 velocity
 gas hydrates, A:6–7
 theoretical studies compared with experiments, B:276–277

tomographic inversion, B:277
 vertical seismic profiles, A:305–307
 vs. depth, A:94–95, 134, 137, 195–197, 206–208, 255–258, 305–306
 waveforms, A:147
See also compressional wave velocity; shear wave velocity
 velocity, acoustic
 gas hydrates, A:144
 sediments, A:91–93, 133, 201, 269, 303–304
 tools, A:215
 velocity logs
 gas hydrates, B:193–198, 247–249
 porosity, B:194
 vs. depth, A:139, 142–143, 210, 213–214, 217, 308–309
See also gamma ray–resistivity–sonic logs; sonic logs
 vent fluids, sediments, A:249
 vitrinite
 sediments, B:50–56
 vs. depth, B:51
 void ratio
 vertical effective stress, B:427–428
 vs. consolidation, B:427–428
See also porosity
 volume
 gases, A:186
 pressure core sampler, B:441
 vs. pressure, B:115, 117–124

 warm-water (Gulf Stream) assemblage, faunal assemblages, B:356–357
 water
 composition, A:124
 gas hydrates, B:20–22, 122–123
 sources, B:224–225
 temperature, A:197; B:120–122
See also gas/water volume ratio
 water/gas molar ratio, gas hydrates, A:8; B:16–20, 41–42
 water content
 sediments, B:431–434
 vs. depth, A:94–95, 134, 205, 274, 304; B:432
 water masses
 foraminifers, B:358–359

See also paleoceanography
 water sampler, sediments, A:123–124
 water saturation, well-logging, B:187–189
 well-logging
 chloride, Blake Ridge Transect, B:4
 formation evaluation, B:199–215
 gas hydrate detection, B:179–191, 247–249, 253–264
 gas hydrate volume, B:193–198
 gas hydrates, A:309–310
 shore-based processing, A:155, 166, 226, 319
 Site 994, A:136–144; B:183
 Site 995, A:207–215; B:183
 Site 997, A:307–310; B:184
See also downhole measurements; epithermal neutron porosity logs; gamma ray–density logs; gamma ray–density–porosity logs; gamma ray–resistivity–sonic logs; gamma-ray logs
 well-logging unit 1, sediments, A:308
 well-logging unit 2, sediments, A:308–309
 well-logging unit 3, sediments, A:309
 well-logging units, sediments, A:138–139, 209–210, 308–309; B:182–183

 X-ray CT imagery, gas hydrates, B:14–15, 17
 X-ray diffraction data
 gas hydrates, B:17–19
 sediments, A:75; B:155–163
 xenon
 global inventory, B:169
 vs. krypton, B:168
 vs. neon, B:168

 yttrium, vs. depth, B:160

 Zijderveld plots, demagnetization, B:412
 zinc, vs. depth, B:159
 zirconium, vs. depth, B:160
 zonation
 authigenic carbonates, B:301–312
 calcareous nannofossils, B:332–333
 diagenesis, B:306–307
Zoophycos, lithologic units, A:107

VOLUME 164 TAXONOMIC INDEX

abies, *Sphenolithus*
 Site 991, A:81
 Site 993, A:82
 Site 994, A:116
Acanthoica spp., Blake Ridge, B:333
Achnanthes spp., Site 997, B:366
Actinocyclus curvatulus, Site 997, B:366
acutus, *Ceratolithus*
 Site 991, A:81
 Site 994, A:116
 Site 997, A:291
aequilateralis, *Globigerinella*, Site 997, B:350, 353–355
aequiscutum, *Cycticoccolithus*, Blake Ridge, B:333
aequiscutum, *Umbilicosphaera*, Blake Ridge, B:333, 336–337, 339
Amaurolithus amplificus
 Blake Ridge, B:333
 Site 994, A:117
 Site 995, A:188
 Site 997, A:291–292
Amaurolithus delicatus

Blake Ridge, B:333
 Site 991, A:81
 Site 994, A:116
 Site 995, A:188
 Site 997, A:291
Amaurolithus ninae, Site 995, A:188
Amaurolithus primus, Site 991, A:81
Amaurolithus spp.
 Blake Ridge, B:333
 Site 991, A:81
 Site 997, A:291
Amaurolithus tricorniculatus
 Blake Ridge, B:333
 Site 991, A:81–82
 Site 994, A:116
 Site 997, A:291
amplificus, *Amaurolithus*
 Blake Ridge, B:333
 Site 994, A:117
 Site 995, A:188
 Site 997, A:291–292
armatus, *Ceratolithus*
 Site 991, A:81

Site 994, A:116
 Site 995, A:188
asanoi, *Reticulofenestra*
 Site 991, A:81
 Site 994, A:115
 Site 995, A:187
 Site 996, A:256, 258
asymmetricus, *Discoaster*
 Site 994, A:116
 Site 995, A:188
atlanticus, *Ceratolithus*
 Site 994, A:116
 Site 995, A:188
Aulacoseira spp., Site 997, B:366
Azpeitia nodulifera, Site 997, B:366

berggrenii, *Discoaster*
 Site 991, A:82
 Site 992, A:82
 Site 994, A:116
 Site 995, A:188
 Site 997, A:291
bilobata, *Orbulina*, Site 997, B:350, 358

- Bolliella calida*, Site 997, B:356
Bolliella calida calida, Site 997, B:344
Bolliella spp., Site 997, B:356
bollii, *Discoaster*, Site 993, A:82
braarudii, *Discoaster*, Site 993, A:82
brouweri, *Discoaster*
 Site 994, A:115–116
 Site 995, A:187
 Site 997, A:291; B:344
bulloides, *Globigerina*, Site 997, B:350, 354–355, 358
- Calcidiscus macintyre*
 Site 994, A:115
 Site 995, A:187
 Site 997, A:290
calida, *Bolliella*, Site 997, B:356
calida calida, *Bolliella*, Site 997, B:344
caribbeanica, *Gephyrocapsa*
 Blake Ridge, B:333, 336
 Site 995, A:187
 Site 997, A:290
carteri, *Helicosphaera*
 Site 992, A:82
 Site 993, A:82
Ceratolithus acutus
 Site 991, A:81
 Site 994, A:116
 Site 997, A:291
Ceratolithus armatus
 Site 991, A:81
 Site 994, A:116
 Site 995, A:188
Ceratolithus atlanticus
 Site 994, A:116
 Site 995, A:188
Ceratolithus cristatus, Site 994, A:116
Ceratolithus rugosus
 Site 991, A:81
 Site 994, A:116
Ceratolithus separatus, Site 991, A:81
Chaetoceros, Site 997, B:366
coccolithomorpha, *Neosphaera* cf., Site 993, A:82
Coccolithus pelagicus
 Blake Ridge, B:338
 Site 991, A:81
 Site 993, A:82
 Site 994, A:115
Cocconeis spp., Site 997, B:366
conglobatus, *Globigerinoides*, Site 997, B:353, 358
convallis, *Minylitha*
 Site 992, A:82
 Site 993, A:82
Coscinodiscus marginatus, Site 997, B:366
crassaformis, *Globorotalia*, Site 997, B:350, 353, 355, 357
crassipons, *Gephyrocapsa*, Blake Ridge, B:332
cristatus, *Ceratolithus*, Site 994, A:116
curvatus, *Actinocyclus*, Site 997, B:366
Cyclicoccolithus aequiscutum, Blake Ridge, B:333
- dehiscens*, *Sphaeroidinella*, Site 997, B:350, 356
delicatus, *Amaurolithus*
 Blake Ridge, B:333
 Site 991, A:81
 Site 994, A:116
 Site 995, A:188
 Site 997, A:291
Discoaster asymmetricus
 Site 994, A:116
 Site 995, A:188
Discoaster berggrenii
 Site 991, A:82
 Site 992, A:82
 Site 994, A:116
 Site 995, A:188
 Site 997, A:291
Discoaster bollii, Site 993, A:82
Discoaster braarudii, Site 993, A:82
Discoaster brouweri
 Site 994, A:115–116
 Site 995, A:187
 Site 997, A:291; B:344
Discoaster hamatus, Site 993, A:82
Discoaster neohamatus, Site 993, A:82
Discoaster pentaradiatus
 Site 991, A:81
 Site 994, A:115–116
 Site 995, A:188
 Site 997, A:291
Discoaster quinquerramus
 Site 991, A:81–82
 Site 992, A:82
 Site 995, A:188
 Site 997, A:291
Discoaster surculus
 Site 994, A:115–116
 Site 995, A:188
 Site 997, A:291
Discoaster tamalis
 Site 991, A:81
 Site 994, A:115–116
 Site 995, A:188
 Site 997, A:291
Discoaster triradiatus, Blake Ridge, B:333, 336
Discoaster variabilis, Site 993, A:82
doliola, *Fragilariopsis*, Site 997, B:366
dutertrei, *Neogloboquadrina*, Site 997, B:350, 353–355, 358–359
- eccentrica*, *Thalassiosira*, Site 997, B:366
Emiliania huxleyi
 Blake Ridge, B:333, 337–338
 Site 991, A:81
 Site 992, A:82
 Site 994, A:114–115; B:173, 175
 Site 995, A:187
 Site 996, A:256, 258
 Site 997, A:290; B:344
ericsonii, *Gephyrocapsa*, Blake Ridge, B:332
exilis, *Globorotalia*, Site 997, B:344, 350, 356
falconensis, *Globigerina*, Site 997, B:350, 354–355, 358
farnsworthii, *Triquetrorhabdulus*
 Site 995, A:188
 Site 997, A:291
fimbriata, *Globorotalia*, Site 997, B:344
finalis, *Pulleniatina*, Site 997, B:344
Florisphaera profunda
 Blake Ridge, B:338–339
 Site 993, A:82
 Site 994, A:117; B:332
 Site 997, B:343
Fragilariopsis doliola, Site 997, B:366
- Gephyrocapsa caribbeanica*
 Blake Ridge, B:333, 336
 Site 995, A:187
 Site 997, A:290
Gephyrocapsa crassipons, Blake Ridge, B:332
Gephyrocapsa ericsonii, Blake Ridge, B:332
Gephyrocapsa muelleriae, Blake Ridge, B:337
Gephyrocapsa oceanica
 Blake Ridge, B:333, 336
 Site 994, A:114
 Site 995, A:187
 Site 996, A:256, 258
Gephyrocapsa oceanica (s. str.)
 Site 991, A:81
 Site 996, A:256
Gephyrocapsa protohuxleyi, Blake Ridge, B:337
Gephyrocapsa (small) Zone
 Blake Ridge, B:332–333
 Site 994, A:115
 Site 995, A:187
 Site 996, A:256
 Site 997, A:290
Gephyrocapsa sp. 1, Blake Ridge, B:333
Gephyrocapsa spp.
 Blake Ridge, B:333, 336–337, 339
 Site 991, A:81
 Site 992, A:82
 Site 994, A:114–116
 Site 996, A:256, 258
 Site 997, A:291; B:344
Globigerina bulloides, Site 997, B:350, 354–355, 358
Globigerina falconensis, Site 997, B:350, 354–355, 358
Globigerina rubescens, Site 997, B:356
Globigerina spp., Site 997, B:350, 354, 356
Globigerinella aequilateralis, Site 997, B:350, 353–355
Globigerinella spp., Site 997, B:350, 353
Globigerinita glutinata, Site 997, B:350, 353–355, 358
Globigerinita spp., Site 997, B:350, 354
Globigerinoides conglobatus, Site 997, B:353, 358
Globigerinoides obliquus, Site 997, B:344
Globigerinoides ruber
 Site 994, B:173–175
 Site 997, B:344, 350, 353–355, 358, 362
Globigerinoides sacculifer
 Site 994, B:173–175
 Site 997, B:350, 353, 355–356, 360, 362
Globigerinoides spp., Site 997, B:350–351, 353
Globigerinoides tenellus, Site 997, B:355–356
Globorotalia cf. *hirsuta*, Site 997, B:350
Globorotalia crassaformis, Site 997, B:350, 353, 355, 357
Globorotalia exilis, Site 997, B:344, 350, 356
Globorotalia fimbriata, Site 997, B:344
Globorotalia hirsuta, Site 997, B:344, 350, 353–355, 357–358
Globorotalia inflata, Site 997, B:350, 353–355, 357–359
Globorotalia menardii, Site 997, B:344, 350, 355–356, 362
Globorotalia menardii flexuosa, Site 997, B:344
Globorotalia miocenica, Site 997, B:344
Globorotalia ronda, Site 997, B:355
Globorotalia spp., Site 997, B:350, 355–356
Globorotalia tosaensis, Site 997, B:344, 355
Globorotalia truncatulinoidea, Site 997, B:344, 350, 353–355, 357–358
Globorotalia tumida, Site 997, B:350, 355–356
Globorotalia unguolata, Site 997, B:344, 350, 356
Globorotalia viola, Site 997, B:355
glutinata, *Globigerinita*, Site 997, B:350, 353–355, 358
- hamatus*, *Discoaster*, Site 993, A:82
Helicosphaera carteri
 Site 992, A:82
 Site 993, A:82
Helicosphaera inversa, Site 996, A:256
Helicosphaera minuta, Blake Ridge, B:333
Helicosphaera pacifica, Blake Ridge, B:333
Helicosphaera pavementum, Blake Ridge, B:333

- Helicosphaera sellii*
 Site 992, A:82
 Site 994, A:115
 Site 995, A:187
 Site 997, A:290
- Helicosphaera* spp., Blake Ridge, B:338
- hirsuta*, *Globorotalia*, Site 997, B:344, 350, 353–355, 357–358
- hirsuta*, *Globorotalia* cf., Site 997, B:350
- hulburtiana*, *Umbilicosphaera*, Site 996, A:256
- huxleyi*, *Emiliana*
 Blake Ridge, B:333, 337–338
 Site 991, A:81
 Site 992, A:82
 Site 994, A:114–115; B:173, 175
 Site 995, A:187
 Site 996, A:256, 258
 Site 997, A:290; B:344
- inflata*, *Globorotalia*, Site 997, B:350, 353–355, 357–359
- inversa*, *Helicosphaera*, Site 996, A:256
- lacunosa*, *Pseudoemiliana*
 Blake Ridge, B:337
 Site 991, A:81
 Site 992, A:82
 Site 994, A:114–116; B:173, 175
 Site 995, A:187–188
 Site 996, A:256
- macintyreii*, *Calcidiscus*
 Site 994, A:115
 Site 995, A:187
 Site 997, A:290
- marginatus*, *Coscinodiscus*, Site 997, B:366
- Melostra westii*, Site 997, B:366
- menardii*, *Globorotalia*, Site 997, B:344, 350, 355–356, 362
- menardii flexuosa*, *Globorotalia*, Site 997, B:344
- minuta*, *Helicosphaera*, Blake Ridge, B:333
- minuta*, *Reticulofenestra*
 Blake Ridge, B:333, 337
 Site 991, A:81
 Site 992, A:82
 Site 994, A:115–116
 Site 996, A:256
- minutula*, *Reticulofenestra*
 Blake Ridge, B:333, 337
 Site 994, A:115–116
- Minylitha convallis*
 Site 992, A:82
 Site 993, A:82
- miocenica*, *Globorotalia*, Site 997, B:344
- muellerae*, *Gephyrocapsa*, Blake Ridge, B:337
- Neogloboquadrina dutertrei*, Site 997, B:350, 353–355, 358–359
- Neogloboquadrina pachyderma*, Site 997, B:354–355, 358
- Neogloboquadrina* spp., Site 997, B:350, 354
- neohamatus*, *Discoaster*, Site 993, A:82
- Neosphaera* cf. *coccolithomorpha*, Site 993, A:82
- ninae*, *Amaurolithus*, Site 995, A:188
- nitzschioides*, *Thalassionema*, Site 997, B:366
- nodulifera*, *Azpeitia*, Site 997, B:366
- obliquiloculata*, *Pulleniatina*, Site 997, B:350, 355, 358
- obliquus*, *Globigerinoides*, Site 997, B:344
- oceanica*, *Gephyrocapsa*
 Blake Ridge, B:333, 336
 Site 994, A:114
 Site 995, A:187
- Site 996, A:256, 258
- oceanica* (s. str.), *Gephyrocapsa*
 Site 991, A:81
 Site 996, A:256
- Opephora* spp., Site 997, B:366
- Orbulina bilobata*, Site 997, B:350, 358
- Orbulina* spp., Site 997, B:356
- Orbulina universa*, Site 997, B:350, 353, 356, 358
- pachyderma*, *Neogloboquadrina*, Site 997, B:354–355, 358
- pacifica*, *Helicosphaera*, Blake Ridge, B:333
- Paralia sulcata*, Site 997, B:366
- pavimentum*, *Helicosphaera*, Blake Ridge, B:333
- pelagicus*, *Coccolithus*
 Blake Ridge, B:338
 Site 991, A:81
 Site 993, A:82
 Site 994, A:115
- pentaradiatus*, *Discoaster*
 Site 991, A:81
 Site 994, A:115–116
 Site 995, A:188
 Site 997, A:291
- Planktoniella sol*, Site 997, B:366
- primalis*, *Pulleniatina*, Site 997, B:350, 358
- primus*, *Amaurolithus*, Site 991, A:81
- producta*, *Reticulofenestra*, Site 994, A:115–117
- profunda*, *Florisphaera*
 Blake Ridge, B:338–339
 Site 993, A:82
 Site 994, A:117; B:332
 Site 997, B:343
- protOHuxleyi*, *Gephyrocapsa*, Blake Ridge, B:337
- Pseudoemiliana lacunosa*
 Blake Ridge, B:337
 Site 991, A:81
 Site 992, A:82
 Site 994, A:114–116; B:173, 175
 Site 995, A:187–188
 Site 996, A:256
- pseudoumbilica*, *Reticulofenestra*
 Site 991, A:81
 Site 994, A:115
 Site 995, A:188
 Site 997, A:291
- Pulleniatina finalis*, Site 997, B:344
- Pulleniatina obliquiloculata*, Site 997, B:350, 355, 358
- Pulleniatina primalis*, Site 997, B:350, 358
- Pulleniatina* spp., Site 997, B:350, 356
- pulvula*, *Reticulofenestra*, Blake Ridge, B:332
- punctata*, *Reticulofenestra*, Blake Ridge, B:332
- quinqueramus*, *Discoaster*
 Site 991, A:81–82
 Site 992, A:82
 Site 995, A:188
 Site 997, A:291
- Reticulofenestra asanoi*
 Site 991, A:81
 Site 994, A:115
 Site 995, A:187
 Site 996, A:256, 258
- Reticulofenestra minuta*
 Blake Ridge, B:333, 337
 Site 991, A:81
 Site 992, A:82
 Site 994, A:115–116
 Site 996, A:256
- Reticulofenestra minutula*
 Blake Ridge, B:333, 337
 Site 994, A:115–116
- Reticulofenestra producta*, Site 994, A:115–117
- Reticulofenestra pseudoumbilica*
 Site 991, A:81
 Site 994, A:115
 Site 995, A:188
 Site 997, A:291
- Rhabdosphaera* spp., Blake Ridge, B:338
- ronda*, *Globorotalia*, Site 997, B:355
- ruber*, *Globigerinoides*
 Site 994, B:173–175
 Site 997, B:344, 350, 353–355, 358, 362
- rubescens*, *Globigerina*, Site 997, B:356
- rugosus*, *Ceratolithus*
 Site 991, A:81
 Site 994, A:116
- rugosus*, *Triquetrorhabdulus*, Blake Ridge, B:333
- sacculifer*, *Globigerinoides*
 Site 994, B:173–175
 Site 997, B:350, 353, 355–356, 360, 362
- Scyphosphaera* spp., Blake Ridge, B:333
- sellii*, *Helicosphaera*
 Site 992, A:82
 Site 994, A:115
 Site 995, A:187
 Site 997, A:290
- separatus*, *Ceratolithus*, Site 991, A:81
- sol*, *Planktoniella*, Site 997, B:366
- Sphaeroidinella dehiscens*, Site 997, B:350, 356
- Sphaeroidinella* spp., Site 997, B:356
- Sphenolithus abies*
 Site 991, A:81
 Site 993, A:82
 Site 994, A:116
- Sphenolithus* spp., Blake Ridge, B:337
- sulcata*, *Paralia*, Site 997, B:366
- surculus*, *Discoaster*
 Site 994, A:115–116
 Site 995, A:188
 Site 997, A:291
- Syracosphaera* spp.
 Blake Ridge, B:333, 338
 Site 992, A:82
- tamalis*, *Discoaster*
 Site 991, A:81
 Site 994, A:115–116
 Site 995, A:188
 Site 997, A:291
- tenellus*, *Globigerinoides*, Site 997, B:355–356
- Thalassionema nitzschioides*, Site 997, B:366
- Thalassiosira eccentrica*, Site 997, B:366
- tosaensis*, *Globorotalia*, Site 997, B:344, 355
- tricorniculatus*, *Amaurolithus*
 Blake Ridge, B:333
 Site 991, A:81–82
 Site 994, A:116
 Site 997, A:291
- Triquetrorhabdulus farnsworthii*
 Site 995, A:188
 Site 997, A:291
- Triquetrorhabdulus rugosus*, Blake Ridge, B:333
- triradiatus*, *Discoaster*, Blake Ridge, B:333, 336
- truncatulinoideis*, *Globorotalia*, Site 997, B:344, 350, 353–355, 357–358
- tumida*, *Globorotalia*, Site 997, B:350, 355–356
- Umbilicosphaera aequiscutum*, Blake Ridge,

B:333, 336–337, 339
Umbilicosphaera hultburtiana, Site 996, A:256
Umbilicosphaera sp. A
 Site 993, A:82
 Site 994, A:115–116
 Site 995, A:187–188
ungulata, *Globorotalia*, Site 997, B:344, 350, 356
universa, *Orbulina*, Site 997, B:350, 353, 356, 358

variabilis, *Discoaster*, Site 993, A:82
viola, *Globorotalia*, Site 997, B:355

westii, *Melosira*, Site 997, B:366

 zones (with letter prefixes)
 CN4, Blake Ridge, B:336
 CN7, Blake Ridge, B:336
 CN8, Blake Ridge, B:336
 CN9, Site 991, A:82
 CN9a, Site 992, A:82

CN9b, A:81, 116–117, 188
 CN9c, Blake Ridge, B:333
 CN10, A:81, 116, 188
 CN10/CN11 boundary, Blake Ridge, B:333
 CN10a, A:116, 291
 CN10b, A:81, 116, 188, 291; B:333
 CN10c, A:81, 188, 291; B:333
 CN10d, A:81, 291
 CN10d/CN10c boundary, A:116
 CN11, Site 991, A:81
 CN11a, A:81, 188, 291; B:333, 339
 CN11b, A:81, 188, 291; B:333
 CN12, A:81, 115, 291
 CN12a, A:116, 188
 CN12b, A:115, 188
 CN12b/CN12a boundary, Site 994, A:115
 CN12c, A:116, 291
 CN12c/CN12b boundary, Site 994, A:115
 CN12d, A:115, 188; B:333, 336, 339
 CN12d/CN12c boundary, Site 994, A:115

CN13, Blake Ridge, B:333
 CN13a, A:81, 115, 187–188
 CN13b, A:81–82, 115, 187, 256; B:339, 344
 CN14a, A:81–82, 187, 256, 258, 290
 CN14b, A:81–82, 115, 187, 256, 258, 290
 CN15, A:82, 114–115, 187, 256
 NN5, Blake Ridge, B:336
 NN13, Blake Ridge, B:333, 339
 NN15, Blake Ridge, B:333
 PL6, Site 997, B:344
 "T", Site 997, B:350
 "U", Site 997, B:344, 350
 "V", Site 997, B:350
 "W", Site 997, B:344
 "X", Site 997, B:350
 "Y", Site 997, B:344
 "Z", Site 997, B:350