

## INDEX TO VOLUME 165

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 165 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:). In addition, reference to material on CD-ROM is shown as bp:CD-ROM.

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, thin-section descriptions, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 1000, for example, is given as “Site 1000, A:231–289.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: [pub\\_production@ODP.TAMU.EDU](mailto:pub_production@ODP.TAMU.EDU)

## VOLUME 165 SUBJECT INDEX

- acoustic unit 3. *See HPC acoustic Unit 3*
- age
- argon isotopes, B:233–236
  - lithofacies, B:151
  - magnetic polarity, B:144
  - models, B:255, 257
  - volcanism, B:299–314
  - See also* dating; geochronology; radiometric ages
- age vs. depth
- Caribbean Sea, B:257
  - Site 998, A:70
  - Site 999, A:161
  - Site 1000, A:253
  - Site 1001, A:315
  - Site 1002, B:96
- Aguacate Formation, volcanic provenance, A:184
- Alice Shoal, seismic units, B:209
- alkalinity
- carbonate reactions, B:291
  - pore water, A:75, 167–168, 259–260, 319
  - vs. depth, A:75, 167, 259, 319, 372, 396–397; B:292, 294–295
- alkenones
- concentration, B:239–247
  - sediments, B:96
- Allison Guyot, thermal events, A:151
- alteration
- carbonates, B:228
  - chemical reactions, A:167–168
  - Cretaceous/Tertiary boundary, A:150–152
  - lithologic units, A:60
  - photograph, A:82, 177, 328
  - pore water, A:396–398
  - volcanic ash falls, A:82, 391; B:294–296
  - volcanic glass, A:176
  - See also* diagenesis; hydrothermal alteration
- aluminum logs, vs. depth, A:104
- aluminum oxide, volcanic ash, A:180
- aluminum oxide logs, vs. depth, A:93, 193; B:195
- ammonium
- pore water, A:75, 166, 259, 317; B:288
  - redox, A:257
  - vs. depth, A:75–76, 166, 257, 319, 372; B:289, 294
- amphiboles
- lithologic units, A:308
  - photomicrograph, A:81
- Andes N, uplifts, A:207
- andesite, petrography, A:83
- anoxic deposits
- Quaternary, B:125–140
  - sediments, B:88–93, 98
- Antarctic Bottom Water, ocean circulation, B:255, 264
- Antarctic Intermediate Water, ocean circulation, A:9; B:255, 264
- Antarctica, carbon isotopes vs. oxygen isotopes, B:281
- apophyses, photograph, A:327
- aragonite
- bulk sediments, B:255
  - lithologic units, A:238, 241, 247, 260; B:87
  - mass accumulation rates, B:261–262
  - saturation, A:383
  - vs. depth, A:240, 259
- argon isotopes
- age, B:151
  - basalts, B:233–236
- feldspars, B:306
- volcanism, B:299–314
- Atitlan I caldera, volcanic provenance, A:183
- Atlantic hiatus, Neogene, B:29
- Atlantic Ocean, ocean circulation, B:255, 269–270
- atmospheric circulation, tephra transport, B:105–110
- Aves Swell, circulation, A:9
- bacteria
- paragenesis, B:228–230
  - See also* microbial activity
- Banco Nuevo, seismic units, B:209
- barite, biogenic production, A:79
- barium
- volcanic ash, A:180
  - vs. depth, A:79
- barium/titanium ratio, vs. depth, A:79
- basalts
- basement, A:391–393; B:293–294
  - demagnetization, B:159–162
  - fractures, B:227–232
  - geochemistry, A:329–330
  - geochronology, B:233–236
  - lava, A:325–330, 347
  - magnetic inclination, A:314
  - major oxides, A:326
  - oceanic plateaus, A:11
  - paleomagnetism, B:157
  - petrography, A:326–329
  - photograph, A:327–328
  - trace elements, A:393
  - See also* limestone/basalt contact
- basalts, altered, photograph, A:306
- basalts, aphyric
- photomicrograph, A:329
  - textures, A:326
- basalts, plagioclase-phyric
- photomicrograph, A:329
  - textures, A:326
- basalts, tholeiitic, chromium vs. yttrium, A:329, 331
- basalts, variolitic, photograph, A:329
- basement
- igneous rocks, A:391–393; B:293–294
  - reactions with seawater, B:293–294
- basement, acoustic, reflections, A:133–135
- basement, basaltic, Cretaceous, A:294, 327, 347
- basement, volcanic
- depth, B:219–224
  - geochronology, B:233–236
- bathymetric maps, A:300
- bathymetry
- acoustic basement, A:134, 294
  - Caribbean Sea, B:253
  - Pedro Channel, A:234
- Beata Ridge, acoustic basement, A:133
- Beloc Formation, Haiti, A:7
- bicarbonate ions
- carbonate reactions, B:291
  - seawater reactions with basement, B:294
- biochronology, tephra ages, B:302, 306–308
- biogenic production, chemical proxies, A:79
- biostratigraphic datums
- nannofossils, A:63, 153, 249, 310; B:3–15, 306
  - planktonic foraminifers, A:65, 157, 251, 310; B:23–29, 256, 306
- biostratigraphy
- closing, A:384–385
- radiolarians, B:57–81
- Site 998, A:62–67; B:3–17
- Site 999, A:152–158; B:3–17, 19–56
- Site 1000, A:248–251; B:3–17
- Site 1001, A:309–314
- Site 1002, A:368; B:85–99
- vs. age, B:256
- vs. radiometric ages, B:305–307
- biotite
- photomicrograph, A:81
  - tephra ages, B:302–304
- bioturbation
- Cretaceous/Tertiary boundary, A:151–152
  - cycles, B:132
  - lithologic units, A:145–148, 150, 239, 242–243, 297–302; B:87, 98
  - photograph, A:56, 59, 147, 241, 244–245, 247
  - volcanic ash, A:263–264, 322–324
  - See also* burrows
- bitumens, Rock-Eval pyrolysis, A:256–257
- Blake Plateau, ocean circulation, B:267
- Bocono Fault, lithofacies, B:131
- bolides
- Cretaceous/Tertiary boundary, A:393–394
  - impact craters, A:7
- boreholes, depth shifting, B:194, 196
- breccia
- basement, A:392–393
  - photograph, A:327–328
- breccia, hyaloclastite, basalts, A:330
- Brunhes Chron, paleomagnetism, B:145
- burial history, mixed sediments, B:177–190
- burrows, lithologic units, A:145, 304
- Cabo Codera, basins, B:86
- calcite
- concretions, B:130–131
  - lithologic units, A:238, 244
  - photograph, A:329; B:137
  - recrystallization, B:133
  - See also* quartz/calcite ratio
- calcite, magnesian
- lithologic units, A:238–239, 247, 259
  - mass accumulation rates, B:261–262
  - saturation, A:383
- calcite, secondary, photograph, A:328
- calcium
- carbonate reactions, B:291
  - impact craters, A:8
  - pore water, A:74, 167, 260, 319, 348, 396–398; B:295
  - seawater reactions with basement, B:293–294
  - vs. depth, A:75, 167, 260, 319, 372, 397; B:292, 294
  - See also* hydrogen/(silicon + calcium) ratio
  - logs; iron/(silicon + calcium) ratio
  - logs; silicon/(silicon + calcium) ratio
  - logs
- calcium carbonate
- biogenic production, A:79
  - sediments, A:254–256, 316, 318
  - vs. depth, A:257
- calcium logs, vs. depth, B:196–197
- calcium oxide
- basalts, A:329
  - vs. silica, A:84
- caliper logs, vs. depth, A:92, 192, 272, 338; B:223
- Campanian

lithologic units, A:304–308  
 pelagic sedimentation, A:378; B:308  
 tephra grain size and thickness, B:112  
 volcanic ash, A:322–325  
 Canal Basin, volcanic provenance, A:184  
 carbon, inorganic, sediments, A:72–73, 163–164, 254–256, 316, 318  
 carbon, organic  
     biogenic production, A:79  
     sediments, A:72–73, 163–164  
 carbon, total, sediments, A:254–256, 316, 318  
 carbon, total organic  
     carbonate reactions, B:292  
     sediments, A:254–256  
     vs. age, B:97, 244  
     vs. depth, A:255; B:293  
 carbon dioxide  
     paleoclimatology, A:8–10  
     Rock-Eval pyrolysis, A:256–257  
 carbon isotopes  
     vs. age, B:263, 282  
     vs. depth, B:196–197, 278, 280  
     vs. oxygen isotopes, B:281  
     water mass signature, B:268–269  
 carbonate compensation depth  
     lithologic units, A:56, 62, 247; B:201  
     *See also* lysocline  
 carbonate content  
     bulk sediments, B:254  
     correlation with magnetic susceptibility, A:382  
 Eocene/Miocene unconformity, A:321  
 lithologic units, A:53, 56, 138, 142–147, 164, 238–247, 297–308  
 mass accumulation rates, A:379–380  
 Miocene, A:152  
     sediments, A:71–72, 76–79, 321, 348; B:117–118, 258–259  
     vs. age, A:58, 144–145, 382, 384; B:97, 119, 258, 260, 265  
     vs. color reflectance, A:61  
     vs. depth, A:78, 146, 149, 240, 243, 259, 263, 303, 306, 392, 396; B:195, 293  
     vs. magnetic susceptibility, A:61, 252  
     vs. paleolatitude, B:171  
 carbonate crash interval  
     lithologic units, A:56  
     Miocene/late Miocene interval, A:381–384; B:249–273  
     models, B:264–266  
     ocean circulation, A:9  
     pelagic sedimentation, A:378–380  
     sedimentation rates, A:96  
 carbonate dissolution event, circulation, A:9  
 carbonate dissolution index, interglacial Stage 5e, B:266  
 carbonate lithification front, vs. depth, A:255  
 carbonate minimums. *See* Miocene, middle–upper  
     carbonate crash  
 carbonate platforms  
     reflectors, A:234, 275  
     *See also* megabanks, founded  
 carbonate solution  
     diagenesis, A:261  
     *See also* dissolution  
 carbonate systems, sea gateways, B:254  
 carbonates  
     bulk sediments, A:394, 396  
     compaction, B:181–183  
     impact craters, A:8  
     mineralogy, B:255  
     Miocene/late Miocene interval, A:381–384  
     pelagic sedimentation, A:378–380  
     photograph, A:329; B:230  
     photomicrograph, B:231

reactions, B:291–293  
     scanning electron microscopy, B:232  
 carbonates, microcrystalline, microbial origin, B:227–232  
 carbonates, pelagic, correlation of magnetic susceptibility and calcium carbonate, A:382, 384  
 Cariaco Basin  
     anoxic deposits, B:125–140  
     circulation, A:9  
     hydrography, B:240  
     oxic to anoxic environment, A:361  
     paleoceanography, B:239–247  
     sedimentation, A:370  
     site description, A:359–373  
     stratigraphy and sedimentation, B:85–99  
 Caribbean/Loop Current system, ocean circulation, B:267–269  
 Caribbean Current  
     erosional events, A:234, 275  
     general circulation models, B:267–269  
     Neogene, A:9; B:29  
     pelagic sedimentation, A:379–380  
 Caribbean Plate  
     basement, A:393  
     formation, A:160  
     paleolatitude, B:149–173  
 Caribbean region, Miocene volcanic episode  
     paleogeography, A:387  
 Caribbean Sea  
     geology, A:7–13; B:29  
     high-resolution well-log data, B:191–203  
     Miocene carbonate crash, B:249–273  
     Miocene volcanic ash layers, B:101–113  
     Neogene biostratigraphy, B:3–17  
     ocean circulation, B:253  
     paleoceanography, B:275–283  
     pore water geochemistry, B:287–298  
     radiolarian biostratigraphy, B:57–81  
     synthetic seismograms, B:205–217  
     terrigenous matter and dispersed ash, B:115–124  
     volcanism age, B:299–314  
 cavity fills, carbonates, B:229  
 Cayman Fracture Zone, volcanism, A:390  
 Cayman Ridge  
     geology, B:151, 308–309  
     origin, A:103  
     plate tectonics, A:390  
     seismic stratigraphy, A:50–51  
     tectonics, A:85  
     volcanism, A:86, 347, 388–390  
 Cayman Rise  
     age models, B:255, 257  
     carbonate crash, A:152  
     Eocene plate tectonics, A:390  
     geology, B:151  
     Miocene and Eocene tectonics, A:103  
     Miocene/late Miocene carbonate crash, A:382  
     pelagic sedimentation, A:378–379  
     seismic stratigraphy, A:50–51  
     seismic units, B:208–209  
     site description, A:49–129  
     tectonics, A:95–96, 103–106; B:308–309  
     volcaniclastics, A:85–86  
     volcanism, A:388–390  
 Cayman Trench, volcanism, A:86  
 Cayman Trough  
     bathymetry, A:234  
     geology, B:151  
     seismic stratigraphy, A:50–51, 232  
     volcanism, A:86, 390  
 Cayman Trough Fracture Zone, volcaniclastics, A:85–86  
 Cayman volcanic arc, volcanism, A:388–390  
 Ceara Rise  
     carbonate content vs. age, B:265, 269–270  
     terrigenous accumulation rates, B:123  
 cementation  
     microbial origin, B:227–232  
     pore water, A:260  
 Cenozoic  
     explosive volcanism, B:312  
     paleoclimatology, A:8–10  
     paleogeography, B:173  
     paleolatitude, B:149–173  
 Central America  
     Miocene explosive volcanism, B:311  
     tephra source areas, B:105  
     volcanism, A:389  
 Central American Arc S, volcanic provenance, A:183–184  
 Central American Seaway  
     closing, A:9, 207, 275, 384–385; B:29, 267  
     mass accumulation rates, A:379  
     Miocene tectonics, B:252  
     paleoceanography, planktonic foraminifers, A:154–155  
     pelagic sedimentation, A:379–380  
 Chalatenango Formation  
     tephra source areas, B:105  
     volcanic provenance, A:183  
     volcaniclastics, A:85  
 chalk  
     lithologic units, A:55  
     Paleocene, A:381  
     seismic facies, B:210  
 chalk, calcareous, lithologic units, A:300–302, 342  
 chalk, clayey calcareous, lithologic units, A:145–146  
 chalk, clayey nannofossil, lithologic units, A:145–146, 241–242  
 chalk, foraminiferal  
     lithologic units, A:59  
     photograph, A:59  
 chalk, micritic nannofossil, lithologic units, A:241–248  
 chalk, nannofossil  
     lithologic units, A:58  
     photograph, A:59  
 chert  
     diagenesis, B:308  
     lithologic units, A:58; B:209, 213  
     photograph, A:305  
     thickness vs. depth, A:304  
     volcanic ash, B:295  
     vs. depth, A:320, 397; B:296  
 chert, interbedded, lithologic units, A:300–302, 308, 348  
 chert nodules, lithologic units, A:58  
 chert nodules/core ratio, vs. depth, A:59  
 chertification  
     seismic stratigraphy, A:203–204  
     *See also* silicification  
 Chicxulub impact crater  
     Cretaceous/Tertiary boundary, A:206, 393–394  
     formation, A:7  
 chlorinity  
     pore water, A:73–74, 166, 259, 317  
     vs. depth, A:74, 166, 259, 319, 372  
 chlorite  
     lithologic units, A:138  
     photograph, A:328  
 Choco Block, volcanic provenance, A:183–184  
 Chondrites, lithologic units, A:145  
 Chorotega Block, volcanic provenance, A:183–184

- Chortis Block  
sedimentation, A:206  
volcanic provenance, A:183–184  
volcaniclastics, A:85–86
- chromium  
basalts, A:329  
bulk sediments, A:202  
provenance, A:322  
sediments, B:117–118  
terrigenous component, A:261, 321  
volcanic ash, A:169–170  
vs. yttrium, A:331
- Chron 26N, remanent magnetization, A:314
- Chron 28N, remanent magnetization, A:314
- chron boundaries, depths, A:315
- Chron C3n2n, “*pachyderma*” interval, A:207
- Chron C5n, magnetostratigraphy, A:160
- Chron C34n(y), tephra ages, B:302
- clasts  
Cretaceous/Tertiary boundary, A:394  
photograph, A:306, 328
- clay minerals  
alteration, B:296  
identification by thorium vs. potassium, A:340  
lithologic units, A:142–143, 239, 241, 243, 297–308  
volcanic ash falls, A:82  
X-ray diffraction peak intensity, vs. depth, A:142
- clays  
compaction, B:181–183  
Cretaceous/Tertiary boundary, A:151–152  
cycles, B:132  
lithofacies, B:131–133  
lithologic units, A:53–55, 146–147, 150, 241–248, 298–306
- clays, green silty, lithologic units, B:87
- clays, greenish gray, lithologic units, A:145
- clays, indurated  
lithologic units, A:143–145  
photograph, A:144
- clays, nannofossil, lithologic units, A:298–300
- clays, nannofossil silty, lithologic units, A:363–368
- clays, silty  
lithologic units, A:363–368  
oxic to anoxic environment, A:361
- clays, smectitic  
lithologic units, A:305  
photograph, A:307
- claystone  
Cretaceous/Tertiary boundary, A:151–152, 204–206  
late Paleocene thermal maximum, A:206  
lithologic units, A:147–148, 302–306  
Paleocene, A:381  
photograph, A:148–149, 305, 307
- cleavage, shaly, photograph, A:307
- climate forcing, Cretaceous/Tertiary boundary, A:8
- clinoptilolite, lithologic units, A:241
- clinopyroxene  
photograph, A:329  
photomicrograph, A:329
- Cocos Plate, volcanism, A:184
- coercivity, basalts, B:159–162
- Colombian Basin  
acoustic basement, A:133–135  
carbonate content vs. age, B:265  
carbonate dissolution index, B:266  
depth to volcanic basement, B:219–224  
geology, B:151  
Miocene/late Miocene carbonate crash, A:382  
oceanic plateaus, A:9–10
- paleoceanography, B:275–283  
plate tectonics, B:252  
sedimentation rates, B:257  
sediments, A:194; B:264  
site description, A:131–230
- color banding  
lithologic units, A:53, 55–58, 146  
sediments, B:127–128
- color reflectance. *See* reflectance
- compaction  
burial history, B:177–190  
corrections, B:129  
foraminifers, B:133, 139  
volcanic ash, A:263–264
- compaction curves, plots, B:181–182, 185
- composite cores, photograph, A:150
- composite sections  
Site 998, A:54–55, 97–102  
Site 999, A:196–201  
Site 1000, A:278–281  
Site 1001, A:343–345
- compressional wave velocity  
multisensor track data, A:86–88, 186, 265–267, 333  
perpendicular to core axis vs. parallel to core axis, A:189  
sediments, A:185–186  
vs. depth, A:87, 89, 185, 189, 266, 332, 334
- concretions  
calcite, B:130–131  
carbonates and silica, B:133  
compaction, B:133  
dolomite, B:130–131
- concretions, carbonate, photograph, B:137–139
- concretions, siliceous, photograph, B:137, 139
- consolidation, porosity, B:181–183
- contourites  
lithologic units, A:59  
photograph, A:60
- cooling, explosive volcanism, B:312
- Coris Formation, volcanic provenance, A:184
- correlation  
seismic units, B:206–217  
Site 147/Site 1002, B:89
- Costa Rica  
Chalatenango Formation, A:85  
volcanic provenance, A:183–184
- Coyol Group, tephra source areas, B:105
- Cretaceous  
basaltic basement, A:327  
calcareous nannofossils, A:154, 311  
lithologic units, A:150–152  
*See also* Campanian; Maastrichtian
- Cretaceous, Upper  
anoxic deposits, B:125–140  
paleoclimatology, A:8–10  
paleogeography, B:173  
paleolatitude, B:149–173  
pelagic sedimentation, A:377  
planktonic foraminifers, A:313
- Cretaceous/Tertiary boundary  
bolide impact hypothesis, A:393–394  
Caribbean Sea, A:7, 379  
gamma-ray spectra scanning, A:186, 336  
lithologic units, A:150, 304–306, 342, 346  
lithology, A:204–206, 395  
magnetostratigraphy, A:160; B:143–147  
paleoclimatology, A:8–10  
photograph, A:150, 307, 346  
planktonic foraminifers, A:158, 313  
remanent magnetization, A:314  
sedimentation rates, B:145  
sequences, A:151–152  
sites, A:206
- summary, A:205
- cross laminations  
lithologic units, A:59  
photograph, A:60
- crust  
acoustic basement, A:133  
basalts, A:330
- crystal size  
Miocene volcanic ash layers, B:102–103  
*See also* grain size
- Cuba  
Oriente Terrane, A:86  
volcanism, A:389; B:309
- Cucaracha Formation, volcanic provenance, A:184
- Culebra Formation, volcanic provenance, A:184
- Curre Formation, volcanic provenance, A:184
- currents  
ocean circulation, A:154–155  
*See also* Western Boundary Current
- cyclic sedimentation  
anoxic deposits, B:125–140  
Cretaceous/Tertiary boundary, A:9  
duration, B:131, 133  
photograph, B:137
- dating  
igneous activity, A:85  
*See also* age; geochronology; radiometric ages
- deformation, photograph, B:136
- demagnetization  
magnetic inclination, A:159–160  
sediments, A:368–369  
vector diagrams, A:68, 159–160
- demagnetization, alternating-field, basalts, B:159–162
- density, vs. depth, B:183, 207, 208, 210–212
- density, GRAPE, vs. depth, A:87, 185, 187, 266, 332, 372, 381
- density, IP, vs. depth, A:87, 185, 266, 332
- density logs  
vs. depth, A:92, 192; 272, 338; B:195–197, 223  
*See also* gamma ray-density logs;  
gamma ray-density-porosity logs
- density, wet bulk, vs. depth, A:90, 142–143, 149, 189, 269, 335
- deposition  
Magdalena Fan, A:207  
oxic to anoxic, A:361  
*See also* sedimentation
- deposition, hemipelagic, sedimentation, B:98
- deposition, pelagic, carbonate content, A:152, 245–248
- diagenesis  
anoxic deposits, B:125–140  
microstylolites, B:177–190  
paleoceanography, B:275–283  
pore-water geochemistry, B:287–298  
reactions, A:77–79  
redox, A:164; B:308  
*See also* alteration; carbonate solution;  
cementation; dissolution;  
recrystallization
- diagenesis, reductive, iron oxide to pyrite, A:252, 258
- diatoms, lithologic units, A:142, 363, 366, 368, 370; B:87
- dish structures, volcanic ash, A:263–264
- dispersal  
Miocene volcanic ash layers, B:101–113  
volcanic ash, A:172–174; B:115–124
- dissolution  
basaltic glass, B:294

carbonates, A:166–167, 247, 348  
coarse fraction, B:257–258, 269–272  
cyclic sedimentation, B:137–138  
Miocene/late Miocene interval, A:382–384  
opal A, A:261  
*See also* carbonate solution  
dolomite  
concretions, B:130–131  
lithologic units, A:238–239, 260, 364–368  
*See also* proto-dolomite  
downhole measurements  
Site 998, A:88–95  
Site 999, A:186–194  
Site 1000, A:269–274  
Site 1001, A:336–341  
dysoxia, Paleocene, A:381  
echinoderms, photomicrograph, A:246  
ejecta mass, impact craters, A:7  
Ekman drift, circulation, B:86  
El Salvador  
Chalatenango Formation, A:85  
tephra source areas, B:105  
volcanic provenance, A:183  
volcanism, A:387  
electron microprobe data, basalts, B:233–235  
environment. *See* oxic environment; tropical environment  
Eocene  
ash deposits, A:103  
biostratigraphy, A:66  
calcareous nannofossils, A:154  
lithologic units, A:56, 58–60, 146, 300–303  
pelagic sedimentation, A:378  
planktonic foraminifers, A:156–157  
plate tectonics, A:390  
sedimentation rates, A:162  
tectonics, A:103  
volcanic ash, A:174  
volcanism, A:85–86, 388–390; B:308–309  
*See also* Miocene/middle Eocene sequence; Paleocene/Eocene boundary  
Eocene/Miocene boundary, unconformities, B:212  
Eocene/Miocene unconformity, sediments, A:321, 348  
Eocene middle/lower boundary, unconformities, A:304  
Ericson Y zone, planktonic foraminifers, B:88  
erosional events  
middle Miocene, A:234  
*See also* hiatuses; unconformities  
eruptions  
glass shard morphology, A:177–178  
tephra source areas, B:105–106  
volcaniclastics, A:85–86  
volcanism, A:347, 389, 390  
*See also* explosions; volcanism  
evaporites, impact craters, A:8  
explosions  
volcanism, A:390; B:299–314  
*See also* eruptions; volcanism  
fabric, cycles, B:134  
Farallon Plate  
oceanic plateaus, A:9–10  
paleolatitude, B:170  
subduction, A:85  
volcanism, A:184  
faults  
maps, B:127  
reflectors, A:295  
*See also* grabens  
faults, block, reflectors, A:234  
faults, normal

acoustic basement, A:133  
reflectors, A:234  
feldspars  
argon isotopes, B:306  
crystal size, B:102–109  
crystal size in tephra fall layers, B:112  
cumulative percentage of maximum size, B:105, 107, 109  
lithologic units, A:308  
long-axis measurements, B:104  
median size vs. tephra layer thickness, B:104, 107–108  
foraminifers  
biostratigraphic datums, B:256  
compaction, B:133  
Cretaceous/Tertiary boundary, A:151–152  
lithologic units, A:53–58, 138, 142–143, 145–148, 238–239, 241–248, 297–298, 300–302, 363, 370; B:87  
oxygen isotopes, B:243  
photograph, A:329; B:137  
photomicrograph, A:246  
radiometric ages, B:305–306  
vs. depth, A:142  
foraminifers, benthic  
biostratigraphy, A:67, 313–314  
carbon isotopes, B:268–269  
late Paleocene thermal maximum, A:206  
stable isotopes, B:262–263  
turbidites, A:67  
foraminifers, calcitized, photograph, B:136  
foraminifers, planktonic  
biostratigraphic datums, A:65, 157, 251, 310; B:257  
biostratigraphy, A:64–66, 154–158, 250–251, 311–313, 368; B:19–56  
preservation, A:66–67  
Formation A  
basaltic basement, A:325  
photograph, A:328  
Formation B  
basaltic basement, A:325  
basalts, B:233–235  
photomicrograph, A:346  
Formation C, basaltic basement, A:325–326  
Formation D, basaltic basement, A:325–326  
Formation E, basaltic basement, A:325–326  
Formation F, basaltic basement, A:325–326  
Formation G  
basaltic basement, A:325–326  
basalts, B:233–235  
photograph, A:329  
Formation H  
basaltic basement, A:325–326  
basalts, B:233–235  
photograph, A:329  
Formation I, basaltic basement, A:325–326  
Formation J, basaltic basement, A:325–326  
Formation K, basaltic basement, A:325–326  
Formation L  
basaltic basement, A:325–326  
basalts, B:233–235  
Formation MicroScanner imagery, vs. depth, A:195; B:194–197, 199, 223  
fractal analysis, glass shard morphology, A:177–178  
fractures, basalts, B:227–232  
frambooids, lithologic units, A:365  
Galapagos hot spot  
formation, A:160  
oceanic plateaus, A:9–10, 293–295  
paleolatitude, B:170  
Galapagos Spreading Center, volcanism, A:184

gamma ray-density logs, A:114–119  
gamma ray-density-porosity logs  
Site 999, A:214–220  
Site 1000, A:284–286  
Site 1001, A:352–354  
gamma ray-resistivity-sonic logs  
Site 998, A:120–125  
Site 999, A:221–227  
Site 1000, A:286–289  
Site 1001, A:355–357  
gamma-ray logs  
Site 999, A:190, 192–194, 211–213  
vs. depth, A:92–95, 104, 109–113, 272–273, 338–339; B:195, 199  
gamma-ray spectra, Cretaceous/Tertiary boundary, A:186  
gamma rays  
sediments, A:187  
vs. depth, A:87, 89, 185, 187, 266, 268, 381, 332–333, 336  
gases, headspace, concentration, A:370  
gateways. *See* sea gateways  
Gatun Formation, volcanic provenance, A:184  
general circulation models, sea gateways, B:267–269  
geochemical logs  
Site 999, A:228–230  
vs. depth, A:93–94, 104, 126–130, 194, 273, 336, 339  
geochemistry  
ash deposits, A:103  
pore water, A:396–398; B:287–298  
sediments, A:394, 396  
volcanic ash falls, A:81–82  
geochemistry, inorganic  
Site 998, A:73–79  
Site 999, A:165–174  
Site 1000, A:258–263  
Site 1001, A:316–323, 348  
Site 1002, A:369–370  
volcanic ash, A:202  
geochemistry, organic  
Site 998, A:71–73  
Site 999, A:163–165  
Site 1000, A:254–258  
Site 1001, A:315–316  
Site 1002, A:369  
geochronology  
igneous basement, B:233–236  
volcanism, B:299–314  
*See also* age; dating; radiometric ages  
geological high-sensitivity magnetic tool, magnetic induction, A:94–95, 273–274, 340–341  
geomagnetic polarity time scale, volcanic ash, A:385  
geomagnetism, secular variations, B:151, 158  
glacial/interglacial cycles  
carbonate dissolution, B:266  
magnetic polarity, B:144  
sediments, B:96, 243–245  
glaciation  
carbon isotopes vs. oxygen isotopes, B:281  
lithologic units, A:368; B:87–89, 92–98, 243–245  
sedimentation, A:385  
*See also* ice sheets; last glacial maximum  
glass. *See* volcanic glass  
glomeroporphyritic textures. *See* textures, glomeroporphyritic  
grabens, reflectors, A:295  
grain size  
coarse fraction, B:257–258  
compaction, B:186

mixed sediments, B:180  
 volcanic ash, B:101–113  
 vs. age, B:259  
*See also* crystal size  
 gravity flow deposits, lithologic units, A:242  
 Greater Antilles/Cayman volcanic arc, dispersed ash source, B:121  
 Greater Antilles arc, volcanism, A:389  
 Guatemala  
   Chaltenango Formation, A:85  
   tephra source areas, B:105  
   volcanic provenance, A:183–184  
   volcanism, A:386  
 Gulf of Mexico, Cretaceous/Tertiary boundary, A:7  
 Guyana Current, circulation, B:86  
 gypsum, photograph, A:329

Hess Escarpment  
   acoustic basement, A:133  
   geology, B:151  
   microcrystalline carbonates, B:227–232  
   Miocene/late Miocene carbonate crash, A:382  
   pelagic sedimentation, A:378–379  
   sediments, A:194  
   seismic stratigraphy, A:293–295  
   site description, A:291–357

hiatuses  
   Neogene, B:29  
   preconsolidation, B:179–181  
   seismic facies, B:211  
*See also* erosional events; unconformities

Hispaniola, volcanism, A:86

Holocene, lithologic units, A:237–238, 363

Honduras  
   Chaltenango Formation, A:85  
   volcanism, A:387

HPC acoustic Unit 3, acoustic basement, A:135

haloclastite  
   basement, A:392–393  
   lithologic units, A:308  
   photograph, A:327–328

hydrocarbon zone, vs. depth, A:259

hydrocarbons, carbonate reactions, B:292

hydrocarbons, liquid, Rock-Eval pyrolysis, A:256–257

hydrocarbons, volatile  
   chromatograms, A:256  
   chromatograms vs. time, B:293  
   sediments, A:73, 164–165, 256, 258, 316, 369

hydrogen/(silicon + calcium) ratio logs, vs. depth, A:193

hydrography  
   basins, B:86  
   temperature, B:239–240

hydrolysis, basaltic glass, B:294

hydrothermal alteration  
   paragenesis, B:228–230  
*See also* alteration; diagenesis

ice sheets  
   carbon isotopes vs. oxygen isotopes, B:281  
*See also* glaciation

igneous activity, A:85

igneous petrology  
   Site 998, A:79–86  
   Site 999, A:174–184  
   Site 1000, A:263–264  
   Site 1001, A:323–330

igneous provinces, large, oceanic plateaus, A:9–10

igneous rocks  
   basement, A:391–393  
   geochronology, B:233–236  
*See also* igneous provinces, large

ignimbrite  
   igneous activity, A:85; B:309  
   Miocene explosive volcanism, B:311  
   tephra source areas, B:105  
   volcanic ash falls, A:80  
   volcanism, A:387

impact craters  
   Beloc Formation, A:7  
   Cretaceous/Tertiary boundary, A:393–394  
*See also* bolides; Chicxulub impact crater

inclusions, micrite, B:128, 130

inclusions, micritic, photograph, B:134

inclusions, sparitic, photograph, B:134

index properties, sediments, A:87–88, 90, 186, 189, 267, 26, 333–335

induration  
   coarse fraction, B:257–258  
   lithologic units, A:297–302

insoluble residues, vs. specific surface, B:186

intersertal textures. *See* textures, intersertal

Intertropical Convergence Zone, circulation, A:9; B:86

iridium, impact craters, A:7

iron  
   pore water, A:166, 259, 317, 319; B:288  
   pyrite, A:183  
   redox, A:257  
   seawater reactions with basement, B:294  
   vs. depth, A:74, 166, 257; B:289

iron/(silicon + calcium) ratio logs, vs. depth, A:93, 104, 193

iron/titanium ratio, pore water, B:288

iron logs, vs. depth, B:196–197

iron oxide  
   basalts, A:329  
   reductive diagenesis, A:252  
   vs. depth, A:172  
   vs. silica, A:84

iron oxide logs, vs. depth, B:195

isothermal remanent magnetization. *See* remanent magnetization, anhysteretic; remanent magnetization, saturation isothermal

Jamaica, volcanism, A:86

kaolinite, lithologic units, A:138, 142

kerogen, Rock-Eval pyrolysis, A:256–257

ketones  
   laminations, B:243  
   vs. age, B:244

Kogi Rise  
   acoustic basement, A:133–135  
   depth to volcanic basement, B:219–224  
   Miocene/late Miocene carbonate crash, A:382  
   pelagic sedimentation, A:378–379  
   sedimentation rates, B:257  
   sediments, A:194–207  
   site description, A:131–230

La Luna Formation, lithofacies, B:131–139

La Luna–Querecuel Formation, anoxic deposits, B:125–140

laminations  
   bundles, B:135  
   compaction, B:183  
   compilation, A:367  
   Cretaceous/Tertiary boundary, A:151–152  
   lithologic units, A:59, 147, 150, 302, 363–368; B:87  
   photograph, A:148, 325; B:190  
   photomicrograph, B:188–189  
*See also* cross laminations

lapilli, basement, A:392–393

lapilli, basaltic, photograph, A:306

large igneous provinces. *See* igneous provinces, large

last glacial maximum  
   carbonate dissolution, B:266

lithologic units, B:87–89, 92–98

ocean circulation, B:255

late Paleocene thermal maximum  
   claystone, A:206  
   Cretaceous/Tertiary boundary, A:151  
   downhole measurements, B:195  
   downhole physical properties, A:381  
   mass accumulation rates, A:379  
   paleoceanography, A:380–381; B:70  
   well-logging data, B:191–203

lava flows, basalts, A:326–327, 329

lava flows, basaltic, acoustic basement, A:133

Layer A, limestone, A:346

Layer B, limestone, A:346–347

Layer C, claystone, A:347

Layer D, claystone, A:347

Lesser Antilles, carbonate dissolution index, B:266

Lesser Antilles volcanic arc, tephra source areas, B:105

limestone  
   Cretaceous/Tertiary boundary, A:204–206, 394  
   lithologic units, A:150  
   photograph, A:329, 346

limestone/basalt contact, age, A:313

limestone, calcareous  
   lithologic units, A:58–60, 146–148, 150, 243–245, 304–306, 342  
   photograph, A:306–307

limestone, clayey, photograph, A:346

limestone, clayey calcareous  
   Cretaceous/Tertiary boundary, A:151–152  
   lithologic units, A:146–147

limestone, foraminifer, lithologic units, A:59–60

limestone, marly, lithofacies, B:131

limestone, nannofossil micritic, lithologic units, A:243–248

Limon Basin, volcanic provenance, A:184

lithification, lithologic units, A:238–239, 243

lithification front, vs. depth, A:259

lithium  
   pore water, A:75, 168, 260–261  
   vs. depth, A:76, 168, 261

lithofacies  
   age, B:151  
   Cretaceous/Tertiary boundary, A:151  
   marl, B:131

lithologic units  
   Site 998, A:53–60  
   Site 999, A:138–151  
   Site 1000, A:237–245  
   Site 1001, A:296–309  
   Site 1002, A:363–368  
   Unit I, A:53–54, 138, 142–143, 237–239, 241–243, 296–300, 363–368  
   Unit II, A:54–56, 143–145, 243–245, 300–303  
   Unit III, A:56, 58–59, 145–146, 303–308  
   Unit IV, A:59–60, 146–148  
   Unit V, A:148, 150  
   Unit VI, A:150–151

lithology  
   relation to color reflectance, A:60–61  
   synthetic seismograms, B:205–217

lithosphere, plateaus, B:235

lithostratigraphy  
   correlation with seismic stratigraphy, A:202–204

Site 998, A:52–62

Site 999, A:138–152; B:277

Site 1000, A:236–248; B:277

Site 1001, A:296–309  
 Site 1002, A:362–368

**Loop Current.** *See Caribbean/Loop Current system*

**Los Chocoyos eruption, volcanic provenance,** A:183

**lysocline**  
 lithologic units, B:201  
 Miocene/late Miocene interval, A:381–384  
*See also* carbonate compensation depth

**Maastrichtian**  
 geology, B:151  
 limestone, A:346  
 lithologic units, A:150–152, 308  
 pelagic sedimentation, A:378; B:308  
 planktonic foraminifers, A:158  
 sedimentation rates, A:162

**Magdalena Fan**  
 carbonate content, A:152  
 deposition, A:207  
 pelagic sedimentation, A:380  
 sediments, A:194

**magnesium**  
 carbonate reactions, B:291  
 pore water, A:74, 167, 260, 319, 396–398  
 seawater reactions with basement, B:293–294  
 vs. depth, A:75, 167, 260; B:292, 294–295,  
     372

**magnesium oxide**  
 basalts, A:329  
 volcanic ash, A:180  
 volcanic ash falls, A:82  
 vs. titanium oxide, B:235

**magnetic declination**  
 Cretaceous/Tertiary boundary, B:145  
 vs. depth, B:145

**magnetic inclination**  
 basalts, B:157  
 biases, B:167–169  
 Cretaceous/Tertiary boundary, B:145  
 demagnetization, A:159–160  
 paleolatitude, B:159–163  
 principal component analysis of discrete  
     samples, B:158  
 vs. depth, A:68, 159–161, 314–315, 369;  
     B:145–146, 169

**magnetic induction**  
 geological high-sensitivity magnetic tool,  
     A:94–95, 273–274, 340–341  
 vs. depth, A:274, 341–342

**magnetic induction, total, vs. depth**, A:95–96

**magnetic intensity**  
 vs. depth, A:69, 159, 252, 314, 369; B:163

**magnetic polarity**  
 age, B:144  
 depths of chron boundaries, A:161

**magnetic reversals, boundary depths and ages**,  
 A:69

**magnetic susceptibility**  
 comparison of Sites 998 and 999, A:248  
 correlation with calcium carbonate, A:382  
 Cretaceous/Tertiary boundary, B:145  
 high-sensitivity tools, A:94–95  
 relation to lithology, A:60–61  
 sediments, A:185, 267  
 vs. age, A:58, 144–145, 382, 384  
 vs. carbonate content, A:61, 252  
 vs. depth, A:69, 87, 95–96, 149, 185, 187, 240,  
     243, 252, 266, 272, 274, 303, 306, 314,  
     332, 334, 338, 341–342, 369, 372–373;  
     B:145, 147, 196–197, 200–201

**magnetostratigraphy**  
 Cretaceous/Tertiary boundary, B:145  
 magnetic polarity, A:160–161

synthesis, A:68–69  
 vs. age, B:256

**major elements**  
 sediments, A:77, 170, 262, 321  
 volcanic ash, A:84, 181, 324

**major oxides**  
 basalts, A:326, 329  
 volcanic ash, A:179–182, 183  
 volcanic ash fall layers, A:266  
 vs. depth, A:330  
 vs. silica, A:183

**manganese**  
 pore water, A:167, 259, 319; B:288  
 redox, A:257  
 vs. depth, A:74, 166, 257, 319; B:294

**manganese/titanium ratio, pore water**, B:288

**Margarita Island, basins**, B:86

**Maria Tecun welded ash flow tuffs, volcanic**  
 provenance, A:183

**marine isotope Stages 1–6, planktonic**  
 foraminifers, B:91

**marine isotope Stage 2, planktonic foraminifers**,  
 B:92

**marine isotope Stages 2–4, planktonic**  
 foraminifers, B:88

**marine isotope Stage 3, planktonic foraminifers**,  
 B:89, 244

**marine isotope Stage 4, planktonic foraminifers**,  
 B:89

**marine isotope Stage 5, planktonic foraminifers**,  
 B:88–89, 92–94, 244

**marine isotope Stage 6, planktonic foraminifers**,  
 B:88–89, 92–94

**marine isotope Stage 12, planktonic foraminifers**,  
 B:88

**marine isotope Stages 14/13 boundary, planktonic**  
 foraminifers, B:88

**marl, lithofacies**, B:131

**mass accumulation rates**  
 aragonite, B:261–262  
 bulk sediments, B:254–255, 270–272  
 carbonate component vs. age, B:120, 261  
 carbonate and noncarbonate fractions, A:162;  
     B:118–123  
 dispersed ash vs. age, B:120–122  
 interpolated ages, A:72, 162, 255, 317  
 Miocene volcanic ash, B:111, 113  
 pelagic sedimentation, A:377–380  
 sediments, B:22–23  
 Site 998, A:69–71  
 Site 999, A:161–163  
 Site 1000, A:252–254, 275  
 Site 1001, A:315  
 tephra layers, B:301  
 terrigenous component vs. age, B:120–121  
 vs. age, A:71, 163, 253–254, 318, 383  
 vs. depth, A:71–72, 162–163, 253, 317,  
     379–380  
*See also* sedimentation rates

**mass accumulation rates, carbonate**  
 sediments, B:259–261  
 vs. age, B:250

**mass extinctions, Cretaceous/Tertiary boundary**,  
 A:7

**Mediterranean Outflow Water, ocean circulation**,  
 B:255

**megabanks. *See* carbonate platforms**

**megabanks, founded, reflectors**, A:234–236

**methane**  
 carbonate reactions, B:292  
 sediments, A:73, 164–165, 256, 316, 369  
 vs. core number, A:370

**Mexico, volcanism**, A:386

**Mexico S, tephra source areas**, B:105

**micrite**  
 beige layers, B:132–133  
 compaction, B:181–183  
 inclusions, B:128, 130  
 lithologic units, A:238–242  
 microbial origin, B:227–232  
 seismic units, B:210

**micrite, layered, photograph**, B:136

**microbial activity**  
 cements, B:227–232  
 organic matter, B:288–291

**microfossils**  
 photomicrograph, B:188–189  
 preconsolidation, B:181–183

**microstylvolites, mixed sediments**, B:177–190

**Middle America Trench**  
 plate boundaries, A:184  
 volcanism, A:386

**Middle American Arc, tectonics**, A:85

**Milankovitch cycles**  
 indicators, B:246  
 lithologic units, A:305, 308

**Mimbres sequence, Mexico**, A:7

**minerals, downcore variations**, A:241, 303

**Miocene**  
 acoustic basement, A:133–135  
 biostratigraphy, A:64–66; B:13–14  
 calcareous nannofossils, A:152–153, 249–250  
 lithologic units, A:54–56, 58–59, 138,  
     142–146, 237–239, 241–248, 297–300  
 pelagic sedimentation, A:378–379  
 planktonic foraminifers, A:155–156, 250–251  
 sea gateways, B:254  
 tectonics, A:103  
 volcanic ash, A:174; B:101–113  
 volcanic ash falls, A:80  
 volcanoclastics, A:83–86  
 volcanism, A:386–388; B:309–310  
*See also* Eocene/Miocene boundary;  
 Eocene/Miocene unconformity;  
 Oligocene/Miocene boundary

**Miocene/middle Eocene sequence**,  
 unconformities, A:304

**Miocene, lower-middle, paleoceanography**,  
 B:275–283

**Miocene, middle-upper, tectonics**, B:252

**Miocene, middle–upper carbonate crash**  
 mass accumulation rates, A:247, 249–250,  
     275, 379, 383  
 paleoceanography, A:381–384; B:249–273  
 sediment composition, A:172  
 tectonics, A:206–207

**Miocene volcanic episode, paleogeography**, A:387

**Misteriosa Bank, seismic stratigraphy**, A:50–51

**Mono Rise**  
 acoustic basement, A:134  
 sediments, A:194

**Monterey Excursion, carbon isotopes**, B:280–281

**Monterey Formation, carbon isotopes vs. oxygen**  
 isotopes, B:281

**Morti tuffs, volcanic provenance**, A:184

**Motagua Fault, volcanism**, A:184

**mottling, Cretaceous/Tertiary boundary**,  
 A:151–152

**nannofossils**  
 biostratigraphic datums, A:63, 153, 249, 310;  
     B:256  
 lithologic units, A:53, 138, 142, 145–148,  
     238–239, 241, 363–368; B:87  
 photograph, A:144  
 radiometric ages, B:305–306

**nannofossils, calcareous, biostratigraphy**,  
 A:62–64, 152–154, 248–250, 309–311,

- 368; B:3–17  
 Napipi Formation, volcanic provenance, A:184  
 Nazca Plate, volcanism, A:184  
 Neogene  
   biotritigraphy, A:62–65, 342; B:3–17, 19–56  
   calcareous nannofossils, A:309–310  
   Caribbean Current, A:9  
   mass accumulation rates, A:69–71  
   pelagic sedimentation, A:378–380  
   planktonic foraminifers, A:311–312  
 Neogene/Paleogene boundary, unconformities, A:342  
 Nicaragua  
   Chalatenango Formation, A:85  
   volcanism, A:387  
 Nicaraguan Rise  
   bathymetry, B:253  
   geochronology of igneous basement, B:233–236  
   ocean circulation, A:9; B:253  
   paleoceanography, B:275–283  
   pelagic sedimentation, A:378  
   plate tectonics, B:252  
   seismic facies, B:212  
   seismic stratigraphy, A:293–295  
   volcanism, A:86  
 Nicaraguan Rise N  
   carbonate dissolution index, B:266  
   geology, B:151, 267–268  
   site description, A:231–289  
 Nicaraguan Rise S  
   Cretaceous/Tertiary boundary, A:395  
   site description, A:291–357  
 nickel  
   volcanic ash falls, A:82  
   vs. sulfur, B:290–291  
 niobium  
   sediments, A:174  
   volcanic ash, A:180, 183  
   vs. noncarbonate fractions, A:174  
   vs. yttrium, A:183  
   vs. zirconium, A:393  
   *See also* yttrium + niobium; yttrium/niobium ratio; zirconium/niobium ratio  
 nitrogen, total, sediments, A:72, 163–164, 254–256, 316, 318  
 noncarbonate component  
   chromium, A:261  
   distribution, A:262–263, 275  
   mass accumulation rates, A:247, 379–380  
   Miocene/late Miocene carbonate crash, A:383  
   provenance, A:322  
   vs. rubidium, A:323  
   vs. titanium, A:323  
   vs. zinc, A:323  
   vs. zirconium, A:323  
 North Atlantic Deep Water  
   ocean circulation, A:9, 62; B:264–265, 267–272  
   production vs. carbonate composite dissolution index, B:266  
 North Atlantic Deep Water, lower, ocean circulation, B:255  
 North Atlantic Deep Water, upper, ocean circulation, B:255  
 North Atlantic Intermediate Water, glacial, ocean circulation, B:255  
 North Brazil Current, circulation, B:86  
 North Component Water, carbonate content vs. age, B:265, 268–272  
 North Equatorial Countercurrent  
   ocean circulation, A:154  
   pelagic sedimentation, A:378, 385  
 North Equatorial Current  
   ocean circulation, A:154; B:29  
   pelagic sedimentation, A:378, 385  
 obduction, plateaus, B:235  
 obliquity  
   cyclic sedimentation, B:137–138  
   vs. age, B:95  
 ocean circulation  
   carbonates, A:385  
   Cretaceous/Tertiary boundary, A:8–10  
   middle-late Miocene, B:252  
 ocean plateaus  
   isochrons, B:235  
   volcanism, A:9–10, 293–295, 347; B:308  
   *See also* igneous provinces, large  
 Oligocene  
   biotritigraphy, A:66  
   calcareous nannofossils, A:153–154  
   lithologic units, A:146–148  
   planktonic foraminifers, A:156  
   volcanic ash falls, A:80  
 Oligocene/Miocene boundary  
   carbon isotopes, B:280–281  
   sedimentation rates, A:162–163  
 Oligocene, upper, paleoceanography, B:275–283  
 olivine, dissolution, B:294  
 ooze, clayey nannofossil, lithologic units, A:142, 297–298  
 ooze, foraminiferal, lithologic units, A:53–55  
 ooze, foraminiferal micritic, lithologic units, A:238–239, 241  
 ooze, micritic, lithologic units, A:238–239, 241  
 ooze, micritic nannofossil, lithologic units, A:238–239, 241, 245–248  
 ooze, nannofossil, lithologic units, A:53, 55, 238, 298–300  
 ooze, pelagic, lithologic units, A:54–55  
 ooze, pelagic biogenic, lithologic units, A:53–55  
 opal, biogenic production, A:79  
 opal, biogenic, vs. depth, A:143  
 opal A, dissolution, A:261  
 opal CT  
   lithologic units, A:147, 244, 260, 301  
 orbital forcing  
   chronology, B:306  
   lithologic units, A:304–308  
 organic matter  
   diagenesis, A:164, 275  
   lithofacies, B:131–133  
   pore water, A:166–167  
   remineralization, B:288–291  
   *See also* alkenones; hydrocarbons; ketones  
 Oriente Terrane, volcanism, A:86  
 oxic environment, lithologic units, A:368  
 oxygen isotopes  
   foraminifers, B:88–93, 243  
   vs. age, B:94, 97, 262, 281  
   vs. carbon isotopes, B:281  
   vs. depth, B:92–93, 278–281  
 oxygen isotopes, planktonic record, vs. depth, A:240  
 oxygenation, sedimentation, B:98  
 Pacagua Formation, volcanic provenance, A:184  
 “*pachyderma*” event, ocean circulation, A:154–155, 250; B:29  
 “*pachyderma*” (sinistral) event  
   Caribbean Sea, A:384–385  
   Site 999, A:155  
 Pacific Ocean, central, volcanic ash mass accumulation rate, B:113  
 Pacific Ocean E equatorial, carbonate mass accumulation rates, B:250, 270–271  
 Pacific Plate, volcanism, A:388  
 Pacific tuffs, volcanic provenance, A:184  
 Padre Miguel Group  
   tephra source areas, B:105  
   volcanic provenance, A:183  
 palagonitization, basalts, A:327  
 paleoceanography  
   alkenones, B:239–247  
   Cretaceous-Tertiary sequence, A:154–155, 341–342, 346–348, 380–385; B:29  
   Cretaceous/Tertiary boundary, A:8–10  
   latest Quaternary, A:385  
   middle-late Miocene, B:252  
   middle-late Miocene carbonate crash, B:249–273  
   stable isotopes, B:275–283  
 Paleocene  
   calcareous nannofossils, A:154  
   limestone, A:346  
   lithologic units, A:148, 150, 300–306  
   pelagic sedimentation, A:378  
   planktonic foraminifers, A:157–158  
   sedimentary rocks, B:190  
   sedimentation rates, A:162  
   volcanism, A:390; B:308–309  
   *See also* late Paleocene thermal maximum  
 Paleocene, upper, downhole measurements, B:196–197, 199  
 Paleocene/Eocene boundary, well logs, B:200–201  
 paleoclimatology  
   Cretaceous/Tertiary boundary, A:8–10  
   latest Quaternary, A:385  
   Quaternary, A:368; B:92–98  
   volcanism, A:390  
 paleodepth, Paleocene, A:381  
 paleoenvironment, oxic to anoxic environment, A:361  
 paleoequator, Late Cretaceous, A:393  
 Paleogene  
   biotritigraphy, A:64, 66, 342; B:57–81  
   calcareous nannofossils, A:310–311  
   pelagic sedimentation, A:377  
   planktonic foraminifers, A:312–313  
   radiolarian and foraminifer-rich sands, A:206  
   *See also* Neogene/Paleogene boundary  
 paleogeography  
   Cenozoic, B:173  
   Miocene volcanic episode, A:387  
 paleolatitude  
   Caribbean Plate, B:149–173  
   magnetic inclination, B:159–163  
   mean inclinations for basalt units, B:166  
   observed values to true values, B:164–165  
   vs. age, B:170  
   vs. carbonate content, B:171  
   vs. depth, B:168–170  
   vs. porosity, B:171  
   vs. water content, B:171  
 paleomagnetic directions, dating, A:68  
 paleomagnetism  
   basalt split-core inclinations, B:157  
   discrete samples, B:156–157  
   paleolatitude, B:151–171  
   Site 998, A:67–69  
   Site 999, A:158–161  
   Site 1000, A:251–252  
   Site 1001, A:314–315  
   Site 1002, A:368–369  
   split-core data, B:154–156  
   tephra, B:154; bp:CD-ROM  
 paleoproductivity  
   alkenones, B:243  
   sedimentation rates, A:96; B:96  
 paleotemperature, alkenones, B:242–246  
 Panama, Isthmus of

- Chaltenango Formation, A:85  
 genesis, A:207  
 isthmus emergence, A:9, 62; B:267  
 ocean circulation, B:253, 264, 270  
 pelagic sedimentation, A:379–380  
 volcanic provenance, A:183–184  
 paragenesis, carbonates, B:228–230  
 Pedro Channel  
     bathymetry, A:234, 275; B:253  
     Miocene/late Miocene carbonate crash, A:382–383; B:271–272  
 pelagic sedimentation, A:378–380; B:267  
 plate tectonics, B:252  
 sedimentation, A:245–248  
 seismic stratigraphy, A:232–236  
 seismic units, B:209–212  
 site description, A:231–289  
 periplatforms  
     lithologic units, A:239, 245–248  
     reflectors, A:234  
 petrography  
     basalts, A:326–329  
     micrite, B:228–230  
 petrology, basalts, B:233–236  
 pH, pore water, A:73–74, 166, 259, 317  
 Phacodiscid species, Site 999, B:79  
 phenocrysts  
     basalts, A:326–327, 329; B:233–235  
     crystal size, B:102–103  
     photomicrograph, A:81  
 phosphate  
     pore water, A:75, 167, 259; B:288  
     redox, A:257  
     vs. depth, A:75, 257, 372; B:294  
 photoelectric effect logs, vs. depth, A:92, 192, 272, 338  
 physical properties  
     mixed sediments, B:180  
     Site 998, A:86–88  
     Site 999, A:184–186  
     Site 1000, A:264–269  
     Site 1001, A:330–336  
     Site 1002, A:370  
     volcanic basement, B:220  
 plagioclase  
     basalts, B:233–235  
     photograph, A:329  
     photomicrograph, A:329  
     textures, A:326–327, 329  
     volcanic ash falls, A:80  
 plagioclase, calcic, dissolution, B:294  
*Planolites*, lithologic units, A:145  
 plate boundaries  
     convergent plates, A:184  
     oceanic plateaus, A:11  
 plate motion, models, B:169–171  
 plate tectonics  
     Eocene–Miocene, B:309–310  
     middle–late Miocene, B:252, 270–272  
     paleolatitude, B:149–173  
 plateaus. *See* ocean plateaus  
 Pleistocene  
     biostratigraphy, A:62–64  
     calcareous nannofossils, A:152, 248–249  
     lithologic units, A:53–54, 138, 237–238, 296–297, 363–368  
     pelagic sedimentation, A:380  
     planktonic foraminifers, A:155, 250  
     *See also* Pliocene–Pleistocene sequence  
 Pliocene  
     biostratigraphy, A:64; B:11–13  
     calcareous nannofossils, A:152, 249  
     lithologic units, A:53–55, 138, 142, 237–239, 241, 297  
     planktonic foraminifers, A:155, 250  
     magnetostratigraphy, A:160  
     sedimentation rates, A:162  
     pore water  
         composition, A:73–76, 165–169, 258–261, 316–320, 348, 369–371  
         geochemistry, A:396–398; B:287–298  
     porosity  
         gamma-ray attenuation evaluator data, A:185, 267, 332, 373  
         sulfate reduction, B:289  
         vs. depth, A:90, 143, 149, 189, 269, 335; B:138  
         vs. paleolatitude, B:171  
         vs. traveltime, B:187  
         vs. uniaxial stress, B:182, 185  
     porosity, Archie, vs. depth, A:90  
     porosity, critical, preconsolidation, B:181–183  
     porosity logs. *See* gamma ray-density-porosity logs  
     potassium  
         gamma-ray intensity vs. depth, A:190–191  
         pore water, A:75, 168, 260, 320  
         volcanic ash, A:180  
         vs. depth, A:76, 168, 261, 320, 336–337, 372  
         vs. thorium, A:340  
     potassium/(thorium + uranium) ratio, gamma-ray intensity vs. depth, A:191, 337  
     potassium logs, vs. depth, A:94, 104, 194, 273  
     potassium oxide  
         volcanic ash, A:82  
         *See also* sodium oxide + potassium oxide; sodium oxide/potassium oxide ratio  
     precession, vs. age, B:95  
     precipitation, carbonates, A:166–167; B:292–293  
     precipitation, postdepositional, carbonates, B:279  
     preconsolidation, stylolites, B:179–181  
     preservation  
         calcareous nannofossils, A:152–154, 248–250, 309–311  
         foraminifers, A:368  
         planktonic foraminifers, A:66–67  
         radiolarians, B:57–58  
         vs. depth, A:66  
     primary structures, lithofacies, B:131–133  
     proto-dolomite, Rock-Eval pyrolysis, A:256–257  
     provenance, Miocene volcanic ash layers, B:101–113  
     pteropods, lithologic units, A:138, 238, 363; B:87  
     Punta Carballo Formation, volcanic provenance, A:184  
     pyrite  
         lithologic units, A:54, 241, 244, 363–368  
         photomicrograph, A:176–177  
         reductive diagenesis, A:252, 258  
         sulfate reduction, B:290  
         volcanic glass, A:176  
     pyroclastics, plumes, B:106–108  
     pyrolysis, Rock-Eval  
         bitumens, A:256–257  
         sediments, A:257  
     quartz  
         lithofacies, B:131–133  
         lithologic units, A:144, 298–301, 346  
         X-ray diffraction peak intensity vs. depth, A:142  
     quartz/calcite ratio, vs. depth, A:56  
     quartz, shocked  
         Layer B, A:346  
         photomicrograph, A:346  
     Quaternary  
         anoxic deposits, B:125–140  
     biostratigraphy, A:368; B:3–17  
     Quaternary, upper  
         biostratigraphy, B:85–99  
         paleoceanography and paleoclimatology, A:385  
     quenched margins, textures, A:326–327, 329  
     Querecuel Formation  
         lithofacies, B:131–139  
         *See also* La Luna–Querecuel Formation  
     radiolarians  
         biostratigraphy, B:57–81  
         lithologic units, A:142–143, 148  
     radiometric ages  
         vs. biostratigraphy, B:305–307  
         *See also* dating; geochronology  
     rebound, uploading curves, B:178–179  
     recrystallization  
         calcite, B:133  
         carbonates, B:228–229  
         lithologic units, A:304  
         photograph, B:136  
     redox  
         diagenesis, A:164; B:308  
         organic matter, B:288–291  
         pathways, A:257  
         *See also* reduction  
     reduction  
         Miocene/late Miocene interval, A:381–384  
         organic matter, A:164  
         *See also* redox; sulfate reduction  
     reflectance  
         lithologic units, A:241  
         relation to lithology, A:60–61  
         spectra for lithologies, A:61  
         vs. carbonate content, A:61  
         vs. depth, A:238, 243, 303  
     reflections, acoustic basement, A:133–135  
     reflections, high-resolution, seafloor, A:234  
     Reflector 1, seismic stratigraphy, A:51, 234  
     Reflector 2, seismic stratigraphy, A:51  
     Reflector 3, seismic stratigraphy, A:51  
     Reflector 4, seismic stratigraphy, A:51, 235  
     Reflector 5, seismic stratigraphy, A:234  
     Reflector 6, seismic stratigraphy, A:234–236  
     Reflector A'', seismic stratigraphy, A:294, 348  
     Reflector B'', seismic stratigraphy, A:294  
     reflectors  
         periplatforms, A:234  
         seismic stratigraphy, A:50–51  
     remanent magnetization, anhysteretic, vs. depth, B:147  
     remanent magnetization, anhysteretic/saturation isothermal ratio, vs. depth, B:147  
     remanent magnetization, chemical, basalts, B:159–162  
     remanent magnetization, “hard” isothermal, vs. depth, B:147  
     remanent magnetization, natural, sediments, A:68–69, 158, 314, 368–369; B:146–147  
     remanent magnetization, saturation isothermal, vs. depth, B:147  
     remineralization, organic matter, B:288–291  
     remineralization, organic, pore water, A:166  
     resistivity  
         sediments, A:88, 186, 189, 267, 269, 334–335  
         vs. depth, A:90, 189, 269, 335, 381  
     resistivity logs  
         vs. depth, A:92, 192; 272, 338; B:195, 223  
         *See also* gamma ray-density-porosity logs  
     reworking  
         lithologic units, A:145  
         photograph, A:59  
     rhyolite, photomicrograph, A:81

- Rosalind Bank  
 bathymetry, A:234, 275  
 seismic stratigraphy, A:232  
 seismic units, B:209  
 rough horizon B'  
 acoustic basement, A:133  
*See also* smooth horizon B'  
 rubidium  
 pore water, A:75, 168, 260, 320  
 volcanic ash, A:183  
 vs. depth, A:76, 168, 261, 320; B:297  
 vs. noncarbonate fraction, A:323  
 vs. yttrium + niobium, A:183  
 rubidium(strontium ratio, volcanic ash, A:180  
 salinity  
 indicators, B:88–89, 91, 96  
 pore water, A:73–74, 166, 259, 317, 396–398  
 vs. depth, A:166, 319, 372  
 San Pedro Formation, volcanic provenance, A:184  
 sand, foraminiferal  
 lithologic units, A:239, 242–243, 302–303  
 number of layers vs. age, A:381  
 photograph, A:242, 245  
 sand, foraminiferal and radiolarian  
 Paleogene, A:206  
 vs. depth, A:148  
 sand, normally graded, lithologic units,  
 A:238–239, 241, 244–245  
 sand, volcaniclastic, photograph, A:60  
 Santa Elena Fault Zone, volcanic provenance,  
 A:183  
 Santaren Channel, ocean circulation, B:267–269  
 Santorini, tephra grain size and thickness, B:112  
 saturation isothermal remanent magnetization. *See*  
 remanent magnetization, anhysteretic;  
 remanent magnetization, saturation  
 isothermal  
 sea gateways  
 closing, B:254, 271  
 general circulation models, B:267–269  
 seafloor spreading rates, volcanism, A:388  
 sea-level changes  
 history, B:96, 244  
 lithologic units, A:368  
 seawater, reactions with basement, B:293–294  
 secular variations, geomagnetism, B:151, 158  
 sedimentary rocks, mixed, lithologic units,  
 A:300–302  
 sedimentation  
 lithologic units, A:62  
 upper Quaternary, B:85–99  
 volcanic ash, A:202  
*See also* deposition; sedimentation, rhythmic  
 sedimentation, pelagic, mass accumulation rates,  
 A:377–380  
 sedimentation, rhythmic, sediments, B:92–98  
 sedimentation rates  
 biostratigraphy, B:257  
 carbonate crash, A:96  
 corrections, B:129  
 Cretaceous/Tertiary boundary, B:145  
 geomagnetism, B:151, 158  
 lithologic units, A:142  
 Maastrichtian, A:162  
 nannofossil datums, A:161  
 Oligocene/Miocene boundary, A:162–163  
 Site 998, A:69–71  
 Site 999, A:161–163  
 Site 1000, A:252–254, 275  
 Site 1001, A:315  
 vs. age, A:70, 161, 253, 316  
 vs. number of cycles, B:133–139  
*See also* mass accumulation rates  
 sediments  
 geochemistry, A:394, 396  
 lithologic units, B:86–87  
 sediments, bulk  
 carbonates and terrigenous material, A:394,  
 396  
 vs. age, A:173  
 vs. depth, A:263, 322  
 sediments, clayey, photograph, A:307  
 sediments, foraminiferal, vs. depth, A:306  
 sediments, foraminiferal clayey mixed, lithologic  
 units, A:138  
 sediments, hemipelagic, ocean circulation, A:385  
 sediments, indurated mixed, lithologic units,  
 A:143–145  
 sediments, laminated, lithologic units, A:363–368  
 sediments, mixed  
 burial history, B:177–190  
 lithologic units, A:54–55, 363–368  
 sediments, mixed clayey nannofossil, lithologic  
 units, A:55, 138, 142–146, 297  
 sediments, redeposited, photograph, A:59–60  
 seismic facies  
 lithology, A:204  
 synthetic seismograms, B:205–217  
 seismic profiles  
 Site 998, A:52  
 Site 999, A:134–136  
 Site 1000, A:235–236  
 Site 1001, A:296–299  
 Site 1002, A:364  
 seismic stratigraphy  
 correlation, A:105, 202–204, 282  
 Site 998, A:50–51  
 Site 999, A:132–136  
 Site 1000, A:232, 234–236  
 Site 1001, A:293–295  
 Site 1002, A:362  
 volcanic basement, B:219–220  
 seismic Unit A  
 ash deposits, A:104  
 reflectors, A:234–236, 295  
 seismic Unit B  
 ash deposits, A:104  
 reflectors, A:235–236, 295  
 seismic stratigraphy, A:51  
 seismic Unit C  
 ash deposits, A:104  
 reflectors, A:295  
 seismic stratigraphy, A:51  
 seismic Unit CB1  
 acoustic basement, A:135  
 lithostratigraphy, A:204  
 seismic Unit CB4  
 acoustic basement, A:135; B:222–224  
 lithostratigraphy, A:204  
 seismic Units CB4B/CB5 boundary, synthetic  
 seismograms, B:222–224  
 seismic Unit CB5  
 acoustic basement, A:134; B:222–224  
 lithostratigraphy, A:202–204  
 seismic units  
 ash deposits, A:104  
 lithofacies, B:208–214  
 seismograms, synthetic, seismic facies,  
 B:205–217, 222  
 Serranilla Bank  
 seismic stratigraphy, A:232  
 seismic units, B:209  
 shear strength  
 sediments, A:186, 190, 267–269, 335  
 vs. depth, A:90–91, 190, 270, 335–336  
 shear strength, vane, sediments, A:88  
 sheet flows, basement, A:392–393  
 shoaling, Neogene, B:29  
 Sierra Formation, volcanic provenance, A:184  
 Sierra Maestra, volcanism, B:309  
 silica  
 pore water, A:76, 168–169, 260, 320  
 seawater reactions with basement, B:294  
 volcanic ash, A:180, 183; B:295  
 volcanism, A:390  
 vs. depth, A:76, 169, 261, 320, 372, 397;  
 B:295–296  
 vs. major oxides, A:183  
 vs. oxides, A:84  
*See also* hydrogen/(silicon + calcium) ratio  
 logs; iron/(silicon + calcium) ratio  
 logs; silicon/(silicon + calcium) ratio  
 logs  
 silica, biogenic  
 lithologic units, A:142  
 pore water, A:397  
 silica logs, vs. depth, B:195  
 silicification  
 lithologic units, A:60, 147  
 seismic stratigraphy, A:203–204  
*See also* chertification  
 silicon/(silicon + calcium) ratio logs, vs. depth,  
 A:93, 104, 193  
 silt, foraminiferal, lithologic units, A:54, 239, 242  
 Site 147, lithologic units, B:87–89, 95  
 Site 489, volcanism, A:386  
 Site 493, volcanism, A:386  
 Site 502, acoustic basement, A:135  
 Site 504, niobium vs. zirconium, A:393  
 Site 536, Cretaceous/Tertiary boundary, A:7  
 Site 540, Cretaceous/Tertiary boundary, A:7  
 Site 806, stylolites, B:184  
 Site 807  
 mixed sediments, B:180  
 stylolites, B:184  
 Site 846  
 carbonate content vs. age, B:265  
 correlation of magnetic susceptibility and  
 calcium carbonate in pelagic  
 carbonates, A:384  
 Site 848, carbonate mass accumulation rates,  
 B:250  
 Site 849, carbonate mass accumulation rates,  
 B:250  
 Site 850, carbonate mass accumulation rates,  
 B:250  
 Site 851, carbonate mass accumulation rates,  
 B:250  
 Site 852, carbonate mass accumulation rates,  
 B:250  
 Site 865, thermal events, A:151  
 Site 926  
 carbonate content vs. age, B:265  
 correlation of magnetic susceptibility and  
 calcium carbonate in pelagic  
 carbonates, A:384  
 Site 998, A:49–130  
 background and objectives, A:50  
 biostratigraphy, A:62–67; B:3–17, 59–63  
 carbonate crash, A:152  
 coring, A:53  
 correlation of magnetic susceptibility and  
 calcium carbonate in pelagic  
 carbonates, A:382, 384  
 downhole measurements, A:88–95  
 geology, B:151  
 igneous petrology, A:79–86  
 inorganic geochemistry, A:73–79  
 lithostratigraphy, A:52–62  
 mass accumulation rates, A:69–71  
 Miocene/late Miocene carbonate crash, A:382;

B:249–273  
 Miocene volcanic ash layers, B:101–113  
 operations, A:51  
 organic geochemistry, A:71–73  
 paleomagnetism, A:67–69; B:163  
 physical properties, A:86–88  
 sedimentation rates, A:69–71  
 seismic stratigraphy, A:50–51  
 site description, A:49–130  
 summary and conclusions, A:95–106  
 synthetic seismograms, B:208–209  
 volcanology, A:79–86  
 Site 999, A:131–230  
 background and objectives, A:132  
 biostratigraphy, A:152–158; B:3–56, 59–60,  
 64–68  
 coring, A:137  
 correlation of magnetic susceptibility and  
 calcium carbonate in pelagic  
 carbonates, A:382  
 depth to volcanic basement, B:219–224  
 downhole measurements, A:186–194  
 geology, B:151  
 high-resolution well-log data, B:191–203  
 igneous petrology, A:174–184  
 inorganic geochemistry, A:165–174  
 lithostratigraphy, A:138–152  
 mass accumulation rates, A:161–163  
 microstylolites, B:177–190  
 Miocene/late Miocene carbonate crash, A:382;  
 B:249–273  
 Miocene volcanic ash layers, B:101–113  
 operations, A:136–138  
 organic geochemistry, A:163–165  
 paleceanography, B:275–283  
 paleomagnetism, A:158–161; B:163  
 physical properties, A:184–186  
 sedimentation rates, A:161–163  
 seismic stratigraphy, A:132–136  
 site description, A:131–230  
 stylolites, B:184  
 summary and conclusions, A:194–207  
 volcanology, A:174–184  
 Site 1000, A:231–289  
 background and objectives, A:232  
 biostratigraphy, A:248–251; B:3–17  
 coring, A:237  
 correlation of magnetic susceptibility and  
 calcium carbonate in pelagic  
 carbonates, A:382  
 downhole measurements, A:269–274  
 geology, B:151  
 igneous petrology, A:263–264  
 inorganic geochemistry, A:258–263  
 lithostratigraphy, A:236–248  
 mass accumulation rates, A:252–254  
 Miocene/late Miocene carbonate crash,  
 A:382–383; B:249–273  
 Miocene volcanic ash layers, B:101–113  
 operations, A:236  
 organic geochemistry, A:254–258  
 paleceanography, B:275–283  
 paleomagnetism, A:251–252; B:163  
 physical properties, A:264–269  
 sedimentation rates, A:252–254  
 seismic stratigraphy, A:232, 234–236  
 site description, A:231–289  
 summary and conclusions, A:269–274  
 synthetic seismograms, B:209–212  
 volcanology, A:263–264  
 Site 1001, A:291–357  
 background and objectives, A:292–293  
 biostratigraphy, A:309–314; B:59–60, 69  
 coring, A:301

Cretaceous/Tertiary boundary, A:395  
 downhole measurements, A:336–341  
 geochronology of igneous basement,  
 B:233–236  
 geology, B:151  
 high-resolution well-log data, B:191–203  
 igneous petrology, A:323–330  
 inorganic geochemistry, A:316–323  
 lithostratigraphy, A:296–309  
 magnetostratigraphy, B:143–147  
 mass accumulation rates, A:315  
 microcrystalline carbonates, B:227–232  
 microstylolites, B:177–190  
 Miocene/late Miocene carbonate crash, A:382  
 operations, A:295–296  
 organic geochemistry, A:315–316  
 paleomagnetism, A:314–315; B:163, 165  
 physical properties, A:330–336  
 sedimentation rates, A:315  
 seismic stratigraphy, A:293–295  
 site description, A:291–357  
 stylolites, B:184  
 summary and conclusions, A:341–348  
 synthetic seismograms, B:212–213  
 volcanology, A:323–330  
 Site 1002, A:359–373  
 alkenones, B:239–247  
 anoxic deposits, B:125–140  
 background and objectives, A:360–362  
 biostratigraphy, A:368  
 coring, A:365  
 inorganic geochemistry, A:369–370  
 lithostratigraphy, A:362–368  
 operations, A:362  
 organic geochemistry, A:369  
 paleceanography, B:239–247  
 paleomagnetism, A:368–369  
 physical properties, A:370  
 rock magnetism, B:143–147  
 seismic stratigraphy, A:362  
 site description, A:359–373  
 stratigraphy and sedimentation, B:85–99  
 summary and conclusions, A:370  
 smectite  
 Cretaceous/Tertiary boundary, A:394  
 lithologic units, A:142, 144, 244, 297, 299,  
 347  
 photograph, A:328, 346  
 pore water, A:396–398  
 seawater reactions with basement, B:294  
 volcanic ash falls, A:82  
 smooth horizon B"  
 acoustic basement, A:133  
*See also* rough horizon B"  
 sodium  
 pore water, A:73–74, 259, 317  
 vs. depth, A:74, 259, 372  
 sodium oxide + potassium oxide, vs. silica, A:84  
 sodium oxide/potassium oxide ratio, volcanic ash,  
 A:82  
 sonic logs. *See* gamma ray-density-porosity logs  
 specific surface  
 vs. depth, B:186  
 vs. insoluble residue, B:186  
 spherulitic textures. *See* textures, spherulitic  
 spicules. *See* sponge spicules  
 sponge spicules, lithologic units, A:142  
 stable isotopes  
 benthic foraminifers, B:262–263  
 carbonates, B:254  
 foraminifers, B:88–93  
 paleceanography, B:275–283  
*See also* carbon isotopes; oxygen isotopes  
 strain, vs. uniaxial stress, B:181

stress, effective, vs. depth burial, B:184  
 stress, uniaxial  
 vs. porosity, B:182, 185  
 vs. strain, B:181  
 strontium  
 carbonate reactions, B:291  
 pore water, A:74, 167, 260, 319  
 volcanic ash falls, A:82  
 vs. depth, A:75, 167, 260, 319, 397; B:292,  
 294–295  
*See also* rubidium/strontium ratio  
 stylolites. *See* microstylolites  
 subduction zones, volcanism, A:309, 388  
 subophitic textures. *See* textures, subophitic  
 subthermocline depth, Miocene/late Miocene  
 carbonate crash, A:382–383  
 Subunit IG, sediments, B:92  
 Subunit IG/IF, sediments, B:92  
 sulfate  
 pore water, A:74, 166, 259, 317  
 redox, A:257–258  
 sediments, A:73, 164  
 vs. depth, A:74, 166, 252, 319, 372; B:289,  
 294  
 sulfate reduction  
 model rates, B:289  
 organic matter, B:288–291  
 sediments, A:165, 316  
*See also* reduction  
 sulfur  
 volcanism, A:390  
 vs. depth, A:255  
 vs. nickel, B:290–291  
 sulfur, total  
 sediments, A:72, 163–164, 254–256, 316, 318  
 vs. depth, A:164  
 synchronicity, Miocene explosive volcanism,  
 B:311  
 taphonomy, volcanic ash, B:296  
 tectonics  
 Cretaceous/Tertiary boundary, A:9; B:29  
 Eocene, A:103  
 temperature, alkenones, B:239–247  
 tephra  
 glass shard morphology, A:177–179  
 lithologic units, A:308; B:153  
 photograph, B:310  
 volcaniclastics, A:85–86  
 volcanism, A:386–388  
*See also* volcanic ash  
 tephra, marine, vs. age, A:388  
 tephra layers  
 biotite, B:302–304  
 grain size and thickness, B:112  
 maximum feldspar crystal size, B:112  
 volcanism, B:299–314  
 terrigenous component  
 bulk sediments, A:394, 396; B:87–88  
 chromium, A:169–170, 173–174, 261  
 cumulative percentage vs. depth and age,  
 A:173  
 distribution, A:262–263, 275  
 mass accumulation rates vs. depth, A:265  
 sediments, A:321; B:115–124  
 vs. age, A:173; B:97  
 vs. depth, A:79, 172, 263–264, 322, 392  
 vs. niobium, A:174  
 vs. volcanic ash, A:76–79  
 Tertiary. *See* Cretaceous/Tertiary boundary  
 textures  
 basalts, A:326–329  
 carbonates, B:228–229  
 preconsolidation, B:181–183

textures, glomeroporphyritic, basalts, A:329  
 textures, interstitial, photomicrograph, A:329  
 textures, spherulitic, basalts, A:326–327, 329, 346  
 textures, subophitic, photomicrograph, A:329  
 thermal conductivity  
   sediments, A:86, 185, 187, 265, 268, 332  
   vs. depth, A:89, 187, 268, 334  
 thermal degradation, Rock-Eval pyrolysis, A:256–257  
 thermal maxima. *See* late Paleocene thermal maximum  
 thermohaline circulation, Paleocene, A:381  
 thermohaline currents, circulation, A:9  
 thorium  
   gamma-ray intensity vs. depth, A:190–191  
   vs. depth, A:336–337  
   vs. potassium, A:340  
   *See also* potassium/(thorium + uranium) ratio  
 thorium logs, vs. depth, A:94, 194, 273, 339  
 thorium/uranium ratio logs, vs. depth, A:94, 194, 273, 339  
 titanium  
   provenance, A:322  
   vs. noncarbonate fraction, A:323  
   *See also* barium/titanium ratio; iron/titanium ratio; manganese/titanium ratio  
 titanium oxide, vs. magnesium oxide, B:235  
 titanium/zirconium ratio  
   sediments, A:76–77, 174  
   vs. depth, A:78, 175  
 Toba, tephra grain size and thickness, B:112  
 Tortuga Bank, basins, B:86  
 trace elements  
   basalts, A:331, 393  
   basement, A:392–393  
   sediments, A:78, 171–172, 263, 322  
   volcanic ash, A:85, 180, 182–183, 266, 324  
   vs. age, A:84  
   vs. depth, A:331  
 transport  
   eruptions, A:389  
   tephra, B:103–104  
   *See also* wind transport  
 traveltimes  
   ash deposits, A:104  
   vs. porosity, B:187  
 traveltimes, two-way, vs. depth, A:94, 195, 213, 273; B:212–213, 222  
 tropical environment, Paleocene, A:380–381  
 turbidites  
   basement, A:392–393  
   benthic foraminifers, A:67  
   deposition, A:96  
   frequency, A:61–62  
   lithologic units, A:53–55, 59–60, 238–239, 241, 244–248, 275  
   number/core ratio vs. age, A:58  
   photograph, A:83  
   photomicrograph, A:83, 246  
   reflectors, A:234  
   seismic facies, B:210–212  
   thickness vs. depth, A:242  
   thickness/core ratio vs. age, A:58  
   volcanic ash falls, A:81  
   volcanism, A:388–390  
   *See also* sand, normally graded  
 Turrucares Formation, volcanic provenance, A:184  
 unconformities  
   Eocene/Miocene unconformity, A:321  
   lithologic units, A:301  
   Neogene/Paleogene, A:342  
   photograph, A:304

seismic facies, B:211–212  
 volcanism, A:388–390  
*See also* Eocene/Miocene boundary; erosional events; hiatuses  
 unsaturation index, alkenones, B:239–247  
 uplifts, Andes N, A:207  
 upwelling  
   ocean circulation, A:154  
   pelagic sedimentation, A:379–380  
 uranium  
   gamma-ray intensity vs. depth, A:190–191  
   *See also* potassium/(thorium + uranium) ratio  
 uranium logs  
   vs. depth, A:94, 104, 194, 273, 339  
   *See also* thorium/uranium ratio logs  
 varves  
   lithofacies, B:131–133, 138–139  
   sediments, B:127–128  
 veins, photograph, A:327  
 velocity  
   sediments, A:185–187, 265–268  
   volcanic basement, B:219–220  
   vs. depth, A:89, 92, 334, 381; B:178, 207–208, 210–211, 334  
 velocity, acoustic, sediments, A:93–94, 194, 272–273, 340  
 velocity logs  
   vs. depth, A:92, 104, 192; B:195, 199, 223, 272  
   *See also* gamma ray-density-porosity logs  
 Venado Formation, volcanic provenance, A:184  
 Venezuela, basins, B:86  
 Venezuela N, anoxic deposits, B:125–140  
 Venezuelan Basin  
   acoustic basement, A:133–134  
   oceanic plateaus, A:9–10  
 ventilation, history, B:96  
 vesicularity, basalts, A:330, 393  
 volatiles, impact craters, A:8  
 volcanic ash  
   alteration, B:294–296  
   dispersal vs. discrete layers, B:122–123  
   geochemistry, B:291  
   lithofacies, A:322–324, 347–348, 385–391  
   lithologic units, A:54–55, 59–60, 142, 144–148, 150, 300–302, 308  
   magnetic inclination, A:159–160  
   mass accumulation rates, B:301  
   mass accumulation rates vs. age, A:324  
   Miocene, B:101–113  
   photograph, A:56, 80, 325  
   pyrite, B:290  
   sediments, B:115–124  
   thickness/core ratio vs. age, A:83  
   thickness frequency distribution, A:175  
   thickness vs. depth, A:173  
   volcanic episodes, A:195  
   vs. age, A:388, 391  
   vs. depth, A:320, 392, 397; B:296  
   vs. terrigenous component, A:76–79  
   *See also* tephra  
 volcanic ash, dispersed  
   bulk sediments, A:394, 396  
   chromium, A:261  
   cumulative percentage vs. depth and age, A:173  
   distribution, A:262–263, 275  
   geochemistry, A:321–322  
   vs. age, A:173  
   vs. depth, A:173  
 volcanic ash fall layers  
   accumulation rate vs. age, A:175–176  
   age, A:263–264  
 mass accumulation rates vs. age, A:265  
 photograph, A:80, 143, 147, 241, 244, 247  
 photomicrograph, A:178  
   vs. age, A:175, 324, 386  
   vs. depth, A:263  
 volcanic ash, interbedded, lithologic units, A:238–239, 241, 243–248  
 volcanic ash, silicic, thickness and distribution, A:174–176  
 volcanic glass  
   basalts, B:233–235  
   Beloc Formation, A:7  
   dissolution, B:294  
   impact craters, A:8  
   index of preservation vs. depth, A:177  
   lithologic units, A:147, 305, 308  
 volcanic glass, rhyolitic, photomicrograph, A:81  
 volcanic glass, silicic, photomicrograph, A:177–180  
 volcanic glass shards  
   age, A:263–264  
   lithologic units, A:138–150  
   morphologies, A:176–180  
   photograph, A:328  
   photomicrograph, A:176–180  
 volcanic glass shards, rhyolitic, photograph, A:241  
 volcanic glass shards, silicic and dacitic, photomicrograph, A:176–180  
 volcaniclastics  
   acoustic basement, A:133–134  
   basement, A:392–393  
   deposition, A:103  
   genesis, A:83–86  
   lithologic units, A:59–60, 62, 308  
   photograph, A:60, 83  
   photomicrograph, A:83  
   volcanism, A:388–390  
 volcanism  
   basalts, A:330  
   Campanian, A:322–324  
   Cretaceous/Tertiary sequence, A:174–176  
   dispersed ash source, B:121–123  
   Eocene, A:388–390; B:309  
   eruptions, A:389  
   geochronology, B:299–314  
   Miocene, A:386–388  
   Miocene volcanic ash, B:111, 113  
   Paleocene, A:390  
   silicic magmatism, A:184  
   sources, A:103, 183–184  
   tectonics, A:85  
   *See also* eruptions; explosions; igneous provinces, large; ocean plateaus  
 volcanism, explosive  
   cooling, B:312  
   oceanic plateaus, A:11  
 volcanology  
   Site 998, A:79–86  
   Site 999, A:174–184  
   Site 1000, A:263–264  
   Site 1001, A:323–330  
 Walton Basin  
   bathymetry, A:234; B:253  
   plate tectonics, B:252, 267, 271  
 water content  
   vs. depth, A:90, 189, 269, 335  
   vs. paleolatitude, B:171  
 water masses, carbon isotopes, B:268–269  
 weathering, volcanic ash, A:169  
 well-log Unit 1  
   Site 998, A:91  
   Site 999, A:188

- Site 1000, A:270–271
- Site 1001, A:337–338
- well-log Unit 2
  - Site 998, A:91
  - Site 999, A:188, 190
  - Site 1000, A:271
  - Site 1001, A:338–339
- well-log Subunit 2a, A:188
- well-log Subunit 2b, A:190
- well-log Unit 3
  - Site 998, A:91, 93
  - Site 999, A:190–192
  - Site 1000, A:271–272
  - Site 1001, A:339–340
- well-log Subunit 3a, A:190
- well-log Subunit 3b, A:191
- well-log Subunit 3c, A:191–192
- well-log Unit 4
  - Site 998, A:93
  - Site 999, A:192–194
  - Site 1000, A:272
  - Site 1001, A:340
- well-log Subunit 4a, A:192–193
- well-log Subunit 4b, A:193
- well-log Subunit 4c, A:193
- well-log Subunit 4d, A:193–194
- well-log Unit 5, A:93
- well-log units
  - lithology, A:188–194, 270–272
  - Site 998, A:90–93

- well logging
  - high-resolution data, B:191–203
  - shore-based log processing, A:108, 210, 283, 351
  - Site 998, A:88–95
  - Site 999, A:186–194
  - Site 1000, A:269–274
  - Site 1001, A:336–341
  - time schedule, A:92, 191, 271, 337
  - volcanic basement, B:220–222
- Western Boundary Current, circulation, A:9
- wind transport, tephra, B:103–104
- winnowing, Cretaceous/Tertiary boundary, A:151
- X-ray diffraction data, sediments, A:140–141, 240, 303
- X-ray fluorescence data, sediments, A:57–58
- yttrium
  - basalts, A:329
  - volcanic ash, A:180, 183
  - vs. chromium, A:331
  - vs. niobium, A:183
- yttrium/niobium ratio
  - basalts, A:330
  - vs. zirconium/niobium ratio, A:331
- yttrium/zirconium ratio, sediments, A:77
- yttrium + niobium, vs. rubidium, A:183
- Yucatan Basin
  - age models, B:255, 257, 264
- carbonate content vs. age, B:265
- plate tectonics, B:252
- volcanism, A:390
- Yucatan Basin abyssal plain, seismic stratigraphy, A:50–51
- Yucatan Peninsula, impact craters, A:7
- Zaza terrane, volcanism, A:390
- zeolites
  - alteration, B:296
  - lithologic units, A:241
  - seawater reactions with basement, B:294
  - See also* clinoptilolite
- Zijderveld plots, magnetic polarity, B:144
- zinc, vs. noncarbonate fraction, A:323
- zirconium
  - volcanic ash, A:180
  - volcanic ash falls, A:82
  - vs. niobium, A:393
  - vs. noncarbonate fraction, A:323
  - See also* titanium/zirconium ratio; yttrium/zirconium ratio
- zirconium/niobium ratio
  - basalts, A:330
  - basement, A:392–393
  - sediments, A:174
  - vs. depth, A:175
  - vs. yttrium/niobium ratio, A:331
- zonation, radiolarians, B:58–60
- Zoophycos*, lithologic units, A:145, 147, 244

## VOLUME 165 TAXONOMIC INDEX

- Abathomphalus mayaroensis*
  - Site 999, A:158
  - Site 1001, A:313
- Abathomphalus mayaroensis* Zone
  - Site 999, A:158, 204
  - Site 1001, A:313
- abies*, *Sphenolithus*
  - Caribbean Sea, B:11
  - Site 1000, A:249
  - Site 1001, A:309
- abisectus*, *Cyclicargolithus*
  - Caribbean Sea, B:14
  - Site 999, A:152
  - Site 1001, A:310
- Acarinina pentacamerata*
  - Site 998, A:66
  - Site 999, A:157
- Acarinina soldadoensis*
  - Site 999, A:158
  - Site 1001, A:313
- Acarinina* spp., Caribbean Sea, A:380
- Acarinina subsphaerica*, Site 999, A:158
- acostaensis*, *Neogloboquadrina*
  - Site 998, A:65
  - Site 999, A:155; B:22–23, 28, 35–36, 55
  - Site 1000, A:251
  - Site 1001, A:312
- acus*, *Ceratolithus*
  - Caribbean Sea, B:13
  - Site 998, A:63
  - Site 999, A:152
  - Site 1000, A:249
  - Site 1001, A:309
- aequilateralis*, *Globigerinella*, Site 999, B:31
- albeari*, *Igorina*
  - Site 999, A:158
  - Site 1001, A:313
- altiapertura*, *Globigerinoides*, Site 999, B:26

- altiaperturus*, *Globigerinoides*, Site 999, B:31
- altispira*, *Dentoglobigerina*
  - Site 999, A:155; B:23, 27, 30
  - Site 1000, A:250
- Amaurolithus amplificus*, Caribbean Sea, B:13
- Amaurolithus delicatus*, Caribbean Sea, B:13
- Amaurolithus primus*, Caribbean Sea, B:12–13
- Amaurolithus primus* Subzone, Caribbean Sea, B:13
- Amaurolithus* spp., Caribbean Sea, B:12–13, 15
- Amaurolithus tricorniculatus*, Caribbean Sea, B:12
- Amaurolithus tricorniculatus* Zone, Caribbean Sea, B:12–13
- Amphicraspedum murrayanum*, Site 1001, B:81
- Amphisphaera aotea* Zone, Caribbean Sea, B:58–60
- Amphisphaera kina* Zone, Caribbean Sea, B:58–60
- ampla*, *Reticulofenestra*, Caribbean Sea, B:12, 14–15
- ampliaperita*, *Helicosphaera*
  - Caribbean Sea, B:14
  - Site 998, A:63
  - Site 999, A:152
  - Site 1000, A:250
- ampliapertura*, *Turborotalia*
  - Site 998, A:66
  - Site 999, A:156
- amplificus*, *Amaurolithus*, Caribbean Sea, B:13
- angulata*, *Morozovella*
  - Site 998, A:158
  - Site 1001, A:313
- angulisuturalis*, *Globigerina*, Site 999, A:156
- angulisuturalis*, *Globoturborotalita*, Site 998, A:66
- Anomalinoides* spp., Site 998, A:67
- anthophorus*, *Reinhardtites*, Site 1001, A:311
- apertura*, *Globoturborotalita*, Site 999, B:27, 33
- aragonensis*, *Morozovella*
  - Site 998, A:158
  - Site 999, A:159
  - Site 1000, A:250
  - Site 1001, A:310
- Site 998, A:66*
- Site 999, A:156–157*
- archeomenardii*, *Menardella*, Site 999, B:34
- Arkhangelskiella cymbiformis* Zone, Site 999, A:154
- asanoi*, *Reticulofenestra*
  - Caribbean Sea, B:11
  - Site 998, A:62–63
  - Site 999, A:152
  - Site 1000, A:248
  - Site 1001, A:309
- Aspidolithus parcus*, Site 1001, A:311
- asymmetricus*, *Discoaster*, Caribbean Sea, B:12
- azyx*, *Carpocanistrum*, Site 999, B:79
- barbadiensis*, *Discoaster*
  - Site 998, A:64, 66
  - Site 999, A:154
  - Site 1001, A:311
- barnesae*, *Waitznaeria*
  - Site 999, A:154
  - Site 1001, A:311
- baroemoenensis*, *Globoquadrina*, Site 999, B:32
- becariiformis*, *Gavelinella*, Caribbean Sea, A:381
- beckmanni*, *Globigerapsis*
  - Site 998, A:66
  - Site 999, A:156
- Beella digitata*, Site 999, B:30
- Beella praedigitata*, Site 999, B:30
- Bekoma bidartensis* Zone, Caribbean Sea, B:58–60, 70
- Bekoma campechensis*, Site 1001, B:81
- Bekoma campechensis* Zone, Caribbean Sea, B:58–60
- belemnos*, *Sphenolithus*
  - Caribbean Sea, B:14
  - Site 1000, A:250, 253
  - Site 1001, A:310

- berggrenii*, *Discoaster*  
 Caribbean Sea, B:13  
 Site 1000, A:249  
 Site 1001, A:310
- bermudezi*, *Clavoretella*, Site 999, B:30
- bermudezi*, *Globigerina*, Site 998, A:64
- bijugatus*, *Zygrhablithus*  
 Site 998, A:64  
 Site 999, A:153
- birnageae*, *Fohsella*, Site 999, B:23, 30
- Biscutum romeinii*, Site 999, A:154
- bisecta*, *Reticulofenestra*  
 Caribbean Sea, B:14  
 Site 998, A:64  
 Site 999, A:153–154
- bisectus*, *Reticulofenestra*, Site 998, A:64
- Bolivina* (*Brizalina*) spp., Site 998, A:67
- bramlettei*, *Tribrachiatus*, Site 1001, A:311
- brouweri*, *Discoaster*  
 Caribbean Sea, B:11  
 Site 998, A:63  
 Site 1001, A:309
- Bulimina* spp., Site 998, A:67
- bulloides*, *Globigerina*  
 Site 999, A:154–155; B:25, 31  
 Site 1002, A:368; B:96, 240, 245
- Buryella clinata* Zone, Caribbean Sea, B:58–60
- Buryella foremanae* Zone, Caribbean Sea,  
 B:58–60
- ?*Buryella tetradiica*, Site 1001, B:81
- Buryella tetradiica* Zone, Caribbean Sea, B:58–60
- calcarata*, *Globotruncanita*, Site 1001, A:313
- Calcidiscus macintyrei*  
 Caribbean Sea, B:14  
 Site 1001, A:309
- Calcidiscus macintyrei* Subzone, Caribbean Sea,  
 B:12
- Calocyclus bandycia* Zone, Caribbean Sea,  
 B:58–60
- calculus*, *Catinaster*, Caribbean Sea, B:13
- campechensis*, *Bekoma*, Site 1001, B:81
- Candeina nitida*  
 Site 999, B:23, 25, 29–30  
 Site 1000, A:250  
 Site 1001, A:312
- Candeina nitida praenitida*, Site 1000, A:250
- caribbeanica*, *Gephyrocapsa*  
 Caribbean Sea, B:11  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:249  
 Site 1001, A:309
- carinatus*, *Triquetrorhabdulus*, Caribbean Sea,  
 B:14
- Carpocanistrum azyx*, Site 999, B:79
- Cassidulinoidea* spp., Site 998, A:67
- Catapsydrax dissimilis*  
 Site 998, A:66  
 Site 999, A:156; B:22–23, 30, 56  
 Site 1000, A:251
- Catinaster calculus*, Caribbean Sea, B:13
- Catinaster calculus* Subzone, Caribbean Sea,  
 B:13
- Catinaster coalitus*  
 Caribbean Sea, B:13  
 Site 998, A:63  
 Site 1001, A:310
- Catinaster coalitus* Zone, Caribbean Sea, B:13
- Ceratolithus acutus*  
 Caribbean Sea, B:13  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:249
- Site 1001, A:309
- Ceratolithus acutus* Subzone, Caribbean Sea, B:12
- Ceratolithus cristatus* Subzone, Caribbean Sea,  
 B:11
- Ceratolithus rugosus*  
 Caribbean Sea, B:13  
 Site 1001, A:309
- Ceratolithus rugosus* Subzone, Caribbean Sea,  
 B:12
- cerroazulensis*, *Turborotalia*  
 Site 998, A:66  
 Site 999, A:156
- challengeri*, *Hirsutella*, Site 999, B:34
- Chiasmolithus gigas*  
 Site 998, A:64  
 Site 999, A:154
- Chiasmolithus grandis*  
 Site 998, A:64  
 Site 999, A:154
- Chiasmolithus solitus*  
 Site 998, A:64  
 Site 999, A:154
- Chilogembelina cubensis*  
 Site 998, A:66  
 Site 999, A:156
- cibaoensis*, *Hirsutella*  
 Site 999, A:155; B:27, 34  
 Site 1000, A:250
- Cibicides* spp., Site 998, A:67
- Cibicidoides* spp., Site 998, A:67
- ciperoensis*, *Sphenolithus*  
 Site 998, A:64  
 Site 999, A:153
- Clavoretella bermudezi*, Site 999, B:30
- coalitus*, *Catinaster*  
 Caribbean Sea, B:13  
 Site 998, A:63  
 Site 1001, A:310
- Coccoolithus miopelagicus*, Caribbean Sea,  
 B:13–14
- Coccoolithus miopelagicus* Subzone, Caribbean  
 Sea, B:13
- compressa*, *Globonomalina*, Site 999, A:158
- conglobatus*, *Globigerinoides*  
 Site 999, A:155; B:26, 31  
 Site 1000, A:250  
 Site 1001, A:312
- conoidea*, *Globoconella*  
 Site 998, A:65  
 Site 999, A:156
- continuosa*, *Neoglobiquadrina*, Site 999, B:36
- contortus*, *Tribrachiatus*, Site 1001, A:311
- convallis*, *Minylitha*, Caribbean Sea, B:13
- cordieriana*, *Osangularia*, Site 1001, A:313
- Coronocyclus nitescens*, Caribbean Sea, B:13
- Coscinodiscus* spp., Site 1002, A:365
- cospaera*, *Micula*, Site 999, A:154
- costata*, *Montastrea*, Site 1000, A:234
- crassaformis*, *Truncorotalia*, Site 999, A:155;  
 B:29, 37
- Crenalithus doronicoides* Zone, Caribbean Sea,  
 B:11
- cretacea*, *Guembelitria*  
 Caribbean Sea, A:394  
 Site 999, A:158  
 Site 1001, A:313
- Cretarhabdus surirellus*, Site 1001, A:311
- Cribrocentrum reticulatum*  
 Site 998, A:64  
 Site 999, A:154
- Cribrohantkenina inflata*  
 Site 998, A:66  
 Site 999, A:156
- Cribrosphaerella ehrenbergii*
- Site 999, A:154
- Site 1001, A:311
- Cryptocarpium azyx* Zone, Caribbean Sea,  
 B:58–60
- Cryptocarpium ornatum* Zone, Caribbean Sea,  
 B:58–60
- cubensis*, *Chilogembelina*  
 Site 998, A:66  
 Site 999, A:156
- cubensis*, *Phormocystis*, Site 1001, B:81
- cunialensis*, *Turborotalia*  
 Site 998, A:66  
 Site 999, A:156
- Cyclicargolithus abisectus*  
 Caribbean Sea, B:14  
 Site 999, A:152  
 Site 1001, A:310
- Cyclicargolithus floridanus*  
 Caribbean Sea, B:13–14  
 Site 1000, A:248  
 Site 1001, A:309–310
- Cyclicargolithus* spp., Caribbean Sea, B:252
- Cylindralithus* sp.  
 Site 999, A:154  
 Site 1001, A:311
- danica*, *Sullivania*  
 Site 999, A:154  
 Site 1001, A:311
- decoraperta*, *Globoturborotalita*, Site 999, B:33
- decussata*, *Micula*  
 Site 999, A:154  
 Site 1001, A:311
- deflandrei*, *Discoaster*  
 Caribbean Sea, B:14  
 Site 1000, A:250  
 Site 1001, A:310
- dehiscens*, *Globoquadrina*, Site 999, B:32
- dehiscens*, *Sphaeroidinella*  
 Site 998, A:64  
 Site 999, A:155; B:20, 22, 29, 36–37, 55  
 Site 1000, A:250  
 Site 1001, A:311
- dehiscens* s. l., *Sphaeroidinella*, Site 999, B:20, 22
- dehiscens* s. s., *Sphaeroidinella*, Site 999, B:22
- delicatus*, *Amaurolitus*, Caribbean Sea, B:13
- delpix*, *Sphenolithus*  
 Caribbean Sea, B:14  
 Site 1000, A:250
- Dentalina* spp., Site 998, A:67
- Dentoglobigerina altispira*  
 Site 999, A:155; B:23, 27, 30  
 Site 1000, A:250
- diastypus*, *Discoaster* cf. *Discoaster*, Site 1001,  
 A:311
- Dictyococcites* spp., Caribbean Sea, B:252
- Dictyoprora mongolfieri*  
 Site 998, B:76  
 Site 999, B:79
- Dictyoprora mongolfieri* Zone, Caribbean Sea,  
 B:58–60
- Dictyoprora* sp., Site 998, B:76
- digitata*, *Beella*, Site 999, B:30
- Discoaster asymmetricus*, Caribbean Sea, B:12
- Discoaster barbadiensis*  
 Site 998, A:64, 66  
 Site 999, A:154  
 Site 1001, A:311
- Discoaster bellus* Subzone, Caribbean Sea, B:13
- Discoaster berggrenii*

- Caribbean Sea*, B:13  
 Site 1000, A:249  
 Site 1001, A:310
- Discoaster berggrenii* Subzone, Caribbean Sea, B:13
- Discoaster brouweri*  
 Caribbean Sea, B:11  
 Site 998, A:63  
 Site 1001, A:309
- Discoaster brouweri* Zone, Caribbean Sea, B:11–12
- Discoaster cf. Discoaster diastypus*, Site 1001, A:311
- Discoaster deflandrei*  
 Caribbean Sea, B:14  
 Site 1000, A:250  
 Site 1001, A:310
- Discoaster druggii*  
 Caribbean Sea, B:14  
 Site 998, A:63  
 Site 999, A:152
- Discoaster elegans*, Site 1001, A:310–311
- Discoaster exilis* Zone, Caribbean Sea, B:13–14
- Discoaster hamatus*  
 Caribbean Sea, B:13  
 Site 1001, A:310
- Discoaster hamatus* Zone, Caribbean Sea, B:13
- Discoaster kugleri*  
 Caribbean Sea, B:13–14  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:250
- Discoaster kugleri* Subzone, Caribbean Sea, B:13
- Discoaster lodoensis*  
 Site 998, A:64  
 Site 999, A:154  
 Site 1001, A:310
- Discoaster loeblichii*  
 Caribbean Sea, B:13  
 Site 998, A:63  
 Site 999, A:152  
 Site 1001, A:310
- Discoaster megastypus*, Site 1001, A:311
- Discoaster mohleri*  
 Site 999, A:154  
 Site 1001, A:311
- Discoaster multiradiatus*  
 Site 998, A:64  
 Site 999, A:154  
 Site 1001, A:311
- Discoaster neohamatus* Zone, Caribbean Sea, B:13
- Discoaster neorectus* Subzone, Caribbean Sea, B:13
- Discoaster nobilis*  
 Site 999, A:154  
 Site 1001, A:311
- Discoaster pentaradiatus*  
 Caribbean Sea, B:11  
 Site 998, A:63  
 Site 1000, A:249  
 Site 1001, A:309
- Discoaster quinqueramus*  
 Caribbean Sea, B:12–13  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:249  
 Site 1001, A:310
- Discoaster quinqueramus* Zone, Caribbean Sea, B:13
- Discoaster saipanensis*, Site 998, A:64, 66
- Discoaster salisburgensis*, Site 1001, A:310
- Discoaster signus*, Caribbean Sea, B:14
- Discoaster spp.*, Caribbean Sea, B:252
- Discoaster sublodoensis*  
 Site 998, A:64  
 Site 999, A:154  
 Site 1001, A:310
- Discoaster surculus*  
 Caribbean Sea, B:11  
 Site 1000, A:249  
 Site 1001, A:309
- Discoaster tamalis*  
 Caribbean Sea, B:11–12, 14–15  
 Site 1000, A:249, 252  
 Site 1001, A:309
- Discoaster tamalis* Subzone, Caribbean Sea, B:12
- Discoaster triradiatus*, Caribbean Sea, B:11
- Discoaster variabilis*  
 Caribbean Sea, B:14  
 Site 1001, A:309
- disjuncta*, *Sphaeroidinellopsis*, Site 999, B:37
- dissimilis*, *Catapsydrax*  
 Site 998, A:66  
 Site 999, A:156; B:22–23, 30, 56  
 Site 1000, A:251
- distentus*, *Sphenolithus*  
 Site 998, A:64  
 Site 999, A:153
- Dorcadospyris ateuchus* Zone, Caribbean Sea, B:58–60
- Dorothia oxycona*, Site 1001, A:313
- druggii*, *Discoaster*  
 Caribbean Sea, B:14  
 Site 998, A:63  
 Site 999, A:152
- druryi*, *Globoturborotalita*, Site 999, B:33
- duertrei*, *Neogloboquadrina*  
 Site 999, B:36  
 Site 1002, B:240, 245
- ehrenbergii*, *Cribrosphaerella*  
 Site 999, A:154  
 Site 1001, A:311
- Eiffellithus eximius*, Site 1001, A:311
- elegans*, *Discoaster*, Site 1001, A:310–311
- elevata*, *Globotruncanita*, Site 1001, A:313
- Elphidium spp.*, Site 998, A:67
- Emiliania annula* Subzone, Caribbean Sea, B:11
- Emiliania huxleyi*  
 Caribbean Sea, B:10  
 Site 1001, A:309  
 Site 1002, A:368, 370; B:85, 87–88
- Emiliania huxleyi* Zone, Caribbean Sea, B:10
- Emiliania ovata* Subzone, Caribbean Sea, B:11
- Ericsonia formosa*  
 Site 998, A:64  
 Site 999, A:154
- Ericsonia subdisticha*  
 Site 998, A:64  
 Site 999, A:154
- eugubina*, *Parvularugoglobigerina*  
 Site 999, A:158  
 Site 1001, A:313
- Eusyringium fistuligerum*, Site 999, B:79
- exilis*, *Menardella*  
 Site 999, A:155; B:28–29, 34–35  
 Site 1000, A:250
- eximius*, *Eiffellithus*, Site 1001, A:311
- extremus*, *Globigerinoides*  
 Site 999, A:155; B:25, 29, 31  
 Site 1001, A:311–312
- falconensis*, *Globigerina*, Site 999, B:25, 31
- Fasciculithus* spp.  
 Caribbean Sea, A:381  
 Site 1001, A:311
- Fasciculithus tympaniformis*, Site 1001, A:311
- Fissurina* spp., Site 998, A:67
- fistuligerum*, *Eusyringium*, Site 999, B:79
- fistulosus*, *Globigerinoides*  
 Site 998, A:64  
 Site 999, A:155; B:26, 31  
 Site 1000, A:250
- floridanus*, *Cyclicargolithus*  
 Caribbean Sea, B:13–14  
 Site 1000, A:248  
 Site 1001, A:309–310
- Florisphaera profunda*  
 Caribbean Sea, B:3  
 Site 1002, A:368
- Fohsella birnageae*, Site 999, B:23, 30
- Fohsella fohsi*  
 Site 998, A:65–66  
 Site 999, A:156; B:22–23, 25, 30, 56  
 Site 1000, A:251  
 Site 1001, A:312
- Fohsella fohsi lobata*, Site 1001, A:312
- Fohsella fohsi robusta*  
 Site 999, A:156; B:23  
 Site 1000, A:251  
 Site 1001, A:312
- Fohsella fohsi* s. l., Site 999, B:22
- Fohsella peripheroacuta*  
 Site 998, A:65–66  
 Site 999, A:156; B:22–23, 30, 56  
 Site 1000, A:251
- Fohsella peripheroranda*, Site 999, B:23, 30
- Fohsella praefohsi*  
 Site 998, A:65–66  
 Site 999, A:156; B:22–23, 31, 56  
 Site 1000, A:251  
 Site 1001, A:312
- fohsii*, *Fohsella*  
 Site 998, A:65–66  
 Site 999, A:156; B:22–23, 25, 30, 56  
 Site 1000, A:251  
 Site 1001, A:312
- fohsii lobata*, *Fohsella*, Site 1001, A:312
- fohsii robusta*, *Fohsella*  
 Site 999, A:156; B:23  
 Site 1000, A:251  
 Site 1001, A:312
- fohsii* s. l., *Fohsella*, Site 999, B:22
- formosa*, *Ericsonia*  
 Site 998, A:64  
 Site 999, A:154
- formosa*, *Morozovella*, Site 999, A:157
- frequens*, *Nephrolithus*, Site 1001, A:311
- fulgens*, *Nannotetrina*  
 Site 998, A:64  
 Site 999, A:154  
 Site 1001, A:310
- Gansserina gansseri* Zone  
 Site 999, A:158  
 Site 1001, A:313
- Gaudryina* spp., Site 1001, A:313
- Gavelinella becariiformis*, Caribbean Sea, A:381
- Gavelinella* spp., Site 1001, A:313
- Gephyrocapsa caribeanica*  
 Caribbean Sea, B:11  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:249  
 Site 1001, A:309
- Gephyrocapsa caribeanica* Subzone, Caribbean Sea, B:11
- Gephyrocapsa oceanica*  
 Caribbean Sea, B:10–11  
 Site 1001, A:309  
 Site 1002, A:368

*Gephyrocapsa oceanica* Zone, Caribbean Sea, B:10–11  
*Gephyrocapsa parallela* Caribbean Sea, B:10–11  
 Site 998, A:63  
*Gephyrocapsa* sp. 3, Caribbean Sea, B:10  
*Gephyrocapsa* spp.  
 Caribbean Sea, B:11  
 Site 999, A:152  
 Site 1000, A:249  
 Site 1001, A:309  
 Site 1002, B:88  
*gigas*, *Chiasmolithus*  
 Site 998, A:64  
 Site 999, A:154  
*Globigerapsis beckmanni*  
 Site 998, A:66  
 Site 999, A:156  
*Globigerapsis kugleri*  
 Site 998, A:66  
 Site 999, A:156  
*Globigerina angulisuturalis*, Site 999, A:156  
*Globigerina bermudezi*, Site 998, A:64  
*Globigerina bulloides*  
 Site 999, A:154–155; B:25, 31  
 Site 1002, A:368; B:96, 240, 245  
*Globigerina calida calida* Zone, Site 998, A:64  
*Globigerina falconensis*, Site 999, B:25, 31  
*Globigerinatella insueta*, Site 999, A:156; B:22, 31, 56  
*Globigerinatella insueta* s. l.  
 Site 998, A:66  
 Site 999, B:22  
*Globigerinatella insueta* s. s.  
 Site 998, A:66  
 Site 999, B:22  
 Site 1000, A:251  
*Globigerinella aequilateralis*, Site 999, B:31  
*Globigerinita glutinata*, Site 999, B:31  
*Globigerinita parkerae*, Site 1000, A:250  
*Globigerinoides altiapertura*, Site 999, B:26  
*Globigerinoides altiaperturus*, Site 999, B:31  
*Globigerinoides congregatus*  
 Site 999, A:155; B:26, 31  
 Site 1000, A:250  
 Site 1001, A:312  
*Globigerinoides extremus*  
 Site 999, A:155; B:25, 29, 31  
 Site 1001, A:311–312  
*Globigerinoides fistulosus*  
 Site 998, A:64  
 Site 999, A:155; B:26, 31  
 Site 1000, A:250  
*Globigerinoides obliquus*  
 Site 999, A:155; B:25–26, 31  
 Site 1001, A:311  
*Globigerinoides primordius*, Site 999, A:156  
*Globigerinoides ruber*  
 Site 999, B:25–26, 31  
 Site 1002, A:368; B:88–93, 240, 243–246  
*Globigerinoides sacculifer*, Site 999, B:25–26, 31–32  
*Globigerinoides seigliei*, Site 999, B:26, 32  
*Globigerinoides subquadratus*  
 Site 998, A:65  
 Site 999, B:26, 32  
*Globigerinoides trilobus*, Site 1000, A:250  
*Globocassidulina* spp., Site 998, A:67  
*Globoconella conoidea*  
 Site 998, A:65  
 Site 999, A:156  
*Globoconella inflata*  
 Site 999, A:155; B:26, 32  
 Site 1002, A:368

*Globoconella miozea*, Site 999, A:156; B:26, 29, 32  
*Globoconella panda*, Site 999, A:156; B:26, 29, 32  
*Globoconella praescitula*, Site 999, A:156; B:26, 29, 32  
*Globoconella puncticulata*, Site 999, B:26  
*Globoconella triangula*, Site 999, A:155; B:26  
*Globoconella zealandica*, Site 999, B:32  
*Globonomalina compressa*, Site 999, A:158  
*Globonomalina pseudomenardii*  
 Site 999, A:157–158  
 Site 1001, A:313  
*Globoquadrina baroemoenensis*, Site 999, B:32  
*Globoquadrina dehiscens*, Site 999, B:32  
*Globoquadrina venezuelana*, Site 999, B:27, 32  
*Globorotalia kugleri* Zone, Site 999, B:27  
*Globorotalia lengauiensis*, Site 999, B:27, 32–33  
*Globorotalia mayeri* Zone, Site 999, B:26  
*Globorotalia merotumida*, Site 999, B:33  
*Globorotalia paralengauiensis*, Site 999, B:33  
*Globorotalia plesiotumida*  
 Site 998, A:65  
 Site 999, A:155; B:22–23, 27, 33, 55  
 Site 1000, A:250  
 Site 1001, A:312  
*Globorotalia plesiotumida* Zone, Site 999, A:155  
“*Globorotalia pseudomicenica*,” Site 999, B:35  
*Globorotalia tosaensis*, Site 999, B:20  
*Globorotalia truncatulinoides*, Site 999, B:20  
*Globorotalia tumida*  
 Caribbean Sea, A:385  
 Site 998, A:64  
 Site 999, A:155; B:22, 27, 29, 33  
 Site 1000, A:250  
 Site 1001, A:312  
 Site 1002, A:368  
*Globorotalia tumida flexuosa*  
 Site 998, A:64  
 Site 1002, A:368; B:88  
*Globorotalia ungulata*, Site 999, B:33  
*Globorotaloides hexagona*, Site 999, B:29  
*Globorotaloides hexagonus*, Site 999, B:33  
*Globotruncana aegyptiaca* Zone, Site 1001, A:313  
*Globotruncana ventricosa*, Site 1001, A:313  
*Globotruncana ventricosa* Zone, Site 1001, A:309, 313  
*Globotruncanella havanensis* Zone, Site 1001, A:313  
*Globotruncanita calcarata*, Site 1001, A:313  
*Globotruncanita calcarata* Zone, Site 1001, A:313  
*Globotruncanita elevata*, Site 1001, A:313  
*Globoturborotalita angulisuturalis*, Site 998, A:66  
*Globoturborotalita apertura*, Site 999, B:27, 33  
*Globoturborotalita decoraperta*, Site 999, B:33  
*Globoturborotalita druryi*, Site 999, B:33  
*Globoturborotalita nepenthes*  
 Site 999, A:156; B:22, 27, 33, 55  
 Site 1000, A:250–251  
 Site 1001, A:312  
*Globoturborotalita rubescens*, Site 999, B:33–34  
*Globoturborotalita tenella*, Site 999, B:34  
*Globoturborotalita woodi*, Site 999, B:27, 34  
*glutinata*, *Globigerinita*, Site 999, B:31  
*gothicum*, *Quadrum*, Site 1001, A:311  
*grandis*, *Chiasmolithus*  
 Site 998, A:64  
 Site 999, A:154  
*Guembelitria cretacea*  
 Caribbean Sea, A:394  
 Site 999, A:158  
 Site 1001, A:313  
*gunteri*, *Miogypsina*, Site 1000, A:234  
*Gyroidina* spp., Site 998, A:67  
*Gyroidinoides* spp., Site 1001, A:313  
*hamatus*, *Discoaster*  
 Caribbean Sea, B:13  
 Site 1001, A:310  
*Hantkenina* spp., Site 998, A:66  
*Helicosphaera ampliaperta*  
 Caribbean Sea, B:14  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:250  
*Helicosphaera ampliaperta* Zone, Caribbean Sea, B:14  
*Helicosphaera carteri* Subzone, Caribbean Sea, B:13  
*Helicosphaera inversa*  
 Caribbean Sea, B:10  
 Site 1002, A:368  
*Helicosphaera sellii*  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:249  
*Heliolithus kleinpelli*  
 Site 999, A:154  
 Site 1001, A:311  
*heteromorphus*, *Sphenolithus*  
 Caribbean Sea, B:13–14  
 Site 998, A:63  
 Site 1000, A:248–250, 252  
 Site 1001, A:309–310  
*hexagona*, *Globorotaloides*, Site 999, B:29  
*hexagonus*, *Globorotaloides*, Site 999, B:33  
*hirsuta*, *Hirsutella*  
 Site 998, A:64  
 Site 999, A:155; B:27, 34  
*Hirsutella challengerii*, Site 999, B:34  
*Hirsutella cibaoensis*  
 Site 999, A:155; B:27, 34  
*Hirsutella hirsuta*  
 Site 998, A:64  
 Site 999, A:155; B:27, 34  
*Hirsutella juanai*  
 Site 998, A:65  
 Site 999, B:27, 34  
 Site 1001, A:312  
*Hirsutella margaritae*  
 Site 998, A:64  
 Site 999, A:155; B:27, 34  
 Site 1000, A:250  
 Site 1001, A:311–312  
*Hirsutella “prae|hirsuta”*, Site 999, B:27  
*Hirsutella scitula*, Site 999, B:34  
*Hoeglundina* spp., Site 1002, B:91  
*humerosa*, *Neogloborquadra*, Site 999, B:36  
*huxleyi*, *Emiliania*  
 Caribbean Sea, B:10  
 Site 1001, A:309  
 Site 1002, A:368, 370; B:85, 87–88  
*Igorina albeari*  
 Site 999, A:158  
 Site 1001, A:313  
*imperatoris*, *Stylophora* cf., Site 1000, A:234  
*inflata*, *Cribrohantkenina*  
 Site 998, A:66  
 Site 999, A:156  
*inflata*, *Globoconella*  
 Site 999, A:155; B:26, 32  
 Site 1002, A:368  
*insueta*, *Globigerinatella*, Site 999, A:156; B:22, 31, 56  
*insueta* s. l., *Globigerinatella*  
 Site 998, A:66

- Site 999, B:22  
*insueta* s. s., *Globigerinatella*  
 Site 998, A:66  
 Site 999, B:22  
 Site 1000, A:251  
*inversa*, *Helicosphaera*  
 Caribbean Sea, B:10  
 Site 1002, A:368
- juanai*, *Hirsutella*  
 Site 998, A:65  
 Site 999, B:27, 34  
 Site 1001, A:312
- kleinpelli*, *Helolithus*  
 Site 999, A:154  
 Site 1001, A:311
- kochi*, *Sphaeroidinellopsis*, Site 999, A:155; B:29, 37
- kugleri*, *Discoaster*  
 Caribbean Sea, B:13–14  
 Site 998, A:63  
 Site 999, A:152  
 Site 1000, A:250
- kugleri*, *Globigerinopsis*  
 Site 998, A:66  
 Site 999, A:156
- kugleri*, *Paragloborotalia*  
 Site 998, A:66  
 Site 999, A:153, 156
- lacunosa*, *Pseudoemiliania*  
 Caribbean Sea, B:11  
 Site 1001, A:309  
 Site 1002, B:87–88
- Lagena* spp., Site 998, A:67
- Laticarinina* spp., Site 998, A:67
- lengaensis*, *Globorotalia*, Site 999, B:27, 32–33
- Lenticulina* spp.  
 Site 998, A:67  
 Site 1001, A:313
- levis*, *Reinhardtites*, Site 1001, A:311
- limbata*, *Menardella*  
 Caribbean Sea, A:385  
 Site 999, A:155; B:28, 35
- Lithochytris vespertilio*, Site 998, B:76
- Lithocyclia ocellus*, Site 999, B:79
- lodoensis*, *Discoaster*  
 Site 998, A:64  
 Site 999, A:154  
 Site 1001, A:310
- loeblichii*, *Discoaster*  
 Caribbean Sea, B:13  
 Site 998, A:63  
 Site 999, A:152  
 Site 1001, A:310
- Lychnocanoma elongata* Zone, Caribbean Sea,  
 B:58–60
- macintyrei*, *Calcidiscus*  
 Caribbean Sea, B:14  
 Site 1001, A:309
- margaritae*, *Hirsutella*  
 Site 998, A:64  
 Site 999, A:155; B:27, 34  
 Site 1000, A:250  
 Site 1001, A:311–312
- mayaroensis*, *Abathomphalus*  
 Site 999, A:158  
 Site 1001, A:313
- mayeri*, *Paragloborotalia*  
 Site 998, A:65  
 Site 999, A:156; B:22–23, 36, 55  
 Site 1000, A:250–251
- Site 1001, A:312
- menardii*, *Menardella*  
 Caribbean Sea, A:385  
 Site 999, A:155; B:28–29, 35  
 Site 1002, A:368
- Menardella miocenica*  
 Site 998, A:64  
 Site 999, A:155; B:20, 22–23, 28, 35, 55  
 Site 1000, A:250  
 Site 1001, A:311
- Menardella multicamerata*  
 Site 999, A:155; B:27–28, 35  
 Site 1000, A:250
- Menardella pertenuis*  
 Site 999, A:155; B:28, 35  
 Site 1000, A:250
- Menardella praemenardii*, Site 999, B:35
- Menardella pseudomicenica*  
 Site 998, A:64  
 Site 999, A:155
- menardii*, *Menardella*  
 Caribbean Sea, A:385  
 Site 999, A:155; B:28–29, 35  
 Site 1002, A:368
- merotumida*, *Globorotalia*, Site 999, B:33
- Micula cosphaera*, Site 999, A:154
- Micula decussata*  
 Site 999, A:154  
 Site 1001, A:311
- Micula murus*  
 Site 999, A:154, 158, 204  
 Site 1001, A:311
- Micula prinsi*, Site 999, A:154
- minutula*, *Reticulofenestra*, Caribbean Sea, B:12, 14–15
- Minylitha convallis*, Caribbean Sea, B:13
- miocenica*, *Menardella*  
 Site 998, A:64  
 Site 999, A:155; B:20, 22–23, 28, 35, 55  
 Site 1000, A:250  
 Site 1001, A:311
- Miogypsina gunteri*, Site 1000, A:234
- miopelagicus*, *Coccolithus*, Caribbean Sea,  
 B:13–14
- miozea*, *Globoconella*, Site 999, A:156; B:26, 29, 32
- mitra*, *Podocyrtis (Lampterium)*, Site 998, B:76
- mohleri*, *Discoaster*  
 Site 999, A:154  
 Site 1001, A:311
- montastrea costata*, Site 1000, A:234
- moriformis*, *Sphenolithus*  
 Caribbean Sea, B:14  
 Site 1000, A:249  
 Site 1001, A:309
- Morozovella angulata*  
 Site 998, A:158  
 Site 1001, A:313
- Morozovella aragonensis*  
 Site 998, A:66  
 Site 999, A:156–157
- Morozovella formosa*, Site 999, A:157
- Site 1001, A:312
- Morozovella* spp., Caribbean Sea, A:380
- Morozovella subbotinae*, Caribbean Sea, A:381
- Morozovella velascoensis*  
 Site 999, A:157  
 Site 1001, A:313
- multicamerata*, *Menardella*  
 Site 999, A:155; B:27–28, 35  
 Site 1000, A:250
- multicamerata*, *Planoglobulina*, Site 999, A:158
- multiradiatus*, *Discoaster*  
 Site 998, A:64  
 Site 999, A:154  
 Site 1001, A:311
- murrayanum*, *Amphicraspedum*, Site 1001, B:81
- murus*, *Micula*  
 Site 999, A:154, 158, 204  
 Site 1001, A:311
- nana*, *Paragloborotalia*, Site 998, A:66
- Nannoconus steinmannii*, Site 1001, A:311
- Nannotetra fulgens*  
 Site 998, A:64  
 Site 999, A:154  
 Site 1001, A:310
- neoabies*, *Sphenolithus*, Caribbean Sea, B:11
- Neoeponides?* spp., Site 1001, A:313
- Neogloboquadrina acostaensis*  
 Site 998, A:65  
 Site 999, A:155; B:22–23, 28, 35–36, 55  
 Site 1000, A:251  
 Site 1001, A:312
- Neogloboquadrina continuosa*, Site 999, B:36
- Neogloboquadrina dutertrei*  
 Site 999, B:36  
 Site 1002, B:240, 245
- Neogloboquadrina humerosa*, Site 999, B:36
- Neogloboquadrina pachyderma* (dextral)  
 Site 1000, A:250  
 Site 1002, A:368
- Neogloboquadrina pachyderma* (sinistral)  
 Caribbean Sea, A:384–385  
 Site 999, A:154–156; B:19, 28–29, 36, 55
- nepenthes*, *Globoturborotalita*  
 Site 999, A:156; B:22, 27, 33, 55  
 Site 1000, A:250–251  
 Site 1001, A:312
- Nephrolithus frequens*, Site 1001, A:311
- Nephrolithus frequens* Zone, Site 999, A:154
- nitescens*, *Coronocyclus*, Caribbean Sea, B:13
- nitida*, *Candeina*  
 Site 999, B:23, 25, 29–30  
 Site 1000, A:250  
 Site 1001, A:312
- nitida praenitida*, *Candeina*, Site 1000, A:250
- nobilis*, *Discoaster*  
 Site 999, A:154  
 Site 1001, A:311
- Nodosaria* spp., Site 998, A:67
- Nonionella* spp., Site 998, A:67
- Nuttalides* (?) spp., Site 998, A:67
- obliquiloculata*, *Pulleniatina*  
 Site 999, B:36  
 Site 1000, A:250  
 Site 1002, A:368; B:88
- obliquus*, *Globigerinoides*  
 Site 999, A:155; B:25–26, 31  
 Site 1001, A:311
- oceania*, *Gephyrocapsa*  
 Caribbean Sea, B:10–11  
 Site 1001, A:309  
 Site 1002, A:368
- ocellus*, *Lithocyclia*, Site 999, B:79
- Oolina* spp.

- Site 998, A:67  
Site 1001, A:313
- opima, Paragloborotalia*  
Site 998, A:66  
Site 999, A:156
- Orbulina discipulus* Subzone, Caribbean Sea, B:58–60
- Orbulina* spp., Site 999, B:28
- Orbulina suturalis*, Site 1000, A:251
- Orbulina universa*  
Site 998, A:66  
Site 999, A:156; B:36
- Oridorsalis* spp., Site 998, A:67
- orionatus, Tranolithus*, Site 1001, A:311
- orthostylus, Tribrachiatus*  
Site 998, A:64  
Site 999, A:154
- Osangularia cordieriana*, Site 1001, A:313
- oxycona, Dorothia*, Site 1001, A:313
- pachyderma* (dextral), *Neogloboquadrina*  
Site 1000, A:250  
Site 1002, A:368
- pachyderma* (sinistral), *Neogloboquadrina*  
Caribbean Sea, A:384–385  
Site 999, A:154–156; B:19, 28–29, 36, 55
- paenedehiscens, Sphaeroidinellopsis*, Site 999, B:29, 37
- palpebra, Pseudoguembelina*, Site 999, A:158
- panda, Globocoenella*, Site 999, A:156; B:26, 29, 32
- papalis, Podocyrts* (*Podocyrts*)  
Site 999, B:79  
Site 1001, B:81
- Paragloborotalia kugleri*  
Site 998, A:66  
Site 999, A:153, 156
- Paragloborotalia mayeri*  
Site 998, A:65  
Site 999, A:156; B:22–23, 36, 55  
Site 1000, A:250–251  
Site 1001, A:312
- Paragloborotalia nana*, Site 998, A:66
- Paragloborotalia opima*  
Site 998, A:66  
Site 999, A:156
- Paragloborotalia semivera*, Site 999, B:36
- paralenguaensis, Globorotalia*, Site 999, B:33
- parallela, Gephyrocapsa*  
Caribbean Sea, B:10–11  
Site 998, A:63
- parcus, Aspidolithus*, Site 1001, A:311
- parkerae, Globigerinata*, Site 1000, A:250
- Parvularugoglobigerina eugubina*  
Site 999, A:158  
Site 1001, A:313
- pentacamerata, Acarinina*  
Site 998, A:66  
Site 999, A:157
- pentaradiatus, Discoaster*  
Caribbean Sea, B:11  
Site 998, A:63  
Site 1000, A:249  
Site 1001, A:309
- peripheroacuta, Fohsella*  
Site 998, A:65–66  
Site 999, A:156; B:22–23, 30, 56  
Site 1000, A:251
- peripheroronda, Fohsella*, Site 999, B:23, 30
- Peritiviator (?) dumitricai* Subzone, Caribbean Sea, B:58–60
- pertenuis, Menardella*  
Site 999, A:155; B:28, 35  
Site 1000, A:250
- Phormocyrtis cubensis*, Site 1001, B:81
- Phormocyrtis striata exquisita*, Site 1001, B:81
- Phormocyrtis striata striata* Zone, Caribbean Sea, B:58–60
- Phormocyrtis turgida*, Site 1001, B:81
- phyzella, ?Theocorys*, Site 1001, B:81
- Planoglobulina multicamerata*, Site 999, A:158
- Planulina* spp., Site 998, A:67
- Planulina wuellerstorfi*, Caribbean Sea, B:254, 262, 268
- Plectofrondicularia* spp., Site 998, A:67
- plesiotumida, Globorotalia*  
Site 998, A:65  
Site 999, A:155; B:22–23, 27, 33, 55  
Site 1000, A:250  
Site 1001, A:312
- Pleurostomella* spp.  
Site 998, A:67  
Site 1001, A:313
- Podocyrts (Lampterium) chalara* Zone, Caribbean Sea, B:58–60
- Podocyrts (Lampterium) goetheana* Zone, Caribbean Sea, B:58–60
- Podocyrts (Lampterium) mitra*, Site 998, B:76
- Podocyrts (Lampterium) mitra* Zone, Caribbean Sea, B:58–60
- Podocyrts (Lampterium) trachodes*, Site 999, B:79
- Podocyrts (Podocyrts) papalis*  
Site 999, B:79  
Site 1001, B:81
- Podocyrts (Podocytoges) ampla* Zone, Caribbean Sea, B:58–60
- pomeroli, Turborotalia*, Site 999, A:156
- Porites trinitatis*, Site 1000, A:234
- Porticula sphaera semiinvoluta*  
Site 998, A:66  
Site 999, A:156
- Praebulimina* spp., Site 1001, A:313
- praedigitata, Beella*, Site 999, B:30
- praefohsi, Fohsella*  
Site 998, A:65–66  
Site 999, A:156; B:22–23, 31, 56  
Site 1000, A:251  
Site 1001, A:312
- “*praehirsuta*,” *Hirsutella*, Site 999, B:27
- pramenardii, Menardella*, Site 999, B:35
- Praemurica uncinata*, Site 999, A:158
- Praebulina sicana*  
Site 998, A:66  
Site 999, A:156; B:22, 28, 36, 56  
Site 1000, A:251
- praescitula, Globocoenella*, Site 999, A:156; B:26, 29, 32
- predistentus, Sphenolithus*  
Site 998, A:64  
Site 999, A:153
- primalis, Pulleniatina*, Site 999, A:155; B:20, 36
- primordius, Globigerinoides*, Site 999, A:156
- primus, Amaurolithus*, Caribbean Sea, B:12–13
- primus, Cruciplacolithus*, Site 1001, A:311
- prinsii, Micula*, Site 999, A:154
- profunda, Florisphaera*  
Caribbean Sea, B:3  
Site 1002, A:368
- Pseudoemiliania lacunosa*  
Caribbean Sea, B:11  
Site 1001, A:309  
Site 1002, B:87–88
- Pseudoguembelina palpebra*, Site 999, A:158
- Pseudohastigerina* spp.  
Site 998, A:66  
Site 999, A:156
- pseudomenardii, Globonomalina*  
Site 999, A:157–158
- Site 1001, A:313*
- “*pseudomiocenica, Globorotalia*,” Site 999, B:35
- pseudomiocenica, Menardella*  
Site 998, A:64  
Site 999, A:155
- pseudoumbilicus, Reticulofenestra*  
Caribbean Sea, B:11–15
- Site 998, A:63*
- Site 1000, A:248–249*
- Site 1001, A:309*
- Pullenia* spp., Site 1001, A:313
- Pulleniatina obliquiloculata*  
Site 999, B:36
- Site 1000, A:250*
- Site 1002, A:368; B:88*
- Pulleniatina primalis*, Site 999, A:155; B:20, 36
- puncticulata, Globocoenella*, Site 999, B:26
- Pyrgo* spp., Site 1002, B:91
- Quadrum gothicum*, Site 1001, A:311
- Quadrum trifidum*, Site 1001, A:311
- quinqueramus, Discoaster*  
Caribbean Sea, B:12–13
- Site 998, A:63*
- Site 999, A:152*
- Site 1000, A:249*
- Site 1001, A:310*
- Reinhardtites anthophorus*, Site 1001, A:311
- Reinhardtites levii*, Site 1001, A:311
- reticulatum, Cribrocentrum*  
Site 998, A:64
- Site 999, A:154*
- Reticulofenestra ampla*, Caribbean Sea, B:12, 14–15
- Reticulofenestra asanoi*  
Caribbean Sea, B:11
- Site 998, A:62–63*
- Site 999, A:152*
- Site 1000, A:248*
- Site 1001, A:309*
- Reticulofenestra bisecta*  
Caribbean Sea, B:14
- Site 998, A:64*
- Site 999, A:153–154*
- Reticulofenestra bisectus*, Site 998, A:64
- Reticulofenestra minutula*, Caribbean Sea, B:12, 14–15
- Reticulofenestra pseudoumbilicus*  
Caribbean Sea, B:12
- Reticulofenestra* spp.  
Caribbean Sea, B:3, 14–15, 252
- Site 998, B:7*
- Site 999, B:8*
- Reticulofenestra umbilicus*  
Site 998, A:64
- Site 999, A:154*
- Site 1001, A:310*
- rhizodon, Thrysocyrtis (Thrysocyrtis)*, Site 998, B:76
- romeinii, Biscutum*, Site 999, A:154
- ruber, Globigerinoides*  
Site 999, B:25–26, 31
- Site 1002, A:368; B:88–93, 240, 243–246*
- rubescens, Globoturborotalita*, Site 999, B:33–34
- Rucinolithus terebrodentarius*, Site 1001, A:311
- rugosus, Ceratolithus*

- Caribbean Sea, B:13  
Site 1001, A:309
- rugosus, Triquetrorhabdulus*, Caribbean Sea, B:13
- sacculifer, Globigerinoides*, Site 999, B:25–26, 31–32
- saipanensis, Discoaster*, Site 998, A:64, 66
- salisburgensis, Discoaster*, Site 1001, A:310
- scitula, Hirsutella*, Site 999, B:34
- seigliei, Globigerinoides*, Site 999, B:26, 32
- sellii, Helicosphaera*  
Site 998, A:63  
Site 999, A:152  
Site 1000, A:249
- semiinvoluta, Porticulasphaera*  
Site 998, A:66  
Site 999, A:156
- seminulina, Sphaeroidinellopsis*, Site 999, B:28–29, 37
- semivera, Paragloborotalia*, Site 999, B:36
- Sethochytris triconiscus*, Site 998, B:76
- sicana, Praeorbulina*  
Site 998, A:66  
Site 999, A:156; B:22, 28, 36, 56  
Site 1000, A:251
- signus, Discoaster*, Caribbean Sea, B:14
- soldadoensis, Acarinina*  
Site 999, A:158  
Site 1001, A:313
- solitus, Chiasmolithus*  
Site 998, A:64  
Site 999, A:154
- Sphaeroidinella dehiscens*  
Site 998, A:64  
Site 999, A:155; B:20, 22, 29, 36–37, 55  
Site 1000, A:250  
Site 1001, A:311
- Sphaeroidinella dehiscens* s. l., Site 999, B:22
- Sphaeroidinella dehiscens* s. s., Site 999, B:22
- Sphaeroidinella dehiscens* Zone, Site 999, A:155
- Sphaeroidinellopsis disjuncta*, Site 999, B:37
- Sphaeroidinellopsis kochi*, Site 999, A:155; B:29, 37
- Sphaeroidinellopsis paenedehiscens*, Site 999, B:29, 37
- Sphaeroidinellopsis seminulina*, Site 999, B:28–29, 37
- Sphenolithus abies*  
Caribbean Sea, B:11  
Site 1000, A:249  
Site 1001, A:309
- Sphenolithus belemnos*  
Caribbean Sea, B:14  
Site 1000, A:250, 253  
Site 1001, A:310
- Sphenolithus belemnos* Zone, Caribbean Sea, B:14
- Sphenolithus ciperoensis*  
Site 998, A:64  
Site 999, A:153
- Sphenolithus delphix*  
Caribbean Sea, B:14  
Site 1000, A:250
- Sphenolithus distentus*  
Site 998, A:64  
Site 999, A:153
- Sphenolithus heteromorphus*  
Caribbean Sea, B:13–14  
Site 998, A:63  
Site 1000, A:248–250, 252  
Site 1001, A:309–310
- Sphenolithus heteromorphus* Zone, Caribbean Sea, B:14
- Sphenolithus moriformis*  
Caribbean Sea, B:14
- Site 1000, A:249  
Site 1001, A:309
- Sphenolithus neoabies*, Caribbean Sea, B:11
- Sphenolithus predistentus*  
Site 998, A:64  
Site 999, A:153
- Sphenolithus spp.*  
Caribbean Sea, B:12, 252  
Site 998, A:63  
Site 1000, A:249  
Site 1001, A:309
- Spiroplectammina* spp., Site 1001, A:313
- steinmannii, Nannoconus*, Site 1001, A:311
- Stensioina* spp., Site 1001, A:313
- Stichomitra granulata* Zone, Caribbean Sea, B:58–60
- Stilostomella* spp., Site 998, A:67
- striata exquisita, Phormocyrtis*, Site 1001, B:81
- Stylophora* cf. *imperatoris*, Site 1000, A:234
- Stylotrochus nitidus*–*Pterocodon* (?) *poculum*  
Subzone, Caribbean Sea, B:58–60
- Subbotina triloculinoides*  
Site 999, A:158  
Site 1001, A:313
- subbotinae, Morozovella*, Caribbean Sea, A:381
- subdisticha, Ericsonia*  
Site 998, A:64  
Site 999, A:154
- sublodoensis, Discoaster*  
Site 998, A:64  
Site 999, A:154  
Site 1001, A:310
- subquadratus, Globigerinoides*  
Site 998, A:65  
Site 999, B:26, 32
- subsphaerica, Acarinina*, Site 999, A:158
- Sullivania danica*  
Site 999, A:154  
Site 1001, A:311
- surculus, Discoaster*  
Caribbean Sea, B:11  
Site 1000, A:249  
Site 1001, A:309
- surirellus, Cretarhabdus*, Site 1001, A:311
- suturalis, Orbolina*, Site 1000, A:251
- tamalis, Discoaster*  
Caribbean Sea, B:11–12, 14–15  
Site 1000, A:249, 252  
Site 1001, A:309
- tenella, Globoturborotalita*, Site 999, B:34
- tenuis, Cruciplacolithus*  
Site 999, A:154  
Site 1001, A:311
- terebrodentarius, Rucinolithus*, Site 1001, A:311
- tetracantha, Thysocyrtis* (*Pentalacorys*), Site 998, B:76
- tetradica, ?Buryella*, Site 1001, B:81
- Thalassionema* spp., Site 1002, A:365
- ?*Thecocorys phyzella*, Site 1001, B:81
- Theocotyle cryptocephala* Zone, Caribbean Sea, B:58–60
- Theocyrtis tuberosa* Zone, Caribbean Sea, B:58–60
- Thoracosphaera* spp., Site 999, A:154
- Thysocyrtis* (*Pentalacorys*) *tetracantha*, Site 998, B:76
- Thysocyrtis* (*Pentalacorys*) *triangularis*, Site 998, B:76
- Thysocyrtis* (*Pentalacorys*) *triangularis* Zone, Caribbean Sea, B:58–60
- Thysocyrtis* (*Thysocyrtis*) *rhizodon*, Site 998, B:76
- tosaensis, Globorotalia*, Site 999, B:20
- tosaensis, Truncorotalia*  
Site 998, A:64  
Site 999, A:155  
Site 1001, A:311
- trachodes, Podocyrtis* (*Lampterium*), Site 999, B:79
- Tranolithus orionatus*, Site 1001, A:311
- triacantha, Thysocyrtis* (*Pentalacorys*), Site 998, B:76
- triangula, Globoconella*, Site 999, A:155; B:26
- Tribrachiatus bramlettei*, Site 1001, A:311
- Tribrachiatus contortus*, Site 1001, A:311
- Tribrachiatus orthostylus*  
Site 998, A:64  
Site 999, A:154
- triconiscus, Sethochytris*, Site 998, B:76
- tricorniculatus, Amaurolithus*, Caribbean Sea, B:12
- tridum, Quadrum*, Site 1001, A:311
- trilobus, Globigerinoides*, Site 1000, A:250
- triloculinoides, Subbotina*  
Site 999, A:158  
Site 1001, A:313
- trinitatis, Porites*, Site 1000, A:234
- Triquetrorhabdulus carinatus*, Caribbean Sea, B:14
- Triquetrorhabdulus carinatus* Zone, Caribbean Sea, B:14
- Triquetrorhabdulus rugosus*, Caribbean Sea, B:13
- Triquetrorhabdulus rugosus* Subzone, Caribbean Sea, B:13
- triradiatus, Discoaster*, Caribbean Sea, B:11
- Tritaxia?* spp., Site 1001, A:313
- truncatulinoides, Globorotalia*, Site 999, B:20
- truncatulinoides, Truncorotalia*  
Site 998, A:64  
Site 999, A:155; B:29, 37, 55  
Site 1000, A:250  
Site 1001, A:311  
Site 1002, A:368
- Truncorotalia crassaformis*, Site 999, A:155; B:29, 37
- Truncorotalia tosaensis*  
Site 998, A:64  
Site 999, A:155  
Site 1001, A:311
- Truncorotalia truncatulinoides*  
Site 998, A:64  
Site 999, A:155; B:29, 37, 55  
Site 1000, A:250  
Site 1001, A:311  
Site 1002, A:368
- tumida, Globorotalia*  
Caribbean Sea, A:385  
Site 998, A:64  
Site 999, A:155; B:22, 27, 29, 33  
Site 1000, A:250  
Site 1001, A:312  
Site 1002, A:368
- tumida flexuosa, Globorotalia*  
Site 998, A:64  
Site 1002, A:368; B:88
- Turborotalia ampliapertura*  
Site 998, A:66  
Site 999, A:156
- Turborotalia cerroazulensis*  
Site 998, A:66  
Site 999, A:156
- Turborotalia cunialensis*  
Site 998, A:66  
Site 999, A:156
- Turborotalia pomeroli*, Site 999, A:156
- turgida, Phormocyrtis*, Site 1001, B:81
- tympaniformis, Fasciculithus*, Site 1001, A:311

*umbilicus, Reticulofenestra*

- Site 998, A:64  
Site 999, A:154  
Site 1001, A:310  
*uncinata, Praemurica*, Site 999, A:158  
*ungulata, Globorotalia*, Site 999, B:33  
*universa, Orbulina*  
Site 998, A:66  
Site 999, A:156; B:36

*variabilis, Discoaster*

- Caribbean Sea, B:14  
Site 1001, A:309

*velascoensis, Morozovella*

- Site 999, A:157  
Site 1001, A:313

*venezuelana, Globoquadrina*, Site 999, B:27, 32*ventricosa, Globotruncana*, Site 1001, A:313*vespertilio, Lithochytris*, Site 998, B:76*Watznaueria barnesae*

- Site 999, A:154  
Site 1001, A:311

*woodi, Globoturborotalita*, Site 999, B:27, 34*wuellerstorfi, Planulina*, Caribbean Sea, B:254, 262, 268*zealandica, Globoconella*, Site 999, B:32

## zones (with letter prefixes)

- CC21, Site 1001, A:311  
CC22, Site 1001, B:60  
CC23, Site 1001, A:311  
CC24, Site 1001, A:311  
CC25, A:154, 311  
CC26, A:154, 204, 311; B:60  
CN1, A:64, 250; B:14  
CN1a, A:153; B:60  
CN1b, Site 999, A:152–153  
CN1c, Site 999, A:152  
CN1c/CN1b boundary, Site 998, A:64  
CN2, A:310; B:14  
CN3, Caribbean Sea, B:14–15  
CN3/CN4 boundary, Site 998, A:63  
CN4, A:152, 250; B:14–15  
CN5, A:63, 152, 206, 241, 247, 309–310, 342, 382–383; B:13–12, 60  
CN5a, Caribbean Sea, B:13  
CN5b, A:63, 152, 250; B:13  
CN6, A:152, 241, 247, 249, 382–383; B:13  
CN7, A:206, 309–310, 382; B:13  
CN7a, Caribbean Sea, B:13  
CN7b, Caribbean Sea, B:13  
CN8, A:309, 382; B:13, 15  
CN8a, A:63, 152, 250, 310; B:13  
CN8b, A:63, 152, 250, 310; B:13, 15  
CN9, A:250, 310; B:13, 15  
CN9a, A:207; B:13  
CN9b, Caribbean Sea, B:13  
CN9bA, Caribbean Sea, B:13  
CN9bB, Caribbean Sea, B:13  
CN9bC, Caribbean Sea, B:13  
CN10, A:309; B:12–13, 15

- CN10a, Caribbean Sea, B:13  
CN10b, Caribbean Sea, B:12–13, 15  
CN10c, Caribbean Sea, B:12  
CN11, Caribbean Sea, B:12, 15  
CN12, Caribbean Sea, B:11–12, 14  
CN12/CN11 boundary, Site 998, A:63  
CN12a, Caribbean Sea, B:12  
CN12aA, Caribbean Sea, B:12  
CN12aB, Caribbean Sea, B:12  
CN12d, A:63; B:12  
CN13, Caribbean Sea, B:11  
CN13b/CN13a boundary, A:63, 152, 249; B:11  
CN14, Caribbean Sea, B:10–11  
CN14a, Caribbean Sea, B:11  
CN14b, A:309; B:11  
CN15, A:368, 370; B:10, 85  
CP1, Site 999, A:154  
CP1b, A:154, 311  
CP2, A:154, 311  
CP3, A:154, 311  
CP4, Site 1001, A:311; B:70  
CP5, A:154, 311; B:70  
CP6, A:154, 311; B:70  
CP7, A:154; B:70  
CP8, A:154, 311; B:70  
CP9, A:154, 311  
CP9b, A:154, 311  
CP10, A:64, 310, 342  
CP11, A:64, 154  
CP11/CP10 boundary, Site 998, A:64  
CP13, Site 999, A:154  
CP13a, Site 1001, A:310  
CP13c, Site 1001, A:309–310, 342  
CP16a/CP16b boundary, A:64, 154  
CP19b, Site 999, B:60  
N4, A:66, 156; B:27  
N5, A:66; B:23  
N6, A:66, 156; B:22  
N6/N5, Site 1000, A:251  
N7, A:66, 156, 251; B:22, 25  
N8, A:251; B:23, 28  
N9, A:66, 156, 251; B:25, 28  
N9/N8 boundary, A:66, 156; B:22, 26  
N10, A:251; B:22–23  
N11, A:156, 251, 312, 342; B:22–23  
N12, A:156, 206, 251, 310, 312; B:22–23, 25  
N13, A:156, 251, 312; B:22  
N14, A:64–65, 156, 251, 312; B:22  
N15, A:64–65, 156, 250, 312; B:22  
N16, A:64–65, 155, 251, 312; B:22–27  
N17, A:155–156, 250, 312; B:26–27  
N17/N18, Site 1000, A:250  
N17/N18 boundary, Site 998, A:65  
N18, A:65, 155, 250, 312; B:27  
N18/N17 boundary, Site 999, A:155; B:22  
N19, A:64, 155, 250, 312; B:20, 22  
N20, Site 1001, A:311  
N21, A:64, 155, 311  
N21/N20 boundary, Site 999, B:20  
N22, A:64, 155, 250; B:20, 27  
N23, Site 998, A:64

- P0/P $\alpha$ , A:158, 204, 313, 346, 394  
P1b, A:158, 313  
P1c, Site 999, A:158  
P2, Site 999, A:158  
P3a, A:158, 313  
P3b, A:158, 313  
P4, Site 1001, A:313  
P4a, Site 999, A:158  
P4b–P3b, Site 999, A:158  
P4c, Site 1001, A:313  
P5, A:157–158, 206, 313  
P5/P6a boundary, Site 999, A:157  
P6, Site 1001, A:342  
P6a, Site 1001, A:312  
P8, A:66, 156  
P9, Site 999, A:156–157  
P10, A:66, 156–157  
P11, A:66, 156  
P12, A:66, 156  
P13, A:66, 156  
P14, A:66, 156  
P15, Site 998, A:66  
P16, A:66, 156  
P16/P17 boundary, Site 999, A:156  
P17, A:66, 156  
P18, Site 999, A:156  
P19, Site 998, A:66  
P20, A:66, 156  
P21a, A:66, 156  
P21b, Site 998, A:66  
P22, Site 998, A:66  
P $\alpha$ , Site 999, A:204  
RP1, Caribbean Sea, B:58–60  
RP2, Caribbean Sea, B:58–60  
RP3, Caribbean Sea, B:58–60  
RP4, Caribbean Sea, B:58–60  
RP5, Caribbean Sea, B:58–60  
RP6, B:58–60, 70  
RP6a, Caribbean Sea, B:58–60  
RP6b, Caribbean Sea, B:58–60  
RP6c, Caribbean Sea, B:58–60  
RP7, Caribbean Sea, B:58–60, 70  
RP8, Caribbean Sea, B:58–60  
RP9, Caribbean Sea, B:58–60  
RP10, Caribbean Sea, B:58–60  
RP11, Caribbean Sea, B:58–60  
RP12, Caribbean Sea, B:58–60  
RP13, Caribbean Sea, B:58–60  
RP14, Caribbean Sea, B:58–60  
RP15, Caribbean Sea, B:58–60  
RP16, Caribbean Sea, B:58–60  
RP17, Caribbean Sea, B:58–60  
RP18, Caribbean Sea, B:58–60  
RP19, Caribbean Sea, B:58–60  
RP20, Caribbean Sea, B:58–60  
RP21, Caribbean Sea, B:58–60  
RP22, Caribbean Sea, B:58–60

*Zygrhablithus bijugatus*

- Site 998, A:64  
Site 999, A:153