

INDEX TO VOLUME 166

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 166 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, or thin-section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 1003, for example, is given as “Site 1003, A:71–151.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station TX 77845-9547, USA, e-mail: pub_production@odpemail.tamu.edu

VOLUME 166 SUBJECT INDEX

- Acroporidae, lithologic units, A:296
- advection
brines, B:190–191
fluid flow, A:9, 373
oxygen isotopes, B:97
- age
correlation, A:16
sediments, A:372
seismic sequence boundaries, B:168–169
strontium isotopes, A:31
vs. oxygen isotopes, B:19
vs. remanent magnetization, B:42
vs. uranium-234, B:28
- age models
oxygen isotopes, B:15
uranium-thorium dating, B:23–31
- age vs. depth
Great Bahama Bank, A:17, 31
Site 1003, B:84
Site 1004, A:159
Site 1005, A:184
Site 1006, A:246; B:18, 160, 163
Site 1007, A:307
- algae
lithologic units, A:77
photograph, A:158
turbidites, B:50–53, 57–60
See also green algae; red algae
- alkalinity
fluid flow, A:330
microbial degradation, A:255
pore water, A:93–94, 161, 168, 189–191,
251–252, 254, 313–316
sediments, A:363–364
vs. depth, A:94, 163, 189, 253, 314, 363;
B:181–185, 189
- allochems, lithologic units, A:238–241, 295–299,
350–356
- alteration, cements, A:34
- aluminum, well logging, A:100
- aluminum logs, vs. depth, A:104
- ammonium
fluid flow, A:330
pore water, A:94, 161, 189, 251–252, 254,
313–316
sediments, A:363–364
solubility, A:365
vs. depth, A:94, 163, 189–191, 253, 314, 363;
B:182–185, 189
- Amphistegina* spp., abundance vs. depth, B:135
- anhydrite-indicator ratio logs, vs. depth, A:103
- Antarctic Polar Front, temperature, B:19
- aragonite
color reflectance, A:242
deposition, A:14–18, 33–34; B:170–171
diagenesis, B:24–30, 191
dissolution, A:168, 365
glacial cycles, B:66–68
mineralogy, A:255
oxygen isotopes, B:14–21
percentage in carbonates, B:141
pore water, A:316
preservation, A:39
sedimentation, A:267
sediments, A:95, 164, 192, 317–319;
B:147–151
seismic sequence boundaries, B:46–47
seismic stratigraphy, A:328
uranium/thorium dating, B:64–65
vs. depth, A:194, 242, 263, 298, 320, 354;
B:16–17, 65–66, 68, 141, 151
- aragonite needles
lithologic units, A:77–78, 154–156, 177,
179–180, 238–241, 353–355
vs. depth, A:80, 157, 177, 351, 354
- Asterigerina* spp., abundance vs. depth, B:135
- Atlantic Ocean NW, subtropical,
paleoclimatology, B:13–22
- Bahamas
Pleistocene highstands, B:23–31
See also Great Bahama Bank; Little Bahama
Bank
- Bahamas Transect, sea-level changes, A:5–10;
B:167–177
- Bahamas Transect, distal, turbidites, B:45–60
- barite
barium source, B:109
diagenesis, B:190–191, 194
- barium
carbonates, B:141–142
geochemical controls on pore-water
composition, B:108–109
sediments, B:185–188
vs. depth, B:105, 142, 190
- barium/calcium ratio, sediments, B:138–140
- basins, sedimentary succession, A:304–305
- bedding
core-log integration, A:100, 104
See also convolute bedding; cross laminations
- Benguelan upwelling system, temperature, B:19
- biochronology, zoning, A:183–185
- bioclastics, lithologic units, A:156
- bioclasts
alteration, A:34
deposition, A:242–243
lithologic units, A:77, 79–80, 82–83, 115,
155–156, 177–178, 240–242, 299–300,
303, 350–355
turbidites, B:50–53, 57–60
- bioevents
calcareous nannofossils, A:85, 159, 183, 244,
306; B:35–43, 159
depth, B:4, 160, 162–165
planktonic foraminifers, A:85, 159, 184, 244,
309; B:156–159
- bioirrigation, geochemistry, B:188
- biopackstone, pteropod, sediments, A:372
- biostratigraphic datums, zoning, A:29–30
- biostratigraphy
carbonate platforms, A:28
Pliocene–Miocene, B:3–12
Site 1003, A:84–89
Site 1004, A:156–158
Site 1005, A:180–185
Site 1006, A:243–246; B:155–166
Site 1007, A:305–309
Site 1008, A:356–358
Site 1009, A:357–358
See also biochronology
- bioturbation
cyclic alternation, A:18
image facies, B:78–81
lithologic units, A:77–80, 177, 239–241,
295–303, 350–355
photograph, A:82–83, 300
- biowackestone
cyclic alternation, A:18
lithologic units, A:350–352
- biowackestone, lithified, lithologic units, A:178
- bivalves
lithologic units, A:77, 79, 154–156, 177–178,
353–355
photograph, A:81, 158, 178
- Blackman-Tukey spectral analysis, sedimentation
rates vs. frequency, B:165, 172
- Blake Event, magnetic reversals, A:247
- block faults, continental margins, A:6
- borehole offsets, A:249
- Boundary B, seismic facies, A:110
- breccia
lithologic units, A:178
photograph, A:204
- Brunhes Chron
carbonate platforms, A:33
magnetic reversals, A:186
magnetostratigraphy, A:159
sequence stratigraphy, A:37
temperature, B:20
- Brunhes/Matuyama boundary
magnetic reversals, A:186
magnetostratigraphy, A:89, 159
- bryozoans
lithologic units, A:352
photograph, B:355
- Burdigalian, turbidites, B:48
- burial, sedimentary succession, A:305
- burrows
lithologic units, A:80, 82, 177–179, 239–242,
295–296, 298–301, 303, 350–352
photograph, A:83–84, 181, 240–241, 304
- butane. *See* isobutane; *n*-butane
- calci-turbidites, image facies, B:81–82
- calcite
diffractograms, B:26
glacial cycles, B:66–68
lithologic units, A:178
pore water, A:191
- calcite, high-magnesium
alteration, A:34
diagenesis, B:190–191
glacial/interglacial cycles, B:69–75
magnesium/calcium ratio, A:365
mineralogy, A:255
sediments, A:95, 164, 317, 365; B:147–151
seismic sequence boundaries, B:46–47
vs. depth, B:66, 68, 151
- calcite, low-magnesium
deposition, A:14–18, 33–34
diagenesis, B:190–191
fluid flow, A:330
glacial/interglacial cycles, B:69–75
mineralogy, A:255
sediments, A:95, 162, 164, 317; B:147–151
seismic sequence boundaries, B:46–47
vs. depth, B:66, 68, 141, 151
- calcium
carbonates, B:141–142
fluid flow, A:330
pore water, A:35, 93, 161–162, 189–192, 251,
267, 313
sediments, A:363–364
vs. depth, A:94, 163, 189, 253, 314, 363;
B:182–185, 189
well logging, A:100
See also barium/calcium ratio; iron/calcium

- ratio; magnesium/calcium ratio;
manganese/calcium ratio;
strontium/calcium ratio
- calcium, normalized, vs. depth, A:95, 163
- calcium/chloride ratio
diagenesis, A:255
vs. depth, A:35
- calcium logs, vs. depth, A:103–104
- caliper logs, vs. depth, A:101–103, 197, 199, 259, 261, 322–323
- carbon, sediments, A:90
- carbon, organic, diagenesis, B:181, 184
- carbon, total, sediments, A:188, 250, 312, 361
- carbon, total organic
sediments, A:160
vs. depth, A:91, 161, 188, 250, 312;
B:138–141, 180
vs. total sulfur, A:93
- carbon isotopes
pore water, B:184, 192, 194
sediments, B:138–140, 142, 147–151, 181
vs. depth, B:142, 152, 193
- carbonate content
lithologic units, A:178
sediments, A:188, 250, 317–319; B:148–151
vs. depth, A:91, 161, 188, 250, 312, 320, 361;
B:138–141
- carbonate mineralogy
vs. depth, B:151
See also aragonite; calcite; dolomite
- carbonate platforms. *See* periplatforms; platforms
- carbonate ramps, lithologic units, A:179–180
- carbonates
barium source, B:109
cyclo-stratigraphy, B:77–88, 155–166
diagenesis, B:23–31, 95–97, 190–191
geochemistry, B:137–143, 145–152
paleomagnetism, B:123–127
Quaternary, B:13–22
recrystallization, B:106–107
rock magnetism, B:35–43
sea-level changes, A:14–18; B:167–177
sedimentology, B:61–76
seismic profiles, A:6–8
turbidites, B:45–60
See also allochems; bioclastics; bioclasts;
biopackstone; biowackestone;
floatstone; grainstone;
grainstone/rudstone ratio; intraclasts;
lithoclasts; micrite; packstone;
packstone/floatstone; pellets; peloids;
wackestone
- carbonates, biogenic
geochemistry, B:109
recrystallization, A:254
- casts, lithologic units, A:154–156
- Cay Sal Bank, sedimentation rates, A:245–246
- celestite
deposition, A:39–40
diagenesis, A:191; B:190–191, 194
dissolution, B:106
lithologic units, A:178, 299
photograph, A:81
sediments, A:95, 192, 317
solubility, A:365
vs. depth, B:193
- cementation
alteration, A:34
deposition, A:14–18, 36
image facies, B:78–81
lithologic units, A:178–179, 299–300
sediments, A:365
- chalk
alternations, B:170–171
deposition, A:242–243
sedimentation, A:266–267
- chalk, foraminifer nannofossil, lithologic units,
A:298
- chalk, nannofossil, lithologic units, A:239–241
- charge balance
pore water, A:316–317
vs. depth, A:316
vs. magnesium, A:316
- chloride
contour map, A:22; B:92
fluid flow, A:254, 267
pore water, A:91, 161, 168, 190–192, 251,
312–316
sediments, A:363–364
vs. depth, A:21–22, 94, 163, 189, 191, 253,
314, 363; B:92, 96–97, 117, 181–185,
189–191, 194
vs. oxygen isotopes, B:93–96
vs. strontium, B:192
See also calcium/chloride ratio;
magnesium/chloride ratio;
potassium/chloride ratio;
sodium/chloride ratio
- Chondrites*
lithologic units, A:239–242, 298–299
photograph, A:240–241
sedimentation, A:267
- Chron C1n, carbonate platforms, A:33
- Chron C1r.1n, magnetostratigraphy, A:310
- Chron C1r, magnetostratigraphy, A:310–311
- Chron C2An, carbonate platforms, A:31
- Chron C2Ar, carbonate platforms, A:31
- Chron C2r
carbonate platforms, A:31, 33
sequence stratigraphy, A:37
- Chron C3An
carbonate platforms, A:32
sequence stratigraphy, A:37
- Chron C3n
carbonate platforms, A:33
sequence stratigraphy, A:37
- Chron C3r, carbonate platforms, A:32
- Chron C5n
carbonate platforms, A:31
sequence stratigraphy, A:37
- chronostratigraphy
age model, A:32–33
comparison with seismic sequences, A:38
diagenesis, A:28
sedimentation rates, A:267
seismic sequence boundaries, B:168–169, 176
See also biochronology
- clay layers, vs. depth, A:242
- clay minerals
diagenesis, A:191
fluid flow, A:254
pore water, A:316
terrigenous materials, B:106–108
well logs, A:199
- clay-indicator ratio logs, vs. depth, A:103
- clays
color reflectance, A:242
composite sections, A:248–250
geochemistry, B:191–194
lithologic units, A:178, 238–239
photograph, A:240
sedimentation, A:266–267
See also kaolinite; montmorillonite
- clays, silty, lithologic units, A:239
- Clino
biostratigraphy, A:28
magnetostratigraphy, A:31
sedimentology, A:26, 28; B:174
- strontium-isotope stratigraphy, A:30
- clinoforms, upper slope, A:205
- clotted structures, lithologic units, A:178
- Cochiti Subchron, carbonate platforms, A:31
- coercivity, remanent magnetization spectra, B:37
- color cycles
deposition, A:14–18
lithologic units, A:177–178
- color intensity, vs. depth, A:98
- color mottling, lithologic units, A:238–241,
295–296, 298, 303, 351–355
- color reflectance
lithologic units, A:242
vs. depth, A:157, 177, 180, 187, 242, 248, 298,
319–320
- compaction
lithologic units, A:178–179, 300–303
photograph, A:181–182
sedimentary succession, A:304–305
- composite depth, Site 1005, A:187
- composite section, Site 1006, A:248–250
- compressional wave velocity
sediments, A:96–97, 164, 192–194, 255–256,
317–319, 365, 367
vs. depth, A:96–98, 165, 180, 193–194, 203,
256–257, 266, 318–320, 326–327,
366–367
- continental margins, fluid flow, A:5
- continental slope
cyclo-stratigraphy, B:77–88
diagenesis, B:23–31
- convolute bedding, lithologic units, A:156, 178,
301
- coral debris
lithologic units, A:177, 239–241, 295–297
photograph, A:158
- core-log integration, bedding, A:100, 104
- correlation
composite sections, A:187, 248–250
lithology, B:356
sediments, A:113, 204, 265
sequence stratigraphy, A:37
- Cretaceous, Middle, deposition, A:6
- cross laminations, lithologic units, A:78
- cyclic processes
biostratigraphy, B:155–166
composite sections, A:248–250
deposition, A:14–18, 36; B:170–174
lithologic units, A:83–84, 114–115, 154–156,
179–180, 239–241, 295–296, 350–352,
355–356
mudstone–wackestone, A:205–207
pelagic processes, A:242–243
sedimentary succession, A:304–305
sedimentation rates, B:82, 84–85
- cyclic processes logs, vs. depth, A:105–108
- cyclo-stratigraphy, lithology, B:77–88
- debris flows
lithologic units, A:350–352, 355–356
sedimentary succession, A:304–305
See also gravity-flow deposits
- deformation, photograph, A:181–182
- demagnetization, sediments, A:246–247, 358
- density, carbonates, A:35
- density, bulk, vs. depth, A:96–97, 165, 193, 256,
318–319, 366–367
- density, GRAPE
sediments, A:96–97, 164, 192, 194, 255–256,
317–319, 365, 367
vs. depth, A:98, 257
- density logs
vs. depth, A:197, 199–200, 322
See also gamma ray-density-porosity logs

- depo-centers, turbidites, B:53
- deposition
environment, A:114
highstand shedding, A:35
- deuterium
pore water, B:94
vs. depth, B:97
See also hydrogen isotopes
- diagenesis
carbonate mineralogy, B:73–74
carbonates, B:95–97
chronostratigraphy, A:28
deposition, A:34–35, 38–40
dolomite, A:168, 255
geochemistry, B:185, 188–194
highstands, B:23–31
kaolinite, A:191
lithium, B:106
organic carbon, B:181, 184
organic matter, B:191–194
sediments, A:317
seismic stratigraphy, A:329–330
well logs, A:324
See also alteration; cementation;
dolomitization; neomorphism;
recrystallization
- diagenesis, marine, alteration, A:39
- diamagnetism
magnetostratigraphy, A:310
sediments, A:359–360
- diatoms, lithologic units, A:178
- diffusion
diagenesis, B:190–191
oxygen isotopes, B:97
- dissolution
alteration, A:34; B:193
aragonite, A:168, 365
benthic foraminifers, B:129–136
pore water, A:316
sulfate, B:106
- dissolution index, planktonic foraminifers, B:136
- dolomite
deposition, A:33–34
diagenesis, A:255; B:190–191
glacial cycles, B:66–68
lithologic units, A:155–156
mineralogy, A:255
oxygen isotopes, B:97
percentage in carbonates, B:141
pore water, A:191
sediments, A:95, 162, 164, 192, 317, 365, 372;
B:148–151
vs. depth, B:66, 68, 141, 151
- dolomitization
deposition, A:36, 39
lithologic units, A:80, 178–179
pore water, A:162
seismic stratigraphy, A:327
- downhole logging
Site 1003, A:98–104
Site 1005, A:195–201
Site 1006, A:258–260
Site 1007, A:320–324
- Drake Passage, circulation, B:20
- eccentricity
sedimentation rates, B:164
See also orbital cycles; precession
- echinoderm spines, lithologic units, A:77,
154–156, 177–178, 238–241, 295–299,
351–355
- Elphidium* spp., abundance vs. depth, B:135
- entropy, maximum, sedimentation rates, B:165
- environment, sedimentation, A:266–267
- ethane
sediments, A:187, 250, 311, 360
See also methane/ethane ratio
- eustacy
carbonate platforms, A:5–10; B:167–177
See also glacio-eustacy
- exclusion, recrystallization, B:106–107
- faults. *See* block faults; grabens; horsts
- firmgrounds
alteration, A:34
lithologic units, A:239–241, 297, 301
photograph, A:84, 241, 301
sediments, A:192
well logs, A:324
See also hardgrounds
- fish debris. *See* otoliths
- floatstone
deposition, A:16
lithologic units, A:156, 297
remanent magnetization, B:40
See also packstone/floatstone
- floatstone, bioclastic
lithologic units, A:298, 350–352
photograph, A:158
- floatstone, lithoclastic
lithologic units, A:352
photograph, A:351
- floatstone, partially lithified lithoclastic, lithologic
units, A:355
- floatstone, unlithified, lithologic units, A:350–352
- floatstone, unlithified lithoclastic, lithologic units,
A:350–355
- fluid circulation, carbonate platforms, A:9, 20–22
- fluid flow
advection, A:373
carbonate platforms, A:5–10, 40
clay minerals, A:254
continental margins, A:5
diagenesis, B:185–194
geochemistry, A:115, 267–268, 330
oxygen isotopes, B:91–98
pore water, A:192
thermal anomalies, B:116–117
uranium loss, B:27–29
- fluoride
pore water, A:94–95, 162, 190–191, 252, 254,
267, 313–316
sediments, A:364
vs. depth, A:94, 163, 189, 253, 314, 363
- flushed zone
fluid circulation, A:21–22
oxygen isotopes, B:93–94
- foraminifers
bioevents, A:85, 159, 184, 244, 309
cyclo-stratigraphy, B:84–85
lithologic units, A:77–80, 82–83, 154–156,
353–355
photograph, A:158
sequence stratigraphy, A:19–20
turbidites, B:50–53
vs. depth, A:87
See also miliolids; rotaliids
- foraminifers, benthic
abundance, B:129–136
biostratigraphy, A:88, 157–158, 183, 244–245,
308, 357–358
changes, A:246
lithologic units, A:177–178, 238–241,
295–298, 303, 351–355
Q-mode varimax factor analysis of abundance
vs. depth, B:134–135
- foraminifers, planktonic
biostratigraphy, A:86, 88, 157, 182–183, 244,
306–308, 357; B:3–12, 155–166
- dissolution index, B:136
- lithologic units, A:177–178, 238–242,
295–299, 301–303, 350–355
- paleoclimatology, B:13–22
- turbidites, B:57–60
vs. depth, B:357
- wackestone, B:56
- zonation, A:246
- foraminifers, pyritized, lithologic units,
A:239–241, 298
- Formation MicroScanner imagery,
cyclo-stratigraphy, B:77–88
- Formation MicroScanner imagery logs
turbidites, B:49
vs. depth, A:105–108, 200, 262–263;
B:160–162
- zoning, A:260
- fractures
lithologic units, A:79, 178, 299
photograph, A:81
- gamma ray-density-porosity logs
Site 1003, A:130–136
Site 1005, A:212–214, 223–227
Site 1006, A:278–282
Site 1007, A:339–345
- gamma ray-resistivity-sonic logs
Site 1003, A:118–123
Site 1005, A:209–211, 219–220
Site 1006, A:270–273
Site 1007, A:332–338
- gamma rays, vs. depth, A:96–98, 157, 165, 180,
187, 193–194, 248, 250, 256–257,
318–319, 366–367
- gamma-ray logs
turbidites, B:49
vs. depth, A:102–108, 124–129, 137–143,
148–151, 197–200, 215–217, 221–222,
228–232, 261–263, 274–277, 283–287,
322–323
- gastropods, lithologic units, A:77, 154–156,
177–178, 351–355
- Gauss Chron, carbonate platforms, A:31–32
- geochemical controls
barium in pore water, B:108–109
iron in pore water, B:109–110
lithium in pore water, B:105–108
manganese in pore water, B:109–110
rubidium in pore water, B:108
- geochemical gradients, fluid circulation, A:21–22
- geochemical logs, vs. depth, A:103, 144–147, 323
- geochemistry
fluid flow, A:267–268
pore water, B:99–111, 179–195
sediments, B:137–143, 145–152, 179–195
- geochemistry, inorganic
Site 1003, A:91–95
Site 1004, A:160–164
Site 1005, A:188–192
Site 1006, A:251–255
Site 1007, A:312–317
Sites 1008–1009, A:361–365
- geochemistry, organic
Site 1003, A:90–91
Site 1004, A:159–160
Site 1005, A:187–188
Site 1006, A:250–251
Site 1007, A:311–312
Sites 1008–1009, A:360–361
- geomagnetic polarity time scale, correlation,
A:185, 309
- geopetal structures
lithologic units, A:354

- photograph, B:355
 geothermal gradient
 bottom-hole temperature, B:117–119
 sediments, A:104–105, 166, 201–202, 260, 324, 368
 geothermal regime, bottom-hole temperature, B:113–120
 Gilbert Chron, carbonate platforms, A:31–32
 glacial maxima, deposition, B:18–21
 glacial/interglacial cycles
 carbonate mineralogy, B:69–75
 temperature, B:20
 glaciation
 carbonate mineralogy, B:66–67
 Quaternary, B:13–22
 glacio-eustasy, seismic stratigraphy, A:6–8
 glauconite
 lithologic units, A:297
 sediments, A:317
Globigerinoides ruber, paleoclimatology, B:13–22
Glycymeris
 lithologic units, A:177, 354
 photograph, A:178
 grabens, continental margins, A:6
 grain size
 carbonate mineralogy, B:67–73
 lithologic units, A:355–356
 vs. depth, B:69–71
 grains, turbidites, B:48
 grains, blackened, lithologic units, A:239–241, 297, 303, 352–355
 grainstone
 alteration, A:34
 lithologic units, A:78–80, 178, 295–296, 353–355
 rock magnetism, B:35–43
 grainstone, bioclastic, lithologic units, A:298
 grainstone/rudstone ratio, photograph, A:299, 301
 gravity-flow deposits
 carbonates, A:18
 core-log integration, A:100, 104
 sedimentary succession, A:304–305
 See also debris flows
 Great Bahama Bank
 biostratigraphy, B:3–12
 carbonates, B:13–22, 145–152
 fluid circulation, A:21–22
 fluid flow, B:91–98
 platforms, A:6
 pore water, B:99–111
 sea-level changes, A:6
 sedimentation rates, A:245–246
 turbidites, B:45–60
 See also Little Bahama Bank
 Great Bahama Bank, leeward
 sediment geochemistry, B:137–143
 sedimentology, B:61–76
 Great Bahama Bank W
 cyclo-stratigraphy, B:77–88
 geothermal regime, B:113–120
 green algae, turbidites, B:57–60
Halimeda
 lithologic units, A:77, 79–80, 82, 156, 177, 295, 299, 352, 354–355
 photograph, A:158, 351
 halos, photograph, A:304
 hardgrounds
 alteration, A:34, 39–40
 deposition, A:16
 image facies, B:81–82
 lithologic units, A:82, 238–241, 295–296, 350–352, 354–355
 photograph, B:355
 sediments, A:192
 upper slope, A:205
 See also firmgrounds
 heat flow
 sediments, A:105, 166, 202, 260, 324, 368–369; B:116
 thermal models, B:119
 hiatuses
 correlation, A:265
 cyclo-stratigraphy, B:84–85
 deposition, A:16
 magnetic minerals, B:41–42
 sedimentation rates, A:309
 seismic sequences, A:206
 seismic stratigraphy, A:327
 well logs, A:324
 zoning, A:183–185
 See also unconformities
 highstand shedding
 deposition, A:35; B:50–53
 lithologic units, A:179–180
 highstands
 carbonate mineralogy, B:73
 carbonates, B:18
 image facies, B:78–81
 Pleistocene, B:23–31
 sea-level changes, A:38; B:170–175
 seismic sequence boundaries, B:46–47
 seismic stratigraphy, A:329–330
 temperature, B:20
 See also lowstands; sea-level changes
 Holocene
 deposition, B:18–21
 See also Pleistocene–Holocene succession; Pleistocene/Holocene boundary
 horsts, continental margins, A:6
 hydraulic head difference, fluid flow, A:9
 hydrocarbons. *See* ethane; isobutane; isopentane; methane; methane/ethane ratio; methane/higher hydrocarbons ratio; methanogenesis; *n*-butane; *n*-pentane; propane
 hydrocarbons, free, vs. depth, A:93
 hydrocarbons, volatile, sediments, A:90, 159–160, 187, 250, 311, 360
 hydrogen index
 organic matter, A:160
 vs. depth, A:161
 hydrogen isotopes
 pore water, B:94
 See also deuterium
 hydrogen sulfide
 sediments, A:159–160, 187, 311, 360–361
 vs. depth, A:161, 187, 361
 Iberg Reef, carbonate mineralogy, B:71
 Ice House World, low-latitude stable isotopic signals, A:20
 image facies. *See* Type 1 image facies; Type 2 image facies; Type 3 image facies
 impedance, acoustic, vs. depth, A:257
 index properties, sediments, A:96–97, 164, 192, 194, 255–256, 317–319, 365, 367
 insolation cycles
 temperature, B:20
 See also orbital cycles
 interglacial periods. *See* glacial/interglacial cycles
 interstitial water. *See* pore water
 intraclasts
 lithologic units, A:242, 353–355
 photograph, A:81
 turbidites, B:50–53, 57–60
 iron
 carbonates, B:141–142
 geochemical controls on pore-water composition, B:109–110
 pore water, A:94, 162, 190–191, 313–316; B:104–105
 sediments, A:364–365; B:184–188
 vs. depth, A:314; B:103, 142
 well logging, A:100
 iron/calcium ratio, sediments, B:138–140
 iron-indicator ratio logs, vs. depth, A:103
 iron logs, vs. depth, A:104
 isobutane
 sediments, A:160, 187, 250, 311
 vs. depth, A:312
 isopentane, sediments, A:160, 187, 250, 360
 isotope stratigraphy, carbonate mineralogy, B:73–74, 174–175
 isotopes, aragonite, B:27–29
 Jaramillo Subchron, magnetostratigraphy, A:159, 310
 kaolinite, diagenesis, A:191
 Kohout convection, fluid flow, A:9
 laminations
 lithologic units, A:79–80, 82, 178, 297–300, 350–352
 photograph, A:300–301
 See also cross laminations
 Langhian
 sediments, A:115
 turbidites, B:48
 limestone
 alternations, B:170–171, 174
 See also biopackstone; biowackestone; floatstone; grainstone; grainstone/rudstone ratio; micrite; packstone; packstone/floatstone; wackestone
 limestone, nannofossil, lithologic units, A:298
 lithification, deposition, A:242–243
 lithium
 alkalinity, B:103
 differences in dissolved concentrations vs. depth, B:105
 geochemical controls on pore-water composition, B:105–108
 pore water, A:93, 161–162, 191, 251, 267, 313; B:102–104
 sediments, A:363–364; B:186–188
 vs. depth, A:94, 163, 189, 253, 314, 363; B:103, 106
 vs. strontium, B:103–104
 lithium/strontium ratio
 diagenesis, B:106
 vs. depth, B:107
 lithoclasts
 lithologic units, A:77, 80, 154–156, 178, 239–241, 295–297, 350–355
 photograph, A:158, 204, 299
 turbidites, B:50–53, 57–60
 lithofacies
 lithologic units, A:179–180; B:170–172
 sedimentation, A:267
 toe-of-slope, A:329
 upper slope, A:205
 lithologic units
 Site 1003, A:77–84
 Site 1004, A:154–156
 Site 1005, A:176–180
 Site 1006, A:238–243
 Site 1007, A:295–305
 Site 1008, A:350–352
 Site 1009, A:353–356

- Unit I, A:77–78, 154–156, 177–178, 238–239, 295–298, 350–355
 Unit II, A:78–79, 178, 239–241, 298, 352, 355
 Unit III, A:79, 178–179, 241, 298
 Unit IV, A:79–80, 179, 241, 299–300
 Unit V, A:80, 82, 241–242, 300, 302
 Unit VI, A:82–83, 302–303
 Unit VII, A:83, 303
 Unit VIII, A:303–304
- lithology**
 basins, B:55
 sea-level changes, B:50–53
 vs. depth, A:156–157, 180
 well logs, A:27
- lithology-indicator ratio logs, vs. depth, A:103**
- lithostratigraphy**
 Great Bahama Bank, A:14–20
 Site 1003, A:75, 77–84
 Site 1004, A:154–156
 Site 1005, A:176–180
 Site 1006, A:237–243
 Site 1007, A:293, 295–305
 Site 1008, A:350–353
 Site 1009, A:353–356
- Little Bahama Bank**
 platforms, A:6
See also Great Bahama Bank
- lowstands**
 carbonate mineralogy, B:73–74
 fluid flow, B:28–30
 image facies, B:78–81
 sea-level changes, A:38, 168; B:170–174
 sediments, A:365
 seismic sequence boundaries, B:46–47
See also highstands; sea-level changes
- maghemite, rock magnetism, B:127**
- magnesium**
 carbonates, B:141–142, 147–148
 pore water, A:35, 93, 161–162, 189–192, 251, 267, 313–317
 sediments, A:363–364; B:148–151, 186–188
 vs. charge balance, A:316
 vs. depth, A:9, 163, 189, 253, 314, 363; B:142, 182–185
 vs. sulfate, A:316
- magnesium, normalized, vs. depth, A:95, 163**
- magnesium/calcium ratio**
 diagenesis, A:255; B:191
 recrystallization, A:365
 sediments, B:138–140
 vs. depth, A:191, 253, 364; B:193
- magnesium/chloride ratio**
 diagenesis, A:255
 vs. depth, A:35, 253
- magnesium carbonate**
 sediments, B:147–151
 vs. depth, B:152
- magnetic inclination**
 sediments, A:159, 310, 359–360
 vs. depth, A:90, 160, 186, 248, 311, 359–360
- magnetic intensity**
 sediments, A:89–90, 310; B:38–40
 vs. depth, A:89–90, 159, 185, 247, 310, 358, 360; B:41, 125–126
- magnetic polarity**
 magnetic reversals, A:247; B:124–125
 sediments, A:89–90, 159
- magnetic properties, stratigraphic distribution, B:37**
- magnetic reversals, carbonate sediments, B:124–125**
- magnetic susceptibility**
 sediments, A:89–90, 158–159, 186, 247, 310, 358, 360
 vs. depth, A:90, 96–98, 159, 165, 180, 186–187, 193, 242, 247–249, 256–257, 311, 318–319, 358, 360, 366–367; B:124, 161
- magnetic Type 1, domains, B:40–42**
- magnetic Type 2, domains, B:40–42**
- magnetic Type 3, domains, B:40–42**
- magnetic Type 4, domains, B:40–42**
- magnetite, rock magnetism, B:124**
- magnetostratigraphy**
 carbonate platforms, A:31–33
 magnetic reversals, A:186
 sediments, A:89–90, 310–311
- manganese**
 carbonates, B:141–142
 geochemical controls on pore-water composition, B:109–110
 pore water, B:104–105
 sediments, B:184–188
 vs. depth, B:104, 142
- manganese/calcium ratio, sediments, B:138–140**
- marl, alternations, B:170–171, 174**
- marlstone, alternations, B:170–171**
- maturity, organic matter, A:91, 160, 188, 250–251**
- Matuyama Chron**
 carbonate platforms, A:31, 33
 magnetostratigraphy, A:310
 sequence stratigraphy, A:37
See also Brunhes/Matuyama boundary
- maximum angular deviation, paleomagnetism, B:123–125**
- megabanks, continental margins, A:6**
- Messinian**
 seismic stratigraphy, A:264, 327
 sequence stratigraphy, A:37
- methane**
 oxidation, B:192
 sediments, A:159–160, 187, 250, 311, 360–361
 vs. depth, A:91, 161, 187, 250, 312, 361; B:193
- methane/ethane ratio**
 sediments, A:90, 160, 311–312, 361
 vs. depth, A:91, 161, 187, 250, 312, 361
- methane/higher hydrocarbons ratio, vs. depth, A:91**
- methanogenesis**
 organic matter, A:251
 sediments, A:361
- micrite**
 lithologic units, A:77–78, 154–156, 177, 238–241, 353–355
 turbidites, B:50–53, 57–60
- microbial activity**
 alkalinity, A:255
 pore water, A:162
- microfacies, Miocene, B:56**
- microresistivity logs**
 turbidites, B:49
 vs. depth, A:107–108, 200, 262–263
- miliolids, turbidites, B:57–60**
- mineralogy**
 carbonate platforms, A:33–34
 carbonates, B:61–76, 141
 sediments, A:34
- mineralogy, bulk sediment, vs. depth, A:95, 164, 188, 254, 299, 313, 364**
- minor elements**
 pore water, B:99–111
 sediments, B:184–191
- Miocene**
 benthic foraminifers, B:129–136
 biostratigraphy, A:84–88, 181–185, 243–245, 305–309
 deposition, A:14–18
 lithologic units, A:78–83, 178–179, 241–242, 298–304
 microfacies, B:56
 sedimentation rates, A:246
 sediments, B:137–143
 seismic facies, A:112–113
 seismic sequences, A:204–205, 264, 328
 turbidites, B:48
 well logs, A:324
See also Oligocene/Miocene boundary
- Miocene, lower, biostratigraphy, B:11**
- Miocene, middle**
 biostratigraphy, B:10–11
 cyclic processes, B:82, 84–85, 155–166
- Miocene, middle/upper boundary, biostratigraphy, A:19; B:8**
- Miocene, upper**
 biostratigraphy, B:3–12
 sequence stratigraphy, A:37
- Miocene/Pliocene boundary**
 biostratigraphy, A:244, 305–309; B:158–159
 seismic stratigraphy, A:264
 sequence stratigraphy, A:37
- molds, lithologic units, A:77, 79**
- mollusks, turbidites, B:50–53, 57–60**
- montmorillonite, diagenesis, A:191**
- mottling, image facies, B:78–81**
- mudstone, lithologic units, A:77–80, 300, 303**
- mudstone, bioclastic, lithologic units, A:353–355**
- mudstone, lithified, lithologic units, A:177–178**
- mudstone, partially lithified bioclastic, lithologic units, A:355**
- mudstone, peloidal, lithologic units, A:154–156, 168, 177–178**
- mudstone, unlithified, lithologic units, A:295–296, 350–355**
- mudstone, unlithified peloidal, lithologic units, A:350–355**
- n*-butane**
 sediments, A:160, 187, 250, 311
 vs. depth, A:312
- n*-pentane, sediments, A:160, 187, 250**
- nannofossils**
 age models, B:15
 bioevents, A:85, 159, 183, 244, 306; B:35–43
 lithologic units, A:77–78, 154–156, 177
 sequence stratigraphy, A:19–20
 vs. depth, A:87, 157, 351, 354
- nannofossils, calcareous**
 biostratigraphy, A:85–86, 157, 180–182, 243–244, 305–306, 356–357; B:155–166
 vs. depth, B:357
 zonation, A:246
- Neogene**
 biostratigraphy, B:3–12
 deposition, A:35
 low-latitude stable isotopic signals, A:20
 platforms, A:108–109
 sea-level changes, A:7; B:167–177
 turbidites, B:48
- neomorphism, alteration, A:34**
- neritic environment**
 deposition, A:242–243
 foraminifers, B:56
 lithologic units, A:83–84
 sedimentary succession, A:304–305
- Nicaragua Rise, carbonate mineralogy, B:71**
- nitrogen, total, sediments, A:90–91, 160, 188, 250, 312, 361**
- Northeast Providence Channel, platforms, A:6**

- Nunivak Subchron, carbonate platforms, A:31
- ocean currents, sedimentary succession, A:304–305
- oceanic circulation, deposition, B:18–21
- Olduvai Subchron
carbonate platforms, A:31–33
magnetostratigraphy, A:89
sequence stratigraphy, A:37
- Oligocene, seismic sequences, A:328
- Oligocene/Miocene boundary
Petrophysical Unit VII, A:319
seismic stratigraphy, A:328
- Ontong Java Plateau, circulation, B:20
- ooids, turbidites, B:57–60
- ooze
alternations, B:170–171
deposition, A:242–243
sedimentation, A:266–267
- ooze, foraminifer nannofossil, lithologic units, A:295–296, 352
- ooze, nannofossil, lithologic units, A:177, 238–240, 295–296, 350–355
- opal-CT, pore water, A:94–95
- orbital cycles
cyclo-stratigraphy, B:155–166, 174–176
See also precession
- organic matter
diagenesis, B:191–194
maturity, A:91, 160, 188, 250–251, 312
phosphate, A:365
- ostracodes, lithologic units, A:239–241, 351–355
- otoliths, lithologic units, A:239, 297, 300, 352
- oxidation
methane, B:192
organic matter, B:109
- oxygen isotope Stage 1, age models, B:15–16, 30
- oxygen isotope Stage 2/1 transition, age models, B:16
- oxygen isotope Stage 5, age models, B:15, 30
- oxygen isotope Stage 7, age models, B:15, 30
- oxygen isotope Stage 8, age models, B:16
- oxygen isotope Stage 9, age models, B:15–16, 30
- oxygen isotope Stage 10, age models, B:15
- oxygen isotope Stage 11, age models, B:15, 20–21, 30
- oxygen isotope Stage 12, age models, B:16–17, 20
- oxygen isotope Stage 13, age models, B:15
- oxygen isotope Stage 14, age models, B:15
- oxygen isotope Stage 15, age models, B:15
- oxygen isotope Stage 16, age models, B:15
- oxygen isotope Stage 17, age models, B:15
- oxygen isotopes
fluid flow, B:91–98
paleoclimatology, B:13–22
pore water, B:94–95, 184
sea-level changes, B:65–66
sediments, B:138–140, 142, 147–151
temperature, B:17–21
vs. age, B:19
vs. chloride, B:93, 96
vs. depth, B:16–17, 65, 93, 96–97, 142, 152
vs. salinity, B:19
- packstone
deposition, A:16
image facies, B:78–81
lithologic units, A:77–80, 115, 299, 303
photograph, A:81, 300
rock magnetism, B:35–43
See also biopackstone
- packstone, bioclastic
lithologic units, A:177–178, 298, 301
photograph, A:301
- packstone, dolomitized, lithologic units, A:297–298
- packstone, foraminifer, lithologic units, A:295–296
- packstone, laminated, lithologic units, A:299–300
- packstone, peloidal, lithologic units, A:154–156, 298
- packstone, unlithified, lithologic units, A:350–355
- packstone, unlithified foraminifer lithoclastic, lithologic units, A:297
- packstone, unlithified peloidal, lithologic units, A:297
- packstone/floatstone, bioclastic, photograph, A:299
- paleoceanography
deposition, B:18–21, 161–162
rock magnetism, B:42
- paleoclimatology
carbonate mineralogy, B:67–69
cyclo-stratigraphy, B:85–87
planktonic foraminifers, B:13–22
- paleomagnetism
Site 1003, A:89–90
Site 1004, A:158–159
Site 1005, A:185–186
Site 1006, A:246–248; B:123–127
Site 1007, A:309–311
Site 1008, A:358–359
Site 1009, A:359–360
- paragenesis, deposition, A:39
- pebbles, blackened, alteration, A:39
- Pedro Bank, carbonate mineralogy, B:71
- pellets, lithologic units, A:178
- peloids
carbonate mineralogy, B:73–74
lithologic units, A:77–78, 154–156, 177–178, 238–241, 295–297, 350–355
vs. depth, A:80, 177, 298, 351, 354
- pentane. *See* isopentane; *n*-pentane
- periplatforms
carbonate mineralogy, B:69–75, 145–152
deposition, A:14–18
lithologic units, A:156, 179–180
See also platforms
- permeability
carbonates, A:35
sediments, A:34
- petrology, carbonate platforms, A:33–34
- Petrophysical Unit I
sediments, A:96, 255–256, 318, 365, 367
seismic sequences, A:167
- Petrophysical Unit II, sediments, A:96–97, 255–256, 318–319, 365, 367
- Petrophysical Unit III, sediments, A:97, 256, 319, 367
- Petrophysical Unit IV, sediments, A:97, 256, 319
- Petrophysical Unit V, sediments, A:97, 319
- Petrophysical Unit VI, sediments, A:319
- Petrophysical Unit VII, sediments, A:319
- petrophysics, carbonates, A:35
- pH
vs. depth, A:163, 189
See also pmH
- phosphate
pore water, A:94, 161, 189–191, 251–252, 254, 313–316
sediments, A:363–364
vs. depth, A:94, 163, 189, 314; B:189
- photoelectric index logs, vs. depth, A:101, 197, 199, 259; B:160, 162
- physical properties
Site 1003, A:95–98
Site 1004, A:164–166
Site 1005, A:192–195
- Site 1006, A:255–258
Site 1007, A:317–320
Site 1008, A:365–367
Site 1009, A:367
- Piacenzian, turbidites, B:48
- plant debris, lithologic units, A:177
- platforms
architecture, A:114
carbonate mineralogy, B:69–75
deposition, B:18
diagenesis, B:23–31
eustacy, A:5–10
fluid flow, A:5–10
Neogene, A:108–109
sea-level changes, A:180
sedimentary succession, A:304–305
sedimentation rates, A:245–246
seismic sequences, A:206
slumps, A:329
See also carbonate ramps; periplatforms
- Pleistocene
biostratigraphy, A:84–88, 156–158, 181–185, 243–245, 305–309, 356–358
highstands, B:23–31
lithologic units, A:77–78, 154–156, 177–178, 238–239, 295–297, 350–356
sequence stratigraphy, A:37
turbidites, B:48
See also Pliocene–Pleistocene succession; Pliocene/Pleistocene boundary
- Pleistocene–Holocene succession
seismic sequence boundaries, A:264
seismic sequences, A:166–167, 203–204, 325, 327, 371–372
- Pleistocene/Holocene boundary
sediments, A:372
seismic facies, A:110
- Pliocene
biostratigraphy, A:84–88, 156–158, 181–185, 243–245, 305–309
lithologic units, A:77–78, 155–156, 177–179, 238–241, 297–298
sedimentation rates, A:246
seismic facies, A:112
seismic sequences, A:167, 204, 264, 327
sequence stratigraphy, A:37
turbidites, B:48
well logs, A:324
See also Miocene/Pliocene boundary
- Pliocene, lower
biostratigraphy, B:3–12, 155–166
cyclic processes, B:82
- Pliocene–Pleistocene succession, deposition, A:14–18
- Pliocene/Pleistocene boundary
biostratigraphy, A:156–158, 181–185, 243–245; B:3–12
sedimentation, A:267
seismic stratigraphy, A:325
- pmH
pore water, A:162, 190–191, 251–252, 254, 313–316
sediments, A:363–364
vs. depth, A:253, 314, 363
See also pH
- pore water
composition, A:91–95, 161–162, 189–192, 251–255, 267–268, 312–317, 362–365, 373
fluid circulation, A:21–22
geochemistry, A:21–22, 34–35; B:99–111, 179–195
oxygen isotopes, B:91–98
- porosity

- carbonates, A:35
vs. depth, A:96, 165, 193, 256, 318, 366–367
vs. sodium, B:192
- porosity, moldic, photograph, A:81
- porosity logs
vs. depth, A:101, 197, 199–200, 259, 322;
B:160, 162
See also gamma ray-density-porosity logs
- potassium
fluid flow, A:254, 330
pore water, A:91, 93, 161, 190–191, 251, 267,
312–316
sediments, A:363–364
vs. depth, A:94, 163, 189, 253, 314, 363;
B:181–185
well logs, A:324
- potassium, normalized, vs. depth, A:163
- potassium/chloride ratio
fluid flow, A:254
pore water, A:190–192
vs. depth, A:253
- potassium logs, vs. depth, A:102, 198, 261, 263,
323
- power spectral analysis. *See* Blackman-Tukey
spectral analysis
- precession
cyclo-stratigraphy, B:155–166, 174–176
See also orbital cycles
- preservation, carbonate mineralogy, B:73–74
- progradation
carbonates, B:167–177
grain size, B:67–73
lithologic units, A:179–180
platforms, A:6
sequence stratigraphy, A:25–26, 38
- propane
sediments, A:160, 187, 250, 360
vs. depth, A:250
- provenance, deposition, A:35
- pteropods, lithologic units, A:77, 154–156,
238–241, 295–296, 351–355
- pyrite
geochemistry, B:191–194
lithologic units, A:303
sediments, A:312, 317
- quartz
glacial cycles, B:66–68
sediments, A:95, 192, 317
seismic sequence boundaries, B:46–47
vs. depth, B:66, 68, 141
- quartz, bulk sediment, vs. depth, A:254, 313
- quartz peak area, vs. depth, A:95, 188
- Quaternary, carbonates, B:61–76
- Quaternary, middle–upper, paleoclimatology,
B:13–22
- Queensland Plateau, carbonate mineralogy, B:71
- radiolarians, lithologic units, A:178
- reaction rims, photograph, A:304
- recharge, fluid circulation, A:20–22
- recrystallization
aragonite, A:365
biogenic carbonates, A:254
diagenesis, B:190–191
exclusion, B:106–107
oxygen isotopes, B:91–98
- red algae, turbidites, B:57–60
- redeposition, carbonates, A:16
- regression coefficient logs, vs. depth, A:104
- remanent magnetization
carbonates, B:35–43, 124–125
stratigraphic distribution, B:37
vs. age, B:42
- remanent magnetization, anhysteretic, carbonates,
B:35–43
- remanent magnetization, anhysteretic/saturation
isothermal remanent magnetization ratio,
carbonates, B:38–40
- remanent magnetization, isothermal
acquisition curve, A:160, 185, 310, 359–360;
B:127
carbonate sediments, B:123–127
carbonates, B:35–43
foraminifer wackestone, A:90
- remanent magnetization, isothermal/saturation
isothermal remanent magnetization ratio,
vs. isothermal remanent magnetization,
A:247
- remanent magnetization, natural, sediments,
A:185–186, 246–247, 310, 358–359
- remanent magnetization, saturation isothermal
carbonates, B:35–43
sediments, A:185–186, 247, 358–360
See also remanent magnetization, anhysteretic/
saturation isothermal remanent
magnetization ratio
- resistivity logs
vs. depth, A:101, 107–108, 197, 259, 322;
B:160–162
See also gamma ray-resistivity-sonic logs
- retrogradation, lithologic units, A:179–180
- Reunion Subchron, carbonate platforms, A:33
- Reusella spinulosa*, abundance vs. depth, B:135
- reworking, alteration, A:34
- rhombs, alteration, A:34
- rock magnetism
carbonates, B:35–43
magnetite, B:124
See also diamagnetism
- rootlets, alteration, A:39
- rotaliids, turbidites, B:50–53, 57–60
- rubidium
geochemical controls on pore-water
composition, B:108
vs. depth, B:104
- rudstone. *See* grainstone/rudstone ratio
- rudstone, bioclastic, lithologic units, A:298
- salinity
bottom-hole temperature, B:117–119
diagenesis, B:190–191
pore water, A:91, 161, 251, 312–313
sediments, A:363–364
vs. oxygen isotopes, B:16–19
- salinity difference, fluid flow, A:9
- salinity-indicator ratio logs, vs. depth, A:103
- sand, deposition, A:33–34
- Santaren Channel, sedimentation, B:71, 155–166,
174
- saturation isothermal remanent magnetization. *See*
remanent magnetization, anhysteretic/
saturation isothermal remanent
magnetization ratio
- sea-level changes
Bahamas Transect, A:5–10, 13–18
cyclic sedimentation, A:180
cyclo-stratigraphy, B:164–165
deposition, A:242–243
fluid flow, B:28–30
global, A:6–8
hierarchy, A:35–36
history, A:38
lithologic units, A:355–356
lithology, B:50–53
lowstands, A:168
magnitude, B:30
mudstone–wackestone, A:205–207
- Neogene, B:167–177
- oxygen isotopes, B:65–66
- sedimentary succession, A:304–305
- seismic facies, A:113–115
- seismic sequences, A:372
- seismic stratigraphy, A:329–330
- sequence stratigraphy, A:25–26
stratigraphy, A:14–18
See also eustasy; highstands; lowstands
- seawater, influx, B:116–117
- sediment thickness, vs. core number, A:179
- sedimentary structures
vs. depth, A:296–297, 351, 353
See also geopetal structures
- sedimentary succession, compaction, A:304–305
- sedimentation
carbonate mineralogy, B:69–75
environment, A:266–267
lithologic units, A:355–356
models, B:116
thermal effect, B:114, 116
See also deposition
- sedimentation, hemipelagic, lithologic units,
A:83–84
- sedimentation, pelagic
lithologic units, A:83–84, 242–243
sedimentary succession, A:304–305
- sedimentation rates
biostratigraphy, A:88–89, 158, 183–185,
245–246, 308–309, 358; B:159–161,
163–165
chronostratigraphy, A:267
cyclic processes, B:82, 84–85
diagenesis, B:23–31, 188–189
oxygen isotopes, B:97
vs. depth, B:164, 180
vs. time, B:164
- sedimentology
carbonates, B:61–76
sequence stratigraphy, A:26, 28
- sediments
age, A:372
composition, A:372
geochemistry, B:137–143, 145–152, 179–195
permeability, A:34
textures, A:78–79
- seismic facies
seismic sequences, A:262; B:175
velocity, A:110
- seismic profiles
Bahamas, A:7, 17, 21, 25, 68
Site 1003, A:74, 111
Site 1004, A:155, 168
Site 1005, A:174, 202
Site 1006, A:236, 265
Site 1007, A:293, 326
Sites 1008/1009, A:349, 370
- seismic reflection, sequence stratigraphy, A:19,
36–37
- seismic Sequence *a*, seismic stratigraphy, A:25,
37, 166–167, 325
- seismic Sequence *b*, seismic stratigraphy, A:25,
37, 166–167, 325
- seismic Sequence *c*, seismic stratigraphy, A:37,
166–167, 264
- seismic Sequence *d*, seismic stratigraphy, A:25,
37, 166–167, 264, 327
- seismic Sequence *e*, seismic stratigraphy, A:25, 37
- Seismic Sequence *f*, seismic stratigraphy, A:25,
37, 264, 327
- seismic Sequence *g*, seismic stratigraphy, A:25,
37, 267, 328
- seismic Sequence *h*
seismic facies, A:115

- seismic stratigraphy, A:25, 37, 264, 267, 328
- seismic Sequence *i*
- seismic facies, A:115
- seismic stratigraphy, A:264, 267, 328
- seismic Sequence *k*
- seismic facies, A:112–115
- seismic stratigraphy, A:264, 267, 328
- seismic Sequence *l*, seismic stratigraphy, A:264
- seismic Sequence *m*
- seismic facies, A:112–115
- seismic stratigraphy, A:264, 266–267
- seismic Sequence *n*, seismic stratigraphy, A:328
- seismic Sequence *p*, seismic stratigraphy, A:328
- seismic Sequence *q*, seismic stratigraphy, A:328
- seismic Sequence *r*, seismic stratigraphy, A:328
- seismic Sequence *s*, Pleistocene–Holocene succession, A:371
- seismic Sequence *t*, Pleistocene–Holocene succession, A:371
- seismic Sequence *u*, Pleistocene–Holocene succession, A:371
- seismic Sequence *v*, Pleistocene–Holocene succession, A:371
- seismic Sequence *w*, Pleistocene–Holocene succession, A:371
- seismic Sequence *x*, Pleistocene–Holocene succession, A:371
- seismic Sequence *y*, Pleistocene–Holocene succession, A:371
- seismic Sequence *z*, Pleistocene–Holocene succession, A:371
- seismic sequences
- carbonate stratigraphy, A:19; B:179–180
- comparison with chronostratigraphy, A:38
- correlation, A:265
- geometry, A:25–26
- Pleistocene–Holocene succession, A:371–372
- sediments, A:372
- time–depth conversion, A:166–167
- time–depth conversion and ages, A:114, 169, 205, 266, 326
- seismic sequence Boundary A, seismic stratigraphy, A:167, 206, 264, 266
- seismic sequence Boundary B, seismic stratigraphy, A:167, 264, 266
- seismic sequence Boundary C, seismic stratigraphy, A:167, 266, 325, 327
- seismic sequence Boundary D, seismic stratigraphy, A:167, 206, 264, 327
- seismic sequence Boundary E, seismic stratigraphy, A:264, 327
- seismic sequence Boundary F, seismic stratigraphy, A:264, 267, 327
- seismic sequence Boundary G, seismic stratigraphy, A:328
- seismic sequence Boundary H, seismic stratigraphy, A:328
- seismic sequence Boundary I, seismic stratigraphy, A:206, 264, 267
- seismic sequence Boundary K, seismic stratigraphy, A:264, 267, 328
- seismic sequence Boundary L, seismic stratigraphy, A:264, 328
- seismic sequence Boundary M, seismic stratigraphy, A:328
- seismic sequence Boundary P, seismic stratigraphy, A:328
- seismic sequence Boundary P2, seismic stratigraphy, A:328
- seismic sequence Boundary Q, seismic stratigraphy, A:328
- seismic sequence Boundary S, seismic stratigraphy, A:371
- seismic sequence Boundary T, seismic stratigraphy, A:371
- seismic sequence Boundary U, seismic stratigraphy, A:371
- seismic sequence Boundary V, seismic stratigraphy, A:371
- seismic sequence Boundary W, seismic stratigraphy, A:371
- seismic sequence Boundary X, seismic stratigraphy, A:371
- seismic sequence Boundary Y, seismic stratigraphy, A:371
- seismic sequence boundaries
- age, B:168–169
- ages, A:20, 37
- boundary timing, A:19–20, 25–26
- chronostratigraphy, B:168–169
- correlation, A:372
- highstands, B:46–47
- seismic stratigraphy, A:107–108, 114–115, 206, 264–265
- seismic stratigraphy
- sea-level changes, A:6–8
- Site 1003, A:106–113
- Site 1004, A:166–167
- Site 1005, A:202–205
- Site 1006, A:260, 262–265
- Site 1007, A:324–328
- Sites 1008–1009, A:369–372
- Seravillian, turbidites, B:48
- serpulids
- lithologic units, A:354
- photograph, B:355
- shark teeth, lithologic units, A:351
- shear strength
- sediments, A:97–98, 164–165, 195, 256, 320, 365–367
- vs. depth, A:99, 166, 195, 257, 321, 366, 368
- silica
- pore water, A:94–95, 162, 190–191, 252, 254, 267, 313–316
- sediments, A:364
- vs. depth, A:94, 163, 189, 253, 314, 363
- silica, biogenic, diagenesis, B:106–107
- siliciclastics
- deposition, A:242–243
- sedimentary succession, A:304–305
- sedimentation, A:267
- silt
- deposition, A:33–34
- lithologic units, A:178, 238–239, 296
- silt, bioclastic, photograph, A:240
- Site 1003, A:71–151
- background and objectives, A:73–74
- biostratigraphy, A:84–89; B:4–6
- coring, A:76–77
- downhole logging, A:98–104
- fluid flow, B:91–98
- Formation MicroScanner imagery, B:77–88
- in situ temperature, A:104–105
- inorganic geochemistry, A:91–95
- lithostratigraphy, A:75, 77–84
- operations, A:74–75
- organic geochemistry, A:90–91
- paleomagnetism, A:89–90
- physical properties, A:95–98
- sediment age, B:30
- sedimentology, B:61–76
- seismic stratigraphy, A:106–113
- shore-based log processing, A:117
- site description, A:71–151
- summary and conclusions, A:113–115
- turbidites, B:45–60
- Site 1004, A:153–169
- background and objectives, A:153–169
- biostratigraphy, A:156–158; B:6–8
- coring, A:156
- fluid flow, B:91–98
- in situ temperature, A:166
- inorganic geochemistry, A:160–164
- lithostratigraphy, A:154–156
- operations, A:154
- organic geochemistry, A:159–160
- paleomagnetism, A:158–159
- physical properties, A:164–166
- seismic stratigraphy, A:166–167
- site description, A:153–169
- summary and conclusions, A:167–169
- Site 1005, A:171–232
- background and objectives, A:173–174
- biostratigraphy, A:180–185
- composite depth, A:187
- coring, A:175
- downhole logging, A:195–201
- fluid flow, B:91–98
- Formation MicroScanner imagery, B:77–88
- in situ temperature, A:201–202
- inorganic geochemistry, A:188–192
- lithostratigraphy, A:176–180
- operations, A:174–176
- organic geochemistry, A:187–188
- paleomagnetism, A:185–186
- physical properties, A:192–195
- pore water, B:99–111
- sediment age, B:30
- seismic stratigraphy, A:202–205
- shore-based processing, A:208, 218
- site description, A:171–232
- summary and conclusions, A:205–207
- Site 1006, A:233–287
- background and objectives, A:235
- biostratigraphy, A:19, 243–246; B:8, 155–166
- composite section, A:248–250
- coring, A:237
- downhole logging, A:258–260
- fluid flow, B:91–98
- foraminifers, B:129–136
- in situ temperature, A:260
- inorganic geochemistry, A:251–255
- lithostratigraphy, A:237–243
- operations, A:236–237
- organic geochemistry, A:250–251
- paleoclimatology, B:13–22
- paleomagnetism, A:246–248; B:123–127
- physical properties, A:255–258
- pore water, B:99–111
- sediment age, B:29
- sediment geochemistry, B:137–143, 145–152
- sedimentology, B:61–76
- seismic stratigraphy, A:260, 262–265
- shore-based log processing, A:269
- site description, A:233–287
- summary and conclusions, A:265–268
- Site 1007, A:289–345
- background and objectives, A:292
- biostratigraphy, A:305–309; B:8–11
- coring, A:294
- downhole logging, A:320–324
- fluid flow, B:91–98
- in situ temperature, A:324
- inorganic geochemistry, A:312–317
- lithostratigraphy, A:293, 295–305
- operations, A:292–293
- organic geochemistry, A:311–312
- paleomagnetism, A:309–311
- physical properties, A:317–320
- pore water, B:99–111
- rock magnetism, B:35–43
- sediment age, B:29–30

- sediment geochemistry, B:137–143
 seismic stratigraphy, A:324–328
 shore-based log processing, A:331
 site description, A:289–345
 summary and conclusions, A:328–330
 turbidites, B:45–60
- Site 1008
 biostratigraphy, A:356–358; B:11
 lithostratigraphy, A:350–353
 paleomagnetism, A:358–359
 physical properties, A:365–367
 sediment geochemistry, B:145–152
- Site 1009
 biostratigraphy, A:357–358; B:11
 lithostratigraphy, A:353–356
 paleomagnetism, A:359–360
 physical properties, A:367
 sediment geochemistry, B:145–152
- Sites 1008–1009, A:347–373
 background and objectives, A:348–349
 coring, A:350
 in situ temperature, A:368–369
 inorganic geochemistry, A:361–365
 operations, A:349–350
 organic geochemistry, A:360–361
 seismic stratigraphy, A:369–372
 site description, A:347–373
 summary and conclusions, A:372–373
- slump deposits
 photograph, A:302
 sedimentary succession, A:304–305
- smear slides
 Site 1003, A:831–834
 Site 1004, A:835
 Site 1005, A:836–837
 Site 1006, A:838–841
 Site 1007, A:842–843
 Site 1008, A:844
 Site 1009, A:845–846
- sodium
 expulsion, B:190–191
 fluid flow, A:254
 geochemistry, B:194
 pore water, A:91, 93, 161, 251, 312–316
 sediments, A:364; B:147–151, 186–188
 vs. depth, A:94, 163, 189, 253, 314, 363;
 B:152, 181–185, 189–190
 vs. porosity, B:192
 sodium, normalized, vs. depth, A:95
 sodium/chloride ratio
 fluid flow, A:254
 pore water, A:190–192
 vs. depth, A:253; B:191
 solubility, dissolution, B:106
 solution seams
 photograph, A:303
 sedimentary succession, A:305
 sonic logs. *See* gamma ray-resistivity-sonic logs
 spectral analysis. *See* Blackman-Tukey spectral
 analysis
 sponge spicules, lithologic units, A:178, 295–296,
 351–352
- stable isotopes
 carbonate sequences, A:20
 carbonates, B:142
 sediments, A:34
See also carbon isotopes; deuterium; oxygen
 isotopes; strontium isotopes
- Straits of Andros, platforms, A:6
 Straits of Florida
 benthic foraminifers, B:129–136
 biostratigraphy, A:19
 stratigraphy, sea-level changes, A:14–18
 stress, overburden, vs. depth, A:99, 166, 195
- stringers, lithologic units, A:177
- strontium
 carbonates, B:141–142, 147–148
 pore water, A:93, 161–162, 190–192, 251,
 267, 313
 sediments, A:363–364; B:148–151, 184–188,
 191
 vs. chloride, B:192
 vs. depth, A:22, 35, 94, 163, 189, 253, 314,
 363; B:142, 152, 193
 vs. lithium, B:103–104
See also lithium/strontium ratio
- strontium, normalized, vs. depth, A:95, 163
- strontium/calcium ratio
 diagenesis, A:191–192, 255
 recrystallization, A:365
 sediments, B:138–140
 vs. depth, A:191, 253, 364
- strontium-isotope stratigraphy, carbonates, A:28,
 30
- strontium isotopes
 age, A:31
 pore water, A:35
 strontium sulfate, vs. depth, A:191
 subsidence, seismic profiles, A:8
- sulfate
 fluid flow, A:330
 pore water, A:94, 161, 168, 189–192,
 251–252, 254, 313–316
 reduction, A:160
 sediments, A:363–364
 vs. depth, A:94, 163, 189, 253, 314, 363;
 B:106, 182–185, 189, 193
 vs. lithium, B:106
 vs. magnesium, A:316
- sulfate, normalized, vs. depth, A:95
- sulfate reduction
 organic matter, A:188, 251; B:191–194
 platforms, A:207
- sulfur, sediments, A:95
- sulfur, native, photograph, A:182
- sulfur, total
 sediments, A:91, 160, 188, 250, 312, 361
 vs. depth, A:91
 vs. total organic carbon, A:93
- surfaces, laminated, alteration, A:39
- surfaces, subaerial, alteration, A:34, 39–40
- synchronicity, sea-level changes, A:6
- temperature
 logging runs, A:196
 oxygen isotopes, B:17–21
 vs. cumulative thermal resistance, B:115, 117
 vs. depth, A:93, 109, 167, 201, 264, 325, 369;
 B:115, 118
 vs. time, A:109–110, 325, 369
- temperature, bottom-hole
 geothermal regime, B:113–120
 inverse-problem history, B:118
- temperature, in situ
 Site 1003, A:104–105
 Site 1004, A:166
 Site 1005, A:201–202
 Site 1006, A:260, 264
 Site 1007, A:324
 Sites 1008–1009, A:368–369
- temperature, residual, vs. depth, B:117
- temperature, surface air, weather stations, B:118
- terrigenous materials, dissolution, B:106–108
- textures, vs. depth, A:78–79, 176, 296–297, 351,
 353
- Thalassinoides*, lithologic units, A:82
- thermal anomalies, fluid flow, B:116–117
- thermal conductivity
 geothermal regime, B:113–120
 sediments, A:98, 165–166, 195, 256–257, 320,
 366–367
 vs. depth, A:99, 166, 195, 258, 321, 366, 368;
 B:115, 118
- thermal resistance, cumulative, vs. temperature,
 B:115, 117
- thorium
 well logs, A:199, 324
See also uranium-thorium dating
- thorium logs, vs. depth, A:102, 198, 261, 323
- thorium-230, fluid flow, B:28–30
- time-depth conversion, seismic sequences,
 A:109–110, 166–167, 202–203, 262,
 264, 325, 369, 371
- topography, thermal models, B:119–120
- Tortonian
 sediments, A:115
 turbidites, B:48
- trace elements
 carbonates, B:141–142
 pore water, B:99–111
 sediments, B:184–191
- transport, lithologic units, A:355–356
- traveltime, two-way, vs. depth, A:112, 203, 266,
 325, 371
- tunicates, lithologic units, A:352
- turbidites
 core-log integration, A:100, 104
 frequency and composition, B:45–60, 170–174
 lithologic units, A:177–178, 295–296,
 298–301, 303, 354–355
 photograph, A:299, 301
 point-count analysis, B:49–50
 sedimentary succession, A:304–305
 vs. depth, A:177
 well logging, B:47–48
 well logs, A:324
See also calci-turbidites
- turbidity currents, lithologic units, A:83–84
- Type 1 image facies, Formation MicroScanner
 imagery, B:77–81
- Type 2 image facies, Formation MicroScanner
 imagery, B:77–81
- Type 3 image facies, Formation MicroScanner
 imagery, B:81
- unconformities
 biostratigraphy, A:19–20; B:3–12
 Miocene, A:89
See also hiatuses
- Unda
 biostratigraphy, A:28
 magnetostratigraphy, A:31–33
 sedimentology, A:26, 28
 strontium-isotope stratigraphy, A:30–31
- underway geophysics, A:67
- uranium
 loss, B:25–27
 well logs, A:199, 201, 324
- uranium logs
 cyclo-stratigraphy, B:85–87
 vs. depth, A:102–104, 198, 261, 323; B:160,
 162
- uranium-234, vs. age, B:28
- uranium-thorium dating
 age models, B:15
 carbonates, B:64–65
 highstands, B:23–31
- veins, lithologic units, A:178
- velocity
 carbonates, A:35
 seismic facies, A:110

vs. depth, A:35
 velocity logs, vs. depth, A:101, 197, 259, 322

wackestone
 deposition, A:14–18
 image facies, B:78–81
 lithologic units, A:77, 79–80, 82–83
 photograph, A:84, 351
 planktonic foraminifers, B:56
 remanent magnetization, B:40
 seismic sequences, A:202–205
See also biowackestone

wackestone, bioclastic, lithologic units, A:303, 355

wackestone, bioclastic foraminifer, photograph, A:301

wackestone, dolomitized, lithologic units, A:297–298

wackestone, dolomitized foraminifer, photograph, A:182

wackestone, foraminifer
 lithologic units, A:178–179, 295–303
 photograph, A:299

wackestone, partially lithified bioclastic, lithologic units, A:355

wackestone, peloidal, lithologic units, A:154–156, 168, 177–178, 296, 352

wackestone, unlithified, lithologic units, A:295–296, 350–355

wackestone, unlithified peloidal, lithologic units, A:297, 350–355

wackestone, unlithified peloidal foraminifer, lithologic units, A:350–352

water content, vs. depth, A:99, 258

well logging
 logging runs, A:99, 321
 shore-based log processing, A:117, 208, 269, 331
 Site 1003, A:98–104
 Site 1005, A:195–201

Site 1006, A:258–260
 Site 1007, A:320–324
 turbidites, B:47–48
 vs. depth, A:258
See also core–log integration

well logs
 lithology, A:27
 vs. discrete measurements, A:194–195

X-ray diffraction data, vs. depth, A:80

Zanclian, turbidites, B:53

zonation
 carbonate platforms, A:33–34
 fluid flow, A:192
 microfossils, A:246
 planktonic foraminifers, B:4–12, 156–159

Zoophycos
 lithologic units, A:298, 302
 photograph, A:181

VOLUME 166 TAXONOMIC INDEX

abies, *Sphenolithus*
 Site 1003, A:86
 Site 1005, A:181
 Site 1006, A:243; B:159
 Site 1007, A:305

abisectus, *Cycliscardiolithus*, Site 1003, A:86

acostaensis, *Globorotalia*, Site 1003, A:86

acostaensis, *Neogloboquadrina*
 Site 1003, A:86; B:4, 6
 Site 1005, A:183; B:8
 Site 1006, A:244; B:8, 157–158
 Site 1007, A:308

acostaensis pseudopima, *Neogloboquadrina*, Site 1003, B:4

aemiliana, *Globorotalia*, Site 1006, B:158

altiapertura, *Globigerinoides*
 Site 1003, A:88; B:6
 Site 1007, A:308; B:11

altispira, *Dentoglobigerina*
 Site 1003, A:86; B:4
 Site 1006, A:244; B:8, 156, 158
 Site 1007, A:306; B:9

Amaurolithus amplificus, Site 1006, B:159

Amaurolithus primus, Site 1006, B:159

Amaurolithus spp., Site 1006, A:243–244; B:159

ambigua, *Planulina*
 Site 1003, A:88
 Site 1007, A:308

americana spinosa, *Lenticulina*, Site 1003, A:88

Amphistegina lessonii
 Site 1003, A:88
 Site 1005, A:183
 Site 1007, A:308

Amphistegina spp.
 Site 1003, A:82
 Site 1006, B:129

ampliapertura, *Helicosphaera*
 Site 1003, A:86
 Site 1007, A:306

amplificus, *Amaurolithus*, Site 1006, B:159

angulissuturalis, *Globigerina*, Site 1007, A:308; B:11

Anomalinoides capitatus, Site 1007, A:308

Anomalinoides globulosus
 Site 1006, A:244
 Site 1007, A:308

Anomalinoides pseudogrosserugosus, Site 1007, A:308

Anomalinoides semicribratus, Site 1007, A:308

Aragonia capdevilensis, Site 1003, A:88

archeomenardi, *Globorotalia*, Site 1006, B:156–157

ariminensis, *Planulina*
 Site 1003, A:88
 Site 1004, A:157
 Site 1005, A:183
 Site 1006, A:245
 Site 1008, A:357
 Site 1009, A:358

Articulina sp., Site 1003, A:88

asanoi, *Reticulofenestra*
 Great Bahama Bank, B:65
 Site 1003, A:85, 89
 Site 1004, A:157
 Site 1005, A:180, 186
 Site 1006, A:243; B:15
 Site 1007, A:305; B:36
 Site 1008, A:357
 Site 1009, A:357

Asterigerina carinata
 Site 1003, A:88
 Site 1005, A:183
 Site 1006, A:244
 Site 1007, A:308

Asterigerina spp., Site 1006, B:129

asymmetricus, *Discoaster*
 Site 1003, A:86
 Site 1005, A:181
 Site 1007, A:305

Baculogypsinoidea sp.
 Site 1003, A:88
 Site 1006, B:129

barleeanum, *Melonis*, Site 1003, A:88

barnetti, *Cibicidoides*, Site 1003, A:88

baroemoenensis, *Dentoglobigerina*, Site 1006, B:156, 158

belemnus, *Sphenolithus*
 Site 1003, A:86
 Site 1007, A:306

bellus, *Discoaster*
 Site 1003, A:86
 Site 1005, A:182
 Site 1007, A:306

berggrenii, *Discoaster*
 Site 1006, A:244; B:159

Site 1007, A:306

bigelowii, *Braarudosphaera*, Site 1007, A:306

Bolivina spp., Site 1003, A:88

Braarudosphaera bigelowii, Site 1007, A:306

bradbury, *Bulimina*, Site 1003, A:88

bradyi, *Robertinoides*, Site 1003, A:88

bulbosa, *Globigerina*, Site 1006, B:158

Bulimina bradbury, Site 1003, A:88

Bulimina marginata
 Site 1003, A:88
 Site 1004, A:157
 Site 1007, A:308
 Site 1008, A:357
 Site 1009, A:358

Bulimina mexicana, Site 1003, A:88

Bulimina tuxpamensis, Site 1003, A:88

Buliminella elegans, Site 1003, A:88

bulloides, *Globigerina*, Site 1006, B:158

bulloides, *Sphaeroidina*, Site 1003, A:88

calcaris, *Discoaster*, Site 1006, A:244

calyculus, *Catinaster*
 Site 1003, A:86
 Site 1007, A:306

campester, *Neoeponides*, Site 1003, A:88

Candeina nitida, Site 1006, B:157–159

capdevilensis, *Aragonia*, Site 1003, A:88

capitatus, *Anomalinoides*, Site 1007, A:308

capricornutus, *Sphenolithus*, Site 1003, A:86

carapitana, *Cassidulina*, Site 1003, A:88

caribbeanica, *Gephyrocapsa*
 Site 1003, A:85–86, 90
 Site 1004, A:157
 Site 1005, A:180–181
 Site 1006, A:243
 Site 1007, A:305, 325; B:36
 Site 1008, A:356
 Site 1009, A:357

carinata, *Asterigerina*
 Site 1003, A:88
 Site 1005, A:183
 Site 1006, A:244
 Site 1007, A:308

Cassidulina carapitana, Site 1003, A:88

Cassidulina incrassatus, Site 1003, A:88

Cassidulina laevigata, Site 1003, A:88

Catapsydrax dissimilis
 Site 1003, A:88; B:6

- Site 1007, A:308; B:11
Catinaster calyculus
 Site 1003, A:86
 Site 1007, A:306
Catinaster coalitus
 Great Bahama Bank, A:19
 Site 1005, A:182
 Site 1006, A:244; B:159
 Site 1007, A:306
Ceratolithus rugosus
 Site 1006, A:244; B:159
 Site 1007, A:309
christiani, *Polypheribola*
 Great Bahama Bank, A:32
 Site 1006, B:157–158
cibaensis, *Globorotalia*
 Great Bahama Bank, A:19
 Site 1005, A:183
 Site 1006, A:244; B:8, 158
 Site 1007, A:308
Cibicides lobatulus
 Site 1006, A:244
 Site 1007, A:308
Cibicides barnetti, Site 1003, A:88
Cibicides cicatricosus, Site 1004, A:157
Cibicides compressus
 Site 1003, A:88
 Site 1005, A:183
 Site 1006, A:245
Cibicides eocaenus, Site 1003, A:88
Cibicides havanensis, Site 1003, A:88
Cibicides incrassatus
 Site 1003, A:88
 Site 1004, A:157
 Site 1005, A:183
 Site 1008, A:357
 Site 1009, A:358
Cibicides micrus, Site 1003, A:88
Cibicides mundulus
 Site 1004, A:157
 Site 1008, A:357
 Site 1009, A:358
Cibicides pachyderma, Site 1003, A:88
Cibicides robertsonianus
 Site 1006, A:244–245
 Site 1007, A:308
Cibicorbis herricki, Site 1003, A:88
cicatricosus, *Cibicides*, Site 1004, A:157
ciperoensis, *Globigerina*
 Site 1003, A:88; B:6
 Site 1007, A:308; B:11
ciperoensis, *Sphenolithus*, Site 1007, A:306
coalitus, *Catinaster*
 Great Bahama Bank, A:19
 Site 1005, A:182
 Site 1006, A:244; B:159
 Site 1007, A:306
Coccolithus miopelagicus
 Site 1003, A:86
 Site 1005, A:182
 Site 1006, A:244
compressus, *Cibicides*
 Site 1003, A:88
 Site 1005, A:183
 Site 1006, A:245
conglobatus, *Globigerinoides*
 Great Bahama Bank, A:19
 Site 1003, A:86; B:4
 Site 1005, A:183–184; B:7
 Site 1006, A:244; B:8, 156, 158–159
 Site 1007, A:306, 308; B:9, 11
conomiozea, *Globorotalia*, Site 1006, B:158
continua, *Neogloboquadrina*
 Site 1003, A:86
 Site 1005, A:183; B:7
Cornuspira spp., Site 1003, A:88
costata, *Planulina*, Site 1003, A:88
crassaformis, *Globorotalia*, Site 1006, B:158
Cyclicargolithus abisectus, Site 1003, A:86
Cyclicargolithus floridanus
 Great Bahama Bank, A:19
 Site 1003, A:86; B:84
 Site 1005, A:182
 Site 1006, B:159
 Site 1007, A:306
decorata, *Vaginulopsis*, Site 1003, A:88
deflandrei, *Discoaster*, Site 1003, A:86
dehiscens, *Globoquadrina*
 Site 1006, B:156, 158–159
 Site 1007, A:308; B:11
dehiscens, *Sphaeroidinella*, Site 1006, A:244; B:8, 158
Dentoglobigerina altispira
 Site 1003, A:86; B:4
 Site 1006, A:244; B:8, 156, 158
 Site 1007, A:306; B:9
Dentoglobigerina baroemoensis, Site 1006, B:156, 158
Dentoglobigerina larmeu, Site 1006, B:157–158
Discoaster asymmetricus
 Site 1003, A:86
 Site 1005, A:181
 Site 1007, A:305
Discoaster bellus
 Site 1003, A:86
 Site 1005, A:182
 Site 1007, A:306
Discoaster berggrenii
 Site 1006, A:244; B:159
 Site 1007, A:306
Discoaster calcaris, Site 1006, A:244
Discoaster deflandrei, Site 1003, A:86
Discoaster druggii
 Site 1003, A:86
 Site 1007, A:306
Discoaster hamatus
 Site 1003, A:86; B:6
 Site 1005, A:182
 Site 1006, A:244; B:159
 Site 1007, A:306
Discoaster neohamatus
 Site 1003, A:86
 Site 1005, A:182
 Site 1007, A:306
Discoaster neorectus, Site 1006, A:244
Discoaster pentaradiatus
 Site 1003, A:86
 Site 1006, A:243
Discoaster quinqueramus
 Site 1006, A:243–244; B:8, 159
 Site 1007, A:306
Discoaster surculus
 Site 1003, A:86
 Site 1005, A:181
 Site 1006, A:243
Discoaster tamalis
 Site 1003, A:86
 Site 1004, A:157–158
 Site 1006, A:243
Discoaster triradiatus, Site 1006, A:243
Discorbinella spp., Site 1003, A:88
Discorbis micens, Site 1003, A:88
Discorbis spp., Site 1003, A:88
disimilis, *Catapsydrax*
 Site 1003, A:88; B:6
 Site 1007, A:308; B:11
dohertyi, *Planulina*
 Site 1006, A:245
 Site 1007, A:308
druggii, *Discoaster*
 Site 1003, A:86
 Site 1007, A:306
dutertrei, *Neogloboquadrina*, Site 1006, B:158
elegans, *Buliminella*, Site 1003, A:88
elegans, *Hoeglundina*, Site 1003, A:88
Elphidium spp.
 Site 1003, A:88
 Site 1005, A:183
 Site 1006, A:244; B:129
 Site 1007, A:308
Emiliania huxleyi
 Great Bahama Bank, B:23, 65
 Site 1003, A:85, 89
 Site 1004, A:157
 Site 1005, A:180–181
 Site 1006, A:243, 247–248
 Site 1007, A:305; B:36
 Site 1008, A:356, 359
 Site 1009, A:357
eocaenus, *Cibicides*, Site 1003, A:88
Euthecosomata, Great Bahama Bank, B:74
exilis, *Globorotalia*
 Great Bahama Bank, A:31
 Site 1003, A:86; B:4
 Site 1005, A:182; B:7
 Site 1006, A:244
extremus, *Globigerinoides*
 Great Bahama Bank, A:19
 Site 1006, A:244; B:8, 158
 Site 1007, A:306, 308; B:9
 Sites 1008–1009, A:357; B:11
extremus, *Globorotalia*, Site 1006, A:244
falconensis, *Globigerina*, Site 1006, B:157–158
Fissurina spp., Site 1006, B:129
fitulosus, *Globigerinoides*
 Site 1003, A:90
 Sites 1008–1009, A:357; B:11
floridanus, *Cyclicargolithus*
 Great Bahama Bank, A:19
 Site 1003, A:86; B:84
 Site 1005, A:182
 Site 1006, B:159
 Site 1007, A:306
Fohsella fohsi
 Site 1006, B:156
 Site 1007, A:308
Fohsella fohsi fohsi, Site 1006, A:244; B:8
Fohsella fohsi lobata, Site 1006, A:244; B:8, 156, 159
Fohsella fohsi robusta, Site 1006, A:244; B:8, 159
Fohsella peripheroacuta
 Site 1006, B:156
 Site 1007, A:308
Fohsella praefohsi
 Site 1003, A:86; B:84
 Site 1006, A:244; B:8, 156
 Site 1007, A:308
Fohsella spp.
 Site 1003, B:6
 Site 1005, A:183; B:8
 Site 1006, B:8, 157
 Site 1007, B:11
fohsi, *Fohsella*
 Site 1006, B:156
 Site 1007, A:308
fohsi, *Globorotalia*, Great Bahama Bank, A:19
fohsi fohsi, *Fohsella*, Site 1006, A:244; B:8
fohsi fohsi, *Globorotalia*, Site 1007, B:11
fohsi lobata, *Fohsella*, Site 1006, A:244; B:8, 156,

- 159
fohsi robusta, Fohsella, Site 1006, A:244; B:8, 159
foveolata, *Planulina*
 Site 1003, A:88
 Site 1004, A:157
 Site 1005, A:183
 Site 1006, A:244
 Site 1007, A:308
 Site 1008, A:357
 Site 1009, A:358
Fursenkoina spp., Site 1003, A:88
Gephyrocapsa caribbeana
 Site 1003, A:85–86, 90
 Site 1004, A:157
 Site 1005, A:180–181
 Site 1006, A:243
 Site 1007, A:305, 325; B:36
 Site 1008, A:356
 Site 1009, A:357
Gephyrocapsa oceanica
 Site 1003, A:86
 Site 1004, A:157
 Site 1005, A:180
 Site 1007, A:305, 325; B:36
 Site 1008, A:356
 Site 1009, A:357
Gephyrocapsa parallela
 Great Bahama Bank, B:65
 Site 1003, A:85
 Site 1004, A:157, 159
 Site 1005, A:180
 Site 1006, B:15
 Site 1007, A:305; B:36
 Site 1008, A:356
 Site 1009, A:357
Gephyrocapsa spp.
 Site 1003, A:85, 89
 Site 1005, A:180–181
 Site 1007, A:305; B:36
 Sites 1008–1009, A:358
Globigerina angulisurealis, Site 1007, A:308; B:11
Globigerina bulbosa, Site 1006, B:158
Globigerina bulloides, Site 1006, B:158
Globigerina ciperensis
 Site 1003, A:88; B:6
 Site 1007, A:308; B:11
Globigerina falconensis, Site 1006, B:157–158
Globigerina nepenthes
 Great Bahama Bank, A:20
 Site 1003, A:86; B:4, 6
 Site 1005, A:183; B:8
 Site 1006, A:244; B:8
 Site 1007, A:306, 308; B:9, 11
Globigerinatella insueta, Site 1003, A:88; B:6
Globigerinella obesa, Site 1006, B:158
Globigerinella siphonifera, Site 1006, B:158
Globigerinina spp., Great Bahama Bank, B:74
Globigerinita insueta, Site 1007, A:308; B:11
Globigerinoides altiapertura
 Site 1003, A:88; B:6
 Site 1007, A:308; B:11
Globigerinoides conglobatus
 Great Bahama Bank, A:19
 Site 1003, A:86; B:4
 Site 1005, A:183–184; B:7
 Site 1006, A:244; B:8, 156, 158–159
 Site 1007, A:306, 308; B:9, 11
Globigerinoides extremus
 Great Bahama Bank, A:19
 Site 1006, A:244; B:8, 158
 Site 1007, A:306, 308; B:9
 Sites 1008–1009, A:357; B:11
Globigerinoides fistulosus
 Site 1003, A:90
 Sites 1008–1009, A:357; B:11
Globigerinoides obliquus, Site 1006, A:244; B:157–158
Globigerinoides primordius, Site 1007, A:308; B:11
Globigerinoides ruber
 Great Bahama Bank, B:63
 Site 1006, B:13–21, 156, 158
Globigerinoides sacculifer, Site 1006, B:17, 20, 156, 158
Globigerinoides trilobus, Site 1006, B:158
Globobulimina notovata, Site 1003, A:88
Globoquadrina dehiscens
 Site 1006, B:156, 158–159
 Site 1007, A:308; B:11
Globorotalia acostansis, Site 1003, A:86
Globorotalia aemiliana, Site 1006, B:158
Globorotalia archeomenardii, Site 1006, B:156–157
Globorotalia cibaoensis
 Great Bahama Bank, A:19
 Site 1005, A:183
 Site 1006, A:244; B:8, 158
 Site 1007, A:308
Globorotalia conomiozea, Site 1006, B:158
Globorotalia crassaformis, Site 1006, B:158
Globorotalia exilis
 Great Bahama Bank, A:31
 Site 1003, A:86; B:4
 Site 1005, A:182; B:7
 Site 1006, A:244
Globorotalia extremus, Site 1006, A:244
Globorotalia fohsi, Great Bahama Bank, A:19
Globorotalia fohsi fohsi, Site 1007, B:11
Globorotalia hamatus
 Great Bahama Bank, A:19
 Site 1003, A:86
Globorotalia hirsuta, Site 1006, B:158
Globorotalia juanai, Site 1006, B:158
Globorotalia kugleri
 Site 1003, A:88; B:6
 Site 1007, A:308; B:11
Globorotalia linguaensis
 Site 1003, A:86; B:6
 Site 1005, A:183; B:7
 Site 1006, B:157–158
Globorotalia limbata
 Site 1003, A:86; B:4
 Site 1004, A:157; B:6
 Site 1006, A:244; B:8
 Site 1007, A:306; B:9
 Sites 1008–1009, A:357; B:11
Globorotalia margaritae
 Great Bahama Bank, A:19, 28
 Site 1003, A:86; B:4
 Site 1005, A:183; B:7
 Site 1006, A:244; B:8, 158–159
 Site 1007, A:306; B:9
Globorotalia mayeri
 Great Bahama Bank, A:19
 Site 1003, A:86
 Site 1005, A:183
 Site 1006, A:244
 Site 1007, A:308
Globorotalia mediterranea, Site 1006, B:158
Globorotalia menardii, Site 1006, B:157–158
Globorotalia merotumida
 Site 1003, A:86; B:6
 Site 1005, A:183; B:7
 Site 1006, B:157
Globorotalia miocenica
 Site 1003, A:86
 Site 1006, A:244; B:8
 Site 1007, A:306; B:9
 Sites 1008–1009, A:357; B:11
Globorotalia neohamatus, Great Bahama Bank, A:28
Globorotalia peripheroacuta, Site 1007, B:11
Globorotalia pertenuis
 Site 1004, A:157–158; B:6
 Site 1005, A:182; B:7
Globorotalia plesiotumida, Site 1006, A:244; B:8, 158–159
Globorotalia praefohsi
 Site 1003, B:6
 Site 1007, B:11
Globorotalia praemenardii, Site 1006, B:157
Globorotalia scitula, Site 1006, B:156, 158
Globorotalia sphericomiozea, Site 1006, B:158
Globorotalia suterae, Site 1006, B:158
Globorotalia tosaensis
 Great Bahama Bank, A:19
 Site 1003, A:86; B:4
 Site 1005, A:182; B:7
 Site 1006, A:244
 Site 1007, A:306; B:8–9
Globorotalia tosaensis tenuitheca, Great Bahama Bank, A:28
Globorotalia truncatulinoides
 Great Bahama Bank, A:28, 31
 Site 1003, A:86, 90; B:4
 Site 1004, A:157; B:6
 Site 1005, A:182; B:6
 Site 1006, A:244; B:8
 Site 1007, A:306; B:8–9
 Sites 1008–1009, A:357; B:11
Globorotalia tumida
 Site 1003, A:86; B:4
 Site 1005, A:183; B:7
 Site 1006, B:158–159
Globorotaloides hexagonus, Site 1006, B:158
globulosus, *Anomalinoidea*
 Site 1006, A:244
 Site 1007, A:308
Gyroidinoides spp.
 Site 1003, A:88
 Site 1006, B:129
hamatus, *Discoaster*
 Site 1003, A:86; B:6
 Site 1005, A:182
 Site 1006, A:244; B:159
 Site 1007, A:306
hamatus, *Globorotalia*
 Great Bahama Bank, A:19
 Site 1003, A:86
Hanzawaia mantaensis
 Site 1003, A:88
 Site 1005, A:183
 Site 1006, A:245
havanensis, *Cibicidoides*, Site 1003, A:88
Helicosphaera ampliapertura
 Site 1003, A:86
 Site 1007, A:306
herricki, *Cibicorbis*, Site 1003, A:88
heteromorphus, *Sphenolithus*
 Site 1003, A:86; B:84
 Site 1007, A:306
Heterostegina spp., Site 1003, A:82
hexagonus, *Globorotaloides*, Site 1006, B:158
hirsuta, *Globorotalia*, Site 1006, B:158
Hoeglundina elegans, Site 1003, A:88
humerosa, *Neogloboquadrina*
 Great Bahama Bank, A:28, 31
 Site 1003, A:86; B:4

- Site 1006, B:157–159
Site 1007, B:11
huxleyi, *Emiliania*
Great Bahama Bank, B:23, 65
Site 1003, A:85, 89
Site 1004, A:157
Site 1005, A:180–181
Site 1006, A:243, 247–248
Site 1007, A:305; B:36
Site 1008, A:356, 359
Site 1009, A:357
- incrassatus*, *Cassidulina*, Site 1003, A:88
incrassatus, *Cibicidoides*
Site 1003, A:88
Site 1004, A:157
Site 1005, A:183
Site 1008, A:357
Site 1009, A:358
- insueta*, *Globigerinatella*, Site 1003, A:88; B:6
insueta, *Globigerinita*, Site 1007, A:308; B:11
- juanaei*, *Globorotalia*, Site 1006, B:158
- kugleri*, *Globorotalia*
Site 1003, A:88; B:6
Site 1007, A:308; B:11
- lacunosa*, *Pseudoemiliania*
Great Bahama Bank, B:65–66
Site 1003, A:85–86, 89
Site 1004, A:157
Site 1005, A:180–181
Site 1006, A:243; B:15
Site 1007, A:305; B:36
Site 1008, A:357
Site 1009, A:357
- laevigata*, *Cassidulina*, Site 1003, A:88
Lagena spp., Site 1006, B:129
Lagenina spp., Great Bahama Bank, B:74
Lamarckina scabra, Site 1003, A:88
larmei, *Dentoglobigerina*, Site 1006, B:157–158
Laticarinina pauperata, Site 1003, A:88
lenguensis, *Globorotalia*
Site 1003, A:86; B:6
Site 1005, A:183; B:7
Site 1006, B:157–158
- Lenticulina americana spinosa*, Site 1003, A:88
Lenticulina spp.
Site 1003, A:88
Site 1006, B:129
- Lepidocyclina* spp., Site 1009, A:354
lessonii, *Amphistegina*
Site 1003, A:88
Site 1005, A:183
Site 1007, A:308
- limbata*, *Globorotalia*
Site 1003, A:86; B:4
Site 1004, A:157; B:6
Site 1006, A:244; B:8
Site 1007, A:306; B:9
Sites 1008–1009, A:357; B:11
- lobatulus*, *Cibicides*
Site 1006, A:244
Site 1007, A:308
- mantaensis*, *Hanzawaia*
Site 1003, A:88
Site 1005, A:183
Site 1006, A:245
- margaritae*, *Globorotalia*
Great Bahama Bank, A:19, 28
Site 1003, A:86; B:4
Site 1005, A:183; B:7
- Site 1006, A:244; B:8, 158–159
Site 1007, A:306; B:9
marginata, *Bulimina*
Site 1003, A:88
Site 1004, A:157
Site 1007, A:308
Site 1008, A:357
Site 1009, A:358
- mayeri*, *Globorotalia*
Great Bahama Bank, A:19
Site 1003, A:86
Site 1005, A:183
Site 1006, A:244
Site 1007, A:308
- mayeri*, *Neogloboquadrina*
Site 1003, B:6
Site 1006, B:8
Site 1007, B:11
- mayeri*, *Paragloborotalia*, Site 1006, B:157
mediterranea, *Globorotalia*, Site 1006, B:158
mediterranea, *Uvigerina*, Site 1003, A:88
Melonis barleeianum, Site 1003, A:88
Melonis pompilioides
Site 1006, A:245
Site 1007, A:308
- menardii*, *Globorotalia*, Site 1006, B:157–158
merotumida, *Globorotalia*
Site 1003, A:86; B:6
Site 1005, A:183; B:7
Site 1006, B:157
- mexicana*, *Bulimina*, Site 1003, A:88
mexicana, *Planulina*, Site 1005, A:183
micens, *Discorbis*, Site 1003, A:88
micrus, *Cibicidoides*, Site 1003, A:88
Miliolina, Great Bahama Bank, B:74
miocenica, *Globorotalia*
Site 1003, A:86
Site 1006, A:244; B:8
Site 1007, A:306; B:9
Sites 1008–1009, A:357; B:11
- miopelagicus*, *Coccolithus*
Site 1003, A:86
Site 1005, A:182
Site 1006, A:244
- mundulus*, *Cibicidoides*
Site 1004, A:157
Site 1008, A:357
Site 1009, A:358
- murrhina*, *Pyrgo*
Site 1006, A:244–245
Site 1007, A:308
- Neocornubina* sp., Site 1003, A:88
Neoeponides campester, Site 1003, A:88
Neogloboquadrina acostaensis
Site 1003, A:86; B:4, 6
Site 1005, A:183; B:8
Site 1006, A:244; B:8, 157–158
Site 1007, A:308
- Neogloboquadrina acostaensis pseudopima*, Site 1003, B:4
Neogloboquadrina continuosa
Site 1003, A:86
Site 1005, A:183; B:7
Neogloboquadrina dutertrei, Site 1006, B:158
Neogloboquadrina humerosa
Great Bahama Bank, A:28, 31
Site 1003, A:86; B:4
Site 1006, B:157–159
Site 1007, B:11
- Neogloboquadrina mayeri*
Site 1003, B:6
Site 1006, B:8
Site 1007, B:11
- Neogloboquadrina pachyderma*, Site 1006, B:158
Neogloboquadrina pseudopima, Site 1006, B:158
neohamatus, *Discoaster*
Site 1003, A:86
Site 1005, A:182
Site 1007, A:306
neohamatus, *Globorotalia*, Great Bahama Bank, A:28
neorectus, *Discoaster*, Site 1006, A:244
nepenthes, *Globigerina*
Great Bahama Bank, A:20
Site 1003, A:86; B:4, 6
Site 1005, A:183; B:8
Site 1006, A:244; B:8
Site 1007, A:306, 308; B:9, 11
nepenthes, *Zeaglobigerina*, Site 1006, B:158–159
nitida, *Candeina*, Site 1006, B:157–159
Nonionella spp., Site 1003, A:88
notovata, *Globobulimina*, Site 1003, A:88
- obesa*, *Globigerinella*, Site 1006, B:158
obliquiloculata finalis, *Pulleniatina*, Great Bahama Bank, A:28
obliquiloculata primalis, *Pulleniatina*, Great Bahama Bank, A:28
obliquus, *Globigerinoides*, Site 1006, A:244; B:157–158
- oceanica*, *Gephyrocapsa*
Site 1003, A:86
Site 1004, A:157
Site 1005, A:180
Site 1007, A:305, 325; B:36
Site 1008, A:356
Site 1009, A:357
- Oolina* spp., Site 1006, B:129
Orbulina universa
Site 1003, A:86; B:6
Site 1006, B:156, 158
Site 1007, A:308; B:11
- Oridorsalis* spp., Site 1006, B:129
Osangularia sp., Site 1003, A:88
- pachyderma*, *Cibicidoides*, Site 1003, A:88
pachyderma, *Neogloboquadrina*, Site 1006, B:158
Paragloborotalia mayeri, Site 1006, B:157
Paragloborotalia pseudokugleri, Site 1006, B:156
Paragloborotalia siakensis/*Paragloborotalia mayeri* group, Site 1006, B:156–157, 159
- parallela*, *Gephyrocapsa*
Great Bahama Bank, B:65
Site 1003, A:85
Site 1004, A:157, 159
Site 1005, A:180
Site 1006, B:15
Site 1007, A:305; B:36
Site 1008, A:356
Site 1009, A:357
- Patelina* spp., Site 1003, A:88
?Patellinella sp., Site 1003, A:88
pauperata, *Laticarinina*, Site 1003, A:88
pentaradiatus, *Discoaster*
Site 1003, A:86
Site 1006, A:243
- peripheroacuta*, *Fohsella*
Site 1006, B:156
Site 1007, A:308
- peripheroacuta*, *Globorotalia*, Site 1007, B:11
pertenuis, *Globorotalia*
Site 1004, A:157–158; B:6
Site 1005, A:182; B:7
- Planorbulina* spp., Site 1006, B:129
Planulina ambigua
Site 1003, A:88
Site 1007, A:308

- Planulina ariminensis*
 Site 1003, A:88
 Site 1004, A:157
 Site 1005, A:183
 Site 1006, A:245
 Site 1008, A:357
 Site 1009, A:358
- Planulina costata*, Site 1003, A:88
- Planulina dohertyi*
 Site 1006, A:245
 Site 1007, A:308
- Planulina foveolata*
 Site 1003, A:88
 Site 1004, A:157
 Site 1005, A:183
 Site 1006, A:244
 Site 1007, A:308
 Site 1008, A:357
 Site 1009, A:358
- Planulina mexicana*, Site 1005, A:183
- Planulina rugosa*
 Site 1006, A:245
 Site 1007, A:308
- Planulina subtenuissima*, Site 1003, A:88
- Planulina wuellerstorfi*
 Site 1006, A:245
 Site 1007, A:308
- Plectofrondicularia* spp., Site 1003, A:88
- Plectofrondicularia vaughani*, Site 1006, A:245
- plesiotumida*, *Globorotalia*, Site 1006, A:244; B:8, 158–159
- Polypheribola christiani*
 Great Bahama Bank, A:32
 Site 1006, B:157–158
- pompilioides*, *Melonis*
 Site 1006, A:245
 Site 1007, A:308
- praefohsi*, *Fohsella*
 Site 1003, A:86; B:84
 Site 1006, A:244; B:8, 156
 Site 1007, A:308
- praefohsi*, *Globorotalia*
 Site 1003, B:6
 Site 1007, B:11
- praemenardii*, *Globorotalia*, Site 1006, B:157
- Praeorbulina sicana*
 Site 1003, A:86, 88; B:6
 Site 1007, A:308; B:11
- primordius*, *Globigerinoides*, Site 1007, A:308; B:11
- primus*, *Amaurolithus*, Site 1006, B:159
- Pseudoemiliana lacunosa*
 Great Bahama Bank, B:65–66
 Site 1003, A:85–86, 89
 Site 1004, A:157
 Site 1005, A:180–181
 Site 1006, A:243; B:15
 Site 1007, A:305; B:36
 Site 1008, A:357
 Site 1009, A:357
- pseudogrosserugosus*, *Anomalinoidea*, Site 1007, A:308
- pseudokugleri*, *Paragloborotalia*, Site 1006, B:156
- pseudopima*, *Neogloboquadrina*, Site 1006, B:158
- pseudoubilicus*, *Reticulofenestra*
 Site 1003, A:86
 Site 1005, A:182
 Site 1007, A:305–306
- Pulleniatina obliquiloculata finalis*, Great Bahama Bank, A:28
- Pulleniatina obliquiloculata primalis*, Great Bahama Bank, A:28
- Pyrgo murrhina*
 Site 1006, A:244–245
 Site 1007, A:308
- Quinqueloculina* spp., Site 1003, A:88
- quinqueramus*, *Discoaster*
 Site 1006, A:243–244; B:8, 159
 Site 1007, A:306
- Rectuvigerina striata*, Site 1005, A:183
- Rectuvigerina transversa*, Site 1003, A:88
- Reticulofenestra asanoi*
 Great Bahama Bank, B:65
 Site 1003, A:85, 89
 Site 1004, A:157
 Site 1005, A:180, 186
 Site 1006, A:243; B:15
 Site 1007, A:305; B:36
 Site 1008, A:357
 Site 1009, A:357
- Reticulofenestra pseudoubilicus*
 Site 1003, A:86
 Site 1005, A:182
 Site 1007, A:305–306
- Reticulofenestra* spp.
 Great Bahama Bank, A:19
 Site 1006, A:244; B:8
 Site 1007, A:308–309; B:9, 11
- Reusella spinulosa*
 Site 1003, A:88
 Site 1006, B:129
- Robertinoidea bradyi*, Site 1003, A:88
- robertsonianus*, *Cibicidoides*
 Site 1006, A:244–245
 Site 1007, A:308
- Rotalina*, Great Bahama Bank, B:74
- ruber*, *Globigerinoides*
 Great Bahama Bank, B:63
 Site 1006, B:13–21, 156, 158
- rugosa*, *Planulina*
 Site 1006, A:245
 Site 1007, A:308
- rugosus*, *Ceratolithus*
 Site 1006, A:244; B:159
 Site 1007, A:309
- sacculifer*, *Globigerinoides*, Site 1006, B:17, 20, 156, 158
- scabra*, *Lamarckina*, Site 1003, A:88
- schlumbergeri*, *Sigmoilopsis*
 Site 1003, A:88
 Site 1004, A:157
 Site 1005, A:183
 Site 1008, A:357
 Site 1009, A:358
- scitula*, *Globorotalia*, Site 1006, B:156, 158
- semicibratus*, *Anomalinoidea*, Site 1007, A:308
- sicana*, *Praeorbulina*
 Site 1003, A:86, 88; B:6
 Site 1007, A:308; B:11
- Sigmoilopsis schlumbergeri*
 Site 1003, A:88
 Site 1004, A:157
 Site 1005, A:183
 Site 1008, A:357
 Site 1009, A:358
- siphonifera*, *Globigerinella*, Site 1006, B:158
- Siphonina* spp., Site 1003, A:88
- Siphonina tenuicarinata*
 Site 1003, A:88
 Site 1006, A:245
- Sphaeroidina bulloides*, Site 1003, A:88
- Sphaeroidinella dehiscens*, Site 1006, A:244; B:8, 158
- Sphaeroidinellopsis* spp.
 Site 1003, A:86; B:4
 Site 1006, B:157–158
- Sphenolithus abies*
 Site 1003, A:86
 Site 1005, A:181
 Site 1006, A:243; B:159
 Site 1007, A:305
- Sphenolithus belemnos*
 Site 1003, A:86
 Site 1007, A:306
- Sphenolithus capricornutus*, Site 1003, A:86
- Sphenolithus ciperoensis*, Site 1007, A:306
- Sphenolithus heteromorphus*
 Site 1003, A:86; B:84
 Site 1007, A:306
- sphericomiozea*, *Globorotalia*, Site 1006, B:158
- spinosa*, *Valvulina*, Site 1003, A:88
- spinulosa*, *Reusella*
 Site 1003, A:88
 Site 1006, B:129
- Spiroloculina* sp., Site 1003, A:88
- Stilostomella* spp., Site 1003, A:88
- Streptochilus* spp., Site 1006, B:158
- striata*, *Rectuvigerina*, Site 1005, A:183
- subtenuissima*, *Planulina*, Site 1003, A:88
- surculus*, *Discoaster*
 Site 1003, A:86
 Site 1005, A:181
 Site 1006, A:243
- suterae*, *Globorotalia*, Site 1006, B:158
- tamalis*, *Discoaster*
 Site 1003, A:86
 Site 1004, A:157–158
 Site 1006, A:243
- tenuicarinata*, *Siphonina*
 Site 1003, A:88
 Site 1006, A:245
- Textularia* spp., Site 1003, A:88
- Textulariina*, Great Bahama Bank, B:74
- tosaensis*, *Globorotalia*
 Great Bahama Bank, A:19
 Site 1003, A:86; B:4
 Site 1005, A:182; B:7
 Site 1006, A:244
 Site 1007, A:306; B:8–9
- tosaensis tenuitheca*, *Globorotalia*, Great Bahama Bank, A:28
- transversa*, *Rectuvigerina*, Site 1003, A:88
- Tretomphalus* spp.
 Site 1003, A:88
 Site 1006, B:129
 Site 1007, A:308
- trilobus*, *Globigerinoides*, Site 1006, B:158
- triradiatus*, *Discoaster*, Site 1006, A:243
- Tritaxia* spp., Site 1003, A:88
- truncatulinoides*, *Globorotalia*
 Great Bahama Bank, A:28, 31
 Site 1003, A:86, 90; B:4
 Site 1004, A:157; B:6
 Site 1005, A:182; B:6
 Site 1006, A:244; B:8
 Site 1007, A:306; B:8–9
 Sites 1008–1009, A:357; B:11
- tumida*, *Globorotalia*
 Site 1003, A:86; B:4
 Site 1005, A:183; B:7
 Site 1006, B:158–159
- tuxpamensis*, *Bulimina*, Site 1003, A:88
- universa*, *Orbulina*
 Site 1003, A:86; B:6
 Site 1006, B:156, 158
 Site 1007, A:308; B:11

- Uvigerina mediterranea*, Site 1003, A:88
- Vaginulopsis decorata*, Site 1003, A:88
- Valvulina spinosa*, Site 1003, A:88
- vaughani*, *Plectofrondicularia*, Site 1006, A:245
- woodi*, *Zeaglobigerina*, Site 1006, B:156, 158
- wuellerstorfi*, *Planulina*
Site 1006, A:245
Site 1007, A:308
- Zeaglobigerina nepenthes*, Site 1006, B:158–159
- Zeaglobigerina woodi*, Site 1006, B:156, 158
- zones (with letter prefixes)
- MPL1/MPL2 boundary, Site 1006, B:159
- N4, A:88–89, 308; B:4
- N4a, Site 1007, A:308; B:11
- N4b, Site 1007, A:308; B:11
- N5, A:88–89, 308; B:4, 11
- N6, A:88, 308; B:4, 11
- N7, A:88, 308; B:4, 11
- N8, Site 1007, A:308; B:11
- N9, A:86, 308; B:4, 11
- N10, A:86, 308; B:4, 11
- N11, A:86, 243–244, 308–309; B:4, 8, 11
- N12, A:86, 244, 308; B:4, 8, 11, 156–157
- N12–N14, Site 1005, A:185
- N13, A:244, 308; B:4, 8, 157
- N14, A:86, 308; B:8, 11, 157
- N14/N15 boundary, A:244; B:4
- N15, B:4, 8, 157–158
- N16, A:28, 86, 244, 308; B:4, 7–8, 11, 157–158
- N16/N17, Great Bahama Bank, A:28
- N17, A:84, 244, 309; B:4, 8, 158
- N17–N18, Great Bahama Bank, A:28
- N17–N19, Site 1005, A:180
- N18, Site 1006, A:244–245; B:8
- N18–N19, A:28; B:158
- N18?–N19, Great Bahama Bank, A:28
- N19, A:86, 244, 306; B:4, 7–9
- N20, A:86, 180, 244, 357; B:4, 7–8, 11
- N20/N21 boundary, A:244; B:4, 8
- N21, A:86, 157, 306, 357; B:6–7, 9, 11
- N21?, Great Bahama Bank, A:28
- N21/N22 boundary, Site 1004, B:6
- N22, A:28, 86, 244, 306, 357; B:4, 6, 8–9, 11
- N22/N21 boundary, Site 1004, A:157
- NN1, Site 1003, A:86
- NN1/NN2 boundary, Site 1003, A:86
- NN2, A:86, 89, 306
- NN3, A:86, 306
- NN4, A:86, 306
- NN5, A:86, 306
- NN6, Site 1006, A:243–245; B:159
- NN6–NN8, Site 1006, A:244
- NN6/NN7 boundary, Site 1003, A:86
- NN7, A:182, 185, 244; B:159
- NN7/NN8 boundary, A:182, 244
- NN8, A:182, 185, 206; B:159
- NN8/NN7 boundary, Site 1007, A:306
- NN9, A:86, 89, 182, 185, 206, 244, 306; B:159
- NN10, A:86, 88–89, 180, 182, 185, 206, 244, 306; B:159
- NN11, A:84, 206, 244–245, 306; B:159
- NN12, A:182, 243–244; B:159
- NN14, A:86, 182, 306
- NN14–NN13, Site 1006, A:243–244, B:159
- NN14–NN15, Site 1005, A:180–181
- NN14–NN15/NN16–NN18 boundary, Site 1005, A:180
- NN15, A:86, 182, 243, 306; B:159
- NN15/NN16 boundary, A:86, 305
- NN16, A:86, 157, 182, 243, 305
- NN16–NN18, Site 1005, A:181
- NN17, A:86, 157, 182, 243, 305
- NN18, A:86, 157, 243, 305
- NN18/NN19 boundary, A:85, 243
- NN19, A:85, 157, 180, 183, 243, 305, 356–358, 372
- NN19/NN20 boundary, Site 1003, A:85
- NN20, A:85, 157, 181, 183, 243, 356–357, 372
- NN20/NN21 boundary, A:85, 157, 356–358
- NN21, A:85, 157, 180–182, 356–358, 372
- NN21–NN19, Site 1006, A:243
- NN22, Site 1005, A:182
- NP22, Site 1007, B:8
- NP25, Site 1007, A:305–306; B:8
- NP25/NN1 boundary, Site 1007, A:306
- P22, Site 1007, A:305