

INDEX TO VOLUME 167

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 167 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, or thin-section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 1010, for example, is given as “Site 1010, A:49–84.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station TX 77845-9547, USA, e-mail: pub_production@odpemail.tamu.edu

VOLUME 167 SUBJECT INDEX

- absence intervals, *Reticulofenestra pseudoumbilicus*, B:28
- age, vs. sedimentation rates, A:454
- age control points, sedimentation rates, A:77, 108, 145, 168, 202, 262, 337, 412, 454
- age models
- paleoclimatology, B:250–251, 280–281
 - sediments, B:169–173
- age vs. depth
- California Margin, B:167, 372
 - diatoms, B:72–73
 - Pleistocene, B:22–23
 - Pliocene, B:23
 - Site 1010, A:71–73
 - Site 1011, A:103–104
 - Site 1012, A:138, 143
 - Site 1013, A:161, 166
 - Site 1014, A:185, 187, 199
 - Site 1016, A:247
 - Site 1017, A:293; B:251, 281
 - Site 1018, A:321
 - Site 1019, A:360
 - Site 1020, A:396
 - Site 1021, A:439, 450
- Alaska Gyre, oceanography, B:341, 370
- Alder*
- vs. age, B:242–243
 - vs. depth, B:174, 220–222
- Alder/ferns* ratio, vs. age, B:223, 225–226
- Aleutian Low, teleconnections, B:371–372
- alkalinity
- gas hydrates, B:354
 - pore water, B:343
 - sediments, A:74, 104, 144, 166, 193, 232, 260, 295, 328, 368, 405, 447, 473; B:346, 349
 - vs. age, A:339
 - vs. depth, A:79–80, 110–111, 148, 170, 204, 232, 265, 302, 339, 371, 414, 447, 456, 480; B:348
- alkalinity, peak in pore water, vs. organic carbon mass accumulation rates, B:350
- alkanes. *See n*-alkanes
- alkatrienes
- sediments, B:186, 188
 - vs. depth, B:190
- alkenes
- sediments, B:186
 - vs. depth, B:189
- alkenoates
- sediments, B:186
 - vs. depth, B:190
- alkenones
- abundance vs. carbon ratio, A:306
 - bitumens, A:296–297, 369–370
 - gas chromatograms, A:305
 - paleothermometry, B:153–161
 - sea-surface temperature, B:297, 301–302, 359–360
 - sediments, A:296–297, 305, 374; B:186–189
 - unsaturation indices, B:185–186
 - vs. age, B:157–158, 359
 - vs. depth, A:306, 374; B:190–191
 - vs. temperature, B:156
- aluminosilicates
- Quaternary, A:336
 - sedimentation rates, A:415, 451–452
- aluminum oxide
- sediments, B:285–288
- vs. depth, B:285
- ammonium
- pore water, B:343
 - sediments, A:74, 104, 144, 166, 193, 232, 261, 295, 328, 368, 406, 447, 475
 - vs. depth, 79–80, 110–111, 148, 170, 204, 232, 265, 302, 339, 371, 414, 447, 456, 480; B:349
- amorphous material
- sediments, B:282–284
 - vs. depth, B:284
- amphibole, lithologic units, A:227, 359
- Animal Basin
- color, B:363
 - dissolution, A:103
 - paleoceanography, B:141–144
 - sedimentation, A:110–112
- anoxia Event 1, vertical profile, B:275
- Arguello Submarine Canyon, sediments, B:258
- arsenic
- diagenesis, B:265–266
 - sediments, B:264
- Artemisia*, vs. depth, B:220–222
- atmospheric pressure, modern, B:344
- authigenesis
- phosphorus, B:195–202
 - pore water, B:343
 - sediments, A:105, 447
- Baja Transect
- composite section, A:51–52, 88–89;
 - middle Miocene, A:77–78
 - sedimentation, A:11, 110–112
- barite, lithologic units, A:468
- barium
- detrital component, B:266–270
 - sediments, B:265
 - vs. depth, B:267
- barium/titanium ratio, detrital component, B:267–270
- basalts, amygdaloidal, lithologic units, A:395
- basalts, lithologic units, A:92
- basement
- lithologic units, A:57, 92, 395
- bathymetry
- deep water, Tanner Basin, A:180
 - environmental hazards, A:315
- biochronology
- diatoms and calcareous nannofossils, B:367, 369
 - Miocene, B:26, 30
 - Pleistocene, B:24
 - Pliocene, B:25
- biogenic component
- geochemistry, B:266
 - lithologic units, A:55
 - temporal variations, B:203–206
- biohorizons
- Catinaster* spp., B:28
 - ceratoliths, B:18, 21, 28
 - discoasterids, B:16–18
 - Miocene, B:23, 26–29, 368
 - Pleistocene, B:6–12
 - Pliocene, B:14–23
 - summary of positions, B:36–38, 365
 - triquetrorhabdulids, B:18, 21
- biomarkers, paleotemperature, B:183–194
- biosiliceous material, lithologic units, A:468
- biostratigraphic correlation
- diatoms, A:65, 100
- biostratigraphic datums, epoch boundaries, A:72
- biostratigraphic events
- diatoms, A:329
 - radiolarians, A:259, 332, 406, 447
 - sedimentation rates, A:301
- biostratigraphic ranges
- calcareous nannofossils, A:58–59, 96–97, 137–138, 163, 188–189, 229, 250–251, 295, 324–325, 263, 399–400, 441–442, 470–471
 - diatoms, A:60–64, 98–99, 140, 164, 190–192, 230, 252–255, 296, 326–329, 401–404, 443–444, 472
 - planktonic foraminifers, A:70–71, 94–95, 136, 162, 186, 228, 249, 322, 361, 397, 440, 469
 - radiolarians, A:66–69, 102–104, 194–197, 256–258, 297, 363–364, 405–406, 445–446, 474
- biostratigraphy
- calcareous nannofossils, A:57–59, 101, 139, 162–163, 185, 229, 248–249, 293, 322–323, 361, 398, 439, 469–470; B:3–40, 364
 - correlation, B:366
 - diatoms, A:59, 101, 139, 163, 185–186, 229, 249, 251, 293, 323, 362, 364, 398, 439–440, 470; B:63–113, 119–125, 364
 - middle Pliocene, B:111–113
 - Neogene, B:364–376
 - planktonic foraminifers, A:61–63, 93, 95, 101, 138–139, 162, 183–185, 228–229, 248, 291–293, 321–322, 360–361, 397–398, 439, 469; B:41–62, 115–117, 367
 - radiolarians, A:59–61, 101–102, 186–187, 293, 364, 398, 440, 442, 473; B:367
 - Site 1010, A:57–63
 - Site 1011, A:92–102
 - Site 1012, A:135–139
 - Site 1013, A:161–163
 - Site 1014, A:183–187
 - Site 1015, A:227–229
 - Site 1016, A:247–256
 - Site 1017, A:291–293
 - Site 1018, A:320–325
 - Site 1019, A:359–364
 - Site 1020, A:395–399
 - Site 1021, A:438–442, 468–473
- biotite, lithologic units, A:55, 227
- bioturbation
- lithologic units, A:55–56, 161, 180–181, 183, 245–247, 289–291, 320, 357–359, 436–438, 468
 - photograph, A:246
 - sediments, B:257
- bitumens, alkenones, A:296–297, 369–370
- Bølling/Ållerød
- millennial cycles, B:277–296
 - paleoclimatology, B:251–254
- Brunhes/Matuyama boundary
- chronology, B:130, 155
 - diatoms, B:120
 - magnetostratigraphy, A:141, 187, 325, 364–366, 400; B:311–318
- Brunhes Chron
- diatoms, B:66
 - magnetostratigraphy, A:71, 141, 164, 293,

- 325, 364, 400, 442
See also mid-Brunhes climatic event
- burial, carbonates, A:110–112; B:178
- burrows
- Ethmodiscus* ooze, B:208–212
 - lithologic units, A:55, 318–320, 437–438, 468
 - millennial cycles, B:277–296
 - photograph, A:56, 93, 135, 438
 - sediments, B:257
- butane. *See* isobutane; *n*-butane
- Calcidiscus leptoporus*, vs. age, B:307
- calcite
- lysocline, A:438
 - sediments, B:282–284
 - vs. depth, B:284
 - vs. total inorganic carbon, B:204
- See also* calcium carbonate; carbonate content
- calcium
- pore water, B:343
 - profiles, B:349, 351
 - sediments, A:75, 104–105, 144–145, 166, 193, 232, 261, 295, 328, 368, 406, 447, 475
 - vs. depth, A:79–80, 110–111, 148, 170, 204, 232, 265, 302, 339, 371, 414, 447, 456, 480; B:350
- calcium/magnesium ratio, sediments, A:75
- calcium carbonate
- biomarkers, B:183–194
 - diagenesis, B:137
 - sedimentation events, B:163–182
- See also* calcite; carbonate content
- calcium oxide
- sediments, B:284–288
 - vs. depth, B:285
- California
- Monterey Formation, A:57, 92
 - paleoceanography, B:129–140
- California N, deglaciation, B:356–357
- California S, deglaciation, B:357–358
- California Borderlands
- intermediate water, A:7–8
 - magnetite dissolution, A:103
 - Neogene, B:342–343
 - rare earths, B:235–238
 - sedimentation, A:110–112
 - teleconnections, B:371–372
- California Countercurrent, paleothermometry, B:153–161
- California Current
- ocean circulation, A:5–13
 - paleoclimatology, B:253–254
 - paleoecology, B:220
 - paleothermometry, B:153–161
 - planktonic foraminifers, B:58–59
 - teleconnections, B:371–372
 - transport, B:345
- California Current system
- paleothermometry, B:153–161, 183–194
 - sedimentary record, B:341–376
 - sediments, B:259
 - teleconnections, B:371–372
- California Margin
- biogenic opal, B:213–214
 - biostratigraphy, B:3–129
 - carbonate records, B:297–302
 - color images, B:319–329
 - index properties, B:333–338
 - magnetostratigraphy, B:311–318
 - millennials to orbital-scale cycles, B:354–363
 - oceanography, A:5–13
 - paleoceanography, B:141–150
 - phosphorus, B:195–202
 - sedimentary record, B:341–376
- sedimentation, B:163–182
- California Margin Central, sediments, B:255–261
- California Margin N
- paleoclimatology, B:217–226, 239–245
 - terrigenous component, B:227–234
- California Margin S
- geochemistry, B:263–271
 - millennial cycles, B:277–296
 - paleoclimatology, B:249–254
- caliper logs, vs. depth, A:117, 209, 271, 343–344, 377–378, 419–421, 484
- carbon, carbonate, vs. depth, B:283, 295
- carbon, inorganic
- sediments, A:75, 81, 171, 206, 232, 234, 267, 296, 304, 341, 373, 416, 456, 481; B:297–302
 - vs. depth, A:151
- carbon, organic
- biomarkers, B:183–194
 - carbon isotopes, B:273–276
 - color reflectometry, B:362
 - correlation with color, B:329
 - factors controlling variations, B:293
 - paleoproductivity, B:158–160
 - particulates, B:361
 - sedimentation events, B:163–182
 - sediments, A:75, 106, 146, 166–167, 193, 296; B:282, 295
 - time series, B:360–361
 - vs. age, B:175, 177, 179, 206, 357
 - vs. depth, B:167, 174, 266, 283, 360, 363–364
 - vs. Factor 1 loading, B:294
- carbon, organic (mass accumulation rates), vs.
- peak alkalinity in pore water, B:350
- carbon, total, sediments, A:75, 81, 171, 206, 232, 234, 267, 304, 341, 373, 416, 456, 481
- carbon, total inorganic, vs. calcite, B:204
- carbon, total organic
- sediments, A:81, 171, 193, 206, 232–234, 261–262, 267, 296–297, 304–305, 333, 341, 369, 373–374, 409–410, 416, 449, 456, 476, 481
 - vs. carbon ratio, A:306
 - vs. carbonate content, A:172
 - vs. depth, A:81, 112–113, 151, 171, 206, 234, 267, 305–306, 341, 373–374, 457, 480; B:191, 274
 - vs. total nitrogen, A:113
 - vs. total organic carbon/total nitrogen ratio, A:113, 151, 172, 206
- carbon, total organic/total nitrogen ratio
- sediments, A:146, 167, 193, 233, 262, 296, 333, 368–369, 410, 449–450, 476–477
 - vs. depth, A:106–107, 112–113, 151, 171, 206, 234, 267, 305, 341, 373, 457, 480; B:187
 - vs. total organic carbon, A:113, 151, 172, 206
- carbon, total organic/total sulfur ratio, vs. depth, A:112
- carbon/nitrogen ratio
- sediments, B:273–276
 - vs. depth, B:274
- carbon isotopes
- foraminifers, B:129–140
 - organic carbon, B:273–276
 - paleoceanography, B:141–150
 - paleoclimatology, B:249–254
 - vs. age, B:135–138, 144, 150
 - vs. depth, B:143, 146, 274
- carbon ratio
- vs. alkenone abundance, A:306
 - vs. total organic carbon, A:306
 - carbon stacks, correlation, B:175–176
- carbonate content
- bulk density, B:368
- burial, A:110–112; B:178
- color reflectance, A:170–171; B:362
- correlation with color, B:329
- lithologic units, A:55–57, 132–135, 180–181, 183, 246–247, 288–291
- preservation, B:291
- records, B:297–302
- saturation, B:361
- sediments, A:75–76, 81, 105, 146, 166, 171, 193, 206, 234, 261, 267, 296, 304–305, 333, 341, 368, 373–374, 408–409, 416, 449, 456, 476, 481; B:169–173, 282, 331–332, 373
- time series, B:360–361
- vs. age, B:173, 175, 177, 179, 181, 358
- vs. bulk density, A:152
- vs. depth, A:81, 112–113, 151–153, 171, 173, 206, 208, 234, 267, 305, 341, 373, 457, 480; B:166, 187, 191, 237, 298–301, 331, 360, 363
- vs. total organic carbon, A:172
- well logging, A:196–198
- See also* calcite; calcium carbonate
- carbonate content, biogenic, vs. age, B:206
- carbonate crash, teleconnections, B:371–372
- carbonate dissolution, indicators, B:291
- carbonate dissolution depth, changes, B:190–191
- carbonate mass accumulation rates, Dansgaard/Oeschger cycles, B:356
- Cascadia Subduction Zone, gas hydrates, B:353
- Catinaster* spp., biohorizons, B:28
- cedar. *See also* juniper/cedar ratio
- cedar/pine ratio
- vs. age, B:223, 225–226
 - vs. depth, B:220–222
- cementation, lithologic units, A:395
- ceratoliths, biohorizons, B:18, 21, 28
- cerium
- sediments, B:236
 - vs. depth, B:237
- chalk, clayey nannofossil, lithologic units, A:89, 247, 320
- chalk, dolomitic, lithologic units, A:289
- chalk, indurated, lithologic units, A:133–134
- chalk, lithologic units, A:56
- chalk, nannofossil
- color reflectance, A:342
 - lithologic units, A:56, 89, 134, 395
 - photograph, A:93
- charcoal
- lithologic units, A:357–359
 - paleoecology, B:220
- chert
- chertification, B:350
 - lithologic units, A:247, 468
 - temperature history vs. age, B:352
- See also* porcellanite; temperature history (youngest chert/porcellanite bed)
- chert, massive, upper Miocene, A:266
- chertification, diagenesis, B:350
- chloride
- gas hydrates, B:353
 - sediments, B:265
 - vs. depth, B:354
- chlorinity
- gas hydrates, A:372
 - pore water, B:343
 - sediments, A:74, 104, 143–144, 166, 193, 230, 260, 295, 328, 368, 405, 447, 473
 - vs. depth, A:79–80, 110–111, 148, 170, 204, 232, 265, 302, 339, 371, 414, 447, 456, 480
- chlorite

- lithologic units, A:357–359
vs. age, B:232
- chlorite + kaolinite
sediments, B:282–284
vs. depth, B:284
- Chondrites*
lithologic units, A:133, 246–247, 289–291, 318–320, 395, 468
millennial cycles, B:277–296
photograph, A:246
- chromium
detrital component, B:266–270
sediments, B:265
vs. depth, B:267
- chromium/titanium ratio, detrital component, B:267–270
- Chron 3Bn/3Br, biohorizons, B:28
- Chron 3Br. *See Chron 3Bn/3Br*
- Chron C1n, magnetostratigraphy, A:71, 141, 164, 187, 293, 325, 364, 400, 442
- Chron C1r.1n, magnetostratigraphy, A:141, 165, 187, 400, 442
- Chron C1r.1r, magnetostratigraphy, A:400
- Chron C1r, magnetostratigraphy, A:102, 256
- Chron C2An, magnetostratigraphy, A:71
- Chron C2Ar, magnetostratigraphy, A:71
- Chron C2n, magnetostratigraphy, A:141, 165
- Chron C2r, magnetostratigraphy, A:473
- Chron C3A, diatoms, B:66
- Chron C3An.2n, magnetostratigraphy, A:71
- Chron C3An.4n, magnetostratigraphy, A:71
- Chron C3Ar, magnetostratigraphy, A:71
- Chron C3Bn
diatoms, B:66
magnetostratigraphy, A:71, 77
- Chron C3n.2n, biohorizons, B:21
- Chron C3n.3n
biohorizons, B:21
magnetostratigraphy, A:442
- Chron C3n.4n, magnetostratigraphy, A:442
- Chron C3r, biohorizons, B:14
- Chron C5n, biohorizons, B:23, 28
- chronostratigraphy
biohorizons, B:8, 11–12, 14–16, 18, 21
calcium carbonate, B:163–182
paleoclimatology, B:249–254
- chrons
magnetic polarity, A:164–165, 442
magnetic reversals, A:141
magnetostratigraphy, A:64, 71–72, 102–103
- clay
color reflectance, A:77
correlation with color, B:329
lithologic units, A:55, 89, 161, 180–181, 183, 245–247, 357–359, 393, 395, 436–438, 465, 467–468
photograph, A:93
volume ratio, B:296
- clay, diatom
color reflectance, A:342
lithologic units, A:246–247, 318–320, 357–359, 395, 437, 465, 467–468
- clay, foraminifer, lithologic units, A:181, 183
- clay, glauconitic, lithologic units, A:467–468
- clay, hemipelagic, stable isotopes, B:129–140
- clay, nannofossil
deposition, A:226
lithologic units, A:132–135, 181, 183, 227, 289–291, 320, 393, 395, 437–438, 465, 467–468
photograph, A:227
- clay, silty
cores, B:278–280
lithologic units, A:55–56, 87, 89, 92, 132–135,
- 161, 225–227, 288–291, 357–359
- clay mineralogy
sediments, B:282–284
terrigenous component, B:229
vs. age, B:232
- claystone, lithologic units, A:56, 395
- claystone, nannofossil
lithologic units, A:89
photograph, A:93
- climate
California Margin, A:6
connection with tectonics, B:370–372
oceanography, B:342
See also paleoclimatology
- clinochlore, lithologic units, A:357–359
- closure, gateways, B:371–372
- Coastal Ranges
detrital component, B:268–270
terrigenous component, B:231
- Coastal Transect, sedimentation, A:11
- cobalt, sediments, B:265
- Cobb Mountain Cryptochron,
magnetostratigraphy, A:71, 141, 165
- coccolith diversity, vs. age, B:308
- coccoliths
alkenones, B:153–161
backscattered electron imagery photograph, B:210–211
lithologic units, A:55
- Coccilithus pelagicus*, vs. age, B:307
- Cochiti Subchron, magnetostratigraphy, A:71
- coercivity, dissolution, A:442
- coiling, *Neogloboquadrina pachyderma*, A:136, 187, 249, 294, 323, 361
- color
correlation coefficients, B:329
correlation with biogenic silica, B:329
correlation with carbonate content, B:329
correlation with clays, B:329
correlation with organic carbon, B:329
sediments, B:319–329
vs. age, B:324–328
vs. depth, B:320–321, 323, 363
vs. oxygen isotopes, B:363
- color bands, lithologic units, A:55, 134, 437–438
- color intensity, vs. depth, A:153, 236, 268–270, 308, 376, 418, 458, 483
- color reflectance
multisensor track records, B:362
opal, A:264
sedimentation rates, A:141, 143, 187, 190–191
sediments, A:72, 77, 108–109, 147–148, 165, 169–170, 195–196, 229–230, 233–234, 256–257, 259, 263–264, 293–294, 298, 325, 328, 333–334, 366–367, 370–371, 400, 405, 410–411, 442, 447, 451, 473, 477
vs. age, A:78, 109, 147, 169, 203, 263, 338, 369, 413, 455
vs. depth, A:75, 83, 107, 115, 144, 154, 167, 201, 220, 231, 236, 260, 263, 269, 300, 308, 335, 367, 409, 418, 451, 458, 476, 483
vs. wavelength, A:83, 115
- color video, digital
carbonate content, A:77
sediments, A:148, 171, 196, 234, 298, 334, 371, 411, 451, 477
vs. depth, A:109, 116, 308, 343, 418
- Columbia River Basin, terrigenous component, B:231
- composite depth
diatom datum levels, B:93
Site 1010, A:72–73; bp:CD-ROM
- Site 1011, A:103–105
Site 1012, A:141, 143
Site 1013, A:165–166
Site 1014, A:187, 190–191, 200
Site 1015, A:229–230
Site 1016, A:256–257, 259
Site 1017, A:293–295, 300
Site 1018, A:325, 328, 334
Site 1019, A:366–367
Site 1020, A:400, 405, 409
Site 1021, A:442, 447, 450
Site 1022, A:473, 475
- composite section
Site 1010, A:51–52, 74
Site 1011, A:88–89, 106
Site 1012, A:131–132
Site 1013, A:158
Site 1014, A:177–179
Site 1016, A:241–242
Site 1017, A:287
Site 1018, A:313–315
Site 1019, A:355–356
Site 1020, A:391–392
Site 1021, A:433–434
Site 1022, A:462–463
- compression, gas hydrates, B:352
- compressional wave velocity
sediments, A:76–77, 108, 146–147, 168–169, 263, 298, 333, 370, 410, 451, 477, sediments vs. depth, A:235, 267–268, 306, 417, 457–458, 482
- Conception Transect
composite section, A:241–242
index properties, B:331–332
sedimentation, A:11
See also Point Conception
- concretions, lithologic units, A:395, 437
- conifer ratio, vs. age, B:226
- consolidation plots, effective stress, B:334–336
- contourites, grain size, B:291
- copper
detrital component, B:267–270
sediments, B:265
vs. depth, B:268
- core vs. log correlation, physical properties, A:110, 197–198, 265–266, 372, 413–414
- cores, lithology, B:278–280
- correlation
biostratigraphy, B:366
geologic age, B:99
middle–late Miocene, B:27
planktonic foraminifers, B:59
- correlation coefficients
color, B:329
major elements, B:287, 290
- Coscinodiscus marginatus*, distribution, B:100
- cracks, correlation with color, B:321–322
- cross-spectral analysis
terrigenous component, B:231
See also power spectra
- currents
California Current, A:5–13
Pacific Ocean N, B:343
transport, B:345
- cyclic processes
lithologic units, A:134–135
millennial cycles, B:354–355
- cyclic processes, millennial-scale, sedimentation events, B:163–182
- cypress. *See* juniper/cypress ratio
- Dansgaard/Oeschger cycles
carbonate mass accumulation rates vs. age, B:356–357

comparison in GISP-2 to Northern California, B:356–357
 correlation, B:175–176, 181–182, 294, 372–373
 millennial cycles, B:354–355
 paleoclimatology, B:251–254
 Dansgaard/Oeschger Event 3, correlation, B:252–254
 Dansgaard/Oeschger Event 4, correlation, B:252–254
 Dansgaard/Oeschger Event 5, correlation, B:252–254
 datum levels, magnetostratigraphy, A:200, 449
 Davidson Current, paleothermometry, B:153–161
 debris, ice-rafterd
 limits, B:160
 organic matter, B:158–160
 deep water, currents, A:7
 deformation, photograph, A:395
 deglaciation
 chronology, B:155–156
 marine isotope Stage 2/1, B:163–182
 millennial cycles, B:356–358
 demagnetization, alternating-field
 sediments, A:63–64, 141, 187, 256, 293, 325, 333, 364–365, 400, 473
 vector projection, A:105
 Zijderveld diagrams, A:366; B:312–314
 density, vs. depth, A:81, 113
 density, bulk
 carbonate content, B:368
 vs. carbonate content, A:152
 vs. depth, A:82, 114, 152, 154, 173, 207, 268, 307, 341, 375, 417, 457, 482
 density, discrete core, vs. depth, A:273
 density, dry, vs. depth, A:82, 114, 152, 173, 207, 268, 307, 341, 375, 417, 457, 482
 density, dry bulk, vs. age, B:230
 density, grain, vs. depth, A:82, 114, 152, 173, 207, 268, 307, 341–342, 375, 417, 457, 482
 density, GRAPE, vs. depth, A:83
 density, GRAPE bulk
 sedimentation rates, A:187, 190–191
 sediments, A:72, 165, 229–230, 256–257, 259, 293–294, 325, 328, 366–367, 400, 405, 442, 447, 473
 vs. age, A:78, 109, 147, 169, 263, 338, 369, 413, 455; B:370
 vs. depth, A:74, 81, 107, 113, 145, 151, 167, 172, 206, 235, 260, 267–268, 273, 301, 306–307, 336, 341, 367, 374–375, 411, 417, 452, 457, 477, 482
 density, log, vs. depth, A:272–273
 density logs
 carbonate content, A:196–198
 vs. depth, A:117–119, 209, 211, 271–272, 343–344, 377–378, 419, 421, 484
 See also gamma ray–density–porosity logs;
 gamma ray–density–porosity logs, Pass 1; gamma ray–density–porosity logs, Pass 2; gamma ray–density–porosity logs, Pass 3
 deposition
 hemipelagic conditions, A:227
 hemipelagic sedimentation, A:181, 183, 289–291
 lithologic units, A:134–135, 227, 247, 289–291, 320, 359, 395, 438
 siliciclastics, A:161
 terrigenous component, B:227–234
 detrital component, geochemistry, B:266–270
 diagenesis
 calcium carbonate, B:137
 carbon, A:74–75

carbonates, A:359
 dolostone, A:290
 geochemistry, B:265–266
 lithologic units, A:56, 133–134, 247, 436–438, 468
 magnetite, A:103
 opal, B:350
 organic matter, B:344–345, 347–349
 photograph, A:438
 sedimentation rates, A:415
 See also authigenesis; cementation; chertification; lithification; mineralization; pyritization
 diagenetic haloes. See haloes
 diatom datum levels
 composite depths, B:93
 Miocene, B:99–103
 Pleistocene, B:103
 Pliocene, B:103
 diatomite
 lithologic units, A:56, 90, 247, 320
 photograph, A:93
 diatomite, clayey, lithologic units, A:90, 468
 diatomite, nanofossil, lithologic units, A:90
 diatoms
 biochronology, B:367, 369
 biostratigraphic correlation, A:65, 100
 biostratigraphic events, A:329
 biostratigraphic ranges, A:60–64, 98–99, 140, 164, 190–192, 230, 252–255, 296, 326–329, 401–404, 443–444, 472
 biostratigraphy, A:59, 101, 139, 163, 185–186, 229, 249, 251, 293, 323, 362, 364, 398, 339–440, 470; B:63–113, 119–125, 364
 color reflectance, A:264, 342
 extraction curve, B:204
 group abundance, B:99
 lithologic units, A:56, 134, 247, 289–291, 318–320, 359, 395, 437–438, 465, 467–468
 middle Pliocene, B:111–113
 paleoceanography, B:369–370
 percentage abundance, B:112
 preservation, B:100
 time series, B:123–125
 vs. depth, B:122
 dinorhopane, vs. depth, B:190
 diplopente
 sediments, B:188
 vs. depth, B:189
 discoasters
 biohorizons, B:16–18
 lithologic units, A:55
 dissolution
 carbonate content, A:76
 changes, B:190–191
 coercivity, A:442
 correlation, B:176, 178
 diatoms, B:72, 101, 103
 indicators, B:291
 magnetite, A:103
 opal, A:104, 144, 166, 193, 261, 295, 328, 368, 406, 447, 475; B:350
 paleoceanography, B:369–370
 time series effects, B:179–180
 dolomite
 dropstones, A:290
 lithologic units, A:358–359, 393, 395
 dolomite, authigenic, lithologic units, A:56
 dolostone
 diagenesis, A:290
 lithologic units, A:181, 183, 358–359, 468
 downhole measurements

Site 1011, A:109–110
 Site 1014, A:196–198
 Site 1016, A:264–266
 Site 1018, A:334–336
 Site 1019, A:371–372
 Site 1020, A:411–414
 Site 1022, A:477–479
 dropstones, dolomite, A:290
 dynamics, currents, A:6

East Cortes Basin
 composite section, A:131–132
 deep water, A:133
 paleoceanography, B:141–144

Eel River Basin
 composite section, A:355–356
 gas hydrates, B:350, 352–354
 plate tectonics, A:8

Eemian, paleoclimatology, B:136

Ekman transport, currents, A:6–7; B:345

El Niño, oceanography, B:342

El Niño/Southern Oscillation, limits, B:153–160

elastic properties, correlation with meters
 composite depth scale, B:333–338

electron imagery analysis, backscattered, *Ethmodiscus* ooze, B:207–212

Emiliania huxleyi, vs. age, B:307

enrichment, diagenesis, B:265–266

environmental hazards, bathymetry, A:315

epoch boundaries, depth, A:72, 135

esters. See ethyl esters; fatty acid–methyl esters

ethane
 headspace gases, A:150, 303, 340, 372, 415, 481
 sediments, A:105, 193, 232, 296, 368
 See also methane/ethane ratio

ethane/ethene ratio, headspace gases, A:80, 233

ethane/ethylene ratio, headspace gases, A:111, 171, 205

ethene
 headspace gases, A:150, 171, 205, 340, 415, 481
 See also ethane/ethene ratio

Ethmodiscus, backscattered electron imagery analysis, B:207–212

ethyl esters, sediments, B:186

ethylene. See ethane/ethylene ratio

euophotic zone, chronology, B:181

fabric
 Ethmodiscus ooze, B:207–212
 sediments, B:257

Factor 1
 detrital component, B:267–270
 loading, B:296
 loading vs. calendar age, B:293
 loading vs. organic carbon, B:294
 major elements, B:286–288
 paleoceanography, B:291
 vs. depth, B:270

Factor 2
 detrital component, B:267–270
 loading, B:296
 major elements, B:286–288
 paleoceanography, B:291
 vs. depth, B:270
 vs. Factor 3, B:288

Factor 3
 detrital component, B:267–270
 loading, B:296
 loading vs. calendar age, B:293
 major elements, B:286–288
 paleoceanography, B:291
 vs. depth, B:270

- vs. Factor 2, B:288
vs. quartz peak intensity, B:288
- Factor 4
loading, B:296
loading vs. calendar age, B:293
major elements, B:288
paleoceanography, B:291–292
vs. sodium oxide/(silica-14.15) ratio, B:289
- Factor 5
loading, B:296
major elements, B:288
paleoceanography, B:292–293
- factor analysis, major elements, B:286–288
- factor analysis, Q-mode, minor elements, B:267–270
- fatty acid-methyl esters, sediments, B:186
- feldspar
lithologic units, A:132–135, 161, 245–247, 288–291; B:282–284
vs. depth, B:284
- fern-7-ene, sediments, B:188
- Ferns
vs. age, B:242–243
vs. depth, B:220–222
See also Alder/ferns ratio
- filaments, opaque, cores, B:278–280
- fine fraction, vs. depth, B:270
- Florisphaera profunda*, vs. age, B:307
- foraminifers
lithologic units, A:55, 134, 161, 180–181, 183, 288–291, 318–320, 357–359, 393, 395, 437, 468
millennial cycles, B:356
oxygen isotopes, B:355
stable isotopes, B:129–140
- foraminifers, benthic
stable isotopes, B:141–150, 163–181, 358–359
vs. age, B:206
- foraminifers, planktonic
abundance, B:45–54
biostratigraphic ranges, A:70–71, 94–95, 136, 162, 186, 228, 249, 294, 322, 361, 397, 440, 469
biostigraphy, A:61–63, 93, 95, 101, 138–139, 162, 183–185, 228–229, 248, 291–293, 321–322, 360–361, 397–398, 439, 469; B:41–62, 367
depth ranges, B:55–58
isotope stratigraphy, B:251–254
Pliocene, B:115–117
- Formation MicroScanner imagery, vs. depth, A:420
- Franciscan Complex
detrital component, B:268–270
sediments, B:259
- frustules, backscattered electron imagery
photograph, B:210
- gamma ray-density-porosity logs
Site 1018, A:347–348, 351
Site 1019, A:382–383
- gamma ray-density-porosity logs, Pass 1, A:276–277
- gamma ray-density-porosity logs, Pass 2
Site 1011, A:122–123
Site 1014, A:214–216
Site 1020, A:424–425
Site 1022, A:487–489
- gamma ray-density-porosity logs, Pass 3, Site 1017, A:280–281
- gamma ray-resistivity logs, Site 1018, A:349–350, 352
- gamma ray-resistivity-sonic logs, Site 1019, A:384–385
- gamma ray-resistivity-sonic logs, Pass 2
Site 1011, A:124–125
Site 1014, A:217–219
Site 1020, A:426–427
Site 1022, A:490–492
- gamma ray-resistivity-sonic logs, Pass 3, Site 1017, A:282–283
- gamma rays, vs. depth, A:81, 113, 151, 172, 206, 268, 306, 341, 374, 417, 457, 482
- gamma-ray logs, vs. depth, A:117–119, 209, 211, 271–272, 343, 377, 379, 386–387, 419, 484
- gamma-ray logs, corrected, carbonate content, A:196–198
- gamma-ray logs, Pass 2
Site 1011, A:126–127
Site 1014, A:220–221
Site 1020, A:428–429
Site 1022, A:493–495
- gas hydrates
chlorinity, A:372
pore water, B:350, 352–354
- Gauss/Matuyama boundary, biohorizons, B:16
- Gauss Chron. *See also* Gilbert/Gauss boundary
- Gelasian, biohorizons, B:15
- geochemical rain, organic carbon, B:180
- geochemistry
pore water, B:343, 346–347
sediments, B:263–271
- geochemistry, inorganic
Site 1010, A:73–75
Site 1011, A:104–105
Site 1012, A:143–145
Site 1013, A:165–166
Site 1014, A:191, 193
Site 1015, A:230, 232
Site 1016, A:259–261
Site 1017, A:295–296
Site 1018, A:328–329
Site 1019, A:367–368
Site 1020, A:405–406
Site 1021, A:447
Site 1022, A:473, 475
- geochemistry, organic
Site 1010, A:75–76
Site 1011, A:105–107
Site 1012, A:145–146
Site 1013, A:166–168
Site 1014, A:193
Site 1015, A:232–233
Site 1016, A:261–263
Site 1017, A:296–297
Site 1018, A:329, 332–333
Site 1019, A:368–370
Site 1020, A:406, 408–410
Site 1021, A:447, 449–450
Site 1022, A:475–477
- geochronology, paleoclimatology, B:249–254
- geologic age, correlation, B:99
- geomagnetic poles, virtual, paths, B:314–318
- Gephyrocapsa muellerae*, vs. age, B:307
- Gephyrocapsa oceanica*, vs. age, B:307
- Gephyrocapsa* spp., vs. age, B:307
- gephyrocapsids, biohorizons, B:6–8
- Gilbert/Gauss boundary, biohorizons, B:15–18
- Gilbert Chron, magnetostratigraphy, A:71
- glacial/interglacial cycles
average distribution of terrigenous component, B:232–233
- chronology, B:163–182, 155–156
- geochemistry, B:263–271
- millennial cycles, B:277–296, 355–358
- organic matter, B:275–276
- vegetation, B:361–362
- glaciation
chronology, B:134
- diatoms, B:119–120
- marine isotope Stage 5/4, B:163–182
- millennial cycles, B:354–355
- opal accumulation rates, A:78
- paleoclimatology, B:253
- sea-surface temperature, B:359–360
- sedimentation, A:234–235
- terrigenous component, B:229, 233
- See also* Last Glacial Maximum
- glass. *See* volcanic glass
- glaucite
indicators, B:292–293
- lithologic units, A:134, 181, 183, 320, 358–359, 467–468
- Gorda Plate
magnetostratigraphy, A:400
- plate tectonics, A:8
- Gorda Ridge
composite section, A:391–392
- magnetostratigraphy, B:311–318
- paleoceanography, B:145–150
- Gorda Ridge E, time series, B:360
- Gorda Transect
gas hydrates, B:353
- sedimentation, A:11
- grain size
average distribution of terrigenous component, B:232
- indicators, B:291
- major elements, B:288–289
- mean size, B:233
- sediments, B:256–260
- terrigenous component, B:229
- volume ratio, B:289–290
- vs. age, B:230, 258
- vs. corrected depth, B:260
- vs. depth, B:258, 260
- See also* fine fraction
- Greenland, ice cores, B:175–176, 355
- Guide Seamount
composite section, A:313–315
- paleoceanography, B:141–144
- habitat, paleoecology, B:220–222
- haloes
lithologic units, A:436–438
- photograph, A:438
- See also* Liesegang reduction haloes; redox patches; reduction haloes
- Haptophytes
paleoproduction, B:158–160
- sediments, B:186
- heat flow, sediments, A:77, 108, 147, 169, 195, 263, 298, 333, 370, 410, 451, 477
- Helicosphaera carteri*, vs. age, B:307
- hematite, sediments, B:314–315
- hemipelagic beds, photograph, A:56
- Hemlock
vs. age, B:242–243
- vs. depth, B:220–222
- herbs
pollen, B:240–244
- vs. age, B:223, 225–226
- vs. depth, B:220–222
- See also* shrubs/herbs ratio
- hexane. *See* isohexane; n-hexane
- hiatuses
chronology, B:134
- sedimentation rates, A:415
- highstands, Quaternary, B:260
- Himalayas, tectonics, B:370–371
- Holocene

- millennial cycles, B:277–296, 355–356
paleoclimatology, B:136, 251–254
hop-17(21)-ene, sediments, B:188
hop-21(22)-ene, sediments, B:188
hopanes
 sediments, B:188
 vs. depth, B:190
 See also dinorhopane
hotspots, rotation, A:41–43
hydrocarbons
 chromatograms, B:187
 sediments, B:186–189
 vs. depth, B:191
 See also alkatrienes; alkenes; alkenoates;
 alkenones; bitumens; dinorhopane;
 diptoprene; ethane; ethane/ethene ratio;
 ethane/ethylene ratio; ethene; ethyl
 esters; fatty acid–methyl esters;
 fern-7-ene; hop-17(21)-ene;
 hop-21(22)-ene; hopanes; isobutane;
 isohexane; isopentane; isoprenoids;
 lipids; methane; methane/ethane ratio;
 n-alkanes; n-butane; n-hexane;
 n-pentane; neohop-13(18)-ene;
 petroleum-type compounds; propane;
 propane/propane ratio;
 propane-propylene ratio; steranes;
 steroids, C-ring monoaromatic
hydrocarbons, volatile, sediments, A:75, 105, 146,
 166, 193, 232, 261, 296, 332–333, 368,
 408, 447, 449, 475
hydrogen index
 organic matter, A:233
 vs. depth, A:235
 vs. oxygen index, A:235
hysteresis, parameters, B:315

icebergs, organic matter, B:158–160
illite
 sediments, B:282–284
 vs. age, B:232
 vs. depth, B:284
index properties
 correlation with meters composite depth scale,
 B:333–338
 sediments, A:76, 107–108, 146, 194–195
 Site 1016, A:263, 297–298, 333, 370, 410,
 450, 477; B:331–332
Indonesian Passage, tectonics, B:370–371
insolation
 paleoecology, B:222
 vs. age, B:226
 See also orbital cycles
interbedding, cyclic, photograph, A:93
interglacials
 chronology, B:134–138
 paleoecology, B:221
 See also glacial/interglacial cycles
intermediate water, ocean circulation, A:7–8
interstitial water. *See* pore water
iron oxide
 sediments, B:284–288
 vs. depth, B:285
isobutane, headspace gases, A:150, 481
isohexane, headspace gases, A:481
isopentane, headspace gases, A:150, 481
isoprenoids
 sediments, B:186
 vs. depth, B:189
isotope stratigraphy, planktonic foraminifers,
 B:251–254

Jaramillo Subchron
 chronology, B:130

magnetostratigraphy, A:141, 165, 187, 400,
 442
Jaramillo Subchron, upper, magnetostratigraphy,
 B:311–318
juniper/cedar ratio
 paleoclimatology, B:240–241
 vs. age, B:241
juniper/cypress ratio, vs. age, B:242

kaolinite
 vs. age, B:232
 See also chlorite + kaolinite
Kelvin waves, oceanography, B:342
Klamath Mountains, sediments, B:361–362
Kuroshio Current, oceanography, B:342

Lake Clyde, middle Pleistocene, B:372
laminations
 cores, B:278–280
 Ethmodiscus ooze, B:207–212
 grain size, B:291
 lithologic units, A:55, 357–359, 436–438, 468
 photograph, A:227, 438
 See also pseudolaminations
laminations, nanofossil-rich, photograph, A:56
lanthanum/lutetium ratio, vs. depth, B:237
Last Glacial Maximum
 alkenones, B:153–160
 millennial cycles, B:355–356
lead, sediments, B:265
Liesegang reduction haloes
 lithologic units, A:438
 photograph, A:438
 See also haloes; redox patches
lipids, bitumens, A:296–297
lithification, lithologic units, A:468
lithium
 pore water, B:343
 sediments, A:75, 105, 193, 261, 296, 329, 368,
 406, 447, 475
 vs. depth, A:110–111, 148, 170, 204, 265, 302,
 339, 371, 414, 447, 456, 480
lithofacies, cores, B:278–280
lithologic units
 basement, A:57
 Site 1010, A:55–56
 Site 1011, A:87–92
 Site 1012, A:132–135
 Site 1013, A:161
 Site 1014, A:180–181, 183
 Site 1015, A:225–227
 Site 1016, A:245–247
 Site 1017, A:288–291
 Site 1018, A:318–320
 Site 1019, A:357–359
 Site 1020, A:393 395
 Site 1021, A:435–438
 Site 1022, A:465–468
 Unit I, A:55, 87, 132–135, 161, 180–181, 183,
 225–227, 245–246, 288–291, 318–320,
 357–359, 393, 395, 435–437, 465,
 467–468
 Unit II, A:55, 87, 89, 246, 320, 395, 437–438,
 468
 Unit III, A:55–56, 89–90, 246–247, 395, 468
 Unit IV, A:56, 92
 Unit V, A:92
lithology, well logging, A:412–413, 477–478
lithostratigraphy
 Site 1010, A:54–57
 Site 1011, A:87–92
 Site 1012, A:130–135
 Site 1013, A:160–161
 Site 1014, A:180–183

Site 1015, A:225–227
Site 1016, A:245–247
Site 1017, A:288–291
Site 1018, A:316, 318–320
Site 1019, A:357–359
Site 1020, A:393–395
Site 1021, A:435–438
Site 1022, A:465, 467–468
loading
 factor analysis, B:296
 vs. calendar age, B:293
 vs. organic carbon, B:294
loss on ignition
 sediments, B:284–288
 vs. depth, B:285
lutetium. *See* lanthanum/lutetium ratio
lysocline, calcite, A:438

mafic component
 detrital component, B:268
 vs. depth, B:270
magnesium
 pore water, B:343
 profiles, B:349, 352
 sediments, A:75, 104–105, 145, 166, 193, 232,
 261, 295, 329, 368, 406, 447, 475
 vs. depth, A:79–80, 110–111, 148, 170, 204,
 232, 265, 302, 339, 371, 414, 447, 456,
 480; B:350
 See also calcium/magnesium ratio
magnesium oxide
 sediments, B:284–288
 vs. depth, B:285
magnetic declination
 sediments, A:102; B:312–314
 vs. depth, A:141, 164, 198–199, 298–299, 332,
 365, 407–408, 448, 475; B:313–314, 316
magnetic domains, sediments, B:314–315
magnetic inclination
 magnetic reversals, A:442
 sediments, A:63–64, 102, 400; B:312–314
 vs. depth, A:72–73, 105, 142–143, 164–165,
 198–199, 259, 298–299, 332, 365,
 407–408, 448, 475; B:313–314, 316
magnetic intensity
 magnetostratigraphy, A:256
 reduction, A:103
 vs. depth, A:72–73, 105, 141, 164, 198, 259,
 298–299, 332, 365, 407–408, 448, 475
magnetic mineralogy, sediments, B:314–315
magnetic polarity
 chrons, A:164–165, 442
 magnetic reversals, A:64, 71–72, 187
 magnetostratigraphy, A:102
 overprinting, B:315–317
magnetic reversals
 age vs. depth, A:442
 chrons, A:141
 magnetic polarity, A:187
 magnetostratigraphy, A:73, 142–143, 165, 200
 sedimentation rates, A:172
 sediments, A:64, 71–72; B:313–314
magnetic susceptibility
 sedimentation rates, A:103, 141, 143, 187,
 190–191
 sediments, A:72, 165, 229–230, 256–257, 259,
 293–294, 325, 328, 366–367, 400, 405,
 442, 447, 473
 vs. age, A:78, 109, 147, 169, 203, 263, 338,
 369, 413, 455
 vs. depth, A:75, 81, 105–106, 113, 144, 151,
 167, 172, 201, 206, 210, 231, 235, 261,
 268, 272, 301, 306, 335, 341, 367, 374,

- 379, 408, 410, 417, 421, 452, 457, 476, 482; B:315
- magnetite**
diagenesis, A:103
dissolution, A:103
- magnetostratigraphy**
chrons, A:64, 71–72, 102–103
datum levels, A:165, 200, 449, Neogene, B:311–318
reversal boundaries, A:73
- magnetozones, magnetostratigraphy**, A:141
- major elements**
factor analysis, B:286–288
sediments, B:284–288, 296
- manganese**
detrital component, B:267–270
sediments, A:74, 104, 144, 166, 261, 295, 406, 447; B:265 vs. depth, A:79–80, B:268
- manganese oxide**
sediments, B:285–288
vs. depth, B:285
- marine environment**
biomarkers, B:189–190
vegetation, B:361–362
- marine isotope Stage 1**
chronology, B:136
detrital component, B:268–270
sediments, B:259–260
- marine isotope Stage 2**
chronology, B:163–182, 357, 359
detrital component, B:268–270
diagenesis, B:265–266
sediments, B:284, 286, 289
- marine isotope Stage 2/1 boundary**
chronology, B:356
deglaciation, B:163–182
- marine isotope Stage 3**
chronology, B:134, 139, 146, 163–182, 356
millennial cycles, B:277–296
sediments, B:260, 284, 286, 289
- marine isotope Stage 3 stadal/interstadial oscillations, paleoclimatology**, B:253
- marine isotope Stage 4**
chronology, B:134, 163–182
sediments, B:284, 286
- marine isotope Stage 5**
chronology, B:134
sediments, B:284, 286
- marine isotope Stage 5/4 boundary, glaciation, B:163–182**
- marine isotope Stage 6**
chronology, B:134
paleoclimatology, B:253
- marine isotope Stage 6/5 boundary**
chronology, B:356
sedimentation, B:167
- marine isotope Stage 12/11 boundary, time series, B:360–361**
- marine isotope Substage 5a**
chronology, B:136
sediments, B:284, 286, 289
- marine isotope Substage 5b, chronology**, B:139
- marine isotope Substage 5c, sediments**, B:260
- marine isotope Substage 5d, chronology**, B:134, 139
- marine isotope Substage 5e**
chronology, B:134, 159
sediments, B:260
- mass accumulation rates**
carbonate content, B:173–175
silica, A:78
terrigenous component, B:228–229
vs. age, B:177–179, 181
See also carbonate mass accumulation rates
- Matuyama Chron**
biohorizons, B:17
magnetostratigraphy, A:256
See also Brunhes/Matuyama boundary; Gauss/Matuyama boundary
- Mendocino Fracture Zone**
composite section, A:433–434, 462–463
teleconnections, B:371–372
- Mendocino Triple Junction, plate tectonics**, A:8 meters composite depth scale
correlation with index properties, B:333–338
vs. depth, B:337–338
- methane**
headspace gases, A:80, 111, 150, 171, 205, 233, 265, 303, 340, 372, 415, 481
sediments, A:105, 166, 193, 232, 261, 296, 332–333, 368, 408, 447, 449, 475
vs. depth, A:111, 149, 170, 204, 233, 303, 340, 371, 415, 480
- methane/ethane ratio**
headspace gases, A:303
sediments, A:146, 166, 193, 232, 296, 332–333, 368, 475
vs. depth, A:149, 170, 204, 303, 340, 371, 480
- methyl**. *See* fatty acid–methyl esters
- mica, lithologic units**, A:288–291
- microfossils, calcareous**, vs. depth, A:319
- microfossils, siliceous**, vs. depth, A:319
- mid-Brunhes climatic event**, diatoms, B:120
- Milankovitch cycles**
organic matter, B:158–160
terrigenous component, B:231, 233
See also insolation; orbital cycles
- millennial cycles**
cyclic processes, B:354–355, 372–373
Neogene, B:354–363
sediments, B:257–260
upper Quaternary, B:277–296
- mineralization, sediments**, B:345
- minor elements**
Q-mode factor analysis, B:267–270
sediments, B:265
- Miocene**
biochronology, B:26, 30
biohorizons, B:368
biostratigraphy, B:3–40
diatom datum levels, B:99–103
diatoms, B:63–110
lithologic units, A:55–57, 246–247, 437–438, 468
magnetostratigraphy, A:451
paleoclimatology, B:243
- Miocene, middle**
biohorizons, B:29
paleoceanography, B:368
- Miocene, middle–upper, correlation**, B:27
- Miocene, upper**
biohorizons, B:23, 26–29
lithologic units, A:89–92
paleoceanography, B:368
- Miocene/Pliocene boundary**
biohorizons, B:14–16
carbonate content, A:266
opal accumulation rates, A:78
- moisture, paleoecology**, B:220–222
- molybdenum**
diagenesis, B:265–266
sediments, B:264
vs. depth, B:266
- Monterey Formation**
comparison to Miocene, B:368
lithologic units, A:57, 92
petroleum-type compounds, B:191–192
- mottling, lithologic units**, A:437–438
- mud, felsic**
vs. depth, B:270
See also Factor 1
- mud, mafic**
vs. depth, B:270
See also Factor 3
- mudstone, siliceous, lithologic units**, A:468
- multisensor track data**
color reflectometry, B:362
sediments, A:76, 107, 146, 165, 168, 193–194, 233, 263, 297, 333, 370, 410, 450, 477
- n-alkanes**
sediments, B:186
vs. depth, B:189
- n-butane, headspace gases**, A:150, 481
- n-hexane, headspace gases**, A:481
- n-pentane, headspace gases**, A:150, 171, 481
- nannofossils**
color reflectance, A:108–109
dissolution, A:76
lithologic units, A:55, 89, 161, 180–181, 183, 225–227, 288–291, 318–320, 357–359, 393, 395, 437–438, 467–468
sedimentation rates, A:92
vs. age, B:304
- nannofores, calcareous**
abundance, B:9–10, 13, 17, 19–20
biochronology, B:367, 369
biostratigraphic datums, A:72
biostratigraphic ranges, A:58–59, 96–97, 137–138, 163, 188–189, 229, 250–251, 295, 324–325, 362, 399–400, 441–442, 470–471
biostratigraphy, A:57–59, 101, 139, 162–163, 185, 229, 248–249, 293, 322–323, 361, 398, 439, 469–470; B:3–40, 364
upper Quaternary, B:303–308
- Neogene**
biostratigraphy, B:364–376
diatoms, B:63–110
magnetostratigraphy, B:311–318
paleoceanography, B:342–343, 368–373
paleoclimatology, B:239–245
rare earths, B:235–238
sedimentary record, B:341–376
sedimentation rates, A:479
sediments, B:363–372
- Neogene, upper**
biogenic opal, B:213–214
planktonic foraminifers, B:41–62
- Neogloboquadrina pachyderma*, coiling**, A:136, 187, 249, 294, 323, 361
- neohop-13(18)-ene**
sediments, B:188
vs. depth, B:191
- nickel**
detrital component, B:267–270
sediments, B:265
- nickel/titanium ratio, vs. zirconium/titanium ratio**, B:269
- niobium**
detrital component, B:266–270
sediments, B:265
- niobium/titanium ratio, detrital component**, B:267–270
- nitrogen**. *See also* carbon/nitrogen ratio
- nitrogen, total**
sediments, A:75, 81, 106, 146, 151, 167, 171, 193, 206, 232–234, 262–263, 267; B:186–187
Site 1017, A:273, 296–297, 304–305, 341, 369, 373–374, 416, 449, 456, 476, 481; B:273

vs. depth, B:187
 vs. total organic carbon, A:113
See also carbon, total organic/total nitrogen ratio
 nodules, lithologic units, A:395, 468
 North America, teleconnections, B:371–372
 North America NW, paleoclimatology, B:217–226
 North American Plate, plate tectonics, A:8
 North Pacific Current, sedimentation, B:341
 North Pacific Gyre, oceanography, B:341–342
 North Pacific Intermediate Water
 millennial cycles, B:277–296
 paleoclimatology, B:136
 Northern California Depth Transect, carbonates, B:178–179
 Northern California Stack, correlation, B:175
 Northern Depth Transect, sedimentation, A:11
 nutrients, gas hydrates, B:354
 oak
 vs. age, B:223, 225–226, 241–243
 vs. depth, B:220–222, 174
 oak/oak + pine ratio, vs. age, B:244
 oak/pine ratio, vs. age, B:226
 ocean circulation, California Current, A:5–13
 oceanography, A:6
 Oeschger. *See* Dansgaard/Oeschger cycles
 Olduvai Subchron, magnetostratigraphy, A:141, 165
 ooze, clayey diatom, lithologic units, A:246–247, 318–320
 ooze, clayey nannofossil, lithologic units, A:89, 161, 468
 ooze, diatom, lithologic units, A:245–247, 357–359, 437
 ooze, diatom nannofossil, lithologic units, A:245–247
 ooze, *Ethmodiscus*, backscattered electron imagery analysis, B:207–212
 ooze, nannofossil
 lithologic units, A:55–57, 87, 89, 92, 161, 246–247, 437–438, 465, 467–468
 stable isotopes, B:129–140
 ooze, siliceous, lithologic units, A:56–57, 87, 89, 92
 ooze, silty nannofossil, lithologic units, A:89
 opal
 accumulation rates, A:78
 color reflectance, A:109, 264
 dissolution, A:104, 144, 166, 193, 261, 295, 328, 368, 406, 447, 475
 dissolution and diagenesis, B:350
 extraction curve, B:204
 Miocene, B:368
 sediments, B:331–332
 vs. depth, B:371
 opal, biogenic
 upper Neogene, B:213–214
 vs. age, B:214
 vs. depth, B:214
 opal, estimated, vs. depth, A:115, 342
 opal-CT
 chertification, B:350
 lithologic units, A:56
 orbital cycles
 Neogene, B:354–363, 373
 paleothermometry, B:153–161
 sediments, B:257–260
 terrigenous component, B:231
 See also insolation; Milankovitch cycles; suborbital cycles
 Oregon, terrigenous component, B:231
 organic debris, lithologic units, A:468
 organic matter

characterization, A:233
 diagenesis, B:344–345, 347–349, 358
 lithologic units, A:132–135
 sediments, B:273–276
 overconsolidation, void ratio, B:334–336
 overprinting, magnetic poles, B:315–317
 oxic environment
 biomarkers, B:189–190
 glauconite, B:292–293
 oxidation
 diagenesis, B:265–266
 lithologic units, A:225–227
 organic matter, B:344–345, 348–349
 See also redox
 oxygen depletion, diagenesis, B:265–266
 oxygen index
 organic matter, A:233
 vs. depth, A:235
 vs. hydrogen index, A:235
 oxygen isotopes
 event ages in deep-sea standard reference sequence, B:135
 foraminifers, B:129–140, 355, 358–359
 paleoceanography, B:141–150, 162–182
 planktonic foraminifers, B:257–260
 sediments, B:169–173
 time series, B:360–361
 vs. age, B:135–138, 144, 150, 223, 226, 252–253, 258, 355, 358
 vs. calendar age, B:293
 vs. color, B:363
 vs. corrected depth, B:252, 258
 vs. depth, B:135, 143, 146, 363, 372–373
 vs. temperature, B:359
 Pacific Arctic Water, paleoclimatology, B:136
 Pacific Ocean N, ocean circulation, A:5–13
 Pacific Plate, plate tectonics, A:8
 paleoceanography
 diatoms, B:120
 grain size, B:291–294
 Haptophytes, B:155–160
 millennial cycles, B:355
 Miocene, B:368
 Neogene, B:342–343, 368–373
 Pliocene, B:369–370
 Quaternary, B:260
 sedimentation, B:163–182
 stable isotopes, B:129–150
 upwelling, B:100, 103–104
 paleoclimatology
 alkenones, B:153–160
 carbonates, B:163–194
 chronology, B:134
 color images, B:319–329
 connection with tectonics, B:370–372
 diatoms, B:103–105, 111–113, 119–125
 foraminifer stable isotopes, B:135–137
 millennial cycles, B:277–296
 Neogene, B:239–245
 planktonic foraminifers, B:58–59
 Quaternary, B:217–226, 239–245, 260
 upper Quaternary, B:249–254
 vegetation, B:361–362
 See also climate; mid-Brunhes climatic event
 paleodepths, hotspots, A:43–46
 paleoecology
 biomarkers, B:189–190
 paleoclimatology, B:253
 pollen, B:219–222, 240–244
 paleomagnetism
 Site 1010, A:63–64, 71–72
 Site 1011, A:102–103
 Site 1012, A:139–141
 Site 1013, A:163–165
 Site 1014, A:187
 Site 1016, A:256
 Site 1017, A:293
 Site 1018, A:325
 Site 1019, A:364–366
 Site 1020, A:400
 Site 1021, A:442
 Site 1022, A:473
 paleoproduction
 alkenones, A:296–297; B:156–160
 carbonates, B:291
 diatoms, B:67, 104
 millennial cycles, B:356
 organic matter, B:275–276
 paleoceanography, B:369–370
 teleconnections, B:371–372
 upper Quaternary, B:138
 paleotemperature
 chertification, B:350
 diatoms, B:111–113
 paleothermometry, alkenones, B:153–161
 palynomorphs, paleoclimatology, B:217–226, 239–245
 Panama Gateway, tectonics, B:370–371
 paracme, *Reticulofenestra pseudoumbilicus*, B:28
 pebbles, lithologic units, A:133
 pentane. *See* isopentane; n-pentane
 petroleum-type compounds
 sediments, B:188
 sources and transportation, B:191–192
 Pholadidae, lithologic units, A:133, 290
 phosphate
 pore water, B:343
 sediments, A:74, 104, 144, 166, 193, 232, 260, 295, 328, 368, 406, 447, 475; B:345, 348
 vs. depth, A:79–80, 110–111, 148, 170, 204, 232, 265, 302, 339, 371, 414, 447, 456, 480; B:349
 phosphorus
 gas hydrates, B:354
 sediments, B:195–202
 phosphorus oxide
 sediments, B:285–288
 vs. depth, B:285
 photoelectric factor logs
 carbonate content, A:196–198
 vs. depth, A:210, 420
 physical properties
 core vs. log correlation, A:110, 197–198, 265–266
 Site 1010, A:76–77
 Site 1011, A:107–109
 Site 1012, A:146–148
 Site 1013, A:168–171
 Site 1014, A:193–196
 Site 1015, A:233–234
 Site 1016, A:263–264
 Site 1017, A:297–298
 Site 1018, A:333–334
 Site 1019, A:370–371
 Site 1020, A:410–411
 Site 1021, A:450–451
 Site 1022, A:477
 stratigraphy, B:367–368
 phytoplankton
 alkenones, B:155–156
 organic matter, B:275–276
 Piacenzian, biohorizons, B:15
 pine
 vs. age, B:241–242
 See also cedar/pine ratio; oak/oak + pine ratio; oak/pine ratio

- plagioclase, lithologic units, A:55
Planolites, lithologic units, A:246–247, 395
 plate motion, paleodepths, A:43–46
 plate tectonics, transition zones, A:8
Pleistocene
 age vs. depth, B:22–23
 biochronology, B:24
 biohorizons, B:6–12
 biostratigraphy, B:3–40
 calcium carbonate, B:176, 178
 diatom datum levels, B:103
 diatoms, B:63–110, 119–125
 time series, B:360–362
 zonation, B:12–14
See also Pliocene/Pleistocene boundary
- Pleistocene, upper**
 biogenic component, B:203–206
 paleoceanography, B:141–144, 358–362
 terrigenous component, B:227–234
- Pliocene**
 age vs. depth, B:23
 biochronology, B:25
 biohorizons, B:14–23
 biostratigraphy, B:3–40
 diatom datum levels, B:103
 diatoms, B:63–110, 119–125
 lithologic units, A:55, 89, 245–246, 318–320, 395, 437–438, 465, 467–468
 paleoceanography, B:369–370
 paleoclimatology, B:243
 planktonic foraminifers, B:45–54, 115–117
See also Miocene/Pliocene boundary
- Pliocene, lower**
 biohorizons, B:21, 23
Ethmodiscus ooze, B:207–212
 sedimentation, A:266
- Pliocene, lower/middle boundary, biohorizons, B:21
- Pliocene, middle, diatoms, B:111–113
 Pliocene, upper, lithologic units, A:132–135, 161
 Pliocene, upper (carbonate event), indicators, B:369–370
- Pliocene/Pleistocene boundary**
 deposition, A:181, 183
 lithologic units, A:135
- Point Conception**
 biomarkers, B:183–194
 calcareous nannofossils, B:303–308
 millennial cycles, B:277–296
 sediments, B:255–261
See also Conception Transect
- pollen**
 paleoclimatology, B:217–226, 239–245
 sediments, B:361–362
 vs. age, B:219, 241–242
 vs. depth, B:219, 360
See also sequoia pollen
- porcellanite**
 lithologic units, A:56, 247, 468
 temperature history vs. age, B:352
See also chert; temperature history (youngest chert/porcellanite bed)
- pore water**
 gas hydrates, B:350, 352–354
 geochemistry, A:73–74, 79–80, 104–105, 110, 143–145, 148, 165–166, 170, 191, 193, 203–204, 230, 232, 259–261, 264–265, 294–296, 302, 328–329, 339, 367–368, 370, 405–406, 414, 447, 456, 473, 475, 478–479; B:343, 346–347
- porosity**
 vs. depth, A:82, 114, 152, 173, 207, 268, 307, 341–342, 375, 417, 457, 482
See also void ratio
- porosity, compressional-wave logger, vs. depth, A:114
 porosity, discrete core, vs. depth, A:273
 porosity, log, vs. depth, A:273
 porosity logs
 vs. depth, A:117–118, 209, 211, 271, 343, 377–378, 419, 421, 484
See also gamma ray–density–porosity logs; gamma ray–density–porosity logs, Pass 1; gamma ray–density–porosity logs, Pass 2; gamma ray–density–porosity logs, Pass 3
- potassium**
 pore water, B:343
 sediments, A:329, 368, 406, 447, 475
 vs. depth, A:414
- potassium logs**
 core vs. log correlation, A:197–198
 vs. depth, A:211
- potassium oxide**
 sediments, B:284–288
 vs. depth, B:285
- power spectra**
 terrigenous component, B:231
See also cross-spectral analysis
- precession, diatoms**, B:119–120
- precipitation, detrital component**, B:268–270
- preservation**
 biomarkers, B:189–190
 carbonates, B:291
 diatoms, B:100, 103–104, 120
- Proboscia barboi*, distribution, B:101
- production, correlation**, B:176, 178
- prokaryotes, sediments**, B:188
- propane**
 headspace gases, A:150, 303, 340, 372, 415, 481
 sediments, A:105, 193, 368
- propane/propene ratio, headspace gases**, A:80
- propane/propylene ratio, headspace gases**, A:171, 205
- propene**
 headspace gases, A:150, 205, 415, 481
See also propane/propene ratio
- propylene**. *See* propane/propylene ratio
- provenance**
 detrital component, B:268–270
 indicators, B:291–292
 sediments, B:259, 361–362
 terrigenous component, B:231
- proxy indicators, color images**, B:319–329
- pseudolaminitations**
 lithologic units, A:226–227
See also laminations
- pyrite**
 lithologic units, A:132–135, 395, 437, 467–468
 photograph, A:135
 sediments, B:282–284
 vs. depth, B:284, 292
- pyrite, frambooidal, cores**, B:278–280
- pyritization, diagenesis**, B:265–266, 289, 291
- quartz**
 lithologic units, A:132–135, 161, 245–247, 288–291; B:282–284
 vs. age, B:206
 vs. depth, B:284
- quartz peak intensity, vs. Factor 3**, B:288
- Quaternary**
 diatoms, B:63–110
 lithologic units, A:87, 132–135, 161, 180–181, 183, 225–227, 245–246, 288–291, 318–320, 357–359, 393, 395, 435–437, 465, 467–468
- paleoceanography**, B:342–343
- paleoclimatology**, B:217–226, 239–245
- planktonic foraminifers**, B:45–54
- sediments**, B:263–271
- See also* Holocene; Pleistocene; Younger Dryas
- Quaternary, upper**
 biomarkers, B:183–194
 calcareous nannofossils, B:303–308
 carbon isotopes, B:273–276
 millennial cycles, B:277–296
 paleoclimatology, B:249–254
 sediments, B:255–261
 stratigraphy, B:129–140
- radiolarians**
 biostratigraphic events, A:259, 332, 406, 447
 biostratigraphic ranges, A:66–69, 102–104, 194–197, 256–258, 297, 330–331, 363–364, 405–406, 445–446, 474
 biostratigraphy, A:59–61, 101–102, 186–187, 251, 256, 293, 323, 325, 364, 398, 440, 442, 473; B:367
 extraction curve, B:204
 lithologic units, A:56, 289–291, 437
- radiologic age, paleoclimatology**, B:249–254
- rare earths**, Neogene, B:235–238
- redox**
 diagenesis, B:265–266
 pore water, B:343
See also oxidation
- redox patches, lithologic units**, A:437
- reduction haloes**
 photograph, A:438
See also haloes
- Redwood**
 vs. age, B:223, 225–226, 241–243
 vs. depth, B:174, 220–222
- remanent magnetization, anhysteretic, sediments**, B:313–314
- remanent magnetization, anhysteretic (1%), vs. depth**, B:317
- remanent magnetization, anhysteretic (1%)/natural remanent magnetization ratio, vs. depth**, B:317
- remanent magnetization, anhysteretic/mean ratio, vs. depth**, B:315
- remanent magnetization, characteristic, sediments**, B:312–314
- remanent magnetization, drilling-induced, sediments**, A:63–64
- remanent magnetization, natural, sediments**, A:102–103, 141, 163–164, 256, 293, 325, 364, 400, 442, 473; B:312–314
 vs. depth, B:317
- remanent magnetization, natural/anhysteretic remanent magnetization ratio, vs. depth**, B:313–314, 316
- resistivity, vs. depth**, B:354
- resistivity logs**
 vs. depth, A:117, 209, 271, 343, 377, 419, 484
See also gamma ray–resistivity logs; gamma ray–resistivity–sonic logs; gamma ray–resistivity–sonic logs, Pass 2; gamma ray–resistivity–sonic logs, Pass 3
- Reticulofenestra pseudoumbilicus*, paracme, B:28
- rhenium**
 diagenesis, B:265–266
 sediments, B:264
 vs. depth, B:266
- rubidium**

- detrital component, B:267–270
sediments, B:265
- rubidium/titanium ratio, vs. zirconium/titanium ratio, B:269*
- runoff, detrital component, B:268–270
- Sacramento River, drainage, B:372
- Sagarites(?)*
lithologic units, A:320
photograph, A:320
- sage, vs. depth, B:220–222
- salinity
pore water, B:343
sediments, A:74, 104, 260, 295, 328, 368, 405, 447, 473
- San Francisco Bay, middle Pleistocene, B:372
- San Nicolas Basin, composite section, A:158
- sand
deposition, A:226
detrital component, B:267–270
lithologic units, A:245–247
photograph, A:227
provenance, B:291–292
- sand, bioclastic, photograph, A:292
- sand, feldspar quartz
lithologic units, A:225–227, 318–320, 358–359, 393, 395
photograph, A:292
- sand, glauconite, lithologic units, A:358–359
- sand, siliciclastic, lithologic units, A:288–291
- sand + silt
vs. depth, Site 1017, B:270
See also Factor 2
- sandstone, lithologic units, A:92
- sandstone, pyritic, lithologic units, A:133
- Santa Barbara Basin
millennial cycles, B:354–355
Neogene, B:342–343
petroleum-type compounds, B:191–192
- Santa Lucia Bank, sediments, B:255–261
- Santa Lucia Slope
calcareous nannofossils, B:303–308
composite section, A:287
- Santa Monica Basin, lithostratigraphy, A:226
- saturation, carbonates, B:179–180
- sea-level changes
glaciation cycles, B:354
Quaternary, B:260
- sediment rebound
contribution to depth offset, B:338
vs. depth, B:337
- sediment traps, organic carbon, B:180
- sedimentary record, middle Miocene to Holocene, B:341–376
- sedimentation
paleceanography, B:163–182
tectonics, A:10–11
- sedimentation, hemipelagic, deposition, A:181, 183
- sedimentation rates
age control points, A:77, 108, 145, 168, 202, 262, 337, 412, 454
- biostratigraphic events, A:301
- diatoms, B:72–73
- magnetic susceptibility, A:103
- millennial cycles, B:356–358
- nannofossils, A:92
- Neogene, A:479; B:342–343
- Pliocene, A:336
- Quaternary, A:298, 372
- rhythmic layering, A:198
- Site 1010, A:72–73
- Site 1011, A:103–105
- Site 1012, A:141, 143
- Site 1013, A:165
- Site 1014, A:187, 190–191
- Site 1015, A:229–230
- Site 1016, A:256–257, 259
- Site 1017, A:293–295
- Site 1018, A:325, 328
- Site 1019, A:366–367
- Site 1020, A:400, 405
- Site 1021, A:442, 447
- Site 1022, A:473
vs. age, A:77, 108, 146, 168, 202, 262, 337, 412, 454
- sedimentation rates, linear, vs. age, B:230
- sedimentology, grain size, B:256–260
- sediments
backscattered electron imagery analysis, B:207–212
carbon isotopes, B:273–276
color images, B:319–329
geochemistry, B:263–271
millennial cycles, B:277–296
Neogene, B:363–372
phosphorus, B:195–202
photograph, A:135
rare earths, B:235–238
textures, B:255–261
- seismic profiles
Site 1010, A:53, 84
Site 1011, A:90, 120
Site 1012, A:133, 155
Site 1013, A:159, 174
Site 1014, A:181, 212
Site 1015, A:225, 237
Site 1016, A:243, 274
Site 1017, A:289, 309
Site 1018, A:316, 345
Site 1019, A:357, 375, 380; B:174
Site 1020, A:393, 422
Site 1021, A:435, 459
Site 1022, A:465, 485
- seismic reflectors, bottom-simulating causes, A:372
gas hydrates, B:352–354
- sequoia pollen, vs. depth, B:360
- Set LB, sediments, B:256–257
- Set TU, sediments, B:257
- shrubs, pollen, B:240–244
- shrubs/herbs ratio, vs. age, B:242–243
- Sidujal Subchron
biohorizons, B:21
magnetostratigraphy, A:442
- Sierra Nevada, uplifts, B:371–372
- silica
diagenesis, B:350
extraction curve, B:204
pore water, B:343
- sediments, A:75, 104, 144, 166, 193, 232, 261, 295, 328, 368, 406, 447, 475; B:284–288
vs. depth, A:79–80, 110–111, 148, 170, 204, 232, 265, 302, 339, 371, 414, 447, 456, 480; B:285, 352, 360
See also sodium oxide/(silica-14.15) ratio
- silica, biogenic
correlation with color, B:329
time series, B:360–361
vs. age, B:206
vs. depth, B:371
- silicates. *See aluminosilicates; silica*
- siliciclastics
deposition, A:161
lithologic units, A:55–57, 87, 89, 92, 132–135, 245–247, 438
- sediments, B:255–261
- silicoflagellates, lithologic units, A:289
- silt
color reflectance, A:342
deposition, A:226
lithologic units, A:55, 318–320, 357–359, 465, 467–468
major elements, B:288–289
volume ratio, B:296
vs. corrected depth, B:260
vs. depth, B:290
See also sand + silt
- silt, clay diatom nannofossil, lithologic units, A:357–359
- silt, clayey
cores, B:278–280
lithologic units, A:87, 225–227, 288–291
photograph, A:227
- silt, feldspar quartz, lithologic units, A:393, 395
- siltstone, lithologic units, A:92
- Sisquoc Formation, comparison to Miocene, B:368
- Site 893, millennial cycles, B:354–355
- Site 1010, A:49–84
background and objectives, A:50, 52
biohorizons, B:35
biostratigraphy, A:57–63
composite depth, A:72–73
coring, A:54
diatoms, B:66–69, 72–73
inorganic geochemistry, A:73–75
lithostratigraphy, A:54–57
operations, A:52–54
organic geochemistry, A:75–76
paleomagnetism, A:63–64, 71–72
phosphorus geochemistry, B:197
physical properties, A:76–77
sedimentation rates, A:72–73
sediments, B:207–212
site description, A:49–84
smear slides, A:1327–1331
summary, A:77–78
thin sections, A:1375
- Site 1011, A:85–127
background and objectives, A:86–87
biohorizons, B:35
biostratigraphy, A:92–102
color, B:363
composite depth, A:103–105
coring, A:91
diatoms, B:70–71, 73, 94
downhole measurements, A:109–110
inorganic geochemistry, A:104–105
lithostratigraphy, A:87–92
operations, A:87
organic geochemistry, A:105–107
paleoceanography, B:141–144
paleomagnetism, A:102–103
phosphorus geochemistry, B:198
physical properties, A:107–109
sedimentation, B:163–182
sedimentation rates, A:103–105
site description, A:85–127
smear slides, A:1332–1335
stratigraphy, B:173
summary, A:1110–112
thin sections, A:1376–1377
- Site 1012, A:129–155
background and objectives, A:130
biohorizons, B:36
biostratigraphy, A:135–139
carbonate records, B:297–302
composite depth, A:141, 143
coring, A:134
diatoms, B:94

- inorganic geochemistry, A:143–145
lithostratigraphy, A:130–135
operations, A:130
organic geochemistry, A:145–146
paleoceanography, B:141–144
paleomagnetism, A:139–141
phosphorus geochemistry, B:198
physical properties, A:146–148
sedimentation rates, A:141–143
site description, A:129–155
smear slides, A:1336–1338
summary, A:149
thin sections, A:1378
- Site 1013, A:157–174
background and objectives, A:159
biohorizons, B:36
biostratigraphy, A:161–163
carbonate records, B:297–302
composite depth, A:165
coring, A:160
diatoms, B:94
inorganic geochemistry, A:165–166
lithostratigraphy, A:160–161
operations, A:160
organic geochemistry, A:166–168
paleomagnetism, A:163–165
physical properties, A:168–171
sedimentation rates, A:165
site description, A:157–174
smear slides, A:1339–1340
summary, A:171–172
- Site 1014, A:175–221
background and objectives, A:176
biohorizons, B:36
biostratigraphy, A:183–187
composite depth, A:187, 190–191
coring, A:182–183
diatoms, B:72–73, 94–95
downhole measurements, A:196–198
inorganic geochemistry, A:191, 193
lithostratigraphy, A:180–183
magnetostratigraphy, B:311–318
operations, A:176, 180
organic geochemistry, A:193
paleoceanography, B:129–140, 145–150
paleomagnetism, A:187
phosphorus geochemistry, B:199
physical properties, A:193–196
rare earths, B:235–238
sedimentation rates, A:187, 190–191
site description, A:175–221
smear slides, A:1341–1344
summary, A:198
- Site 1015, A:223–237
background and objectives, A:224
biostratigraphy, A:227–229
composite depth, A:229–230
coring, A:226
diatoms, B:94
inorganic geochemistry, A:230–232
lithostratigraphy, A:225–227
operations, A:224–225
organic geochemistry, A:232–233
physical properties, A:233–234
sedimentation rates, A:229–230
site description, A:223–237
smear slides, A:1345–1346
summary, A:234–235
- Site 1016, A:239–283
background and objectives, A:240, 243
biohorizons, B:37
biomarkers, B:183–194
biostratigraphy, A:247–256
composite depth, A:256–257, 259
- coring, A:244
diatoms, B:74–75, 95, 111
downhole measurements, A:264–266
index properties, B:331–332
inorganic geochemistry, A:259–261
lithostratigraphy, A:245–247
operations, A:243, 245
organic geochemistry, A:261–263
paleomagnetism, A:256
phosphorus geochemistry, B:200
physical properties, A:263–264
sedimentation rates, A:256–257, 259
site description, A:239–283
smear slides, A:1347–1350
summary, A:266
- Site 1017, A:285–309
background and objectives, A:286
biohorizons, B:37
biostratigraphy, A:291–293
calcareous nannofossils, B:303–308
carbon isotopes, B:273–276
carbonate records, B:297–302
composite depth, A:293–295
coring, A:290
diatoms, B:94
geochemistry, B:263–271
inorganic geochemistry, A:294–296
lithostratigraphy, A:288–291
millennial cycles, B:277–296
operations, A:286, 288
organic geochemistry, A:296–297
paleoclimatology, B:249–254
paleomagnetism, A:293
phosphorus geochemistry, B:201
physical properties, A:297–298
sea-surface temperature, B:297–302
sedimentation rates, A:293–295
sediments, B:255–261
site description, A:285–309
smear slides, A:1351–1353
summary, A:298
- Site 1018, A:311–352
background and objectives, A:312
biohorizons, B:37
biostratigraphy, A:320–325
composite depth, A:325, 328
coring, A:317–318
diatoms, B:76–77, 96, 119–120, 122, 124–125
downhole measurements, A:334–336
inorganic geochemistry, A:328–329
lithostratigraphy, A:316, 318–320
operations, A:312, 315–316
organic geochemistry, A:329, 332–333
paleoceanography, B:141–144
paleoclimatology, B:239–245
paleomagnetism, A:325
physical properties, A:333–334
sedimentation, B:163–182
sedimentation rates, A:325, 328
site description, A:311–352
smear slides, A:1354–1357
stratigraphy, B:167
summary, A:336
terrigenous component, B:227–234
- Site 1019, A:353–387
background and objectives, A:354, 356
biohorizons, B:37
biostratigraphy, A:359–364
carbonate records, B:297–302
composite depth, A:366–367
coring, A:358
diatoms, B:78–79, 96–97
downhole measurements, A:371–372
gas hydrates, B:350, 352–354
- inorganic geochemistry, A:367–368
lithostratigraphy, A:357–359
operations, A:356–357
organic geochemistry, A:368–370
paleoclimatology, B:217–226
paleomagnetism, A:364–366
physical properties, A:370–371
sedimentation, B:163–182
sedimentation rates, A:366–367
site description, A:353–387
smear slides, A:1358–1360
stratigraphy, B:167, 173
summary, A:372
- Site 1020, A:389–429
background and objectives, A:390–392
biogenic component, B:203–206
biohorizons, B:38
biostratigraphy, A:395–399
composite depth, A:400, 405
coring, A:394
diatoms, B:80–81, 97, 119–120, 122–123
downhole measurements, A:411–414
index properties, B:333–338
inorganic geochemistry, A:405–406
lithostratigraphy, A:393–395
magnetostratigraphy, B:311–318
operations, A:392–393
organic geochemistry, A:406, 408–410
paleoceanography, B:145–150
paleoclimatology, B:217–226, 239–245
paleomagnetism, A:400
paleothermometry, B:153–161
physical properties, A:410–411
sedimentation, B:163–182
sedimentation rates, A:400, 405
site description, A:389–429
smear slides, A:1361–1364
stratigraphy, B:166
summary, A:414
terrigenous component, B:227–234
time series, B:360–362
- Site 1021, A:431–459
background and objectives, A:432
biohorizons, B:38
biostratigraphy, A:438–442
composite depth, A:442, 447
coring, A:436
diatoms, B:82–87, 97–98, 111, 119–122
index properties, B:333–338
inorganic geochemistry, A:447
lithostratigraphy, A:435–438
operations, A:432, 434
organic geochemistry, A:447, 449–450
paleoclimatology, B:239–245
paleomagnetism, A:442
phosphorus geochemistry, B:201
physical properties, A:450–451
planktonic foraminifers, B:115–117
sedimentation, B:163–182
sedimentation rates, A:442, 447
site description, A:431–459
smear slides, A:1365–1368
stratigraphy, B:166–167
summary, A:451–452
- Site 1022, A:461–495
background and objectives, A:464
biohorizons, B:38
biostratigraphy, A:468–473
composite depth, A:473
coring, A:466
diatoms, B:88–89, 98–99, 111–113
downhole measurements, A:477–479
inorganic geochemistry, A:473–475
lithostratigraphy, A:465, 467–468

- operations, A:464–465
 organic geochemistry, A:475–477
 paleoclimatology, B:239–245
 paleomagnetism, A:473
 phosphorus geochemistry, B:202
 physical properties, A:477
 sedimentation rates, A:473
 site description, A:461–495
 smear slides, A:1369–1371
 summary, A:479
- Skolithos*, lithologic units, A:246–247
 smear slides
 Site 1010, A:1327–1331
 Site 1011, A:1332–1335
 Site 1012, A:1336–1338
 Site 1013, A:1339–1340
 Site 1014, A:1341–1344
 Site 1015, A:1345–1346
 Site 1016, A:1347–1350
 Site 1017, A:1351–1353
 Site 1018, A:1354–1357
 Site 1019, A:1358–1360
 Site 1020, A:1361–1364
 Site 1021, A:1365–1368
 Site 1022, A:1369–1371
- smectite
 sediments, B:282–284
 vs. age, B:232
 vs. depth, B:284
- sodium
 pore water, B:343
 sediments, A:74, 104, 143–144, 193, 230, 260, 295, 328, 368, 405, 447, 473
- sodium oxide
 sediments, B:284–288
 vs. depth, B:285
- sodium oxide/(silica-14.15) ratio, vs. Factor 4, B:289
- sonic logs. *See* gamma ray–resistivity–sonic logs; gamma ray–resistivity–sonic logs, Pass 2; gamma ray–resistivity–sonic, Pass 3
- Sorolian Coccolith Stage, biohorizons, B:23
- sorting, vs. age, B:230
- Southern Depth Transect, sedimentation, A:11
- Southern Oscillation. *See* El Niño/Southern Oscillation
- splice tie points
 Site 1010, A:76
 Site 1011, A:108
 Site 1012, A:145
 Site 1013, A:168
 Site 1014, A:202
 Site 1015, A:231
 Site 1016, A:262
 Site 1018, A:337
 Site 1019, A:368
 Site 1020, A:412
 Site 1021, A:453
 Site 1022, A:478
 stable isotopes, B:142
- sponge spicules, lithologic units, A:56, 132–135
- sponges, photograph, A:320
- spruce
 vs. age, B:242–243
 vs. depth, B:220–222
- stable isotopes
 paleoceanography, B:129–150
 paleoclimatology, B:250
See also carbon isotopes; oxygen isotopes
- Stephanopyxis* species, distribution, B:101
- steranes, sediments, B:188
- steroids, C-ring monoaromatic, sediments, B:188
- stratigraphic markers, diatoms, B:66
- stratigraphy
- Neogene, B:363–368
 physical properties, B:367–368
 sedimentation events, B:162–182
 stable isotopes, B:129–140
 stress, effective, vs. void ratio, B:334–336
 strontium
 biogenic carbonates, B:266
 pore water, B:343
 sediments, A:75, 104, 193, 232, 261, Site 1017, A:295, 368, 406; B:265
 vs. depth, A:110–111, 148, 170, 204, 265–266, 302, 339, 371, 414, 447, 456, 480
- subduction zones, plate tectonics, A:8
- suborbital cycles, sediments, B:257–260
- sulfate
 pore water, B:343
 sediments, A:74, 104, 144, 166, 193, 232, 260, 295, 328, 368, 405, 447, 473, 475
 vs. age, A:339
 vs. depth, A:79–80, 110–111, 148, 170, 204, 265, 302, 339, 371, 414, 447, 456, 480; B:348
- sulfate reduction, organic matter, B:344–345, 348–349
- sulfur, total
 sediments, A:75, 81, 151, 167, 171, 206, 234, 267, 297, 304, 341, 369–370, 373, 416, 456, 481; B:273
- vertical profile, B:275
 vs. depth, B:274
- See also* carbon, total organic/total sulfur ratio
- Tanner Basin
 composite section, A:177–179
 deep water, A:180
 magnetostratigraphy, B:311–318
 paleoceanography, B:129–140, 145–150
 rare earths, B:235–238
- tectonics, connection with climate, B:370–372
- teleconnections, paleoclimatology with tectonics, B:370–371
- temperature
 foraminifer stable isotopes, B:135–137
 vs. age, B:112
 vs. depth, A:10, 83, 115, 117, 153, 174, 208–209, 269, 271, 308, 342, 376, 418, 458, 483–484; B:156–159, 345
 vs. oxygen isotopes, B:359
 vs. record number, A:82, 115, 153, 173, 207, 269, 307, 342, 376, 418, 458, 483
- temperature, paleo-sea-surface
 sediments, A:296–297, 305, 369, 374
 vs. depth, A:306, 374
- temperature, sea-surface
 alkenones, B:297, 301–302, 359–360, 373
 continental margin, B:137–138
 millennial cycles, B:356, 373
 paleothermometry, B:153–161
 vs. depth, B:360
- temperature, sea-surface (alkenone), comparison to interglacial lowland forest, B:362
- temperature history (youngest chert/porcellanite bed), vs. age, B:352
- Termination I, paleoclimatology, B:136, 139
- Termination IA, paleoclimatology, B:253
- Termination IB, paleoclimatology, B:253
- terrestrial environment, vegetation, B:361–362
- terrigenous component
 deposition, B:227–234
 geochemistry, B:266–270
 sediments, B:205–206
 vs. age, B:206, 230
- terrigenous component, mass accumulation rates, vs. age, B:230
- textures, sediments, B:255–261
- Thalassionema* species, distribution, B:101
- Thalassiothrix* species, distribution, B:101
- thin sections, Site 1010, A:1375–1378
- thorium logs
 core vs. log correlation, A:197–198
 vs. depth, A:211
- Thvera Subchron
 biohorizons, B:14
 magnetostratigraphy, A:71, 442
- time series
 calcium carbonate, B:358
 color, B:323–324
- titanium
 detrital component, B:267–270
 sediments, B:265
 vs. depth, B:268
See also barium/titanium ratio; chromium/titanium ratio; nickel/titanium ratio; niobium/titanium ratio; rubidium/titanium ratio; yttrium/titanium ratio; zirconium/titanium ratio
- titanium oxide
 sediments, B:285–288
 vs. depth, B:285
- titanomagnetite, sediments, B:314–315
- Tortonian, biohorizons, B:23, 26–29
- trace elements, sediments, B:265
- trace fossils, photograph, A:93
- transport, currents, B:345
- triquetrorhabdulids, biohorizons, B:18, 21
- turbidites
 deposition, A:291
 millennial cycles, B:357
 photograph, A:227, 292
 provenance, B:291–292
- unsaturation indices
 alkenones, B:185–186
 sea-surface temperature, B:297, 301–302
 time series, B:360–361
 vs. depth, B:186
- uplifts
 sediment transport, A:372
 Sierra Nevada, B:371–372
- upwelling
 carbon, B:180
 chronology, B:159
 currents, A:6–7
 diatoms, B:67, 103–104
 oceanography, B:342
 paleoceanography, B:100
- uranium
 diagenesis, B:265–266
 sediments, B:264
- uranium logs
 core vs. log correlation, A:197–198
 vs. depth, A:210–211
- vanadium
 detrital component, B:267–270
 sediments, B:265
 vs. depth, B:268
- vegetation
 glacial/interglacial cycles, B:361–362
 paleoclimatology, B:217–226, 239–245
 sediments, B:361–362
- velocity, vs. depth, A:82, 114; B:354
- velocity, compressional-wave logger, vs. depth, A:81, 113
- velocity logs, vs. depth, A:118
- ventilation, upper Quaternary, B:138–139
- void ratio

vs. depth, A:82, 114, 152, 173, 207, 268, 307, 341, 375, 417, 457, 482
 vs. effective stress, B:334–336
See also porosity
 voids, correlation with color, B:321–322
 volcanic ash, lithologic units, A:87, 89, 161, 181, 183, 247, 318–320, 437–438
 volcanic ash layers, vitric, photograph, A:56
 volcanic glass, lithologic units, A:55, 87, 89, 132–135, 227, 288–291, 318–320, 437–438
 volcanoclastics, lithologic units, A:134–135
 volume ratio, vs. depth, B:290
 water content, vs. depth, A:82, 114, 152, 173, 207, 268, 307, 341, 375, 417, 457, 482
 well logging
 carbonate content, A:196–198
 lithology, A:412–413, 477–478
 shore-based processing, A:121, 213, 275, 346, 381, 423, 486

Site 1011, A:109–110
 Site 1014, A:196–198
 Site 1016, A:264–266
 Site 1018, A:334–336
 Site 1019, A:371–372
 Site 1020, A:411–414
 Site 1022, A:477–479
See also core vs. log correlation
 wood fragments, lithologic units, A:226–227, 468
 X-ray radiography, cores, B:278–280
 Younger Dryas
 millennial cycles, B:277–296, 355–357
 paleoclimatology, B:251–254
 yttrium
 detrital component, B:266–270
 sediments, B:265
 vs. depth, B:267
 yttrium/titanium ratio, detrital component, B:267–270

Zanclean, biohorizons, B:14–15
 zinc
 detrital component, B:267–270
 sediments, B:265
 zirconium
 detrital component, B:266–270
 sediments, B:265
 vs. depth, B:267
 zirconium/titanium ratio
 detrital component, B:267–270
 vs. nickel/titanium ratio, B:269
 vs. rubidium/titanium ratio, B:269
 zonation
 diatoms, B:64–65, 99, 102
 planktonic foraminifers, B:44–55
 Pleistocene, B:12, 14
Zoophycos
 lithologic units, A:246–247, 395, 437–438
 photograph, A:93

VOLUME 167 TAXONOMIC INDEX

Abies amabilis, California Margin, B:217–226, 239–244
Abies concolor, California Margin, B:217–226, 239–244
acostaensis, *Neogloboquadrina*
 California Margin, B:23
 Site 1010, A:62
 Site 1021, B:116
acquilonium, *Stylacontarium*, Site 1019, A:364
Actinocyclus ellipticus
 California Margin, B:100
 Site 1021, A:440; B:98
Actinocyclus ellipticus f. *javanica*, California Margin, B:101
Actinocyclus ingens
 Site 1012, A:139; B:94
 Site 1014, A:185; B:95
Actinocyclus ingens v. *nodus*, Site 1014, A:185; B:95
Actinocyclus oculatus
 California Margin, B:103, 105
 Site 1014, A:185; B:94–95
 Site 1016, A:251
 Site 1017, A:293; B:94
 Site 1018, A:323; B:96
 Site 1020, A:398; B:97
Actinocyclus oculatus Zone
 California Margin, B:103
 Site 1016, A:249, 251; B:95
 Site 1018, A:323; B:96
 Site 1020, A:398; B:97
acutus, *Ceratolithus*
 California Margin, B:15, 18, 29, 31
 Site 1011, A:101
 Site 1016, A:248
Adenostoma, California Margin, B:240–244
aderces, *Eucyrtidium*, Site 1010, A:59
aequilateralis, *Hastigerina*, Site 1019, A:360
affinis, *Globobulimina*
 Site 1019, A:360
 Site 1020, A:398
Alnus, California Margin, B:166, 217–226, 239–244, 361
altispira globosa, *Neoglobigerina*, Site 1010, A:62
amabilis, *Abies*, California Margin, B:217–226, 239–244

Amaurolithus delicatus
 California Margin, B:21, 28–29, 31, 364
 Site 1011, A:101
 Site 1012, A:139
 Site 1014, A:185
 Site 1016, A:248
Amaurolithus primus
 California Margin, B:18, 21, 28–29, 31
 Site 1016, A:248
Amaurolithus primus Subzone, California Margin, B:39–40
Amaurolithus spp.
 California Margin, B:28
 Site 1011, A:101
 Site 1012, A:136
 Site 1014, A:185
 Site 1016, A:248
 Site 1021, A:439
 Site 1022, A:470
Amaurolithus tricorniculatus, California Margin, B:18, 21
Amphimelissa setosa, Site 1018, A:325
amplificus, *Nicklithus*, California Margin, B:28–29
Annellus californicus
 California Margin, B:100
 Site 1010, B:67
Anthocystidium plicoenica
 Site 1010, A:59
 Site 1022, A:473
argentea, *Bolivina*
 Site 1015, A:228
 Site 1017, A:293
 Site 1019, A:360
ariminensis, *Planulina*, California Margin, B:145–150
armata, *Stichocorys*, Site 1021, A:442
armatus, *Ceratolithus*, California Margin, B:31
asanoi, *Eucyrtidium*, Site 1010, A:60
asanoi, *Neogloboquadrina*
 California Margin, B:42–55, 58, 61
 Site 1010, A:61
 Site 1011, A:95
 Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:183
 Site 1016, A:248

Site 1018, A:321
 Site 1020, A:397
 Site 1021, A:439
asanoi, *Reticulofenestra*, California Margin, B:8, 11, 29
asymmetricus, *Discoaster*, California Margin, B:17–18, 21, 23, 29
atlantica, *Neogloboquadrina*, Site 1021, B:115–116
Aulacoseira spp., Site 1020, B:120, 123–124
Azpeitia nodulifera
 California Margin, B:100–101, 120
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96
 Site 1021, A:440; B:98
Baggina spp., Site 1015, A:228
barboi, *Proboscia*
 California Margin, B:100–101, 105
 Site 1010, B:67, 72
 Site 1014, B:95
 Site 1016, B:95
 Site 1018, B:96
 Site 1020, B:97
 Site 1021, B:98
 Site 1022, B:98
barboi, *Rhizosolenia*
 Site 1014, A:185
 Site 1016, A:251
 Site 1018, A:323
bellus, *Discoaster*, California Margin, B:27, 31
berggrenii, *Discoaster*
 California Margin, B:27, 29, 31
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
Bolivina argentea
 Site 1015, A:228
 Site 1017, A:293
 Site 1019, A:360
Bolivina pseudobeyrichi
 Site 1017, A:293
 Site 1019, A:360
Bolivina spissa
 Site 1015, A:228
 Site 1019, A:360
Bolivina spp.

- Site 1015, A:228
bollii, *Discoaster*
 California Margin, B:27–29
 Site 1021, A:439
Botryostrobus aquilonaris Zone
 Site 1011, A:101
 Site 1017, A:293
Braarudosphaera spp., Site 1019, A:361
brouweri, *Discoaster*
 California Margin, B:16, 23, 29, 31
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
 Site 1013, A:163
 Site 1014, A:185
 Site 1016, A:248
 Site 1018, A:323
 Site 1021, A:439
 Site 1022, A:470
Bulimina spicata, Site 1017, A:293
Bulimina spp.
 Site 1013, A:162
 Site 1018, A:321
Bulimina striata mexicana
 Site 1018, A:322
 Site 1019, A:360
Buliminella spp.
 Site 1014, A:184
 Site 1015, A:228
Buliminella tenuata
 Site 1017, A:293
 Site 1019, A:360–361
bulloides, *Gephyrocapsa*, Site 1020, B:158
bulloides, *Globigerina*
 California Margin, B:42, 58–59, 355
 Site 1010, A:61
 Site 1011, A:95
 Site 1012, A:139
 Site 1014, B:129–139
 Site 1017, A:291; B:250–254, 275
 Site 1021, A:439; B:115–116
bulloides, *Pullenia*, Site 1020, A:398
calcaris, *Discoaster*, California Margin, B:31
Calcidiscus leptoporus
 California Margin, B:31
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:185
 Site 1016, A:248
 Site 1017, A:293; B:304
 Site 1018, A:323
 Site 1019, A:361
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:469–470
Calcidiscus macintyrei
 California Margin, B:11–12, 29, 31
 Site 1014, A:185
Calcidiscus premacintyrei, California Margin,
 B:29, 31, 364
californica, *Rouxia*
 California Margin, B:100, 104, 364
 Site 1011, B:93
 Site 1021, B:98
californicus, *Anellus*
 California Margin, B:100
 Site 1010, B:67
calyculus, *Catinaster*, California Margin, B:27–29,
 31
Cancris spp., Site 1019, A:360
caribbeanica, *Gephyrocapsa*
 California Margin, B:31
 Site 1020, A:398
carinata, *Cassidulina*, Site 1019, A:360
carteri, *Helicosphaera*
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
 Site 1013, A:162–163
 Site 1014, A:185
 Site 1015, A:229
 Site 1016, A:248
 Site 1017, A:293; B:304
 Site 1018, A:323
 Site 1019, A:361
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:470
Carya, California Margin, B:240–244
Cassidulina carinata, Site 1019, A:360
Cassidulina delicata, Site 1017, A:293
Cassidulina spp.
 Site 1013, A:162
 Site 1015, A:228
 Site 1020, A:398
Catinaster calyculus, California Margin, B:27–29,
 31
Catinaster coalitus, California Margin, B:27–28,
 31, 364
Catinaster coalitus–*Discoaster hamatus* combined
 zones, California Margin, B:39
Catinaster spp., California Margin, B:29
Cavithes jousseaumei, California Margin, B:104
Ceanothus, California Margin, B:240–244
Ceratolithoides spp.
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:185
 Site 1016, A:248
 Site 1017, A:293
Ceratolithus acutus
 California Margin, B:15, 18, 29, 31
 Site 1011, A:101
 Site 1016, A:248
Ceratolithus armatus, California Margin, B:31
Ceratolithus rugosus
 California Margin, B:18, 29, 31
 Site 1012, A:139
Ceratolithus sp. 1, California Margin, B:31
Ceratolithus spp.
 Site 1010, A:57
 Site 1012, A:139
 Site 1013, A:163
 Site 1014, A:185
 Site 1016, A:248
 Site 1018, A:323
 Site 1020, A:398
Ceratolithus telesmus, California Margin, B:31
Chaetoceras spp.
 California Margin, B:119, 123–125
 Site 1016, B:111
 Site 1022, B:111
Chamaecyparis, California Margin, B:218–226,
 239–244
Chilostomella ovoidea, Site 1020, A:398
Chilostomella spp.
 Site 1016, A:248
 Site 1018, A:322
 Site 1019, A:360
Cibicides spp., Site 1011, A:101
Cibicidoides mckannai, California Margin,
 B:145–150
Cibicidoides pachyderma, California Margin,
 B:141–150
Cibicidoides spp.
 Site 1013, A:162
 Site 1014, A:184
 Site 1015, A:228
 Site 1016, A:248
 Site 1017, A:293
 Site 1018, A:321
 Site 1020, A:398
Cibicidoides wuellerstorfi
 California Margin, B:141–144, 164
 Site 1018, A:322
 Site 1020, A:398; B:145–150
coalitus, *Catinaster*, California Margin, B:27–28,
 31, 364
Coccilithus miopelagicus, California Margin,
 B:27
Coccilithus pelagicus, Site 1017, B:304
Cocconeis spp., Site 1018, A:323; B:96
Collosphaera huxleyi
 Site 1010, A:59
 Site 1011, A:101
concolor, *Abies*, California Margin, B:217–226,
 239–244
conoidea, *Globorotalia* cf., Site 1014, A:184
conomicoidea, *Globorotalia*, Site 1012, A:136, 139
conomicoidea, *Globorotalia* cf., Site 1016, A:228
contorta, *Pinus*, California Margin, B:217–226,
 239–244
convallis, *Minylitha*
 California Margin, B:27–29
 Site 1010, A:57
 Site 1011, A:101
 Site 1021, A:439
convexa, *Thalassiosira*
 California Margin, B:103, 364
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96
 Site 1020, A:398; B:97
 Site 1021, B:98
 Site 1022, B:98, 111
cornuta, *Cyrtocapsella*
 Site 1011, A:102
 Site 1021, A:442
coscinodiscus, *Craspedodiscus*
 California Margin, B:100
 Site 1010, B:67
Coscinodiscus lewsi, Site 1010, B:67
Coscinodiscus marginatus
 California Margin, B:100, 104, 120
 Site 1010, B:67, 72–73
 Site 1011, B:94
 Site 1014, A:185; B:95
 Site 1016, A:251; B:95
 Site 1018, B:96
 Site 1020, B:97
 Site 1021, A:440; B:98
 Site 1022, B:98, 111
Coscinodiscus sp.
 Site 1014, A:185; B:95
 Site 1022, A:469
Coscinodiscus spp., Site 1016, B:111
Craspedodiscus coscinodiscus
 California Margin, B:100
 Site 1010, B:67
crassaformis, *Globorotalia*
 Site 1010, A:62
 Site 1011, A:95
 Site 1012, A:139
 Site 1019, A:360
Crucidenticula nicobarica
 California Margin, B:100
 Site 1010, A:59; B:67
 Site 1021, A:440; B:98

- Site 1010, A:59; B:67
Site 1021, A:440; B:98
- Crucidenticula nicobarica* Zone, Site 1010, A:59; B:66
- Crucidenticula punctata*
California Margin, B:101
Site 1021, A:440; B:98
- crustula, Phormostichoartus*
Site 1010, A:59
Site 1011, A:101
- cuneiformis, Hemidiscus*
California Margin, B:100
Site 1014, A:185; B:95
Site 1016, A:251; B:95
Site 1018, A:323; B:96
Site 1020, A:398; B:97
Site 1021, A:440; B:98
- Cupressus pygmaea*, California Margin, B:217–226, 239–244
- curvirostris, Proboscia*
California Margin, B:103, 364
Site 1016, B:95
Site 1017, B:94
Site 1018, B:96
Site 1019, B:96–97
Site 1020, B:97, 122
- curvirostris, Simonseniella (Rhizosolenia)*
Site 1016, A:249, 251
Site 1017, A:293
Site 1018, A:323
Site 1019, A:364
Site 1020, A:398
- Cycladophora d. davisiiana*, Site 1014, A:186
- Cycladophora davisiiana*, Site 1020, A:398
- Cyclicargolithus floridanus*
California Margin, B:29, 31, 364
Site 1010, A:59
- Cymbella* spp., Site 1018, B:96
- Cyrtocapsella cornuta*
Site 1011, A:102
Site 1021, A:442
- Cyrtocapsella japonica*
Site 1010, A:59–60
Site 1021, A:442
- davisianna, Cycladophora*, Site 1020, A:398
- davisianna, Cycladophora d.*, Site 1014, A:186
- decoraperta, Globigerina*
California Margin, B:58, 62
Site 1020, A:397
Site 1022, A:469
- decurrrens, Libocedrus*, California Margin, B:217–226, 239–244
- delicata, Cassidulina*, Site 1017, A:293
- delicatus, Amaurolithus*
California Margin, B:21, 28–29, 31, 364
Site 1011, A:101
Site 1012, A:139
Site 1014, A:185
Site 1016, A:248
- delmontensis, Stichocorys*, Site 1010, A:59–60
- Dentalina* spp.
Site 1016, A:248
Site 1020, A:398
- Denticulopsis dimorpha*
California Margin, B:99–100, 104
Site 1010, A:59; B:66
Site 1011, A:101; B:93–94
Site 1021, A:440; B:98
- Denticulopsis dimorpha* Zone
Site 1010, A:59; B:66
Site 1011, A:101; B:94
Site 1021, A:440; B:98
- Denticulopsis hastedtii*
Site 1010, A:59
Site 1011, A:101
- Denticulopsis hastedtii* group, Site 1011, A:101
- Denticulopsis hastedtii–Denticulopsis lauta* Zone, California Margin, B:101
- Denticulopsis "hastedtii,"* Site 1010, B:66
- Denticulopsis hyalina*, Site 1010, A:59; B:66–67
- Denticulopsis hyalina* Zone, Site 1010, A:59; B:66
- Denticulopsis katayamae*
California Margin, B:100
Site 1010, B:66
Site 1011, A:101; B:93–94
- Denticulopsis katayamae* Zone
Site 1010, B:66
Site 1011, A:101; B:94
- Denticulopsis praedimorpha*
California Margin, B:99, 104, 364
Site 1010, A:59; B:66–67
Site 1021, B:98
- Denticulopsis praedimorpha* Zone
Site 1010, A:59; B:66
Site 1021, A:440; B:98
- Denticulopsis simonseii*
California Margin, B:99–100, 104, 364
Site 1010, B:66–67
Site 1011, B:93–94
Site 1021, B:98
- Denticulopsis* spp.
Site 1012, A:139; B:94
Site 1014, A:185; B:95
- Diartus antepenultima* Zone
Site 1010, A:60
Site 1011, A:102
- Diartus hughesi*
Site 1010, A:59–60
Site 1011, A:102
- Diartus penultima* Zone
Site 1010, A:59–60
Site 1011, A:102
- Diartus petterssoni*, Site 1010, A:60
- Diartus petterssoni* Zone, Site 1010, A:60
- Dictyococcites productus* Zone, California Margin, B:39
- Dictyophimus splendens*
Site 1010, A:59
Site 1016, A:256
- dimorpha, Denticulopsis*
California Margin, B:99–100, 104
Site 1010, A:59; B:66
Site 1011, A:101; B:93–94
Site 1021, A:440; B:98
- dimorpha, Stephanopyxis*
California Margin, B:101, 364
Site 1020, B:97
- Diploneis* spp., Site 1018, A:323
- Discoaster asymmetricus*, California Margin, B:17–18, 21, 23, 29
- Discoaster bellus*, California Margin, B:27, 31
- Discoaster bellus* Zone, California Margin, B:39
- Discoaster berggrenii*, California Margin, B:27, 29, 31
- Discoaster berggrenii* Subzone, California Margin, B:39
- Discoaster bollii*
California Margin, B:27–29, 31
Site 1021, A:439
- Discoaster brouweri*
California Margin, B:16, 23, 29, 31
Site 1010, A:57
Site 1011, A:101
Site 1012, A:139
Site 1013, A:163
Site 1014, A:185
Site 1016, A:248
Site 1018, A:323
Site 1020, A:398
Site 1021, A:439
Site 1022, A:470
- Discoaster tamalis*
California Margin, B:16–17, 29, 31, 364
Site 1011, A:101
Site 1012, A:139
Site 1013, A:163
Site 1014, A:185
Site 1016, A:248
Site 1018, A:323
Site 1020, A:398
Site 1021, A:439
Site 1022, A:470
- Discoaster triradiatus*, California Margin, B:16, 23, 29, 31
- Discoaster variabilis*, California Margin, B:31
- discoideale, Elphidium*, Site 1019, A:360
- doliolus, Fragilaropsis*
California Margin, B:103, 123–124, 364
Site 1018, B:96
Site 1019, B:97
Site 1020, B:97

- doliolus, Pseudoeunotia*
- Site 1018, A:323
 - Site 1019, A:362
 - Site 1020, A:398
- douglassi, Quercus*, California Margin, B:217–226
- dutertrei, Neogloboquadra*
- California Margin, B:42–55, 58, 62
 - Site 1011, A:95
 - Site 1012, A:138
 - Site 1014, A:184
 - Site 1015, A:228
 - Site 1016, A:248
 - Site 1017, A:291–292
- eccentrica, Thalassiosira*, Site 1022, B:111
- Eggerella* spp.
- Site 1016, A:248
 - Site 1020, A:398
- elegans, Hoeglundina*
- Site 1017, A:293
 - Site 1020, A:398
- ellipticus, Actinocyclus*
- California Margin, B:100
 - Site 1021, A:440; B:98
- ellipticus f. javanica, Actinocyclus*, California Margin, B:101
- Elphidium discoidale*, Site 1019, A:360
- Elphidium* sp., Site 1019, A:360
- Emiliania huxleyi*
- California Margin, B:6
 - Site 1011, A:101
 - Site 1012, A:139
 - Site 1013, A:162
 - Site 1014, A:185
 - Site 1015, A:229
 - Site 1016, A:248; B:186, 188, 191
 - Site 1017, A:293, 297, 301, 303–308
 - Site 1018, A:323
 - Site 1019, A:361
 - Site 1020, A:398; B:154
 - Site 1021, A:439
 - Site 1022, A:469–470
- Epistominella smithi*
- Site 1017, A:293
 - Site 1019, A:360
- Epistominella* spp.
- Site 1013, A:162
 - Site 1014, A:184
 - Site 1015, A:228
- Epithemia* spp., Site 1018, B:96
- Eponides umbonatus*, Site 1017, A:293
- erythromystax, Eucyrtidium*, Site 1011, A:101
- Ethmodiscus*, Site 1010, B:207–212
- Eucyrtidium aderces*, Site 1010, A:59
- Eucyrtidium asanoi*, Site 1010, A:60
- Eucyrtidium erythromystax*, Site 1011, A:101
- Eucyrtidium matuyamai*
- Site 1014, A:186
 - Site 1016, A:251
 - Site 1017, A:293
 - Site 1018, A:323, 325
- Eucyrtidium matuyamai* Zone
- Site 1011, A:101–102
 - Site 1017, A:293
- Eunotia* spp., Site 1018, B:96
- exilis, Discoaster*
- California Margin, B:29
 - Site 1021, A:439
- extremus, Globigerinoides*, Site 1010, A:62
- floridanus, Cyclcargolithus*
- California Margin, B:29, 31, 364
 - Site 1010, A:59
- Florisphaera profunda*, Site 1017, B:303–308
- fossilis, Nitzschia*, California Margin, B:100
- Fragilaria* spp., Site 1020, B:120, 123–124
- Fragilariopsis doliolus*
- California Margin, B:103, 123–124, 364
 - Site 1018, B:96
 - Site 1019, B:97
 - Site 1020, B:97
- garryana, Quercus*, California Margin, B:217–226
- Gephyrocapsa bulboides*, Site 1020, B:158
- Gephyrocapsa caribeanica*
- California Margin, B:31
 - Site 1020, A:396, 398
- Gephyrocapsa caribeanica* Zone, California Margin, B:39
- Gephyrocapsa muellerae*, Site 1017, B:303–308
- Gephyrocapsa oceanica*
- Site 1017, A:297; B:303–308
 - Site 1020, B:154
- Gephyrocapsa oceanica* s. l.
- California Margin, B:6–9, 14, 29, 31, 364
 - Site 1011, A:101
 - Site 1012, A:139
 - Site 1013, A:163
 - Site 1014, A:185
 - Site 1016, A:248
 - Site 1018, A:323
 - Site 1020, A:398
 - Site 1021, A:439
- Gephyrocapsa* sp. 3, California Margin, B:6–9, 14, 29, 31
- Gephyrocapsa* spp.
- California Margin, B:6–9, 11, 14, 29, 31, 358, 364
 - Site 1010, A:57
 - Site 1011, A:101
 - Site 1012, A:139
 - Site 1013, A:162
 - Site 1014, A:185
 - Site 1015, A:229
 - Site 1016, A:248; B:186, 188, 191
 - Site 1017, A:293, 301; B:303–308
 - Site 1018, A:323
 - Site 1019, A:361
 - Site 1020, A:398
 - Site 1021, A:439
 - Site 1022, A:469–470
- See also large Gephyrocapsa zone; small Gephyrocapsa zone*
- glacialis, Stylotrochus*, Site 1018, A:325
- Globigerina bulloides*
- California Margin, B:42, 58–59, 355
 - Site 1010, A:61
 - Site 1011, A:95
 - Site 1012, A:139
 - Site 1014, B:129–139
 - Site 1017, A:291; B:250–254, 275
 - Site 1021, A:439; B:115–116
- Globigerina decoraperta*
- California Margin, B:58, 62
 - Site 1020, A:397
 - Site 1022, A:469
- Globigerina nepenthes*, Site 1010, A:62
- Globigerina pseudobesa*, Site 1021, B:115
- Globigerina quinqueloba*
- California Margin, B:42
 - Site 1014, B:136
 - Site 1021, B:116
- Globigerina umbilicata*, Site 1021, B:115
- Globigerina woodi*
- Site 1010, A:62
 - Site 1012, A:139
- Globigerinita glutinata*
- California Margin, B:42
- Site 1021, B:116
- Site 1021, B:116
- Globigerinoides extremus*, Site 1010, A:62
- Globigerinoides obliquus*, Site 1011, A:95
- Globigerinoides ruber*, California Margin, B:42
- Globigerinoides sacculifer*, Site 1011, A:95
- Globobulimina affinis*
- Site 1019, A:360
 - Site 1020, A:398
- Globobulimina pacifica*
- Site 1017, A:293
 - Site 1019, A:360
- Globobulimina* spp.
- Site 1011, A:101
 - Site 1013, A:162
 - Site 1014, A:184
 - Site 1015, A:228
 - Site 1016, A:248
 - Site 1018, A:321
- Globococonella inflata*, California Margin, B:47, 57–58, 62
- Globococonella puncticulata*, California Margin, B:47
- Globorotalia cf. conoidea*, Site 1014, A:184
- Globorotalia cf. conomiozea*, Site 1016, A:228
- Globorotalia conomiozea*, Site 1012, A:136, 139
- Globorotalia crassaformis*
- Site 1010, A:62
 - Site 1011, A:95
 - Site 1012, A:139
 - Site 1019, A:360
- Globorotalia (Globococonella) ikebei*, California Margin, B:57, 62
- Globorotalia (Globococonella)* spp., California Margin, B:42
- Globorotalia inflata*
- California Margin, B:43–54, 57–58, 62, 367
 - Site 1010, A:61–62
 - Site 1011, A:95
 - Site 1012, A:139
 - Site 1014, A:184
 - Site 1016, A:248
 - Site 1017, A:291
 - Site 1018, A:321
 - Site 1019, A:360
 - Site 1020, A:397
 - Site 1021, A:439; B:116
 - Site 1022, A:469
- Globorotalia inflata* s. l., Site 1021, B:115
- Globorotalia puncticulata*
- California Margin, B:43–54, 57–58, 62
 - Site 1010, A:62
 - Site 1011, A:95
 - Site 1012, A:139
 - Site 1013, A:162
 - Site 1014, A:184
 - Site 1016, A:248
- Globorotalia puncticulata* partial range zone, California Margin, B:45, 47, 51, 53–55
- Globorotalia scitula*, California Margin, B:42
- Globorotalia tosaensis*
- Site 1010, A:62
 - Site 1011, A:95
- Globorotalia truncatulinoides*
- California Margin, B:47, 58
 - Site 1010, A:61
 - Site 1011, A:95
 - Site 1012, A:138
- Globorotalia tumida*, Site 1011, A:95
- Globorotaloides hexagona*
- Site 1010, A:62
 - Site 1019, A:360
- glutinata, Globigerinita*
- California Margin, B:42
 - Site 1021, B:116

Gomphonema spp., Site 1018, A:323; B:96

Gyroidina soldani, Site 1020, A:398

Gyroidina spp.

- Site 1011, A:101
- Site 1013, A:162
- Site 1016, A:248
- Site 1018, A:321

hamatus, Discoaster

- California Margin, B:27–29, 31, 364
- Site 1010, A:57

haqii, Reticulofenestra, California Margin, B:31

Hastigerina aequilateralis, Site 1019, A:360

Helicosphaera carteri

- Site 1010, A:57
- Site 1011, A:101
- Site 1012, A:139
- Site 1013, A:162–163
- Site 1014, A:185
- Site 1015, A:229
- Site 1016, A:248
- Site 1017, A:293; B:304
- Site 1018, A:323
- Site 1019, A:361
- Site 1020, A:398
- Site 1021, A:439
- Site 1022, A:470

Helicosphaera sellii

- California Margin, B:11, 23, 29
- Site 1012, A:139
- Site 1013, A:162
- Site 1014, A:185
- Site 1016, A:248
- Site 1017, A:293
- Site 1018, A:323
- Site 1020, A:398
- Site 1021, A:439
- Site 1022, A:470

Hemidiscus cuneiformis

- California Margin, B:100
- Site 1014, A:185; B:95
- Site 1016, A:251; B:95
- Site 1018, A:323; B:96
- Site 1020, A:398; B:97
- Site 1021, A:440; B:98

heteromorphus, Sphenolithus

- California Margin, B:29, 31, 364
- Site 1010, A:59

heterophylla, Tsuga, California Margin, B:217–226, 239–244

heteroporus, Lamprocytis

- Site 1011, A:102
- Site 1014, A:186
- Site 1016, A:251
- Site 1018, A:323
- Site 1020, A:398
- Site 1021, A:442
- Site 1022, A:473

hexagona, Globorotaloides

- Site 1010, A:62
- Site 1019, A:360

hispida, Uvigerina, Site 1018, A:322

Hoeglundina elegans

- Site 1017, A:293
- Site 1020, A:398

Hoeglundina spp.

- Site 1011, A:101
- Site 1013, A:162
- Site 1014, A:184
- Site 1016, A:248
- Site 1018, A:321

hughesi, Diartus

- Site 1010, A:59–60
- Site 1011, A:102

humerosa, Neogloboquadrina

- Site 1010, A:61
- Site 1011, A:95
- Site 1012, A:139
- Site 1013, A:162
- Site 1014, A:183–184
- Site 1016, A:248
- Site 1017, A:291–292
- Site 1018, A:321
- Site 1020, A:397

humerosa praehumerosa, Neogloboquadrina

California Margin, B:42–54, 56, 58, 62

hustedtii, Denticulopsis

- Site 1010, A:59
- Site 1011, A:101

hustedtii group, *Denticulopsis*, Site 1011, A:101

"*hustedtii*," *Denticulopsis*, Site 1010, B:66

huxleyi, Colliosaera

- Site 1010, A:59
- Site 1011, A:101

huxleyi, Emiliania

- California Margin, B:6
- Site 1011, A:101
- Site 1012, A:139
- Site 1013, A:162
- Site 1014, A:185
- Site 1015, A:229
- Site 1016, A:248; B:186, 188, 191
- Site 1017, A:293, 297, 301; B:303–308
- Site 1018, A:323
- Site 1019, A:361
- Site 1020, A:398; B:154
- Site 1021, A:439
- Site 1022, A:469–470

hyalina, Denticulopsis, Site 1010, A:59; B:66–67

ikebei, Globorotalia (Globoconella), California Margin, B:57, 62

inflata, Globocoenella, California Margin, B:47, 57–58, 62

inflata, Globorotalia

- California Margin, B:43–54, 57–58, 62, 367
- Site 1010, A:61–62
- Site 1011, A:95
- Site 1012, A:139
- Site 1014, A:184
- Site 1016, A:248
- Site 1017, A:291
- Site 1018, A:321
- Site 1019, A:360
- Site 1020, A:397
- Site 1021, A:439; B:116
- Site 1022, A:469

inflata s. l., *Globorotalia*, Site 1021, B:115

ingens, Actinocyclus

- Site 1012, A:139; B:94
- Site 1014, A:185; B:95

ingens v. *nodus*, *Actinocyclus*, Site 1014, A:185; B:95

intercalaris, Discoaster, California Margin, B:31

irregularis, Umbellosphaera, Site 1017, B:304

jacksonii, Thalassiosira, Site 1022, B:111

japonica, Cyrtocapsella

- Site 1010, A:59–60
- Site 1021, A:442

jouseaie, Nitzschia

- California Margin, B:103
- Site 1022, B:111–112

jouseaie, Nitzschia

juncea, Uvigerina, Site 1020, A:398

Juniperus occidentalis, California Margin, B:217–226, 239–244

kagaensis, Neogloboquadrina, California Margin,

B:42–55, 58, 61

kamtschatica, Neodenticula

California Margin, B:100, 103–104, 113, 364

Site 1014, B:95

Site 1018, A:323; B:96, 120

Site 1020, A:398; B:97

Site 1021, A:440; B:98

Site 1022, A:470; B:98, 111

Karreriella spp., Site 1020, A:398

katayamae, Denticulopsis

California Margin, B:100

Site 1010, B:66

Site 1011, A:101; B:93–94

koizumi, *Neodenticula*

California Margin, B:103, 105, 113, 120, 364

Site 1014, B:95

Site 1016, A:251; B:95

Site 1018, A:323; B:96, 120

Site 1020, A:398; B:97

Site 1021, A:440; B:98

Site 1022, A:470; B:98, 111

korotnevi, Pterocorys, Site 1018, A:325

kugleri, Discoaster

California Margin, B:29, 31, 364

Site 1010, A:57

lacunosa, Pseudoemiliana

California Margin, B:11, 14, 21, 23, 29, 166, 228, 364

Site 1010, A:57

Site 1011, A:101

Site 1012, A:139

Site 1013, A:162

Site 1014, A:185

Site 1016, A:248

Site 1017, A:293, 301

Site 1018, A:323; B:122

Site 1019, A:361

Site 1020, A:398

Site 1021, A:439

Site 1022, A:469–470

lambertiana, Pinus, California Margin, B:217–226, 239–244

Lamprocytis heteroporus

Site 1011, A:102

Site 1014, A:186

Site 1016, A:251

Site 1018, A:323

Site 1020, A:398

Site 1021, A:442

Site 1022, A:473

Lamprocytis neoheteroporus

Site 1010, A:59

Site 1011, A:101–102

Site 1014, A:186

Site 1018, A:325

Site 1019, A:364

Site 1020, A:398

Site 1022, A:473

Lamprocytis nigriniae

Site 1010, A:59

Site 1011, A:101

Site 1019, A:364

Site 1020, A:398

large *Gephyrocapsa* Zone, California Margin, B:39

Laticarinina spp., Site 1016, A:248

Lenticulina spp., Site 1020, A:398

leptoporus, Calcidiscus

California Margin, B:31

Site 1010, A:57

Site 1011, A:101

Site 1012, A:139

- Site 1013, A:162
 Site 1014, A:185
 Site 1016, A:248
 Site 1017, A:293; B:304
 Site 1018, A:323
 Site 1019, A:361
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:469–470
- leptopus*, *Thalassiosira*, Site 1022, B:111
leptopus, *Thalassiosira* cf., Site 1014, A:185; B:95
lewisanus, *Coscinodiscus*, Site 1010, B:67
Libocedrus decurrens, California Margin, B:217–226, 239–244
Liquidambar, California Margin, B:240–244
Lithopera thornburgi, Site 1010, A:60
lobata, *Quercus*, California Margin, B:217–226
loeblichii, *Discoaster*, California Margin, B:27, 29
longissima, *Thalassionema*, California Margin, B:101
longissima, *Thalassiothrix*
 Site 1010, A:59; B:67
 Site 1011, B:94
 Site 1016, B:95
 Site 1021, A:440; B:98
 Site 1022, B:98
- Lychnocanoma* n. *magnacornuta*
 Site 1010, A:60
 Site 1011, A:102
- Lychnocanoma* n. *nipponica*, Site 1010, A:59
Lycopodium spp., California Margin, B:240–244
- macintyrei*, *Calcidiscus*
 California Margin, B:11–12, 29, 31
 Site 1014, A:185
- magnacornuta*, *Lychnocanoma* n.
 Site 1010, A:60
 Site 1011, A:102
- marginatus*, *Coscinodiscus*
 California Margin, B:100, 104, 120
 Site 1010, B:67, 72–73
 Site 1011, B:94
 Site 1014, A:185; B:95
 Site 1016, A:251; B:95
 Site 1018, B:96
 Site 1020, B:97
 Site 1021, A:440; B:98
 Site 1022, B:98, 111
- marina*, *Nitzschia*, Site 1020, A:398; B:97
Martinottiella spp., Site 1016, A:248
matuyamai, *Eucyrtidium*
 Site 1014, A:186
 Site 1016, A:251
 Site 1017, A:293
 Site 1018, A:323, 325
matuyamai, *Rhizosolenia*
 California Margin, B:103
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96, 120
- mckannai*, *Cibicidoides*, California Margin, B:145–150
Melonis parkerae, Site 1020, A:398
Melonis pomphiloides, Site 1020, A:398
Melonis spp.
 Site 1016, A:248
 Site 1018, A:322
- menziesii*, *Pseudotsuga*, California Margin, B:217–226, 239–244
mertensiana, *Tsuga*, California Margin, B:217–226, 239–244
micros, *Discoaster*, California Margin, B:31
minuta, *Reticulofenestra*, California Margin, B:31
minutula, *Reticulofenestra*, California Margin, B:31
- Minylitha convallis*
 California Margin, B:27–29
 Site 1010, A:57
 Site 1011, A:101
 Site 1021, A:439
- miocenica*, *Thalassiosira*, California Margin, B:103
miopelagicus, *Coccolithus*, California Margin, B:27, 31
muellerae, *Gephyrocapsa*, Site 1017, B:303–308
murrhina, *Pyrgo*, Site 1020, A:398
- Neodenticula kamschatcatica*
 California Margin, B:100, 103–104, 113, 364
 Site 1014, B:95
 Site 1018, A:323; B:96, 120
 Site 1020, A:398; B:97
 Site 1021, A:440
 Site 1022, A:470; B:98, 111
- Neodenticula kamschatcatica* Zone
 California Margin, B:100, 103–104
 Site 1016, A:251; B:95
 Site 1021, A:440; B:98
- Neodenticula koizumii*
 California Margin, B:103, 105, 113, 120, 364
 Site 1014, B:95
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96, 120
 Site 1020, A:398; B:97
 Site 1021, A:440
 Site 1022, A:470; B:98, 111
- Neodenticula koizumii* Zone
 California Margin, B:103
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96
 Site 1020, A:398; B:97
 Site 1021, A:440; B:98
- Neodenticula koizumii*–*Neodenticula kamschatcatica* Zone
 California Margin, B:103
 Site 1016, A:251
 Site 1018, A:323; B:96
 Site 1020, A:398; B:97
 Site 1021, A:440; B:98
- Neodenticula seminae*
 California Margin, B:103, 120, 123–124, 364
 Site 1014, B:95
 Site 1018, A:323; B:96
 Site 1019, B:97
 Site 1020, B:97, 120
 Site 1022, A:470; B:98
- Neodenticula seminae* Zone
 Site 1014, B:94
 Site 1016, A:249; B:95
 Site 1018, A:323; B:96, 120
 Site 1019, A:362; B:96
 Site 1020, A:398; B:97
- Neodenticula* sp. A, Site 1021, B:98
- Neodenticula* spp.
 California Margin, B:125
 Site 1011, A:101
 Site 1016, A:251; B:95
 Site 1018, B:120
- Neoglobigerina altispira globosa*, Site 1010, A:62
Neogloboquadrina acostaensis
 California Margin, B:23
 Site 1010, A:62
 Site 1021, B:116
- Neogloboquadrina asanoi*
 California Margin, B:42–55, 58, 61
 Site 1010, A:61
 Site 1011, A:95
 Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:184
 Site 1016, A:248
 Site 1018, A:321
 Site 1020, A:397
 Site 1021, A:439
- Neogloboquadrina* spp. range zone, California Margin, B:43–44, 46–47, 49–51, 53–54
Neogloboquadrina atlantica, Site 1021, B:115–116
Neogloboquadrina dutertrei
 California Margin, B:42–55, 58, 62
 Site 1011, A:95
 Site 1012, A:138
 Site 1014, A:184
 Site 1015, A:228
 Site 1016, A:248
 Site 1017, A:291–292
- Neogloboquadrina humerosa*
 Site 1010, A:61
 Site 1011, A:95
 Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:183–184
 Site 1016, A:248
 Site 1017, A:291–292
 Site 1018, A:321
 Site 1020, A:397
- Neogloboquadrina humerosa praehumerosa*, California Margin, B:42–54, 56, 58, 62
Neogloboquadrina kagaensis, California Margin, B:42–55, 58, 61
- Neogloboquadrina kagaensis* partial range zone, California Margin, B:43, 46, 49–51, 53–54
- Neogloboquadrina pachyderma*
 California Margin, B:42, 44, 356–357, 367
 Site 1010, A:61
 Site 1011, A:95, 101
 Site 1012, A:136, 139
 Site 1013, A:162
 Site 1014, A:183–185, 187
 Site 1015, A:228
 Site 1016, A:248; B:184
 Site 1017, A:291–292, 294; B:136, 250
 Site 1018, A:321
 Site 1019, A:360–361
 Site 1020, A:396–397; B:154
 Site 1021, A:439; B:115–116
- Neogloboquadrina pachyderma* A, California Margin, B:43–54, 56, 61, 367
Neogloboquadrina pachyderma B, California Margin, B:43–54, 56–57, 61, 367
- Neogloboquadrina pachyderma* B partial range zone, California Margin, B:43, 45, 48–50
- Neogloboquadrina pachyderma*
 B–*Neogloboquadrina pachyderma* A Overlap zone, California Margin, B:43, 45, 48–51
- Neogloboquadrina pachyderma* C, California Margin, B:43–54, 57–58, 61, 367
- Neogloboquadrina pachyderma pachyderma*, California Margin, B:56, 61
- Neogloboquadrina pachyderma* sp., Site 1020, A:397
- Neogloboquadrina* sp.
 Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:184
 Site 1016, A:248
 Site 1018, A:321
 Site 1020, A:397
 Site 1021, A:439
- Neogloboquadrina* spp., California Margin, B:42 neohamatus, *Discoaster*, California Margin,

- B:27–28, 31
neoheteroporus, *Lamprocystis*
 Site 1010, A:59
 Site 1011, A:101–102
 Site 1014, A:186
 Site 1018, A:325
 Site 1019, A:364
 Site 1020, A:398
 Site 1022, A:473
neorectus, *Discoaster*, California Margin, B:27, 31
nepenthes, *Globigerina*, Site 1010, A:62
Nickolithus amplificus, California Margin, B:28–29
nicobarica, *Crucidenticula*
 California Margin, B:100
 Site 1010, A:59; B:67
 Site 1021, A:440; B:98
nigriniae, *Lamprocystis*
 Site 1010, A:59
 Site 1011, A:101
 Site 1019, A:364
 Site 1020, A:398
nipponica, *Lynchnocanoma* n., Site 1010, A:59
Nitzschia fossilis, California Margin, B:100
Nitzschia jouseae
 California Margin, B:103
 Site 1022, B:111–112
Nitzschia marina, Site 1020, A:398; B:97
Nitzschia pliocena, Site 1016, B:95
Nitzschia reinholdii
 California Margin, B:100–101, 103
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96
 Site 1019, A:362; B:97
 Site 1020, A:398; B:97
 Site 1022, B:98
Nitzschia reinholdii Zone, Site 1016, A:251; B:95
nitzschioides, *Thalassionema*
 California Margin, B:101, 120, 123–125
 Site 1010, A:59; B:67
 Site 1011, B:94
 Site 1016, B:95
 Site 1022, B:111
nitzschioides var. *parva*, *Thalassionema*,
 California Margin, B:123–124
Nodosaria spp.
 Site 1016, A:248
 Site 1020, A:398
nodulifera, *Azpeitia*
 California Margin, B:100–101, 120
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96
 Site 1021, A:440; B:98
Nonionellina spp., Site 1014, A:184
obliquus, *Globigerinoides*, Site 1011, A:95
occidentalis, *Juniperus*, California Margin,
 B:217–226, 239–244
oceanica, *Gephyrocapsa*
 Site 1017, A:297; B:303–308
 Site 1020, B:154
oceanica s. l., *Gephyrocapsa*
 California Margin, B:6–9, 14, 29, 31, 364
 Site 1011, A:101
 Site 1012, A:139
 Site 1013, A:163
 Site 1014, A:185
 Site 1016, A:248
 Site 1018, A:323
 Site 1020, A:398
 Site 1021, A:439
oculatus, *Actinocyclus*
 California Margin, B:103, 105
 Site 1014, A:185; B:94–95
 Site 1016, A:251
 Site 1017, A:293; B:94
 Site 1018, A:323; B:96
 Site 1019, A:364
 Site 1020, A:398
 Site 1022, B:98
oestrupii, *Thalassiosira*
 California Margin, B:100, 103–104, 120, 364
 Site 1021, A:440; B:98
 Site 1022, B:98
Orbulina universa
 California Margin, B:42
 Site 1021, B:115
Oridorsalis spp.
 Site 1011, A:101
 Site 1015, A:228
 Site 1016, A:248
 Site 1018, A:321
Oridorsalis tenera, Site 1017, A:293
Oridorsalis umbonatus
 Site 1019, A:360
 Site 1020, A:398
ovoidea, *Chilostomella*, Site 1020, A:398
pachyderma, *Cibicidoides*, California Margin,
 B:141–150
pachyderma, *Neogloboquadrina*
 California Margin, B:42, 44, 356–357, 367
 Site 1010, A:61
 Site 1011, A:95, 101
 Site 1012, A:136, 139
 Site 1013, A:162
 Site 1014, A:183–185, 187
 Site 1015, A:228
 Site 1016, A:248; B:184
 Site 1017, A:291–292, 294; B:136, 250
 Site 1018, A:321
 Site 1019, A:360–361
 Site 1020, A:396–397; B:154
 Site 1021, A:439; B:115–116
pachyderma A, *Neogloboquadrina*, California
 Margin, B:43–54, 56, 61, 367
pachyderma B, *Neogloboquadrina*, California
 Margin, B:43–54, 56–57, 61, 367
pachyderma C, *Neogloboquadrina*, California
 Margin, B:43–54, 57–58, 61, 367
pachyderma *pachyderma*, *Neogloboquadrina*,
 California Margin, B:56, 61
pachyderma spp., *Neogloboquadrina*, Site 1020,
 A:397
pacifica, *Globobulimina*
 Site 1017, A:293
 Site 1019, A:360
pacifica, *Thalassiosira*, Site 1022, B:111
parkerae, *Melonis*, Site 1020, A:398
pelagicus, *Coccolithus*, Site 1017, B:304
pentaradiatus, *Discoaster*
 California Margin, B:16–18, 23, 27–29, 364
 Site 1011, A:101
 Site 1012, A:139
 Site 1013, A:163
 Site 1014, A:185
 Site 1016, A:248
 Site 1018, A:323
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:470
peregerina, *Stichocorys*
 Site 1010, A:59–60
 Site 1011, A:102
 Site 1021, A:442
peregerina, *Uvigerina*
 California Margin, B:357
 Site 1016, A:248
peregerina *curticosta*, *Uvigerina*
 Site 1017, B:250
 Site 1019, A:360
peregerina, *Uvigerina*, Site 1018, A:322
 Site 1020, A:398
profunda, *Florisphaera*, Site 1017, B:303–308
pseudobespa, *Globigerina*, Site 1021, B:115
pseudobeyrichi, *Bolivina*
 Site 1017, A:293
 Site 1019, A:360
Pseudoemiliania lacunosa
 California Margin, B:11, 14, 21, 23, 29, 166,
 228, 364
 Site 1010, A:57
 Site 1011, A:101

- Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:185
 Site 1016, A:248
 Site 1017, A:293, 301
 Site 1018, A:323; B:122
 Site 1019, A:361
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:469–470
- Pseudoemiliania lacunosa* Zone, California Margin, B:39
- Pseudoeunotia doliolus*
 Site 1018, A:323
 Site 1019, A:362
 Site 1020, A:398
- Pseudoparrella* spp., Site 1019, A:360
- Pseudotsuga menziesii*, California Margin, B:217–226, 239–244
- pseudoumbilicus*, *Reticulofenestra* California Margin, B:21, 23, 28–29, 31, 364
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
 Site 1014, A:185
 Site 1016, A:248
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:470; B:112
- Pterocarya*, California Margin, B:240–244
- Pterocorys korotnevi*, Site 1018, A:325
- Pullenia bulloides*, Site 1020, A:398
- Pullenia* spp., Site 1018, A:322
- punctata*, *Crucidenticula*
 California Margin, B:101
 Site 1021, A:440; B:98
- puncticulata*, *Globoconella*, California Margin, B:47
- puncticulata*, *Glororotalia*
 California Margin, B:43–54, 57–58, 62
 Site 1010, A:62
 Site 1011, A:95
 Site 1012, A:139
 Site 1013, A:162
 Site 1014, A:184
 Site 1016, A:248
- pygmaea*, *Cupressus*, California Margin, B:217–226, 239–244
- Pyrgo murrhina*, Site 1020, A:398
- Pyrgo* spp.
 Site 1011, A:101
 Site 1014, A:184
 Site 1015, A:229
 Site 1016, A:248
 Site 1018, A:322
- Quercus*, California Margin, B:166, 239–244, 361
- Quercus douglassi*, California Margin, B:217–226
- Quercus garryana*, California Margin, B:217–226
- Quercus lobata*, California Margin, B:217–226
- quinqueloba*, *Globigerina*
 California Margin, B:42
 Site 1014, B:136
 Site 1021, B:116
- quinqueramus*, *Discoaster*, California Margin, B:15, 27, 29
- quinqueramus/berggrenii*, *Discoaster*
 California Margin, B:28–29, 31, 364
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
- radiata*, *Pinus*, California Margin, B:217–226, 239–244
- redondoensis*, *Thecocrys*, Site 1021, A:442
- reinholdii*, *Nitzschia*
 California Margin, B:100–101, 103
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96
 Site 1019, A:362; B:97
 Site 1020, A:398; B:97
 Site 1022, B:98
- Reticulofenestra asanoi*, California Margin, B:8, 11, 29
- Reticulofenestra haqii*, California Margin, B:31
- Reticulofenestra minuta*, California Margin, B:31
- Reticulofenestra minutula*, California Margin, B:31
- Reticulofenestra pseudoumbilicus*
 California Margin, B:21, 23, 28–29, 31, 364
 Site 1010, A:57
 Site 1011, A:101
 Site 1012, A:139
 Site 1014, A:185
 Site 1016, A:248
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:470; B:112
- Reticulofenestra* spp.
 California Margin, B:31
 Site 1010, A:57
 Site 1013, A:163
 Site 1014, A:185
 Site 1016, A:248
 Site 1018, A:323
 Site 1020, A:398
 Site 1021, A:439
 Site 1022, A:470
- Rhizosolenia barbii*
 Site 1014, A:185
 Site 1016, A:251
 Site 1018, A:323
- Rhizosolenia matuyamai*
 California Margin, B:103
 Site 1016, A:251; B:95
 Site 1018, A:323; B:96, 120
- Rhizosolenia praebegronii*, California Margin, B:103
- Rhus*, California Margin, B:240–244
- Rouxia californica*
 California Margin, B:100, 104, 364
 Site 1011, B:93
 Site 1021, B:98
- Rouxia californica* Zone
 Site 1011, B:93
 Site 1021, B:98
- ruber*, *Globigerinoides*, California Margin, B:42
- rugosus*, *Ceratolithus*
 California Margin, B:18, 29, 31
 Site 1012, A:139
- rugosus*, *Triquetrorhabdulus*, California Margin, B:21, 29
- Rutherfordoides* spp., Site 1015, A:228
- sacculifer*, *Globigerinoides*, Site 1011, A:95
- schraderi*, *Thalassionema*
 California Margin, B:99–100, 104, 364
 Site 1010, B:66
 Site 1011, B:93–94
 Site 1021, B:98
- scitula*, *Glororotalia*, California Margin, B:42
- Selaginella selaginoides*, California Margin, B:240–244
- selaginoides*, *Selaginella*, California Margin, B:240–244
- sellii*, *Helicosphaera*
 California Margin, B:11, 23, 29
 Site 1012, A:139
- Site 1013*, A:162
Site 1014, A:185
Site 1016, A:248
Site 1017, A:293
Site 1018, A:323
Site 1020, A:398
Site 1021, A:439
Site 1022, A:470
- seminae*, *Neodenticula*
 California Margin, B:103, 120, 123–124, 364
 Site 1014, B:95
 Site 1018, A:323; B:96, 120
 Site 1019, B:97
 Site 1020, B:97, 120
 Site 1022, A:470; B:98
- seminulina*, *Sphaeroidinellopsis*
 Site 1010, A:62
 Site 1011, A:95
- semivirens*, *Sequoia*, California Margin, B:217–226, 239–244
- senticosta*, *Uvigerina*, Site 1018, A:322
- Sequoia*, California Margin, B:166–167, 181, 360–362
- Sequoia sempervirens*, California Margin, B:217–226, 239–244
- setosa*, *Amphimelissa*, Site 1018, A:325
- Simonsenella curvirostris* Zone
 Site 1016, A:249, 251
 Site 1018, A:323
 Site 1019, A:362
 Site 1020, A:398
- Simonsenella (Rhizosolenia) curvirostris*
 Site 1016, A:249, 251
 Site 1017, A:293
 Site 1018, A:323
 Site 1019, A:364
 Site 1020, A:398
- simonensis*, *Denticulopsis*
 California Margin, B:99–100, 104, 364
 Site 1010, B:66–67
 Site 1011, B:93–94
 Site 1021, B:98
- sitchensis*, *Picea*, California Margin, B:217–226, 239–244
- small *Gephyrocapsa* Zone, California Margin, B:39
- smithi*, *Epistominella*
 Site 1017, A:293
 Site 1019, A:360
- soldani*, *Gyroidina*, Site 1020, A:398
- Sphaeroidinellopsis seminulina*
 Site 1010, A:62
 Site 1011, A:95
- Sphaeropyle langii* Zone, Site 1011, A:101–102
- Sphenolithus heteromorphus*
 California Margin, B:29, 31, 364
 Site 1010, A:59
- Sphenolithus* spp., California Margin, B:15, 21, 29
- spicata*, *Bulimina*, Site 1017, A:293
- spissa*, *Bolivina*
 Site 1015, A:228
 Site 1019, A:360
- splendens*, *Dictyophimus*
 Site 1010, A:59
 Site 1016, A:256
- Stephanodiscus* spp., Site 1020, B:120, 123–124
- Stephanopyxis dimorpha*
 California Margin, B:101, 364
 Site 1020, B:97
- Stephanopyxis* spp.
 California Margin, B:101, 104, 120
 Site 1016, B:111
 Site 1018, B:96
 Site 1019, B:97

- Site 1020, B:97
Site 1022, B:98
- Stephanopyxis turris*
California Margin, B:101, 120, 123–125
Site 1018, A:323
Site 1020, A:398; B:97
- Stichocorys armata*, Site 1021, A:442
- Stichocorys delmontensis*, Site 1010, A:59–60
- Stichocorys delmontensis* Zone, Site 1011, A:101
- Stichocorys peregerina*
Site 1010, A:59–60
Site 1011, A:102
Site 1021, A:442
- Stichocorys peregerina* Zone
Site 1010, A:59–60
Site 1011, A:101
- Stilostomella* spp.
Site 1018, A:322
Site 1020, A:398
- striata mexicana*, *Bulimina*
Site 1018, A:322
Site 1019, A:360
- Stylacontarium acquilonium*, Site 1019, A:364
- Stylatractus universus*
Site 1011, A:102
Site 1018, A:323
Site 1019, A:364
- Stylatractus universus* Zone
Site 1011, A:101
Site 1018, A:323
- Stylocrochus glacialis*, Site 1018, A:325
- surculus*, *Discoaster*
California Margin, B:16–17, 23, 27, 29, 31
Site 1011, A:101
Site 1012, A:139
Site 1013, A:163
Site 1014, A:185
Site 1016, A:248
Site 1018, A:323
Site 1020, A:398
Site 1021, A:439
Site 1022, A:470
- tamalis*, *Discoaster*
California Margin, B:16–17, 29, 364
Site 1011, A:101
Site 1012, A:139
Site 1013, A:163
Site 1014, A:185
Site 1016, A:248
Site 1018, A:323
Site 1020, A:398
Site 1021, A:439
Site 1022, A:470
- telesmus*, *Ceratolithus*, California Margin, B:31
- tenera*, *Oridorsalis*, Site 1017, A:293
- tenuata*, *Buliminella*
Site 1017, A:293
Site 1019, A:360–361
- Thalassionema longissima*, California Margin, B:101
- Thalassionema nitzschiooides*
California Margin, B:101, 120, 123–125
Site 1010, A:59; B:67
Site 1011, B:94
Site 1016, B:95
Site 1022, B:111
- Thalassionema nitzschiooides* var. *parva*, California Margin, B:123–124
- Thalassionema schraderi*
California Margin, B:99–100, 104, 364
Site 1010, B:66
Site 1011, B:93–94
Site 1021, B:98
- Thalassionema schraderi* Zone
Site 1010, B:66
Site 1011, A:101; B:94
Site 1021, A:440; B:98
- Thalassionema* spp., Site 1016, B:111
- Thalassiosira cf. leptopus*, Site 1014, A:185; B:95
- Thalassiosira convexa*
California Margin, B:103, 364
Site 1016, A:251; B:95
Site 1018, A:323; B:96
Site 1020, A:398; B:97
Site 1021, B:98
Site 1022, B:98, 111
- Thalassiosira eccentrica*, Site 1022, B:111
- Thalassiosira jacksonii*, Site 1022, B:111
- Thalassiosira leptopus*, Site 1022, B:111
- Thalassiosira miocenica*, California Margin, B:103
- Thalassiosira oestrupii*
California Margin, B:100, 103–104, 120, 364
Site 1021, A:440; B:98
Site 1022, B:98
- Thalassiosira oestrupii* Zone
California Margin, B:103
Site 1016, A:251; B:95
- Thalassiosira pacifica*, Site 1022, B:111
- Thalassiosira yabei* Zone
Site 1010, A:59; B:66
Site 1021, B:98
- Thalassiothrix longissima*
Site 1010, A:59; B:67
Site 1011, B:94
Site 1016, B:95
Site 1021, A:440; B:98
Site 1022, B:98
- Thalassiothrix* spp.
California Margin, B:101
Site 1016, A:251; B:111
Site 1018, A:323; B:96
Site 1020, B:97
Site 1021, A:440
Site 1022, A:469
- Thecocrys redondoensis*, Site 1021, A:442
- thornburgi*, *Lithopera*, Site 1010, A:60
- Thuja plicata*, California Margin, B:217–226, 239–244
- Tilia*, California Margin, B:240–244
- Torreya*, California Margin, B:218–226, 239–244
- tosaensis*, *Globorotalia*
Site 1010, A:62
Site 1011, A:95
- tricorniculatus*, *Amaurolithus*, California Margin, B:18, 21
- Triquetrorhabdulus rugosus*, California Margin, B:21, 29
- triradiatus*, *Discoaster*, California Margin, B:16, 23
- truncatulinoides*, *Globorotalia*
California Margin, B:47, 58
Site 1010, A:61
Site 1011, A:95
Site 1012, A:138
- Tsuga heterophylla*, California Margin, B:217–226, 239–244
- Tsuga mertensiana*, California Margin, B:217–226, 239–244
- tumida*, *Globorotalia*, Site 1011, A:95
- turris*, *Stephanopyxis*
California Margin, B:101, 120, 123–125
Site 1018, A:323
Site 1020, A:398; B:97
- Umbellosphaera irregularis*, Site 1017, B:304
- umbilicata*, *Globigerina*, Site 1021, B:115
- umbonatus*, *Eponides*, Site 1017, A:293
- umbonatus*, *Oridorsalis*
Site 1019, A:360
Site 1020, A:398
- universa*, *Orbulina*
California Margin, B:42
Site 1021, B:115
- universus*, *Stylatractus*
Site 1011, A:102
Site 1018, A:323
Site 1019, A:364
- Uvigerina hispida*, Site 1018, A:322
- Uvigerina juncea*, Site 1020, A:398
- Uvigerina peregerina*
California Margin, B:357
Site 1016, A:248
- Uvigerina peregerina curticosta*
Site 1017, B:250
Site 1019, A:360
- Uvigerina peregerina disrupta*, Site 1018, A:322
- Uvigerina proboscidea*
Site 1018, A:322
Site 1020, A:398
- Uvigerina senticosta*, Site 1018, A:322
- Uvigerina* spp.
California Margin, B:141–144, 164
Site 1011, A:101
Site 1012, A:139
Site 1013, A:162
Site 1014, A:184; B:129–139
Site 1015, A:228
Site 1017, A:293
Site 1018, A:321
- Valvularineria* spp., Site 1017, A:293
- variabilis*, *Discoaster*, California Margin, B:31
- woodi*, *Globigerina*
Site 1010, A:62
Site 1012, A:139
- wuellerstorfi*, *Cibicidoides*
California Margin, B:141–144, 164
Site 1018, A:322
Site 1020, A:398; B:145–150
- zones (with letter prefixes)
- CM1, California Margin, B:43, 45, 48–50, 52, 54–59
 - CM2, California Margin, B:43, 45, 48–50, 52, 54–59
 - CM3, California Margin, B:43, 45–46, 48–50, 52, 54–59
 - CM4, California Margin, B:43, 45–46, 49–50, 52, 54–59
 - CM5, California Margin, B:43, 46, 49–51, 53–59
 - CM6, California Margin, B:43–44, 46–47, 49–51, 53–59
 - CM7, California Margin, B:45, 47, 51, 53–59
 - CM8, California Margin, B:54, 58–59
 - CN4, A:57, 59; B:29
 - CN5, A:439; B:29
 - CN5a, Site 1010, A:57
 - CN5b, Site 1010, A:57
 - CN6, A:439; B:23, 27–29, 39
 - CN7, A:57, 439; B:27–29, 39
 - CN7–CN5b, Site 1021, A:439
 - CN7/CN8 boundary, California Margin, B:28
 - CN7b, California Margin, B:28
 - CN8, A:57, 101, 439; B:27–28
 - CN8a, California Margin, B:29, 39
 - CN8b, California Margin, B:27, 39
 - CN9, A:57, 139, 185, 248–249; B:27
 - CN9–CN11, Site 1022, A:470

CN9a, A:57, 101, 439; B:29, 31, 39
 CN9a–CN8, Site 1011, A:101
 CN9b, A:101; B:28–29
 CN9bA, California Margin, B:29, 39–40
 CN9bB, California Margin, B:28
 CN10, A:101; B:23, 27
 CN10a, A:139, 185, 248
 CN10a–CN9, A:101, 139, 185, 248, 439
 CN10b, A:248; B:21
 CN10c, Site 1012, A:139
 CN10c/CN10b boundary, A:101, 139, 185
 CN11, A:398, 439
 CN11–CN9, Site 1022, A:470
 CN11/CN10b boundary, Site 1016, A:248
 CN11a, California Margin, B:23
 CN12, A:398, 439
 CN12a, A:57, 101, 139, 162, 185, 248, 398,
 439, 469–470
 CN12b, A:163, 185; B:23
 CN12c, California Margin, B:23
 CN12d, A:322; B:23
 CN13, A:57, 398, 439, 469
 CN13a, A:139, 162, 398; B:39

CN13b, A:162, 293
 CN13bA, California Margin, B:14, 39
 CN13bB, California Margin, B:14, 39
 CN13bC, California Margin, B:14, 39
 CN14, A:162, 398, 439
 CN14a, A:439, 469; B:14, 39
 CN14a–CN13b, Site 1019, A:361
 CN14b, Site 1019, A:361
 CN15, A:101, 139, 162, 185, 227, 229, 248,
 293, 322–323, 361, 398, 439, 469
 CN15–CN14a, A:139, 248
 CN15–CN14b, A:398, 439, 470
 N19, Site 1010, A:62
 N20, A:139, 184
 N21, A:62, 95, 139, 183–184
 N22, A:138, 183
 N22/N23 boundary, A:61, 95
 NPD 4, Site 1010, B:67
 NPD 4B, Site 1010, A:59; B:66
 NPD 4Bb, California Margin, B:100
 NPD 4C, Site 1010, A:59
 NPD 5A, Site 1010, A:59
 NPD 5A/NPD 5B boundary, California

Margin, B:100
 NPD 5B, A:59, 440; B:66–67, 98, 100
 NPD 5C, A:59; B:66, 98, 101
 NPD 5D, A:59, 101, 440; B:66, 98
 NPD 6A, A:101; B:66, 94, 100
 NPD 6A/NPD 5D boundary, Site 1010, B:66
 NPD 6B, A:101, 440; B:66, 94, 103
 NPD 6B/NPD 6A boundary, Site 1021, B:98
 NPD 7, A:251, 440; B:95, 98, 100, 103
 NPD 7A, B:93, 98, 101
 NPD 7B, B:98, 103–104
 NPD 7C, Site 1022, A:470
 NPD 8, A:251, 323, 440, 470; B:95–98, 103
 NPD 9, A:251, 323, 398, 440, 470; B:95, 98,
 103, 105
 NPD 9/NPD 8 boundary, B:96, 103–104
 NPD 10, A:249, 251, 323, 398; B:95–97, 103
 NPD 11, A:249, 323, 362; B:94–97, 104
 NPD 11/NPD 10 boundary, A:251, 323, 398;
 B:94–97
 NPD 12, A:249, 323, 362; B:94–97
 NPD 12/NPD 11 boundary, A:249, 323,
 362–363, 398; B:96–97