

## INDEX TO VOLUME 168

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 168 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, or thin-section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 1023, for example, is given as “Site 1023, A:49–100.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station TX 77845-9547, USA, e-mail: [pub\\_production@odpemail.tamu.edu](mailto:pub_production@odpemail.tamu.edu).

## VOLUME 168 SUBJECT INDEX

- accretionary prisms, hydrothermal circulation, A:7–10
- Acrodisk filter, transmission electron microscope data, B:172
- advection, geochemistry, B:101–102
- age vs. depth
- Sites 1023–1025, A:78
  - Sites 1026–1027, A:141
  - Sites 1028–1032, A:176
- age profiles
- calcareous nannofossils, A:77–78
  - Sites 1023–1025, A:77–79
  - Sites 1026–1027, A:133–134
  - Sites 1028–1032, A:175
- alkali metals, pore water, A:83
- alkaline earths, pore water, A:83
- alkalinity
- diagenesis, A:80
  - fluid flow, A:84
  - pore water, A:176–177
  - vs. depth, A:83, 144, 180; B:98–102
  - vs. sulfate, A:84
- alpha-quartz, alteration, A:73
- alteration
- basalts, A:70
  - basement, A:70–77, 103, 124, 126–133, 173–175
  - intensity, A:128; B:121, 133–134
  - mineralogy, A:75–77, 123–133
  - petrography, B:169
  - photomicrograph, A:121
  - pillow basalts, B:119–157
  - secondary clays, B:149–157
  - secondary minerals, A:173–175
  - sediments, A:112–113, 169; B:4
  - style, B:126, 128–131
  - thermal transport, A:11
  - transects, A:17, 19
  - See also* rims; secondary minerals
- alteration, massive
- chemical variations across layers, B:130
  - diffusion, B:131
  - hypocrystalline and holocrystalline pillows interiors, B:128–131
  - volcanic glass, B:129
- alteration, reducing, fractures, B:131–133
- alteration halos
- composition, A:73–74, 77
  - petrology, A:129, 174
  - photograph, A:73
  - photomicrograph, A:74–75, 135
  - secondary minerals, B:132
  - See also* oxidation halos
- aluminum
- microorganisms, B:170–171
  - vs. iron/(iron + magnesium) ratio, B:154
- aluminum, tetrahedral, vs. interlayer potassium, B:154
- aluminum oxide
- alteration, A:124
  - altered glass, B:128
  - diabase, A:123
  - vs. copper oxide, B:171
  - vs. magnesium number, A:71, 125, 139
- amino acids, fluid flow, B:4–5
- ammonia
- bacteria, B:164
  - diagenesis, A:80
  - fluid flow, A:84
- organic matter, A:83
  - pore water, A:176
  - vs. depth, A:83, 144, 180; B:164
  - vs. sulfate, A:84
- amphibole, turbidites, A:57–59, 111–112
- amplitude logs
- vs. depth, A:201
  - See also* synthetic seismograms
- amygdules, carbonate, photomicrograph, A:134
- anisotropy, compressional wave velocity, A:156
- aphanitic. *See* textures
- aragonite
- alteration, A:74; B:123, 126
  - electron microprobe data, B:141–142
  - geothermometry, B:145
  - laser-ablation and ICP-MS data, B:145
  - massive alteration, B:129
  - petrography, B:119–148
  - photomicrograph, A:138; B:147–148
  - reduction, B:133
  - See also* calcite; carbonate compensation depth; carbonate content; carbonates
- aragonite, fibrous, textures, B:139
- aragonite dissolution, vs. depth, B:98–102
- Archaea, microorganisms, B:172
- Astoria Canyon
- dispersal regional patterns, B:61–62
  - sedimentation rates, B:52
- Astoria Fan, dispersal regional patterns, B:61–62
- bacteria
- fluid flow, B:4–5
  - reduction, A:135–137
  - sediments, B:161–165
  - vs. depth, B:163–164
  - See also* microorganisms
- barium, vs. depth, B:107–109, 111, 113, 115
- Barkley–Nitinat Canyon network, sedimentation rates, B:52
- basalts
- alteration, A:70
  - basement, A:169–175
  - drilling, A:14, 19
  - geochemistry, A:70, 123–124, 126
  - lithologic units, A:113–114
  - microorganisms, B:167–174
  - modal mineral abundances in thin sections, A:66, 119, 172
  - petrography, A:127
  - petrology, A:114–123, 171
  - photograph, A:73
  - physical properties, A:15, 94, 141, 152
  - secondary clays, B:149–157
  - secondary minerals, A:72, 128
  - See also* ferrobasalts; pillow basalts; rubble
- basalts, altered, photograph, A:117
- basalts, aphyric
- chilled margins, A:120, 122
  - photomicrograph, A:120, 122
- basalts, aphyric massive, lithologic units, A:113–114
- basalts, microcrystalline, photomicrograph, A:136
- basalts, phytic, photomicrograph, A:121
- basement
- alteration, A:70–77, 103, 124, 126–133, 162, 173–175
  - basalts, A:113–114
  - convection, B:4
  - fluid flow, A:137–138
- heat flow, A:30–31
  - lithologic units, A:169–175
  - lithology, A:59–77, 113–133, 169–175
  - relief, A:9–10, 50–52
  - sealing, B:71
  - seismic profiles, B:14–15, 17–19
  - water/rock reactions, A:84–85
- basement ridges, heat flow, A:52
- bathymetry
- hemipelagic mud, B:51
  - hydrothermal circulation, A:9
  - Rough Basement Transect, A:103
  - water circulation, A:50–52
- biochronology, calcareous nannofossils, B:39–49
- biogenic component, lithologic units, A:57
- biostratigraphy
- calcareous nannofossils, A:77–78, 133–134, 175; B:39–49
  - Sites 1023–1025, A:77–78
- biotite, turbidites, A:57–59
- bioturbation, lithologic units, A:57, 109–111, 167–169
- blebs, pyrite, sketches, A:131
- borehole positions, seismic profiles, A:105, 165
- boron, vs. depth, B:107–110, 112, 114
- botryoidal. *See* habit
- Bouma sequences, lithologic units, A:57
- breccia
- microorganisms, B:167–174
  - petrology, A:114–115
- breccia, basalt, photograph, A:117
- breccia, basalt-hyaloclastite
- lithologic units, A:113–114, 119, 131–132
  - photograph, A:117
  - photomicrograph, A:121, 138
- breccia, hyaloclastite, glassy rims, B:126, 128
- breccia, volcanic, fluid flow, B:4–5
- British Columbia, sediment provenance, B:56
- Brunhes/Matuyama boundary, magnetostratigraphy, A:175
- Brunhes Chron, magnetostratigraphy, A:78
- Bullard plot, heat flow, A:99, 157
- Buried Basement Transect
- basement, A:11–12
  - drilling, A:17–18
  - geochemistry, B:100–102
  - site description, A:161–212
  - stratigraphy, B:53
- calcite
- alteration, B:123, 126
  - diagenesis, A:80, 85
  - electron microprobe data, B:140, 142
  - laser-ablation and ICP-MS data, B:145
  - massive alteration, B:129
  - petrography, B:119–148
  - photomicrograph, A:137; B:147–148
  - sketches, A:131
  - vs. depth, A:61, 112, 170
  - See also* aragonite; calcium carbonate; carbonate compensation depth; carbonate content; carbonates; veins
- calcite, anhedral, glassy rims, B:126
- calcite, blocky, textures, B:139
- calcite, fibrous, photomicrograph, A:136
- calcite, sparry radial, photomicrograph, A:134
- calcite dissolution
- vs. depth, B:98–102
  - vs. temperature, B:97

- calcium  
 equivalent fraction, B:87–94  
 fluid flow, A:137–138  
 pore water, A:11, 83  
 reduction, B:133  
 vs. depth, A:83, 144, 181  
 water/rock reactions, A:84–85  
*See also* magnesium/calcium ratio;  
 strontium/calcium ratio
- calcium, observed depletion, vs. predicted calcium  
 depletion, A:84
- calcium/cobalt ratio, carbonates, B:141
- calcium/copper ratio, carbonates, B:141
- calcium/iron ratio, carbonates, B:141
- calcium/strontium ratio, carbonates, B:141
- calcium/zinc ratio, carbonates, B:141
- calcium carbonate  
 alteration, A:73, 173  
 diagenesis, A:80  
 secondary minerals, A:126  
 stability, B:95–103  
*See also* calcite; carbonate content; carbonates
- calcium oxide  
 altered glass, B:128  
 diabase, A:123  
 vs. magnesium number, A:71, 125, 139
- caliper logs, vs. depth, A:203–205
- carbon, organic  
 bacteria, B:164  
 sediments, A:85, 139, 177  
 vs. nitrogen, A:84
- carbon, total organic  
 vs. carbon/nitrogen ratio, A:147  
 vs. depth, A:86, 146, 185; B:164  
 vs. total nitrogen, A:86, 147, 185
- carbon/nitrogen ratio  
 organic matter, A:83, 86, 140, 177  
 vs. total organic carbon, A:147
- carbon dioxide  
 alteration, A:123  
 vs. magnesium number, A:71, 125
- carbonate compensation depth  
 nannofossils, B:47–48  
 temperature, B:97  
*See also* aragonite dissolution; calcite  
 dissolution; dissolution
- carbonate content  
 nannofossils, B:45–46  
 turbidites, A:57, 111, 169  
 vs. depth, A:59, 111; B:46  
*See also* aragonite; calcite
- carbonates  
 chemical composition, B:128, 139  
 composition variations in three generations  
 across a vein, B:131  
 diffusion, B:131  
 photograph, A:118  
 photomicrograph, A:134–135; B:136,  
 147–148  
 textures, B:139  
*See also* aragonite; calcite; magnesium  
 carbonate; manganese carbonate; veins
- Cascade Range, sediment provenance, B:58
- Cascadia accretionary prism, hydrothermal  
 circulation, A:7–10
- Cascadia Basin  
 hydrothermal circulation, A:7–10, 50  
 sediment provenance, B:58
- Cascadia Basin NW  
 sediments, B:67–84  
 turbidites, B:51–65
- Cascadia Channel, sedimentation rates, B:52
- Cascadia subduction zone, hydrothermal  
 circulation, A:7–10
- cation exchange, terrigenous component, B:87–94
- cations, vs. iron, B:128
- cavity linings, alteration, A:124
- celadonite  
 alteration, A:70, 72, 75, 77, 123–133; B:122,  
 127, 134  
 basalts, A:65  
 electron microprobe data, B:154–155  
 greenish to light gray zone, B:130–131  
 greenish red to green zone, B:130–131  
 massive alteration, B:129  
 photomicrograph, A:75, 132, 135; B:136  
 pillow basalts, A:172–174  
 reddish brown zone, B:130  
 reduction, B:131–133  
 secondary clays, B:150–151  
 sketches, A:131  
 X-ray diffraction data, B:123
- cerium  
 calcite, B:126  
 carbonates, B:139, 141
- chalcopyrite  
 alteration, B:126  
 diabase, A:120  
 photomicrograph, A:68
- channel-levee complexes, deposition, B:52
- chilled margins, aphyric basalts, A:120, 122
- chlorine  
 vs. copper oxide, B:171  
 vs. depth, A:83, 145, 182  
*See also* sodium/chlorine ratio
- chlorinity  
 fluid flow, A:84  
 pore water, A:11, 136–137, 176–177  
 vs. distance from ridge crest, A:16
- chlorite  
 turbidites, A:57–59  
 vs. depth, A:113
- chlorite + kaolinite, relative abundance vs. depth,  
 B:60
- chlorite/smectite minerals, alteration, A:72
- chromium  
 microorganisms, B:171  
 saponite, B:154
- chromium oxide, altered glass, B:128
- clasts, altered glass, photomicrograph, A:138
- clasts, basalt  
 petrology, A:119  
 photograph, A:117  
 photomicrograph, A:121
- clasts, carbonate, photomicrograph, B:136
- clasts, glassy, photograph, A:117
- clasts, glassy rims, B:128
- clasts, mud, lithologic units, A:110
- clay, vs. depth, B:69, 73, 75–76, 78, 80–84
- clay, silty, lithologic units, A:57, 167–169
- clay, yellow, alteration, A:173
- clay mineralogy  
 sand, B:55–56  
 strike-parallel changes, B:62  
 turbidites, A:112
- clay minerals  
 alteration, A:70, 72, 173–175; B:121–122, 124  
 relative abundance, B:59  
 relative abundance vs. depth, B:60  
 secondary minerals, A:126  
*See also* celadonite; chlorite; chlorite/smectite  
 minerals; iddingsite; illite; iron  
 oxyhydroxides–clay minerals  
 mixtures; chlorite + kaolinite; saponite;  
 smectite
- clay percentage, sediments, B:69–71
- clays  
 geochemistry, B:149–157
- iron–potassium–magnesium plot, B:134
- microorganisms, B:170–171
- photograph, A:118, 136
- photomicrograph, A:135
- provenance, B:59–61
- veins, A:74–75  
 vs. feldspar, A:60  
 X-ray diffractograms, A:113  
*See also* veins
- clays, saponitic, photograph, A:117
- clots, glomeroporphyritic  
 basalts, A:65  
 petrology, A:119  
 photomicrograph, A:124  
 phyrlic and aphyric basalts, A:122–123  
 pillow basalts, A:172–173
- Coast Plutonic Complex, sediment provenance,  
 B:56
- cobalt  
 carbonates, B:141  
 saponite, B:154  
*See also* calcium/cobalt ratio
- coccoliths  
 preservation, B:43–44  
*See also* nannofossils
- color bands, lithologic units, A:57, 167–169
- Columbia River  
 dispersal regional patterns, B:61–62  
 sediment provenance, B:58–59
- Columbia River estuary, hydrothermal circulation,  
 A:7–10
- Columbia River valley, sedimentation rates, B:52
- compressional wave velocity  
 anisotropy, A:156  
 sediments, A:87, 140–141, 179  
 vs. depth, A:89, 91, 93, 95–96, 149, 151, 155,  
 187, 189–192
- contorted beds, lithologic units, A:110
- convection  
 basement, B:4  
 heat flow, A:30–31
- convoluted beds, lithologic units, A:57, 167–169
- copper  
 calcite, B:126  
 carbonates, B:139, 141  
 microorganisms, B:170–171  
 saponite, B:154  
*See also* calcium/copper ratio
- copper oxide  
 vs. aluminum oxide, B:171  
 vs. chlorine, B:171  
 vs. magnesium oxide, B:171  
 vs. silica, B:171
- core–log correlation, hemipelagic marine  
 sediments, B:21–35
- cores, hemipelagic marine sediments, B:21–35
- CORK experiments  
 Sites 1023–1025, A:97–98  
 Sites 1026–1027, A:153
- correlation, *Reticulofenestra* spp., B:43
- Costa Rica Rift, alteration, B:140
- cracks, petrography, B:120–121
- cracks, shrinkage, massive alteration, B:129, 134
- cross-laminations, lithologic units, A:57, 168–169
- crust, igneous, water circulation, A:50–52; B:3–5
- crust, oceanic, hydrothermal circulation, A:7–21
- cryptocrystalline. *See* textures
- crystallinity, massive alteration, B:134
- cyclic processes, lithologic units, A:57, 110
- debris-flow deposits  
 lithologic units, A:109–111  
 vs. depth, A:110  
*See also* gravity-flow deposits

- demagnetization, vector end-point diagrams, A:79–80
- demagnetization, alternating-field  
Brunhes/Matuyama boundary, A:80  
Sediments, A:78, 175
- density  
sediments, A:86–87  
vs. depth, B:26–30
- density, bulk  
lithostratigraphic units, A:88, 90, 92, 148, 150, 186, 188  
sediments, B:69–71  
vs. clay content, B:70, 74–75, 77, 79–80, 82–84  
vs. depth, A:190–192, 194  
vs. mean grain size, B:70–71, 74–75, 77, 79–80, 82–84
- density, grain  
lithostratigraphic units, A:88, 90, 92, 148, 150, 186, 188  
vs. depth, A:190–192, 194
- density, GRAPE, vs. depth, A:154
- density, GRAPE bulk  
vs. index properties bulk density, A:95  
vs. magnetic susceptibility, A:95
- density, index properties bulk, vs. GRAPE bulk density, A:95
- density logs, vs. depth, A:198–201
- depletion, geochemistry, B:138–142
- deposition  
hemipelagic mud, B:52  
sediments, A:103
- detrital modes, comparison, B:62
- deuterium, vs. depth, B:107–109, 111, 113, 115
- diabase  
lithologic units, A:113–114, 119–120  
petrology, A:115  
photograph, A:118  
photomicrograph, A:122–136
- diagenesis  
calcareous nannofossils, B:39–49  
geochemistry, B:99–105  
inorganic matter, A:80, 83, 135–137  
organic matter, A:80, 176  
turbidites, A:83–84  
*See also* recrystallization
- diffusion  
alteration, B:131  
methane, A:83
- dissolution  
nannofossils, B:45–48  
pore water, A:84  
*See also* aragonite dissolution; calcite dissolution; nannofossil dissolution stages
- distribution coefficients, carbonate veins, B:146
- DNA  
thermal waters, B:167–174  
*See also* Archaea; microorganisms; nucleic acids
- downhole measurements, A:180–181
- elastic properties, hemipelagic marine sediments, B:21–35
- equivalent fraction, vs. depth, B:93–94  
*Escherichia coli*, microorganisms, B:169–172
- ethane  
correlation with sulfate, A:138–139  
vs. depth, A:146  
*See also* methane/ethane ratio
- euhedral. *See* habit; zeolites
- faults, block, basement, A:51  
faults, normal, lithologic units, A:110–111
- feldspar  
sand, B:54–56  
*See also* phyllosilicates/feldspar ratio; plagioclase; potassium feldspar; quartz/feldspar ratio
- feldspar, total  
vs. depth, A:61, 112, 170  
vs. total phyllosilicates, A:60, 111
- ferrobasalts  
grain size, A:67  
lithologic units, A:59–70  
petrography, B:120–121  
photomicrograph, A:67
- ferrobasalts, aphyric massive, lithologic units, A:61–65
- ferrobasalts, oceanic, classification, A:70
- fluid circulation  
cation exchange, B:87–94  
heat flow, A:30–31
- fluid flow  
basement, A:12–14  
basement reactions, A:137–138  
crust, A:9–10, 50–51  
diagenesis, A:176–177  
heat flow, A:30–31  
temperature, B:47
- fluid flow, long-distance, hydrothermal circulation, B:3–5
- fluid geochemistry, Sites 1023–1025, A:79–85
- fluid inclusions, aragonite, B:139, 145
- fluorine, vs. depth, B:107–110, 112, 114
- formation factor  
sediments, A:94, 141, 179  
vs. depth, A:89, 91, 93, 149, 151, 187, 189–192
- Formation MicroScanner imagery, vs. depth, A:199, 203–204
- formation water, energy dispersive chemical composition, B:171
- fracture fillings, alteration, A:124
- fractures  
massive alteration, B:128–131  
petrography, B:169  
photograph, A:118  
reducing alteration, B:131–133  
*See also* microfractures
- framboids, diagenesis, A:80
- Fraser River delta, sediment provenance, B:59
- gamma rays  
lithostratigraphic units, A:88, 90, 92, 148, 150, 186, 188  
vs. depth, A:154, 190–192  
vs. distance from basement, A:193
- gamma-ray logs, vs. depth, A:198, 203–210
- gas vesicles. *See* vesicles
- geochemical logs, vs. depth, A:211–212
- geochemistry  
basalts, A:70, 123–124, 126  
clays, B:149–157  
igneous rocks, A:59–77  
pore water, A:81–82, 142–144, 183–184  
terrigenous component, B:87–94
- geochemistry, fluid  
Sites 1026–1027, A:134–138  
Sites 1028–1032, A:176–177
- geochemistry, organic  
Sites 1023–1025, A:85–86  
Sites 1026–1027, A:138–140  
Sites 1028–1032, A:177
- geopetal. *See* textures
- geopetal fills, petrology, A:65
- geothermal gradient  
basalts, A:95–96
- basement, A:99, 158, 198  
sediments, A:144
- geothermometry, fluid inclusions, B:142, 145
- glaciation, deposition, B:52
- glass shards, photomicrograph, A:121
- glauconite, electron microprobe data, B:154
- globular. *See* habit
- glomeroporphyritic. *See* clots; textures
- goethite  
alteration, B:122–123  
massive alteration, B:129  
reddish brown zone, B:130
- grain size  
ferrobasalts, A:67  
photograph, A:64  
sediments, B:69–71
- grain size, mean, vs. depth, B:69, 73, 75–76, 78, 80–81, 83–84
- gravity-flow deposits  
lithologic units, A:110  
*See also* debris-flow deposits
- Grays Harbor estuary, hydrothermal circulation, A:7–10
- greenish red–green zone, oxidation halos, B:130–131
- greenish–light gray zone, oxidation halos, B:130–131
- groundmass  
basalts, A:116–119  
lithologic units, A:60–70  
pillow basalts, A:170, 172–173
- habit, botryoidal, binocular microscope photograph, A:76
- habit, euhedral crystals, petrography, B:121
- habit, globular  
binocular microscope photograph, A:76  
photomicrograph, A:75
- hafnium, saponite, B:154
- heat flow  
basalts, A:95–96  
basement, A:11–12, 51–52, 99, 158, 198  
Bullard plot, A:99, 157  
sediments, A:180  
seismic Layer 2a, A:52  
temperature, B:47  
vs. distance from ridge axis, A:11, 33, 99
- heat flow, seafloor, FrankFlux studies, A:23–33
- hematite  
alteration, B:122–123  
massive alteration, B:129  
reddish brown zone, B:130
- hemipelagic. *See* layers; mud
- hiatuses  
nannofossil events, B:43–44  
Quaternary, A:175
- hyaloclastite  
physical properties, A:152  
*See also* breccia
- hydrocarbons  
headspace composition, A:85, 146, 185  
*See also* ethane; methane; propane
- hydrocarbons, volatile, headspace composition, A:85, 137–138, 177
- hydrogen, sediments, A:86, 139–140, 177
- hydrogen, total, vs. depth, A:86, 146, 185
- hydrogen index, vs. oxygen index, A:87, 147
- hydrogen isotopes  
vs. depth, B:107–109, 111, 113, 115  
*See also* deuterium
- hydrogen sulfide, diagenesis, A:80
- hydrothermal chimneys, heat flow, A:30–31
- hydrothermal circulation  
carbonate veins, B:146

- oceanic crust, A:7–21, 50  
 upper igneous crust, B:3–5
- Hydrothermal Transition Transect  
 basement, A:10–11  
 drilling, A:14–17  
 geochemistry, B:99  
 modal point-count data of secondary minerals, A:73  
 secondary minerals, A:72  
 site description, A:49–100  
 stratigraphy, B:52  
 X-ray diffraction data, A:72  
 X-ray fluorescence data, A:71
- hydroxyls, alteration, B:122
- hyperthermophilic. *See* microorganisms
- iddingsite  
 alteration, A:72, 75, 77, 173–175; B:122–123, 134  
 basalts, A:65  
 greenish red to green zone, B:130–131  
 greenish to light gray zone, B:130–131  
 massive alteration, B:129  
 photomicrograph, A:75, 132; B:136  
 reddish brown zone, B:130  
 reduction, B:131–133  
 secondary clays, B:150–151  
 secondary minerals, A:126, 129, 133  
 sketches, A:131
- igneous rocks  
 basement, A:11–12  
 geochemistry, A:59–77  
 lithostratigraphic logs, A:62
- illite  
 relative abundance vs. depth, B:60  
 sand, B:55–56  
 turbidites, A:57–59, 111–112
- illite/smectite mixed minerals, turbidites, A:112
- index properties, sediments, A:140, 178–179
- induration, lithologic units, A:110
- inorganic matter, diagenesis, A:80, 83, 135–137
- intergranular. *See* textures
- intersertal. *See* textures
- intraformational. *See* mud chips
- iron  
 microorganisms, B:171  
 reduction, B:131–133  
 vs. cations, B:128  
 vs. depth, B:107–110, 112, 114  
 vs. magnesium, B:126  
*See also* calcium/iron ratio; magnesium/iron ratio
- iron, total, vs. total magnesium, B:157
- iron–potassium–magnesium plot, clays, B:134
- iron/(iron + magnesium) ratio  
 vs. aluminum, B:154  
 vs. potassium, B:154
- iron carbonate  
 calcite, B:126  
 carbonates, B:139–142
- iron oxide  
 altered glass, B:128  
 carbonates, B:144  
 diabase, A:123  
 reduction, B:131–133  
 vs. magnesium number, A:71, 125, 139  
*See also* goethite; hematite; maghemite; magnetite; titanomaghemite; titanomagnetite
- iron oxide/(iron oxide + magnesium oxide) ratio, vs. potassium oxide, B:133
- iron oxide ratio  
 alteration, B:121–122  
 vs. distance from ridge axis, B:122
- iron oxyhydroxides  
 alteration, B:122–123, 134  
 glassy rims, B:126  
 reddish brown zone, B:130  
 reduction, B:131–133  
 secondary clays, B:150–151
- iron oxyhydroxides–clay minerals mixtures, alteration, B:122–123
- isotopes, pore water, B:105–115
- Juan de Fuca Canyon, sedimentation rates, B:52
- Juan de Fuca Channel  
 dispersal regional patterns, B:62  
 sedimentation rates, B:52
- Juan de Fuca Ridge E  
 alteration, B:119–165  
 bacteria, B:161–165  
 biochronology, B:39–49  
 geochemistry, B:87–103, 105–115  
 microorganisms, B:167–174  
 pillow basalts, B:119–136  
 seismic profiles, B:9–19  
 turbidites, B:51–65
- Juan de Fuca Strait, hydrothermal circulation, A:7–10
- kaolinite. *See* chlorite + kaolinite
- laminations  
 lithologic units, A:57, 109–111, 167–169  
*See also* cross-laminations
- lanthanum  
 calcite, B:126  
 carbonates, B:139, 141
- layers, hemipelagic, fluid flow, B:47
- lead  
 calcite, B:126  
 carbonates, B:139, 141
- lithic fragments, sand, B:54–56
- lithium, vs. depth, B:107–110, 112, 114
- lithologic units  
 basalts, A:113–114  
 basement, A:169–175  
 petrography, A:63  
 Unit I, A:57, 109–110, 167–169  
 Unit II, A:57, 110, 167–169  
 Unit III, A:110–111
- lithology, basement, A:59–77
- lithostratigraphic logs, igneous rocks, A:62
- lithostratigraphy  
 Sites 1023–1025, A:57–59  
 Sites 1026–1027, A:109–113  
 Sites 1028–1032, A:166–169
- loss on ignition  
 alteration, B:121–121  
 vs. distance from ridge axis, B:122
- maghemite, petrology, A:118–119
- magnesium  
 carbonates, B:139, 141  
 equivalent fraction, B:87–94  
 pore water, A:11, 83, 135–136, 176  
 vs. depth, A:83, 144, 181  
 vs. iron, B:126  
*See also* iron–potassium–magnesium plot; iron/(iron + magnesium) ratio
- magnesium, total, vs. total iron, B:157
- magnesium/calcium ratio, vs. depth, B:98–102
- magnesium/iron ratio  
 celadonite, B:151, 154  
 saponite, B:151, 154
- magnesium carbonate  
 calcite, B:126  
 carbonates, B:139–142
- magnesium number  
 alteration, B:120–121  
 saponite, B:154  
 vs. oxides, A:71, 125, 139
- magnesium oxide  
 alteration, A:124  
 altered glass, B:128  
 carbonates, B:139, 144  
 reduction, B:131–133  
 vs. copper oxide, B:171  
 vs. magnesium number, A:71, 125  
*See also* iron oxide/(iron oxide + magnesium oxide) ratio
- magnetic anomalies, hydrothermal circulation, A:8
- magnetic declination, Brunhes/Matuyama boundary, A:80
- magnetic inclination  
 Brunhes/Matuyama boundary, A:80  
 sediments, A:175  
 vs. depth, A:79–80, 177–179
- magnetic period, vs. depth, A:177–179
- magnetic polarity  
 age of transitions vs. distance from ridge axis, A:9  
 magnetostratigraphy, A:78  
 vs. depth, A:177–179
- magnetic reversals, stratigraphic list, A:77
- magnetic susceptibility  
 Brunhes/Matuyama boundary, A:80  
 lithostratigraphic units, A:88, 90, 92, 148, 150, 186, 188  
 sediments, A:86–87  
 vs. depth, A:95, 154, 190–192  
 vs. GRAPE bulk density, A:95
- magnetite  
 chilled margins, A:122  
 petrology, A:118–119  
 photomicrograph, A:68
- magnetostratigraphy  
 cross-section, A:179  
 Sites 1023–1025, A:78–79  
 major elements, secondary clays, B:149–157
- manganese  
 reduction, B:133  
 vs. depth, B:107–110, 112, 114
- manganese carbonate  
 calcite, B:126  
 carbonates, B:139–142
- manganese oxide  
 carbonates, B:144  
 vs. magnesium number, A:71, 125
- marker species, coccoliths, B:43
- Matuyama Chron  
 magnetostratigraphy, A:78  
*See also* Brunhes/Matuyama boundary
- mesostasis  
 alteration, A:73, 125–133  
 chilled margins, A:120, 122  
 lithologic units, A:60–70  
 petrology, A:119  
 photomicrograph, A:68–69  
 reddish brown zone, B:130
- mesostasis, interstitial, photomicrograph, A:125
- methane  
 bacteria, B:164–165  
 correlation with sulfate, A:85, 138–139  
 diffusion, A:83  
 drilling, A:14, 19  
 sulfate, A:177  
 vs. depth, A:85, 146, 185; B:164
- methane/ethane ratio, vs. depth, A:146
- methanogenesis

- diagenesis, A:80  
sulfate, A:85
- mica, vs. depth, A:113
- microbial activity, fluid flow, B:4–5
- microbial floc, scanning electron microscope data, B:170
- microbiology, microorganisms, B:169–172
- microfractures, photomicrograph, A:74
- microglomeroporphyritic. *See* textures
- microlaths, basalts, A:65, 69
- microlites  
alteration, A:73, 116–129  
petrology, A:65, 69
- microorganisms  
laser confocal image, B:173  
thermal waters, B:167–174  
*See also* Archaea; bacteria; DNA; *Escherichia coli*
- microorganisms, anaerobic, vents, B:172
- microorganisms, hyperthermophilic, vents, B:172
- millierite  
alteration, B:126  
secondary minerals, A:128
- mineralogy, pillow basalts, B:119–157
- minor elements, carbonates, B:138–141, 144
- mottling, lithologic units, A:110
- mud, physical properties, A:94, 193
- mud, hemipelagic  
composition and provenance, B:51–65  
lithologic units, A:57, 109–111, 167–169  
nannofossils, B:44–45  
petrography, B:56
- mud chips, intraformational, sand, B:54–56
- mudstone, turbidites, A:111
- multisensor track data  
physical properties, A:86–87  
sediments, A:140, 178
- muscovite, turbidites, A:57–59, 111–112
- nannofossil dissolution stages, vs. depth, B:45–46
- nannofossil events  
depths, B:42  
stratigraphic list, A:77, 140, 175
- nannofossil group abundance, vs. depth, B:45–46
- nannofossil overgrowth stages, vs. depth, B:45–46
- nannofossils  
lithologic units, A:57, 168–169  
relative group abundance, B:44–46  
transects, A:17, 19  
turbidites, A:57, 111  
*See also* coccoliths
- nannofossils, calcareous  
age profiles, A:77–78, 133–134  
biochronology, B:39–49  
biostratigraphy, A:133–134, 175
- neutron porosity logs, vs. depth, A:205–206
- nickel  
calcite, B:126  
carbonates, B:139, 141  
microorganisms, B:171
- nickel oxide, altered glass, B:128
- niobium, saponite, B:154
- Nitinat Fan  
regional dispersal patterns, B:62  
sedimentation rates, B:52  
*See also* Barkley–Nitinat Canyon network
- Nitinat Valley, sedimentation rates, B:52
- nitrogen  
sediments, A:86, 139–140, 177  
vs. depth, A:86  
vs. organic carbon, A:84  
*See also* carbon/nitrogen ratio
- nitrogen, total  
vs. depth, A:146, 185
- vs. total organic carbon, A:86, 147, 185
- nodules, pyrite, A:112–113
- nucleic acids, microorganisms, B:171
- oceanography, hemipelagic mud, B:51
- olivine  
alteration, A:73  
basalts, A:116–119  
chilled margins, A:120, 122  
diabase, A:120  
lithologic units, A:59–70  
petrography, B:120–121  
petrology, A:116–119, 123, 126  
photomicrograph, A:137  
reddish brown zone, B:130
- Olympic Peninsula  
dispersal regional patterns, B:61–62  
sediment provenance, B:56
- opaque oxides, petrology, A:118
- ophitic. *See* textures
- Oregon  
sediment provenance, B:59  
*See also* Washington–Oregon shelf
- organic matter  
carbon/nitrogen ratio, A:177  
diagenesis, A:80, 176  
reduction, A:135–137  
sediments, A:140  
types, A:86
- overconsolidation, basement, B:71
- overgrowth, nannofossils, B:45–47
- oxidation  
alteration, A:77, 132–133; B:119–136  
photomicrograph, A:74
- oxidation halos  
massive alteration, B:129–131  
photomicrograph, B:136
- oxygen index, vs. hydrogen index, A:87, 147
- oxygen isotopes, vs. depth, B:107–109, 111, 113, 115
- packer experiments  
Sites 1023–1025, A:96–97  
Sites 1026–1027, A:146–147, 153
- palagonite, glassy rims, B:126, 134
- permeability  
alteration, A:77  
basement, A:12–14; B:4  
heat flow, A:30–31  
packer experiments, A:146–147, 153
- petrography  
alteration, B:119–136  
basalts, A:127  
calcite, B:119–148  
lithologic units, A:63  
sand, B:54–56  
secondary clays, B:150–151
- petrology  
basalts, A:114–123, 171  
pillow basalts, A:170–173  
Sites 1023–1025, A:59–77
- pH  
pore water, B:47–48  
vs. depth, A:83, 145, 182; B:98–102
- phenocrysts  
basalts, A:116–119  
lithologic units, A:60–70  
petrography, B:120–121  
petrology, A:115  
photomicrograph, A:137  
pillow basalts, A:170, 172–173  
plagioclase, A:119
- phenocrysts, olivine, photomicrograph, A:67
- phenocrysts, plagioclase, photomicrograph, A:67
- phillipsite, alteration, B:126
- phillipsite, fibrous, glassy rims, B:126
- phosphate  
pore water, A:84, 176  
water/rock reactions, A:84–85
- phosphorus, vs. depth, A:83, 144
- phosphorus oxide  
vs. depth, A:180  
vs. magnesium number, A:71, 125, 139
- photoelectric factor logs, vs. depth, A:205–206
- phyllosilicates  
turbidites, A:111–112, 169  
vs. depth, A:61, 112, 170  
*See also* clay minerals; mica; muscovite
- phyllosilicates, total, vs. total feldspar, A:60, 111
- phyllosilicates/feldspar ratio, turbidites, A:57–59
- physical properties  
basalts, A:94  
drilling, A:19–20  
mud and sand, A:94, 193  
sediments, B:67–84  
sediments and basalts, A:152  
Sites 1023–1025, A:86–94  
Sites 1026–1027, A:140–141  
Sites 1028–1032, A:177–179
- pillow basalts  
alteration, B:119–157  
basement, A:169–173  
lithologic units, A:59–70, 113–114, 122  
petrography, B:120–121  
petrology, A:170–173  
photograph, A:116, 130–131, 136  
photomicrograph, A:124  
*See also* basalts; ferrobasalts
- pillow basalts, aphyric  
lithologic units, A:65, 114, 116–117  
petrology, A:172  
photomicrograph, A:69
- pillow basalts, holocrystalline, massive alteration, B:128–131, 134
- pillow basalts, hypocristalline, massive alteration, B:128–131, 134
- pillow basalts, phyrlic  
lithologic units, A:65–69, 117–119  
petrology, A:172–173  
photomicrograph, A:69
- plagioclase  
basalts, A:116–119  
chilled margins, A:120, 122  
petrography, B:120–121  
petrology, A:116–119, 123, 126  
phenocrysts, A:119  
photomicrograph, A:137  
pillow basalts, A:172–174  
turbidites, A:57–59, 111–112, 169
- plagioclase, aphyric, lithologic units, A:59–70
- Pliocene, calcareous nannofossils, B:40–43
- plumose. *See* textures
- pore water  
calcium carbonate, B:95–103  
cation exchange, B:87–94  
drilling, A:14  
geochemistry, A:11, 81–82, 142–144, 183–184; B:47–48, 105–111  
sediments, B:4  
transects, A:18–19  
*See also* formation water
- porosity  
core vs. log, B:29 34  
massive alteration, B:134  
vs. clay content, B:70, 74–75, 77, 79–80, 82–84  
vs. depth, A:89, 91, 93, 96, 149, 151, 187, 189–192; B:26–29, 72

- vs. mean grain size, B:70–71, 74–75, 77, 79–80, 82–84  
 vs. thermal conductivity, A:96, 155, 194  
 vs. velocity, A:155, 194; B:29, 34  
*See also* void ratio
- porosity, pseudo, vs. depth, B:31
- porosity logs  
 vs. depth, A:201  
*See also* neutron porosity logs
- potassium  
 equivalent fraction, B:87–94  
 fluid flow, A:137–138  
 pore water, A:83, 135–136  
 reduction, B:131–133  
 vs. depth, A:83, 144, 155, 181  
 vs. iron/(iron + magnesium) ratio, B:154  
*See also* iron–potassium–magnesium plot
- potassium, interlayer, vs. tetrahedral aluminum, B:154
- potassium feldspar, turbidites, A:57–59, 111–112, 169
- potassium logs, vs. depth, A:207–210
- potassium oxide  
 alteration, A:123–133  
 altered glass, B:128, 134  
 reduction, B:131–133  
 vs. iron oxide/iron oxide + magnesium oxide ratio, B:133  
 vs. magnesium number, A:71, 125
- precipitation, pore water, A:84
- preservation, coccoliths, B:43–44
- pressure  
 CORK experiments, A:97–98, 153  
 packer experiments, A:96–97, 146–147, 153  
 vs. time after gauge turned on, A:100, 159
- propane, correlation with sulfate, A:138–139
- provenance, hemipelagic mud, B:51–65
- pseudomorphs, photomicrograph, A:125
- pyrite  
 alteration, A:73–75, 77, 112–113, 131–132, 173–174; B:126  
 diagenesis, A:80, 85  
 massive alteration, B:129  
 photograph, A:65  
 photomicrograph, A:134  
 secondary minerals, A:126, 128, 131  
 turbidites, A:57–59, 111–112  
 veins, A:74–75  
 vs. depth, A:61, 112, 170
- pyrite, drusy, photomicrograph, A:74
- pyrolysis, Rock-Eval, production index, A:87, 147
- pyroxene  
 lithologic units, A:59–70  
 petrography, B:120–121  
 petrology, A:116–119, 123, 126  
 pillow basalts, A:172–174
- pyrrhotite  
 alteration, A:74, 173–174; B:126  
 secondary minerals, A:128
- quartz  
 alteration, A:73; B:126  
 sand, B:54–56  
 turbidites, A:57–59, 111–112, 169  
 veins, A:74–75  
 vs. depth, A:61, 112, 170  
*See also* alpha-quartz
- quartz, vuggy, binocular microscope photograph, A:77
- quartz/feldspar ratio, turbidites, A:57–59
- Quaternary  
 calcareous nannofossils, A:77–78, 175; B:39–49  
 lithologic units, A:57, 109–111, 167–169
- Queen Charlotte Islands, sediment provenance, B:56
- Queen Charlotte Sound, hydrothermal circulation, A:7–10
- Quinault Canyon  
 dispersal regional patterns, B:61–62  
 sedimentation rates, B:52
- rare earths, saponite, B:154
- recrystallization, nannofossils, B:47–48
- reddish brown zone, oxidation halos, B:130–131
- reduction  
 alteration, B:119–136  
 bacteria, A:135–137  
 diagenesis, A:80
- regression plots, mean grain size, B:69–84
- relative group abundance, nannofossils, B:44–46
- remanent magnetization, natural  
 Brunhes/Matuyama boundary, A:80  
 Sediments, A:78, 175
- resistivity logs, vs. depth, A:198, 203–204
- rims, glassy, alteration, B:126, 128
- Rough Basement Transect  
 basement, A:12–14  
 drilling, A:18–20  
 geochemistry, B:99–100  
 modal point-count data of secondary minerals, A:73  
 site description, A:101–160  
 stratigraphy, B:53
- rubble, basalt, lithologic units, A:110
- rubidium  
 aragonite, B:126  
 carbonates, B:141  
 vs. depth, B:107–110, 112, 114
- salts, photograph, A:131
- sand  
 composition and provenance, B:51–65  
 detrital sand modes, B:55  
 lithologic units, A:57, 167–169  
 petrography, B:54–56  
 physical properties, A:24, 193  
 physical properties vs. thickness, A:94  
 point-count data, B:55  
 vs. depth, B:69, 73, 75–76, 78, 80–81, 83–84
- sand percentage, sediments, B:69–71
- sand thickness  
 measurements, A:193  
 number of measurements, A:153  
 vs. depth, A:110, 168
- saponite  
 alteration, A:70, 72, 74–75, 77, 116–119, 123, 126; B:122, 125  
 electron microprobe data, B:152–154, 157  
 greenish red to green zone, B:130–131  
 greenish to light gray zone, B:130–131  
 magnesium number, B:154  
 massive alteration, B:129  
 photograph, A:65  
 photomicrograph, A:75, 132, 135–136  
 pillow basalts, A:172–174  
 trace elements, B:154  
 vein geochemistry, B:156
- saponite, cryptocrystalline, secondary clays, B:150–151
- saponite, fibrous  
 basalts, A:65  
 photomicrograph, A:76, 132–134  
 secondary clays, B:150–151  
 sketches, A:131
- saponite, iron-rich  
 alteration, B:122, 125, 134  
 diffusion, B:131
- reduction, B:131–133
- saponite, magnesium-rich  
 alteration, B:122, 125, 134  
 reduction, B:131–133
- saponite, trioctahedral, X-ray diffraction data, B:151
- saturation index, calcium carbonate, B:95–97
- seafloor spreading, hydrothermal circulation, A:7–21
- sealing, basement, B:71
- secondary minerals  
 alteration, A:70–77, 125–133, 173–175; B:121–126  
 alteration halos, B:132  
 basalts, A:72, 128  
 modal point-count data, A:72, 129, 172  
 modal proportion in thin sections, A:129  
 photomicrograph, A:74  
 sediments, B:4  
 vs. distance from ridge axis, B:122  
 X-ray diffraction data, A:72, 128
- sedimentary petrology, Sites 1023–1025, A:57–59
- sedimentation rates  
 deposition, B:52  
 nannofossil events, B:43–44
- sediments  
 alteration, A:112–113, 169; B:4  
 bacteria, B:161–165  
 basement, A:9–10  
 calcium carbonate, B:95–103  
 composition and provenance, B:51–65  
 deposition, A:103  
 dispersal regional patterns, B:61–62  
 physical properties, A:86–87, 94, 140–141, 152, 177–178; B:67–84  
 seismic profiles, B:14–15  
 transects, A:17  
 X-ray diffraction data, B:58
- sediments, hemipelagic, terrigenous component, B:87–94
- sediments, hemipelagic marine, core–log seismic integration, B:21–35
- seepage, basement, B:71
- segregation vesicles  
 petrology, A:62, 65  
 photomicrograph, A:62, 134
- seismic Layer 2a, heat flow, A:52
- seismic lines, location, B:9–13
- seismic profiles  
 Hydrocell-95 and Hydrocell-96 seismic surveys, B:9–19  
 Juan de Fuca Ridge E, A:13, 25, 29–30, 33  
 Rough Basement Transect, A:104  
 Sites 1023–1025, A:51  
 Sites 1028–1032, A:163  
 structures, B:14–15
- seismic reflection  
 basement, A:51  
 Sites 1023–1025, A:53  
 two-way traveltime, A:105, 164
- seismic surveys, Hydrocell-95 and Hydrocell-96 seismic surveys, B:9–19
- seismograms. *See* synthetic seismograms
- sheaf-spherulitic. *See* textures
- shear strength, vs. depth, A:89, 91, 93, 149, 151, 187, 189, 191
- silica  
 altered glass, B:128  
 basalts, A:123  
 pore water, A:83–84, 136  
 vs. copper oxide, B:171
- siliciclastics  
 lithologic units, A:57  
 provenance, B:56–59

- silicon  
diffusion, B:131  
microorganisms, B:170–171  
vs. depth, A:83, 145, 182
- sills, diabasic, photograph, A:118
- sills, photomicrograph, A:122
- silt  
lithologic units, A:57, 109–111  
nanofossils, B:44–45  
vs. depth, B:69, 73, 75–76, 78, 80–81, 83–84
- silt, clayey, lithologic units, A:167–169
- silt, sandy  
lithologic units, A:109–111  
petrography, B:54–56
- silt percentage, sediments, B:69–71
- silt thickness, vs. depth, A:110, 168
- Site 1023, A:49–100  
operations, A:52  
site description, A:49–100
- Site 1024, A:49–100  
operations, A:52, 54–57  
site description, A:49–100
- Site 1025, A:49–100  
operations, A:52, 54–56  
site description, A:49–100
- Site 1026  
bacteria, B:162  
microorganisms, B:167–174  
operations, A:103, 106–109
- Site 1027  
bacteria, B:162–164  
operations, A:104, 106–107
- Site 1028, operations, A:162, 164
- Site 1029, operations, A:164–165
- Site 1030, operations, A:165–166
- Site 1031, operations, A:166
- Site 1032, operations, A:166
- site geophysics, A:161–212
- Sites 1023–1025, A:49–100  
age profiles, A:77–79  
basement lithology, A:59–77  
biostratigraphy, A:77–78  
coring, A:55  
CORK experiments, A:97–98  
fluid geochemistry, A:79–85  
lithostratigraphy, A:57–59  
magnetostratigraphy, A:78–79  
organic geochemistry, A:85–86  
packer experiments, A:96–97  
petrology, A:59–77  
physical properties, A:86–94  
sedimentary petrology, A:57–59  
site description, A:49–100  
thermal studies, A:94–96
- Sites 1026–1027, A:101–160  
age profiles, A:133–134  
bacteria, B:161–165  
basement petrology, A:113–133  
coring, A:106  
CORK experiments, A:153  
fluid geochemistry, A:134–138  
lithostratigraphy, A:109–113  
organic geochemistry, A:138–140  
packer experiments, A:146–147, 153  
physical properties, A:140–141  
site description, A:101–160  
thermal studies, A:141–145
- Sites 1028–1032, A:161–212  
age profiles, A:175  
basement lithology, A:169–175  
coring, A:165  
downhole measurements, A:180–181  
fluid geochemistry, A:176–177  
lithostratigraphy, A:166–169
- organic geochemistry, A:177  
physical properties, A:177–179  
site description, A:161–212  
thermal studies, A:179–180
- skewness, graphical, vs. depth, B:69, 73, 75–76, 78, 80–81, 83–84
- smectite  
relative abundance vs. depth, B:60  
sand, B:55–56  
turbidites, A:57–59, 111–112  
vs. depth, A:113  
X-ray diffraction data, B:123  
*See also* chlorite/smectite minerals;  
illite/smectite mixed minerals
- smectite, cryptocrystalline, glassy rims, B:126, 134
- smectite, detrital, ternary diagrams, B:62–63
- smectite, magnesium-rich, glassy rims, B:126
- sodium  
equivalent fraction, B:87–94  
fluid flow, A:137–138  
pore water, A:135–136  
vs. depth, A:83, 144, 181
- sodium/chlorine ratio, vs. depth, A:83, 145, 182
- sodium oxide  
altered glass, B:128  
diabase, A:123  
vs. magnesium number, A:71, 125, 139
- sonic logs, vs. depth, A:198
- sorting coefficient, vs. depth, B:69, 73, 75–76, 78, 80–81, 83–84
- spherulites, petrography, B:120–121
- spinels, secondary minerals, A:128
- stability, calcium carbonate, B:95–103
- Straight of Juan de Fuca, dispersal regional patterns, B:61–62
- stratigraphic list, calcareous nanofossil events, A:77, 140, 175
- stratigraphy, sediments, B:52–54
- strontium  
aragonite, B:126  
carbonates, B:139, 141  
saponite, B:154  
vs. depth, B:98–102, 107–109, 111, 113, 115  
*See also* calcium/strontium ratio
- strontium isotopes, vs. depth, B:107–109, 111, 113, 115
- strontium oxide, carbonates, B:139, 144
- strontium/calcium ratio, vs. depth, B:98–102
- structures, seismic profiles, B:14–15
- subduction zones, hydrothermal circulation, A:7–10
- subvariolites, petrography, B:120–121
- subvariolitic. *See* textures
- sulfate  
bacteria, B:164  
diagenesis, A:80  
fluid flow, A:84, 137–138  
methane, A:85  
pore water, A:18  
vs. alkalinity, A:84  
vs. ammonia, A:84  
vs. depth, A:83, 85, 144, 180; B:164
- sulfides  
alteration, A:73, 173–174; B:126  
petrology, A:119  
photomicrograph, A:74  
secondary minerals, A:126, 128
- sulfur  
sediments, A:86, 139, 177  
vs. magnesium number, A:71, 125
- synthetic seismograms  
sediments, A:181  
vs. depth, A:201; B:33
- See also* amplitude logs
- synthetic seismograms, amplitude, vs. depth, B:26–29
- talc  
alteration, A:73, 173–175; B:126  
binocular microscope photograph, A:76  
diffusion, B:131  
secondary minerals, A:126  
veins, A:74–75
- tectonics  
hydrothermal circulation, A:7–10  
*See also* structures
- temperature  
CORK experiments, A:97–98, 100, 153, 159–160  
fluid flow, B:47  
fluid inclusions, B:142  
heat flow, B:47  
open-hole measurements, A:145  
sediments, A:179–180  
temperature tool, A:200  
vs. calcite dissolution, B:97  
vs. depth, A:157; B:164  
vs. theoretical decay functions, A:98–99, 156, 195–196  
vs. time, A:98–99, 156–157, 195–196
- temperature, basement, vs. distance from ridge, A:11
- temperature, equilibrium, vs. depth, A:99, 157, 196–197
- temperature, extrapolated, basement, A:99, 158, 198
- temperature, extrapolated equilibrium  
basement, A:158  
measurements, A:195  
sediments, A:97
- temperature, relative  
vs. depth, A:27  
vs. time, A:27
- temperature, sediment, transects, A:18
- temperature, sediment/basement contact, vs. distance from ridge crest, A:16
- terrigenous component, geochemistry, B:87–94
- textures  
carbonates, B:139  
lithologic units, A:59–69, 113–123  
photomicrograph, A:67  
sediments, B:67–84  
*See also* groundmass; microlites; spherulites;  
subvariolites; variolites
- textures, aphanitic, pillow basalts, A:172–173
- textures, cryptocrystalline, basalts, A:65
- textures, geopetal, photomicrograph, A:68
- textures, glomeroporphyritic, pillow basalts, A:172–173
- textures, intergranular, photomicrograph, A:67
- textures, intersertal  
photomicrograph, A:67, 69  
pillow basalts, A:172–173
- textures, microglomeroporphyritic, lithologic units, A:116
- textures, ophitic, diabase, A:120
- textures, plumose  
basalts, A:65  
photomicrograph, A:69
- textures, sheaf-spherulitic, photomicrograph, A:69
- textures, subvariolitic  
photograph, A:116  
pillow basalts, A:172–173
- textures, variolitic  
basalts, A:116–119  
petrology, A:65  
photograph, A:116



thermal conductivity  
 lithostratigraphic units, A:88, 90, 92, 148, 150, 186, 188  
 sediments, A:87, 94, 96, 141, 179  
 vs. depth, A:27–28, 96, 157, 190–192, 194  
 vs. porosity, A:96, 155, 194  
 thermal conductivity, calculated, vs. depth, A:99  
 thermal studies  
 Sites 1023–1025, A:94–96  
 Sites 1026–1027, A:141–145  
 Sites 1028–1032, A:179–180  
 thermal transport, alteration, A:11  
 thermal waters, DNA, B:167–174  
 thermodynamics  
 calcium carbonate, B:95–103  
*See also* stability  
 thorium logs, vs. depth, A:207–210  
 titanium oxide  
 alteration, A:124  
 diabase, A:123  
 vs. magnesium number, A:71, 125, 139  
 titanomaghemite, reddish brown zone, B:130  
 titanomagnetite, reddish brown zone, B:130  
 topography, seismic profiles, B:14–15  
 trace elements  
 carbonates, B:138–141  
 pore water, B:105–115  
 saponite, B:154, 157  
 secondary clays, B:149–157  
 transport, hydrothermal circulation, B:3–5  
 transport, sediment, provenance, B:61–62  
 traveltime, two-way  
 vs. age, B:88  
 vs. distance from ridge axis, A:33  
 turbidite matrix vs. hemipelagic mud, relative clay mineral abundance vs. depth, B:61  
 turbidite sand, polycrystalline grain modes, vs. depth, B:57–58  
 turbidite sand, total grain modes, vs. depth, B:57–58  
 turbidite thickness, vs. depth, A:59, 110, 168  
 turbidites  
 composition and provenance, B:51–65  
 diagenesis, A:83–84  
 lithologic units, A:57, 109–111, 167–169  
 nannofossil events, B:43–45  
 water circulation, Hydrothermal Transition Transect, A:50  
 upwelling  
 diagenesis, A:176–177  
 geochemistry, B:103  
 uranium logs, vs. depth, A:207–210  
 Vancouver Island  
 dispersal regional patterns, B:61–62  
 sediment provenance, B:56, 59  
 sedimentation rates, B:52  
 Vancouver Valley  
 dispersal regional patterns, B:62

sedimentation rates, B:52  
 variolites  
 glassy rims, B:126  
 petrography, B:120–121  
*See also* subvariolites  
 variolitic. *See* textures  
 vein dips, histogram, A:76  
 veins  
 alteration, A:74–75, 174; B:122–123  
 binocular microscope photograph, A:76–77  
 carbonates, B:139  
 massive alteration, B:128–129  
 petrology, A:130–131  
 photograph, A:130–131, 136  
 photomicrograph, A:136–137; B:136  
 veins, carbonate, photomicrograph, B:147–148  
 veins, clay–zeolite–calcite, photomicrograph, A:137  
 veins, composite, glassy rims, B:126  
 veins, concentric, massive alteration, B:129  
 veins, fibrous calcite–clay, photomicrograph, A:136  
 veins, irregular, massive alteration, B:129  
 veins, radial, massive alteration, B:129  
 veins, simple, glassy rims, B:126  
 velocity  
 core vs. log, B:29, 34  
 vs. depth, B:26–29  
 vs. distance from ridge, A:11  
 vs. porosity, A:155, 194; B:29, 34  
 velocity, pseudo, vs. depth, B:32  
 velocity logs, vs. depth, A:201, 203–204  
 vent waters, microorganisms, B:169–172  
 vesicle fillings  
 alteration, A:74, 174  
 petrology, A:129–130  
 photomicrograph, B:136  
 vesicles  
 lithologic units, A:60–70  
 photomicrograph, A:68, 74–76, 132–135  
 reddish brown zone, B:130  
 sketches, A:131  
*See also* segregation vesicles  
 vesicles, gas  
 petrology, A:65  
 pillow basalts, A:172–174  
 vesicularity  
 massive alteration, B:134  
 photograph, A:64  
 void fillings, miarolitic, reddish brown zone, B:130  
 void ratio  
 vs. clay content, B:70, 74–75, 77, 79–80, 82–84  
 vs. mean grain size, B:70–71, 74–75, 77, 79–80, 82–84  
*See also* porosity  
 volcanic glass  
 alteration, A:174  
 petrography, B:120–121, 169

photomicrograph, A:74, 137  
*See also* glass shards  
 volcanic glass, altered  
 chemical composition across layers, B:130, 134  
 chemical variations, B:128  
 volcanic glass, isotropic, glassy rims, B:128  
 volcanism, basement, A:12–14, 51  
 vugs, photograph, A:65  
 Washington–Oregon shelf, sediment provenance, B:59  
 water. *See also* vent waters  
 water content  
 altered glass, B:128  
 basalts, A:123  
 vs. clay content, B:70, 74–75, 77, 79–80, 82–84  
 vs. magnesium number, A:71, 125  
 vs. mean grain size, B:70–71, 74–75, 77, 79–80, 82–84  
*See also* formation water  
 water/rock reactions, basement, A:84–85  
 well-logging  
 hemipelagic marine sediments, B:21–35  
 shore-based processing, A:202  
 Sites 1028–1032, A:180–181  
*See also* core–log correlation; density logs; downhole measurements; Formation MicroScanner imagery; gamma-ray logs; geochemical logs; neutron porosity logs; photoelectric factor logs; porosity logs; potassium logs; resistivity logs; thorium logs; uranium logs; velocity logs  
 Willapa Canyon  
 dispersal regional patterns, B:61–62  
 sedimentation rates, B:52  
 X-ray diffractograms, sediments, A:60  
 yttrium, saponite, B:154  
 zeolites  
 alteration, A:73, 174; B:126, 134  
 petrology, A:65  
 photomicrograph, A:137  
 pillow basalts, B:123  
 secondary minerals, A:126, 132  
*See also* phillipsite; veins  
 zeolites, euhedral, photomicrograph, A:76  
 zinc  
 calcite, B:126  
 carbonates, B:139, 141  
 saponite, B:154  
*See also* calcium/zinc ratio  
 zirconium, saponite, B:154  
*Zoophycos*, lithologic units, A:110–111, 168

## VOLUME 168 TAXONOMIC INDEX

*asanoi*, *Reticulofenestra*  
 Juan de Fuca Ridge E, B:40–42  
 Site 1028, A:175  
 Site 1031, A:17  
 Sites 1026–1027, A:133  
*Calcidiscus macintyre*

Juan de Fuca Ridge E, B:41–42  
 Site 1027, A:18  
 Site 1029, A:17  
 Sites 1026–1027, A:133  
*caribbeanica*, *Gephyrocapsa*  
 Juan de Fuca Ridge E, B:40–43  
 Site 1029, A:175

Site 1030, A:17  
 Sites 1023–1025, A:77  
 Sites 1026–1027, A:133  
*carteri*, *Helicosphaera*, Juan de Fuca Ridge E, B:40–42  
*Coccolithus pelagicus*, Juan de Fuca Ridge E, B:40–42

- coli*, *Escherichia*, Site 1026, B:169–174  
*coronata*, *Emiliana*, Juan de Fuca Ridge E, B:42
- Discoaster* spp., Juan de Fuca Ridge E, B:42, 48
- Emiliana coronata*, Juan de Fuca Ridge E, B:42  
*Emiliana huxleyi*  
 Juan de Fuca Ridge E, B:40–43  
 Site 1026, A:18  
 Site 1029, A:175  
 Sites 1023–1025, A:77  
 Sites 1026–1027, A:133  
*Escherichia coli*, Site 1026, B:169–174
- Gephyrocapsa caribbeanica*  
 Juan de Fuca Ridge E, B:40–43  
 Site 1029, A:175  
 Site 1030, A:17  
 Sites 1023–1025, A:77  
 Sites 1026–1027, A:133
- Gephyrocapsa lumina*  
 Juan de Fuca Ridge E, B:41–42  
 Site 1028, A:17  
 Site 1032, A:175
- Gephyrocapsa muelleriae*  
 Juan de Fuca Ridge E, B:40–42  
 Sites 1023–1025, A:77
- Gephyrocapsa* spp., Sites 1023–1025, A:77
- Helicosphaera carteri*, Juan de Fuca Ridge E,  
 B:40–42  
*Helicosphaera sellii*  
 Juan de Fuca Ridge E, B:40–42  
 Site 1029, A:175  
 Sites 1026–1027, A:133
- huxleyi*, *Emiliana*  
 Juan de Fuca Ridge E, B:40–43  
 Site 1026, A:18  
 Site 1029, A:175  
 Sites 1023–1025, A:77  
 Sites 1026–1027, A:133
- lacunosa*, *Pseudoemiliana*  
 Juan de Fuca Ridge E, B:40–42  
 Site 1027, A:18  
 Site 1032, A:175  
 Sites 1023–1025, A:77
- lumina*, *Gephyrocapsa*  
 Juan de Fuca Ridge E, B:41–42  
 Site 1028, A:17  
 Site 1032, A:175
- macintyreii*, *Calcidiscus*  
 Juan de Fuca Ridge E, B:41–42  
 Site 1027, A:18  
 Site 1029, A:17  
 Sites 1026–1027, A:133
- minuta*, *Reticulofenestra*  
 Juan de Fuca Ridge E, B:42–43  
 Site 1027, A:18  
 Sites 1026–1027, A:133
- minutula*, *Reticulofenestra*  
 Juan de Fuca Ridge E, B:42–43  
 Site 1027, A:18  
 Sites 1026–1027, A:133
- muelleriae*, *Gephyrocapsa*  
 Juan de Fuca Ridge E, B:40–42  
 Sites 1023–1025, A:77
- pelagicus*, *Coccolithus*, Juan de Fuca Ridge E,  
 B:40–42
- productella*, *Reticulofenestra*, Juan de Fuca Ridge  
 E, B:42–43  
*Pseudoemiliana lacunosa*  
 Juan de Fuca Ridge E, B:40–42  
 Site 1027, A:18  
 Site 1032, A:175  
 Sites 1023–1025, A:77  
*pseudoubilicus*, *Reticulofenestra*  
 Site 1027, A:18  
 Sites 1026–1027, A:133–134
- Reticulofenestra asanoi*  
 Juan de Fuca Ridge E, B:40–42  
 Site 1028, A:175  
 Site 1031, A:17  
 Sites 1026–1027, A:133
- Reticulofenestra minuta*  
 Juan de Fuca Ridge E, B:42–43  
 Site 1027, A:18  
 Sites 1026–1027, A:133
- Reticulofenestra minutula*  
 Juan de Fuca Ridge E, B:42–43  
 Site 1027, A:18  
 Sites 1026–1027, A:133
- Reticulofenestra productella*, Juan de Fuca Ridge  
 E, B:42–43  
*Reticulofenestra pseudoubilicus*  
 Site 1027, A:18  
 Sites 1026–1027, A:133–134
- sellii*, *Helicosphaera*  
 Juan de Fuca Ridge E, B:40–42  
 Site 1029, A:175  
 Sites 1026–1027, A:133