

INDEX TO VOLUME 169

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 169 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear-slide data, or thin-section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 1035, for example, is given as "Site 1035, A:35–152."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

SUBJECT INDEX

A

acoustic images, side-scan, Bent Hill, A:39, 158, 161

actinolite

basalts, A:213

photograph, A:100, 218

photomicrograph, A:100

veins, A:216–217

albite, veins, A:216–217

alkali earths, pore water, A:115, 218, 278

alkali metals, pore water, A:116

alkalinity

bacterial cells, B2:5

pore water, A:218, 279

vs. depth, A:115, 176, 220, 280

vs. magnesium, A:172

alkalis, pore water, A:218, 278

alkanes

gas chromatographs, A:284

See also isoprenoid/alkane ratio

alteration

chlorite, A:81

facies, A:265

geology, A:13

lithologic units, A:52

pillow lava, A:93–94

alteration, carbonate, lithologic units, A:209

alteration, chemical, sediments, A:221

alteration facies, hydrothermal alteration, A:267–268

altered rocks, photograph, A:100

aluminum

immobility, A:99, 101

mass balance, A:98

aluminum oxide

basalts, A:95

vs. depth, A:97

vs. loss on ignition, A:98

See also iron oxide-magnesium oxide-aluminum oxide plot

aluminum oxide/titanium oxide ratio, vs. zirconium/titanium oxide ratio, A:102

ammonium

bacterial cells, B2:8

pore water, A:171–175, 218, 277–281

sediments, B10:19

vs. depth, A:115, 176, 220, 276–278, 280; B2:8, 18

vs. magnesium number, A:118, 172, 178

amphibole

basalts, A:213

lithologic units, A:267

photograph, A:100

photomicrograph, A:100

See also clinoamphibole; hornblende, basalts
amygdules, basalts, A:212–214
anatase, Deep Copper Zone, A:77
anhydrite
 alteration zones, A:82–84; B9:5
 disseminated sulfides, A:270
 dissolution, A:117
 hydrothermal alteration, A:84
 hydrothermal circulation, A:7–8
 lithologic units, A:164–168; B10:15
 massive sulfides, A:270
 photograph, A:61, 75, 80–81, 85, 108, 166
 pore water, A:115
 rubble, A:168
 sulfide banded/impregnated sandstone, A:76
 sulfide mineralization, A:71
 veins, A:75–76; B10:9
anhydrite, authigenic, photograph, A:80
anhydrite, coarse, photograph, A:71
anhydrite concretions, photograph, A:57
anhydrite nodules, photograph, A:57
anisotropy
 permeability, B8:4, 24
 vs. depth, A:130
apatite, Deep Copper Zone, A:77
apparent age, thorium/uranium isotopes, B4:1–15
arsenic, hydrothermal alteration, A:39
authigenesis
 alteration zones, A:82; B10:15
 clay mineralogy, B6:7

B

bacterial cells
 vs. depth, B2:4, 6, 14–17
 vs. temperature, B2:6–7, 16–17
 See also microorganisms
bacterial profiles, sediments, B2:1–18
banding
 photomicrograph, A:72
 See also colloform banding
barite
 clastic sulfides, A:59–61
 disseminated sulfides, A:270
 hydrothermal circulation, A:11
 massive sulfides, A:270
 rubble, A:168
barium
 clay mineralogy, B6:9
 pore water, B1:2, 4
 vs. depth, B1:12–13
basalts
 density and porosity, B7:5–6
 electrical impedance, B8:5–8
 geochemistry, A:96, 215–216
 lithologic units, A:44–53
 niobium-zirconium-yttrium plots, A:216
 permeability, B8:3–5
 petrography, A:90–93
 petrology, A:271–272; B10:22
 photograph, A:91–93, 214

 photomicrograph, A:215
 thermal conductivity, B8:8–10
 transition to sediment, A:210–211
 velocity, B7:7–8
 whole-rock geochemistry, A:216
basalts, altered
 enrichment/depletion diagram, A:99
 isocons, A:99
 mass balance, A:99–101
basalts, diabasic, photomicrograph, A:215
basalts, microcrystalline, photograph, A:272
basalts, microgabbroic, photomicrograph, A:215
basalts, olivine-phyric, photomicrograph, A:271
basalts, plagioclase-clinopyroxene-olivine
 petrology, A:271
 photomicrograph, A:271
basalts, plagioclase-clinopyroxene-phyric, petrology,
 A:212–214
basalts, plagioclase-phyric
 petrology, A:272
 photomicrograph, A:271
basalts, porphyritic, mass balance, A:96, 98–99
basalts, pyroxene-phyric, photograph, A:92
base metals, leaching, A:102
basement
 interaction with sediments, A:221
 mass balance, A:99
bathymetry
 Central Hill, A:262
 drill intersections, A:271
 geology, A:13
 Middle Valley, A:38, 157
 Site 1037, A:206
bedding, structural data, A:107–112
Bent Hill
 comparison with Dead Dog, A:160–162
 geochronology, B4:1–15
 hydrothermal circulation, A:9–11; B10:31
 lithologic units, A:46–55
 massive sulfides, B10:7–12
 permeability and electrical and thermal properties,
 B8:1–42
 site description, A:35–152; B10:3–4, 35
 sulfide mineral chemistry and petrography, B5:1–34
 vein networks, B9:1–25
Bent Hill Massive Sulfide, hydrothermal circulation,
 A:10–11, 37–38, 61–67
benz[a]anthracene, gas chromatographs, A:286
benzene
 sediments, A:282
 vs. depth, A:285
 See also ethane/benzene ratio
BHMS. *See* Bent Hill Massive Sulfide
biomass, microbial, sediments, B3:1–19
biostratigraphy
 Site 1035, A:38–39, 57–58
 Site 1036, A:169
 Site 1037, A:211–212
 Site 1038, A:268
 upper Quaternary, A:38–39
biotite, basalts, A:213

bioturbation
 Lithofacies A, A:54–56
 photograph, A:61–62
 sediment transition to basalt, A:210–211
 bitumens
 gas chromatographs, A:120, 179–182, 224, 284, 286
 geochemistry, A:119–120
 sediments, A:178–182, 222–223, 225, 282, 284–287
 black soot
 fluorescence, A:119
 sediments, A:178–179, 222–223, 284
 Blanco Fracture Zone, geology, A:11–13
 blebs
 chalcopyrite, B9:5
 lithologic units, A:208
 photograph, A:74, 77
 boron
 pore water, A:171–175, 218–219, 279
 sediments, B10:19
 vs. depth, A:116, 177, 220, 276–278, 280, 282
 vs. magnesium, A:118, 172, 178
 Bouma sequence, photograph, A:58
 breccia
 clastic sulfides, A:59
 lithologic units, A:52
 massive sulfides, A:66
 photograph, A:58
 breccia, bedding-parallel hydraulic, photograph, A:110
 breccia, hydraulic, structures, A:169
 breccia, mud-clast
 lithologic units, A:165
 photograph, A:60, 65, 108, 167
 breccia, pyrrhotite-chalcopyrite, photograph, A:68
 breccia, sulfide, photograph, A:67
 brecciation, hydraulic, veins, A:75
 bromide, vs. depth, B1:7–9
 bromide/chloride ratio
 pore water, B1:3–4
 vs. depth, B1:8–9
 brookite, Deep Copper Zone, A:77
 Brunhes Chron
 alteration, A:137–139
 sediments, A:201, 232, 294
 burrows, photograph, A:62, 80

C

calcimicrite, lithologic units, A:164
 calcite
 alteration zones, A:82
 basalts, A:213, 271
 Deep Copper Zone, A:77
 lithologic units, A:167
 photograph, A:272
 sediments, A:219, 221
 veins, A:216–217
 calcite, biogenic, lithologic units, A:164
 calcite crystals, lithologic units, A:208
 calcium
 clay mineralogy, B6:7, 9
 hydrothermal component, A:281

mass balance, A:98
 pore water, A:113–117, 171–175, 218, 274–281
 sediments, B10:19
 vs. chloride, A:279
 vs. depth, A:112, 114–117, 176, 220, 276–278, 280, 282
 vs. magnesium, A:118, 172, 174, 178
 vs. strontium, A:114
 calcium oxide
 basalts, A:95
 clay minerals, B6:6, 23
 vs. depth, A:97
 vs. loss on ignition, A:98
 caliper logs, vs. depth, A:132, 230
 carbon
 bacterial cells, B2:6, 8
 sediments, A:181–182
 weight percentages, A:122–123, 226, 288–289
 carbon, total
 sediments, A:120–121, 223, 287–288
 vs. depth, A:124, 185, 227, 289–290
 weight percentages, A:184, 226, 288–289
 carbon, total inorganic
 sediments, A:121, 181–182
 vs. depth, A:124, 185, 227, 289–290
 weight percentages, A:184, 226, 288–289
 carbon, total organic
 sediments, A:121, 181–182
 vs. depth, A:124, 185, 227, 289–290
 weight percentages, A:184, 226, 288–289
 carbon/nitrogen ratio
 sediments, A:181–182
 vs. depth, A:185, 290
 weight percentages, A:122–123, 184, 226
 carbon/sulfur ratio, weight percentages, A:122–123, 184, 226
 carbon dioxide
 sediments, A:117, 119, 178, 222, 282
 vs. depth, A:223, 284–285
 carbon number maximum, bitumens, A:119–120, 179–181
 carbon preference index
 bitumens, A:119–120
 sediments, A:179–181, 223, 285–287
 vs. depth, A:121, 183, 225, 287
 carbonate nodules, pitted, photograph, A:166
 carbonates
 alteration zones, A:82
See also calcimicrite; calcite; dolomicrite; dolomite
 catagenesis, sediments, A:179–181, 285–287
 cementation
 lithologic units, A:209
 sediments, A:219, 221
 cements, lithologic units, A:166–167
 Central Hill
 hydrothermal alteration, A:259; B10:5–6, 20–21, 34
 hydrothermal deposits, A:257–258
 hydrothermal fluids, A:258–259
 hydrothermal site, B6:1–24
 site description, A:253–298
 sulfide mineralization, A:259

- tectonic activity, A:256–257
- volcanic activity, A:257
- cerium, mass balance, A:98
- cesium, clay mineralogy, B6:7, 9
- chalcopyrite
 - backscattered electron image, B9:5, 19
 - hydrothermal circulation, A:11
 - massive sulfides, A:64–67
 - photograph, A:73–76, 80–81, 93; B9:5, 20
 - photomicrograph, A:68, 79; B5:16–18
 - precipitation within sedimentary pore spaces, B9:6, 22
 - sulfide mineralization, A:71
 - veins, A:75–76; B9:4–9, 16, 20
 - vs. depth, B5:15
- chalcopyrite, massive fine-grained, photograph, A:68
- chalcopyrite disease, massive sulfides, B5:6
- chilled margins
 - enrichment/depletion diagram, A:99
 - isocons, A:99
 - photograph, A:272
 - photomicrograph, A:95
- chimneys, hydrothermal circulation, A:7–9
- chloride
 - bacterial cells, B2:7
 - pore water, A:113–117, 171–175, 218, 274–281; B1:3
 - sediments, B10:19
 - vs. calcium, A:279
 - vs. depth, A:114–116, 176, 220, 276–278, 280; B1:7–9; B2:8, 18
 - vs. magnesium, A:118, 172, 178
 - vs. potassium, A:279
 - vs. sodium, A:279
 - See also* bromide/chloride ratio; sodium/chloride ratio
- chlorite
 - alteration, A:81, 86
 - alteration zones, A:82–84
 - basalts, A:213, 272
 - Deep Copper Zone, A:77–78
 - disseminated sulfides, A:270
 - geochemistry, B6:5–6, 14, 17
 - iron oxide-magnesium oxide-aluminum oxide plot, B6:18
 - lithologic units, A:267
 - photograph, A:92–93, 106–107, 272
 - photomicrograph, A:94–95, 271
 - pillow lava, A:93–94
 - rare earths, B6:20
 - sulfide mineralization, A:69
 - trace elements, B6:19
 - veins, A:75–76, 216–217
 - vs. depth, B6:14–17
- chlorite, fibrous, photograph, A:82
- chlorite, fibrous magnesium-rich, photomicrograph, A:86
- chlorite, magnesium-rich
 - hydrothermal alteration, A:259
 - photograph, A:80
- chlorite/smectite mixed layer
 - geochemistry, B6:7
 - vs. depth, B6:15, 17
- chloritization
 - alteration zones, A:82–84
 - clay mineralogy, B6:7
 - enrichment/depletion diagram, A:99
 - geochemistry, A:99
 - photograph, A:92–93, 272
 - photomicrograph, A:94–95
 - sills, A:91–93
 - sulfide banded/impregnated sandstone, A:76
 - veins, A:75–76
- Chondrites
 - Lithofacies A, A:56
 - photograph, A:62
- Chron C1n
 - alteration, A:137–139
 - sediments, A:201, 232
- Circulation Obviation Retrofit Kit, hydrothermal circulation, A:13–14, 192–193
- clasts
 - lithologic units, A:167–168
 - structures, A:169
 - sulfides, A:67–68
- clasts, mud, photograph, A:60, 65
- clasts, pyrrhotite
 - hydrothermal alteration, A:267–268
 - photograph, A:68
- clasts, sulfide, photograph, A:67
- clay
 - clastic sulfides, A:59
 - hydrothermal circulation, A:11
 - lithologic units, A:167–168, 208–209
- clay, blue-green, alteration zones, A:81–82
- clay, hemipelagic, lithologic units, A:263
- clay, silty
 - Lithofacies A, A:54–56
 - lithologic units, A:52, 163–167
 - photograph, A:57, 60, 65–66, 211
- clay mineralogy
 - sediments, B6:22
 - vs. electrical impedance, B8:6–7, 28
- clay minerals
 - basalts, A:212–214
 - Lithofacies A, A:54–56
 - mineralogy and geochemistry, B6:1–24
 - photograph, A:70
 - pillow lava, A:94
 - See also* chlorite; illite; smectite
- claystone
 - clastic sulfides, A:59; B10:13
 - lithologic units, A:165, 265
- claystone, calcareous silty, lithologic units, A:209–210, 266
- claystone, hemipelagic, photograph, A:66
- claystone, indurated, photograph, A:85
- claystone, silty, photograph, A:80
- climbing ripples, photograph, A:62
- clinoamphibole, sulfide banded/impregnated sandstone, A:76
- clinopyroxene
 - basalts, A:271
 - black crystals, A:212–214

mass balance, A:96, 98–99
 photograph, A:92
 sills, A:91–93
 clinopyroxene, ophitic, photomicrograph, A:215
 clinopyroxene, subophitic, photomicrograph, A:94, 271
 Coiling Direction Zone 1, Site 1035, A:39
 colloform banding, photomicrograph, A:72
 Columbia River, sediments, A:219
 compressional wave velocity
 sediments, A:130, 227, 289–292
 vs. depth, A:130, 133, 229; B7:10–12
 See also velocity
 concretions
 alteration zones, A:82
 See also anhydrite concretions; nodules
 concretions, anhydrite
 lithologic units, A:52
 photograph, A:57
 concretions, carbonate
 hydrothermal alteration, A:84
 lithologic units, A:52, 166–167
 conductivity
 relationship between sample and fluid conductivities,
 B8:29
 vs. formation factor, B8:42
 vs. resistivity, B8:42
 See also resistivity
 consolidation, sediments, B8:10–12
 convolute laminations
 photograph, A:62
 sediment transition to basalt, A:210–211
 copper
 basalts, A:96
 clay minerals, B6:6, 24
 Deep Copper Zone, A:76–78
 depletion, A:99
 enrichment, A:99
 leaching, A:102
 mass balance, A:98
 massive sulfides, B5:5–6
 sulfides, A:88–89
 vs. depth, A:89, 97
 copper-iron-zinc plots, sulfides, A:90
 copper-lead-zinc plots, sulfides, A:90
 CORK. *See* Circulation Obviation Retrofit Kit
 correlation, sediments, A:264
 cracks, sulfide deposition, B9:6–9
 cross laminations
 Lithofacies B, A:56
 lithologic units, A:166–167
 photograph, A:60–61, 80; B9:6, 21; B10:11, 38
 sills, A:90–93
 crystals, authigenic, lithologic units, A:52
 crystals, euhedral
 photograph, A:218
 photomicrograph, A:79
 cyclopropyls, community composition, B3:9

D

Dead Dog Mound

comparison with Bent Hill, A:160–162
 site description, A:153–203; B10:4–5
 Dead Dog Vent Field
 geological cross-section, A:162
 hydrothermal circulation, A:7–9; B10:4–5, 14–17, 32
 Deep Copper Zone
 massive sulfides, B5:5–6
 sulfides, A:76–78
 deformation structures, photograph, A:61
 deglaciation, lithologic units, A:163–165
 density
 sediments, A:186–188, 225–227, 289–292; B7:4–6
 vs. depth, A:125, 187, 190, 229, 291–294
 density, grain
 sediments, A:127
 vs. depth, A:128, 188, 228, 291, 293–294; B7:10–13
 vs. formation factor, B8:6–7, 28
 vs. permeability, B8:3–4, 23
 vs. thermal conductivity, B8:8–9, 31
 density, wet-bulk, vs. depth, A:228, 291, 293–294;
 B7:10–13
 density logs
 vs. depth, A:132–133, 231
 See also gamma ray-density-porosity logs
 desiccation, exfoliative, photograph, A:214
 diabase, hydrothermal circulation, A:10
 diabase, ophitic, mass balance, A:96, 98–99
 diagenesis
 photograph, A:55
 pore water, A:175
 sediments, A:179–181, 219, 221
 See also alteration; authigenesis; catagenesis; cementa-
 tion; recrystallization
 diatoms, lithologic units, A:208
 dissolution
 anhydrite, A:117
 hydrothermal alteration, A:267–268
 lithologic units, A:52
 pore water, A:115
 dolomicrite, photograph, A:55
 dolomicrite, authigenic, lithologic units, A:164
 dolomite
 alteration zones, A:82
 lithologic units, A:164, 209; B10:15
 sulfide mineralization, A:70
 downhole measurements
 Site 1035, A:130–134
 Site 1036, A:188–196
 Site 1037, A:227–231
 Site 1038, A:292–293

E

electrical impedance. *See* formation factor
 epidote
 alteration zones, A:85
 Deep Copper Zone, A:77
 geochemistry, A:100–101
 photograph, A:100
 photomicrograph, A:95
 veins, A:76

epidote, pistasitic, photomicrograph, A:100

erosion, lithofacies, A:57

Escanaba Trough

bathymetry, B10:3

comparison with Middle Valley, B10:23–24

geochemistry, B1:1–16

hydrothermal circulation, A:7–16; B10:33

hydrothermal site, B6:1–24

physical properties, B7:1–19

site description, A:205–251, 253–298; B10:1–39

ethane

sediments, A:117, 119

vs. depth, A:223, 284–285

See also methane/ethane ratio

ethane/benzene ratio, vs. depth, A:285

Eubacteria, community composition, B3:9

exfoliative desiccation, basalts, A:213

exhalations, hydrothermal circulation, A:7–9

exsolution, photomicrograph, A:68

F

Facies a, hydrothermal alteration, A:267

Facies c, hydrothermal alteration, A:267

Facies d, hydrothermal alteration, A:267

fatty acids

active sulfide flange, B3:16

compared with other sediments, B3:17

microbial biomass, B3:1–19

mole percentages, B3:19

fault scarps, slumps, B10:21–22

fault zones, formation microscanner imagery, A:134

faults

structural data, A:107–112

tectonics, A:256–257

faults, normal, hydrothermal circulation, A:9–10

faults, reverse, photograph, A:81

feeder zones

hydrothermal circulation, A:73–78

massive sulfides, A:73–78, 270–271; B9:4–5; B10:7, 10–11, 36

feldspar

geochemistry, B6:5–6, 14, 17

vs. depth, B6:14–17

fluid channels

photograph, A:72

sulfide mineralization, A:71

fluid chemistry, pore water, B1:1–16

fluid flow

alteration zones, A:87

permeability, B8:10–12

structural data, A:111

structures, B9:6–9

fluid inclusions, hydrothermal alteration, A:39

fluorescence, black soot, A:119

fluoride, vs. depth, B1:10

foraminifers

lithologic units, A:208

preservation, A:268

zoning, A:212

foraminifers, planktonic

stratigraphy, A:268

upper Quaternary, A:38–39

vs. depth, A:63

formation factor

lithologic units, B8:5–8

vs. conductivity, B8:42

vs. frequency, B8:5–6, 27

vs. grain density, B8:6–7, 28

vs. permeability, B8:26

vs. pressure, B8:5, 25, 36–39

formation microscanner imagery

logs, B8:18–19

vs. depth, A:133–136

fractionation, basalts, A:215–216

fractures

basalts, A:213–214

formation microscanner imagery, A:134–135

photograph, A:61; B9:17

photomicrograph, A:71

sills, A:90–94

structural data, A:272–273

structures, A:216–217

sulfide deposition, B9:6–9

sulfides, A:39

frequency, vs. formation factor, B8:5–6, 27

G

galena

mineralization, A:69

photomicrograph, B5:19

veins, A:75

gamma ray-density-porosity logs

Site 1035, A:147–149

Site 1037, A:244–247

gamma ray-resistivity-sonic logs

Site 1035, A:144–146

Site 1037, A:237–240

gamma rays

correlation, A:128–130

sediments, A:126, 186–188, 225–227, 289–292

vs. depth, A:125, 127, 129, 187, 190, 229, 291–294

gamma-ray logs, vs. depth, A:132, 150–152, 230–231, 241–243, 248–251

gangue minerals, massive sulfides, A:270

gases, composition, A:118, 179, 222, 283–284

gases, volatile, sediments, A:117, 119, 175, 178, 221–222, 281–282

geochemistry

basalts, A:96

clay minerals, B6:1–24

igneous rocks, A:95–102

pore water, B1:1–16

sedimentary rocks, A:101

sediments, B10:19–20

Site 1037, A:215–216

sulfides, A:87–89

geochemistry, inorganic

Site 1035, A:112–117

Site 1036, A:169–175

Site 1037, A:217–221

Site 1038, A:273–281
 geochemistry, organic
 Site 1035, A:117–123
 Site 1036, A:175, 178–183
 Site 1037, A:221–225
 Site 1038, A:281–288
 geochemistry, whole-rock, basalts, A:95–96, 216
 geochronology, thorium-230/uranium-234 disequilibrium, B4:1–15
 geological setting
 Site 1035, A:37–38
 Site 1036, A:155–157
 Site 1037, A:206
 Site 1038, A:255–259
 geothermal gradient, vs. depth, A:195–196, 232–233, 295; B10:23
 glacial/interglacial cycles, upper Quaternary, A:38–39
 gold, hydrothermal circulation, A:9
 Gorda Ridge
 geology, A:11–13
 hydrothermal site, B6:1–24
 physical properties, B7:1–19
 gossan, structural data, A:108
 graded bedding, photograph, A:61
 grain size
 clay minerals, B6:21
 igneous rocks, A:212
 groundmass, photomicrograph, A:100
 groundmass, cryptocrystalline, photomicrograph, A:271
 groundmass, microcrystalline, photomicrograph, A:215
 Guaymas Basin, fatty acids, B3:16–17
 gypsum, rubble, A:168

H

halides, pore water, B1:1–4
 halite, rubble, A:168
 halos, photograph, A:88, 92, 218
 heat flow, geology, A:12, 14
 helium isotopes, hydrothermal alteration, A:39
 hematite
 hydrothermal circulation, A:11
 photomicrograph, A:79
 sulfide mineralization, A:70
 veins, A:75–76
 vs. depth, B5:15
 hemipelagites
 lithologic units, A:166–168, 209, 265–266
 photograph, A:211
 hexane, sediments, A:179–181, 222–223, 225
 Holocene
 lithologic units, A:163–169, 207–208, 263, 265
 sedimentation rates, A:268
 Holocene/Pleistocene boundary
 biostratigraphy, A:58
 depth, A:63, 170
 hornblende, basalts, A:213
 hornblende crystals, structures, A:216–217
 hyaloclastite
 photograph, A:93
 pillow lava, A:93–94
 structural data, A:107–112

hydrocarbons, aliphatic, sediments, A:284–287
 hydrocarbons, polynuclear aromatic, sediments, A:284–287
 hydrocarbons, sediments, A:117, 119, 175, 178, 221–222, 281–282
 hydrocarbons, thermogenic, sediments, A:287–289
 hydrogen sulfide, sediments, A:117, 119, 178
 hydrology, alteration zones, A:87
 hydrothermal alteration
 basalts, A:213–214
 boundaries, B10:15
 clay mineralogy, B6:7–9
 fractures, A:39
 lithofacies, A:267–268
 magnesium metasomatism, A:259
 minerals, A:83
 photograph, A:70–75, 77–82, 85–86
 pore water, A:279
 sediments, A:78–87
 sulfides, A:78–87
 veins, A:75
 zones, A:78–87
See also alteration; chimneys; feeder zones; metasomatism
 hydrothermal alteration, anhydrite, zones, A:82
 hydrothermal alteration, blue-green clay, zones, A:81–82
 hydrothermal alteration, carbonate, zones, A:82
 hydrothermal alteration, chlorite, zones, A:82–84
 hydrothermal alteration, epidote, zones, A:85
 hydrothermal alteration, pyrite, zones, A:85–86
 hydrothermal circulation
 Middle Valley, A:7–16
 models, B9:8, 25
 hydrothermal component
 chemical composition, A:281
 near sulfide outcrops, A:281
 hydrothermal deposits, sulfides, A:257–258
 hydrothermal fluids
 composition, A:113, 173
 dissolution, A:117
 mineralization, A:258–259
 pore water, A:175
 hydrothermal systems, sulfides, A:41–42, 52–53
 hyperthermophiles
 bacterial cells, B2:5–6
 vs. depth, B2:14

I

igneous activity, geology, A:12; B10:22
 igneous petrology
 Site 1035, A:89–102
 Site 1037, A:212–214
 Site 1038, A:271–272
 igneous rocks
 grain size, A:212
 petrography, A:90–94
 vs. depth, A:91
 illite
 geochemistry, B6:5–6, 14, 17
 vs. depth, B6:14–17
 ilmenite, bedding planes, A:90

impregnations, structural data, A:107–112
inclusions
 massive sulfides, B5:6; 9:5
 mineralization, A:69
 photomicrograph, B5:19
indenopyrene, gas chromatographs, A:286
index properties
 records, A:227
 sediments, B7:1–19; B8:34–35
 Site 1035, A:125–128
 Site 1036, A:187
 Site 1038, A:290
 vs. depth, A:128, 187; B7:10
induration
 structural data, A:112
 structures, A:169
interglacials. *See* glacial/interglacial cycles; Stage 5e interglacial assemblage zone
iodide
 pore water, B1:3
 vs. depth, B1:7–9
iron. *See* copper-iron-zinc plots
iron monosulfide, lithologic units, A:209
iron oxide
 basalts, A:95, 216
 clay minerals, B6:6, 23
 vs. depth, A:97
 vs. loss on ignition, A:98
iron oxide-magnesium oxide-aluminum oxide plot, chlorite, B6:18
iron oxyhydroxides, hydrothermal circulation, A:10
isocubanite
 clastic sulfides, A:59–61
 hydrothermal circulation, A:11
 massive sulfides, A:66, 269–270; B5:5–6
 photograph, A:73–75, 88
 photomicrograph, A:68, 79, 86; B5:16
 veins, A:75–76; B9:4–9, 16
 vs. depth, B5:15
isoprenoid/alkane ratio, bitumens, A:120
isoprenoids, sediments, A:223
isotopes, apparent age, B4:1–15

J

Juan de Fuca Ridge
 bacterial cells, B2:1–18
 microbial biomass, B3:1–19
 permeability and electrical and thermal properties, B8:1–42
Juan de Fuca Ridge N, physical properties, B7:1–19

K

kerogen, sediments, A:178–179
Klamath Mountains, sediments, A:219

L

laccoliths, mounds, A:256
laminations

lithologic units, A:166–167, 208–210, 266
 photograph, A:58, 211
 structural data, A:107–112
 See also convolute laminations; cross laminations
lanthanum, clay minerals, B6:6, 24
lava flows
 basalts, A:212–214
 lithologic units, A:44–53
 mass balance, A:99
lava tubes, basalt pillows, A:257
leaching, base metals, A:102
lead
 hydrothermal alteration, A:39
 sulfides, A:88–89
 vs. depth, A:89
 See also copper-lead-zinc plots
lead isotopes, hydrothermal circulation, A:9
lipids
 microbial biomass, B3:1–19
 See also phospholipids
lithium
 chemical alteration, A:221; B10:19
 pore water, A:116, 171–175, 218, 274–281
 vs. depth, A:116, 177, 220, 280, 282
 vs. magnesium, A:118, 172, 178
lithofacies
 alteration, A:265
 distribution, A:59
 hydrothermal alteration, A:267–268
 massive sulfides, A:67
 sulfides, A:67–71
 turbidites, A:53
Lithofacies A
 distribution, A:59
 mudstone and siltstone, A:54–56
Lithofacies B
 distribution, A:59
 siltstone and sandstone, A:56
lithologic units
 Central Hill, A:267
 Site 1035, A:44–57
 Site 1036, A:163–169
 Site 1037, A:207–210
 Site 1038, A:263–267
 Unit I, A:44–53, 163–165, 207–208, 263
 Unit II, A:44–53, 166–167, 208, 263, 265
 Unit III, A:44–53, 59–61, 208, 265
 Unit IV, A:167–168, 208–209, 265
 Unit V, A:44–53, 61, 64, 66–72, 209, 265
 Unit VI, A:44–53, 73–78, 209, 265–266
 Unit VII, A:209–210, 266
 Unit VIII, A:210, 266–267
lithostratigraphy
 Site 1035, A:44–51
 Site 1036, A:163–169
 Site 1037, A:207–211
 Site 1038, A:263–268
lithostructural units, structural data, A:107–112
lobate structure, basalts, A:272
Logging Unit 1
 sediments, A:131

well-logging, A:228
Logging Unit 2, sediments, A:131, 228, 230
Logging Unit 3, sediments, A:131, 230
Logging Unit 4, sediments, A:131–132, 230
Logging Unit 5, sediments, A:132–133, 230
Logging Unit 6, sediments, A:230–231
Logging Unit 7, sediments, A:231
logging units, sediments, A:131–133
loss on ignition
 basalts, A:95–96, 215–216
 vs. depth, A:97
 vs. magnesium number, A:98
 vs. major oxides, A:98

M

magnesium
 chemical alteration, A:221
 clay mineralogy, B6:9
 hydrothermal circulation, A:9
 hydrothermal component, A:281
 mass balance, A:99
 pore water, A:113–117, 171–175, 218, 274–281
 vs. depth, A:112, 114–116, 176, 220, 276–278, 280, 282; B2:8, 18
 vs. elements, A:118
 vs. elements and compounds, A:172–173, 178
magnesium number
 basalts, A:95–96, 215–216
 vs. depth, A:97
 vs. loss on ignition, A:98
 vs. titanium oxide, A:217
magnesium oxide
 basalts, A:95, 216
 clay minerals, B6:6, 23
 vs. depth, A:97
 vs. loss on ignition, A:98
 See also iron oxide-magnesium oxide-aluminum oxide plot
magnetic anomalies, hydrothermal circulation, A:10–11
magnetic declination, vs. depth, A:298
magnetic inclination, vs. depth, A:138–139, 200, 235, 298
magnetic intensity
 sediments, A:294–295
 vs. depth, A:138–139, 200, 235, 298
magnetic susceptibility
 correlation, A:128–130
 sediments, A:126, 186–188, 225–227, 289–292
 vs. depth, A:126, 129, 138, 189–190, 229, 291–294
magnetic susceptibility, low-field, sediments, A:136
magnetic susceptibility anisotropy, sediments, A:136
magnetic susceptibility logs, vs. depth, A:266
magnetite
 hydrothermal circulation, A:11
 massive sulfides, A:66; B5:5–6
 photograph, A:73, 75
 photomicrograph, A:271
 veins, A:75–76
 vs. depth, Site 856, B5:15
 See also sphalerite-pyrrhotite-pyrite-magnetite
magnetite, heterogenous, sulfides, A:68–69
magnetostratigraphy, alteration, A:137–139
major elements
 basalts, A:95–96
 clay mineralogy, B6:23
Mancos Shale, fatty acids, B3:17
manganese
 mass balance, A:98
 pore water, B1:2, 4
 vs. depth, B1:13
manganese oxide
 basalts, A:95
 vs. depth, A:97
maps, hydrothermal circulation, A:16
marcasite
 clastic sulfides, A:59–61
 hydrothermal circulation, A:11
 massive sulfides, A:269–270
 mineralization, A:69
 photomicrograph, A:72
 veins, A:75
 vs. depth, B5:15
 See also pyrite-marcasite
marker horizons, photograph, A:165
mass balance, alteration, A:96, 98–101
maturation
 bitumens, A:119–120
 organic matter, A:178, 285–287
 sediments, A:222–223, 225
Mendocino Fracture Zone, geology, A:11–13
mesophiles
 bacterial cells, B2:5–6
 vs. depth, B2:14
mesostasis
 basalts, A:213–214, 271
 photomicrograph, A:94, 271
metals
 mineralization, A:88
 sources, A:89
 zoning, A:89
 See also alkali metals; base metals
metasomatism. *See* hydrothermal alteration
metasomatism, magnesium, hydrothermal alteration, A:259
methane
 bacterial cells, B2:8
 sediments, A:117, 119, 178, 221–222, 281–282
 vs. depth, A:119, 223, 284–285
methane/ethane ratio
 sediments, A:178, 221–222, 281–282
 vs. depth, A:223, 284–285
methyl cyclopentane, gas chromatographs, A:284
methylnaphthalene, gas chromatographs, A:286
methylphenanthrene, gas chromatographs, A:286
mica, lithologic units, A:267
microbes, sediments, B3:1–19
microbiology
 Site 1035, A:123–125
 Site 1036, A:183–184, 186
 Site 1037, A:225
 Site 1038, A:288–289

microlites, sills, A:92
 microorganisms
 community composition, B3:9–12
 microbial biomass, B3:1–19
 sediments, A:123–125, 183–184, 186, 225, 288–289
 See also bacterial cells; Eubacteria
 microphenocrysts, photomicrograph, A:94
 Middle Valley
 bacterial profiles, B2:1–18
 bathymetry, B10:3, 30
 comparison with Escanaba Trough, A:7–16; B10:23–24
 hydrothermal field, B10:3, 39
 massive sulfides, B10:7–17
 microbial biomass, B3:1–19
 site description, A:35–203; B10:1–39
 mineral chemistry, massive sulfides, B5:1–34
 mineralization
 stratigraphy, A:46–51
 sulfides, A:58–89, 259; B10:10–11
 mineralogy
 clay minerals, B6:1–24
 hydrothermal alteration, A:83
 massive sulfides, A:269–270
 molds
 alteration zones, A:82
 lithologic units, A:52
 photograph, A:80
 mounds, hydrothermal circulation, A:8–9
 mud
 lithologic units, A:208–209
 photograph, A:57
 mud, hemipelagic, lithologic units, A:208–209, 263, 265
 mud clasts
 clastic sulfides, A:59
 photograph, A:60
 mudstone
 Lithofacies A, A:54–56
 lithologic units, A:265
 photograph, A:61, 77, 100
 sills, A:90–93
 muscovite, Deep Copper Zone, A:77

N

n-alkanes
 bitumens, A:119–120
 gas chromatographs, A:120, 179–182, 224, 286
 sediments, A:178–181, 222–223, 225
n-alkanoic acids, bitumens, A:181
n-alkanols, bitumens, A:181
 naphthalane, gas chromatographs, A:286
 neodymium/yttrium ratio, clay minerals, B6:6, 24
 nickel, mass balance, A:98
 niobium
 immobility, A:99
 mass balance, A:98
 niobium-zirconium-yttrium plots, basalts, A:216
 nitrogen
 sediments, A:117, 119
 weight percentages, A:122–123

See also carbon/nitrogen ratio
 nitrogen, total
 sediments, A:120–121, 181–182, 223, 287–288
 vs. depth, A:124, 185, 227, 289–290
 weight percentages, A:184, 226, 288–289
 nodules
 alteration zones, A:82; B10:9
 lithologic units, A:166–167
 See also anhydrite nodules; carbonate nodules; concretions
 nodules, anhydrite
 lithologic units, A:164–165
 photograph, A:57
 nodules, carbonate
 lithologic units, A:164
 photograph, A:166
 nutrient elements, pore water, A:115, 218, 278–279

O

ODP Mound
 hydrothermal circulation, A:11
 massive sulfides, A:61, 64; B10:12–14
 sulfide mineral chemistry and petrography, B5:1–34
 olivine
 basalts, A:213–214, 271
 photomicrograph, A:215, 271
 Ore Drilling Program Mound. *See* ODP Mound
 organic matter
 lithologic units, A:208
 sediments, A:121, 183, 225, 287; B10:19–20, 23
 overgrowths, photomicrograph, A:79
 oxygen, mass balance, A:98
 oxygen isotopes, clay minerals, B6:6, 8–9

P

Pacific Ocean NE, spreading centers, A:7–16
 paleomagnetism
 Site 1035, A:134–139
 Site 1036, A:200–201
 Site 1037, A:231–233
 Site 1038, A:293–295
 paleoveins, photograph, A:72
 Paquate Sandstone, fatty acids, B3:17
 paragenesis, photomicrograph, B5:18
 permeability
 anisotropy, B8:4, 24
 fluid flow, B8:10–12
 lithologic units, B8:3–5
 vs. depth, B8:33
 vs. formation factor, B8:26
 vs. grain density, B8:3–4, 23
 vs. porosity, B8:3–4, 22
 vs. pressure, B8:3–4, 21, 25, 36–39
 petrography
 composition, A:94–95
 igneous rocks, A:90–94
 massive sulfides, B5:1–34
 petroleum, hydrothermal, sediments, A:179–181, 284–287

- pH
 bacterial cells, B2:8
 vs. depth, A:176; B2:8, 18
 vs. magnesium, A:172
- phenanthrene, gas chromatographs, A:286
- phenocrysts
 photograph, A:92, 107
 photomicrograph, A:271
 pillow lava, A:94
 sills, A:92
See also microphenocrysts
- phosphate
 pore water, B1:2, 4
 vs. depth, B1:11
- phospholipids, microbial biomass, B3:1–19
- phosphorus
 immobility, A:99
 mass balance, A:98
- phosphorus oxide
 basalts, A:95
 clay minerals, B6:6, 23
 vs. depth, A:97
- phyllosilicates, hydrothermal circulation, A:7–8
- physical properties
 sediments, B7:1–19
 shore-based experiments, B7:14
 Site 1035, A:125–130
 Site 1036, A:186–188
 Site 1037, A:225–227
 Site 1038, A:289–292
- phytane
 gas chromatographs, A:120, 179–182, 224, 286
See also pristane/phytane ratio
- Piceance Basin, fatty acids, B3:16
- pillow basalts
 formation microscanner imagery, A:136
 isocons, A:99
 petrology, A:93–94
 structure, A:272
- plagioclase
 basalts, A:271
 geochemistry, A:100–101
 mass balance, A:96, 98–99
 phenocrysts, A:212–214
 photograph, A:92, 100
 photomicrograph, A:94
 pillow lava, A:93–94
 sills, A:92
- plagioclase, acicular, photomicrograph, A:271
- plagioclase, glomerocrystic, photomicrograph, A:215
- plagioclase, zoned, photomicrograph, A:271
- Pleistocene
 geology, A:12
 lithologic units, A:208–210, 265–267
See also Holocene/Pleistocene boundary
- Pleistocene, upper, lithologic units, A:163–167
- pore pressure
 Site 1036, A:196–200; B10:16–17
 venting, A:198–199
- pore water
 basalts, A:279, 281
 geochemistry, A:113, 173–174, 219, 274–275; B1:1–16; 10:22–23
 hydrothermal alteration, A:279
 sand, A:279
- porosity
 sediments, A:126; B7:4–6
 vs. depth, A:128, 187, 228, 291, 293–294; B7:10–13
 vs. permeability, B8:3–4, 22
 vs. thermal conductivity, B8:31
- porosity logs
 vs. depth, A:132–133, 231
See also gamma ray-density-porosity logs
- potassium
 basalts, A:215–216
 clay mineralogy, B6:7, 9
 hydrothermal component, A:281
 mass balance, A:98
 pore water, A:116, 171–175, 218, 274–281
 sediments, B10:19
 vs. chloride, A:279
 vs. depth, A:116, 177, 220, 276–278, 280
 vs. magnesium, A:118, 172–173, 178
- potassium logs, vs. depth, A:132, 231
- potassium oxide
 basalts, A:95
 vs. depth, A:97
- preservation, foraminifers, A:268
- pressure
 fluid flow, B8:10–12
 vs. formation factor, B8:5, 25, 36–39
 vs. permeability, B8:3–4, 21, 25, 36–39
 vs. resistivity, B8:36–39
- pristane, gas chromatographs, A:120, 180, 224, 286
- pristane/phytane ratio
 sediments, A:179–181, 222–223, 225, 284–287
 vs. depth, A:183, 225
- propane, sediments, A:117, 119
- protactinium-231/uranium-235 ratio
 geochronology, B4:1–15
 massive sulfides, B4:14–15
 vs. thorium-230/uranium-234 ratio, B4:10, 12
- protoliths, photomicrograph, A:100
- pseudomorphs
 geochemistry, A:100–101
 photograph, A:92, 100
 photomicrograph, A:79
 sills, A:92
- pyrene, gas chromatographs, A:286
- pyrite
 alteration zones, A:85–86; B10:13–14
 basalts, A:272
 clastic sulfides, A:59–61
 Deep Copper Zone, A:77
 disseminated sulfides, A:270
 hydrothermal circulation, A:11
 lithologic units, A:165–168
 massive sulfides, A:64–67, 269–270; B5:5–6
 photograph, A:69, 73, 80–81, 166, 272
 photomicrograph, A:71–72; B5:18
 sulfide banded/impregnated sandstone, A:76
 sulfide banding, B9:6

- veins, A:75–76
- vs. depth, B5:15
- See also* pyrrhotite-pyrite; sphalerite-pyrrhotite-pyrite-magnetite
- pyrite, framboidal, lithologic units, A:166–167
- pyrite, heterogenous, sulfides, A:68–69
- pyrite, neoblastic
 - photograph, A:70
 - sulfide mineralization, A:70
- pyrite, poikiloblastic, sulfide mineralization, A:70
- pyrite, vuggy, photograph, A:71, 270
- pyrite-marcasite, sulfide mineralization, A:71
- pyrite veins, photograph, A:68, 105
- pyroxene
 - geochemistry, B6:5–6, 14, 17
 - photograph, A:92, 107
 - vs. depth, B6:14–17
 - See also* clinopyroxene
- pyrrhotite
 - backscattered electron image, B9:5, 17
 - basalts, A:272
 - clastic sulfides, A:59–61
 - Deep Copper Zone, A:77
 - hydrothermal alteration, A:267–268
 - hydrothermal circulation, A:11
 - lithologic units, A:165, 168
 - massive sulfides, A:64–67, 269–270; B5:5–6; B10:13–14
 - photograph, A:69, 73–76, 80–81, 100, 110
 - photomicrograph, A:71, 79; B5:18–19
 - replacement along pyrite grain boundaries, B9:6, 23
 - sulfide banded/impregnated sandstone, A:76
 - veins, A:75–76; B9:4–9, 16
 - vs. depth, B5:15
 - See also* sphalerite-pyrrhotite-pyrite-magnetite
- pyrrhotite, banded, photograph, A:68
- pyrrhotite, fibrous, photograph, A:270
- pyrrhotite, fine-grained homogeneous massive, sulfides, A:67–68
- pyrrhotite, heterogenous, sulfides, A:68–69
- pyrrhotite, hexagonal, photomicrograph, A:66
- pyrrhotite, massive fine-grained, photograph, A:68, 105
- pyrrhotite-pyrite, mineralization, A:68–69
- pyrrhotite veins, photograph, A:109

Q

- quartz
 - Deep Copper Zone, A:77–78
 - geochemistry, B6:5–6, 14, 17
 - lithologic units, A:267
 - massive sulfides, A:270
 - photograph, A:82
 - photomicrograph, A:79, 95
 - sulfide mineralization, A:70
 - veins, A:75; B10:9
 - vs. depth, B6:14–17
- quartz, euhedral, alteration zones, B9:5
- Quaternary, lithologic units, A:51–53
- Quaternary, upper, biostratigraphy, A:38–39
- quench textures, photomicrograph, A:94

R

- radiolarians, lithologic units, A:208
- rare earths
 - chlorite, B6:20
 - clay minerals, B6:6, 8–9, 24
- recrystallization
 - photograph, A:100
 - photomicrograph, A:100
 - sediment transition to basalt, A:210–211
 - sulfide mineralization, A:71; B10:8
- remanent magnetization, isothermal
 - acquisition curves, A:139
 - sediments, A:136–137
 - vs. depth, A:138
- remanent magnetization, natural, sediments, A:136, 201, 232
- remanent magnetization, natural/isothermal remanent magnetization ratio, vs. depth, A:138
- resistivity
 - measurement, B8:7–8, 30
 - pressure, B8:36–39
 - vs. sample and fluid conductivity, B8:42
 - See also* conductivity; electrical impedance
- resistivity logs
 - vs. depth, A:132, 230–231
 - See also* gamma ray-resistivity-sonic logs
- Rhizocorallium?*
 - Lithofacies B, A:56
 - photograph, A:62
- riffs, geology, A:12
- ripple marks. *See* climbing ripples
- rock magnetism
 - records, A:138
 - sediments, A:134–139
- rubble
 - basalts, A:272
 - lithologic units, A:164, 168
 - photograph, A:168
 - sediments transition to basalt, A:210–211
- rubidium
 - basalts, A:95, 215–216
 - clay mineralogy, B6:8
- rutile
 - Deep Copper Zone, A:77
 - veins, A:75

S

- sand
 - lithologic units, A:166–167, 208–210
 - photograph, A:60, 62, 65
- sand, turbiditic, lithologic units, A:52
- sandstone
 - Lithofacies B, A:56
 - lithologic units, A:210
 - photograph, A:58, 61, 73–74, 77, 80, 82, 111; B9:5–6, 20–21; B10:11, 38
- sandstone, silicified, disseminated sulfides, A:270
- sandstone, sulfide banded/impregnated, sulfides, A:76
- sea-level changes, geology, A:12

- sedimentary rocks
 - geochemistry, A:101
 - vs. depth, A:91
- sedimentary sources, pore water, A:219
- sedimentary structures
 - sediment transition to basalt, A:210–211
 - sills, A:90–93
- sedimentation rates
 - Holocene, A:268
 - lithologic units, A:164, 209, 212
- sedimentology
 - lithologic units, A:51–53
 - Site 1035, A:51–57
 - Site 1037, A:207–211; B10:18–22
 - Site 1038, A:263–268; B10:21–22
- sediments
 - bacterial profiles, B2:1–18
 - clay mineralogy, B6:22
 - electrical impedance, B8:5–8
 - geochemistry, B10:19–20
 - hydrothermal alteration, A:78–87
 - interaction with basement, A:221
 - laccoliths, A:256
 - microbial biomass, B3:1–19
 - permeability, B8:3–5
 - physical properties, B7:1–19
 - thermal conductivity, B8:8–10
 - transition to basalt, A:210–211
 - velocity, B7:6–7
- sediments, collapsed chimney-derived, photograph, A:168
- sediments, feeder zone, density and porosity, B7:5
- sediments, hemipelagic
 - density and porosity, B7:5
 - hydrothermal alteration, A:259
 - Lithofacies A, A:54–56
 - lithologic units, A:44–53, 163–167
- sediments, hydrothermally recrystallized, mass balance, A:99–101
- sediments, sulfide-veined, facies, A:74–75
- sediments, turbiditic, density and porosity, B7:5
- seismic profiles
 - hydrothermal circulation, A:10
 - location, A:160
 - Site 858, A:159
 - Site 1035, A:40
- seismic surveys, geology, A:12
- selvages
 - alteration zones, A:82–84; B9:5
 - photograph, A:92, 107
- silica
 - basalts, A:95
 - clay minerals, B6:6, 23
 - hydrothermal circulation, A:11
 - pore water, A:171–175, 218–219, 279
 - vs. depth, A:97, 116, 177, 220, 280
 - vs. loss on ignition, A:98
 - vs. magnesium, A:172
- silicification
 - alteration zones, A:84, 87; B10:12
 - Deep Copper Zone, A:77
 - lithologic units, A:52
 - photograph, A:88
 - veins, A:76
- silicon
 - immobility, A:99
 - mass balance, A:98
- sills, basaltic
 - composition, A:212–214; B10:8
 - density and porosity, B7:5–6
 - hydrothermal circulation, A:10
 - intrusion, A:101
 - laccoliths, A:256
 - mass balance, A:96, 98–99
 - petrography, A:90–93
 - photograph, A:106
 - velocity, B7:7
- silt
 - clastic sulfides, A:59
 - lithologic units, A:164–167
 - photograph, A:211
- silt, clayey, Lithofacies A, A:54–56
- silt, turbiditic, lithologic units, A:52
- siltstone
 - Lithofacies A, A:54–56
 - Lithofacies B, A:56
 - lithologic units, A:210, 265; B9:5, 20
 - photograph, A:58, 61, 73–74, 76, 80–81, 88, 109
 - photomicrograph, A:79
- Site 856
 - depth of Stage 5e interglacial zone, A:170
 - geochronology, B4:1–15
 - lithologic units, A:46
 - physical properties, B7:1–19
 - pore water, A:112
 - structural data, A:102–103, 106
 - sulfide mineral chemistry and petrography, B5:1–34
 - vein networks, B9:1–25
- Site 857
 - depth of Stage 5e interglacial zone, A:170
 - temperature, A:195–196
 - volatile gases, A:175, 178
 - well-logging, A:193–195
- Site 858
 - bacterial profiles, B2:1–18
 - bitumens, A:178
 - inorganic geochemistry, A:169, 171
 - temperature, A:195
 - volatile gases, A:178
 - well-logging, A:192
- Site 1035, A:35–152
 - bacterial profiles, B2:4–6
 - biostratigraphy, A:38–39, 57–58
 - coring, A:43
 - downhole measurements, A:130–134
 - geochronology, B4:1–15
 - geological setting, A:37–38
 - igneous petrology and geochemistry, A:89–102
 - inorganic geochemistry, A:112–117
 - lithostratigraphy and sedimentology, A:45–57
 - microbiology, A:123–125
 - objectives, A:40–41

- operations, A:41–44
 organic geochemistry, A:117–123
 paleomagnetism, A:134–139
 physical properties, A:125–130; B7:1–19
 principal results, A:39–40
 site description, A:35–152
 structural geology, A:102–103, 106–112
 sulfide mineral chemistry and petrography, B5:1–34
 sulfide mineralization, A:58–89
 vein networks, B9:1–25
- Site 1036, A:153–203
 bacterial profiles, B2:6–8
 biostratigraphy, A:169
 comparison with Bent Hill, A:160–162
 coring, A:163
 depth of Stage 5e interglacial zone, A:170
 downhole measurements, A:188–196
 geological setting, A:155–157
 inorganic geochemistry, A:169–175
 lithostratigraphy, A:163–169
 microbial biomass, B3:1–19
 microbiology, A:183–184, 186
 operations, A:162–163
 organic geochemistry, A:175, 178–183
 paleomagnetism, A:200–201
 physical properties, A:186–188
 pore pressure, A:196–200
 principal results, A:157–160
 site description, A:153–203
 structural geology, A:169
- Site 1037, A:205–251
 biostratigraphy, A:211–212
 clay minerals, B6:1–24
 coring, A:207
 downhole measurements, A:227–231
 geochemistry, B1:1–16
 geological setting, A:206
 igneous petrology and geochemistry, A:212–216
 inorganic geochemistry, A:217–221
 lithostratigraphy and sedimentology, A:207–211
 microbiology, A:225
 operations, A:206–207
 organic geochemistry, A:221–225
 paleomagnetism, A:231–233
 physical properties, A:225–227; B7:1–19
 pore water, A:281
 scientific objectives, A:206
 site description, A:205–251
 structural geology, A:216–217
- Site 1038, A:253–298
 biostratigraphy, A:268
 clay minerals, B6:1–24
 coring, A:260–261
 downhole measurements, A:292–293
 geochemistry, B1:1–16
 geological setting, A:255–259
 igneous petrology, A:271–272
 inorganic geochemistry, A:273–281
 lithostratigraphy and sedimentology, A:263–268
 microbiology, A:288–289
 operations, A:259–263
- organic geochemistry, A:281–288
 paleomagnetism, A:293–295
 physical properties, A:289–292; B7:1–19
 site description, A:253–298
 structural geology, A:272–273
 sulfide petrology, A:268–271
- slumps
 fault scarps, B10:21–22
 photograph, A:60
- smectite
 alteration zones, A:81–82
 basalts, A:213, 271
 geochemistry, B6:5–6, 14, 17
 lithologic units, A:167–168
 photomicrograph, A:271
 sulfide banded/impregnated sandstone, A:76
 sulfide mineralization, A:71
 veins, A:216–217
 vs. depth, B6:14–17
See also chlorite/smectite mixed layer
- smectite, magnesium-rich
 hydrothermal alteration, A:259
 massive sulfides, A:270
- sodium
 clay mineralogy, B6:7, 9
 hydrothermal component, A:281
 mass balance, A:98
 pore water, A:113–117, 218, 274–281
 sediments, B10:19
 vs. chloride, A:279
 vs. depth, A:116–117, 177, 220, 276–278, 280, 282
- sodium/chloride ratio
 pore water, A:218, 278
 vs. depth, A:115, 117, 177, 220, 280, 282
- sodium oxide
 basalts, A:95
 clay minerals, B6:6, 23
 vs. depth, A:97
 vs. loss on ignition, A:98
- soft sediment deformation
 massive sulfides, A:64
 photograph, A:58, 62
- sonar images, side-scan, Central Hill, A:257
 sonic logs. *See* gamma ray-resistivity-sonic logs
- Sovanco Fracture Zone, spreading centers, A:7
- sphalerite
 clastic sulfides, A:59–61
 geochemistry, A:100–101
 hydrothermal circulation, A:11
 lithologic units, A:167–168
 massive sulfides, A:64–67; B5:5–6
 photograph, A:69–70, 72, 76, 81, 100
 photomicrograph, B5:17–19
 sulfide banded/impregnated sandstone, A:76
 sulfide mineralization, A:71; B9:4–9, 16; B10:13–14
 veins, A:76
 vs. depth, B5:15
- sphalerite, heterogenous, sulfides, A:68–69
 sphalerite-pyrrhotite-pyrite-magnetite, mineralization, A:69–71
- spreading centers, massive sulfides, A:7–16; B10:3–29

- Stage 5e interglacial assemblage zone, depth, A:170
 stilpnomelane, basalts, A:213
 strontium
 basalts, A:95
 chemical alteration, A:221
 clay mineralogy, B6:7, 9
 mass balance, A:98
 pore water, A:113–117, 171–175, 218, 274–281
 sediments, B10:19
 vs. calcium, A:114
 vs. depth, A:115–117, 176, 220, 276–278, 280
 vs. magnesium, A:172
 strontium isotopes, hydrothermal alteration, A:39
 structural data
 Site 1035, A:103
 Site 1036, A:171
 Site 1037, A:217
 Site 1038, A:273
 structural geology
 Site 1035, A:102–103, 106–112
 Site 1036, A:169
 Site 1037, A:216–217
 Site 1038, A:272–273
 structures
 fluid flow, B9:6–9
 vein networks, B9:1–25
 See also lobate structure
 sulfate
 bacterial cells, B2:5–6, 8
 hydrothermal circulation, A:9
 hydrothermal component, A:281
 pore water, A:113–117, 171–175, 218, 274–281
 sediments, A:123–125
 vs. depth, A:112, 114–115, 117, 176, 220, 276–278, 280; B1:12; B2:8, 18
 vs. magnesium, A:172–173
 sulfate reduction, sediments, A:219, 221
 sulfide bands
 cubic pyrite crystals, B9:6; B10:11
 photograph, A:80–82; B10:11, 38
 photomicrograph, A:86
 sulfide breccia, photograph, A:67
 sulfide clasts, photograph, A:67
 sulfide impregnations, photograph, A:111
 sulfide mounds
 geometry, B10:8
 models, A:258
 sulfide veins
 formation microscanner imagery, A:133–136
 photograph, B10:36–37
 sulfides
 backscattered electron image, B9:5, 18
 Central Hill, A:269
 deposition, B9:6–9
 electrical impedance, B8:5–8
 feeder zones, A:76
 fractures, A:39
 geochemistry, A:87–89
 hydrothermal alteration, A:78–87
 hydrothermal systems, A:41–42, 52–53
 mineral composition, B5:20–21, 22–34
 mineralization, A:58–89, 259
 permeability, B8:3–5
 petrology, A:268–271
 photograph, A:66–82, 85, 88
 pillow lava, A:94
 stratigraphy, A:46–51
 thermal conductivity, B8:8–10
 velocity, B7:8
 sulfides, chimney residue, lithologic units, A:44–53
 sulfides, clastic
 lithologic units, A:44–53
 Site 1035, A:58–61
 stratigraphy, A:64
 sulfides, colloform, sulfide mineralization, A:71
 sulfides, copper-iron
 clastic sulfides, A:59–61
 Deep Copper Zone, A:76–78
 mineralization, A:68–69
 sulfides, copper-rich, photograph, A:80; B9:6, 21
 sulfides, disseminated, sediments, A:270
 sulfides, feeder zone
 lithologic units, A:44–53
 Site 1035, A:73–78
 sulfides, massive
 geochronology, B4:1–15
 hydrothermal circulation, A:7–16
 lithofacies, A:38, 67; B10:9
 lithologic units, A:44–53
 mineralogy and textures, A:269–270
 petrology, A:269–270
 Site 1035, A:61–73
 sulfide mineral chemistry and petrography, B5:1–34
 vein networks, B9:1–25
 sulfides, massive clastic, photomicrograph, A:66
 sulfides, massive pyrite-pyrrhotite, photograph, A:69
 sulfides, massive vuggy, sulfide mineralization, A:71
 sulfides, massive-semimassive, porosity and density, B7:6
 sulfur
 mineralization, A:88
 vs. depth, A:89
 weight percentages, A:122–123
 See also carbon/sulfur ratio
 sulfur, total
 sediments, A:120–121, 181–182, 223, 287–288
 vs. depth, A:124, 185, 227, 289
 weight percentages, A:184, 226, 288–289
 sulfur isotopes
 histogram, A:259
 hydrothermal alteration, A:40
- T**
- talc
 hydrothermal alteration, A:259
 lithologic units, A:167–168
 massive sulfides, A:270
 rubble, A:168
 talc, fibrous, sulfide mineralization, A:70
 tantalum, clay mineralogy, B6:7, 9
 tectonics, faults, A:256–257
 temperature

Bent Hill comparison with Dead Dog Mound, A:160
geology, A:12–13
records, A:137, 194–195, 232, 295; B10:16
sediments, A:133–134, 186–188, 196, 231
sill intrusion, A:101–102
vs. depth, A:195–196, 232–233, 295
vs. time after penetration, A:232
vs. time since penetration, A:195, 295

textures
massive sulfides, A:269–270
vein networks, B9:1–25

textures, crack-seal, veins, A:75

textures, subophitic, photomicrograph, A:215

thermal conductivity
divided-bar vs. half-space needle-probe method, B8:9, 32
lithologic units, B8:8–10
sediments, A:127–128, 186–188, 225–227, 289–292
sediments and sulfides, B8:34–35, 40–41
Site 1035, A:127
Site 1036, A:188
Site 1037, A:227
Site 1038, A:290
vs. depth, A:128, 188, 228, 291, 294
vs. grain density, B8:8–9, 31
vs. porosity, B8:31

thermal data, sill intrusion, A:101

thermal flow, structural data, A:111

thermal models, sulfides, B9:6–9

thermophiles
bacterial cells, B2:5–6
vs. depth, B2:14

thin sections, composition, A:94–95

thorium logs, vs. depth, A:132, 231

thorium-230/uranium-234 ratio
geochronology, B4:1–15
massive sulfides, B4:14–15
vs. protactinium-231/uranium-235 ratio, B4:10, 12

tin, hydrothermal alteration, A:39

titanite
Deep Copper Zone, A:77
photomicrograph, A:95
veins, A:75

titanium
clay mineralogy, B6:7, 9
immobility, A:99, 101
mass balance, A:98
pillow lava, A:94

titanium oxide
basalts, A:95, 215–216
clay minerals, B6:6, 23
vs. depth, A:97
vs. loss on ignition, A:98
vs. magnesium number, A:217
See also aluminum oxide/titanium oxide ratio; zirconium/titanium oxide ratio

toluene, sediments, A:282

tourmaline, lithologic units, A:267

trace elements
chlorite, B6:19
clay minerals, B6:6, 24

pore water, B1:1–16

Trans-Atlantic Geotraverse
permeability and electrical and thermal properties, B8:1–42
sulfide mineral chemistry and petrography, B5:1–34

tremolite
photograph, A:100
photomicrograph, A:100

triple junctions, spreading centers, A:7

turbidites
formation microscanner imagery, A:135
geology, A:11–13
Lithofacies A, A:54–56
lithologic units, A:44–53, 163–168; B10:10
photograph, A:55, 73, 77, 85, 211

turbidites, calcareous fine-grained sand to silt, lithologic units, A:210, 266–267

turbidites, carbonate altered silt to clay, lithologic units, A:265–266

turbidites, fine-grained sand, lithologic units, A:265

turbidites, interbedded fine-grained, lithologic units, A:208, 263, 265

turbidites, mud, lithologic units, A:208

turbidites, sand-rich, lithologic units, A:208–209, 265

turbidites, silt to clay, lithologic units, A:209

turbidites, silty, lithologic units, A:209, 266

Two Wells Sandstone, fatty acids, B3:17

U

Unit III, clastic sulfides, A:58–61

Unit V, massive sulfides, A:61–73

Unit VI, sulfide feeder zone, A:73–78

uranium, massive sulfides, B4:3–5

uranium logs, vs. depth, A:132, 231

uranium-234. *See* thorium-230/uranium-234 ratio

uranium-235. *See* protactinium-231/uranium-235 ratio

uranium-238, vs. depth, B4:13

V

vanadium, mass balance, A:98

variolites
mass balance, A:96, 98–99
pillow lava, A:94

vein density
correlation, A:111
vs. depth, A:104; B9:8, 24; B10:10

vein dip
distribution, A:104
vs. depth, A:105

vein networks, massive sulfides, B9:1–25

vein width, distribution, A:104

veinlets, anhydrite
photograph, A:108
structures, A:169

veinlets, chlorite, photograph, A:106

veinlets, sulfide, photograph, A:105–106

veinlets, sulfide mineralization, A:71

veins
basalts, A:213, 271

Deep Copper Zone, A:76–78
 geometry, A:74–76
 hydrothermal circulation, A:11, 73–87; B10:9–10, 37
 photograph, A:73–75, 77–79, 100, 218; B10:36–37
 pillow lava, A:94
 sills, A:93
 structural data, A:107–112, 216–217, 272–273
See also actinolite; albite; paleoveins; pyrite veins; sulfide veins
 veins, anhydrite, photograph, A:85
 veins, chlorite, photograph, A:92
 veins, crack-seal, structural data, A:111; B10:10, 37
 veins, en echelon, photograph, A:80
 veins, extension, structural data, A:107–112; B9:4–9
 veins, pyrite, photograph, A:68, 105
 veins, pyrrhotite, photograph, A:109
 veins, quartz + chalcopyrite, photograph, A:92–93, 107
 veins, quartz + sulfide, photograph, A:93
 veins, quartz, photomicrograph, A:95
 veins, stockwork, photograph, A:77
 veins, sulfide
 formation microscanner imagery, A:133–136
 photograph, A:106
 with sediments, A:75–76
 velocity
 sediments, B7:6–8, 17–19
 See also compressional wave velocity
 velocity logs, vs. depth, A:132, 231
 vents
 bacterial profiles, B2:1–18
 flow, B10:13–14
 hydrothermal circulation, A:7–9
 vents, active, location, A:197
 vesicles
 basalts, A:271–272
 sills, A:92
 volcanic glass
 basalts, A:272
 enrichment/depletion diagram, A:99
 isocons, A:99
 photograph, A:93
 photomicrograph, A:94–95
 pillow lava, A:93–94
 volcanic rocks, geology, A:12
 volcanism, basalt pillows, A:257
 vuggy textures, massive sulfides, A:270
 vugs, sulfide mineralization, A:71

W

weathering, hydrothermal circulation, A:10

well-logging
 shore-based log processing, A:236
 shore-based processing, A:143
 Site 1035, A:130–134
 Site 1036, A:188–196
 Site 1037, A:227–231
 Site 1038, A:292–293
 Whitewater Shale, fatty acids, B3:17
 wood, lithologic units, A:208
 wurtzite, hydrothermal circulation, A:11

X

X-ray diffraction data, minerals, A:168–169, 213, 270

Y

yttrium
 mass balance, A:99
 See also neodymium/yttrium ratio; niobium-zirconium-yttrium plots

Z

zeolites, basalts, A:212–214, 271
 zinc
 clay minerals, B6:6, 24
 depletion, A:99
 enrichment, A:99
 leaching, A:102
 mass balance, A:98
 massive sulfides, B5:5–6
 sulfides, A:88–89
 vs. depth, A:89, 97
 See also copper-iron-zinc plots; copper-lead-zinc plots
 zirconium
 immobility, A:101
 mass balance, A:98
 See also niobium-zirconium-yttrium plots
 zirconium/titanium oxide ratio, vs. aluminum oxide/titanium oxide ratio, A:102
 zoisite, photomicrograph, A:100
 zonation, alteration zones, A:81–87
 zoning
 foraminifers, A:212
 metals, A:89
Zoophycus
 Lithofacies B, A:56
 lithologic units, A:163–165
 photograph, A:165
Zoophycus marker horizon, lithologic units, A:163–165

TAXONOMIC INDEX

A

Arachnoidiscus, Site 1037, A:211

G

Globobulimina pacifica, Site 1038, A:268
Globorotaloides hexagonus, Site 1035, A:39

H

hexagonus, *Globorotaloides*, Site 1035, A:39

I

Isthmia, Site 1037, A:211

N

Neogloboquadrina pachyderma (dextral)
Site 1035, A:39, 58, 63
Site 1036, A:169
Site 1037, A:211

P

pachyderma (dextral), *Neogloboquadrina*
Site 1035, A:39, 58, 63
Site 1036, A:169
Site 1037, A:211
pacifica, *Globobulimina*, Site 1038, A:268

Q

quineloba, *Turborotalita*, Site 1035, A:39

T

Turborotalita quineloba, Site 1035, A:39

Z

zones (with letter prefix)
CD3, A:39, 212, 268
CD4, Site 1037, A:212
CD5, Site 1035, A:39