

INDEX TO VOLUME 169S

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 169S of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, or thin-section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 1033, for example, is given as “Site 1033, A:11–61.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station TX 77845-9547, USA, e-mail: pub_production@odpemail.tamu.edu.

VOLUME 169S SUBJECT INDEX

age
 carbon-14, A:25, 33–35
 stratigraphic units, A:26
 wood/shell pair, A:25–26

alkali metals, sediments, B:40

alkaline earths, sediments, B:39–40

alkalinity, sediments, B:39–40

alkalinity, dissolved, vs. depth, A:47, 54

alkalinity, titration, vs. depth, A:51, 57

ammonia
 sediments, B:39–40
 vs. depth, A:54, 57

anoxia, bottom waters, A:14

basins, oceanography, A:15–16

biogeochemistry, diagenesis, A:17

bioturbation, lithologic units, A:22, 24

bivalves
 lithologic units, A:22
 sediments, A:60

boron, dissolved, vs. depth, A:56, 59

boron, sediments, B:40

bottom waters, oceanography, A:15–16

British Columbia, geology, A:14

bryozoans, lithologic units, A:22

burrows, lithologic units, A:24

calcite. *See also* carbonate content

calcite crystal, angular biterminated, photograph, A:27

calcite, granular, photograph, A:27

calcium, sediments, B:39–40

calcium, dissolved, vs. depth, A:55, 58

Capilano sediments, geology, A:14

carbon, organic
 organic matter, B:38–39
 sediments, A:48, 50
 vs. depth, A:49, 52

carbon-14, age, A:25, 33–35

carbon dioxide, gases, B:37, 39

carbon dioxide, vacutainer, vs. depth, A:47, 51

carbonate content
 organic matter, B:39
 sediments, A:48, 50
 vs. depth, A:49, 52

See also calcite

cedar, sediments, A:60

Chaetoceros spp., vs. depth, B:7

chemistry, organic, A:32–39

chloride
 sediments, B:40
 vs. depth, A:47, 51, 55, 58

See also sodium/chloride ratio;
 sulfate/chloride ratio

cirripeds, sediments, A:60

clasts, silt, lithologic units, A:24

clay, composition, A:14

clay, silty, lithologic units, A:21–22, 24

clays, lithologic units, A:21

climate, Holocene, geology, A:14–15

color reflectance, vs. depth, A:37, 44

composite section, stratigraphy, B:27

correlation
 composite summary, A:29–30
 massive intervals, A:31–32

Mazama Ash, A:25

Cowichan River
 oceanography, A:15–16
 organic matter, A:14

cyclic processes, oceanography, A:15–16

Cyclotella caspia, vs. depth, B:9

Cyclotella spp., vs. depth, B:9

deep water, oceanography, A:15–16

deglaciation, sediments, A:16–17

density, GRAPE bulk, vs. depth, A:36, 43

density, spliced bulk, vs. depth, A:38, 45

diagenesis
 biogeochemistry, A:17
 organic matter, Saanich Inlet, B:32, 36
 sediments, A:17

See also remineralization

diatoms
 intra-annual variability, B:3–10
 oceanography, A:15–16

diatoms, littoral, vs. depth, B:7

dropstones, lithologic units, A:24–25

earthquakes, proxy data, A:17

El Niño–Southern Oscillation events, oceanography, A:15–16

fabric, lithologic units, A:24–25

feldspar, lithologic units, A:21

fjords
 geology, A:14
 oceanography, A:15–16

Fraser Glaciation, geology, A:14

Fraser River, geology, A:13–14

gastropods, sediments, A:60

geochemistry, inorganic
 Site 1033, A:39–40
 Site 1034, A:40

geochronology, carbon-14, A:25, 33–35

glaciomarine environment
 lithologic units, A:24–25
 sediments, B:40

glendonite, photograph, A:27

granules, lithologic units, A:21–22, 24

Haro Strait
 cores, A:13
 oceanography, A:15–16

hexahydrate, calcium carbonate, photograph, A:27

Holocene
 climate, A:14–15
 cores, A:13
 mud, A:26–27

See also Pleistocene/Holocene boundary

hydrocarbons
 headspace gas chromatographic data, A:46, 49
 vacutainer gas chromatographic data, A:47, 50

See also methane

hydrogen sulfide, gases, B:37–38

hydrogen sulfide, vacutainer, vs. depth, A:48, 51

ikaite, organic matter, B:39

index properties, sediments, B:28, 31

Isothecium stoloniferum, scanning electron microscopy, A:61

Juan de Fuca Strait, oceanography, A:15–16

laminations
 lithologic units, A:21–24
 photograph, A:21
 X-ray radiograph, A:28

liquefaction, Pleistocene lake sediments, A:17

lithium, sediments, B:40

lithium, dissolved, vs. depth, A:56, 59

lithologic units
 Site 1033, A:20–22
 Site 1034, A:22–27
 Unit I, A:20–23
 Unit II, A:21–24

lithostratigraphy
 Site 1033, A:20–22
 Site 1034, A:22–27

Magnesium, sediments, B:40

magnesium, dissolved, vs. depth, A:55, 58

magnetic susceptibility, vs. depth, A:36, 43

magnetic susceptibility, spliced, vs. depth, A:38, 45

marine environment, lithologic units, A:24–25

Mazama Ash, photograph, A:25

methane, gases, B:37, 39

methane, headspace, vs. depth, A:47, 51

methane, vacutainer, vs. depth, A:47, 51

mica, lithologic units, A:21

mottling, lithologic units, A:24

mud
 age, A:26–27
 lithologic units, A:22–23
 photograph, A:21, 25–26

mud, diatomaceous
 lithologic units, A:21–23
 photograph, A:21

mud, silty, lithologic units, A:21

Nanaimo Lowlands, geology, A:14

nitrogen
 gases, B:37, 39
 sediments, A:48, 50

nitrogen, organic
 organic matter, B:38–39
 vs. depth, A:49, 52

nitrogen, vacutainer, vs. depth, A:48, 51

nutrients
 oceanography, A:15–16
 sediments, B:39–40

ocean circulation, oceanography, A:15–16

oceanography, freshwater discharge, A:15–16

offset depths
 Site 1033, A:37
 Site 1934, A:45

ooze, lithologic units, A:21

ooze, diatom, photograph, A:21, 25

organic matter
 composition, A:14
 diagenesis, B:32, 36

oxygen, gases, B:37

oxygen, vacutainer, vs. depth, A:48, 51

Pacific Ocean E, cores, A:13

paleoclimatology
 Holocene, A:14–15

paleoecology
 diatoms, B:9
 sediments, A:16–17

paleoenvironment, sediments, A:16–17

paleontology, A:40–41

paleoseismicity, proxy data, A:17

palyнолог, sediments, A:16–17

pebbles

composition, A:26
lithologic units, A:21–22, 24

phosphate
sediments, B:39
vs. depth, A:54, 57

physical properties
Site 1033, A:27–28
Site 1034, A:28, 31–32

plant debris
lithologic units, A:21
scanning electron microscopy, A:61
sediments, A:60

Pleistocene
mud, A:26–27
See also Wisconsinan

Pleistocene/Holocene boundary, paleoclimatology, A:17

pollen, lithologic units, A:21

pore water, geochemistry, A:52–53

potassium, dissolved, vs. depth, A:56, 59

potassium, sediments, B:40

pseudomorphs, photograph, A:27

quartz, lithologic units, A:21

Quaternary *See* Holocene; Pleistocene;
Pleistocene/Holocene boundary;
Wisconsinan

remineralization, organic matter, B:32, 36

reservoir age, wood/shell pair, A:25–26

Saanich Inlet, geology, A:14

sand
lithologic units, A:21–22, 24
photograph, A:26

Satellite Channel
cores, A:13
oceanography, A:15–16

scaphopods, sediments, A:60

sea-level changes, paleoclimatology, A:15

sedimentation rates
chronology, A:25
sediments, A:14

sediments, composition, A:14

seismic profiles, A:19
seismic surveys, A:17

shear strength, undrained
sediments, B:28, 32
vs. depth, A:38, 46

shells
lithologic units, A:21
sediments, A:60

silica, sediments, B:40

silica, dissolved, vs. depth, A:56, 59

sills, geology, A:13–14

silt
composition, A:14
lithologic units, A:21–22

Site 1033
coring, A:20
gas samples, A:36–39
inorganic geochemistry, A:39–40
lithostratigraphy, A:20–22
physical properties, A:27–28

Site 1034
coring, A:20
diatoms, B:3–10
gas samples, A:39
inorganic geochemistry, A:40
lithostratigraphy, A:22–27
paleontology, A:40–41
physical properties, A:28 31–32

Sites 1033–1034, A:11–61
background and scientific objectives, A:13–16
objectives, A:16–17
operations, A:18–20
organic chemistry, A:32–39
site description, A:11–61
summary, A:40

Skeletonema costatum, vs. depth, B:7

smear slides, sediments, A:24

sodium, sediments, B:40

sodium/chloride ratio
sediments, B:40
vs. depth, A:55, 58

solar radiation, paleoclimatology, A:15

Strait of Georgia, oceanography, A:15–16

stratigraphic units, age, A:26

stratigraphy, composite section, B:27–28, 31

strontium, sediments, B:40

strontium, dissolved, vs. depth, A:55, 58

sulfate, sediments, B:39–40

sulfate, dissolved, vs. depth, A:47, 51, 54, 57

sulfate/chloride ratio
gases, B:37, 39
vs. depth, A:47, 51

sulfur
sediments, A:48, 50
vs. depth, A:49, 52

sulfur, organic, organic matter, B:38–39

temperature, oceanography, A:15–16

Thalassionema nitzschiooides, vs. depth, B:8

Thalassiosira eccentrica, vs. depth, B:8

Thalassiosira lineata, vs. depth, B:8

Thalassiosira oestrupii, vs. depth, B:8

Thalassiosira pacifica, vs. depth, B:8

Thalassiosira spp., vs. depth, B:8

Thuja plicata, scanning electron microscopy, A:61

tides, oceanography, A:15–16

Vancouver Island, geology, A:14

varves
lithologic units, A:24–25
X-ray radiograph, A:28

Vashon Drift, geology, A:14

vegetation, paleoclimatology, A:14–15

velocity, acoustic
corrected and uncorrected values, A:38, 45
sediments, B:28, 31–32

Victoria, geology, A:14

volcanic ash
lithologic units, A:21–23
photograph, A:25

Wisconsinan, geology, A:14

Yew
scanning electron microscopy, A:61
sediments, A:60

Younger Dryas, paleoclimatology, A:17

VOLUME 169S TAXONOMIC INDEX

Amphora spp., Site 1034, B:9

brevifolia, *Taxus*, Sites 1033–1034, A:61

brightwellii, *Ditylum*, Sites 1033–1034, A:16

caspia, *Cyclotella*, Site 1034, B:4, 9

Chaetoceros compressus, Sites 1033–1034, A:15–16

Chaetoceros concavicornis, Sites 1033–1034, A:16

Chaetoceros debilis
Site 1034, B:4–5
Sites 1033–1034, A:16

Chaetoceros diadema, Sites 1033–1034, A:16

Chaetoceros didymus, Sites 1033–1034, A:16

Chaetoceros lorenzianus, Sites 1033–1034, A:16

Chaetoceros radicans
Site 1034, B:4–5
Sites 1033–1034, A:15

Chaetoceros socialis, Sites 1033–1034, A:15

Chaetoceros spp., Site 1034, B:4–5, 7

Chaetoceros vanhuerkii
Site 1034, B:4–5

Sites 1033–1034, A:16

Cocconeis spp., Site 1034, B:9

compressus, *Chaetoceros*, Sites 1033–1034, A:15–16

concavicornis, *Chaetoceros*, Sites 1033–1034, A:16

Corethron criophilum, Sites 1033–1034, A:16

costatum, *Skeletonema*
Site 1034, B:4–7
Sites 1033–1034, A:15–16

criophilum, *Corethron*, Sites 1033–1034, A:16

Cyclotella caspia, Site 1034, B:4, 9

Cyclotella litoralis, Site 1034, B:4, 9

danicus, *Leptocylindrus*, Sites 1033–1034, A:16

debilis, *Chaetoceros*
Site 1034, B:4–5
Sites 1033–1034, A:16

Detonula pumila, Sites 1033–1034, A:16

diadema, *Chaetoceros*, Sites 1033–1034, A:16

didymus, *Chaetoceros*, Sites 1033–1034, A:16

Diplotheleis spp., Site 1034, B:9

Ditylum brightwellii, Sites 1033–1034, A:16

eccentrica, *Thalassiosira*, Sites 1033–1034, A:15

Eucampia zodiacus, Sites 1033–1034, A:16

Fragilaria spp., Site 1034, B:9

Gomphoneis spp., Site 1034, B:9

Gomphonema spp., Site 1034, B:9

gravida, *Thalassiosira*, Sites 1033–1034, A:15

Hantzschia spp., Site 1034, B:9

Isothecium stoloniferum, Sites 1033–1034, A:61

Leptocylindrus danicus, Sites 1033–1034, A:16

litoralis, *Cyclotella*, Site 1034, B:4, 9

lorenzianus, *Chaetoceros*, Sites 1033–1034, A:16

Minidiscus sp., Sites 1033–1034, A:15

Navicula spp., Site 1034, B:9

Nitzschia pacifica, Site 1034, B:4–5

Nitzschia pungens
Site 1034, B:4–5

Sites 1033–1034, A:16	<i>Nitzschia</i> spp., Site 1034, B:9	<i>nitzschiooides, Thalassionema</i> Site 1034, B:4–6, 8 Sites 1033–1034, A:16	<i>nordenskiöldii, Thalassiosira</i> , Sites 1033–1034, A:15	<i>radicans, Chaetoceros</i> Site 1034, B:4–5 Sites 1033–1034, A:15	<i>Rhizosolenia setigera</i> , Sites 1033–1034, A:16	<i>rotula, Thalassiosira</i> , Sites 1033–1034, A:15	<i>Sites 1033–1034, A:16</i>
<i>pacifica, Nitzschia</i> , Site 1034, B:4–5	<i>pacifica, Thalassiosira</i> Site 1034, B:4–6, 8 Sites 1033–1034, A:15	<i>Paralia sulcata</i> , Site 1034, B:9	<i>plicata, Thuja</i> , Sites 1033–1034, A:61	<i>skeletonema costatum</i> Site 1034, B:4–7 Sites 1033–1034, A:15–16	<i>socialis, Chaetoceros</i> , Sites 1033–1034, A:15	<i>stoloniferum, Isothecium</i> , Sites 1033–1034, A:61	<i>Thalassiosira eccentrica</i> , Sites 1033–1034, A:15
<i>pumila, Detonula</i> , Sites 1033–1034, A:16	<i>pungens, Nitzschia</i> Site 1034, B:4–5 Sites 1033–1034, A:16	<i>sulcata, Paralia</i> , Site 1034, B:9	<i>Synedra</i> spp., Site 1034, B:9	<i>Taxus brevifolia</i> , Sites 1033–1034, A:61	<i>Thalassiosira gravida</i> , Sites 1033–1034, A:15	<i>Thalassiosira nordenskiöldii</i> , Sites 1033–1034, A:15	<i>Thalassiosira rotula</i> , Sites 1033–1034, A:15
				<i>Thalassionema nitzschiooides</i> Site 1034, B:4–6, 8			<i>Thalassiosira spp.</i> , Site 1034, B:4–6, 8
							<i>Thuja plicata</i> , Sites 1033–1034, A:61
							<i>vanhuerkii, Chaetoceros</i> Site 1034, B:4–5 Sites 1033–1034, A:16
							<i>zoodiacus, Eucampia</i> , Sites 1033–1034, A:16