

INDEX TO VOLUME 174B

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 174B of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear-slide data, or thin-section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 395, for example, is given as "Site 395, A:13–23."

SUBJECT INDEX

A

- advection, pore water, A:30–31
- alkalinity
 - bacterial activity, A:30
 - vs. depth, A:32
- alteration minerals, lithostratigraphy, A:22
- ammonium, bacterial activity, A:30
- amygdalites, lithologic units, A:29
- Atlantic Ocean, hydrothermal processes, B2:1–12
- Azimuthal Resistivity Imager, Site 395A, A:4–5

B

- basalts
 - lithostratigraphy, A:22
 - See also* lava flows; pillow basalts
- basalts, aphyric, lithologic units, A:29
- basement, Circulation Obviation Retrofit Kit, B2:4–5
- bioturbation, lithologic units, A:28
- bulk density logs, basalts, A:22
- burrows, lithologic units, A:28

C

- calcite, lithologic units, A:28
- calcium
 - pore water, A:31
 - vs. depth, A:32
- caliper logs, vs. depth, A:18; B2:10
- carbonate content, lithologic units, A:28
- chloride
 - pore water, A:30–31
 - vs. depth, A:32
- chlorite, lithologic units, A:28

- Chron 1r, magnetostratigraphy, A:29
- Chron 2, magnetostratigraphy, A:29
- Chron 2r, magnetostratigraphy, A:29
- Chron 3, magnetostratigraphy, A:29
- Chron 3r, magnetostratigraphy, A:29
- Circulation Obviation Retrofit Kit
 - Site 395, A:17
 - Site 395A, A:3; B2:4–5
- clasts, basalt, lithologic units, A:28
- clay, lithologic units, A:28
- clay, red, lithologic units, A:28
- clays, fabric, B1:5–6
- coccoliths
 - microtextures, B1:4
 - scanning electron micrographs, B1:9
- compaction, deformation, B1:1–13
- compressional wave velocity, A:21
- compressional wave velocity, acoustic, vs. depth, A:31, 33
- computed gamma ray logs, vs. depth, A:19
- crust, oceanic, off-axis hydrothermal processes, B2:1–12

D

- Davis-Villinger Temperature Probe, Site 395A, A:3
- deformation, unlithified sediments, B1:1–13
- demagnetization, discrete samples, A:30
- density
 - fabric, B1:5–6
 - fluid circulation, B2:2–3
- density, bulk, vs. depth, A:31, 33; B1:10
- density logs
 - vs. depth, A:19
 - See also* bulk density logs
- Dipole Sonic Imager, Site 395, A:3–4

downhole measurements, A:17–22

E

electrical logs, vs. depth, A:18

F

fluid circulation

- pore water, A:31; B2:8
- ridge-flank movement, B2:2–3

foraminifers

- lithologic units, A:28
 - scanning electron micrographs, B1:9
- foraminifers, planktonic, preservation, B1:4
- Formation Microscanner imagery
- sediments, B2:3–4
 - Site 395, A:21
 - vs. depth, A:18

G

gamma-ray logs. *See* computed gamma ray logs; spectral gamma ray logs; total spectral gamma ray logs

Gauss Chron, magnetostratigraphy, A:29

geochemistry, inorganic

- Site 395A, A:8

- Site 1074, A:29–31

Gilbert Chron, magnetostratigraphy, A:29

graded bedding, lithologic units, A:28

H

heat flow

- fluid circulation, B2:2–3
- Site 395, A:14
- Site 1074, A:32

hole azimuth logs, vs. depth, A:18

hole deviation logs, vs. depth, A:18

hydrothermal processes, off-axis, oceanic crust, B2:1–12

I

illite, lithologic units, A:28

index properties, Site 395A, A:8

induction log deep, vs. depth, A:18

isotherms, water flow, A:15

L

Laterolog deep, vs. depth, A:18; B2:10

Laterolog shallow, vs. depth, A:18

lava flows, lithostratigraphy, A:22

lithic component, lithologic units, A:28

lithologic units

- Site 1074, A:28–29

- Unit I, A:28

- Unit II, A:29

lithostratigraphy

- Site 395, A:5–7, 22

- Site 1074, A:28–29

M

magnesium

- pore water, A:31

- vs. depth, A:32

magnetic fabric, deformation, B1:4–5

magnetic foliation

- magnetic fabric, B1:4–5

- vs. depth, B1:10, 12–13

- vs. magnetic lineation, B1:11

magnetic inclination

- chrons, A:29

- vs. depth, A:29; B1:10

magnetic lineation

- magnetic fabric, B1:4–5

- vs. depth, B1:10, 12–13

- vs. magnetic foliation, B1:11

magnetic susceptibility, vs. depth, A:31, 33; B1:10, 12–13

magnetostratigraphy, chrons, A:29

Matuyama Chron, magnetostratigraphy, A:29

microtextures, deformation, B1:4

Mid-Atlantic Ridge

- hydrothermal processes, B2:1–12

- well-logging, A:3–35

mottling, lithologic units, A:28

multisensor track, Site 395A, A:8

N

nannofossils, microtextures, B1:4

neutron porosity logs, vs. depth, A:19; B2:10

North Pond

- hydrothermal processes, B2:1–12

- lithostratigraphy, A:22

- well-logging, A:3–35

nuclear logs, vs. depth, A:19

O

Olduvai Subchron, magnetostratigraphy, A:29

oze, foraminifer, lithologic units, A:28

oze, nannofossil, lithologic units, A:28

oxygen isotopes, pore water, A:30

P

paleomagnetism, A:29

permeability, Circulation Obviation Retrofit Kit, B2:4–5

photoelectric factor logs, vs. depth, A:19

physical properties

- Site 395A, A:7–9

- Site 1074, A:31–32

pillow basalts, lithostratigraphy, A:22

plagioclase, lithologic units, A:28

pore water

- advection, A:30

- geochemistry, A:31

porosity

- fabric, B1:5–6

- vs. depth, B1:10

- See also* void space

porosity logs. *See* neutron porosity logs

potassium

 pore water, A:30–31
 vs. depth, A:32

potassium logs, vs. depth, A:19
preservation, microfossils, B1:4–6

pressure

 amplitude and phase of basement pressure, B2:12
 vs. time, B2:11

R

radiolarians, lithologic units, A:28

remanent magnetization, anhysteretic, vs. isothermal remanent magnetization, A:30

remanent magnetization, demagnetization, A:29

remanent magnetization, isothermal, vs. anhysteretic and natural remanent magnetization, A:30

remanent magnetization, natural, vs. isothermal remanent magnetization, A:30

resistivity, measurements and images, A:20, 22

resistivity logs

 sediments, B2:3–4

 Site 395, A:21; B2:10

S

salinity, pore water, A:30–31

sand, lithologic units, A:28

sedimentation, pelagic, lithologic units, A:29

sediments, fluid circulation, B2:2–3

sediments, pelagic, lithologic units, A:28

sediments, unlithified, deformation, B1:1–13

seismic profiles, A:26

shear wave velocity, A:21

silica

 pore water, A:30–31

 vs. depth, A:32

Site 395, A:13–23

 background and objectives, A:13–16

 Circulation Obviation Retrofit Kit, A:17

 downhole measurements, A:3–9, 17–22

 hydrothermal processes, B2:1–12

 lithostratigraphy, A:5–7, 22

 operations, A:16

 physical properties, A:7–9

 site description, A:13–23

 temperature, A:16–17

Site 1074, A:25–35

 background and objectives, A:25

 coring, A:27

 heat flow, A:32

 hydrothermal processes, B2:1–12

 inorganic geochemistry, A:29–31

 lithostratigraphy, A:28–29

 operations, A:25–28

 paleomagnetism, A:29

 physical properties, A:31–32

 site description, A:25–35

sonic logs

 vs. depth, A:18

 waveforms, A:22

spectral gamma ray logs

 vs. depth, A:19

See also total spectral gamma ray logs

spherical focused logs, vs. depth, A:18

spontaneous potential logs, vs. depth, A:18; B2:9

stairstep structure, scanning electron micrographs, B1:9

strontium

 pore water, A:30

 vs. depth, A:32

sulfate

 bacterial activity, A:30

 vs. depth, A:32

T

temperature

 gradient log, A:20

 Site 395, A:8, 16–17

 vs. corrected depth, A:17

 vs. depth, A:20; B2:9

 vs. time, A:16; B2:11

 well-logging, B2:3–4

temperature, in situ, Adara core shoe probe, A:34

temperature gradient logs, vs. depth, A:18

thermal conductivity

 needle probe, A:31–32, 34

 Site 395A, A:8

 vs. depth, A:32, 34

thorium logs, vs. depth, A:19

time, vs. temperature, A:16

total spectral gamma ray logs, vs. depth, A:19

transmissivity, Circulation Obviation Retrofit Kit, B2:4–5

U

Unit IA/IB boundary, pore water, A:30

uranium logs, vs. depth, A:19

V

velocity. *See also* compressional wave velocity; shear wave velocity

void space

 scanning electron micrographs, B1:9

 shape and volume, B1:4

W

water flow, isotherms, A:15

well-logging

 Site 395, A:17–22

 Site 395A, A:3–9

 temperature, B2:3–4