

INDEX TO VOLUME 175

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 175 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear slide data, or thin section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 1035, for example, is given as "Site 1035, A:35–152."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

SUBJECT INDEX

A

- ABC-system. *See* Angola–Benguela Current system
- acetic acid, carbon dioxide, A:558–559
- acids, sediments, B5:8
- acoustic velocity logs, vs. depth, A:141
- Actinocyclus* spp., mass accumulation rates vs. age, B11:23
- Actinoptychus* spp., mass accumulation rates vs. age, B11:23
- Africa SW
 - biostratigraphy, A:543–546
 - color reflectance, A:569–577
 - microbial gases, A:555–560
 - Miocene–Pleistocene sedimentary record, B6:1–19
 - organogenic dolomites, B15:1–17
 - pore water, A:547–553
 - sedimentation rates, B9:1–23
 - sediments, B17:1–12
 - upwelling, A:487–504
- Africa W, paleoclimatology, B23:1–46
- age
 - color, A:562–563
 - sedimentation rates; B11:6, 25; B(synthesis):9–16
 - sediments, A:562–563
 - vs. carbon dioxide, A:8
 - vs. total organic carbon, A:52
- age control points, foraminifers, B12:22
- age models
 - astronomical calibration, B22:1–19
 - biostratigraphy, B(synthesis):63–68, 97–98, 100–102
 - sedimentation rates, B(synthesis):11–16
 - sediments, B18:6–7
 - spectral analysis, B22:18–19
- age vs. depth
 - Site 1075, A:66
 - Site 1076, A:93; B23:28
 - Site 1077, A:123; B11:19; B23:28
 - Site 1078, A:160
 - Site 1079, A:183
 - Site 1080, A:210
 - Site 1081, A:245, 545; B23:28
 - Site 1082, A:284, 294, 545; B14:24
 - Site 1083, A:318, 545
 - Site 1084, A:353, 546
 - Site 1085, A:400, 546; B22:10
 - Site 1086, A:440, 444, 546
 - Site 1087, A:467, 546
- age–depth models
 - biostratigraphy, B23:43, 46
 - Cenozoic, B23:10
 - oxygen isotopes, B23:42, 44–45
 - Site 1082, B14:3

- Agulhas Current
 eddy effect, B(synthesis):40–41
 ocean circulation, A:10, 528, 531; B7:8
 productivity, B18:3–4
- Agulhas Current Retroflection
 currents, A:528, 531
 ocean circulation, A:10, 19
- albite
 lithologic units, A:152
 vs. depth, A:243
 X-ray diffraction data, A:235, 281–282
- albite/(albite+quartz) ratio, vs. depth, A:281
- alcohols
 sediments, B5:8; B10:5–7
See also n-alcohols
- alcohols, steroidal, sediments, B5:8–9
- algae
 sediments, B10:7
See also Eustigmatophyceae; haptophyte algae; microalgae; Nannochloropsis
- alkalinity
 dolomite, A:498
 organic matter, A:132, 550–552
 pore water, A:72, 100, 129, 163, 188–189, 211–212, 255, 294–295, 325, 367, 409, 444, 472
 vs. depth, A:78, 107, 134, 169, 191, 215, 260, 300, 331, 370, 415, 450, 478, 549, 552
- alkanes. *See n-alkanes*
- alkanols. *See n-alkanols*
- alkenes, sediments, B10:13
- alkenoates, long-chain, sediments, B5:6–7
- alkenones
 concentration, B10:30
 vs. age, B19:16
- alkenones, long-chain
 gas chromatograms, B5:19
 sediments, B5:6–7; B10:7, 13
- alkyl diols, sediments, B10:7–8
- alkyl keto-ols, sediments, B10:7–8
- alkyl-1, long-chain, sediments, B5:7
- alkyl-1,n-diols, sediments, B5:7
- alkyl-1-ol-n-ones, sediments, B5:7
- aluminum. *See* potassium/aluminum ratio
- ammonium
 pore water, A:72, 100, 129, 163, 188–189, 212, 255, 294–295, 325, 367, 409, 444, 472
 vs. depth, A:78, 107, 134, 169, 191, 215, 260, 300–331, 370, 415, 450, 478, 512, 549, 552
 amyrine. *See* β -amyrine
- Angola
 age models, B(synthesis):64
 carbonates, B(synthesis):76
 sediments, A:489
See also Bight of Angola
- Angola Basin
 dolomite, B15:1–17
 lipids, B10:1–32
 lithostratigraphy, A:534–535, 541; B(synthesis):11–12
 ocean circulation, A:9–11
 Quaternary, B(synthesis):20–23
 total organic carbon vs. age, A:509
- See also* Mid-Angola Basin
- Angola Basin S
 drilling, A:17
 sediments, B17:3–4
 upwelling, A:17
- Angola Current
 foraminifer dissolution, A:320
 hydrography, B11:3
 lipids, B10:1–32
 sediments, B23:13–15
- Angola Dome
 lipids, B10:1–34
 upwelling, A:16
- Angola Margin
 headspace gases, A:557
 lipids, B10:1–34
 microbial gases, A:555
- Angola Transect, paleoceanography, A:508–509
- Angola–Benguela Current system
 heat transfer, B23:3
 hydrography, B11:3
 upwelling, A:18
- Angola–Benguela upwelling system
 lithostratigraphy, A:533–542
 paleoceanography, A:505–531
 upwelling, A:7–12; B3:1–16
- Angola–Namibia upwelling system
 microbial gases, A:556
 ocean circulation, A:9–11
 upwelling, A:487–504
- Anomalinoides semicibratus*, vs. depth, A:404
- Antarctic Bottom Water, carbonate preservation, B(synthesis):7
- Antarctic Circumpolar Current, productivity, B18:3–4; B23:26
- Antarctic Intermediate Water
 currents, A:25; B12:2–4
 productivity, B18:3–4
- apatite
 diagenesis, A:214, 256
 lithologic units, A:205, 460
 pore water, A:73, 101, 164, 189
- archaea, sediments, B10:11
- archaea, pelagic, concentration, B10:30
- Argentina Current. *See* Brazil–Argentina Current
- aridity, vs. age, B23:29
- Astrononion novozealandicum*, vs. depth, A:359
- Atlantic Ocean. *See also* North Atlantic Deep Water
- Atlantic Ocean S
 ocean circulation, A:10; B23:26; B(synthesis):55
 radiolarians, B14:1–26
- Atlantic Ocean SE
 lipids, B10:1–34
 upwelling, A:487–504
- authigenesis
 dolomite, B15:6–7
 lithofacies, A:487–504
 pore water, A:72–74, 100–102, 164
See also minerals
- authigenic component, lithologic units, A:56, 91, 119, 205, 351–352

Avicennia germinans, sediments, B10:6–7
Azpeitia spp., mass accumulation rates, vs. age, B11:23

B

- bacteria. *See also* cyanobacteria
 bacteria, methanogenic, sediments, B5:4
 bacteriohopanepolyols, sediments, B10:11
 barium, biogenic, vs. age, A:146
 barium excess, power vs. frequency, A:53
 bedding. *See* convoluted bedding; unconformities; laminations; lithified layers
 Benguela Current system
 biogenous sedimentation, A:519
 evolution, A:9, 20, 226, 508
 foraminifers, B12:6–7
 headspace gases, A:558
 hydrography, B11:3
 lipid biomarkers, B5:1–26
 lipids, B10:1–34
 microbial gases, A:556
 Miocene–Pleistocene sedimentary record, B6:1–19
 ocean circulation, A:9–11, 508
 opal, B4:1–16
 organogenic dolomites, B15:1–17
 productivity, B18:2–47
 productivity control, B18:12–14
 sediments, B17:1–12
 upwelling, A:7–12, 17–21, 342; B14:1–26; B(synthesis):1–102
 See also Angola–Benguela Current system; Angola–Benguela upwelling system
 Benguela Current system S, upper Quaternary foraminifers, B7:1–26
 Benguela Transect, paleoceanography, A:509
 benthic foraminifer abundance index, vs. age, A:516
 β-amyryne, sediments, B10:6–7
 Bight of Angola, paleoclimatology, A:15–17
 bioevents, radiolarians, B14:4–5, 26
 biogenic component
 lithologic units, A:89, 91, 119, 179, 233, 281, 315–317, 351–352, 395, 434
 sediments, B11:5
 biological dumping, paleoclimatology, A:8
 biomarkers, lipids, B5:1–26; B10:1–32
 biostratigraphic datum levels
 coccoliths, B12:16
 radiolarians, B14:4–5
 See also microfossil datums; nannofossil datums
 biostratigraphy
 age model compared to magnetic susceptibility model, B22:14
 age models, B(synthesis):100–102
 foraminifers, B7:1–26
 Pliocene, B22:1–19
 Quaternary, A:543–546; B(synthesis):15–16
 radiolarians, B14:1–26
 Site 1075, A:57–58, 60, 62, 64, 66–69
 Site 1076, A:92–98
 Site 1077, A:120–126
 Site 1078, A:155, 157–159
 Site 1079, A:179–180, 182–183
 Site 1080, A:206–207, 209
 Site 1081, A:241–251
 Site 1082, A:283–291
 Site 1083, A:317–320
 Site 1084, A:352–363
 Site 1085, A:398–406
 Site 1086, A:434, 436, 438–442
 Site 1087, A:465–468
 spectral analysis of age model, B22:12
 summary, A:544–546
 biosynthesis, sediments, B10:11
 biotite, lithologic units, A:205
 bioturbation
 lithologic units, A:56, 117, 150, 152, 231–232, 276, 315–317, 344–346, 351, 395, 433–434, 460
 photograph, A:119, 155, 181, 395–397, 464
 biphytane diols
 concentration, B10:30
 See also diols, biphytane
 black layers, lithology, A:536, 542
 Blake event
 magnetic declination vs. depth, A:101
 magnetostratigraphy, A:71, 99, 186
Bolivina dilatata, vs. age, B19:17
Bolivina percentage, vs. age, A:522
Bolivina pseudopunctata, vs. age, B19:17
Bolivina seminuda, vs. depth, A:358
Bolivina sp. 1, vs. depth, A:161, 185, 248
Bolivina sp. 2, vs. depth, A:161, 185, 248
Bolivina subaenarensis, vs. depth, A:288, 359, 403
 borehole offsets
 cores, A:73, 102, 132, 167, 190, 213, 255–256, 297, 327, 368, 410, 445, 475; B20:9
 vs. depth, A:77, 105, 132, 167, 190, 213, 258, 298, 330, 368, 414, 448, 477
 borehole temperature, vs. depth, A:141, 272
 Bouma DE turbidites, dolomite, B15:6
 Brazil–Argentine Current, paleoclimatology, A:12
 Brazilian Coastal Current, productivity, B18:2–4
 brines, pore water, A:190
 Brunhes Chron
 magnetostratigraphy, A:70, 99, 160, 186, 211, 252–254, 364
 relative paleointensity, A:292
 Brunhes/Matuyama boundary
 biostratigraphy, A:354
 magnetostratigraphy, A:252, 322, 364, 470
 Milankovitch cycles, A:526
 Brunhes/Matuyama polarity transition, magnetostratigraphy, A:70, 98, 127, 253–254, 292
Bulimina aculeata, vs. depth, A:95, 125, 248, 287, 358, 403
Bulimina exilis, vs. depth, A:95, 125, 161, 185, 248, 287, 358
Bulimina marginata, vs. depth, A:248, 287
Bulimina mexicana, vs. depth, A:95, 287
Bulimina percentage, vs. age, A:521
Bulimina truncana, vs. depth, A:287, 403
Bulimina tuxpamensis, vs. depth, A:404
 burrows

lithologic units, A:460
 photograph, A:396

C

Cabo Frio, currents, B18:3–4

calcite

dissolution, A:212, 255, 295, 367–368
 lithologic units, A:56–57, 91
 precipitation, A:494–495, 504

calcite, biogenic, pore water, A:101

calcium

calcite, A:550–551
 dolomite, B15:6–7
 pore water, A:72–73, 100–101, 129–130, 164, 189,
 212–213, 295, 325–326, 367–368, 409, 444–445,
 472
 vs. depth, A:78, 191, 215, 260, 300–331, 370, 415,
 450, 478, 551–552; B13:15, 107, 134, 169; B20:5
 X-ray fluorescence scanning, B13:5–6, 21–30

calcium/magnesium ratio

calcite, A:551
 vs. depth, A:551–552

calcium carbonate

clay, A:283
 color comparison, A:571, 573
 lithologic units, A:317
 sediments, A:15; B17:2–3, 10–12
 vs. opal, A:282
 vs. quartz, A:243, 282
 vs. reflectance, A:66, 92, 122, 159, 182, 245, 563

caliper logs, vs. depth, A:271, 311, 383, 427, 494

Cape Basin

age models, B22:1–19; B(synthesis):68
 biostratigraphy, A:544–545
 carbonates and organic carbon, B(synthesis):92
 lithostratigraphy, A:536–538, 542
 Miocene–Pleistocene carbon burial, B6:1–19
 productivity, B(synthesis):35–40
 sedimentation rates, A:544–545; B1:1–23; B2:1–11;
 B(synthesis):14–15
 stratigraphy, A:573
See also Mid-Cape Basin

Cape Basin N

dolomite, B15:7
 drilling, A:17–18
 headspace gases, A:557–558
 organic matter, A:551–552
 radiolarians, B3:1–16
 sediments, B17:1–12
 upwelling, A:17–18

Cape Basin S

drilling, A:18–19
 lipids, B10:1–34
 stable isotopes, B12:1–22
 upwelling, A:18–19
 well-logging, A:380
 well-logging correlation, A:476–477

Cape Transect, paleoceanography, A:509

carbon

productivity in GeoB1016, B(synthesis):74

vs. gases, A:559

See also hydrogen/carbon ratio; oxygen/carbon ratio
 carbon, inorganic

Miocene–Pleistocene sedimentary record, B6:4–19
 percentage, A:81, 108, 135, 171, 193, 217, 262–263,
 302–303, 332, 372–374, 418–419, 451
 sediments, A:74–75, 102, 131, 166–167, 192, 215,
 258, 298, 326–327, 371, 374, 411, 446

carbon, marine organic

power vs. frequency, A:53
 vs. age, A:146

carbon, organic

clay, A:283
 Milankovitch cycles, A:523
 Miocene–Pleistocene sedimentary record, B6:4–19
 Miocene/Pliocene boundary, B(synthesis):84
 models, B(synthesis):75
 ocean circulation, A:10, 557–558
 patterns, B(synthesis):8–9
 productivity; B19:5–6; B(synthesis):36–37, 78
 sediments, A:74–75, 102, 131, 166–167, 192, 215,
 258, 298, 326–327, 371, 374, 411, 446, 488–
 493, 503–504, 509, 511–512; B1:1–23; B2:1–11;
 B11:6–7; B17:3, 10–12; B(synthesis):71

vs. age, B6:14; B19:16–17

vs. depth, A:283, 352, 519

vs. *n*-alkanes, B5:17

vs. reflectance, A:66, 92, 159, 182, 245, 563, 572

See also opal/marine organic carbon ratio

carbon, total, percentage, A:81, 108, 135, 171, 193, 217,
 262–263, 302–303, 332, 372–374, 418–419, 451

carbon, total organic

mass accumulation rates vs. age, B18:22

Miocene–Pleistocene sedimentary record, B6:5

ocean circulation, A:15

percentage, A:81, 108, 135

pyrolysis, A:82, 109, 173, 193, 218, 264, 304, 334,
 375, 420

sediments, B2:1–11; B18:6, 10; B(synthesis):73, 76,
 79, 86–87, 92

vs. age, A:52, 491, 509–510; B11:18; B23:39

vs. age in Core GeoB1028, A:526

vs. carbon/nitrogen ratio, A:303, 333, 374, 419, 452;
 B2:8; B6:16

vs. carbonate content, B6:15

vs. depth, A:263, 303, 333, 374, 419, 452, 557–558;
 B1:17, 22–23; B2:6; B17:75

vs. hydrogen index, A:194, 264, 304, 334, 375, 420;
 B6:18

vs. reflectance, A:122

See also mass accumulation rates

carbon-13

paleoclimatology, A:8

vs. age, A:9, 15

vs. depth, A:14

carbon/nitrogen ratio

Miocene–Pleistocene sedimentary record, B6:5–6
 organic matter, A:75–76, 102–103, 131–132, 167,
 192–193, 215–216, 258, 298, 327, 374–375,
 411–412, 446; B1:4, 22–23; B2:1–11

- percentage, A:81, 108, 135, 171, 193, 217, 262–263, 302–303, 332, 372–374, 451
 Site 1085, A:418–419
 vs. depth, B2:7
 vs. total organic carbon, A:264, 303, 333, 374, 419, 452; B2:8; B6:16
- carbon burial, Miocene–Pleistocene sedimentary record, B6:1–19
- carbon dioxide
 paleoclimatology, A:8
 sediments, A:76, 82, 103, 109, 134, 136, 167, 173, 193, 195, 216, 218, 261, 265, 299, 305–306, 328, 335, 375–377, 412, 421, 446–447, 452, 474, 480
 sources, A:558; B(synthesis):4
 vs. age, A:8
 vs. depth, A:173, 194, 217, 265, 307, 377, 421, 481, 511, 557
- carbon dioxide, headspace, vs. depth, A:335
- carbon isotopes
 dolomite, B15:7, 16–17
 foraminifers, B12:4–9; B(synthesis):85
 lower Quaternary, B21:5–6
 organic carbon, B17:3, 10–12
 sediments, B18:8–10; B21:27–31; B(synthesis):16–17
Uvigerina, B21:7
 vs. age, B12:14, 17; B21:19
 vs. depth, B17:8
See also carbon-13
- carbonate/noncarbonate ratio, sediments, B(synthesis):72
- carbonate abundance index, vs. age, A:497
- carbonate compensation depth, age vs. depth, A:513
- carbonate content
 lithologic units, A:56, 89, 117, 150, 179, 281, 344–346, 351, 434; B2:1–11
 Miocene–Pleistocene sedimentary record, B6:4–5
 percentage, A:81, 108, 135, 171, 193, 217, 262–263, 302–303, 332, 372–374, 418–419, 451, 557–558
 productivity cycles, B(synthesis):42–43
 sediments, A:371, 374, 411, 446, 557–558; B1:1–23
 spectrophotometry, A:282–283
 vs. age, A:492, 514; B6:13; B19:15
 vs. depth, A:263, 282–283, 303, 307, 333, 352, 374, 419, 452, 519, 537, 539; B1:17, 22–23; B2:5; B17:6
 vs. reflectance, A:572
 vs. total organic carbon, B6:15
- carbonate index, Pliocene/Pleistocene boundary, B(synthesis):84
- carbonate particles, abundance vs. age, A:498
- carbonates
 deposition, A:512–513; B(synthesis):81
 dissolution, A:512–513, 550–551; B1:16, 21
 environment, A:569, 571–573
 Miocene/Pliocene boundary, B(synthesis):84
 precipitation, A:551–552
 preservation, B(synthesis):7
 productivity, B(synthesis):36–37
 sediments, B(synthesis):70–71, 76, 86–87, 92
- See also* calcite; calcium carbonate; carbonate abundance index; carbonate compensation depth; carbonate content; carbonate index; carbonate particles; carbonate/noncarbonate ratio; dolomite; dolomite; dolomite abundance index; dolomite rhombs; dolomitization; dolostone; peloids
- Cassidulina laevigata*, vs. depth, A:95, 125, 161, 185, 248, 287, 358, 403
- Cassidulinoides cf. bradyi*, vs. depth, A:287
- cathodoluminescence, dolomite, B15:5–6
- cation exchange reactions, clay, A:255, 294
- Ceara Rise, paleoclimatology, B(synthesis):85
- Cenozoic, dolomite, B15:1–17
- Cenozoic, upper
 productivity, B18:1–24
 radiolarians, B14:1–26
- Chaetoceros* spp.
 marine signal, B11:9
 mass accumulation rates vs. age, B11:23
 vs. age, B18:22
- chemical composition, sediments, B13:1–31
- chloride
 hydrates, A:130–131
 pore water, A:73–74, 102, 165–166, 214, 258, 297, 326, 371, 410, 445, 473
 vs. depth, A:79, 107, 134, 170, 192, 216, 261, 301, 333, 371, 417, 450, 479, 552
- chloride, dissolved, glaciation, A:552–553
- chlorin
 vs. chlorin mass accumulation rate, B23:38
See also mass accumulation rates; porphyrin/chlorin ratio
- cholesta-5-en-3 β -ol, sediments, B5:8–9; B10:8–10
- 5 α -cholestan-3 β -ol, sediments, B5:8–9
- cholesterol
 concentration, B10:30
 sediments, B10:8–10
- chromaticity
 composite section, A:71, 160–161, 211, 292, 294
See also color; red/blue wavelength ratio; reflectance
- Chron C1n, magnetostratigraphy, A:160, 186, 211, 470
- Chron C1r.1n, magnetostratigraphy, A:70, 127, 252, 322
- Chron C2Ar, magnetostratigraphy, A:292, 470
- Chron C2n, magnetostratigraphy, A:70, 252, 322, 442
- Chron C3n, magnetostratigraphy, A:442
- Chron C3n.1n, biostratigraphy, A:352
- Chron C4n, magnetostratigraphy, A:442
- chrysophycean cysts
 continental signal, B11:10–11
 mass accumulation rates vs. age, B11:22
 sediments, B11:8
- Cibicidoides bradyi*, vs. depth, A:248
- Cibicidoides cf. bradyi*, vs. depth, A:288
- Cibicidoides pachyderma*, vs. depth, A:95, 248, 288, 404
- Cibicidoides* percentage, vs. age, A:525
- Cibicidoides* spp. *See also* *Globorotalia inflata*–*Cibicides* group
- Cibicidoides wuellerstorfi*
 carbon isotopes vs. age, B12:14
 oxygen isotopes vs. age, B12:12; B21:22

- sediments, B21:27–31
vs. depth, A:287, 359, 403
- clastic component, lithologic units, A:56, 89, 205, 281, 315–317
- clasts, apatite, lithologic units, A:205
- clasts, quartz, dolomite, B15:12
- clathrates
reflectors, A:500, 503–504
upwelling, A:15
See also gas hydrates
- clay
diagenesis, A:294
lithologic units, A:89, 281, 315–317, 395, 434, 460
photograph, A:91, 181
See also nodules
- clay, diatom-rich
lithologic units, A:117, 232
photograph, A:119
- clay, diatomaceous
lithologic units, A:56, 276, 345–346
photograph, A:65
- clay, glauconitic, lithologic units, A:89
- clay, hemipelagic, sedimentation rates, B9:1–23
- clay, nannofossil
lithologic units, A:281, 344–346, 351
reflectance, A:571
- clay, nannofossil diatomaceous
lithologic units, A:56, 346
photograph, A:65
- clay, nannofossil- and foraminifer-rich, lithologic units, A:231–232, 276
- clay, organic-rich, reflectance, A:571
- clay, silty, lithologic units, A:150, 152, 179, 205
- clay minerals
lithologic units, A:89, 117, 119
pore water, A:101, 164–165, 371
terrigenous composition, B23:10–11
X-ray diffraction data, A:281–282
See also illite; kaolinite; kaolinite/feldspar ratio; kaolinite/illite; kaolinite/(kaolinite+smectite) ratio; smectite; smectite/kaolinite ratio
- cluster analysis, benthic foraminifers, B19:18
- Cobb Mountain Event, magnetostratigraphy, A:292
- coccoliths
alkenoates, B5:6–7
sediments, A:166–167; B10:7–10; B17:2–3
- coercivity, remanent magnetization, B13:4–5
- cold water, fractionation, B(synthesis):44–45
- color
age, A:562–563
cycles, A:561–567
lithologic units, A:56, 92, 179, 317
lithology, A:119–120
magnetic susceptibility, A:563–565
Milankovitch cycles, A:523, 526
obliquity, A:564
patterns, A:563–565
photograph, A:280
reflectance, A:569–577
spectrophotometry, A:154–155, 282–283
vs. age, A:526
- See also* chromaticity; red/blue wavelength ratio; reflectance
- compaction
lithologic units, A:117
models, B9:6–7
- composite depth, magnetic susceptibility, B20:1–10; B22:9
- composite section
Site 1075, A:64, 70–72
Site 1076, A:90, 99
Site 1077, A:118, 128–129
Site 1078, A:154, 160–161
Site 1079, A:180, 187–188
Site 1080, A:211
Site 1081, A:239–241, 254–255
Site 1082, A:277–279, 292, 294
Site 1083, A:316, 323–324
Site 1084, A:384–350, 364, 366
Site 1085, A:392–394, 406–408; B22:8
Site 1086, A:438, 442–443
Site 1087, A:461–463, 471–472
- concretions
dolomite, A:495
upwelling, A:16
- Congo Basin
paleoclimatology, B23:1–46
Quaternary, B(synthesis):16–23
siliceous phytoplankton productivity, B11:1–32
stratigraphy, A:573
See also Lower Congo Basin
- Congo Canyon, upwelling, A:15
- Congo Fan
age models, B(synthesis):63
biogenic opal, B11:7
carbonate/noncarbonate ratio, B(synthesis):72
carbonates and opal in GeoB1008, B(synthesis):71
diatoms, B(synthesis):73
Quaternary, B(synthesis):16–20
sediments, A:489, 561–567; B10:8–10; B(synthesis):4
upwelling, A:15
- Congo River, upwelling, A:15
- Congo River plume, sediments, B10:7–8
- Congo Transect, paleoceanography, A:508
- continental margin, sedimentation rates, A:543–546
- continental signal
mass accumulation rates vs. age, B11:22
phytoliths, B11:10–11
- control points, magnetic susceptibility age model, B22:17
- convoluted bedding, photograph, A:397
- copepods, sediments, B10:12
- correlation
composite section, A:70–72, 99, 128–129, 160–161, 187–188, 211, 254–255, 292, 294, 323–324, 364, 366, 406–408, 442–443, 471–472
log-core, A:139
well-logging, A:304, 306, 380, 476–477
- correlation index, carbon isotopes vs. oxygen isotopes, B21:20
- Coscinodiscus*, mass accumulation rates vs. age, B11:23
- cryptophytes, sediments, B5:8–9

crystal chemistry, dolomite, B15:6–7
currents

glacials, A:51

paleoclimatology, A:518

patterns, A:540

productivity, A:19

transport, A:508

See also Agulhas Current; Antarctic Circumpolar Current; Benguela Current; Equatorial Current; geostrophic currents; Intertropical Convergence Zone; South Atlantic Current; South Equatorial Countercurrent; Subtropical Convergence Zone

currents, geostrophic, Atlantic Ocean S, A:488

currents, surface, Atlantic Ocean S, A:507

cyanobacteria, sediments, B18:5–6, 8–10

Cyclotella litoralis, mass accumulation rates vs. age, B11:23

D

deep water

ocean circulation, A:14; B12:6–8; B(synthesis):16–17, 61

See also Antarctic Bottom Water; North Atlantic Deep Water

degradation, organic matter, A:103, 188–189, 212, 367, 548–550

dehydration, sediments, B10:10

demagnetization, alternating-field

orthogonal plots, A:325

sediments, B8:3–4

demagnetization, low-temperature, isothermal remanent magnetization, B13:11

denitrification, sediments, B18:5–6, 8–10

density

siliceous microfossils, B11:26–28

vs. depth, A:174

density, bulk

sedimentation rates, B9:1–23

vs. depth, A:84

density, GRAPE

composite section, A:160–161, 187–188, 211, 254–255, 292, 294, 323–324, 364, 366, 471–472

vs. depth, A:76, 83–84, 104, 111, 136–137, 166, 168–169, 188–189, 193–194, 213–214, 216, 244, 256–257, 261, 326, 328, 378, 422, 453, 473–474

density, log

power spectra, B9:14–15

vs. depth, B9:13

density logs, vs. depth, A:271, 494, 311, 383

density, synthetic, composite records, B9:20

density, wet bulk, vs. depth, A:86, 113, 140, 176, 195,

199, 218, 221, 266, 270, 308, 310, 335, 337, 378, 383, 422, 426, 453, 455, 481, 483

deposition

carbonates, A:512–513

orbital controls, B22:3–5

sediments, A:555–556

seismic profiles, B(synthesis):57–58

silica, B(synthesis):44–45

See also precipitation

depositional cycles, biogenous sediments, A:12

4-desmethyl sterols, sediments, B5:8–9

diagenesis

apatite, A:214, 256

biomarkers, B5:9

clay, A:255, 294

dissolved chloride, A:552–553

lithologic units, A:150

organic matter, A:102–103, 370, 511

pore water, A:164

sediments, A:511; B5:4–5; B10:10; B18:5–6, 8–10

See also authigenesis; compaction; dissolution; dolomitization; recrystallization; remineralization

diamagnetic minerals, sediments, B8:4

diatom abundance index

sediments, B(synthesis):73, 89–90

vs. age, A:517; B11:20; B21:23

vs. depth, A:97, 125, 246, 291, 363, 512

vs. oxygen isotopes, B21:23

diatom frustules, lithologic units, A:119

diatoms

abundance, A:69, 97, 125, 250–251, 290, 323, 362, 518; B23–29

biostratigraphy, A:67, 69, 95, 98, 123, 126, 158–159, 183, 209, 250–251, 288–291, 320, 359, 362–363, 404, 406, 442, 468

concentration, B10:30

continental signal, B11:10–11

deposition, A:527–528

lithologic units, A:89, 91, 117, 119, 205, 231–233, 276, 281, 315–317, 344–345, 395

marine signal, B11:9

mass accumulation rates, B18:20

mass accumulation rates vs. age, B11:21–24

Matuyama Chron, B(synthesis):33–35

opal, B4:1–16; B(synthesis):82–83

paleoclimatology, B(synthesis):43–44

Pliocene–Pleistocene deposition, B(synthesis):27–28

post-Gauss productivity, B(synthesis):25–27

pre-Quaternary productivity, B(synthesis):25–27

productivity index, B18:5, 7–8; B21:6–10

sediments, B5:8–9; B10:8–10; B11:7–8; B21:27–31; B(synthesis):87

species composition and environmental preferences, B11:29

vs. age, B23:29–30

vs. depth, A:69, 242, 281, 519

See also *Actinopterychus* spp.; *Actinocyclus*; *Azpeitia* spp.;

diatom abundance index; diatom frustules;

Early Matuyama Diatom Maximum; *Haslea* sp.;

Rhizosolenia setigera; *Thalassionema nitzschioides*

var. *nitzschioides*; *Thalassiosira*;

Thalassiosira oestrupii var. *oestrupii*

diatoms, endemic AA species, vs. age, B18:22

diatoms, freshwater, mass accumulation rates vs. age, B11:22

diatoms, marine

concentration, B11:30–32

mass accumulation rates vs. age, B11:24

17 β ,21 β (H)-*dihomo*-hopan-32-ol, sediments, B10:11
dinoflagellates

biostratigraphy, A:404, 442, 468
concentration, B10:30
sediments, B5:8–9; B10:7–10; B11:4
dinosterol
concentration, B10:30
sediments, B10:8–10
diols
concentration, B10:30
sediments, B5:7
See also hopane-diol; *pentakishomo*-hopane-keto-diol;
trihomo-hopane-32,33-diol
diols, biphytane, sediments, B10:11
disconformities, lithologic units, A:460
dissolution
benthic foraminifers, B(synthesis):31–32, 88
biogenic calcite, A:129–130, 512–513
biogenic opal, A:445
biogenic silica, A:189–190
calcite, A:212, 255, 295, 367–368
carbonates, A:550–551; B1:3–4, 16, 21
evaporites, A:190
foraminifers, A:320
magnetic minerals, B8:4; B16:1–10
Miocene–Pleistocene sedimentary record, B6:4–5
pore water, A:325–326, 367–368, 409, 472–473
radiolarians, B14:3
silica, A:213–214, 295, 511–512, 552
dolomiticite, petrography, B15:5–6
dolomite
crystal chemistry, B15:6–7
diagenesis, A:256
lithofacies, A:494–495, 504, 541
lithologic units, A:91, 119, 150, 179
pore water, A:72–73, 101, 164
precipitation, A:130, 494–498, 551; B(synthesis):4
productivity, A:495, 498
reprecipitation, A:550–551
scanning electron microscopy photomicrograph,
B15:12
upwelling, A:16–17
X-ray diffraction data, A:235, 281–282
dolomite, authigenic, photograph, A:155–156
dolomite, blocky, petrography, B15:6
dolomite, organogenic, sediments, B15:1–17
dolomite, zoned, petrography, B15:6
dolomite abundance index, vs. age, A:496
dolomite layer thickness, vs. depth, A:272, 312, 384, 495
dolomite rhombs
abundance vs. age, A:498
lithologic units, A:91, 119, 233, 281
dolomitization, pore water, A:101, 212–213, 325–326,
368
dolostone, gas hydrates, A:560
downhole logging
lithofacies, A:493–494
Site 1077, A:138–139
Site 1082, A:301, 303–304, 306
Site 1084, A:379–380
Site 1085, A:414–416
Site 1087, A:476–477
See also well-logging

E

Early Matuyama Diatom Maximum, productivity, B(syn-
thesis): 33–35
Eastern boundary upwelling, paleoclimatology, A:8
ebriidians, sediments, B11:4
eccentricity
cycles, B(synthesis):17–18
deposition, B22:3–5
sedimentation rates, B9:5
spectral analysis of age model, B22:12
vs. age, B22:9, 13, 15
See also obliquity; orbital controls; orbital forcing;
precession
echinoids
sediments, B1:3, 14, 21
See also mass accumulation rates
eddy effect, Agulhas Current, B(synthesis):40–41
Eggerella bradyi, vs. depth, A:288
Ekman motion, productivity, B18:3–4
environment
low-carbonate and carbonate-rich, A:569, 571–573
See also paleoenvironment
Eocene
biostratigraphy, A:465–468
lithologic units, A:460
eolian transport. *See* wind transport
epifauna, vs. age, B19:17
Epistominella exigua, vs. depth, A:288, 358, 403
Equatorial Current, paleoclimatology, A:12
erosional contacts, photograph, A:464
esters. *See also* sterol esters; steryl esters; wax esters
esters, alkyl, sediments, B5:5–6
ethane
sediments, A:82, 103, 109, 136, 173, 195, 218, 265,
305–306, 335, 376, 421, 452, 480
See also methane/ethane ratio
ethene, sediments, A:109, 136, 173, 195, 218, 265, 305–
306, 335, 376, 421, 480
ethers. *See* sterol ethers; steryl ethers; wax ethers
ethyl ketones, sediments, B10:7
24-ethylcholest-5-en-3 β -ol, sediments, B10:8–10
euphotic zone, hydrography, B11:3
Eustigmatophyceae
concentration, B10:30
sediments, B10:7–8
See also *Nannochloropsis*
evaporites, dissolution, A:190

F

fatty acids
chromatograms, B10:24
profiles, B5:21
sediments, B5:8; B10:5–6
See also lipids
fatty acids, midchain hydroxy, sediments, B10:8
faults
seismic profiles, B(synthesis):57–58
See also microfaults
fecal pellets, reflectors, A:500

feldspar
 lithologic units, A:152, 179, 205, 233, 315–317, 351–352
 X-ray diffraction data, A:281–282
See also kaolinite/feldspar ratio; microcline; microcline/(microcline+quartz) ratio

feldspar/quartz ratio
 lithologic units, A:152
 vs. depth, A:157, 181

fernene, sediments, B5:5

ferrimagnetic properties, remanent magnetization, B13:4–5

fish debris
 sediments, B1:3, 15, 21
See also mass accumulation rates

flocculation, productivity, B18:10–12

fluvial sedimentation, vs. age, B23:29–30

folds, photograph, A:465

foraminifers
 abundance, B(synthesis):94
 age and isotopes, B12:18–21
 benthic/planktonic ratio, B1:16
 carbonates, A:512–513
 dissolution, A:320
 lithologic units, A:150, 152, 179, 205, 231–233, 276, 281, 315–317, 344–345, 395, 433; B1:3
 lower Quaternary, B21:5–6
 ocean circulation, A:9–11
 photograph, A:464
 productivity, B(synthesis):38, 93
 scanning electron microscopy image, B9:12
 sediments, B11:4
 stable isotopes, B12:1–22
 upper Quaternary, B7:1–26
 upwelling, A:17
 vs. depth, B1:9
See also mass accumulation rates

foraminifers, benthic
 abundance, A:68, 95–96, 124–125, 162, 184, 210, 247, 321, 356–357, 402, 441, 469; B1:11–12, 21; B(synthesis):79, 98
 abundance index vs. depth, A:246, 512
 age controls for oxygen isotope records, B7:25
 biostratigraphy, A:66, 94–95, 122–123, 158, 183, 209, 244–245, 286, 319–320, 354, 356–359, 401–404, 440–441, 468
 diversity vs. age, A:520
 oxygen isotopes, B(synthesis):85
 productivity indicators, A:518–519, 523; B(synthesis):31–32, 38–40, 88, 95
 spectral analysis, B19:19
 upper Quaternary, B19:1–19
 vs. age, B19:14
 vs. depth, A:95, 125, 161, 185, 248, 287–288, 358–359, 403–404
See also *Astronionion novozealandicum*; benthic foraminifer abundance index; *Bolivina dilatata*; *Bolivina* percentage; *Bolivina pseudopunctata*; *Bolivina seminuda*; *Bolivina* sp. 1; *Bolivina* sp. 2; *Bolivina subaenarensis*; *Bulimina aculeata*; *Bulimina exilis*; *Bulimina marginata*; *Bulimina mexi-*

cana; *Bulimina* percentage; *Bulimina truncana*; *Bulimina tuxpamensis*; *Cassidulina laevigata*; *Cassidulinoides* cf. *bradyi*; *Cibicidoides bradyi*; *Cibicidoides* cf. *bradyi*; *Cibicidoides pachyderma*; *Cibicidoides* percentage; *Cibicidoides wuellerstorfi*; *Gyroldinoides soldanii*; *Globocassidulina subglobosa*; *Globorotalia inflata*–*Cibicides* group; *Hoeglundina elegans*; mass accumulation rates; *Melonis barleeanum*; *Melonis pompilioides*; *Nonionella turgida*; *Oridorsalis umbonatus*; *Prae-/Globobulimina* group; *Pullenia bulloides*; *Sigmoilinopsis schulmbergeri*; *Siphotextularia concava*; *Sphaeroidina bulloides*; *Stilostomellas*; *Trifarina angulosa*; *Trifarina bradyi*; *Uvigerina*; *Uvigerina auberiana*; *Uvigerina gallowayi*; *Uvigerina hispida*; *Uvigerina hispidocostata*; *Uvigerina* percentage; *Uvigerina peregrina*

foraminifers, benthic/planktonic ratio, vs. age, B19:15

foraminifers, planktonic
 abundance, A:94, 246, 285, 319; B1:11
 biostratigraphy, A:60, 62, 66, 93–94, 122, 158, 182–183, 207, 243–244, 285–286, 319, 354, 401, 439–440, 467–468
 census counts, B7:17–22
 currents, A:24
 dominant and abundant species, A:67, 94, 123, 160, 183, 355
 taxa list and statistics, B7:26
 upwelling system, A:342
 vs. age, B7:15
See also foraminifers, benthic/planktonic ratio; *Globigerina bulloides*; *Globigerinoides ruber*; *Globorotalia inflata*; *Globorotalia inflata*–*Cibicides* group; *Globorotalia inflata*–*Globigerina bulloides* group; *Globorotalia inflata*–*Globigerinoides ruber* group; *Globorotalia menardii*; *Globorotalia truncatulinoides*; *Neogloboquadrina dutertrei*; planktonic foraminifer datums

fractionation, cold water, B(synthesis):44–45
Fragilariopsis doliolus, mass accumulation rates vs. age, B11:23

fragmentation
 foraminifers, B1:16
 vs. age, B19:15

fresh water, input, B(synthesis):18–19

freshwater species, diatoms, A:69, 98, 126, 159

fucoxanthin, sediments, B10:10

G

gamma rays, vs. depth, A:138, 169, 175, 193, 197, 216, 220, 269, 309, 380, 382, 424–425

gamma-ray logs, vs. depth, A:141, 271–272, 311–312, 383–384, 427–428, 483–484, 494

gas hydrates
 mobility, A:559–560
 reflectors, A:500, 503
See also clathrates

gas pockets, mobility, A:559

gases
 composite section, A:70–71, 99

profiles, A:556–558
sources, A:558
upwelling, A:16, 21, 511
vs. sediment carbon, A:559
gases, headspace, sediments, A:76, 103, 132, 134, 136,
167, 193, 216, 260–261, 299, 327–328, 375–377,
412, 446–447, 473–474
gases, microbial, sediments, A:555–560
Gauss Chron
magnetostratigraphy, A:292
paleoclimatology, B(synthesis):43–44
Gauss/Gilbert boundary, magnetostratigraphy, A:292
Gauss/Matuyama boundary
benthic foraminifers, B(synthesis):95
carbonates, B(synthesis):86–87
foraminifers and ostracods, B(synthesis):94
magnetostratigraphy, A:323
sand fraction, B(synthesis):93
sediments, B(synthesis):92
Gavelinopsis lobatulus, vs. depth, A:287, 403
geochemistry, pore water, A:547–553
geochemistry, inorganic
Site 1075, A:72–74
Site 1076, A:99–102
Site 1077, A:129–131
Site 1078, A:161, 163–166
Site 1079, A:188–190
Site 1080, A:211–214
Site 1081, A:255–258
Site 1082, A:294–295, 297
Site 1083, A:324–326
Site 1084, A:367–368, 370–371
Site 1085, A:408–410
Site 1086, A:443–445
Site 1087, A:472–473
geochemistry, organic
Site 1075, A:74–76
Site 1076, A:102–103
Site 1077, A:131–132, 134–136
Site 1078, A:166–167
Site 1079, A:190, 192–193
Site 1080, A:214–216
Site 1081, A:258, 260–261
Site 1082, A:297–299
Site 1083, A:326–328
Site 1084, A:371–377
Site 1085, A:410–412
Site 1086, A:445–447
Site 1087, A:473–474
geology, upwelling, A:506–507
geostrophic currents, productivity, A:11
geothermal gradient
sediments, A:170, 261, 378, 414, 475
upwelling, A:15
vs. depth, A:105, 138
Gilbert Chron
magnetostratigraphy, A:364
See also Gauss/Gilbert boundary
glacial isotope Stages 2–18, vs. age, B23:39
glacial isotope Stages 2–50, vs. age, B23:32, 40
glacial isotope Stages 2–56, vs. age, B23:35–36, 41

glacial/interglacial cycles
foraminifers, B7:1–26; B12:3–8; B19:4–9; B21:5–8;
B(synthesis):16–17, 22–23
late Pliocene, B(synthesis):80
organic matter, B6:7–8; B(synthesis):78
Pliocene, B22:3–5
pre-Quaternary productivity, B(synthesis):25–27
productivity, B(synthesis):23–25
productivity cycles, B(synthesis):42–43
glaciation
chloride, A:74
dissolved chloride, A:552–553
Northern Hemisphere, B18:1–24
ocean circulation, A:9–11, 21, 51
oxygen isotopes, B11:6
pore water, A:473
sedimentation rates, B9:5; B23:11–13
upwelling, B23:17–18
See also Last Glacial Maximum; Pliocene intensifica-
tion of Northern Hemisphere glaciation
glaucinite
lithologic units, A:91, 119, 152, 179, 205, 233
pore water, A:130
reflectors, A:500, 535
vs. depth, B1:20
glaucinite abundance index, vs. age, A:502
Globigerina bulloides
carbon isotopes vs. age, B12:15
oxygen isotopes vs. age, B12:13
vs. age, B19:16
See also *Globorotalia inflata*–*Globigerina bulloides* group
Globigerinoides ruber
carbon isotopes vs. age, B12:15
oxygen isotopes vs. age, B12:13
Globobulimina spp., oxygen isotopes, B19:14
Globocassidulina subglobosa, vs. depth, A:248, 287, 404
Globorotalia inflata
carbon isotopes vs. age, B12:15
oxygen isotopes vs. age, B12:13
Globorotalia inflata–*Cibicides* group
carbon isotopes vs. age, B12:17
oxygen isotopes vs. age, B12:16
Globorotalia inflata–*Globigerina bulloides* group
carbon isotopes vs. age, B12:17
oxygen isotopes vs. age, B12:16
Globorotalia inflata–*Globigerinoides ruber* group
carbon isotopes vs. age, B12:17
oxygen isotopes vs. age, B12:16
Globorotalia menardii
concentrations and accumulation rates, B7:23–24
foraminifer proxies, B7:5–7
presence or absence, A:320
vs. age, B7:16
Globorotalia truncatulinoides, coiling ratio vs. age, B7:16
goethite, remanent magnetization, B16:1–10
Gyroidinoides soldanii, vs. depth, A:359

H

haptophyte algae
concentration, B10:30

sediments, B5:8–9
 harmonic variance, terrigenous river input, A:53
Haslea sp., sediments, B10:13
 heat transfer, ocean circulation, A:11, 13
 hematite, remanent magnetization, B16:1–10
 hemipelagite, dolomite, B15:1–17
 hiatuses, sediments, A:493
Hoeglundina elegans, vs. depth, A:403
 Holocene
 biostratigraphy, A:241–251, 283–291, 317–320, 351–363, 398–406
 lithologic units, A:231, 276, 315–317, 344–345, 390, 392–395
 17 β ,21 β (H)-*homo*-hopan-31-ol, sediments, B10:11
homo-hopane, sediments, B10:11
 hopane-diol, sediments, B10:11
 hopane-keto-diol, sediments, B10:11
 hopanes
 chromatograms, B10:29
 See also homo-hopane; *pentakishomo*-hopane-keto-diol; *trihomo*-hopane-32,33-diol
 hopanoids
 sediments, B10:11
 See also ketones, steroidal/hopanoidal
 hopenes. *See* neo-hopenes
 hydrates
 high-resolution study, A:130–131
 See also gas hydrates
 hydrocarbons
 gas chromatograms, B5:16
 sediments, A:76, 103, 132, 134, 136, 167, 193, 216, 260–261, 299, 327–328, 375–377, 412, 446–447, 473–474; B5:3–5
 See also alkenes; alkenoates; alkenones; alkyl diols; alkyl keto-ols; alkyl-1; bacteriohopanepolyols; biphytandiols; cholesterol; clathrates; esters; ethane; ethene; ethyl ketones; fatty acids; fernene; gases; hopanes; hopanoids; isoprenoids; ketones; lipids; methane; methane/ethane ratio; methanogenesis; *n*-alcohols; *n*-alkanes; *n*-alkanols; perylene; phytane; phytene; polar compounds; polyenes; pristane; propane; propene; stanols; steradiens; steranes; steratriens; sterenes; steroids; sterols; taraxerol; thianes; thiolanes; thiophenes
 hydrocarbons, hopanoidal, sediments, B5:5
 hydrogen/carbon ratio, organic matter, B6:6–7
 hydrogen index
 organic matter, A:75–76, 102–103, 132, 167, 192–193, 216, 258, 260, 298, 327, 375, 412; B6:6–7
 pyrolysis, A:82, 109, 173, 193, 218, 264, 304, 334, 375, 420
 vs. oxygen index, A:82, 109, 172, 194, 264, 304, 334, 375, 420; B6:17
 vs. total organic carbon, A:172, 194, 264, 304, 334, 375, 420; B6:18
 hydrogen sulfide, sediments, A:299, 375
 hydrography
 currents, B18:3–4
 ocean circulation, B11:2–3
 hysteresis

discrete samples, B8:13
 sediments, B13:4–5, 12, 20

I

illite
 lithologic units, A:233
 X-ray diffraction data, A:281–282
 See also kaolinite/illite
 index properties, sediments, A:79, 105, 137–138, 170, 195, 218, 261, 301, 329, 377–378, 413–414, 447–448, 475
 Indian Ocean, ocean circulation, A:10
 insolation
 mass accumulation rates vs. age, B11:22
 models, B(synthesis):75
 vs. age, B22:15
 interglacial stages
 ocean circulation, A:51
 reflectance, A:120
 See also glacial/interglacial cycles
 intermediate water. *See* Antarctic Intermediate Water
 interstitial water. *See* pore water
 Intertropical Convergence Zone, productivity, B18:3–4, 11–12
 iron
 dolomite, B15:6–7
 vs. depth, B13:15; B20:6
 X-ray fluorescence scanning, B13:5–6, 20–30
 iron oxide
 photograph, A:464
 See also goethite; hematite; magnetite
 iron sulfide, lithologic units, A:91, 119
 iron sulfide, authigenic, reflectors, A:500
iso-loliolide, sediments, B10:10
 isomerization, sediments, B10:11
 isomers, precursors, B5:5
 isoprenoids, sediments, B5:4–5
 isoprenoids, highly-branched, sediments, B5:4
 isotopic Event 5.5, foraminifers, B12:3

J

Jaramillo Subchron
 biostratigraphy, A:354
 magnetostratigraphy, A:70, 127, 211, 252–253, 322

K

kaolinite
 composition, B11:3–4
 lithologic units, A:206, 233
 sediments, B23:13–15
 terrigenous composition, B23:10–11
 X-ray diffraction data, A:281–282
 See also smectite/kaolinite ratio
 kaolinite/feldspar ratio, power vs. frequency, A:53
 kaolinite/illite, lithologic units, A:56–57, 91, 119, 152, 179
 kaolinite/(kaolinite+smectite) ratio, vs. age, B23:34, 37
 keto-ols, sediments, B5:7

ketones
precursors, B5:5
See also ethyl ketones; methyl ketones; *pentakishomo-*
hopane-keto-diol
ketones, steroidal/hopanoïdal
gas chromatograms, B5:19
sediments, B5:6
Kunene River, upwelling, A:17

L

laminations
lithologic units, A:150, 152, 179, 395, 460
photograph, A:155–156
Last Glacial Maximum, ocean circulation, A:9–11
leaf waxes, concentration, B10:30
lightness
composite section, A:442–443
depth continuity, A:71
See also chromaticity; reflectance
lipids
biomarkers, B5:1–26; B10:1–32
chromatograms, B10:24
compound structures, B10:26
concentration, B10:30, 34
nomenclature, B5:23–26
See also fatty acids
lipids, apolar fraction, chromatograms, B10:25
lipids, marine, sediments, B10:7–13
lipids, terrigenous, sediments, B10:5–7
lithified layers, seismic profiles, A:498–500, 503
lithofacies
patterns, A:493, 503
reflectors, A:503
sediments, B(synthesis):62
upwelling, A:487–504
lithologic units
Site 1075, A:56
Site 1076, A:89
Site 1077, A:117
Site 1078, A:150, 152
Site 1079, A:179
Site 1080, A:205
Site 1081, A:231–233
Site 1082, A:276–281
Site 1083, A:315–317
Site 1084, A:343–351
Site 1085, A:390, 392–395
Site 1086, A:433–434
Site 1087, A:460
Unit I, A:231–233, 276, 281, 315–317, 344–346, 390,
395, 433–434, 460
Unit II, A:233, 281, 346, 395, 460
Unit III, A:346, 351
Unit IV, A:351
vs. age, A:18
vs. depth, A:17
lithology
physical properties, A:493–494
reflectance, A:570–571
vs. reflectance, A:569–573

lithostratigraphy
Angola Basin, A:541
Angola–Benguela upwelling system, A:533–542
Cape Basin, A:536–538, 542
paraconformities, A:540
relative ages, A:538–539
Site 1075, A:55–57
Site 1076, A:89–92
Site 1077, A:117–120
Site 1078, A:150–155
Site 1079, A:179
Site 1080, A:205–206
Site 1081, A:231–241
Site 1082, A:276–283
Site 1083, A:315–317
Site 1084, A:343–352
Site 1085, A:390, 392–397
Site 1086, A:433–434
Site 1087, A:460–465
Sites 1075–1077, A:534
Sites 1078–1080, A:534–535
Sites 1081–1084, A:535–536
Sites 1085–1087, A:536–538
Walvis Basin, A:541
Lobito, sediments, A:489; B(synthesis):20–23
log–core correlation
Site 1081, A:265–266
Site 1082, A:306
Site 1084, A:380
Site 1085, A:416
loliolide
concentration, B10:30
sediments, B10:10
See also iso-loliolide
Lower Congo Basin
biostratigraphy, A:543–544
drilling, A:15
headspace gases, A:557
lithostratigraphy, A:534, 540
magnetic properties, B13:1–31
microbial gases, A:555
sedimentation rates, A:543–544; B(synthesis):11–12
sediments, B17:1–12
upwelling, A:15
Lüderitz Bay
age models, B(synthesis):66
lipids, B10:1–34
paleoceanography, A:509
productivity, B(synthesis):30–35
sedimentation rates, B(synthesis):12–14
sediments, A:489
upwelling, A:17
Lüderitz Boundary, upwelling system, A:342

M

magnesium
calcite, A:550–551
pore water, A:72–73, 101, 129–130, 164, 189, 212–
213, 255–256, 295, 325–326, 367–368, 409,
444–445, 472

- vs. depth, A:78, 107, 134, 169, 191, 215, 260, 300, 331, 370, 415, 450, 478, 551–552
- See also* calcium/magnesium ratio
- magnetic declination
 - distribution, A:366
 - vs. depth, A:71–72, 100–101, 128–129, 164–166, 186–187, 212, 252–255, 293, 324–325, 365, 407, 443, 471–472
- magnetic inclination
 - distribution, A:366
 - effect of drag along core liner, A:129
 - tensor tool-orientation data, A:70, 98, 127, 163, 185, 211, 252, 291, 323, 364, 406, 442, 470
 - vs. depth, A:71–72, 100–101, 128–129, 164–166, 186–187, 212, 252–255, 293, 324–325, 365, 407–408, 443, 471–472
- magnetic intensity
 - normalized during progressive magnetization acquisition and demagnetization, B8:8–9
 - S ratio, B8:11
 - sediments, B8:3–4
 - vs. applied DC field during progressive isothermal remanent magnetization acquisition, B8:10
 - vs. depth, A:71–72, 100–101, 128–129, 164–165, 186–187, 212, 252–255, 293, 324–325, 365, 407, 443, 471–472; B8:14; B16:5
 - See also* paleointensity, relative
- magnetic intensity, relative, vs. depth, A:294
- magnetic minerals
 - dissolution, B16:1–10
 - See also* iron oxide; hematite; magnetite
- magnetic moment
 - discrete samples, B8:13
 - vs. temperature, B13:11
- magnetic overprinting, coring-induced magnetization, A:127, 160
- magnetic polarity, magnetostratigraphy, A:70, 98–99, 127, 252–254
- magnetic properties
 - sediments, B8:1–17; B13:1–31
 - See also* diamagnetic minerals; ferrimagnetic properties; median destructive field; paramagnetic minerals; paramagnetic properties; S ratio; thermomagnetic properties
- magnetic susceptibility
 - age model compared to biostratigraphy model, B22:14
 - color, A:563–565
 - composite depth, B20:1–10
 - composite section, A:71, 99, 128–129, 160–161, 187–188, 211, 254–255, 292, 294, 323–324, 364, 366, 406–408, 442–443, 471–472
 - interglacial stages, A:120
 - lithology, A:237, 241
 - oxygen isotope record, A:564
 - sedimentation rates, B22:3–5; B23:11–13
 - sediments, A:69–70; B8:3–4; B13:5, 21–30
 - spectral analysis of age model, B22:12
 - spectrophotometry, A:282–283
 - stable isotopes, A:563
 - vs. age, A:526; B22:9, 13, 15; B23:31–33, 35–36, 39–41
 - vs. depth, A:72, 74–76, 85, 99, 103–104, 112, 121, 127, 130–131, 136, 138, 163, 166, 168, 175, 185, 188–189, 193–194, 197, 211, 213–214, 216, 220, 244, 252–254, 256–257, 269, 271, 282, 293–296, 309, 324–326, 328, 336, 365, 367, 369, 380, 382–383, 398, 407–409, 411–412, 424–425, 427, 443–447, 454, 471–474, 482, 563; B8:15; B13:10, 14–15; B20:4, 7–8
 - vs. temperature, B8:12
- magnetic susceptibility logs, vs. depth, A:271, 294, 311, 383, 427
- magnetite, remanent magnetization, B13:4–5
- magnetization, coring-induced, magnetic overprinting, A:127, 160, 322, 406, 442, 468, 470
- magnetostratigraphy
 - interpretation, A:294, 366, 408, 443, 472
 - lower–middle Pleistocene, A:210–211
 - Miocene–Holocene, A:252–254, 292
 - Miocene–Pleistocene, A:442
 - Oligocene–Pleistocene, A:470–471
 - Pleistocene, A:98–99, 127, 160, 186–187
 - Pliocene–Holocene, A:322–323, 364, 406
 - Pliocene–Pleistocene, A:70
- manganese
 - dolomite, B15:14
 - vs. depth, B13:15
 - X-ray fluorescence scanning, B13:5–6, 20–30
- mangroves concentration, B10:30
- See also* *Rhizophora*
- marine composition, sediments, B10:7–13
- marine environment, sediments, B10:16
- marine isotope Stage 1, foraminifers, B12:3; B19:4
- marine isotope Stage 2, foraminifers, B12:3, 7; B19:4
- marine isotope Stage 3, foraminifers, B12:3, 7
- marine isotope Stage 4, foraminifers, B12:3, 7
- marine isotope Stage 4/3 boundary, foraminifers, B12:6
- marine isotope Stage 5
 - foraminifers, B12:3, 6–8; B19:4
 - magnetostratigraphy, A:99
 - sediments, B5:7
- marine isotope Stage 5/4 boundary, foraminifers, B12:6
- marine isotope Stage 6, foraminifers, B7:6; B12:7; B19:4
- marine isotope Stage 7, foraminifers, B7:5; B12:3, 6–7
- marine isotope Stage 7/6 boundary, foraminifers, B12:4, 6
- marine isotope Stage 8, foraminifers, B7:5, 7; B12:3, 6
- marine isotope Stage 9, foraminifers, B7:5; B12:3
- marine isotope Stage 9/8 boundary, foraminifers, B7:5
- marine isotope Stage 10, foraminifers, B7:5–6; B12:3
- marine isotope Stage 11, foraminifers, B7:5–7; B12:3–8
- marine isotope Stage 11/10 boundary, foraminifers, B12:4, 6
- marine isotope Stage 12
 - biostratigraphy, A:60
 - foraminifers, B7:1–2, 6–7; B12:3–8
- marine isotope Stage 13, foraminifers, B12:7
- marine isotope Stage 13/12 boundary, foraminifers, B12:4
- marine isotope Stages 2–18, vs. age, B23:31
- marine signal

- mass accumulation rates vs. age, B11:21
siliceous microfossils, B11:8–10
- mass accumulation rates
carbonates, B1:18, 22–23
diatoms, B18:5, 20–21
Globorotalia menardii, B7:23–24
models, B9:6–7
organic carbon, B1:18, 22–23
sediments, B1:3, 18, 22–23; B11:8
vs. age, B11:21
See also sedimentation rates
- mass accumulation rates, benthic foraminifers, vs. depth, B1:11–12
- mass accumulation rates, chlorin
vs. age, B23:39–41
vs. chlorin concentration, B23:38
- mass accumulation rates, echinoids, vs. depth, B1:14
- mass accumulation rates, fish debris, vs. depth, B1:15
- mass accumulation rates, foraminifers, vs. depth, B1:11
- mass accumulation rates, opal, power vs. frequency, A:53
- mass accumulation rates, radiolarians, vs. depth, B1:13
- mass accumulation rates, total organic carbon, vs. age, B23:39–41
- Matuyama Chron
diatom maximum, B(synthesis):33–35
magnetostratigraphy, A:211, 252–254
opal maximum, A:513, 518, 526–528
See also Brunhes/Matuyama boundary; Brunhes/Matuyama polarity transition; Early Matuyama Diatom Maximum; Gauss/Matuyama boundary
- Matuyama Diatom Maximum
Miocene–Pleistocene sedimentary record, B6:4–5; B(synthesis):89–90
silicate expansion, A:527; B(synthesis):43
- median destructive field, sediments, B8:3–4
- Melonis barleeanum*, vs. depth, A:125, 288, 359, 404
- Melonis pompilioides*, vs. depth, A:125
- Messinian
upwelling, B(synthesis):45
See also Tortonian/Messinian boundary
- methane
hydrates, A:130–131
reflectors, A:500, 503
sediments, A:76, 82, 103, 109, 134, 136, 167, 173, 193, 195, 216, 218, 260, 265, 299, 305–306, 327–328, 335, 375–377, 412, 421, 446–447, 452, 474, 480
sources, A:558; B(synthesis):4
vs. depth, A:83, 109, 137, 194, 217, 265, 307, 377, 421, 481, 511, 557–558
- methane, headspace, vs. depth, A:334
- methane/ethane ratio
sediments, A:76, 82, 103, 109, 134, 136, 167, 173, 193, 195, 216, 218, 260, 265, 299, 305–306, 327–328, 335, 375–377, 412, 421, 446–447, 452, 480
vs. depth, A:557–558
- methanogenesis
carbon dioxide, A:558–559
sediments, A:103
- 24-methyl-5 α -1-cholest-22-dien-3 β -ol, sediments, B5:8–9
- methyl ketones, sediments, B10:7
- 3-methyl-2-(3,7,11-trimethyl-dodecyl)-thiophene, sediments, B10:12–13
- 24-methylcholesta-5,22-dien-3 β -ol, sediments, B5:8–9; B10:8–10
- 4methylsterols, sediments, B5:8–9
- mica. *See* muscovite; muscovite/(muscovite+quartz) ratio
- microalgae, sediments, B10:7–8
- microcline
lithologic units, A:152
vs. depth, A:243
X-ray diffraction data, A:235, 281–282
- microcline/(microcline+quartz) ratio, vs. depth, A:281
- microfaults
lithologic units, A:460
photograph, A:396
- microfossil datums
biostratigraphy, B(synthesis):15–16
zoning, A:67, 93, 123, 246, 284, 318, 353, 399
See also biostratigraphic datum levels; nannofossil datums
- Mid-Angola Basin
biostratigraphy, A:544
drilling, A:15–17
late Quaternary productivity, B19:1–19
sedimentation rates, A:544
- Mid-Cape Basin
drilling, A:18–19
upwelling, A:18–19
well-logging correlation, A:476–477
- Mid-Pleistocene Revolution
evidence, B23:19; B(synthesis):19–20
paleoclimatology, B23:1–46
- Milankovitch Chron, reflectancy age model, A:563, 565–566
- Milankovitch cycles
indicators, A:523, 526
sedimentation rates, B9:1–23
upwelling, A:15
- Milankovitch forcing, sedimentation rates, B23:11–13
- minerals, authigenic, lithofacies, A:487–504
- Miocene
biostratigraphy, A:241–251, 283–291, 434, 436, 439–442, 465–468
lithologic units, A:232–233, 281, 390, 392–395, 433–434, 460; B2:1–11
paleoclimatology, A:8
upwelling, B(synthesis):45
- Miocene, middle, productivity, B(synthesis):45
- Miocene, upper
radiolarians, B14:1–26
sediments, B1:1–23; B(synthesis):92
- Miocene, upper/middle boundary, sediments, B(synthesis):92
- Miocene–Pleistocene sedimentary record, carbon burial, B6:1–19
- Miocene/Pliocene boundary
biostratigraphy, A:283–291, 398
carbonate index, B(synthesis):84
carbonates, B(synthesis):86

foraminifers and ostracods, B(synthesis):94
 sand fraction, B(synthesis):93
 sediments, B(synthesis):92
 models, compaction, B9:6–8
 moisture content. *See* water content
 monsoon, insolation, B(synthesis):4
 mottling, lithologic units, A:56
 mud, pelagic, sediments, A:489
 muscovite
 lithologic units, A:152, 205
 X-ray diffraction data, A:281–282
 muscovite/(muscovite+quartz) ratio, vs. depth, A:281

N

n-alcohols
 chromatograms, B10:24
 sediments, B10:5–6

n-alkanes
 chromatograms, B10:24–25
 concentration, B10:30
 sediments, B5:4–5; B10:5
 vs. organic carbon, B5:17

n-alkanols, sediments, B5:1–26

n-nonacosane, sediments, B10:5

n-untriacontane, sediments, B10:5

Namib Desert, paleoclimatology, A:13

Namibia, sediments, A:489

Namibia Opal Acme, paleoclimatology, B(synthesis):43–44

Namibia Opal Paradox, Pliocene–Pleistocene diatoms, B(synthesis):27–28, 82–83

Namibia upwelling system
 early Quaternary, B21:1–31; B(synthesis):1–102
 See also Angola–Namibia upwelling system

Nannochloropsis, sediments, B10:7–8

nannofossil abundance index, vs. age, A:515; B(synthesis):72

nannofossil datums, zoning, A:159, 183, 439, 466

nannofossils
 biostratigraphy, B(synthesis):15–16
 carbonates, A:512–513
 lithologic units, A:56, 119, 150, 152, 179, 205, 231–233, 276, 281, 344–345
 paleoclimatology, A:15–17
 See also coccoliths

nannofossils, calcareous
 abundance index vs. depth, A:246, 512
 biostratigraphy, A:58, 60, 92–93, 120–122, 155, 157, 179–180, 182, 206–207, 241–243, 283–285, 318–319, 351–354, 398–400, 436, 439, 466–467

neo-hop-13(18)-ene, sediments, B10:11

neo-hopenes, sediments, B10:11

Neogene
 carbonates, A:512–513
 paleoclimatology, A:8, 518

Neogene, upper, biogenous sedimentation, A:519

Neogloboquadrina dutertrei, presence or absence, A:320

nitrate
 zonal section, A:15
 See also denitrification

nitrogen. *See also* carbon/nitrogen ratio

nitrogen, total, percentage, A:81, 108, 135, 171, 193, 217, 262–263, 302–303, 332, 372–374, 418–419, 451; B2:9–11

nitrogen isotopes
 sediments, B18:5–6, 8–10, 24
 vs. age, B18:22

nodules, lithologic units, A:56, 91, 117, 150, 154

nodules, clay, lithologic units, A:345–346

nodules, disseminated, photograph, A:155

nodules, pyrite
 lithologic units, A:460
 photograph, A:464

nonacosane. *See n*-nonacosane

noncarbonate fraction. *See* carbonate/noncarbonate ratio

Nonionella turgida, vs. depth, A:358

North Atlantic Deep Water
 carbonate preservation, B(synthesis):7
 paleoclimatology, A:8–9, 11, 565–566; B12:2–3

Northern Cape Basin. *See* Cape Basin N

Northern Hemisphere, glaciation, B18:1–24

nutrients
 productivity control, B18:12–14, 23
 sediments, B21:10
 See also productivity

O

obliquity
 color, A:564
 Milankovitch Chron, A:565
 sedimentation rates, B9:5; B22:3–5
 vs. age, B22:15
 See also eccentricity; orbital forcing; precession

ocean circulation
 currents, B7:13; B23:26
 deep water, B(synthesis):61
 glacials, A:51
 hydrography, B11:2–3
 paleoclimatology, A:8–9
 See also Agulhas Current; Antarctic Circumpolar Current; Benguela Current; currents; Equatorial Current; geostrophic currents; Intertropical Convergence Zone; paleocirculation; South Atlantic Current; South Equatorial Countercurrent; Subtropical Convergence Zone

oceanic species, diatoms, A:250–251

Olduvai Subchron
 Magnetostratigraphy, A:70, 252–253, 322, 442
 paleoclimatology, B(synthesis):43–44

Oligocene
 biostratigraphy, A:465–468
 lithologic units, A:460

Ontong Java Plateau, oxygen isotope record, A:564

ooze, calcareous, scanning electron microscopy image, B9:12

ooze, clay-rich nannofossil–foraminifer, lithologic units, A:433–434

ooze, clayey nannofossil, lithologic units, A:233, 315–317, 344–345, 351

- ooze, diatomaceous, sediments, B10:10
ooze, diatomaceous nannofossil, lithologic units, A:346
ooze, foraminifer–nannofossil, lithologic units, A:433–434, 460
ooze, hemipelagic, sedimentation rates, B9:1–23
ooze, nannofossil
 lithologic units, A:395, 433–434, 460
 photograph, A:395–397, 464
ooze, nannofossil–foraminifer, lithologic units, A:395
ooze, pelagic, sediments, A:489
opal
 deposition, B(synthesis):44–45, 81
 models, B(synthesis):75
 Namibia Opal Acme, B(synthesis):43–44, 82–83
 Namibia Paradox, B(synthesis):27–28
 OLin vs. OPer values, B4:14
 Pliocene–Pleistocene, B4:1–16
 Pliocene–Quaternary, A:513, 518
 pore water, A:73
 pre-Quaternary productivity, B(synthesis):25–27
 productivity, B18:10–12; B(synthesis):17, 74
 sea-floor distribution, B(synthesis):96
 sediments, B1:3; B4:9–10; B(synthesis):70–71
 sources, B(synthesis):18–19
 vs. age, A:146; B4:15; B11:18
 vs. calcium carbonate, A:282
 vs. depth, A:242–243, 281; B4:12; B17:9
 vs. time of extraction, B4:13
 X-ray diffraction data, A:235, 281–282
 See also mass accumulation rates; Namibia Opal Acme; Namibia Opal Paradox; quartz; silica
opal, biogenic
 dissolution, A:445
 pore water, A:326, 409
 sediments, B11:7; B17:3–4, 10–12
opal/marine organic carbon ratio, power vs. frequency, A:53
opal accumulation, lower Quaternary, B21:1–31
opal index, sediments, B(synthesis):70
opal maximum, Matuyama Chron, A:513, 518, 526–528
opal productivity, power vs. frequency, A:53
optimum, productivity, B(synthesis):8
orbital controls
 deposition, B22:3–5
 See also eccentricity; obliquity; precession
orbital forcing
 currents, B18:3–4
 sedimentation rates, B9:1–23
 See also obliquity
organic matter
 cycles, B(synthesis):17–23
 degradation, A:188–189, 212, 367
 deposition, B(synthesis):44–45
 diagenesis, A:511, 548–550
 extraction, B23:27
 patterns, B(synthesis):8–9
 Rock-Eval pyrolysis, B6:6–7
 sea-floor distribution, B(synthesis):96
 sources, A:75–76, 102–103, 131–132, 167, 192–193, 215–216, 258, 260, 298, 327, 374–375, 411–412; B1:4, 446
 See also hydrocarbons; sapropels
organic-rich layer thickness, vs. depth, A:384
Oridorsalis umbonatus, vs. depth, A:125, 248, 288, 358, 403
ostracods
 abundance, B(synthesis):94
 productivity, B(synthesis):38
 sediments, B1:3, 21
oxidation, organic matter, B6:6–7
oxide. *See* sulfide/oxide aggregates
oxygen/carbon ratio, organic matter, B6:6–7
oxygen-18, vs. age, A:9
oxygen index
 organic matter, A:75–76, 102–103, 132, 167, 192–193, 216, 258, 260, 298, 327, 375, 412; B6:6–7
 pyrolysis, A:82, 109, 173, 193, 218, 264, 304, 334, 375, 420
 vs. hydrogen index, A:82, 109, 172, 194, 264, 304, 334, 375, 420; B6:17
oxygen isotope index, sediments, B(synthesis):70
oxygen isotope record, magnetic susceptibility, A:564
oxygen isotopes
 age controls, B7:25
 age models, B18:6–7
 age–depth data, B23:42, 44–45
 benthic foraminifers, B19:4–8; B(synthesis):85
 dolomite, B15:16–17
 foraminifers, B11:6; B12:3–4, 5–7, 8–9
 Fourier spectrum, B21:21
 glacial/interglacial cycles, B(synthesis):80–81
 lower Quaternary, B21:5–6
 productivity cycles, B(synthesis):42–43
 sediments, B21:27–31; B(synthesis):16–17
 vs. age, A:146, 526; B11:18; B12:12–13, 16; B19:14; B21:19, 22–23; B23:31–32, 35–36
 vs. depth, B7:14; B12:12
 vs. estimated diatom abundance, B21:23
 oxygen isotopes vs. providing age model, vs. age, B18:22
P
paleoceanography
 foraminifer proxies, B7:5–8
 organic matter, B6:7–8
 paleoclimatology, A:11–13
 stable isotopes, B12:1–22
 upwelling, A:505–531; B18:10–12; B(synthesis):1–102
paleocirculation, foraminifer proxies, B7:5–8
paleoclimatology
 foraminifer proxies, B7:5–8
 glacial/interglacial cycles, B(synthesis):78
 lower Quaternary, B21:5–10
 Mid-Pleistocene Revolution, B23:1–46; B(synthesis):19–20
 modular plots, B21:24
 Namibia Opal Acme, B(synthesis):43–44
 Neogene, A:8, 518
 oxygen isotopes, B(synthesis):85
 productivity control, B18:14
 sediment color, A:565–566
 sedimentation rates, B9:1–23

- stable isotopes, B12:1–22; B(synthesis):85
 upper Quaternary, B11:1–32
See also Mid-Pleistocene Revolution
- paleoenvironment
 radiolarians, B14:4
 sediments, B10:16
 upper Quaternary, B11:1–32
- paleointensity, relative, Brunhes Chron, A:292
- paleomagnetism
 Site 1075, A:69–70
 Site 1076, A:98–99
 Site 1077, A:126–128
 Site 1078, A:159–160
 Site 1079, A:183, 185–187
 Site 1080, A:209–211
 Site 1081, A:251–254
 Site 1082, A:291–292
 Site 1083, A:320, 322–323
 Site 1084, A:363–364
 Site 1085, A:406
 Site 1086, A:442
 Site 1087, A:468, 470–471
- paleoproductivity
 biomarkers, B5:9
 foraminifers, B7:7–8; B12:3–8
 organic matter, B6:8
 sediments, A:75
See also productivity
- paraconformities
 biostratigraphy, A:93
 lithostratigraphy, A:540
- paramagnetic minerals, sediments, B8:4
- paramagnetic properties, remanent magnetization, B13:4–5
- pebbles, lithologic units, A:395
- peloids, lithologic units, A:91, 119, 152, 205
- pentakishomo*-hopane-keto-diol, mass spectrum, B10:28
- pentamethyleicosane, sediments, B5:4
- perylene, sediments, B10:12
- petrography, transmitted-light, dolomite, B15:5–6
- phosphate
 organic matter, A:550
 pore water, A:73, 101, 130, 165, 189–190, 213–214, 257, 297, 326, 370, 409–410, 445, 472–473
 productivity, B(synthesis):45
 sea water, B(synthesis):59
 subsurface waters, A:528
 vs. depth, A:79, 107, 134, 170, 192, 216, 260, 300, 331, 371, 416, 450, 479, 512, 550, 552
- phosphate grains, lithologic units, A:434
- phosphorite
 precipitation, A:494–485
 reflectors, A:500
- phosphorus. *See* silica/phosphorus ratio
- physical properties
 cores, B(synthesis):99
 Site 1075, A:76–79
 Site 1076, A:103–105
 Site 1077, A:136–138
 Site 1078, A:169–170
 Site 1079, A:193–196
 Site 1080, A:216–218
 Site 1081, A:261, 263–266
 Site 1082, A:299–301
 Site 1083, A:328–330
 Site 1084, A:377–378
 Site 1085, A:412–414
 Site 1086, A:447–448
 Site 1087, A:474–475
- phytadienes, sediments, B10:12–13
- phytane, sediments, B5:4–5
- phytene, sediments, B5:4
- phytoliths
 continental signal, B11:10–11
 diatoms, A:98
 lithologic units, A:89
 mass accumulation rates vs. age, B11:22
 sediments, B11:8
 vs. age, B11:20
- phytoplankton
 sediments, B10:8–10
 upwelling, A:18
- phytoplankton, siliceous, Quaternary, B11:1–32
- planktonic foraminiferal datums, zoning, A:401, 440, 467
- Pleistocene
 biostratigraphy, A:57–58, 60, 62, 64, 66–69, 92–98, 120–126, 179–180, 182–183, 241–251, 283–291, 317–320, 351–363, 398–406, 434, 436, 439–442, 465–468
 lithologic units, A:231–232, 276, 315–317, 344–345, 390, 392–395, 433–434, 460; B2:1–11
 paleoclimatology, A:518
 radiolarians, B14:1–26
 sediments, A:489
See also Mid-Pleistocene Revolution; Miocene–Pleistocene sedimentary record; Pliocene–Pleistocene interval; Pliocene/Pleistocene boundary
- Pleistocene, lower–middle, biostratigraphy, A:206–207, 209
- Pleistocene, upper
 biostratigraphy, A:155, 157–159
 lipids, B5:1–26
- Pliocene
 age models, B22:1–19
 biostratigraphy, A:241–251, 283–291, 317–320, 351–363, 398–406, 434, 436, 439–442, 465–468
 lithologic units, A:232–233, 276, 281, 315–317, 344–351, 390, 392–395, 433–434, 460; B2:1–11
 radiolarians, B14:1–26
 sediments, A:489
See also Miocene–Pleistocene sedimentary record; Miocene/Pliocene boundary
- Pliocene intensification of Northern Hemisphere glaciation, productivity control, B18:1–24
- Pliocene, middle, lipids, B5:1–26
- Pliocene, upper
 biostratigraphy, A:57–58, 60, 62, 64, 66–69
 glacial/interglacial cycles, B(synthesis):80
- Pliocene–Pleistocene interval
 diatoms, B(synthesis):27–28
 opal, B4:1–16

- organic matter, B6:7–8
 productivity, B(synthesis):28–30
 Pliocene–Quaternary interval, opal, A:513, 518
 Pliocene/Pleistocene boundary
 benthic foraminifers, B(synthesis):95
 biostratigraphy, A:283–291
 carbon burial, B6:8
 carbonate index, B(synthesis):84
 carbonates, B(synthesis):86–87
 foraminifers and ostracods, B(synthesis):94
 sand fraction, B(synthesis):93
 sediments, B(synthesis):92
 polar compounds, gas chromatograms, B5:20
 Polar Frontal Zone
 diatoms, B18:7–8
 foraminifers, B7:8; B12:2–3
 pollen, vs. age, B19:16
 polyenes, sediments, B10:12–13
 pore water, geochemistry, A:72–74, 78, 99–102, 105,
 129–131, 133, 161, 163–166, 169, 188–191, 211–
 215, 255–259, 294–295, 297, 299, 324–326, 331,
 367–368, 370, 408–410, 415, 443–445, 449, 472–
 473, 478, 547–553
 porosity, vs. depth, A:86, 113, 140, 176, 199, 221, 270,
 310, 337, 383, 426, 455, 481, 483
 porphyrin/chlorin ratio
 marine source, B23:11
 vs. age, B23:33
 potassium
 pore water, A:73, 101, 130, 165, 190, 214, 257, 297,
 326, 370–371, 410, 445, 473
 vs. depth, A:79, 107, 134, 170, 192, 216, 260, 300–
 331, 371, 416, 450, 479; B13:15
 X-ray fluorescence scanning, B13:5–6, 20–30
 potassium/aluminum ratio, power vs. frequency, A:53
 power spectra, sedimentation rates, B9:5, 18–19, 21–23
Prae-/Globobulimina group, vs. depth, A:95, 161, 185,
 287, 358
 precession
 age model, A:566
 color, A:526
 cycles, B(synthesis):17–18
 mass accumulation rates vs. age, B11:22
 Milankovitch cycles, A:526
 pre-Quaternary productivity, B(synthesis):25–27
 reflectance, A:564
 See also eccentricity; obliquity; orbital controls; or-
 bital forcing
 precession cycle, red/blue wavelength ratio, A:65
 precipitation
 dolomite, A:495–498
 phosphate, A:445
 pore water, A:325–326
 See also reprecipitation
 preservation, carbonates, A:512–513; B(synthesis):7
 pristane, sediments, B5:4–5
 pristanone, gas chromatograms, B5:19
 pristene, sediments, B5:4
 productivity
 benthic foraminifers, B(synthesis):95
 cycles, B(synthesis):17–18, 20–23
 diatoms, A:527–528
 dolomite, A:495, 498; B15:1–17
 fluctuations in GeoB1016, B(synthesis):74
 hydrography, B11:3
 lower Quaternary, B21:1–31
 paleoclimatology, A:8–9, 16, 17–21
 phosphate, B(synthesis):45
 sediment color, A:565–566
 sediments, A:258, 489, 504, 508–512
 upper Quaternary, B19:1–19; B(synthesis):77
 upwelling, A:509, 511–512; B18:1–24; B23:15–18;
 B(synthesis):5–6
 vs. age, B23:29–30
 See also nutrients; paleoproductivity
 productivity, bulk oceanic, power vs. frequency, A:53
 productivity, excess siliceous, power vs. frequency, A:53
 productivity cycles, Quaternary, B(synthesis):42–43
 productivity index
 benthic foraminifer concentration, B21:6
 benthic foraminifers, A:518–519, 523
 estimated diatom abundance, B21:6–10
 productivity map, A:507
 propane, sediments, A:109, 136, 173, 195, 218, 265,
 305–306, 335, 376, 421, 480
 propene, sediments, A:136, 265, 305–306, 376, 421
 proxies
 paleoclimatology, B23:1–46
 See also Termination I; Termination II; Termination V
 Pullenia bulloides, vs. depth, A:287, 359
 pyrite
 dolomite, B15:6–7
 lithologic units, A:56–57, 89, 91, 119, 152, 179, 351,
 395, 434, 460
 vs. depth, B1:10
 See also nodules
 pyrite abundance index, vs. age, A:501
 pyrite, framboidal, lithologic units, A:119, 205, 233
 pyrolysis, Rock-Eval
 organic matter, B6:6–7
 sediments, A:82, 109
- Q**
- quartz
 lithologic units, A:56–57, 91, 152, 179, 205, 233, 276,
 315–317, 351–352, 395, 434, 460
 terrigenous composition, B23:10–11
 vs. age, B23:34, 37
 vs. calcium carbonate, A:243, 282
 vs. depth, A:243, 281
 X-ray diffraction data, A:235, 281–282
 See also albite/(albite+quartz) ratio; feldspar/quartz ra-
 tio; microcline/(microcline+quartz) ratio; mus-
 covite/(muscovite+quartz) ratio; opal
- Quaternary
 benthic foraminifers, A:518–519, 523
 paleoclimatology, B23:1–46
 productivity cycles, B(synthesis):42–43
 sediment color, A:565–566
 sediments, A:561–567

See also Pleistocene; Pliocene–Pleistocene interval;
Pliocene–Quaternary interval
Quaternary, lower, opal accumulation, B21:1–31
Quaternary, upper
 foraminifers, B7:1–26
 productivity, B19:1–19
 siliceous phytoplankton productivity, B11:1–32
 stable isotopes, B12:1–22
 upwelling, B(synthesis):1–102

R

radiolarians
 abundance index vs. depth, A:246, 512
 abundance of upwelling index species, A:69
 abundance of warm-water index species, A:69
 biostratigraphy, A:66–67, 95, 123, 158–159, 183, 209,
 245, 248–250, 320, 358–359, 404, 440, 442, 468
 census counts, B14:25
 mass accumulation rates vs. age, B11:21
 range chart, B3:13–16
 sediments, B1:3, 13, 21; B11:4, 7–8
 stratigraphic distribution, A:68, 97, 125, 210, 249,
 289, 322, 360–361, 405, 470
 upper Cenozoic, B14:1–26
 upwelling, A:17; B3:1–16
 vs. age, B11:20
 vs. depth, B3:12
 See also mass accumulation rates

recrystallization
 dolomicrite, B15:5–6
 microfossils, A:281

red/blue wavelength ratio
 lithology, A:57, 92, 119–120, 155, 179, 206, 237, 241,
 395, 397, 460, 465, 571–572
 vs. depth, A:65, 103–104, 120–121, 130–131, 158,
 166, 168, 213–214, 244, 574

reduction
 carbon dioxide, A:558–559
 See also sulfate reduction

reflectance
 color, A:572–576
 composite section, A:70–72, 99, 128–129, 160–161,
 254–255, 292, 294, 323–324, 364, 366, 406–408,
 442–443
 interglacial stages, A:120
 lithologic units, A:92, 206, 317, 351, 395, 397, 434,
 460, 465
 lithology, A:119–120, 155, 237, 241, 570–571
 obliquity, A:564
 precession, age model, A:566
 sediments, A:569–577
 spectrophotometry, A:57, 282–283
 vs. age, A:526
 vs. calcium carbonate, A:66, 563, 92, 122, 159, 182,
 245, 572
 vs. depth, A:74–75, 91–92, 103–104, 120–121, 130–
 131, 157–158, 166, 168, 181–182, 209, 213–214,
 244, 282, 295–296, 317, 325, 352, 367, 369,

 397–398, 408–409, 411–412, 439, 444, 446–447,
 465, 562, 570
 vs. lithology, A:569–573
 vs. organic carbon, A:66, 92, 159, 182, 245, 563, 572
 vs. total organic carbon, A:122
 vs. total sulfur, A:122
 See also chromaticity; lightness; red/blue wavelength
 ratio

reflectance, total
 lithology, A:572
 spectral analysis, A:574
 vs. age, A:577
 vs. depth, A:283, 325, 398, 465, 562, 574
 vs. meters composite depth, A:576

reflectancy age model, Milankovitch Chron, A:565

reflectors
 dolostone, A:560
 lithology, A:498, 500, 503
 See also seismic profiles

remanent magnetization, anhysteretic
 sediments, B8:3–4; B13:5; B16:1–10
 vs. depth, B13:14; B16:6

remanent magnetization, anhysteretic/saturation iso-
 thermal remanent magnetization ratio, vs. depth,
 B16:10

remanent magnetization, backfield isothermal, vs.
 depth, B16:8

remanent magnetization, “hard” isothermal, vs. age,
 B18:22

remanent magnetization, isothermal
 sediments, B8:3–4; B13:5; B16:1–10
 vs. depth, B13:14

remanent magnetization, natural
 magnetic intensity, A:69–70, 98, 126–127, 159–160,
 185–186, 209–210, 251–252, 291–292, 320, 322,
 364, 406, 442, 468, 470
 magnetic minerals, B16:1–10
 sediments, B8:3–4
 vs. depth, A:294

remanent magnetization, partial anhysteretic, sedi-
 ments, B13:4–5, 13

remanent magnetization, postdepositional, magneto-
 stratigraphy, A:187

remanent magnetization, saturation isothermal
 sediments, B8:3–4; B16:1–10
 vs. depth, B16:7

remanent magnetization, saturation isothermal/isother-
 mal remanent magnetization ratio, vs. depth,
 B16:9

remineralization, organic matter, A:370, 410, 548–550

reprecipitation, carbonates, A:550–551

resistivity logs, vs. depth, A:141, 271, 294, 311, 383, 427,
 484

Rhizophora, sediments, B10:6–7

Rhizosolenia setigera, sediments, B10:13

rhombs, dolomite, A:494–495; B15:6–7

rock magnetics
 sediments, B8:1–17; B13:16–19
 vs. depth, B13:14
 See also coercivity; median destructive field

S

- S ratio, magnetic intensity, B8:11
- salinity
- evaporites, A:190
 - pore water, A:73, 102, 165, 214, 258, 297, 326, 371, 410, 445, 473
 - vs. depth, A:79, 107, 134, 170, 192, 216, 261, 301, 333, 371, 417, 450, 479
- sand fraction
- sediments, B1:1–23; B21:27–31; B(synthesis):37, 93
 - vs. age, B19:15
 - vs. depth, B1:8
- sapropels, organic matter, B6:6–7
- sea-level changes
- paleoclimatology, A:13
 - sediment color, A:565–566
- sedimentation
- paleoclimatology, A:13
 - transport, A:235, 237
 - See also* deposition; fluvial sedimentation; marine environment; paleoenvironment; precipitation; re-precipitation
- sedimentation, biogenous, late Neogene, A:519
- sedimentation rates
- Africa SW, A:488–493, 543–546; B9:1–23; B(synthesis):69
 - age, B11:6; B(synthesis):9–16
 - biostratigraphy, A:121, 157, 180, 317–318, 398, 434, 436, 465–466, 543–545
 - Fourier analysis of oxygen isotope record, B21:26
 - lithofacies, A:488–493, 503
 - magnetostratigraphy, A:186–187, 292
 - obliquity, B22:3–5
 - Site 1075, A:57–58, 60, 62, 64, 66–69
 - Site 1076, A:92–98
 - Site 1077, A:120–126
 - Site 1078, A:155, 157–159
 - Site 1079, A:179–180, 182–183
 - Site 1080, A:206–207, 209
 - Site 1081, A:241–251
 - Site 1082, A:283–291
 - Site 1083, A:317–320
 - Site 1084, A:352–363
 - Site 1085, A:398–406; B1:3
 - Site 1086, A:434, 436, 438–442
 - Site 1087, A:465–468
 - terrigenous source, B23:11–13
 - vs. age, A:490; B9:4–5, 17; B11:18; B21:18; B22:11
 - vs. depth, A:400; B9:4, 16
 - vs. rate of sulfate consumption, A:549
 - See also* mass accumulation rates
- sedimentation rates, linear, vs. depth, B1:7
- sedimentation rates, noncarbonate, sediments, A:19
- sedimentation rates, synthetic, composite records, B9:20
- sediments
- carbonate/noncarbonate ratio, B(synthesis):72
 - composition, B11:3–4
 - hemipelagic vs. pelagic, A:488–493
 - lipids, B5:1–26; B10:1–32
 - lithofacies, A:488–493
 - magnetic properties, B8:1–17; B13:1–31
 - microbial gases, A:555–560
 - patterns, B(synthesis):8–9
 - Quaternary, A:561–567
 - reflectance, A:569–577
 - terrigenous composition, B23:10–11
 - upper Miocene, B1:1–23
 - See also* authigenic component; biogenic component; carbonate/noncarbonate ratio; clastic component; marine composition; sand fraction; silt fraction; terrigenous composition
- sediments, biogenous, depositional cycles, A:12
- sediments, carbonate-rich, reflectance, A:571
- sediments, deeply-buried, pore water, A:547–553
- sediments, laminated, photograph, A:155–156
- sediments, organic-rich, ocean circulation, A:9–11
- seismic profiles
- deposition, B(synthesis):57–58
 - lithified layers, A:498–500, 503
 - Site 1075, A:56–63, 503
 - Site 1078, A:148–153
 - Site 1080, A:206–208
 - Site 1081, A:230–238
 - Site 1082, A:499
 - Site 1084, A:344–347
 - Site 1085, A:387, 389–391
 - Site 1086, A:432–437
 - See also* reflectors
- seismostratigraphic Unit 1, tectonics, A:53, 147
- seismostratigraphic Unit 2, tectonics, A:53, 147–148
- seismostratigraphy, tectonics, A:52–53, 147–148, 204–205, 228–229, 343, 389, 431
- shear strength, undrained vane, vs. depth, A:79, 85, 105, 112, 138, 170, 175, 196–197, 218, 220, 261, 269, 301, 309, 329–330, 336, 378, 380, 382, 414, 424–425
- shells, lithologic units, A:56, 150, 179, 395
- shells, pteropod-rich, photograph, A:91
- Sigmoidinopsis schulmbergeri*, vs. depth, A:248, 288
- silica
- deposition, B(synthesis):44–45
 - dissolution, A:213–214, 295, 511–512, 552; B(synthesis):44–45
 - opal, B4:1–16; B21:8–10
 - organic matter, A:550
 - pore water, A:73, 101, 130, 164, 189–190, 213–214, 257, 295, 297, 326, 370, 409–410, 445, 472–473
 - sea water, B(synthesis):59
 - vs. depth, A:79, 107, 134, 170, 192, 216, 260, 300, 331, 371, 416, 450, 479, 512, 550
 - See also* opal; quartz
- silica, biogenic, dissolution, A:189–190
- silica/phosphorus ratio, sediments, B21:10
- silica corrosion zone, productivity, B18:11
- silicate, subsurface waters, A:528
- silicate expansion, Matuyama Opal Maximum, A:527
- siliceous microfossils
- depth and concentration, B11:26–28
 - sediments, B11:4–5
 - upwelling, A:15
- silicoflagellates

- lithologic units, A:89
- marine signal, B11:9–10
- mass accumulation rates vs. age, B11:21, 24
- sediments, B11:7–8
- vs. age, B11:20
- silt
 - composition, B11:3–4
 - photograph, A:155, 181
- silt fraction, vs. depth, B1:8
- Siphotextularia concava*, vs. depth, A:248, 288
- Site 362
 - ocean circulation, A:10
 - total organic carbon vs. age, A:509
- Site 530, total organic carbon vs. age, A:509
- Site 532
 - glacial/interglacial cycles, B(synthesis):80
 - Miocene–Pleistocene sedimentary record, B6:1–19
 - ocean circulation, A:10
 - Pliocene/Pleistocene boundary, B(synthesis):84
 - total organic carbon vs. age, A:509
- Site 663, carbonates and opal, B(synthesis):70
- Site 925, paleoclimatology, B(synthesis):85
- Site 926, paleoclimatology, B(synthesis):85
- Site 1075, A:49–86
 - age models, B(synthesis):63, 97
 - background and objectives, A:50–51
 - biostratigraphy, A:57–58, 60, 62, 64, 66–69
 - carbonates, B(synthesis):72
 - composite section, A:70–72
 - coring summary, A:54
 - diatoms and organic carbon, B(synthesis):73
 - foraminifers, B12:12–15
 - inorganic geochemistry, A:72–74
 - lithostratigraphy, A:55–57
 - magnetic properties, B13:1–31
 - operations, A:51–52
 - organic geochemistry, A:74–76
 - oxygen isotopes, B11:18
 - paleomagnetism, A:69–70
 - physical properties, A:76–79
 - productivity, B(synthesis):16–20
 - sedimentation rates, A:57–58, 60, 62, 64, 66–69;
B(synthesis):11–12, 69
 - sediments, A:561–567; B17:1–12
 - site description, A:49–86
 - site geophysics, A:52–55
 - upwelling, A:15
- Site 1076, A:87–113
 - age models, B(synthesis):63, 97
 - age–depth models, B23:9
 - background and objectives, A:88–89
 - biostratigraphy, A:92–98
 - carbonates, B(synthesis):72
 - composite section, A:99
 - coring summary, A:89
 - diatoms and organic carbon, B(synthesis):73
 - headspace gases, A:557
 - inorganic geochemistry, A:99–102
 - lipids, B10:13–14
 - lithostratigraphy, A:89–92
 - operations, A:88–89
 - organic geochemistry, A:102–103
 - paleomagnetism, A:98–99
 - physical properties, A:103–105
 - productivity, B(synthesis):16–20
 - sedimentation rates, A:92–98; B(synthesis):11–12, 69
 - sediments, B17:1–12
 - site description, A:87–113
 - site geophysics, A:89
 - upwelling, A:15
- Site 1077, A:115–141
 - age models, B(synthesis):63, 97
 - age–depth models, B23:10
 - background and objectives, A:116
 - biostratigraphy, A:120–126
 - carbonates, B(synthesis):72
 - composite depth, B20:1–10
 - composite section, A:128–129
 - coring summary, A:117
 - diatoms and organic carbon, B(synthesis):73
 - downhole logging, A:138–139
 - inorganic geochemistry, A:129–131
 - lipids, B10:14
 - lithostratigraphy, A:117–120
 - magnetic minerals, B16:1–10
 - operations, A:116–117
 - organic geochemistry, A:131–132, 134–136
 - paleomagnetism, A:126–128
 - physical properties, A:136–138
 - productivity, B(synthesis):16–20
 - sedimentation rates, A:120–126; B(synthesis):11–12, 69
 - sediments, B17:1–12
 - siliceous phytoplankton productivity, B11:1–32
 - site description, A:115–141
 - site geophysics, A:117
 - upwelling, A:15
- Site 1078, A:143–176
 - age models, B(synthesis):64, 97
 - background and objectives, A:144–145
 - biostratigraphy, A:155, 157–159
 - carbonates and organic carbon, B(synthesis):76
 - composite section, A:160–161
 - coring, A:147
 - dolomite, B15:3
 - headspace gases, A:557
 - inorganic geochemistry, A:161, 163–166
 - lithostratigraphy, A:150–155
 - operations, A:145
 - organic geochemistry, A:166–167
 - paleomagnetism, A:159–160
 - physical properties, A:169–170
 - productivity, B(synthesis):20–23
 - sedimentation rates, A:155, 157–159; B(synthesis):11–12
 - sediments, B17:1–12
 - site description, A:143–176
 - site geophysics, A:146–148
 - upwelling, A:15–17
- Site 1079, A:177–199
 - age models, B(synthesis):64, 97
 - background and objectives, A:178

- biostratigraphy, A:179–180, 182–183
- carbonates and organic carbon, B(synthesis):76
- composite section, A:187–188
- coring, A:178
- inorganic geochemistry, A:188–190
- late Quaternary productivity, B19:1–19
- lipids, B10:14
- lithostratigraphy, A:179
- operations, A:178–179
- organic geochemistry, A:190, 192–193
- paleomagnetism, A:183, 185–187
- physical properties, A:193–196
- productivity, B(synthesis):20–23, 77
- sedimentation rates, A:179–180, 182–183; B(synthesis):11–12
- sediments, B17:1–12
- site description, A:177–199
- site geophysics, A:149
- upwelling, A:15–17
- Site 1080, A:201–221
 - background and objectives, A:202
 - biostratigraphy, A:206–207, 209
 - composite section, A:211
 - coring, A:204
 - inorganic geochemistry, A:211–214
 - lithostratigraphy, A:205–206
 - operations, A:202
 - organic geochemistry, A:214–216
 - paleomagnetism, A:209–211
 - physical properties, A:216–218
 - sedimentation rates, A:206–207, 209
 - sediments, B17:1–12
 - site description, A:201–221
 - site geophysics, A:202–205
 - upwelling, A:17
- Site 1081, A:223–272
 - age models, B(synthesis):65, 98
 - age–depth models, B23:10
 - background and objectives, A:224–225
 - biostratigraphy, A:241–251
 - carbonates and organic carbon, B(synthesis):86
 - composite section, A:254–255
 - coring, A:227
 - diatoms, B(synthesis):82–83
 - dolomite, B15:3
 - inorganic geochemistry, A:255–258
 - lithostratigraphy, A:231–241
 - magnetic properties, B8:1–17
 - Miocene–Pleistocene sedimentary record, B6:1–19
 - operations, A:225, 227–228
 - organic geochemistry, A:258, 260–261
 - paleomagnetism, A:251–254
 - physical properties, A:261, 263–266
 - productivity, B(synthesis):23–30, 88
 - sedimentation rates, A:241–251; B9:1–23; B(synthesis):12–14
 - sediments, B17:1–12
 - site description, A:223–272
 - site geophysics, A:228–230
 - upwelling, A:17
- Site 1082, A:273–312
 - age models, B(synthesis):65, 98
 - background and objectives, A:274–275
 - biostratigraphy, A:283–291
 - carbonates and organic carbon, B(synthesis):86
 - composite section, A:292, 294
 - coring, A:275
 - diatoms, B(synthesis):82–83
 - dolomite, B15:3
 - downhole logging, A:301, 303–304, 306
 - inorganic geochemistry, A:294–295, 297
 - lipids, B10:14–15
 - lithostratigraphy, A:276–283
 - Miocene–Pleistocene sedimentary record, B6:1–19
 - opal, B4:1–16
 - operations, A:275–276
 - organic geochemistry, A:297–299
 - paleomagnetism, A:291–292
 - physical properties, A:299–301
 - productivity, B(synthesis):23–30, 88
 - radiolarians, B3:1–16; B14:1–26
 - sedimentation rates, A:283–291; B9:1–23; B(synthesis):12–14
 - sediments, B17:1–12
 - site description, A:273–312
 - site geophysics, A:230
 - upwelling, A:17
- Site 1083, A:313–337
 - age models, B(synthesis):66, 98
 - background and objectives, A:274–275
 - biostratigraphy, A:317–320
 - carbonates and organic carbon, B(synthesis):86
 - composite section, A:323–324
 - coring, A:315
 - inorganic geochemistry, A:324–326
 - lithostratigraphy, A:315–317
 - operations, A:314–315
 - organic geochemistry, A:326–328
 - paleomagnetism, A:320, 322–323
 - physical properties, A:328–330
 - productivity, B18:1–24; B(synthesis):23–30
 - sedimentation rates, A:317–320; B(synthesis):12–14
 - site description, A:313–337
 - site geophysics, A:230–231
 - upwelling, A:17
- Site 1084, A:339–384
 - age models, B(synthesis):66, 98
 - background and objectives, A:340–341
 - biostratigraphy, A:352–363
 - black-layer lithology, A:542
 - carbonates and organic carbon, B(synthesis):87
 - composite site, A:364, 366
 - coring, A:342–343
 - diatoms, B(synthesis):89
 - dolomite, B15:3
 - downhole logging, A:379–380
 - headspace gases, A:557–558
 - inorganic geochemistry, A:367–368, 370–371
 - lipid biomarkers, B5:1–26; B10:15
 - lithostratigraphy, A:343–352
 - Miocene–Pleistocene sedimentary record, B6:1–19
 - opal, B4:1–16

- operations, A:341–343
 organic geochemistry, A:371–377
 organic matter, A:551–552
 paleoceanography, A:509
 paleomagnetism, A:363–364
 physical properties, A:377–378
 productivity, B(synthesis):30–35, 88
 sedimentation rates, A:352–363; B9:1–23; B(synthesis):12–14
 sediments, B17:1–12
 site description, A:339–384
 site geophysics, A:343
 upwelling, A:17–18
 Site 1085, A:385–428
 age models, B22:1–19; B(synthesis):67, 98
 background and objectives, A:386
 biostratigraphy, A:398–406
 carbonates and organic carbon, B(synthesis):92
 composite section, A:406–408
 coring, A:388
 downhole logging, A:414–416
 early Quaternary, B21:1–31
 headspace gases, A:558
 inorganic geochemistry, A:408–410
 late Miocene sediments, B1:1–23
 lipids, B10:15
 lithostratigraphy, A:390, 392–397
 Miocene–Pleistocene sedimentary record, B6:1–19
 operations, A:386–388
 organic geochemistry, A:410–412
 paleomagnetism, A:406
 physical properties, A:412–414
 productivity, B(synthesis):35–37
 sedimentation rates, A:398–406; B(synthesis):14–15
 site description, A:385–428
 site geophysics, A:388–390
 upwelling, A:18–19
 Site 1086, A:429–455
 age models, B(synthesis):67, 98
 background and objectives, A:430
 biostratigraphy, A:434, 436, 438–442
 carbonates and organic carbon, B(synthesis):92
 composite section, A:442–443
 coring, A:431
 foraminifers and ostracods, B(synthesis):94
 inorganic geochemistry, A:443–445
 lithostratigraphy, A:433–434
 operations, A:430
 organic geochemistry, A:445–447
 paleomagnetism, A:442
 physical properties, A:447–448
 productivity, B(synthesis):37–40, 95
 sand fraction, B(synthesis):93
 sedimentation rates, A:434, 436, 438–442; B(synthesis):14–15
 site description, A:429–455
 site geophysics, A:430–432
 upwelling, A:18–19
 Site 1087, A:457–484
 age models, B(synthesis):68, 98
 background and objectives, A:430
 biostratigraphy, A:465–468
 carbonates and organic carbon, B(synthesis):92
 composite section, A:471–472
 coring, A:459
 downhole logging, A:476–477
 inorganic geochemistry, A:472–473
 lithostratigraphy, A:460–465
 Miocene–Pleistocene sedimentary record, B6:1–19
 operations, A:458–460
 organic geochemistry, A:473–474
 paleomagnetism, A:468, 470–471
 physical properties, A:474–475
 productivity, B(synthesis):35–40
 sedimentation rates, A:465–468; B(synthesis):14–15
 sediments, B2:1–11
 site description, A:457–484
 site geophysics, A:432–433
 stable isotopes, B12:1–22
 upper Quaternary foraminifers, B7:1–26
 upwelling, A:18–19
 site geophysics
 Site 1075, A:52–55
 Site 1076, A:89
 Site 1077, A:117
 Site 1078, A:146–149
 Site 1079, A:149
 Site 1080, A:202–205
 Site 1081, A:228–230
 Site 1082, A:230
 Site 1083, A:230–231
 Site 1084, A:343
 Site 1085, A:388–390
 Site 1086, A:430–432
 Site 1087, A:432–433
 Sites 1075–1077, lithostratigraphy, A:534
 Sites 1081–1084, lithostratigraphy, A:535–536
 Sites 1085–1087, lithostratigraphy, A:536–538
 smear slides, lithologic units, A:56, 89, 91
 smectite
 crystallinity, A:56–57
 lithologic units, A:56–57, 91, 119, 152, 179, 206, 233
 sediments, B11:3–4
 terrigenous composition, B23:10–11
 vs. age, B23:37
 X-ray diffraction data, A:281–282
 See also kaolinite/(kaolinite+smectite) ratio
 smectite/kaolinite ratio
 crystallinity, A:57, 119, 152
 lithologic units, A:91
 vs. depth, A:65, 91, 119
 sodium
 pore water, A:73, 101, 130, 165, 190, 214, 257, 297, 326, 370–371, 410, 445, 473
 vs. depth, A:79, 107, 134, 170, 192, 216, 260, 300, 331, 371, 416, 450, 479
 South Africa, sediments, A:489
 South Atlantic Central Water
 lipids, B10:1–32
 ocean circulation, A:18
 South Atlantic Current
 lipids, B10:1–32

- productivity, B18:3–4
 South Atlantic Gyre, productivity, B18:3–4
 South Equatorial Countercurrent
 hydrography, B11:3
 sediments, B17:1–12
 upwelling, A:15, 508
 Southern Angola Basin. *See* Angola Basin S
 Southern Cape Basin. *See* Cape Basin S
 spectral analysis, benthic foraminifers, B19:19
Sphaeroidina bulloides, vs. depth, A:95, 288, 403
 spicules. *See* sponge spicules
 splice tie points, stratigraphy, A:76, 105, 133, 168, 191, 214, 259, 296, 329, 369, 413, 448, 476; B20:10
 sponge spicules
 biostratigraphy, A:404
 lithologic units, A:89
 pore water, A:410
 sediments, B11:4
 spores
 biostratigraphy, A:404
 marine signal, B11:9
 See also *Chaetoceros*
 stable isotopes
 lower Quaternary, B21:5–6
 magnetic susceptibility, A:563
 sediments, B18:8–10
 upper Quaternary, B12:1–22
 See also carbon isotopes; oxygen isotopes
 stanols, sediments, B5:8–9
 steradiens, sediments, B10:10
 steranes, chromatograms, B10:29
 steratriens, sediments, B10:10
 sterenes, sediments, B10:10
 steroid moieties, sediments, B10:10
 steroids
 chromatograms, B10:27
 sediments, B10:8–10, 33
 See also ketones, steroidal/hopanoidal
 sterol esters, sediments, B5:5–6
 sterol ethers, sediments, B5:5–6; B10:10
 sterols, sediments
 Site 1084, B5:8–9; B10:8–10
 See also 4-desmethyl sterols; dinosterol;
 4methylsterols
 steryl esters, gas chromatograms, B5:18
 steryl ethers, gas chromatograms, B5:18
Stilostomellas, vs. depth, A:287, 358
 stratigraphy
 lithology, A:536–537
 reflectance, A:569–577
 strontium
 calcite, A:550–551
 pore water, A:72–73, 101, 130, 164, 189, 212–213, 255–256, 295, 325–326, 367–368, 409, 444–445
 vs. depth, A:78, 107, 134, 169, 191, 215, 260, 300, 331, 370, 415, 450, 551–552
 Subtropical Convergence Zone
 foraminifers, B7:8
 upwelling, A:18–19
 sulfate
 dolomite, A:498
 organic matter, A:550
 pore water, A:72, 100, 129, 163, 188–189, 211–212, 255, 294–295, 325, 367, 409, 444, 472
 vs. depth, A:78, 107, 169, 191, 215, 260, 300, 331, 370, 415, 450, 478, 512, 549
 sulfate consumption rate, vs. sedimentation rates, A:549
 sulfate reduction
 dolomite, A:495, 498
 lithologic units, A:91, 119
 organic matter, A:548–550
 sediments, B10:13
 upwelling, A:16, 21
 sulfide/oxide aggregates
 sediments, B21:27–31
 Uvigerina, B21:7–8
 sulfur
 clay, A:283
 sediments, B5:4–5
 sulfur, organic
 gas chromatograms, B5:16
 sediments, B5:5; B10:12–13
 sulfur, total
 percentage, A:81, 108, 135, 171, 193, 217, 262–263, 302–303, 332, 372–374, 418–419, 451; B2:9–11
 vs. depth, A:283
 vs. reflectance, A:122
 surface water, tropical–subtropical, foraminifer proxies, B7:5–7; B12:6–8
- T**
- taraxerol
 concentration, B10:30
 sediments, B10:6–7
 temperature
 anomalies, B(synthesis):6–7
 organic matter, A:132, 167, 298, 327, 375, 412
 See also borehole temperature
 temperature, sea-surface
 sea water, B(synthesis):60
 vs. age, B19:16; B23:40–41
 Termination I, foraminifer proxies, B7:2; B12:6
 Termination II, foraminifer proxies, B7:2; B11:20–23; B12:4, 6
 Termination V, foraminifer proxies, B12:4
 terpenoids. *See* triterpenoids
 terrigenous composition, sediments, B10:5–7; B23:10–11, 13–15
 terrigenous content, vs. depth, B1:19, 21
 textures, dolomite, B15:12
Thalassionema nitzschioides var. *nitzschioides*, mass accumulation rates vs. age, B11:23
Thalassiosira, mass accumulation rates vs. age, B11:23
Thalassiosira oestrupii var. *oestrupii*, mass accumulation rates vs. age, B11:23
 thermal conductivity, vs. depth, A:76, 85, 105, 112, 138, 170, 175, 195–197, 218, 220, 261, 269, 301, 309, 329, 336, 378, 380, 382, 414, 424–425, 448, 454, 475, 482
 thermal maturity, organic matter, A:75–76, 103, 167, 260, 298, 327, 375, 412; B6:7

thermocline
 diatoms, A:528
 fertility, B(synthesis):5–6
 foraminifers, B7:8; B12:8
 productivity cycles, B(synthesis):42–43
 transport, A:25
 thermomagnetic properties, sediments, B13:4–5
 thianes, monounsaturated malabaricane, sediments,
 B10:12–13
 thianes, tricyclic triterpenoid, sediments, B10:12–13
 thiolanes, isoprenoid, sediments, B10:12–13
 thiophenes, sediments, B5:5
 thiophenes, isoprenoid, sediments, B10:12–13
 titanium
 vs. depth, B13:15
 X-ray fluorescence scanning, B13:5–6, 21–30
 Tortonian, upwelling, B(synthesis):45
 Tortonian/Messinian boundary, sediments, B(synthe-
 sis):92
 transport, sedimentation, A:235, 237
Trifarina angulosa, vs. depth, A:403
Trifarina bradyi, vs. depth, A:248
trihomo-hopane-32,33-diol, mass spectrum, B10:28
 4 α ,23,24-trimethyl-5 α -cholest-8(14)-en-3 β -ol, sedi-
 ments, B5:8–9
 4 α ,23,24-trimethyl-5 α -cholest-22-en-3 β -ol, sediments,
 B5:8–9
 4 α ,23,24-trimethylcholest-22-en-3 β -ol, sediments,
 B10:8–10
 triterpenoids, pentacyclic, sediments, B10:6–7
 turbidites
 lithologic units, A:460
 photograph, A:181
See also Bouma DE turbidites

U

unconformities. *See* disconformities; erosional contacts;
 hiatuses; paraconformities
 untriacontane. *See* *n*-untriacontane
 upwelling
 biostratigraphy, A:95
 currents, A:7–21
 diatoms, A:528
 dolomite, B15:1–17
 foraminifer proxies, B7:5–8
 geographic patterns, B(synthesis):41–42
 hydrography, B11:3
 lipids, B5:1–26
 lithofacies, A:487–504
 lower Quaternary, B21:1–31
 Miocene–Pleistocene sedimentary record, B6:1–19
 opal, B4:1–16; B(synthesis):82–83
 paleoceanography, A:505–531; B(synthesis):1–102
 planktonic foraminifers, A:342
 productivity, B18:1–24
 radiolarians, B3:1–16
 radiolarians as index, A:69
 sedimentation rates, B9:5
 sediments, B10:7
 strength, B21:25

vs. age, B19:16
See also Angola–Benguela upwelling system; Angola–
 Namibia upwelling system; Eastern boundary
 upwelling; Namibia upwelling system
 upwelling species
 diatoms, A:69, 98, 126, 159, 250–251, 257, 320, 363
 radiolarians, A:67
 uranium logs, vs. depth, A:271, 494, 311, 383, 427, 484
Uvigerina
 carbon isotopes, B21:7
 sulfide/oxide aggregates, B21:7–8
Uvigerina auberiana, vs. depth, A:95, 185, 248, 287, 358,
 403,
Uvigerina gallowayi, vs. depth, A:248, 288
Uvigerina hispida, vs. depth, A:287
Uvigerina hispidocostata, vs. depth, A:125, 161, 287, 358,
 403
Uvigerina percentage, vs. age, A:524
Uvigerina peregrina
 age–depth data on oxygen isotopes, B23:42
 oxygen isotopes vs. age, B21:22
 sediments, B21:27–31
 vs. depth, A:161, 358, 403

V

vegetation, sediments, B10:5, 7–10
 velocity
 composite section, A:187–188
 vs. depth, A:76, 85, 104–105, 110, 137, 139, 169–170,
 174, 195, 198, 217–218, 221, 261, 268, 301,
 307, 329, 335, 377, 379, 413, 423, 447, 453,
 475, 482
See also acoustic velocity logs
 velocity logs, vs. depth, A:271, 311, 383, 427, 484, 494

W

Walvis Basin
 age models, B(synthesis):65
 biostratigraphy, A:544; B14:1–26
 dolomite, B15:1–17
 drilling, A:17
 lipids, B10:1–34
 lithostratigraphy, A:535–536, 541
 Miocene–Pleistocene carbon burial, B6:1–19
 sedimentation rates, A:544; B9:1–23; B(synthesis):12–
 14
 sediments, A:489
 well-logging, A:380
 well-logging correlation, A:304, 306
 Walvis Bay
 age models, B(synthesis):66
 drilling, A:17
 productivity, B(synthesis):23–30, 88
 upwelling, A:17; B(synthesis):6–7
 Walvis Group, upwelling, A:17
 Walvis Paradox
 lower Quaternary, B21:1–31; B(synthesis):23–25
 productivity cycles, B(synthesis):42–43
 Walvis Ridge

age models, B(synthesis):65
 benthic foraminifers, B(synthesis):79
 biogenous sedimentation, A:519
 biostratigraphy, A:544
 carbonates and organic carbon, B(synthesis):86
 currents, A:508
 dolomite, B15:1–17
 drilling, A:17
 lithostratigraphy, A:535–536, 541
 magnetic properties, B8:1–17
 Miocene–Pleistocene carbon burial, B6:1–19
 paleoclimatology, B23:1–46; B(synthesis):78
 productivity, B(synthesis):23–30
 sedimentation rates, A:544; B9:1–23
 sediments, A:489
 seismic profiles, B(synthesis):57–58
 total organic carbon vs. age, A:509, 526
 upwelling, A:17; B(synthesis):6–7
 well-logging correlation, A:304, 306
 Walvis Transect, paleoceanography, A:509
 warm water, radiolarians as index, A:69
 warm-water species, radiolarians, A:67
 water, low-oxygen, productivity, A:10
 water content, vs. depth, A:86, 113, 140, 176, 199, 221,
 270, 310, 337, 383, 426, 455, 481, 483
 wax esters
 gas chromatograms, B5:18
 sediments, B5:5–6; B10:12
 wax ethers, gas chromatograms, B5:18

waxes. *See also* leaf waxes
 well-logging
 Site 1084, A:379–380
 See also downhole logging
 wind transport
 productivity control, B18:12–14, 23
 sedimentation, A:235, 237
 sediments, B5:4–5
 vs. age, B23:29–30
 worm casts, lithologic units, A:91, 119

X

X-ray fluorescence data
 core scanning, B20:1–10
 sediments, B13:1–31

Z

zoning
 dolomite, B15:6–7
 microfossil datums, A:67
Zoophycos
 lithologic units, A:433
 photograph, Site 1085, A:395
 zooplankton
 concentration, B10:30
 productivity, B18:3–4, 11–12
 sterols, B5:5–6

TAXONOMIC INDEX

A

Acanthodesmia viniculata

Site 1075, A:67

Site 1078, A:159

Acanthosphaera circopora, Site 1082, B14:6*acostaensis*, *Globorotalia*, Site 1082, A:286*acostaenesis*, *Neogloboquadrina*

Site 1081, A:244

Site 1082, A:286

Acrosphaera murrayana

Site 1075, A:67

Site 1082, B3:3

Acrosphaera spinosa, Site 1082, B14:6*Actiniscus pentasterias*

Site 1077, B11:5

Site 1078, A:159

Actinocyclus curvatulus, Site 1084, A:363*Actinocyclus octonarius*, Site 1084, A:363*Actinocyclus* spp., Site 1077, B11:23*Actinomma boreale* group, Site 1082, B14:4–6, 26*Actinomma* cf. *leptodermum*, Site 1082, B3:3*Actinomma haysi*, Site 1082, B14:6*Actinomma medianum*, Site 1082, B14:6*Actinomma popofskii* group, Site 1082, B14:6–7*Actinomma* spp., Site 1082, B14:7*Actinoptychus senarius*

Site 1075, A:69

Site 1076, A:98

Site 1077, A:126

Site 1078, A:159

Site 1084, A:363

Actinoptychus spp., Site 1077, B11:23*aculeata*, *Bulimina*

Benguela Current, A:518

Site 1076, A:94–95

Site 1077, A:122, 125

Site 1079, B19:7

Site 1081, A:245, 248

Site 1082, A:286–287

Site 1083, A:320

Site 1084, A:354, 358

Site 1085, A:401, 403

Site 1087, A:468

aculeata, *Stylodictya*, Site 1082, B3:4*acuminatum*, *Eucyrtidium*, Site 1082, B3:6; B14:14*aenarensis*, *Bolivina*, Benguela Current, A:519*aequilateralis*, *Globigerinella*, Site 1087, B7:17–22, 26*allomorphoides*, *Quadrinorphina*, Site 1076, A:94*altispira*, *Dentoglobigerina*

Site 1081, A:244

Site 1082, A:286

Site 1085, A:401

Site 1086, A:440

Alveus marinus

Site 1075, A:69

Site 1076, A:98

Site 1078, A:159

Amaurolithus amplificus

Site 1085, A:399

Site 1086, A:439

Site 1087, A:466

Amaurolithus delicatus

Site 1082, A:285

Site 1085, A:399

Amaurolithus primus, Site 1086, A:436, 439*Amaurolithus tricorniculatus*

Site 1082, A:285

Site 1084, A:352, 354

Site 1085, A:399; B22:16

Site 1086, A:439

Site 1087, A:466

Amphirhopalum ypsilon, Site 1082, B3:3; B14:9, 26*Amphirhopalum ypsilon* Zone

Site 1075, A:67

Site 1076, A:95

Site 1077, A:123

Site 1080, A:209

Site 1081, A:249

Site 1083, A:320

Amphymenium challengerae, Site 1081, A:248*amplificus*, *Amaurolithus*

Site 1085, A:399

Site 1086, A:439

Site 1087, A:466

angelinum, *Axoprunum*

Site 1075, A:67

Site 1076, A:95

Site 1077, A:123

Site 1080, A:209

Site 1081, A:249

Site 1082, B14:4–5, 7, 26

Site 1083, A:320

Site 1084, A:359

Site 1086, B(synthesis):16

angulare, *Anthocyrtidium*

Site 1075, A:67

Site 1077, A:123

Site 1080, A:209

angulata, *Giraffospyrus*

Site 1075, A:67

Site 1082, B14:17

angulosa, *Trifarina*, Site 1085, A:401, 403*anacor*, *Stichopilium*, Site 1082, B14:15*Anomalinoides globulosus*, Site 1085, A:404*Anomalinoides semicribratus*, Site 1085, A:404*anomalum*, *Eucyrtidium*, Site 1082, B14:14*antarctica*, *Thalassiothrix*

Site 1083, B18:7

Site 1084, A:359, 363

Site 1085, A:404

Site 1087, A:468

antarcticus, *Dactyliosolen*, Site 1083, B18:7*Antarctissa* aff. *denticulata*, Site 1082, B14:11*Antarctissa longa*, Site 1082, B14:11–12*Antarctissa* spp., Site 1082, B14:4–5, 26*antepenultima*, *Didymocyrtis*, Site 1081, A:250*Anthocyrtidium angulare*

- Site 1075, A:67
 Site 1077, A:123
 Site 1080, A:209
Anthocyrtdium angulare Zone
 Site 1077, A:123
 Site 1081, A:249
 Site 1082, A:286
 Site 1083, A:320
Anthocyrtdium nosicaae, Site 1082, B14:16
Anthocyrtdium ophirensis, Site 1082, B3:4; B14:16
Anthocyrtdium zanguebaricum, Site 1082, B3:5; B14:16
apertura, *Globigerinoides*, Site 1082, A:286
aquilonaris, *Botryostrobus*, Site 1082, B14:17
arachnea, *Siphocampe*, Site 1082, B14:17
Arachnocorallium group, Site 1082, B14:12
Arachnocorys circumtexta, Site 1082, B3:5
Arachnocorys pentacantha, Site 1082, B3:5
armatus, *Ceratolithus*, Site 1082, A:285
asanoi, *Reticulofenestra*
 Site 1075, A:60
 Site 1076, A:93
 Site 1081, A:242
 Site 1082, A:283–285
 Site 1084, A:353
astericus, *Heliodiscus*, Site 1082, B14:9
astericus, *Stylochlamyidium*, Site 1082, B14:10
Asteromphalus hookeri, Site 1083, B18:7
Asteromphalus parvulus, Site 1083, B18:7
astrea, *Stephanodiscus*, Site 1077, B11:10
Astrononion novozealandicum, Site 1084, A:354, 359
asymmetricus, *Discoaster*
 Site 1085, A:399; B22:16
 Site 1086, A:439
 Site 1087, A:466
attractus, *Ellipsoxiphus*
 Site 1085, A:404
 Site 1086, A:442
 Site 1087, A:468
auberiana, *Uvigerina*
 Atlantic Ocean SE, A:523
 Site 1076, A:94–95
 Site 1079, A:183, 185; B19:7; B(synthesis):12
 Site 1081, A:244–245, 248
 Site 1082, A:286–287
 Site 1084, A:354, 358
 Site 1085, A:403
 Site 1086, A:440
 Site 1087, A:468
Aulacoseira granulata
 Site 1075, A:69
 Site 1076, A:98
 Site 1077, A:126; B11:10
Aulacoseira islandica
 Site 1075, A:69
 Site 1076, A:98
 Site 1077, A:126; B11:10
auriculata, *Otosphaera*, Site 1082, B14:6
auriculus, *Cancris*, Site 1078, A:158
auritum, *Pterocanium*, Site 1082, B14:15
auritus/australis, *Botryostrobus*
 Site 1075, A:67
 Site 1082, B3:5; B14:17
avita, *Didymocyrtis*, Site 1082, B14:9
Axoprunum angelinum
 Site 1075, A:67
 Site 1076, A:95
 Site 1077, A:123
 Site 1080, A:209
 Site 1081, A:249
 Site 1082, B14:4–5, 7, 26
 Site 1083, A:320
 Site 1084, A:359
 Site 1086, B(synthesis):16
Axoprunum angelinum Zone
 Site 1075, A:67
 Site 1076, A:95
 Site 1080, A:80
 Site 1081, A:248
 Site 1083, A:320
Axoprunum stauraxonium
 Site 1082, B14:7
 Site 1085, A:404
 Site 1086, A:442
 Site 1087, A:468
Azpeitia nodulifer
 Site 1078, A:159
 Site 1082, A:291
 Site 1083, A:320
 Site 1084, A:359, 363
Azpeitia spp.
 Site 1076, A:98
 Site 1077, B11:23
 Site 1081, A:250
Azpeitia tabularis
 Site 1082, A:291
 Site 1083, A:320; B18:7
 Site 1084, A:359
- B**
- Bachmannocena quadrangula*
 Site 1080, A:209
 Site 1081, A:250
Bacteriastrum elongatum/furcatum, Site 1077, B11:7
balthica, *Hyalinea*, Site 1079, A:183
barboi, *Proboscia*
 Site 1081, A:251; B(synthesis):82–83
 Site 1082, A:289; B(synthesis):82–83
 Site 1083, A:320; B18:7
 Site 1084, A:359, 363
barleeaanum, *Melonis*
 Site 1075, A:66
 Site 1077, A:122–123, 125
 Site 1080, A:209
 Site 1082, A:286, 288
 Site 1083, A:320
 Site 1084, A:354, 358–359
 Site 1085, A:404
Bathropyramis sp., Site 1082, B14:12
Beella digitata, Site 1083, A:319
berggrenii, *Discoaster*
 Site 1081, A:243

- Site 1082, A:285
bergonii, *Rhizosolenia*, Site 1078, A:159
bicorne, *Stichopilium*, Site 1082, B14:15
bicornis, *Clathrocyclas*, Site 1082, B3:5
bicornis, *Cycladophora*, Site 1082, B3:5; B14:13
bicornis klingi, *Cycladophora*, Site 1082, B14:13
bispiculum, *Stylocontarium*, Site 1082, B14:8
Bolivina aenarensis, Benguela Current, A:519
Bolivina dilatata, Site 1079, B19:1, 6–8, 18; B(synthesis):22
Bolivina pseudoplicata
 Benguela Current, A:519
 Site 1087, A:468
Bolivina pseudopunctata, Site 1079, B19:1, 6–8, 17–18;
 B(synthesis):22
Bolivina seminuda
 Benguela Current, A:519
 Site 1084, A:354, 358
Bolivina sp. 1
 Site 1078, A:158, 161
 Site 1079, A:183, 185
 Site 1081, A:245, 248
Bolivina sp. 2
 Site 1078, A:158, 161
 Site 1079, A:183, 185
 Site 1081, A:245, 248
Bolivina spp.
 Benguela Current, A:518, 523
 Site 1084, B(synthesis):32, 88
 Site 1086, B(synthesis):38, 95
Bolivina subaenarensis
 Site 1079, B19:7
 Site 1082, A:286, 288
 Site 1084, A:358–359
 Site 1085, A:403
 Site 1087, A:468
bollii, *Discoaster*, Site 1085, A:399
boreale, *Rhizoplegma*, Site 1082, B3:4
boreale group, *Actinomma*, Site 1082, B14:4–6
Botryocyrtis scutum, Site 1082, B3:5
Botryostrobus aquilonaris, Site 1082, B14:17
Botryostrobus auritus/australis
 Site 1075, A:67
 Site 1082, B3:5; B14:17
bradyi, *Cassidulinoides* cf., Site 1082, A:286–287
bradyi, *Cibicidoides*
 Atlantic Ocean SE, A:523
 Site 1081, A:245, 248
 Site 1082, A:286
bradyi, *Cibicidoides* cf., Site 1082, A:288
bradyi, *Trifarina*
 Site 1081, A:248
 Site 1086, A:440
brouweri, *Discoaster*
 Site 1075, A:60
 Site 1077, A:121
 Site 1081, A:242; B(synthesis):13
 Site 1082, A:285
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, B22:16
 Site 1086, A:436, 439
Buccinosphaera invaginata Zone
 Site 1075, A:67
 Site 1076, A:95
 Site 1077, A:123
 Site 1080, A:209
 Site 1081, A:248
 Site 1083, A:320
buetschlii, *Larcopyle*, Site 1082, B3:3; B14:4, 11
Bulimina aculeata
 Benguela Current, A:518
 Site 1076, A:94–95
 Site 1077, A:122, 125
 Site 1079, B19:7
 Site 1081, A:245, 248
 Site 1082, A:286–287
 Site 1083, A:320
 Site 1084, A:354, 358
 Site 1085, A:401, 403
 Site 1087, A:468
Bulimina exilis
 Benguela Current, A:518
 Site 1075, A:66
 Site 1076, A:94–95
 Site 1077, A:122, 125
 Site 1078, A:158, 161
 Site 1079, A:183, 185; B19:7
 Site 1080, A:209
 Site 1081, A:245, 248
 Site 1082, A:286–287
 Site 1083, A:320
 Site 1084, A:354, 358
Bulimina marginata
 Benguela Current, A:518
 Site 1079, B19:7
 Site 1081, A:245, 248
 Site 1082, A:286–287
Bulimina mexicana
 Benguela Current, A:518
 Site 1076, A:94–95
 Site 1082, A:286–287
 Site 1087, A:468
Bulimina spp.
 Benguela Current, A:518, 523
 Site 1084, B(synthesis):32, 88
 Site 1086, B(synthesis):38, 95
Bulimina truncana
 Benguela Current, A:518
 Site 1082, A:286–287
Bulimina tuxpamensis, Site 1085, A:404
bulloides, *Globigerina*
 Atlantic Ocean S, A:9
 Site 1075, A:62
 Site 1076, A:94
 Site 1077, A:122
 Site 1078, A:158
 Site 1079, A:182; B19:3, 5, 16
 Site 1080, A:207
 Site 1081, A:243
 Site 1082, A:285
 Site 1083, A:319

- Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:1, 4–5, 15, 17–22, 26; B12:3–8, 13, 15–21
- bulloides*, *Pullenia*
 Site 1082, A:286–287
 Site 1084, A:354, 358–359
- bulloides*, *Sphaeroidina*
 Site 1076, A:95
 Site 1082, A:286, 288
 Site 1085, A:403
- C**
- calcaris*, *Discoaster*, Site 1085, A:400
- Calcidiscus macintyreii*
 Site 1075, A:58
 Site 1081, A:242
 Site 1082, A:285
 Site 1085, B22:16
- calida*, *Globigerinella*
 Site 1081, A:243
 Site 1087, B7:17–22, 26
- calvertense*, *Eucyrtidium*
 Site 1075, A:67
 Site 1081, A:248
 Site 1082, B14:14
 Site 1084, A:359
- camerina*, *Stylodictya*, Site 1082, B14:10
- Cancris auriculus*, Site 1078, A:158
- capito*, *Lophophaena* cf., Site 1082, B14:12
- caribbeanica*, *Gephyrocapsa*, Site 1075, A:60
- Carpocanarium papillosum*, Site 1082, B3:5; B14:16
- Carpocanistrum* spp., Site 1082, B3:5; B14:16
- Cassidulina laevigata*
 Site 1076, A:94–95
 Site 1077, A:122–123, 125
 Site 1078, A:158, 161
 Site 1079, A:183, 185; B19:7
 Site 1081, A:245, 248
 Site 1082, A:286–287
 Site 1083, A:320
 Site 1084, A:358
 Site 1085, A:401, 403
 Site 1086, A:440
- Cassidulinoides* cf. *bradyi*, Site 1082, A:286–287
- Cenosphaera* spp., Site 1082, B14:7
- Ceratocyrtis* group, Site 1082, B14:12
- Ceratolithus armatus*, Site 1082, A:285
- Ceratolithus* spp.
 Site 1085, A:399
 Site 1086, A:439
 Site 1087, A:466
- Chaetoceros cintus*, Site 1084, A:359
- Chaetoceros constrictus/vanheurckii*, Site 1084, A:359
- Chaetoceros debilis*, Site 1084, A:359
- Chaetoceros diadema*, Site 1084, A:359
- Chaetoceros lorenzianus*, Site 1084, A:359
- Chaetoceros radicans*, Site 1084, A:359
- Chaetoceros* spp.
 Benguela Current, A:513
 Site 532, B(synthesis):26–27
- Site 1075, A:69
 Site 1076, A:98
 Site 1077, A:126; B11:4, 7, 9–10, 23
 Site 1078, A:159
 Site 1080, A:209
 Site 1081, A:250
 Site 1082, A:289; B4:4, 15
 Site 1083, A:320; B18:7–14, 22–23
 Site 1084, A:359, 363; B(synthesis):31
 Site 1085, A:404
- challengeriae*, *Amphymenium*, Site 1081, A:248
- challengeri*, *Discoaster*, Site 1085, A:399
- cheni*, *Lophospyris*, Site 1082, B14:17
- Chilostomella oolina*, Site 1079, B19:7
- Chilostomella ovoidea*, Site 1075, A:66
- cibaoensis*, *Globorotalia*
 Site 1082, A:286
 Site 1085, A:401
 Site 1086, A:440
 Site 1087, A:467
- Cibicidoides bradyi*
 Atlantic Ocean SE, A:523
 Site 1081, A:245, 248
 Site 1082, A:286
- Cibicidoides* cf. *bradyi*, Site 1082, A:288
- Cibicidoides pachyderma*
 Atlantic Ocean SE, A:523
 Site 1076, A:94–95
 Site 1081, A:245, 248
 Site 1082, A:286, 288
 Site 1085, A:403–404
 Site 1086, A:440
 Site 1087, A:468
- Cibicidoides* spp.
 Atlantic Ocean S, A:9
 Benguela Current, A:518, 523
 Site 1086, B(synthesis):38, 95
- Cibicidoides wuellerstorfi*
 Atlantic Ocean SE, A:523
 Ceara Rise, B(synthesis):85
 Site 1075, B(synthesis):16
 Site 1082, A:286–287
 Site 1083, A:320; B18:6
 Site 1084, A:354, 359
 Site 1085, A:403–404; B21:1, 3–5, 7–8, 10, 15–16, 22, 27–31
 Site 1087, B7:4, 14; B12:3, 12, 14, 18–21; B(synthesis):41
- Cincolpyramis* sp., Site 1082, B14:12
- cintus*, *Chaetoceros*, Site 1084, A:359
- Circodiscus microporus* group, Site 1082, B14:9
- circopora*, *Acanthosphaera*, Site 1082, B14:8
- circularis*, *Saturnalis*, Site 1082, B14:8
- circumtexta*, *Arachnocorys*, Site 1082, B3:5
- circumtexta*, *Peripyramis*, Site 1082, B3:7; B14:15
- Cladococcus pinetum*, Site 1082, B14:7
- Cladococcus scoparius*, Site 1082, B14:7
- Cladococcus* sp., Site 1082, B14:7
- Clathrocyclus bicornis*, Site 1082, B3:5
- collina*, *Disolenia*, Site 1082, B14:6
- Collosphaera* spp., Site 1082, B14:6

- Collospira tuberosa*
 Site 1075, A:67
 Site 1076, A:95
 Site 1081, A:249
- Collospira tuberosa* Zone
 Site 1075, A:66
 Site 1076, A:95
 Site 1077, A:123
 Site 1080, A:209
 Site 1081, A:248
 Site 1083, A:320
- columba*, *Corocalyptra*, Site 1082, B3:5
communis, *Spongodiscus*, Site 1082, B14:10
concava, *Siphotextularia*
 Site 1081, A:245, 248
 Site 1087, A:468
- conglobatus*, *Globigerinoides*, Site 1087, B7:5
conoidea, *Globorotalia*
 Site 1081, A:244
 Site 1082, A:286
 Site 1085, A:401
- conomiozea*, *Globorotalia*
 Site 1085, A:401
 Site 1086, A:440
- constrictus/vanheurckii*, *Chaetoceros*, Site 1084, A:359
corbula, *Phormostichoartus*, Site 1082, B3:7
Cornutella profunda, Site 1082, B3:5; B14:12
cornutoides, *Cycladophora*, Site 1082, B14:13
Corocalyptra columba, Site 1082, B3:5
Corocalyptra kruegeri, Site 1082, B14:5, 12, 26
coronata, *Lampromitra*, Site 1082, B3:6
- Coscinodiscus* spp.
 Site 1077, B11:23
 Site 1084, A:363
 Site 1086, A:442
- costatum*, *Skeletonema*
 Site 1076, A:98
 Site 1077, A:126; B11:7
- crassaformis*, *Globorotalia*
 Site 1075, A:62
 Site 1076, A:94
 Site 1077, A:122
 Site 1079, A:182
 Site 1080, A:207
 Site 1081, A:243
 Site 1082, A:285
 Site 1083, A:319
 Site 1085, A:401
 Site 1087, B7:17–22, 26
- crassaformis* cf. *viola*, *Globorotalia*
 Site 1082, A:286
 Site 1083, A:319
 Site 1086, A:439
- crassaformis crassaformis*, *Globorotalia*, Site 1082, A:286
crisiae, *Dictyophimus*, Site 1082, B3:6
cuneiformis, *Hemidiscus*
 Site 1081, A:250
 Site 1082, A:291
 Site 1083, A:320
 Site 1084, A:359, 363
- curvatulus*, *Actinocyclus*, Site 1084, A:363
- curvirostris*, *Proboscia* (= *Simonseniella*)
 Site 1081, A:250–251
 Site 1082, A:289
 Site 1083, A:320
- Cycladophora bicornis*, Site 1082, B3:5; B14:13
Cycladophora bicornis klingi, Site 1082, B14:13
Cycladophora cornutoides, Site 1082, B14:13
Cycladophora davisiana
 Site 1075, A:67
 Site 1081, A:249–250
 Site 1082, A:286–287; B3:5; B14:4–5, 13, 26
 Site 1083, A:320
 Site 1084, A:359
 Site 1085, A:404
 Site 1087, A:468
- Cycladophora davisiana* var. *cornutoides*, Site 1082, B3:5
Cycladophora pliocenica
 Site 1081, A:249–250
 Site 1082, A:286, 288–289; B14:4–5, 13, 26
 Site 1083, A:320
 Site 1084, A:359, 363
 Site 1085, A:404
 Site 1087, A:468
- Cycladophora sakaii*, Site 1082, B14:5, 13, 26
Cycladophora sakaii Zone
 Site 1081, A:250
 Site 1082, A:287
 Site 1084, A:359
- Cycladophora* spp., Site 1082, B14:13
Cyclotella litoralis, Site 1077, B11:4, 9–10, 23
Cyclotella meneghiniana, Site 1077, B11:10
Cyclotella spp.
 Site 1075, A:69
 Site 1076, A:98
 Site 1077, A:126
 Site 1078, A:159
- Cyrtolagena laguncula*, Site 1082, B3:6
- D**
- Dactyliosolen antarcticus*, Site 1083, B18:7
davisiana, *Cycladophora*
 Site 1075, A:67
 Site 1081, A:249–250
 Site 1082, A:286–287; B3:5; B14:4–5, 13, 26
 Site 1083, A:320
 Site 1084, A:359
 Site 1085, A:404
 Site 1087, A:468
- davisiana* var. *cornutoides*, *Cycladophora*, Site 1082, B3:5
debilis, *Chaetoceros*, Site 1084, A:359
decorus, *Discoaster*, Site 1085, A:399
dedoensis, *Thecosphaera*, Site 1082, B14:8
dehiscens, *Sphaeroidinella*, Site 1087, B7:5
delicatus, *Amaurolithus*
 Site 1082, A:285
 Site 1085, A:399
- delmontensis*, *Stichocorys*, Site 1082, B14:15
denticulata, *Antarctissa* aff., Site 1082, B14:11
Dentoglobigerina altispira
 Site 1081, A:244

- Site 1082, A:286
 Site 1085, A:401
 Site 1086, A:440
diadema, *Chaetoceros*, Site 1084, A:359
Diartus hughesi, Site 1081, A:248
dictyoceras, *Lipmanella*, Site 1082, B3:6
Dictyocha speculum, Site 1077, B11:9
Dictyocoryne profunda, Site 1082, B3:3
Dictyocoryne spp.
 Site 1075, A:67
 Site 1078, A:159
 Site 1082, B3:3; B14:10
Dictyophimus crisisae, Site 1082, B3:6
Dictyophimus gracilipes, Site 1082, B3:6
Dictyophimus hirundo, Site 1082, B14:13
Dictyophimus infabricatus, Site 1082, B3:6; B14:13
Dictyophimus robustus, Site 1082, B14:5
Dictyophimus spp., Site 1082, B14:13–14
Didymocyrtis antepenultima, Site 1081, A:250
Didymocyrtis antepenultima Zone, Site 1081, A:250
Didymocyrtis avita, Site 1082, B14:9
Didymocyrtis tetrathalamus
 Site 1075, A:67
 Site 1078, A:159
 Site 1082, B3:3; B14:4, 9
digitata, *Beella*, Site 1083, A:319
dilatata, *Bolivina*, Site 1079, B19:1, 6–8, 18; B(synthesis):22
Discoaster asymmetricus
 Site 1085, A:399; B22:16
 Site 1086, A:439
 Site 1087, A:466
Discoaster berggrenii
 Site 1081, A:243
 Site 1082, A:285
Discoaster bollii, Site 1085, A:399
Discoaster brouweri
 Site 1075, A:60
 Site 1077, A:121
 Site 1081, A:242; B(synthesis):13
 Site 1082, A:285
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, B22:16
 Site 1086, A:436, 439
Discoaster calcaris, Site 1085, A:400
Discoaster challengerii, Site 1085, A:399
Discoaster decorus, Site 1085, A:399
Discoaster hamatus, Site 1085, A:400
Discoaster kugleri, Site 1085, A:400
Discoaster loeblichii, Site 1081, A:243
Discoaster neorectus, Site 1081, A:243
Discoaster pansus
 Site 1082, A:285
 Site 1085, A:399
Discoaster pentaradiatus
 Site 1081, A:242
 Site 1082, A:285
 Site 1084, A:354
 Site 1085, A:399
 Site 1086, A:436, 439
 Site 1087, A:466
Discoaster quinquerramus
 Site 1081, A:243
 Site 1082, A:285
 Site 1085, A:399; B22:16
 Site 1086, A:439
 Site 1087, A:466–467
Discoaster surculus
 Site 1081, A:242
 Site 1084, A:354
 Site 1085, B22:16
 Site 1086, A:436, 439
 Site 1087, A:466
Discoaster tamalis
 Site 1085, A:399; B22:16
 Site 1087, A:466
Discoaster variabilis, Site 1085, A:399
Disolenia collina, Site 1082, B14:6
distephanus, *Neosemantis*, Site 1082, B14:12
dogieli, *Gondwanaria*, Site 1082, B14:14
doliolus, *Fragilariopsis*
 Site 1077, B11:23
 Site 1083, A:320
Drupptractus irregularis, Site 1082, B14:7
dutertrei, *Neogloboquadrina*
 Atlantic Ocean SE, B23:6, 10
 Site 1077, A:122
 Site 1078, A:158
 Site 1079, A:182
 Site 1083, A:319–320
 Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:17–22, 26
- E**
- eccentrica*, *Thalassiosira*, Site 1077, A:126
echiniscus, *Heliodiscus*, Site 1082, B14:9
Ehrenbergina trigona, Site 1087, A:468
elegans, *Hoeglundina*
 Site 1076, A:94
 Site 1085, A:403
 Site 1086, B(synthesis):38, 93
 Site 1087, A:468
Ellipsoxiphus attractus
 Site 1085, A:404
 Site 1086, A:442
 Site 1087, A:468
elliptica, *Spongurus* cf. *Spongurus*, Site 1082, B3:4
elongatum/furcatum, *Bacteriastrum*, Site 1077, B11:7
Emiliania huxleyi
 Atlantic Ocean SE, B10:7, 9
 Site 1075, A:58, 60
 Site 1076, A:93
 Site 1077, A:121
 Site 1078, A:157
 Site 1081, A:241
 Site 1082, B14:3, 24
 Site 1084, B5:6
 Site 1085, A:398
enthcanthum, *Hexacantium*, Site 1082, B3:3

Epistominella exigua

- Site 1075, A:66
- Site 1082, A:286, 288
- Site 1084, A:354, 358
- Site 1085, A:401, 403–404

Epistominella smithi, Site 1079, B19:7*Epistominella* sp. 1, Site 1076, A:94*Euceryphalus* group, Site 1082, B14:14*Euchitonia* spp.

- Site 1075, A:67
- Site 1082, B14:10

Eucyrtidium acuminatum, Site 1082, B3:6; B14:14*Eucyrtidium anomalum*, Site 1082, B14:14*Eucyrtidium calvertense*

- Site 1075, A:67
- Site 1081, A:248
- Site 1082, B14:14
- Site 1084, A:359

Eucyrtidium cf. *Eucyrtidium teuscheri*, Site 1082, B3:6*Eucyrtidium hexastichum*, Site 1082, B14:14*Eucyrtidium matuyamai*, Site 1082, B14:5*Eucyrtidium punctatum*, Site 1082, B14:14*Eucyrtidium* spp., Site 1082, B14:14*Eucyrtidium teuscheri* group, Site 1082, B14:14*exigua*, *Epistominella*

- Site 1075, A:66
- Site 1082, A:286, 288
- Site 1084, A:354, 358
- Site 1085, A:401, 403–404

exilis, *Bulimina*

- Benguela Current, A:518
- Site 1075, A:66
- Site 1076, A:94–95
- Site 1077, A:122, 125
- Site 1078, A:158, 161
- Site 1079, A:183, 185; B19:7
- Site 1080, A:209
- Site 1081, A:245, 248
- Site 1082, A:286–287
- Site 1083, A:320
- Site 1084, A:354, 358

extremus, *Globigerinoides*, Site 1082, A:286**F***falconensis*, *Globigerina*

- Site 1081, A:243
- Site 1083, A:319
- Site 1087, B7:17–22, 26

fossilis, *Nitzschia*, Site 1084, A:363*Fragilariopsis doliolus*

- Site 1077, B11:23
- Site 1083, A:320

Fragilariopsis (= *Pseudoeunotia*) *doliolus* Zone, Site 1083, A:320*Fragilariopsis kerguelensis*

- Site 1083, B18:7
- Site 1084, A:359

Fursenkoina mexicana, Site 1079, B19:7*Fursenkoina* sp. 1, Site 1083, A:320**G***gallowayi*, *Uvigerina*

- Atlantic Ocean SE, A:523
- Site 1081, A:248

Gavelinopsis lobatulus

- Site 1082, A:286–287
- Site 1085, A:403

Gephyrocapsa aperta acme zone, Site 1075, A:60*Gephyrocapsa aperta* acme zone sen. str., Site 1076, A:93*Gephyrocapsa caribbeanica*, Site 1075, A:60*Gephyrocapsa caribbeanica* acme

- Site 1075, A:60
- Site 1078, A:157
- Site 1079, A:180
- Site 1083, A:318–319
- Site 1084, A:352
- Site 1085, A:398

Gephyrocapsa oceanica, Site 1084, B5:6*Gephyrocapsa* spp.

- Atlantic Ocean SE, B10:7
- Site 1075, A:60

Giraffospyrus angulata

- Site 1075, A:67
- Site 1082, B14:17

glacialis, *Spongotrochus*, Site 1082, B3:4; B14:10–11*Globigerina bulloides*

- Atlantic Ocean S, A:9
- Site 1075, A:62
- Site 1076, A:94
- Site 1077, A:122
- Site 1078, A:158
- Site 1079, A:182; B19:3, 5, 16
- Site 1080, A:207
- Site 1081, A:243
- Site 1082, A:285
- Site 1083, A:319
- Site 1084, A:354
- Site 1085, A:401
- Site 1087, B7:1, 4–5, 15, 17–22, 26; B12:3–8, 13, 15–21

Globigerina falconensis

- Site 1081, A:243
- Site 1083, A:319
- Site 1087, B7:17–22, 26

Globigerina quinqueloba

- Site 1081, A:243
- Site 1082, A:285
- Site 1085, A:401
- Site 1087, B7:3–5, 15, 17–22, 26

Globigerina umbilicata

- Site 1083, A:319
- Site 1084, A:354
- Site 1085, A:401

Globigerinella aequilateralis, Site 1087, B7:17–22, 26*Globigerinella calida*

- Site 1081, A:243
- Site 1087, B7:17–22, 26

Globigerinella obesa, Site 1081, A:244*Globigerinella siphonifera*

- Site 1077, A:122
- Site 1078, A:158

- Site 1079, A:182
 Site 1082, A:285
 Site 1085, A:401
Globigerinina glutinata
 Site 1075, A:62
 Site 1080, A:207
 Site 1087, B7:4, 15, 17–22, 26
Globigerinoides apertura, Site 1082, A:286
Globigerinoides conglobatus, Site 1087, B7:5
Globigerinoides extremus, Site 1082, A:286
Globigerinoides immaturus–*Globigerinoides sacculifer*–*Globigerinoides quadrilobatus* series, Site 1075, A:62
Globigerinoides quadrilobatus, Site 1076, A:94
Globigerinoides ruber
 Atlantic Ocean SE, B23:6
 GeoB1028, B(synthesis):79
 Site 1075, A:62, 66
 Site 1076, A:94
 Site 1077, A:122; B11:4, 6, 19, 25
 Site 1078, A:158
 Site 1079, A:182
 Site 1080, A:207
 Site 1081, A:243
 Site 1082, A:285
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:4–5, 7, 15, 17–22, 26; B12:1, 3–8, 13, 15–21
Globigerinoides sacculifer
 Atlantic Ocean SE, A:523, 526, 563; B23:6
 Site 1077, A:122
 Site 1078, A:158
 Site 1079, A:182
 Site 1081, A:243–244
 Site 1083, A:319
 Site 1085, A:401
 Site 1087, B7:17–22, 26
Globigerinoides woodi, Site 1081, A:243
Globobulimina spp.
 Site 1079, B19:4, 7, 14; B(synthesis):12, 22
 Site 1084, B(synthesis):32, 88
Globocassidulina subglobosa
 Site 1081, A:245, 248
 Site 1082, A:286–287
 Site 1085, A:403–404
Globorotalia acostaensis, Site 1082, A:286
Globorotalia cibaensis
 Site 1082, A:286
 Site 1085, A:401
 Site 1086, A:440
 Site 1087, A:467
Globorotalia conoidea
 Site 1081, A:244
 Site 1082, A:286
 Site 1085, A:401
Globorotalia conomiozea
 Site 1085, A:401
 Site 1086, A:440
Globorotalia crassaformis
 Site 1075, A:62
 Site 1076, A:94
 Site 1077, A:122
 Site 1079, A:182
 Site 1080, A:207
 Site 1081, A:243
 Site 1082, A:285
 Site 1083, A:319
 Site 1085, A:401
 Site 1087, B7:17–22, 26
Globorotalia crassaformis cf. *viola*
 Site 1082, A:286
 Site 1083, A:319
 Site 1086, A:439
Globorotalia crassaformis crassaformis, Site 1082, A:286
Globorotalia hirsuta
 Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:17–22, 26
Globorotalia inflata
 Site 1075, A:62
 Site 1076, A:94
 Site 1077, A:122
 Site 1078, A:158
 Site 1079, A:182
 Site 1080, A:207
 Site 1082, A:285–286
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:1, 4–5, 15, 17–22, 26; B12:3–8, 13, 15–21
Globorotalia juanai, Site 1086, A:440
Globorotalia margaritae
 Site 1082, A:286
 Site 1084, A:354
 Site 1085, A:401
 Site 1086, A:439–440
 Site 1087, A:467
Globorotalia menardii
 Site 1075, A:62
 Site 1081, A:243
 Site 1082, A:285
 Site 1083, A:319–320
 Site 1087, B7:2–3, 5–8, 16, 23–24; B(synthesis):41
Globorotalia miocenica, Site 1085, A:401
Globorotalia nepenthes
 Site 1082, A:286
 Site 1086, A:440
Globorotalia peripheroacuta, Site 1085, A:401
Globorotalia peripheroronda, Site 1085, A:401
Globorotalia pseudomiocenica, Site 1083, A:319
Globorotalia puncticulata
 Site 1081, A:243
 Site 1082, A:286
Globorotalia scitula
 Site 1075, A:62
 Site 1076, A:94
 Site 1080, A:207
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:17–22, 26

Globorotalia sphericomiozea
 Site 1085, A:401
 Site 1086, A:440
Globorotalia tosaensis
 Site 1075, A:60, 62
 Site 1076, A:93
 Site 1083, A:319
 Site 1084, A:354
 Site 1086, A:439
 Site 1087, A:467
Globorotalia truncatulinoidea
 Site 1075, A:62
 Site 1081, A:243
 Site 1082, A:285
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, A:401
 Site 1086, A:439
 Site 1087, A:467; B7:4–5, 7, 15–22, 26
Globorotalia tumida
 Site 1075, A:62
 Site 1081, A:243
 Site 1087, B7:3
Globorotalia tumida flexuosa, Site 1079, A:180, 182
Globorotaloides hexagona
 Site 1082, A:286
 Site 1085, A:401
globulosus, *Anomalinoidea*, Site 1085, A:404
glutinata, *Globigerinita*
 Site 1075, A:62
 Site 1080, A:207
 Site 1087, B7:4, 15, 17–22, 26
Gondwanaria dogieli, Site 1082, B14:14
gracilipes, *Dictyophimus*, Site 1082, B3:6
granulata, *Aulacoseira*
 Site 1075, A:69
 Site 1076, A:98
 Site 1077, A:126; B11:10
Gyroidinoidea soldanii, Site 1084, A:359

H

hamatus, *Discoaster*, Site 1085, A:400
hannai, *Lamprocyrtis*, Site 1082, B14:16
hannai, *Lamprocyrtis* (?), Site 1082, B3:6
Hastigerina siphonifera
 Site 1075, A:62
 Site 1081, A:243
 Site 1083, A:319
 Site 1084, A:354
haysi, *Actinomma*, Site 1082, B14:6
hebetata, *Rhizosolenia*, Site 1084, A:359
Helicosphaera sellii
 Site 1075, A:58, 60
 Site 1076, A:92–93
 Site 1081, A:242
 Site 1082, A:283, 285
 Site 1086, A:436
Heliolus astericus, Site 1082, B14:9
Heliolus echiniscus, Site 1082, B14:9
Heliosoma? sp., Site 1082, B14:5, 7–8, 26

Helotholus histricosa, Site 1082, B3:6
Helotholus vema, Site 1081, A:248
Hemidiscus cuneiformis
 Site 1081, A:250
 Site 1082, A:291
 Site 1083, A:320
 Site 1084, A:359, 363
Hemidiscus karstenii, Site 1084, A:359, 363
heteromorphus, *Sphenolithus*, Site 1085, A:400
heteroporos, *Lamprocyrtis*, Site 1082, B14:4, 16, 26
Hexacontium enthcanthum, Site 1082, B3:3
Hexacontium spp., Site 1082, B14:8
hexagona, *Globorotaloides*
 Site 1082, A:286
 Site 1085, A:401
hexagonalis, *Lithostrobos*, Site 1082, B3:6; B14:15
Hexalonche spp., Site 1082, B14:8
hexastichum, *Eucyrtidium*, Site 1082, B14:14
Hexastylus spp., Site 1082, B14:8
hirsuta, *Globorotalia*
 Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:17–22, 26
hirundo, *Dictyophimus*, Site 1082, B14:13
hispidia, *Uvigerina*
 Atlantic Ocean SE, A:523
 Site 1082, A:286–287
hispidocostata, *Uvigerina*
 Atlantic Ocean SE, A:523
 Site 1077, A:122–123, 125
 Site 1078, A:161
 Site 1082, A:286–287
 Site 1083, A:320
 Site 1084, A:354, 358
 Site 1085, A:403
 Site 1087, A:468
histricosa, *Helotholus*, Site 1082, B3:6
Hoeglundina elegans
 Site 1076, A:94
 Site 1085, A:403
 Site 1086, B(synthesis):38, 93
 Site 1087, A:468
hookeri, *Asteromphalus*, Site 1083, B18:7
hughesi, *Diartus*, Site 1081, A:248
huxleyi, *Emiliania*
 Atlantic Ocean SE, B10:7, 9
 Site 1075, A:58, 60
 Site 1076, A:93
 Site 1077, A:121
 Site 1078, A:157
 Site 1081, A:241
 Site 1082, B14:3, 24
 Site 1084, B5:6
 Site 1085, A:398
Hyalinea balthica, Site 1079, A:183

I
inermis, *Thecosphaera*, Site 1082, B14:8
infabricatus, *Dictyophimus*, Site 1082, B3:6; B14:13
inflata, *Globorotalia*

Site 1075, A:62
 Site 1076, A:94
 Site 1077, A:122
 Site 1078, A:158
 Site 1079, A:182
 Site 1080, A:207
 Site 1082, A:285–286
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, A:401
 Site 1087, B7:1, 4–5, 15, 17–22, 26; B12:3–8, 13, 15–21
irregularis, *Drupptractus*, Site 1082, B14:7
islandica, *Aulacoseira*
 Site 1075, A:69
 Site 1076, A:98
 Site 1077, A:126; B11:10

J

japonica, *Thecosphaera*, Site 1082, B14:8–9
juanai, *Globorotalia*, Site 1086, A:440

K

karstenii, *Hemidiscus*, Site 1084, A:359, 363
keruelensis, *Fragilariopsis*
 Site 1083, B18:7
 Site 1084, A:359
kolbei, *Thalassiosira*, Site 1084, A:359
korotnevi, *Pterocanium*, Site 1082, B14:15
kruegeri, *Corocalyptra*, Site 1082, B14:5, 12, 26
kugleri, *Discoaster*, Site 1085, A:400

L

lacunosa, *Pseudoemiliana*
 Site 1075, A:60
 Site 1076, A:93
 Site 1077, A:122
 Site 1078, A:157
 Site 1080, A:206
 Site 1081, A:242
 Site 1082, A:284; B14:3, 24
 Site 1084, A:353
 Site 1085, A:398
 Site 1087, A:466
laevigata, *Cassidulina*
 Site 1076, A:94–95
 Site 1077, A:122–123, 125
 Site 1078, A:158, 161
 Site 1079, A:183, 185; B19:7
 Site 1081, A:245, 248
 Site 1082, A:286–287
 Site 1083, A:320
 Site 1084, A:358
 Site 1085, A:401, 403
 Site 1086, A:440
laguncula, *Cyrtolagena*, Site 1082, B3:6
Lamprocyclus maritalis, Site 1082, B3:6; B14:16
Lamprocyrtis hannai, Site 1082, B14:16
Lamprocyrtis(?) hannai, Site 1082, B3:6

Lamprocyrtis heteroporos, Site 1082, B14:4, 16, 26
Lamprocyrtis neoheteroporos

Site 1075, A:67
 Site 1077, A:123
 Site 1080, A:209
 Site 1082, A:286; B14:16, 26
 Site 1083, A:320
 Site 1084, A:359
 Site 1087, A:468

Lamprocyrtis nigriniae

Site 1075, A:67
 Site 1078, A:158
 Site 1082, B3:6; B14:16, 26

Lamprocyrtis spp., Site 1082, B14:16

Lampromitra coronata, Site 1082, B3:6

Lampromitra quadricuspus, Site 1082, B3:6

langii, *Sphaeropyle*, Site 1082, B14:5

Larcopyle buetschlii, Site 1082, B3:3; B14:4, 11

Larcospira quadrangula, Site 1082, B14:11

lentiginosa, *Thalassiosira*, Site 1084, A:359

leptodermum, *Actinomma* cf., Site 1082, B3:3

Liosphaera sp., Site 1082, B14:8

Lipmanella dictyoceras, Site 1082, B3:6

Lipmanella group, Site 1082, B14:14

Litharachnium tentorium, Site 1082, B14:14

Lithelius minor, Site 1082, B3:3–4; B14:4, 11

Lithelius? sp., Site 1082, B14:11

Lithomelissa setosa, Site 1082, B3:6

Lithostrobos hexagonalis, Site 1082, B3:6; B14:15

litoralisis, *Cyclotella*, Site 1077, B11:4, 9–10, 23

lobatulus, *Gavelinopsis*

Site 1082, A:286–287

Site 1085, A:403

loeblichii, *Discoaster*, Site 1081, A:243

Lophophaena cf. *capito*, Site 1082, B14:12

Lophophaenins genn. et spp. indet., Site 1082, B14:12

Lophospyris cheni, Site 1082, B14:17

Lophospyris pentagona, Site 1082, B14:17

Lophospyris pentagona pentagona, Site 1082, B3:6–7

Lophospyris/Phormospyris group, Site 1082, B3:7

lorenzianus, *Chaetoceros*, Site 1084, A:359

Luticola mutica, Site 1077, B11:10

M

macintyreii, *Calcidiscus*

Site 1075, A:58

Site 1081, A:242

Site 1082, A:285

Site 1085, B22:16

margaritae, *Globorotalia*

Site 1082, A:286

Site 1084, A:354

Site 1085, A:401

Site 1086, A:439–440

Site 1087, A:467

marginata, *Bulimina*

Benguela Current, A:518

Site 1079, B19:7

Site 1081, A:245, 248

Site 1082, A:286–287

marinus, Alveus

Site 1075, A:69

Site 1076, A:98

Site 1078, A:159

maritalis, Lamprocyclas, Site 1082, B3:6; B14:16*matuyamai, Eucyrtidium*, Site 1082, B14:5*mayeri, Neogloboquadrina*, Site 1085, A:401*medianum, Actinomma*, Site 1082, B14:6*Melonis barleeanum*

Site 1075, A:66

Site 1077, A:122–123, 125

Site 1080, A:209

Site 1082, A:286, 288

Site 1083, A:320

Site 1084, A:354, 358–359

Site 1085, A:404

Melonis barleeanum/Melonis pompilioides group, Site 1075, A:66*Melonis pompilioides*

Site 1075, A:66

Site 1077, A:122, 125

menardii, Globorotalia

Site 1075, A:62

Site 1081, A:243

Site 1082, A:285

Site 1083, A:319–320

Site 1087, B7:2–3, 5–8, 16, 23–24; B(synthesis):41

meneghiniana, Cyclotella, Site 1077, B11:10*Mesocena quadrangula*

Site 1076, A:98

Site 1077, A:126

mexicana, Bulimina

Benguela Current, A:518

Site 1076, A:94–95

Site 1082, A:286–287

Site 1087, A:468

mexicana, Fursenkoina, Site 1079, B19:7*microporus* group, *Circodiscus*, Site 1082, B14:9*minor, Lithelius*, Site 1082, B3:3–4; B14:4, 11*minythorax, Pterocorys*, Site 1082, B3:7*miocenica, Globorotalia*, Site 1085, A:401*miocenica, Thecosphaera*, Site 1082, B14:9*multicostata, Rectuvigerina* cf., Site 1078, A:158*multispina, Stylocdictya*, Site 1082, B14:10*murrayana, Acrosphaera*

Site 1075, A:67

Site 1082, B3:3

murrayana, Polysolenia, Site 1082, B14:6*mutica, Luticola*, Site 1077, B11:10**N***Neogloboquadrina acostaensis*

Site 1081, A:244

Site 1082, A:286

Neogloboquadrina dutertrei

Atlantic Ocean SE, B23:6, 10

Site 1077, A:122

Site 1078, A:158

Site 1079, A:182

Site 1083, A:319–320

Site 1084, A:354

Site 1085, A:401

Site 1087, B7:17–22, 26

Neogloboquadrina mayeri, Site 1085, A:401*Neogloboquadrina pachyderma*

Atlantic Ocean S, A:9

Site 1076, A:94

Site 1078, A:158

Site 1080, A:207

Site 1082, A:285–286

Site 1083, A:319

Site 1084, A:354

Site 1085, A:401

Site 1087, B7:4–5, 17–22

Neogloboquadrina pachyderma (dextral)

Site 1075, A:62, 66

Site 1077, A:122

Site 1079, A:182

Site 1081, A:243

Site 1087, B7:1, 3–5, 8, 15, 17–22, 26

Neogloboquadrina pachyderma (sinistral)

Site 1079, A:182

Site 1087, B7:3–5, 8, 15, 17–22, 26

neoheteroporos, Lamprocyrtis

Site 1075, A:67

Site 1077, A:123

Site 1080, A:209

Site 1082, A:286; B14:16, 26

Site 1083, A:320

Site 1084, A:359

Site 1087, A:468

neorectus, Discoaster, Site 1081, A:243*Neosemantis distephanus*, Site 1082, B14:12*nepenthes, Globorotalia*

Site 1082, A:286

Site 1086, A:440

nigrinae, Lamprocyrtis

Site 1075, A:67

Site 1078, A:158

Site 1082, B3:6; B14:16, 26

Nitzschia fossilis, Site 1084, A:363*Nitzschia reinholdii*

Site 1083, A:320

Site 1084, A:363

Nitzschia reinholdii Zone

Site 1075, A:69

Site 1077, A:126

Site 1080, A:209

Site 1083, A:320

nitzschioides, Thalassionema

Site 1075, A:69

Site 1078, A:159

Site 1084, A:359, 363

nitzschioides var. *nitzschioides*, *Thalassionema*

Site 1075, A:69

Site 1076, A:97–98

Site 1077, A:126; B11:4, 9, 23

Site 1081, A:250

Site 1082, A:291

Site 1083, A:320

Site 1084, A:359

nodulifer, Azpeitia

Site 1078, A:159

Site 1082, A:291

Site 1083, A:320

Site 1084, A:359, 363

Nonionella spp., Site 1079, B19:7*Nonionella turgida*, Site 1084, A:354, 358*nosicae, Anthocyrtidium*, Site 1082, B14:16*novozealandicum, Astrononion*, Site 1084, A:354, 359

O

obesa, Globigerinella, Site 1081, A:244*obliquiloculata, Pulleniatina*

Site 1075, A:62

Site 1079, A:182

Site 1087, B7:5

oceanica, Gephyrocapsa, Site 1084, B5:6*octacantha, Tetrápyle*

Site 1075, A:67

Site 1078, A:159

Site 1082, B14:4

octonarius, Actinocyclus, Site 1084, A:363*Octopyle stenozona*

Site 1075, A:67

Site 1078, A:159

Site 1082, B14:4, 11

oestrupii, Thalassiosira, Site 1077, A:126*oestrupii, Thalassiosira oestrupii* var., Site 1077, B11:23*oolina, Chilostomella*, Site 1079, B19:7*ophirense, Anthocyrtidium*, Site 1082, B3:4; B14:16*Orbulina universa*

Site 1075, A:62

Site 1076, A:93–94

Site 1077, A:122

Site 1078, A:158

Site 1079, A:182

Site 1081, A:243–244

Site 1082, A:285

Site 1083, A:319

Site 1085, A:401

Site 1087, B7:17–22, 26

Oridorsalis umbonatus

Site 1077, A:122–123, 125

Site 1080, A:209

Site 1081, A:245, 248

Site 1083, A:320

Site 1084, A:354, 358

Site 1085, A:403–4

osculosa, Spongopyle, Site 1082, B3:4; B14:10*Otosphaera auriculata*, Site 1082, B14:6*Otosphaera polymorpha*, Site 1082, B14:6*ovoidea, Chilostomella*, Site 1075, A:66

P

pachyderma, Cibicidoides

Atlantic Ocean SE, A:523

Site 1076, A:94–95

Site 1081, A:245, 248

Site 1082, A:286, 288

Site 1085, A:403–404

Site 1086, A:440

Site 1087, A:468

pachyderma, Neogloboquadrina

Atlantic Ocean S, A:9

Site 1076, A:94

Site 1078, A:158

Site 1080, A:207

Site 1082, A:285–286

Site 1083, A:319

Site 1084, A:354

Site 1085, A:401

Site 1087, B7:4–5, 17–22, 26

pachyderma (dextral), *Neogloboquadrina*

Site 1075, A:62, 66

Site 1077, A:122

Site 1079, A:182

Site 1081, A:243

Site 1087, B7:1, 3–5, 8, 15, 17–22, 26

pachyderma (sinistral), *Neogloboquadrina*

Site 1079, A:182

Site 1087, B7:3–5, 8, 15, 17–22, 26

pansus, Discoaster

Site 1082, A:285

Site 1085, A:399

papillosum, Carpacanarium, Site 1082, B3:5; B14:16*Paralia sulcata*, Site 1078, A:159*parvulus, Asteromphalus*, Site 1083, B18:7*pectinata, Stichopera*, Site 1082, B14:15*pentacantha, Arachnocorys*, Site 1082, B3:5*pentagona, Lophospyris*, Site 1082, B14:17*pentagona pentagona, Lophospyris*, Site 1082, B3:6–7*pentaradiatus, Discoaster*

Site 1081, A:242

Site 1082, A:285

Site 1084, A:354

Site 1085, A:399

Site 1086, A:436, 439

Site 1087, A:466

pentas, Spongaster, Site 1081, A:248*pentasterias, Actiniscus*

Site 1077, B11:5

Site 1078, A:159

peregrina, Stichocorys

Site 1081, A:249–250

Site 1082, A:287; B14:4, 15, 26

Site 1084, A:359

peregrina, Uvigerina

Atlantic Ocean SE, A:523; B23:6, 10, 31, 35–36, 42

Site 1075, A:66

Site 1078, A:158, 161

Site 1083, A:320

Site 1084, A:358

Site 1085, A:403; B21:7, 22, 27–31

Site 1087, A:468

peregrina/hipsida, Uvigerina, Site 1079, B19:7*Perichlamydidium venustum*, Site 1082, B14:10*peripheroacuta, Globorotalia*, Site 1085, A:401*peripheroronda, Globorotalia*, Site 1085, A:401*Peripyramis circumtexta*, Site 1082, B3:7; B14:15*Phormospyris stabilis*, Site 1082, B14:17

- Phormospyris stabilis stabilis*, Site 1082, B3:7
Phormostichoartus corbula, Site 1082, B3:7
Phormostichoartus sp., Site 1082, B14:17
pinetum, *Cladococcus*, Site 1082, B14:7
pliocenica, *Cycladophora*
 Site 1081, A:249–250
 Site 1082, A:286, 288–289; B14:4–5, 13, 26
 Site 1083, A:320
 Site 1084, A:359, 363
 Site 1085, A:404
 Site 1087, A:468
polymorpha, *Otosphaera*, Site 1082, B14:6
Polysolenia murrayana, Site 1082, B14:6
pompilioides, *Melonis*
 Site 1075, A:66
 Site 1077, A:122, 125
popofskii group, *Actinomma*, Site 1082, B14:6–7
poroseriata, *Thalassiosira*, Site 1083, B18:7
praebergonii, *Rhizosolenia*, Site 1083, B18:7
praebergonii var. *robusta*, *Rhizosolenia*, Site 1081, A:250
Praeglobbulimina spp., Site 1084, B(synthesis):32, 88
Praeglobbulimina/*Globbulimina* group
 Site 1075, A:66
 Site 1076, A:94–95
 Site 1078, A:158, 161
 Site 1079, A:183, 185
 Site 1080, A:209
 Site 1082, A:286–287
 Site 1084, A:358
praetextum, *Pterocanium*, Site 1082, B3:7
praetextum eucolpum, *Pterocanium*, Site 1082, B14:15
praetextum praetextum, *Pterocanium*, Site 1082, B3:7
primus, *Amaurolithus*, Site 1086, A:436, 439
prismatium, *Pterocanium*
 Site 1075, A:67
 Site 1081, A:248–249
Proboscia (= *Simonseniella*) *curvirostris*
 Site 1081, A:250–251
 Site 1082, A:289
 Site 1083, A:320
Proboscia barboi
 Site 1081, A:251; B(synthesis):82–83
 Site 1082, A:289; B(synthesis):82–83
 Site 1083, A:320; B18:7
 Site 1084, A:359, 363
profunda, *Cornutella*, Site 1082, B3:5; B14:12
profunda, *Dictyocoryne*, Site 1082, B3:3
Prunopyle titan, Site 1081, A:248
Pseudodictyophimus spp., Site 1082, B14:12
Pseudoemiliania lacunosa
 Site 1075, A:60
 Site 1076, A:93
 Site 1077, A:122
 Site 1078, A:157
 Site 1080, A:206
 Site 1081, A:242
 Site 1082, A:284; B14:3, 24
 Site 1084, A:353
 Site 1085, A:398
 Site 1087, A:466
Pseudoemotia doliolus Zone
 Site 1075, A:69
 Site 1076, A:98
 Site 1077, A:126
 Site 1080, A:209
 Site 1083, A:320
pseudojaponica, *Thecosphaera*, Site 1082, B14:9
pseudojaponica, *Thecosphaera* aff., Site 1082, B14:9
pseudomiocenica, *Globorotalia*, Site 1083, A:319
pseudoplicata, *Bolivina*
 Benguela Current, A:519
 Site 1087, A:468
pseudopunctata, *Bolivina*, Site 1079, B19:1, 6–8, 17–18;
 B(synthesis):22
pseudoumbilicus, *Reticulofenestra*
 Site 1081, A:243
 Site 1082, A:285
 Site 1084, A:354
 Site 1085, A:399; B22:16
 Site 1086, A:439
 Site 1087, A:466
Pterocanium auritum, Site 1082, B14:15
Pterocanium korotnevi, Site 1082, B14:15
Pterocanium praetextum, Site 1082, B3:7
Pterocanium praetextum eucolpum, Site 1082, B14:15
Pterocanium praetextum praetextum, Site 1082, B3:7
Pterocanium prismatium
 Site 1075, A:67
 Site 1081, A:248–249
Pterocanium prismatium Zone
 Site 1082, A:286
 Site 1083, A:320
 Site 1084, A:359
Pterocanium sp. 1, Site 1082, B3:7
Pterocanium spp., Site 1082, B14:15
Pterocanium trilobum
 Site 1081, A:248
 Site 1082, B3:7; B14:15, 26
Pterocorys minythorax, Site 1082, B3:7
Pterocorys zanclaeus, Site 1082, B3:7; B14:16–17
puella, *Spongocore*, Site 1082, B3:4; B14:10
Pullenia bulloides
 Site 1082, A:286–287
 Site 1084, A:354, 358–359
Pulleniatina obliquiloculata
 Site 1075, A:62
 Site 1079, A:182
 Site 1087, B7:5
punctatum, *Eucyrtidium*, Site 1082, B14:14
puncticulata, *Globorotalia*
 Site 1081, A:243
 Site 1082, A:286
pylomaticus, *Spongurus*
 Site 1081, A:249
 Site 1082, A:286–287; B3:4; B14:5, 11, 26
 Site 1084, A:359
- Q**
quadrangula, *Bachmannocena*
 Site 1080, A:209
 Site 1081, A:250

quadrangula, *Larcospira*, Site 1082, B14:11

quadrangula, *Mesocena*

Site 1076, A:98

Site 1077, A:126

quadriscapus, *Lampromitra*, Site 1082, B3:6

quadrilobatus, *Globigerinoides*, Site 1076, A:94

Quadriformina allomorphoides, Site 1076, A:94

quinqueloba, *Globigerina*

Site 1081, A:243

Site 1082, A:285

Site 1085, A:401

Site 1087, B7:3–5, 15, 17–22, 26

quinqueramus, *Discoaster*

Site 1081, A:243

Site 1082, A:285

Site 1085, A:399; B22:16

Site 1086, A:439

Site 1087, A:466–467

R

radicans, *Chaetoceros*, Site 1084, A:359

Rectuvigerina cf. *multicostata*, Site 1078, A:158

reinholdii, *Nitzschia*

Site 1083, A:320

Site 1084, A:363

Reticulofenestra asanoi

Site 1075, A:60

Site 1076, A:93

Site 1081, A:242

Site 1082, A:283–285

Site 1084, A:353

Reticulofenestra pseudoumbilicus

Site 1081, A:243

Site 1082, A:285

Site 1084, A:354

Site 1085, A:399; B22:16

Site 1086, A:439

Site 1087, A:466

Rhizoplegma boreale, Site 1082, B3:4

Rhizosolenia bergonii, Site 1078, A:159

Rhizosolenia hebetata, Site 1084, A:359

Rhizosolenia praebergonii, Site 1083, B18:7

Rhizosolenia praebergonii var. *robusta*, Site 1081, A:250

Rhizosolenia robusta

Site 1075, A:69

Site 1076, A:98

robusta, *Rhizosolenia*

Site 1075, A:69

Site 1076, A:98

robustus, *Dictyophimus*, Site 1082, B14:5

ruber, *Globigerinoides*

Atlantic Ocean SE, B23:6

GeoB1028, B(synthesis):79

Site 1075, A:62, 66

Site 1076, A:94

Site 1077, A:122; B11:4, 6, 19, 25

Site 1078, A:158

Site 1079, A:182

Site 1080, A:207

Site 1081, A:243

Site 1082, A:285

Site 1083, A:319

Site 1084, A:354

Site 1085, A:401

Site 1087, B7:4–5, 7, 15, 17–22, 26; B12:1, 3–8, 13, 15–21

S

sacculifer, *Globigerinoides*

Atlantic Ocean SE, A:523, 526, 563; B23:6

Site 1077, A:122

Site 1078, A:158

Site 1079, A:182

Site 1081, A:243–244

Site 1083, A:319

Site 1085, A:401

Site 1087, B7:17–22, 26

sakaii, *Cycladophora*, Site 1082, B14:5, 13, 26

Saturnalis circularis, Site 1082, B14:8

schlumbergeri, *Sigmoilinopsis*

Site 1081, A:245, 248

Site 1082, A:286, 288

scitula, *Globorotalia*

Site 1075, A:62

Site 1076, A:94

Site 1080, A:207

Site 1083, A:319

Site 1084, A:354

Site 1085, A:401

Site 1087, B7:17–22, 26

scoparius, *Cladococcus*, Site 1082, B14:7

scutum, *Botryocyrtis*, Site 1082, B3:5

sellii, *Helicosphaera*

Site 1075, A:58, 60

Site 1076, A:92–93

Site 1081, A:242

Site 1082, A:283, 285

Site 1086, A:436

semicribratus, *Anomalinoidea*, Site 1085, A:404

seminuda, *Bolivina*

Benguela Current, A:519

Site 1084, A:354, 358

seminulina, *Sphaeroidinellopsis*

Site 1081, A:244

Site 1085, A:401

Site 1086, A:440

seminulina seminulina, *Sphaeroidinellopsis*, Site 1081, A:244

senarius, *Actinoptychus*

Site 1075, A:69

Site 1076, A:98

Site 1077, A:126

Site 1078, A:159

Site 1084, A:363

Sethoperins genn. et spp. indet., Site 1082, B14:12

setosa, *Lithomelissa*, Site 1082, B3:6

Sigmoilinopsis schlumbergeri

Site 1081, A:245, 248

Site 1082, A:286, 288

Siphocampe arachnea, Site 1082, B14:17

siphonifera, Globigerinella

- Site 1077, A:122
- Site 1078, A:158
- Site 1079, A:182
- Site 1082, A:285
- Site 1085, A:401

siphonifera, Hastigerina

- Site 1075, A:62
- Site 1081, A:243
- Site 1083, A:319
- Site 1084, A:354

Siphotextularia concava

- Site 1081, A:245, 248
- Site 1087, A:468

Skeletonema costatum

- Site 1076, A:98
- Site 1077, A:126; B11:7

small *Gephyrocapsa acme*

- Site 1076, A:93
- Site 1077, A:122
- Site 1079, A:180, 182
- Site 1080, A:206–207
- Site 1081, A:242
- Site 1082, A:283
- Site 1084, A:354
- Site 1085, A:399

small *Gephyrocapsa* spp., Site 1080, A:206*smithi, Epistominella*, Site 1079, B19:7*soldanii, Gyroidinoides*, Site 1084, A:359*speculum, Dictyocha*, Site 1077, B11:9*Sphaeroidina bulloides*

- Site 1076, A:95
- Site 1082, A:286, 288
- Site 1085, A:403

Sphaeroidinella dehiscens, Site 1087, B7:5*Sphaeroidinellopsis seminulina*

- Site 1081, A:244
- Site 1085, A:401
- Site 1086, A:440

Sphaeroidinellopsis seminulina seminulina, Site 1081, A:244*Sphaeropyle langii*, Site 1082, B14:5*Sphenolithus heteromorphus*, Site 1085, A:400*Sphenolithus* spp.

- Site 1082, A:285
- Site 1085, A:399
- Site 1086, A:439

sphericomiozea, Globorotalia

- Site 1085, A:401
- Site 1086, A:440

spinosa, Acrosphaera, Site 1082, B14:6*spinulosa, Uvigerina*, Site 1086, A:440*Spirema* sp., Site 1082, B14:5, 11, 26*Spirocyrtis subscalaris*, Site 1082, B14:17*Spongaster pentas*, Site 1081, A:248*Spongaster tetras*, Site 1082, B3:4*Spongocore puella*, Site 1082, B3:4; B14:10*Spongodiscid* sp., Site 1082, B3:4*Spongodiscus communis*, Site 1082, B14:10*Spongodiscus* spp., Site 1082, B14:10*Spongopyle osculosa*, Site 1082, B3:4; B14:10*Spongotrochus glacialis*, Site 1082, B3:4; B14:10–11*Spongotrochus(?) venustum*, Site 1082, B3:4*Spongurus* cf. *Spongurus elliptica*, Site 1082, B3:4*Spongurus pylomaticus*

- Site 1081, A:249
- Site 1082, A:286–287; B3:4; B14:5, 11, 26
- Site 1084, A:359

Spongurus pylomaticus Zone

- Site 1081, A:250
- Site 1082, B14:5
- Site 1084, A:359

Spongurus? sp. A, Site 1082, B14:11*spumacea, ?Styptosphaera*, Site 1082, B14:8*Spumellaria*, Site 1081, A:250*stabilis, Phormospyris*, Site 1082, B14:17*stabilis stabilis, Phormospyris*, Site 1082, B3:7*stauraxonium, Axoprimum*

- Site 1082, B14:7
- Site 1085, A:404
- Site 1086, A:442
- Site 1087, A:468

stenozona, Octopyle

- Site 1075, A:67
- Site 1078, A:159
- Site 1082, B14:4, 11

Stephanodiscus astrea, Site 1077, B11:10*Stephanopyxis* spp., Site 1084, A:363*Stichocorys delmontensis*, Site 1082, B14:15*Stichocorys* group, Site 1082, B14:5*Stichocorys peregrina*

- Site 1081, A:249–250
- Site 1082, A:287; B14:4, 15, 26
- Site 1084, A:359

Stichocorys spp., Site 1082, B14:15, 26*Stichopera pectinata*, Site 1082, B14:15*Stichopilium anacor*, Site 1082, B14:15*Stichopilium bicornis*, Site 1082, B14:15*Stilostomella* spp.

- Site 1076, A:94
- Site 1082, A:286–287
- Site 1084, A:354, 358
- Site 1086, A:440
- Site 1087, A:468

Stylatractus sp. A, Site 1082, B14:8*Stylatractus* sp. B, Site 1082, B14:8*Stylochlamydidium astericus*, Site 1082, B14:10*Stylocontarium bispiculum*, Site 1082, B14:8*Stylodictya aculeata*, Site 1082, B3:4*Stylodictya camerina*, Site 1082, B14:10*Stylodictya multispina*, Site 1082, B14:10*Stylodictya valdispina*, Site 1082, B14:10*?Styptosphaera spumacea*, Site 1082, B14:8*subaenarensis, Bolivina*

- Site 1079, B19:7
- Site 1082, A:286, 288
- Site 1084, A:358–359
- Site 1085, A:403
- Site 1087, A:468

subglobosa, Globocassidulina

- Site 1081, A:245, 248
- Site 1082, A:286–287

Site 1085, A:403–404
subscalaris, *Spirocyrtis*, Site 1082, B14:17
sulcata, *Paralia*, Site 1078, A:159
surculus, *Discoaster*
 Site 1081, A:242
 Site 1084, A:354
 Site 1085, B22:16
 Site 1086, A:436, 439
 Site 1087, A:466

T

tabularis, *Azpeitia*
 Site 1082, A:291
 Site 1083, A:320; B18:7
 Site 1084, A:359
tamalis, *Discoaster*
 Site 1085, A:399; B22:16
 Site 1087, A:466
tentorium, *Litharacnium*, Site 1082, B14:14
Tetrapyle octacantha
 Site 1075, A:67
 Site 1078, A:159
 Site 1082, B14:4
Tetrapyle octacantha/Octapyle stenozona group, Site 1082, B3:4
tetras, *Spongaster*, Site 1082, B3:4
tetrathalamus, *Didymocyrtis*
 Site 1075, A:67
 Site 1078, A:159
 Site 1082, B3:3; B14:4, 9
teuscheri group, *Eucyrtidium*, Site 1082, B14:14
teuscheri, *Eucyrtidium* cf. *Eucyrtidium*, Site 1082, B3:6
Thalassionema nitzschioides
 Site 1075, A:69
 Site 1078, A:159
 Site 1084, A:359, 363
Thalassionema nitzschioides var. *nitzschioides*
 Site 1075, A:69
 Site 1076, A:97–98
 Site 1077, A:126; B11:4, 9, 23
 Site 1081, A:250
 Site 1082, A:291
 Site 1083, A:320
 Site 1084, A:359
Thalassiosira eccentrica, Site 1077, A:126
Thalassiosira kolbei, Site 1084, A:359
Thalassiosira lentiginosa, Site 1084, A:359
Thalassiosira oestrupii, Site 1077, A:126
Thalassiosira oestrupii var. *oestrupii*, Site 1077, B11:23
Thalassiosira poroseriata, Site 1083, B18:7
Thalassiosira spp., Site 1077, A:126; B11:23
Thalassiothrix antarctica
 Site 1083, B18:7
 Site 1084, A:359, 363
 Site 1085, A:404
 Site 1087, A:468
Thalassiothrix spp.
 Benguela Current, A:513
 Site 1081, A:250

Site 1082, A:291
 Site 1083, A:320
 Site 1084, A:359, 363
 Sites 1082 and 1084, B4:4, 15
Thecosphaera aff. *pseudojaponica*, Site 1082, B14:9
Thecosphaera dedoensis, Site 1082, B14:8
Thecosphaera inermis, Site 1082, B14:8
Thecosphaera japonica, Site 1082, B14:8–9
Thecosphaera miocenica, Site 1082, B14:9
Thecosphaera pseudojaponica, Site 1082, B14:9
Thecosphaera spp., Site 1082, B14:9
Theocorythium trachelium, Site 1082, B3:7; B14:17
titan, *Prunopyle*, Site 1081, A:248
tosaensis, *Globorotalia*
 Site 1075, A:60, 62
 Site 1076, A:93
 Site 1083, A:319
 Site 1084, A:354
 Site 1086, A:439
 Site 1087, A:467
trachelium, *Theocorythium*, Site 1082, B3:7; B14:17
tricorniculatus, *Amaurolithus*
 Site 1082, A:285
 Site 1084, A:352, 354
 Site 1085, A:399; B22:16
 Site 1086, A:439
 Site 1087, A:466
Trifarina angulosa, Site 1085, A:401, 403
Trifarina bradyi
 Site 1081, A:248
 Site 1086, A:440
Trifarina sp. 1, Site 1081, A:245
trigona, *Ehrenbergina*, Site 1087, A:468
trilobum, *Pterocanium*
 Site 1081, A:248
 Site 1082, B3:7; B14:15, 26
truncana, *Bulimina*
 Benguela Current, A:518
 Site 1082, A:286–287
truncatulinooides, *Globorotalia*
 Site 1075, A:62
 Site 1081, A:243
 Site 1082, A:285
 Site 1083, A:319
 Site 1084, A:354
 Site 1085, A:401
 Site 1086, A:439
 Site 1087, A:467; B7:4–5, 7, 15–22, 26
tuberosa, *Collosphaera*
 Site 1075, A:67
 Site 1076, A:95
 Site 1081, A:249
tumida, *Globorotalia*
 Site 1075, A:62
 Site 1081, A:243
 Site 1087, B7:3
tumida flexuosa, *Globorotalia*, Site 1079, A:180, 182
turgida, *Nonionella*, Site 1084, A:354, 358
tuxpamensis, *Bulimina*, Site 1085, A:404

U

umbilicata, Globigerina

- Site 1083, A:319
- Site 1084, A:354
- Site 1085, A:401

umbonatus, Oridorsalis

- Site 1077, A:122–123, 125
- Site 1080, A:209
- Site 1081, A:245, 248
- Site 1083, A:320
- Site 1084, A:354, 358
- Site 1085, A:403–404

universa, Orbulina

- Site 1075, A:62
- Site 1076, A:93–94
- Site 1077, A:122
- Site 1078, A:158
- Site 1079, A:182
- Site 1081, A:243–244
- Site 1082, A:285
- Site 1083, A:319
- Site 1085, A:401
- Site 1087, B7:17–22, 26

Uvigerina auberiana

- Atlantic Ocean SE, A:523
- Site 1076, A:94–95
- Site 1079, A:183, 185; B19:7; B(synthesis):12
- Site 1081, A:244–245, 248
- Site 1082, A:286–287
- Site 1084, A:354, 358
- Site 1085, A:403
- Site 1086, A:440
- Site 1087, A:468

Uvigerina gallowayi

- Atlantic Ocean SE, A:523
- Site 1081, A:248

Uvigerina hispida

- Atlantic Ocean SE, A:523
- Site 1082, A:286–287

Uvigerina hispidocostata

- Atlantic Ocean SE, A:523
- Site 1077, A:122–123, 125
- Site 1078, A:161
- Site 1082, A:286–287
- Site 1083, A:320
- Site 1084, A:354, 358
- Site 1085, A:403
- Site 1087, A:468

Uvigerina peregrina

- Atlantic Ocean SE, A:523; B23:6, 10, 31, 35–36, 42
- Site 1075, A:66
- Site 1078, A:158, 161
- Site 1083, A:320
- Site 1084, A:358
- Site 1085, A:403; B21:7, 22, 27–31
- Site 1087, A:468

Uvigerina peregrina/hipsida, Site 1079, B19:7*Uvigerina spinulosa*, Site 1086, A:440*Uvigerina* spp.

- Benguela Current, A:518, 523

Site 532, B(synthesis):25, 80

Site 1085, B21:1, 4–5, 7, 10, 27–31

Site 1086, B(synthesis):38, 95

V

valdispina, Stylodictya, Site 1082, B14:10

variabilis, Discoaster, Site 1085, A:399

vema, Helotholus, Site 1081, A:248

venustum, Perichlamydidium, Site 1082, B14:10

venustum, Spongotrochus (?), Site 1082, B3:4

viniculata, Acanthodesmia

Site 1075, A:67

Site 1078, A:159

W

woodi, Globigerinoides, Site 1081, A:243

wuellerstorfi, Cibicidoides

Atlantic Ocean SE, A:523

Ceara Rise, B(synthesis):85

Site 1075, B(synthesis):16

Site 1082, A:286–287

Site 1083, A:320; B18:6

Site 1084, A:354, 359

Site 1085, A:403–404; B21:1, 3–5, 7–8, 10, 15–16, 22, 27–31

Site 1087, B7:4, 14; B12:3, 12, 14, 18–21; B(synthesis):41

Y

ypsilon, Amphirhopalum, Site 1082, B3:3; B14:9, 26

Z

zanclaeus, Pterocorys, Site 1082, B3:7; B14:16–17

zanguebaricum, Anthocyrtidium, Site 1082, B3:5; B14:16 zones (with letter prefixes)

M6, A:401, 468

M7, Site 1087, A:468

Mt7, Site 1085, A:401

Mt8, A:401, 468

Mt9, A:286, 401, 468

Mt10, A:286, 440, 468

N10, Site 1085, A:404

N11, Site 1085, A:404

N12, Site 1085, A:404

N13, Site 1085, A:404

N14, A:286, 404

N15, Site 1082, A:286

N16, Site 1082, A:286

N17, Site 1082, A:286

N18, A:286, 440

N19, Site 1082, A:286

N20, Site 1082, A:286

N21, Site 1082, A:286

N22, Site 1082, A:286

NN5, A:398, 400, 465

NN6, Site 1085, A:400

NN7, Site 1085, A:400

NN8, Site 1085, A:400

- NN8/NN7 boundary, Site 1085, A:400
 NN9, Site 1085, A:400
 NN10, A:241, 243, 399–400, 467
 NN11, A:243, 283, 285, 399, 436, 439, 466–467
 NN11/NN10 boundary, A:243, 399
 NN12, A:243, 284–285, 399, 439, 466
 NN12/NN11 boundary, A:243, 285, 399, 439
 NN13, A:243, 284–285, 399, 439, 466
 NN14, A:243, 284–285, 353–354, 399, 439, 466
 NN14/NN13 boundary, Site 1087, A:466
 NN15, A:243, 284–285, 354, 399, 439, 466
 NN15/NN14 boundary, A:354, 399, 439, 466
 NN16, A:242–243, 284–285, 354, 399, 439, 466
 NN16/NN15 boundary, A:285, 354
 NN17, A:242, 284–285, 354, 399, 436, 439, 466
 NN17/NN16 boundary, A:242–243, 318–319, 354, 399, 436, 439, 466
 NN18, A:242, 284–285, 319, 354, 399, 436, 439, 466
 NN18/NN17 boundary, A:242, 285, 354, 399, 436, 439, 466
 NN19, A:60, 93, 120–122, 180, 182, 206, 242, 284–285, 319, 353–354, 399, 436, 466
 NN19/NN18 boundary, A:60, 121, 319, 354
 NN20, A:60, 93, 121–122, 157, 180, 242, 284, 319, 353, 398, 466
 NN20/NN19 boundary, A:60, 122, 157, 242, 319, 353, 399
 NN21, A:241, 284, 353, 398–399, 466
 NN21/NN20 boundary, A:284, 353
 NN21a, A:60, 93, 121–122, 157, 180, 206, 318–319
 NN21a/NN20 boundary, A:58, 121–122, 157, 180, 466
 NN21b, A:58, 93, 120–121, 157, 180, 206, 284, 318, 352–353
 NN21b/NN21a boundary, A:180, 206, 241, 318, 398
 NP22, Site 1087, A:465
 NP23, Site 1087, A:465
 NP24, Site 1087, A:465
 NR1, A:359, 404, 468
 NR2, Site 1084, A:359
 R3/NR4, Site 1084, A:359
 NTD16, Site 1083, A:320
 NTD17, Site 1083, A:320
 P3, Site 1086, A:440
 P4, Site 1086, A:440
 P5, Site 1086, A:440
 P6, Site 1086, A:440
 PL1, A:286, 401, 440
 PL1a, A:440, 467
 PL1b, Site 1087, A:467
 PL2, A:286, 401, 440, 467
 PL3, A:286, 354, 467
 PL4, A:286, 354, 401, 467
 PL5, A:286, 319, 354, 401, 467
 PL6, A:286, 354, 401, 467
 Pt1, A:286, 401, 439
 Pt1a, A:319, 354
 Pt1b, Site 1084, A:354
 U/V boundary, Site 1087, B7:6
 W, Site 1087, B7:6
 W/X boundary, Site 1087, B7:6
 Y, Site 1087, B7:6
 Y/Z boundary, Site 1087, B7:6
Zygocircus spp., Site 1082, B14:17