

# INDEX TO VOLUME 179

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 179 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" followed by the chapter number with a colon (A1:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear slide data, or thin section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 1105, for example, is given as "Site 1105, A4:1–183."

## SUBJECT INDEX

### A

- acceleration
  - autocorrelation, B1:12–13
  - spectra, B1:11
    - vs. depth, B1:16–17
- accelerometers, amplitude spectra, A5:21
- accessory minerals, gabbro, B(synthesis):9–11
- actinolite
  - alteration, A2:5
    - hydrothermal alteration, A4:43–44; B(synthesis):8
- adcumulate
  - fractional crystallization, A4:41–42, 47–48
  - gabbroic rocks, B(synthesis):18
  - lithology, A2:5–6
    - photomicrograph, A4:108, 116
    - structure, B(synthesis):46
  - See also* heteradcumulate
- adcumulate, poikilitic, fractional crystallization, A4:41–42
- albite, photomicrograph, A4:128
- alteration
  - amphibolite gneiss, A4:9
  - Site 1105, A4:42–48
  - styles, A4:43–44
  - vs. depth, A4:97
- aluminum
  - false-color map in clinopyroxene, B(synthesis):84
  - mineral chemistry, B2:10–12
  - vs. magnesium number, B2:38
  - vs. titanium, B2:39
- See also* titanium/aluminum ratio
- aluminum, tetrahedral
  - vs. titanium, B(synthesis):87
  - vs. titanium oxide in clinopyroxene, B(synthesis):88

- aluminum oxide
  - gabbroic rocks, A4:45–47; B(synthesis):23
    - vs. depth, A4:123
    - vs. magnesium number in clinopyroxene, B(synthesis):85
- amphibole, photomicrograph, A4:120; B2:33
- amphibolite gneiss, composition, A4:9
- amplitude, vs. depth, B1:14
- anorthite
  - cumulates, B2:52
  - gabbro, B2:30
    - histogram in plagioclase, B(synthesis):90
    - major elements, B2:56–60
    - mineral chemistry, B2:10
    - mole percent, B2:51
      - vs. augite, B2:49
      - vs. depth, B(synthesis):92; B2:45
      - vs. forsterite, B(synthesis):91; B2:49, 52
      - vs. magnesium number, B(synthesis):91; B2:46
      - vs. orthoclase, B2:35
      - vs. potassium oxide in plagioclase, B(synthesis):89
- apatite
  - major elements, B2:74
  - mineral chemistry, B2:12
  - phase equilibria, B2:44
  - photomicrograph, B2:33
- apatite gabbro
  - lithologic units, A4:31–34
  - petrography, A4:40–41; B2:9
  - photomicrograph, A4:120–121
- Atlantis II Fracture Zone
  - free-air gravity maps, A4:73
  - gabbro, B2:3–4
  - tectonics, B(synthesis):4–7

Atlantis II transform fault  
 bathymetry, A1:14; A4:74  
 three-dimensional image, A4:75

Atlantis Bank  
 bathymetry, A4:77  
 drilling, A1:1–26  
 shaded-relief image, A1:15  
 tectonics, A4:6–14; B(synthesis):7  
 three-dimensional shaded-relief image, A4:78

augite  
 composition, B2:53–55  
 gabbro, B(synthesis):22–23; B2:14–16  
 photomicrograph, B2:29  
 vs. anorthite, B2:49  
 vs. depth, B2:47–48

Australo-Indian plate, intraplate seismicity, A5:18

**B**

basalt  
 basement, A1:11–12  
 melts, B(synthesis):19

basement  
 basalt, A1:11–12  
 core-log correlation, B3:1–29

bathymetry  
 Atlantis II Transform Fault, A1:14; A4:74; B(synthesis):58–60  
 Atlantis Bank, A4:77

biotite  
 major elements, B2:75  
 mineral chemistry, B2:12

boreholes, casing, A5:20

boundary layer, fractionation, B(synthesis):31

Bouvet Triple Junction, tectonics, B(synthesis):4

Broken Ridge, free-air gravity maps, A5:19

bulk density logs, vs. depth, A4:156, 159; B1:17

**C**

calcite  
 amphibolite gneiss, A4:9  
 hydrothermal alteration, A4:43–44; B(synthesis):8

calcium, vs. iron, B2:40

calcium oxide, gabbroic rocks, A4:45–47

caliper logs, vs. depth, A4:155

cerium  
 gabbroic rocks, B(synthesis):15  
 vs. cerium/ytterbium ratio, B(synthesis):79  
 vs. depth, B(synthesis):81, 104  
 vs. ytterbium, B(synthesis):79

cerium/ytterbium ratio  
 gabbroic rocks, B(synthesis):15  
 vs. cerium, B(synthesis):79  
 vs. ytterbium, B(synthesis):79

chlorine, phase equilibria, B2:44

chlorite  
 alteration, A2:5  
 hydrothermal alteration, A4:43–44; B(synthesis):8

chromium

gabbro, A2:5

gabbroic rocks, A4:45–47; B(synthesis):17  
 mineral chemistry, B2:10–11  
 vs. depth, A4:125  
 vs. magnesium number, B2:38

chromium, whole-rock, vs. whole-rock magnesium number, B(synthesis):78

chromium oxide  
 gabbro, B(synthesis):24, 29  
 vs. depth in clinopyroxene, B(synthesis):93  
 vs. magnesium number in clinopyroxene, B(synthesis):85

clinopyroxene  
 alteration, A2:5  
 backscatter image, B(synthesis):84  
 cumulates, A4:42  
 lithologic units, A4:31–34; B(synthesis):9–11, 22–26, 44  
 magmatic-tectonite textures, A4:51–52  
 magnesium number and forsterite, B(synthesis):91

major oxides, B(synthesis):117–119  
 mineral chemistry, B2:10–11, 13–14  
 petrography, A4:38–41; B2:6–9, 14–21  
 photograph, A4:126, 139–140  
 photomicrograph, A4:113–115, 122, 133, 137–138, 141, 143  
 porphyroclastic textures, A4:53  
 veins, A4:55

clinopyroxene, elongate, photomicrograph, A4:127–128

clinopyroxene, oikocrystic, photomicrograph, A4:109, 129

clinopyroxene, poikilitic  
 lithologic units, A4:31  
 photomicrograph, A1:23; A4:110

clinopyroxene-olivine-opaque minerals, modal composition, A4:107

clinopyroxene-olivine-plagioclase, modal composition, A4:107

clinopyroxene paradox, gabbro, B(synthesis):30

compressional wave velocity, vs. depth, A4:154; B1:16–17

consertal intergrowth, photomicrograph, A4:113

contacts  
 gabbroic rocks, A4:51  
 photograph, A4:105, 131

copper, gabbroic rocks, A4:45–47; B(synthesis):17

copper, whole-rock, vs. whole-rock magnesium number, B(synthesis):78

core  
 magnetic field, A4:56  
 paleomagnetism, A4:9

core-log correlation, oceanic basement, B3:1–29

corona structure, textures, B(synthesis):41

correlation  
 Sites 735 and 1105, B(synthesis):64  
 tie points, B3:24

crust, oceanic  
 composition, A4:47–48  
 ophiolite, A4:12

crust, seafloor spreading, A4:6–8

cryptic variations, gabbroic rocks, B2:12–14, 19–20, 47–48

crystal chemistry, gabbroic rocks, B(synthesis):28–30  
 crystallization  
   ophiolite, A4:12, 48  
   quantitative model, B2:14–16  
 crystallization, *in situ*, gabbroic rocks, B(synthesis):30–34  
 cumulates, gabbro, A4:41–42, 47–48; B(synthesis):19–21; B2:52  
 cumulates, ultramafic, ophiolite, A4:12

**D**

deformation  
   extent, B(synthesis):103  
   lithologic correlation, B(synthesis):45–46  
   massifs, A4:56–57; B(synthesis):34–36, 44–47  
   petrography, A4:38–41; B2:18  
   photograph, B3:19  
   photomicrograph, A4:132; B2:27, 29  
 deformation, brittle, petrography, A4:40  
 deformation, crystal-plastic  
   lithology, A2:5; B(synthesis):47–49  
   photograph, A4:134–136, 146  
 deformation, ductile, lithology, A2:5; A4:47–48  
 deformation, high-stress crystal-plastic, strain localization, A4:53–54  
 deformation, melt-induced, structure, B(synthesis):46–47  
 deformation bands, photomicrograph, A4:111; B2:27, 29  
 density, bulk, gabbroic rocks, A4:63–64  
 depth, curated, to top of cored interval, B3:29  
 differentiation, magmatic veins, A4:37  
 diopside, quadrilateral plot, B(synthesis):86  
 dip azimuth, rose diagrams, B3:20  
 dipping layer, photograph, B3:19  
 downhole logging, Site 1105, A4:60–65  
 drilling, lithologic boundaries, B1:1–17  
 ductile zones, porphyroclastic textures, A4:53  
 dunite, ophiolite, A4:13

**E**

elongate minerals  
   massifs, A4:56–57  
   photomicrograph, A4:127–128  
 enstatite, quadrilateral plot, B(synthesis):86  
 ephemeral chambers, ophiolite, A4:13  
 epidote, hydrothermal alteration, A4:43–44; B(synthesis):8  
 exsolution lamellae  
   gabbro, A4:41; B(synthesis):26, 42  
   photomicrograph, A4:122

**F**

fabric  
   gabbroic rocks, A4:50–53  
   massifs, A4:56–57  
   styles, A4:43–44  
   tectonics, B(synthesis):5–7  
 fabric, corrugation, tectonics, B(synthesis):5–7

fabric, crystal-plastic, lithology, A2:5  
 fabric, high-temperature crystal-plastic, gabbroic rocks, A4:52  
 fabric, planar, primocrysts, A4:35; B2:18  
 faults  
   brittle structures, A4:54–56  
   tectonics, B(synthesis):5–7  
 faults, conjugate, tectonics, B(synthesis):6  
 faults, detachment  
   massifs, A4:56  
   schematic model, A4:150  
   unroofing, A4:7  
   tectonics, B(synthesis):6–7  
 faults, normal, tectonics, B(synthesis):6  
 faults, ridge-parallel, tectonics, B(synthesis):6  
 faults, transform  
   gabbro, B2:3–4  
   rift valleys, A4:6–8  
   tectonics, B(synthesis):5  
 Federation of Digital Seismic Networks, experiments, A5:17  
 felsic rocks, lithology, A2:4–6  
 ferrosilite, quadrilateral plot, B(synthesis):86  
 fluid inclusions, photomicrograph, A4:121  
 fluorine, phase equilibria, B2:44  
 foliation  
   gabbroic rocks, A4:51; B(synthesis):63; B3:9  
   massifs, A4:56–57  
   photograph, B3:23  
   photomicrograph, A4:133; B2:27  
 foliation, crystal-plastic porphyroclastic, photograph, A4:134–136; B(synthesis):42  
 Formation MicroScanner imaging, lithology, A1:21; B(synthesis):102; B3:7–29  
 Formation MicroScanner imaging logs, vs. depth, A4:157–158; B(synthesis):62  
 forsterite  
   cumulates, B2:5  
   gabbro, B2:31  
   histogram in olivine, B(synthesis):90  
   vs. anorthite, B(synthesis):91; B2:49, 52  
   vs. depth, B(synthesis):92  
   vs. magnesium number, B(synthesis):91  
   vs. manganese, B2:36  
   vs. manganese oxide, B(synthesis):83, 93  
   vs. nickel oxide, B(synthesis):83  
 fractional crystallization  
   cumulates, A4:41–42  
   gabbro, B(synthesis):31–34; B2:14–21  
   modeling, B2:76  
   *See also* perfect fractional crystallization  
 fractionation  
   boundary layer, B(synthesis):31  
   olivine gabbro, A4:8–9; B(synthesis):31  
 fracture zones  
   gabbro, B2:3–4  
   tectonics, B(synthesis):5–7  
 fractures  
   brittle structures, A4:54–56; B3:8–9  
   massifs, A4:56–57  
   photograph, A4:147–149; B3:17–18

photomicrograph, A4:145  
 tectonics, B(synthesis):6  
 fractures, brittle, lithology, A2:6  
 fractures, vein-filled, brittle structures, A4:54–56  
 free-air gravity maps  
     Atlantis II Fracture Zone, A4:73; B(synthesis):57  
     Ninetyeast Ridge, A5:19

## G

gabbro  
     fractional crystallization, B2:14–16  
     lithologic units, A4:31–34  
     lithology, A2:4–6; B(synthesis):8  
     melts, B2:14–16  
     modal variations, B2:28  
     ophiolite, A4:12  
     petrography, A4:38–41; B2:6–9  
     petrology, A4:30–42; B2:1–76  
     photograph, A4:101–102  
     pseudostratigraphy, B(synthesis):7–11  
     quantitative model, B2:14–16  
     synthesis, B(synthesis):1–125  
     tectonics, B2:3–4  
     *See also* apatite gabbro; iron-titanium oxide gabbro;  
         leucogabbro; microgabbro; olivine gabbro; ox-  
         ide gabbro; oxide olivine gabbro  
 gabbro, coarse-grained  
     lithologic units, A4:31–34  
     photograph, A4:130  
     photomicrograph, A4:132  
 gabbro, fine-grained, petrology, A4:30–42; B(synthesis):8  
 gabbro, leucocratic  
     lithology, A2:5–6  
     photograph, A4:146  
     *See also* leucogabbro  
 gabbro, massive, photograph, A1:17–18  
 gabbro, medium-grained  
     petrology, A4:30–42; B(synthesis):8  
     photograph, A4:103  
 gabbro, medium-grained granular, photomicrograph,  
     A4:115  
 gabbro, meta-oxide, photograph, A4:134–136  
 gabbro, pegmatitic  
     petrology, A4:30–42; B(synthesis):8  
     photograph, A4:130  
     photomicrograph, A4:114  
 gabbro, troctolitic, lithology, A2:4–6  
 gabbroic rocks  
     exposure, A4:76  
     grain size, B(synthesis):7–8  
     modal composition, A4:107; B(synthesis):66–67  
     petrology, A4:30–42  
     rotation, A4:56  
     structures, A4:48–50  
         transform valleys, A4:7  
 gabbroic rocks, gneissic, photomicrograph, A4:133  
 gabbronorite  
     composition, A4:9  
     lithology, A2:4–6  
     petrography, B2:8–9

petrology, A4:30–42; B(synthesis):8  
 gabbronorite, olivine-bearing, photomicrograph, A4:117  
 gain-size layering, petrology, A4:37  
 gamma ray logs  
     gabbroic rocks, A4:63  
     vs. depth, A4:155, 157; B1:16  
 geochemistry  
     gabbro, A2:5  
     gabbroic rocks, A4:8–9, 179–182  
     Site 1105, A4:45–48  
     synthesis, B(synthesis):1–125  
 geochemistry, whole-rock, gabbro, B(synthesis):11–21  
 geology, tectonics, B(synthesis):4–7  
 Geophysical Ocean-Bottom Observatory, drilling, A1:1–  
     26  
 GEOSCOPE, experiments, A5:17  
 gneissic textures, equigranular, gabbroic rocks, A4:52  
 gradational contacts, petrology, A4:34–35  
 grain size  
     gabbroic rocks, B(synthesis):7–8  
     lithologic units, A4:31–34  
     petrography, A4:41  
     photograph, A4:103  
     porphyroclastic textures, A4:52–53  
     vs. depth, A4:95–96; B2:26  
 granophyre, petrology, B(synthesis):8  
 greenschist facies, alteration, A4:44

## H

halite, photomicrograph, A4:121  
 hammer-drilling system  
     casing, A4:2–4, 80–86  
     drilling, A1:2–3; A4:1–183  
     engineering and scientific objectives, A4:4–5, 28–29,  
         165–178  
     photograph, A4:87–92  
 hedenbergite, quadrilateral plot, B(synthesis):86  
 hematite, phase equilibria, B2:41  
 heteradcumulate, fractional crystallization, A4:47  
 hornblende, brown  
     hydrothermal alteration, A4:43–44; B(synthesis):8  
     photomicrograph, A4:108, 114  
     veins, A4:55  
 hornblende, green, hydrothermal alteration, A4:43–44  
 hornblende, petrography, A4:38–41  
 hydrothermal alteration, petrology, A4:42–44  
 hydroxyl ion, phase equilibria, B2:44

## I

igneous banding, gabbroic rocks, A4:51  
 igneous contacts, petrology, A4:34–37  
 igneous laminations  
     gabbroic rocks, A4:50–53  
     lithology, A2:5  
     petrology, A4:35; B(synthesis):8, 63  
     photomicrograph, A4:99, 127  
     vs. depth, A4:98  
 igneous petrology, A4:29–42

**ilmenite**

- composition, B(synthesis):26
- major elements, B2:69–73
- oxygen fugacity, B2:43
- phase equilibria, B2:41
- photomicrograph, B2:33
- inclusions, photomicrograph, A4:117
- index properties, gabbroic rocks, A4:60
- Indian Ocean, seismicity, A5:18
- Indian Ocean E, drilling, A1:1–26
- Indian Ocean Triple Junction, tectonics, B(synthesis):4–5
- intercumulus melts, gabbroic rocks, B(synthesis):35
- International Ocean Network, drilling, A1:1–26
- intrusive contacts, petrology, A4:34–35
- iron
  - false-color map in clinopyroxene, B(synthesis):84
  - mineral chemistry, B2:10–12
  - phase equilibria, B2:41
  - vs. calcium, B2:40
  - vs. magnesium, B2:40
- iron oxide
  - gabbro, A2:5; B2:12–21
  - gabbroic rocks, A4:45–47; B(synthesis):13
  - histogram of whole-rock distribution, B(synthesis):69
  - vs. depth, A4:123; B(synthesis):81; B2:45
  - vs. silica, B2:50
- iron oxide, whole-rock, vs. whole-rock titanium oxide, B(synthesis):70
- iron-titanium oxide
  - cumulates, A4:42
  - gabbroic rocks, A4:30–42; B(synthesis):8
  - lithologic units, A4:31; B(synthesis):27–28
  - mineral chemistry, B2:11–12, 14–21
  - modal layering, A4:36–37
  - olivine gabbro, A2:4–6
  - petrography, A4:38–41; B2:6–9
  - photograph, A1:18; A4:102, 131
  - photomicrograph, A4:114, 118, 120; B2:27, 33
- iron-titanium oxide gabbro, photomicrograph, B2:33
- irregular contacts, petrology, A4:34–35

**K**

- Kerguelen Plateau, free-air gravity maps, A5:19
- kink band deformation
  - photomicrograph, B2:27
  - textures, B(synthesis):42

**L**

- laminations. *See* igneous laminations
- lanthanum, gabbroic rocks, B(synthesis):15
- layer contacts, petrology, A4:34–35
- layered intrusions
  - lithology, A2:4–6; B2:4–5, 17–21
  - ophiolite, A4:12
- layering
  - lithologic units, A4:31, 51; B(synthesis):63
  - petrology, A4:34–37
  - photograph, A4:100–103, 139–140
  - leucocratic layering, petrology, A4:36–37

**leucogabbro**

- veins, A4:55; B(synthesis):8
- See also* gabbro, leucocratic

linear structures, gabbroic rocks, A4:50–53

lithologic boundaries, drilling, B1:1–17

lithologic units

- gabbroic rocks, A4:31–34; B(synthesis):8–9; B2:4–5
- Unit I, A4:31
- Unit II, A4:31–32
- Unit III, A4:32–33
- Unit IV, A4:33–34

lithology

- deformation, B(synthesis):45–46
- summary, A1:16; A4:93; B(synthesis):61

lithostratigraphy

- gabbro, A2:11; A4:30–34; B2:4–5, 26
- Site 1105, B(synthesis):7–11

**M**

magma chambers

- gabbroic rocks, B(synthesis):33
- slow-spreading centers, A4:10–13, 29–48
- magma chambers, oceanic, gabbro, B2:1–76
- magmatic structures, gabbroic rocks, A4:9
- magmatic systems, subaxial, tectonics, B(synthesis):7

magnesium

- false-color map in clinopyroxene, B(synthesis):84
- mineral chemistry, B2:10–12
- vs. iron, B2:40
- vs. manganese, B2:42

magnesium number

- downhole comparison of Sites 735 and 1105, B(synthesis):82

false-color map in clinopyroxene, B(synthesis):84

gabbro, A2:5; B2:12–21

gabbroic rocks, A4:8, 45–47; B(synthesis):12–13, 16–26

histogram in clinopyroxene, B(synthesis):90

histogram of whole-rock distribution, B(synthesis):68

mineral chemistry, B2:10–12

olivine, B2:66–68

pyroxene, B2:32, 61–64

vs. aluminum, B2:38

vs. aluminum oxide in clinopyroxene, B(synthesis):85

vs. anorthite, B(synthesis):91; B2:46

vs. chromium, B2:38

vs. chromium oxide in clinopyroxene, B(synthesis):85

vs. depth, A4:125; B(synthesis):81, 92, 104; B2:45

vs. forsterite, B(synthesis):91

vs. manganese, B2:38

vs. manganese oxide in clinopyroxene, B(synthesis):85

vs. nickel oxide in clinopyroxene, B(synthesis):93

vs. phosphorus oxide, B2:50

vs. sodium, B2:38

vs. sodium oxide in clinopyroxene, B(synthesis):85

vs. titanium, B2:38

vs. titanium/aluminum ratio, B2:39

vs. titanium oxide in clinopyroxene, B(synthesis):85

- vs. titanium oxide in melt, B(synthesis):94
- magnesium number, whole-rock**
  - vs. whole-rock chromium, B(synthesis):78
  - vs. whole-rock copper, B(synthesis):78
  - vs. whole-rock manganese oxide, B(synthesis):71
  - vs. whole-rock modal oxide, B(synthesis):70
  - vs. whole-rock nickel, B(synthesis):78
  - vs. whole-rock silica, B(synthesis):70
  - vs. whole-rock titanium oxide, B(synthesis):70–71
- magnesium oxide**
  - gabbroic rocks, A4:45–47
  - vs. depth, A4:125
- magnesium oxide, whole-rock, vs. whole-rock titanium oxide, B(synthesis):70**
- magnetic declination, vs. depth, A4:153**
- magnetic field**
  - inclination, A2:6; A4:56
  - Site 1105, A1:9
  - structures, A4:56
- magnetic inclination**
  - gabbroic rocks, A4:59
  - schematic model, A4:150
  - vs. depth, A4:153
- magnetic intensity, vs. depth, A4:153**
- magnetic susceptibility**
  - gabbroic rocks, A4:58; B3:9
  - pseudostratigraphy, B(synthesis):7–11
  - shear zones, A2:6
  - vs. depth, A4:94; B(synthesis):64; B2:26; B3:15–16, 25–26
- magnetic susceptibility, whole-core, vs. depth, A1:22; A4:151–152**
- magnetite**
  - hydrothermal alteration, A4:43–44; B(synthesis):8
  - vs. depth, B3:25–26
- major elements**
  - apatite, B2:74
  - biotite, B2:75
  - clinopyroxene, B(synthesis):117–119
  - comparison of plutonics of Site 1105 and basalts of Atlantis II Fracture Zone, B(synthesis):80
  - gabbroic rocks, A4:45–47, 179–182; B(synthesis):12–15, 27–30, 108–110
  - ilmenite, B2:69–73
  - olivine, B(synthesis):120–122; B2:66–68
  - plagioclase, B(synthesis):123–125; B2:56–60
  - pyroxene, B2:61–65
  - titanomagnetite, B2:69–73
  - vs. depth, A4:159
- manganese**
  - mineral chemistry, B2:10
  - vs. forsterite, B2:36
  - vs. magnesium, B2:42
  - vs. magnesium number, B2:38
- manganese oxide**
  - gabbroic rocks, A4:45–47; B(synthesis):14
  - vs. forsterite, B(synthesis):83, 93
  - vs. magnesium number in clinopyroxene, B(synthesis):85
- manganese oxide, whole-rock, vs. whole-rock magnesium number, B(synthesis):71**
- mantle, tectonics, B(synthesis):7**
- median ridges, transform valleys, A4:7**
- melanocratic layering, petrology, A4:36–37**
- melts**
  - gabbro, B2:14–16
  - gabbroic rocks, B(synthesis):47–49
  - See also* intercumulus melts
- melts, trapped, cerium and magnesium number vs. depth, B(synthesis):104**
- mesocumulate**
  - fractional crystallization, A4:41–42
  - gabbroic rocks, B(synthesis):18
- metamorphic petrology, A4:42–48**
- metamorphism**
  - gabbroic rocks, A4:9
  - styles, A4:43–44
- mica, phlogopitic, hydrothermal alteration, A4:43–44**
- microcracks, crystal-plastic deformation, A4:53–54**
- microfractures, crystal-plastic deformation, A4:54**
- microgabbro**
  - gain-size layering, A4:37
  - petrography, B2:9
  - photomicrograph, B2:34
- microstructure, gabbroic rocks, B(synthesis):34–35**
- mineral chemistry**
  - apatite, B2:12
  - biotite, B2:12
  - clinopyroxene, B2:10–11
  - iron-titanium oxide, B2:11–12
  - olivine, B2:10
  - orthopyroxene, B2:11
  - plagioclase, B2:10
- modal layering**
  - petrology, A4:36–37
  - photograph, A4:100
- modal variations**
  - gabbro, B(synthesis):9–11, 67, 105–107; B2:28
  - vs. depth, B(synthesis):67
- Mohorovicic discontinuity, gabbroic rocks, A4:7–8**
- mylonite**
  - crystal-plastic deformation, A4:53–54; B(synthesis):43–44
  - photograph, A4:139–140
  - photomicrograph, A4:141–143, 145
- mylonite, porphyroclastic, crystal-plastic deformation, A4:53–54**

**N**

- neoblasts**
  - crystal-plastic deformation, A4:53–54
  - lithology, A2:5
  - photomicrograph, A4:132, 137, 141, 143, 145; B2:27
  - porphyroclastic textures, A4:53
  - textures, B(synthesis):41
- NERO site**
  - drilling, A1:9–11; A4:66–67
  - site description, A5:1–28
- nickel**
  - gabbroic rocks, A4:45–47; B(synthesis):17
  - mineral chemistry, B2:10

vs. depth, A4:125  
 nickel, whole-rock, vs. whole-rock magnesium number, B(synthesis):78  
 nickel oxide  
     vs. depth in olivine, B(synthesis):93  
     vs. forsterite, B(synthesis):83  
     vs. magnesium number in clinopyroxene, B(synthesis):93  
 Ninetyeast Ridge  
     drilling, A1:1–26  
     free-air gravity maps, A5:19  
 Ninetyeast Ridge Observatory, drilling, A1:1–26  
 niobium  
     gabbro, A2:5  
     gabbroic rocks, A4:45–47  
     vs. depth, A4:124  
 nuclear logs, gabbroic rocks, A4:63–64

## O

obduction, seafloor spreading, A4:11–13  
 olivine  
     composition, B2:53–55  
     cumulates, B2:52  
     gabbroic rocks, A4:30–42; B(synthesis):8–11, 22  
     lithologic units, A4:31–34  
     lithology, A2:5  
     magnesium number and forsterite, B(synthesis):91  
     major elements, B(synthesis):120–122; B2:66–68  
     mineral chemistry, B2:10, 13–14  
     ophiolite, A4:13  
     petrography, A4:38–41; B(synthesis):40–47; B2:6–9, 14–21  
     photomicrograph, A4:108, 138; B2:27, 29, 34  
     vs. depth, A4:94–96; B2:26, 47–48  
     *See also* clinopyroxene-olivine-opaque minerals; clinopyroxene-olivine-plagioclase; forsterite  
     olivine aggregate, photomicrograph, A4:112  
     olivine gabbro  
         crystal-plastic deformation, A4:54  
         geochemistry, A4:8–9  
         lithologic units, A4:31–34  
         lithology, A2:4–6  
         petrography, A4:38–41; B2:7–8  
         petrology, A4:30–42; B(synthesis):8  
     olivine gabbro, coarse-grained, photomicrograph, A4:111  
     olivine gabbro, fine-grained, photomicrograph, A1:20, 24; A4:99, 105, 108, 116  
     olivine gabbro, medium-grained, photomicrograph, A1:19–20, 23; A4:105, 112–113  
     opaque minerals  
         photomicrograph, A4:117, 141, 145  
         vs. depth, A4:94; B2:26, 45  
         *See also* clinopyroxene-olivine-opaque minerals  
     ophiolite  
         seafloor spreading, A4:11–13  
         stratigraphy, A4:11–13, 48  
         typical stratigraphy, A4:79  
     orthoclase  
         mineral chemistry, B2:10

vs. anorthite, B2:35  
 orthocumulate  
     gabbroic rocks, B(synthesis):18  
     lithology, A2:5–6  
 orthopyroxene  
     composition, B2:53–55  
     gabbroic rocks, A4:30–42; B(synthesis):8, 26  
     lithologic units, A4:31–34; B(synthesis):9–11  
     mineral chemistry, B2:11  
     petrography, A4:38–41  
     photomicrograph, A4:117–118; B2:33  
 oxidation, veins, A4:55  
 oxide gabbro  
     composition, A4:9  
     crystal-plastic deformation, A4:54  
     lithologic units, A4:31–34  
     lithology, A2:4–6  
     modal layering, A4:36–37  
     orientation, B3:27–28  
     petrography, A4:38–41; B2:8  
     petrology, A4:30–42; B(synthesis):8, 34–37  
     photograph, B3:19  
     photomicrograph, A4:100, 118, 122, 137  
     structure, B3:9  
 oxide gabbro, coarse-grained, photograph, A4:104  
 oxide gabbro, foliated, photograph, A4:144  
 oxide gabbro, medium-grained, photomicrograph, A4:119  
 oxide gabbro, olivine-bearing, photomicrograph, A4:120  
 oxide gabbronorite, petrography, A4:38–41  
 oxide olivine gabbro  
     lithologic units, A4:31–34  
     petrography, A4:38–41  
     petrology, A4:30–42  
 oxide olivine gabbro, fine-grained, photograph, A4:104  
 oxide-rich zone, correlation, B(synthesis):47  
 oxides, gabbroic rocks, B(synthesis):9–11, 33  
 oxides, modal, whole-rock, vs. whole-rock magnesium number, B(synthesis):70  
 oxygen fugacity, vs. temperature, B2:43

## P

paleomagnetism, core, A4:9  
 partition coefficient, gabbroic rocks, B(synthesis):15  
 perfect fractional crystallization, gabbro, B(synthesis):13  
 petrography, gabbroic rocks, A4:38–41; B2:6–9  
 petrology, gabbro, B2:1–76  
 phosphorus oxide  
     gabbro, A2:5; B2:17  
     gabbroic rocks, A4:45–47; B(synthesis):14  
     oxide gabbro, A4:41  
         vs. depth, A4:123; B2:45  
         vs. magnesium number, B2:50  
 photoelectric effect logs  
     gabbroic rocks, A4:63–64  
         vs. depth, A4:156  
 physical properties, Site 1105, A4:57–60  
 pigeonite, gabbro, A4:41; B(synthesis):9–11, 26  
 plagioclase  
     composition, B2:53–55

cumulates, A4:42; B2:52  
 hydrothermal alteration, A4:43–44; B(synthesis):8  
 lithologic units, A4:31–34; B(synthesis):9–11, 27  
 magnesium number and anorthite, B(synthesis):91  
 major elements, B(synthesis):123–125; B2:56–60  
 mineral chemistry, B2:10, 13–14  
 petrography, A4:38–41; B(synthesis):40–45; B2:6–9,  
     16–21  
 photograph, A4:139–140  
 photomicrograph, A4:115, 132–133, 138, 141–142,  
     145  
 porphyroclastic textures, A4:53  
 twinning, A4:50–51  
 veins, A4:55  
 vs. depth, A4:94–96; B2:26, 47–48  
*See also* albite; anorthite; clinopyroxene–olivine–pla-  
     gioclase  
 plagioclase, anhedral, photomicrograph, A1:23  
 plagioclase, strained, photomicrograph, A1:24  
 plagioclase, subhedral  
     photograph, A4:126  
     photomicrograph, A4:109, 129  
 plagioclase, tabular, photomicrograph, A4:127  
 plagioclase, zoned, photomicrograph, A4:116  
 plagioclase laths  
     photograph, A4:126  
     photomicrograph, A4:110  
     textures, B(synthesis):40  
 planar contacts, petrology, A4:34–35; B3:18  
 porosity logs  
     gabbroic rocks, A4:63–64  
     vs. depth, A4:156; B1:16–17  
 porphyroclasts, textures, B(synthesis):40–43  
 potassium logs, vs. depth, A4:155  
 potassium oxide  
     gabbroic rocks, A4:45–47  
     vs. anorthite in plagioclase, B(synthesis):89  
 preferred orientation  
     gabbroic rocks, A4:50–53  
     oxide-bearing lithology, B3:21–22, 27–28  
     photomicrograph, A4:127–128, 133  
     textures, B(synthesis):42  
 prehnite, amphibolite gneiss, A4:9  
 primocrysts, planar fabric, A4:35  
 pseudomorphs, petrology, A4:44  
 pseudostratigraphy, magnetic susceptibility, B(synthe-  
     sis):7–11  
 pyroxene  
     major elements, B2:61–65  
     quadrilateral components, B2:37  
     quadrilateral plot, B(synthesis):86  
     twinning, A4:51  
     vs. depth, A4:94–96; B2:26  
*See also* augite; clinopyroxene; ferrosilite; hedenberg-  
     ite

## R

rare earths  
 comparison of plutonics of Site 1105 and basalts of  
     Atlantis II Fracture Zone, B(synthesis):80

gabbroic rocks, B(synthesis):15–19, 72–77, 114–116  
 recrystallization  
     gneissic textures, A4:52  
     hydrothermal alteration, A4:42–44  
     lithology, A2:5  
     photograph, A4:139–140  
     photomicrograph, A4:132–133, 137–138  
 remanent magnetization, natural, gabbroic rocks, A4:59  
 resistivity, gabbroic rocks, A4:62–63; B3:8–29  
 resistivity logs, vs. depth, A4:155; B3:25–26  
 Riedel shears, photomicrograph, A4:141  
 rift valleys  
     gabbro, B2:3–4  
     tectonics, B(synthesis):5–7  
     transform faults, A4:6–8  
 Rodriguez Triple Junction, tectonics, B(synthesis):4  
 rotation, gabbroic rocks, A4:56  
 rubidium, gabbroic rocks, A4:45–47

## S

seafloor spreading  
     rift valleys, A4:6–8  
     tectonics, B(synthesis):5–7  
 seismic profiles, location, A5:23, 28  
 seismic studies  
     experiments, A5:10–12  
     gabbroic rocks, A4:65–67, 160–164  
     spectra, A5:22  
 seismic while drilling  
     Site 1105, A4:65–67  
     Site 1107, A5:10–12  
 seismicity, intraplate, Indian Ocean, A5:18  
 serpentine, hydrothermal alteration, A4:43–44; B(syn-  
     thesis):8  
 shear zones  
     gabbroic rocks, A4:56; B(synthesis):35  
     layer contacts, A4:51  
     magnetic susceptibility, A2:6  
     photograph, A4:130, 144  
     photomicrograph, A4:143  
     tectonics, B(synthesis):6  
 silica  
     gabbroic rocks, A4:45–47; B(synthesis):9, 14  
     vs. iron oxide, B2:50  
 silica, whole-rock  
     vs. whole-rock iron oxide, B(synthesis):70  
     vs. whole-rock magnesium number, B(synthesis):70  
 silicates, composition, B2:53–55  
 Site 735  
     correlation of oxide-rich zone with Site 1105, B(syn-  
         thesis):47  
 gabbro cumulates, B2:52  
 gabbroic rocks, A4:8–9  
 Site 757, drilling, A1:9  
 Site 1104, A2:2–3  
     drilling, A1:5–6; A4:19–23  
     hammer drill site, A4:1–183  
     principal results, A2:2–3  
     site description, A2:2–3  
 Site 1105, A2:3–6; A4:1–183

acceleration, B1:5–6  
 alteration, A4:42–48  
 core-log correlation, B3:1–29  
 coring summary, A2:12  
 correlation of oxide-rich zone with Site 735, B(synthesis):47  
 downhole logging, A4:60–65  
 drilling, A1:7–9; A4:23–24  
 gabbro, B2:1–76  
 geochemistry, A4:45–48  
 igneous petrology, A4:29–42  
 lithology summary, A1:16  
 lithostratigraphy, A2:11; A4:30–34; B(synthesis):7–11  
 magnetic susceptibility, B(synthesis):7–11  
 metamorphic petrology, A4:42–48  
 operations, A4:14–29, 183  
 physical properties, A4:57–60  
 principal results, A2:3–6  
 seismic while drilling, A4:65–67  
 site description, A2:3–6; A4:1–183  
 structural geology, A4:48–57  
 Site 1106, A2:6–8  
 drilling, A1:6–7; A4:24–27  
 hammer drill site, A4:1–183  
 principal results, A2:6–8  
 site description, A2:6–8  
 Site 1107, A2:8–10; A5:1–28  
 acceleration, B1:6  
 background, A5:2–3  
 drilling, A1:9–11  
 NERO site, A5:1–28  
 operations, A5:7–10  
 principal results, A2:8–10  
 scientific objectives, A5:3–6  
 seismic while drilling, A5:10–12  
 site description, A2:8–10; A5:1–28  
 site selection and characteristics, A5:6–7  
 Skaergaard intrusion, gabbro cumulates, B2:52  
 slow-spreading centers, rift valleys, A4:6–8  
 smectite  
     amphibolite gneiss, A4:9  
     hydrothermal alteration, A4:43–44; B(synthesis):8  
     photograph, A4:147–149  
 sodium  
     mineral chemistry, B2:10–12  
     vs. magnesium number, B2:38  
 sodium oxide, vs. magnesium number in clinopyroxene, B(synthesis):85  
 sonic logs, gabbroic rocks, A4:64  
 Southwest Indian Ridge  
     core-log correlation, B3:1–29  
     drilling, A1:1–26; A4:1–14, 17–29  
     free-air gravity maps, A4:73  
     synthesis, B(synthesis):1–125  
     tectonics, A4:6–8  
 spectra  
     seismic studies, A5:22  
     vs. depth, B1:15  
     sphene. *See* titanite  
 spinel, ophiolite, A4:13

strain  
     photomicrograph, A4:133, 144  
     veins, A4:55  
 strain localization, crystal-plastic deformation, A4:53–54  
 stratigraphy  
     ophiolite, A4:11–13  
     synthesis, B(synthesis):1–125  
 strontium, gabbroic rocks, A4:45–47; B(synthesis):15  
 structural geology, Site 1105, A4:48–57  
 structure  
     gabbroic rocks, A4:48–50; B(synthesis):34–35  
     magnetic field, A4:56  
     synthesis, B(synthesis):1–125  
 structure, brittle  
     gabbroic rocks, A4:9, 54–56  
     massifs, A4:56–57  
 structure, crystal-plastic, gabbroic rocks, A4:9, 47–48  
 structure, ductile, massifs, A4:56–57  
 sulfides  
     lithologic units, A4:31  
     petrography, A4:38–41  
     photomicrograph, A4:118  
 symplectic intergrowth, photomicrograph, A4:115

**T**

talc, hydrothermal alteration, A4:43–44; B(synthesis):8  
 tectonic contacts, petrology, A4:34–35  
 tectonic windows  
     seafloor spreading, A4:11–13  
     tectonics, B(synthesis):7  
 tectonics  
     gabbro, B2:3–4  
     geology, B(synthesis):4–7  
     rift valleys, A4:6–8  
 temperature  
     gabbroic rocks, A4:64–65  
     vs. oxygen fugacity, B2:43  
 textures  
     gabbroic rocks, A4:30–34, 50–53; B(synthesis):36–44  
     gain-size layering, A4:37  
     lithologic units, A4:31–34  
     lithology, A2:5  
 textures, coarse-grained, gabbroic rocks, A4:50–53  
 textures, cumulate  
     lithology, A2:5–6  
     photomicrograph, B(synthesis):65  
 textures, fine-grained, gabbroic rocks, A4:50–53  
 textures, granular  
     lithologic units, A4:31  
     petrography, A4:39–41  
     photomicrograph, A1:20  
 textures, magmatic-tectonite, deformation, A4:51–52  
 textures, medium-grained, gabbroic rocks, A4:50–53  
 textures, metamorphic, lithology, A2:5  
 textures, moderately recrystallized  
     gabbroic rocks, B(synthesis):38–47  
     photomicrograph, B(synthesis):97  
 textures, moderately recrystallized to porphyroclastic  
     gabbroic rocks, B(synthesis):40–41  
     photomicrograph, B(synthesis):98

textures, mylonitic  
 gabbroic rocks, A4:30–34; B(synthesis):43–44  
 hydrothermal alteration, A4:42–44  
 photomicrograph, B(synthesis):101

textures, oikocryst  
 lithology, A2:5  
 petrography, A4:39  
 photomicrograph, A4:109–110, 129

textures, poikilitic  
 hydrothermal alteration, A4:42–44  
 photomicrograph, B2:29

textures, porphyroclastic  
 gabbroic rocks, B(synthesis):41–42  
 hydrothermal alteration, A4:42–44  
 lithology, A2:5; A4:47  
 photograph, A4:134–136, 139–140  
 photomicrograph, A4:137–138, 141, 143, 145; B(synthesis):99; B2:27

textures, porphyroclastic to mylonitic  
 gabbroic rocks, A4:30–34; B(synthesis):42–43  
 photomicrograph, B(synthesis):100

textures, porphyroclastics, recrystallization, A4:52–53

textures, ultramylonitic  
 gabbroic rocks, A4:30–34; B(synthesis):44  
 photomicrograph, B(synthesis):101

textures, undeformed  
 gabbroic rocks, B(synthesis):37  
 photomicrograph, B(synthesis):95

textures, weakly recrystallized  
 gabbroic rocks, B(synthesis):37–38  
 photomicrograph, B(synthesis):96

thermal structures, axial, slow-spreading centers, A4:10

thorium logs, vs. depth, A4:155

titanite  
 petrography, A4:40–41  
 photomicrograph, A4:119

titanium  
 mineral chemistry, B(synthesis):15; B2:10–12  
 phase equilibria, B2:41  
 vs. aluminum, B2:39  
 vs. magnesium number, B2:38  
 vs. tetrahedral aluminum in clinopyroxene, B(synthesis):87

titanium/aluminum ratio, vs. magnesium number, B2:39

titanium oxide  
 gabbroic rocks, A4:45–47; B(synthesis):9, 13–14, 25, 32; B2:12–20  
 vs. depth, A4:123; B(synthesis):81; B2:45  
 vs. magnesium number in clinopyroxene, B(synthesis):85  
 vs. magnesium number in melt, B(synthesis):94  
 vs. tetrahedral aluminum in clinopyroxene, B(synthesis):88

*See also* iron-titanium oxide

titanium oxide, whole-rock  
 vs. whole-rock iron oxide, B(synthesis):70  
 vs. whole-rock magnesium number, B(synthesis):70–71  
 vs. whole-rock magnesium oxide, B(synthesis):70

titanomagnetite  
 composition, B(synthesis):26

major elements, B2:69–73  
 oxygen fugacity, B2:43  
 phase equilibria, B2:41  
 photomicrograph, B2:33

trace elements, gabbroic rocks, A4:45–47, 179–182; B(synthesis):15–17, 111–113

transform valleys  
 median ridges, A4:7  
 tectonics, B(synthesis):5

transverse ridges  
 tectonics, B(synthesis):6  
 transform valleys, A4:7

traveltime, vs. depth, A5:24–27

trondhjemite  
 lithology, A2:4–6  
 veins, A4:55

twinning  
 photomicrograph, A4:127–128  
 plagioclase, A4:50–51  
 pyroxene, A4:51

**U**

ultramylonite, crystal-plastic deformation, A4:53–54; B(synthesis):44–45

undulose extinction, lithology, A2:5

unroofing  
 detachment faults, A4:7  
 massifs, A4:56  
 schematic model, A4:150

uplifts, gabbro, B2:3–4

uranium logs, vs. depth, A4:155

**V**

vanadium  
 gabbroic rocks, A4:45–47  
 vs. depth, A4:124

veins, alteration, A2:5

veins, felsic  
 lithologic units, A4:31–34; B(synthesis):63

petrography, A4:38–41  
 petrology, A4:30–42  
 photograph, A4:106, 144  
 structure, B(synthesis):7  
 vs. depth, A4:97

veins, leucocratic gabbro, photograph, A4:146

veins, magmatic  
 brittle structures, A4:54–56  
 petrology, A4:37

veins, smectite-clay, photograph, A4:147–149

velocity, gabbroic rocks, A4:59–60

velocity logs, vs. depth, A4:156; B1:16

vibration, drilling, B1:1–17

**W**

well-logging  
 gabbroic rocks, A4:60–65  
 orientation, B3:21–22

*See also* core-log correlation

**Y**

- ytterbium  
vs. cerium, B(synthesis):79  
vs. cerium/ytterbium ratio, B(synthesis):79  
*See also* cerium/ytterbium ratio
- yttrium  
gabbro, A2:5  
gabbroic rocks, A4:45–47; B(synthesis):9  
vs. depth, A4:124

**Z**

- zeolite, amphibolite gneiss, A4:9  
zinc, vs. depth, A4:124  
zirconium  
gabbroic rocks, A4:45–47; B(synthesis):9  
vs. depth, A4:124; B(synthesis):81
- zoning, photomicrograph, B2:29