

# INDEX TO VOLUME 185

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 185 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" followed by the chapter number with a colon (A1:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear slide data, or thin section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 801, for example, is given as "Site 801, A3:1-128."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

## SUBJECT INDEX

### A

- accretion
  - crust, B1:5-6
  - sediments, A1:5
- acetate
  - manganese reduction, B3:7
  - vs. depth, B1:31; B3:11
- age, argon isotopes, A3:67
- age controls, deep-sea sediments, B7:1-21
- age spectra, argon isotopes, B13:3-6, 10, 12
- age vs. depth, argon isotopes, B13:14-16
- Albian, radiolarians, B6:4
- alkalinity, vs. depth, A4:113
- Alps Southern, Cretaceous, B5:13
- alteration
  - basalt, A3:25-31
  - basement, A1:11-12, 24; A3:18-31; A4:25-26, 29-30
  - chemical composition, A3:124
  - deep-sea sediments, B7:1-21
  - geochemistry, A3:27-28
  - Jurassic basement, A1:18
  - photograph, A1:47
  - photomicrograph, A1:57-58; A4:83-84
  - sediment/basement boundary, A1:25-26
  - volcanic ash, A4:28-29

- See also* authigenesis; hydrothermal alteration; microbial alteration; silicification
- alteration, gray-green
  - basalt, A3:26
  - photograph, A1:47
  - vs. depth, A3:120-121
- alteration, green, vs. depth, A3:120-121
- alteration intensity, photograph, A4:110
- alteration, pale green
  - basalt, A3:26
  - vs. depth, A3:120-121
- alteration types, vs. depth, A3:120
- aluminum
  - deep-sea sediments, B7:5
  - See also* barium/aluminum ratio; iron/aluminum ratio; manganese/aluminum ratio; niobium/aluminum ratio; silica/aluminum oxide ratio; strontium/aluminum ratio
  - aluminum/titanium ratio, vs. depth, A4:124
  - aluminum logs
    - lithologic units, A4:46
    - vs. depth, A4:140-141
  - aluminum oxide
    - basalt alteration, A3:17
    - vs. magnesium oxide, A3:108
  - See also* magnesium oxide/aluminum oxide ratio;

phosphorus oxide/aluminum oxide ratio; potassium oxide/aluminum oxide ratio; sodium oxide/aluminum oxide ratio

ammonium  
 organic matter, B3:5  
 redox, A4:27  
 vs. depth, A4:113; B1:31; B3:11  
 vs. magnesium, A4:118

anisotropy  
 microfabrics, B9:6–7, 29  
 vs. depth, B9:17

anisotropy, compressional wave velocity, vs. depth, A4:137

anoxic events  
 Jurassic basement, A1:18  
 Valanginian, B1:10

Aptian, radiolarians, B6:4

arc basalts, barium/sodium ratio, A1:39

argon isotopes  
 age, A3:67  
 volcanic ash, B13:1–20

Asseni–Verbeek Zones, radiolarians, B6:4

augite phenocrysts, basalt alteration, A3:25–26

authigenesis, volcanic ash, A4:28–29

## B

backarcs, sediments, A1:7, 26–27

bacteria  
 deep water, B3:1–11  
 photograph, A1:56  
 sediments, A1:5–6, 56  
 vs. depth, B1:31

Bajocian, lithologic units, A3:8

barite, photograph, A4:86

barium, sediment flux, A1:39

barium/aluminum ratio  
 sediments, A1:24  
 vs. depth, A1:55; A4:122

barium/sodium ratio, arc basalts, A1:39

Barremian  
 radiolarians, B6:3–4  
 sedimentation rates, A1:53

basalt  
 alteration, A3:25–31; A4:25–26  
 geochemistry, A3:15–18; A4:24  
 ion concentration, B11:11  
 magnetic inclination, A3:32–35  
 permeability, B11:6  
 petrology, A3:14–15  
 vs. depth, A1:48  
 wet and dry resistivity, B12:15–16

basalt, altered, photograph, A3:79–85

basalt, brecciated, photograph, A4:98–100

basalt/sediment contacts, alteration, A3:24–25

basalt alteration intensity, photograph, A4:110

basalt clasts, photograph, A3:87; A4:100

basalt flows, aphyric  
 lithologic units, A3:11–12; A4:22–23  
 photograph, A3:82–89

basement  
 age, A3:67  
 age and nature, B1:4–5  
 alteration, A1:11–12, 24; A3:18–31; A4:25–26, 29–30  
 Jurassic, A1:15–19  
 lithologic units, A3:10–12; A4:22–23  
 stratigraphy, A1:48; A3:10–14, 67, 71–76; A4:21–23, 93–95  
*See also* sediment/basement boundary

Bathonian, lithologic units, A3:7

bathymetry, maps, A1:37; A3:65; A4:53, 58

bedding planes  
 lithologic units, A4:15–16  
 photograph, A4:80

Berriasian, nannofossils, A4:21

beryllium isotopes, lithologic units, B1:13

biochronology, radiolarians, B6:1–17

bioevents  
 nannofossils, B5:5  
 silicoflagellates, B4:15

biosphere  
 sediments, A1:5–6, 26–27, 29–30  
 volcanism, B1:17

biostratigraphy  
 diatoms, B2:1–31  
 nannofossils, B5:1–21  
 sedimentation rates, A1:53  
 silicoflagellates, A3:7–9; B4:1–18  
 Site 1149, A4:19–21

bioturbation  
 lithologic units, A4:15–16  
 photograph, A4:67, 69–70

boron, oceanic crust age, B1:15

breccia  
 alteration, A3:19–23, 29–31  
 basalt alteration, A4:25–26  
 composition vs. depth, A3:111  
 distribution, A3:77  
 lithologic units, A3:13  
 photograph, A3:114  
 vs. depth, A1:54; A3:110; A4:23, 111

breccia, hyaloclastite, photograph, A3:86

breccia, interpillow, photograph, A3:79, 82–83, 86–87

breccia alteration intensity, photograph, A4:110

breccia density, vs. depth, A3:22–23

Brunhes Chron, deep-sea sediments, B7:7

Brunhes/Matuyama boundary, deep-sea sediments, B7:7–9

bulk density logs, vs. depth, A4:139

burrows  
 lithologic units, A4:15–16  
 photograph, A4:80–82

## C

calcispheres, photomicrograph, A3:118

calcite  
 basalt alteration, A3:25–26; A4:25–26  
 interpillow material, A3:24–25  
 Jurassic basement, A1:18

photograph, A3:113  
 photomicrograph, A1:47; A3:117–118; A4:83–84  
 vesicles, A4:24  
 X-ray diffraction data, A4:85, 92  
 calcite cement, photograph, A4:98–100  
 calcite veins, alteration, A3:20, 29–31  
 calcium  
   basement alteration, A4:29–30  
   vs. depth, A4:117  
   vs. magnesium, A4:118  
   *See also* potassium/calcium ratio  
 calcium logs  
   lithologic units, A4:46  
   vs. depth, A4:140–141  
 calcium oxide  
   deep-sea sediments, B7:6  
   lithologic units, B1:11  
   vs. age, B7:20  
   vs. depth, B1:26  
   vs. isothermal remanent magnetization, B7:14  
     vs. volcanic ash, B7:14  
 caliper logs, vs. depth, A1:48, 54; A4:138–141; B8:12  
 Callovian, lithologic units, A3:7  
 Campanian, lithologic units, A3:6  
 Capriolo, Cretaceous, B5:13  
 carbon dioxide  
   alteration, A3:27–28  
   basalt alteration, A3:16–18  
   Jurassic basement, A1:18  
     vs. depth, A3:123  
 carbon isotopes  
   lithologic units, B1:12  
   stratigraphy, B6:1–17  
 carbonate cement, photograph, A3:87  
 carbonate compensation depth  
   limestone, A3:9  
   sediment alteration, A4:32  
 carbonate content, sediments, A4:159  
 carbonate groundmass, photomicrograph, A4:83  
 carbonate matrix, photograph, A3:86  
 carbonate veins, vs. depth, A4:112  
 carbonates  
   diagenesis, A4:27–28  
   interpillow material, A3:116  
     vs. depth, A3:111–112  
 carbonates, core, vs. depth, A4:112  
 celadonite  
   basalt alteration, A4:25–26  
   interpillow material, A3:116  
   photograph, A3:87, 113, 114  
   photomicrograph, A3:117  
   vesicles, A4:24  
     vs. depth, A3:111  
 celadonite veins, alteration, A3:20–21, 29–31  
 Cenozoic  
   lithologic units, A3:6  
   sedimentation rates, A1:53  
   stratigraphy, A1:9–10  
 Cenozoic, upper, silicoflagellates, B4:15  
 Central American Seaway, closure, B4:1, 9

cerium, lithologic units, B1:13  
 chalcedony  
   crystallinity index, B10:2  
   interpillow material, A3:24–25  
   photomicrograph, A1:47; A3:117–118; B10:6, 8–9  
 chalcedony veins, alteration, A3:21  
 chalk  
   ion concentration, B11:10  
   permeability, B11:6  
   Upper Cretaceous, A4:17–19  
 chalk, nannofossil, carbon isotopes, B6:4–5  
 chalk, radiolarian  
   lithologic units, A4:15–16  
   photograph, A4:88–91  
   photomicrograph, A4:83–84  
 chert  
   ion concentration, B11:11  
   lithologic units, A3:7  
   permeability, B11:6  
   photograph, A3:78, 82; A4:87  
   photomicrograph, A3:117  
   recrystallization, B10:1–11  
   seismic stratigraphy, A4:4–6  
   stratigraphy, A1:9–10  
   Upper Cretaceous, A4:17–19  
   X-ray diffraction data, A4:85  
 chert, pink, photograph, A4:78  
 chert, radiolarian  
   deposition, A3:9  
   lithologic units, A3:7; A4:14–16  
   photograph, A4:80  
 chilled contacts  
   lithologic units, A3:12; A4:96  
   photograph, A3:114; A4:96–97  
   photomicrograph, A3:94, 99–100  
 chloride  
   basement alteration, A4:29–30  
   vs. depth, A4:119  
   vs. magnesium, A4:118  
 chloride logs  
   lithologic units, A4:46–47  
   vs. depth, A4:140–141  
 chlorite, X-ray diffraction data, A4:66; B9:20  
 chromium  
   basalt alteration, A3:17  
   deep-sea sediments, B7:5  
   vs. age, B7:20  
   vs. depth, A3:107  
 Chron C1r.2r, diatoms, B2:4  
 Chron C1r.2r.1r, silicoflagellates, B4:8  
 Chron C1r.2r.2r, silicoflagellates, B4:8  
 Chron C2An.1n, silicoflagellates, B4:8–9  
 Chron C2An.1r, diatoms, B2:3  
 Chron C2An.2n, diatoms, B2:3  
 Chron C2r.2r, diatoms, B2:4  
 Chron C3Ar, tectonics, A4:36  
 Chron M4, radiolarians, B6:3  
 Chron M11, carbon isotopes, B6:4–5  
 Chron M12, carbon isotopes, B6:4–5  
 chronostratigraphy, volcanic ash, B13:6–7, 20

chrons, magnetostratigraphy, A1:52; A4:130  
 clasts  
   lithologic units, A3:13  
   photograph, A3:83, 87  
 clay  
   ion concentration, B11:10  
   microfabrics, B9:7–9  
   photograph, A4:64, 72–74  
   sediments, A1:25  
   Upper Cretaceous–Paleogene, A4:18  
   X-ray computed tomography images, B12:12  
   X-ray diffraction data, A4:66, 71, 79, 85  
 clay, ash-bearing, lithologic units, A4:12–14  
 clay, ash-bearing siliceous, lithologic units, A4:11–14  
 clay, ashy, lithologic units, A4:11–14  
 clay, authigenic, volcanic ash, A4:28–29, 32  
 clay, biogenic silica-bearing, lithologic units, A4:11–14  
 clay, diatomaceous, lithologic units, A4:11–14  
 clay, green, alteration, A3:21  
 clay, pelagic  
   lithologic units, A3:6; A4:12–14  
   permeability, B11:6  
 clay, pelagic brown, deposition, A3:9  
 clay, silt-bearing, lithologic units, A4:11–14  
 clay, silty  
   permeability, B11:6  
   petrography, B7:4–5  
 clay, terrigenous + volcanic ash, vs. depth, A4:124  
 clay, zeolitic  
   lithologic units, A4:14–15  
   photograph, A4:74–75  
 clay minerals  
   basalt alteration, A4:25–26  
   deep-sea sediments, B7:4–5  
   lithologic units, A4:12–17  
   photomicrograph, A4:83  
   ratios, B9:21  
 clay platelets  
   electron microscopy, B9:16, 22–26  
   microfabrics, B9:8–9  
   origin, B9:9–12  
 clinoptilolite, microfabrics, B9:7, 9  
 cobbles, photomicrograph, A4:65  
 coercivity  
   deep-sea sediments, B7:6  
   vs. depth, B7:13  
 color change  
   lithologic units, A4:15–16  
   photograph, A4:68–70, 88  
 compaction  
   microfabrics, B9:11–12  
   photograph, A4:81  
 compressional wave velocity  
   basalt, A3:35–38  
   lithologic units, A4:40  
   vs. depth, A4:135, 137, 181–185  
 concentration-dependent parameters, deep-sea sediments, B7:6–7  
 connectors  
   electron microscopy, B9:23  
   microfabrics, B9:9–12

consolidation, vs. time, B11:8  
 cooling units  
   basement, A3:10–12  
   vs. depth, A1:48; A3:69–70  
 core-log correlation  
   seismic data, B8:1–14  
   well-logging, A3:39–41  
 correlation  
   biochronology, B6:15  
   nannofossils, B5:14–15  
   “cow model,” sediments, A1:7, 38  
 Cretaceous  
   microfabrics, B9:7  
   nannofossils, B5:1–21  
   paleolatitude, A1:12  
   radiolarians, B6:1–17  
   seismic stratigraphy, A4:4–6  
   stratigraphy, A1:9–10  
 Cretaceous, Lower  
   nannofossils, B5:4–5  
   paleolatitude, A4:37  
   seafloor subduction, A1:20–28  
   sedimentary rocks, B10:1–11  
 Cretaceous, mid-, stratigraphy, A1:11–12  
 Cretaceous, Upper, lithologic units, A4:17–19  
 crust  
   Jurassic, A1:28–29, 60; B1:1–35  
   magnetic properties, B1:6–8  
   Mesozoic, A1:30  
   recycling, A1:28–29  
   structure and accretion, B1:5–6  
   subduction zones, A1:1–63  
   volcanism, B1:25  
 crust, oceanic  
   petrology, B1:8  
   seismic stratigraphy, B8:6–8  
 crust, oldest, ocean basins, B1:35  
 crystallinity index  
   silica, B10:2  
   vs. porosity, B10:10  
 crystallization, silica, B10:1–11  
 Curie temperature, deep-sea sediments, B7:6  
 cyclic sedimentation, deep-sea sediments, B7:8

**D**

deepwater, bacteria, B3:1–11  
 deformation, photograph, A4:72–73  
 demagnetization, alternating-field, lithology, A4:127–128  
 density  
   basalt, A3:35–36  
   core-log correlation, B8:3–8  
   vs. depth, B8:11–12; B11:14  
 density, GRAPE  
   basalt, A3:36  
   lithologic units, A4:39  
 density, wet bulk  
   vs. average velocity, A4:134  
   vs. depth, A4:132–133, 135–136, 181  
   vs. porosity, A4:134

vs. X-ray computed tomography, B12:14  
 density logs  
   basalt, A3:43; B1:24  
   lithologic units, A4:45  
   *See also* bulk density logs  
 deposition, lithologic units, A3:9; A4:17–19  
 diabase, photograph, A3:115  
 diagenesis  
   biogenic silica, A4:27–28  
   carbonates, A4:27–28  
   deep-sea sediments, B7:5  
   photomicrograph, A4:83–84  
 diatom Event C, Pliocene–Pleistocene, B2:3, 5  
 diatom Event D, Pliocene–Pleistocene, B2:3, 5  
 diatom frustules, lithologic units, A4:11–12  
 diatoms  
   abundance, B2:3, 18–22  
   biostratigraphy, B2:1–31  
   lithologic units, A4:15–16  
   photomicrograph, A4:83  
   stratigraphic ranges, B2:15  
   vs. age, B2:14  
   vs. depth, B2:14  
 diffusivity  
   mass transfer, B11:2–4, 14  
   vs. porosity, B11:12  
 dipmeter analysis, vs. depth, A4:142–144  
 dissolution seams  
   lithologic units, A4:15–16  
   photograph, A4:89  
 dolomite, photograph, A4:86  
 downhole measurements  
   Site 801, A3:38–47  
   Site 1149, A4:41–47

**E**

East Mariana Basin, stratigraphy, A1:9–10  
 eccentricity  
   deep-sea sediments, B7:8  
   volcanic ash, B7:19  
 Eocene, paleolatitude, A4:36  
 Eocene, upper, magnetic polarity, A4:36  
 eolian dust  
   deep-sea sediments, B7:6–8  
   geochemistry, B1:16  
   Pleistocene, B1:10  
   vs. terrigenous material, B7:14

**F**

faults, normal, photograph, A4:72–73  
 fecal pellets, microfabrics, B9:8  
 feldspar  
   deep-sea sediments, B7:4–5  
   lithologic units, A4:12  
   X-ray diffraction data, A4:66, 71; B9:20  
 feldspar laths, photomicrograph, A1:57–58; A3:90  
 ferrimagnetic minerals, microfabrics, B9:6–7  
 filaments, interpillow material, A3:25  
 fish remains, photograph, A4:86

flocculation, microfabrics, B9:9  
 fluid flux, basalt alteration, A3:30–31  
 fluid inclusions, photomicrograph, A3:106  
 foliation, vs. depth, B9:17  
 foraminifers, planktonic, photomicrograph, A4:65  
 Formation MicroScanner imaging  
   basalt, A3:45–46; B1:24  
   lithologic units, A4:43, 47  
   vs. depth, A4:142–144  
 fractures  
   alteration, A3:20–21  
   lithologic units, A3:13  
   photomicrograph, A1:57–58

**G**

gamma-ray logs  
   basalt, A3:42; B1:24  
   lithologic units, A4:44  
   vs. depth, A1:45, 48, 54; A3:70; A4:138  
 gamma rays  
   basalt, A3:36–37  
   lithologic units, A4:39–40  
   potassium budget, A3:55–60  
   vs. depth, A4:135–136  
 gases, headspace  
   geochemistry, A3:47; A4:26–30  
   methane, A4:174  
 geochemical flux, sedimentation, B1:8–13  
 geochemical logs  
   lithologic units, A4:46–47; B1:11–13  
   vs. depth, A4:140–141  
 geochemical sinks, subduction zones, B1:13–17  
 geochemical stratigraphy, lithologic units, B1:11–13  
 geochemistry  
   basement, A4:23–24  
   deep-sea sediments, B7:5  
   Jurassic basement, A1:16–19  
   pore water, A3:47  
   sediments, A1:24  
   Site 801, A3:15–18  
   subduction zones, A1:1–63  
 geochronology, argon isotopes, B13:1–20  
 glaciation  
   deep-sea sediments, B7:8  
   Pliocene–Pleistocene, B2:3  
 glass shards, photograph, A3:84  
 glomerocrysts  
   olivine, A4:23–24  
   photomicrograph, A3:96  
 Gondwana, magnetic Anomaly M11, A1:30  
 grain size  
   lithologic units, A3:12  
   microfabrics, B9:7, 19  
 groundmass  
   phases, A3:101  
   photomicrograph, A3:90–91

**H**

halite, X-ray diffraction data, A4:66, 71, 79, 92

halos  
 alteration, A1:25–26, 29–31; A4:25–26  
 chemical composition, A3:126–127  
 photograph, A3:113, 115; A4:110  
 photomicrograph, A4:84  
 vein alteration, A3:26–27  
 vs. depth, A1:48, 54; A3:122; A4:111  
 Hauterivian  
 nannofossils, A4:21; B5:4–5  
 radiolarians, B6:3–6  
 sedimentation rates, A1:53  
 unconformities, B5:5  
 Hauterivian, upper, lithologic units, A4:15–16  
 haloclastite  
 alteration, A3:21–23  
 basalt alteration, A3:26; A4:25–26  
 lithologic units, A3:13  
 photograph, A3:114; A4:101–102  
 photomicrograph, A1:57–58  
 hyaloclastite, altered  
 chemical composition, A3:125  
 photograph, A3:84, 86  
 haloclastite breccia, photograph, A3:80, 86  
 hydrothermal alteration  
 Jurassic basement, A1:18; A3:30–31  
 photograph, A3:81  
 photomicrograph, A3:117  
 hydrothermal units, lithologic units, A3:13, 30–31

**I**  
 ichthyoliths  
 biostratigraphy, A3:7  
 sedimentation rates, A4:37  
 ichthyoliths, assemblages  
 circular with line across, Site 801, A3:7  
 five peaks flared base, Site 801, A3:7  
 five peaks irregular base, Site 801, A3:7  
 flexed-triangle shallow inbase, Site 801, A3:7  
 narrow triangle ragged base, Site 801, A3:7  
 plain ellipse, Site 801, A3:7  
 polygonal cavity, Site 801, A3:7  
 polygonal cavity long rays, Site 801, A3:7  
 rectangular saw-toothed, Site 801, A3:7  
 skewed four or five peaks, Site 801, A3:7  
 three narrow peaks, Site 801, A3:7  
 triangle with base angle, Site 801, A3:7  
 triangle with high inline apex, Site 801, A3:7  
 triangle with triangular projection, Site 801, A3:7  
 igneous petrology, basement, A3:14–15; A4:23–24  
 igneous rocks  
 microbiology, A4:48  
 petrology, A3:14–15; A4:23–24, 160–166  
 X-ray computed tomography, B12:1–18  
 illite  
 microfabrics, B9:7  
 X-ray diffraction data, A4:71; B9:20  
 inclusions, photomicrograph, A3:105  
 index properties  
 basalt, A3:36  
 lithologic units, A4:38–39; B12:18

vs. depth, A4:132–133  
 indurated layer  
 lithologic units, A4:15–16  
 photograph, A4:68, 81–82, 87, 89–91  
 intergrowths, photomicrograph, A3:97  
 interpillow material  
 alteration, A3:24–25  
 composition vs. depth, A3:111  
 distribution, A3:77  
 lithologic units, A3:7, 11–13  
 mass accumulation rates, A3:9  
 mineral composition, A3:116  
 photograph, A1:47; A3:78–79, 81–84, 119; A4:96, 103  
 photomicrograph, A3:94, 117  
 vs. depth, A3:110  
 intersertal matrix, photomicrograph, A3:93  
 ion concentration, vs. time, B11:10–11  
 iron  
 hydrothermal units, A3:13  
 Jurassic basement, A1:18  
 redox, A4:27  
 vs. depth, A4:114  
 iron/aluminum ratio  
 sediment alteration, A4:31  
 vs. depth, A1:55; A4:16, 120  
 iron isotopes  
 lithologic units, B1:12–13  
 oceanic crust age, B1:14–15  
 vs. depth, B1:27  
 iron logs  
 lithologic units, A4:46  
 vs. depth, A4:140–141  
 iron oxide  
 alteration, A1:25–26  
 basalt, A4:24  
 vs. magnesium oxide, A4:109  
 iron oxyhydroxide  
 deep-sea sediments, B7:5  
 interpillow material, A3:24–25, 116  
 photograph, A3:113  
 photomicrograph, A3:117–118  
 vesicles, A4:24  
 vs. depth, A3:111–112  
 iron oxyhydroxide veins  
 alteration, A3:21  
 vs. depth, A4:112  
 Izu arc, stratigraphy, A1:28–29  
 Izu-Bonin-Mariana margin, geochemistry, B1:15–17  
 Izu-Bonin Trench  
 resistivity, B12:1–18  
 stratigraphy, A1:11–12, 28  
 Izu-Mariana subduction system, summary, A1:1–63

**J**  
 Jurassic  
 basement, A1:15–19  
 crust, B1:1–35  
 seismic stratigraphy, A4:4–6  
 stratigraphy, A1:9–10  
 Jurassic, Middle, lithologic units, A3:7

Jurassic Quiet Zone  
 geochemistry, A1:1–63  
 magnetic anomalies, A1:19–20  
 magnetic inclination, A3:34–35  
 magnetic properties, B1:6–8

## K

kaolinite  
 microfabrics, B9:7  
 X-ray diffraction data, A4:66; B9:20  
 Kuroshio Current, silicoflagellates, B4:8–9

## L

laminations, photograph, A4:74–75  
 laminations, calcareous, photomicrograph, B10:9  
 laminations, wavy discontinuous, photograph, A4:81, 86  
 lanthanum. *See* samarium/lanthanum ratio; thorium/lanthanum ratio  
 lava flows  
     Jurassic Quiet Zone, A1:19–20  
     *See also* sediment/lava interface  
 lead/uranium ratio, vs. thorium/uranium ratio, B1:28  
 lead isotopes  
     arc basalts, A1:39  
     sediment recycling, B1:29  
     vs. depth, B1:27  
 lepispheres, photomicrograph, B10:5, 7  
 limestone, radiolarian  
     deposition, A3:9  
     lithologic units, A3:7  
 lithium  
     oceanic crust age, B1:15  
     volcanic ash, A4:28–29  
     vs. depth, A4:116  
 lithologic units  
     basement, A3:10–12; A4:11–17, 22–23, 93–95, 158  
     microfabrics, B9:7–9  
     summary, A1:22–23; A3:6–7, 69–70  
     Unit I, A1:22–23; A3:6; A4:11–12  
     Unit II, A1:23; A4:12–14  
     Unit III, A1:23; A4:14–15  
     Unit IV, A1:23; A4:15–16  
     Unit V, A4:16–17  
     Unit VI, A3:7  
     vs. depth, B8:11–12  
     wet and dry resistivity, B12:17  
 lithostratigraphy  
     seismic stratigraphy, A4:4–6  
     Site 801, A3:5–7  
     Site 1149, A4:11–17, 61

## M

Maastrichtian, lithologic units, A3:6  
 Magellan Seamounts, stratigraphy, A1:9–10  
 magnesium  
     basement alteration, A4:29–30  
     Jurassic basement, A1:18

    vs. ammonium, A4:118  
     vs. calcium, A4:118  
     vs. chloride, A4:118  
     vs. depth, A4:117  
     vs. potassium, A4:118  
     vs. sodium, A4:118  
     vs. strontium, A4:118  
 magnesium oxide  
     basalt, A4:24  
     basalt alteration, A3:16–18  
     vs. aluminum oxide, A3:108  
     vs. depth, A1:46; A3:107  
     vs. iron oxide, A4:109  
 magnesium oxide/aluminum oxide ratio, vs. depth, A4:123  
 magnetic anomalies  
     Jurassic Quiet Zone, A1:19–20, 30  
     tectonics, A4:2–3, 58  
 magnetic Anomaly M11  
     Gondwana, A1:30  
     nannofossils, A4:21  
     paleolatitude, A4:37  
     tectonics, A4:3, 58  
 magnetic Anomaly M12, tectonics, A4:3, 54  
 magnetic Anomaly M13, tectonics, A4:3, 54  
 magnetic declination, vs. depth, A4:129; B7:17  
 magnetic fabric, microfabrics, B9:6–7  
 magnetic field logs, basalt, A3:44–45  
 magnetic inclination  
     basalt, A3:32–35  
     deep-sea sediments, B7:5–8  
     lithologic units, A4:34–37  
     microfabrics, B9:6–7  
     vs. depth, A1:5, 45; A4:126, 129–130; B7:17–18; B9:17  
 magnetic lineations, tectonics, A4:2–3, 57  
 magnetic logs, vs. depth, A1:45  
 magnetic polarity  
     deep-sea sediments, B7:7  
     tectonics, A4:35–37  
     vs. depth, B7:13  
 magnetic properties, crust, B1:6–8  
 magnetic reversals, stratigraphy, A1:52  
 magnetic signal, deep-sea sediments, B7:5–6  
 magnetic susceptibility  
     basalt, A3:31–32, 37  
     lithologic units, A4:39  
     microfabrics, B9:6–7, 29  
     vs. depth, A3:128; A4:135–136; B9:17  
 magnetic susceptibility, low, vs. depth, B9:18  
 magnetic susceptibility, volume  
     temperature, B7:16  
     vs. anhysteretic remanent magnetization, B7:14  
     vs. depth, B7:13  
 magnetic susceptibility anisotropy. *See* anisotropy  
 magnetite  
     basalt, A3:14–15  
     deep-sea sediments, B7:5–6  
     photomicrograph, A4:104  
 magnetite, skeletal, photomicrograph, A3:91  
 magnetostratigraphy  
     chrons, A1:52

diatoms, B2:4  
 lithologic units, A4:35–37  
 lithology, A4:129–130  
 major elements  
     Jurassic basement, A1:18–19  
     sediments, A4:176–177  
 manganese  
     reduction, B3:1–11  
     vs. depth, A4:114; B1:31; B3:11  
 manganese/aluminum ratio, vs. depth, B7:13, 18  
 manganese/phosphorus ratio, lithologic units, B1:13  
 manganese micronodules, lithologic units, A3:6  
 manganese oxide, redox, A4:27  
 manganese oxide/aluminum oxide ratio  
     sediment alteration, A4:31  
     vs. depth, A4:120  
 manganese oxyhydroxide, deep-sea sediments, B7:5  
 marcasite, basalt alteration, A3:25–26  
 Mariana arc, stratigraphy, A1:28–29  
 Mariana Trench  
     Jurassic crust, B1:1–35  
     sediments, A1:9–10  
 marine isotope excursions, radiolarians, B6:6  
 marine sediments, bacteria, B3:1–11  
 marl  
     ion concentration, B11:10  
     permeability, B11:6  
 marl, calcareous, photograph, A4:89–91  
 marl, nannofossil, carbon isotopes, B6:4–5  
 marl, radiolarian, photograph, A4:81–82  
 marlstone, radiolarian, lithologic units, A4:15–16  
 marlstone, radiolarian-bearing calcareous  
     photograph, A4:86  
     photomicrograph, A4:83–84  
 marlstone, recrystallized calcareous, lithologic units,  
     A4:16–17  
 mass accumulation rates  
     carbonate compensation depth, A3:9  
     See also sedimentation rates  
 mass transfer, subduction, B11:1–14  
 Matuyama Chron  
     deep-sea sediments, B7:7  
     See also Brunhes/Matuyama boundary  
 Mesozoic  
     oceanic crust, B1:8  
     paleolatitude, A1:41  
     sediments, A1:6–7  
 metals, sediment alteration, A4:31  
 methane  
     headspace gases, A4:174  
     vs. depth, B1:31; B3:11  
 methanogenesis, bacteria, B3:5  
 microbial alteration, volcanic glass, A3:50–51  
 microbiology, A3:47–55; A4:47–49, 188  
 microbreccia, photograph, A4:100  
 microclinoptilolite, electron microscopy, B9:26  
 microcrystals, microfabrics, B9:9  
 microfabrics  
     changes, B9:1–29  
     electron microscopy, B9:16, 22–26  
     photomicrograph, B9:16, 18, 22–26

microlites  
     basalt alteration, A3:26  
     photomicrograph, A3:99  
 micronodules. *See* manganese micronodules  
 micropores, microfabrics, B9:8–9  
 microspheres, fluorescence, vs. depth, A4:190  
 microstructures, microfabrics, B9:8–9  
 mineralogy, petrography, A4:168  
 Miocene  
     lithologic units, A3:6  
     paleoceanography, B1:10  
     paleolatitude, A4:36  
     sedimentation rates, A1:53; A4:37  
     silicoflagellates, B4:5  
 Miocene, upper, lithologic units, A4:11–12  
 Miocene–Pleistocene interval, volcanic ash, B1:10  
 molding, electron microscopy, B9:24  
 mottling, basalt alteration, A4:25–26

## N

Nadezhda Basin  
     Jurassic crust, B1:1–35  
     silicoflagellate biostratigraphy, B4:1–18  
     site description, A4:1–190  
     stratigraphy, A1:9–10, 21–28  
 nannofossils  
     photomicrograph, A4:83  
     sedimentation rates, A1:53; A4:131  
     vs. depth, B5:13  
     zone correlation, B5:14  
 nannofossils, calcareous  
     biostratigraphy, A4:20–21; B5:1–21  
     distribution, B5:16–20  
 Neogene, terrigenous component, A4:18–19  
 niobium, basalt, A4:24  
 niobium/aluminum ratio  
     sediments, A1:24  
     vs. depth, A4:124  
 nitrogen isotopes  
     lithologic units, B1:12  
     vs. depth, B1:27  
 nontronite, basalt alteration, A3:26

## O

obliquity, volcanic ash, B7:19  
 oceanic anoxic events, Valanginian, B1:10  
 Oligocene, lithologic units, A3:6  
 Oligocene, lower, magnetic polarity, A4:36  
 olivine  
     basalt, A3:14–15  
     photomicrograph, A3:92, 98  
 olivine, altered euhedral, photomicrograph, A3:105  
 olivine, euhedral, photomicrograph, A3:94  
 olivine, groundmass, vs. depth, A3:101  
 olivine glomerocrysts, basalt, A4:23–24  
 olivine phenocrysts  
     basalt, A4:24  
     basalt alteration, A3:25–26  
     photomicrograph, A3:106; A4:106, 108

vs. depth, A3:102  
 ooze, clay-and ash-bearing siliceous, lithologic units, A4:11–14  
 ooze, radiolarian, interpillow material, A3:25  
 opal-A, diagenesis, A4:28  
 opal-CT  
     diagenesis, A4:28  
     lithologic units, A4:14–15  
     photomicrograph, A4:83; B10:5, 7  
     recrystallization, B10:1–11  
     sediments, A1:24  
     vs. depth, A4:115  
     X-ray diffraction data, A4:79, 85; B9:20  
 organic matter  
     degradation, A4:27  
     reduction, B3:4–6  
 overgrowths, dendritic, photomicrograph, A3:99  
 oxides, groundmass, vs. depth, A3:101  
 oxygen isotopes, vs. age, B7:20

**P**

Pacific Ocean NW, microfabrics, B9:1–29  
 Pacific Ocean W  
     chronostratigraphy, B13:6–7, 20  
     Jurassic crust, B1:1–35  
     stratigraphy, A1:9–10  
 Pacific plate  
     basement, B1:4–5  
     sediments, A1:7–8  
 palagonitization, basalt alteration, A3:26  
 paleoceanography  
     Mesozoic, B1:9–11  
     Miocene, B1:10  
 paleoclimatology  
     Mesozoic, B1:9–11  
     silicoflagellates, B4:1–11  
 paleoecology, silicoflagellates, B4:9  
 paleoenvironment, seismic stratigraphy, B1:9–11  
 paleoequator, Cretaceous, A1:12  
 paleolatitude  
     Cretaceous, A1:12  
     magnetic polarity, A4:36–37  
     Mesozoic, A1:41  
 paleomagnetism  
     deep-sea sediments, B7:7  
     Site 801, A3:31–35  
     Site 1149, A4:34–37  
 paleoredox  
     deep-sea sediments, B7:7  
     See also redox  
 palygorskite, X-ray diffraction data, A4:14, 71, 79  
 palynomorphs  
     electron microscopy, B9:25  
     microfabrics, B9:8–9  
 paramagnetic minerals, microfabrics, B9:6–7  
 ped  
     electron microscopy, B9:23  
     microfabrics, B9:8–9  
     origin, B9:9–12  
 pellets, microfabrics, B9:9–12

perfluorocarbon tracers, sediments, A4:145, 189  
 permeability  
     mass transfer, B11:2–4, 14  
     vs. depth, B11:4, 13  
     vs. porosity, B11:12  
 petrography  
     deep-sea sediments, B7:4–5  
     mineralogy, A4:168  
 petrology, Mesozoic crust, A1:30  
 phenocrysts  
     photomicrograph, A3:94, 106  
     size vs. depth, A4:105  
 phillipsite  
     basalt alteration, A3:26  
     lithologic units, A3:6  
 phosphate  
     redox, A4:27  
     vs. depth, A4:113  
 phosphorus. *See* manganese/phosphorus ratio  
 phosphorus oxide/aluminum oxide ratio  
     sediment alteration, A4:31  
     vs. depth, A4:120  
 phyllosilicates, alteration, A3:19–23  
 physical properties  
     core-log correlation, B8:2–3  
     microfabrics, B9:6  
     Site 801, A3:35–38  
     Site 1149, A4:38–41, 178–180; B9:28  
 Pigafetta Basin  
     geochemistry, A1:1–63  
     Jurassic crust, B1:1–35  
     site description, A3:1–128  
 pillow margins  
     basalt, A3:14–15  
     photograph, A3:79–84  
     photomicrograph, A1:57–58; A3:118  
 pillow rim/sediment contacts, alteration, A3:24–25  
 pillow rims  
     basalt alteration, A3:26; A4:25–26  
     lithologic units, A3:11–12  
     photograph, A3:80, 85; A4:96–97, 103  
     photomicrograph, A3:94, 96; A4:106  
 pillow zones, Jurassic basement, A1:17  
 plagioclase  
     basalt, A3:14–15  
     photomicrograph, A3:97  
     plagioclase, euhedral, photomicrograph, A4:106  
     plagioclase, groundmass, vs. depth, A3:101  
     plagioclase, twinned euhedral, photomicrograph, A3:103  
     plagioclase fibers, photomicrograph, A3:100  
     plagioclase glomerocrysts, photomicrograph, A3:96  
     plagioclase laths, photomicrograph, A3:90, 93, 98  
     plagioclase laths, skeletal, photomicrograph, A4:104  
     plagioclase microlites, photomicrograph, A3:99  
     plagioclase phenocrysts  
         basalt, A4:24  
         basalt alteration, A3:25–26  
         distribution in basalt, A3:104  
         photomicrograph, A3:94; A4:106–107  
         vs. depth, A3:102

platelets, electron microscopy, B9:23

Pleistocene

  deep-sea sediments, B7:1–21

  diatoms, B2:1–31

  eolian dust, B1:10

  sedimentation rates, A1:53; A4:37

*See also* Miocene–Pleistocene interval

Pleistocene, lower, silicoflagellates, B4:9

Pleistocene, upper, lithologic units, A4:11–12

Pliocene

  diatoms, B2:1–31

  lithologic units, A3:6; A4:11–12

  sedimentation rates, A1:53; A4:37

Pliocene, lower, silicoflagellates, B4:1–18

Pliocene, middle, silicoflagellates, B4:9

Pliocene/Pleistocene boundary, silicoflagellates, B4:9

Pliocene–Quaternary interval, silicoflagellates, B1:10

porcellanite

  ion concentration, B11:11

  permeability, B11:6

  recrystallization, B10:1–11

  seismic stratigraphy, A4:4–6

  stratigraphy, A1:9–10

porcellanite, porous, photograph, A4:78

porcellanite, radiolarian

  lithologic units, A4:14–16

  photograph, A4:74–77

pore water

  geochemistry, A3:47; A4:26–30, 172–173

  microbial alteration, A3:53–54

porosity

  basalt, A3:35–36

  vs. average velocity, A4:134

  vs. depth, A4:132–133, 181; B10:10

  vs. diffusivity, B11:12

  vs. permeability, B11:12

  vs. silica crystallinity index, B10:10

  vs. wet bulk density, A4:134

potassium

  basement alteration, A4:29–30

  Jurassic basement, A1:18

  volcanic ash, A4:28–29

  vs. depth, A4:116

  vs. magnesium, A4:118

potassium/calcium ratio, volcanic ash, B13:4–6, 11, 13

potassium budget, natural gamma rays, A3:55–60

potassium logs

  basalt, A3:42

  vs. depth, A4:138

potassium oxide

  alteration, A3:27–28, 31

  basalt alteration, A3:16–18

  Jurassic basement, A1:18–19

  sediments, A1:24

  vs. depth, A1:49; A3:123

potassium oxide/aluminum oxide ratio, vs. depth, A4:14, 123

precession, volcanic ash, B7:19

preferred orientation

  electron microscopy, B9:24

  microfabrics, B9:7–9

pressure solution, microfabrics, B9:9

provenance, deep-sea sediments, B7:1–21

pseudomorphs, photomicrograph, A3:117

pumice

  lithologic units, A4:11–12

  photograph, A4:64

pumice cobbles, photomicrograph, A4:65

pyrite

  basalt alteration, A3:25–26

  Jurassic basement, A1:18

  vs. depth, A3:111–112

pyrite veins, alteration, A3:21

pyroxene, anhedral, photomicrograph, A4:104

pyroxene, groundmass, vs. depth, A3:101

pyroxene, photomicrograph, A3:97

pyroxene, subhedral, photomicrograph, A3:90, 98

pyroxene phenocrysts

  basalt, A4:24

  vs. depth, A3:102

## Q

quartz

  deep-sea sediments, B7:4–5

  interpillow material, A3:24–25

  lithologic units, A4:12

  photograph, A3:114

  photomicrograph, A4:83; B10:5–6, 8–9

  recrystallization, B10:1–11

  vs. depth, A3:111–112

  X-ray diffraction data, A4:66, 71, 79, 85, 92; B9:20

quartz, crystalline, photomicrograph, A3:118

quartz veins, alteration, A3:21

Quaternary

  lithologic units, A3:6

  silicoflagellates, B4:1–18

*See also* Pliocene–Quaternary interval

quenched texture, photomicrograph, A3:100

## R

radiolarian tests

  electron microscopy, B9:22, 24

  microfabrics, B9:9

  photomicrograph, B10:5, 7–8

radiolarians

  biochronology, B6:1–17

  lithologic units, A4:15–16

  occurrence, B6:16–17

  photomicrograph, A3:68, 117; A4:83

radiolarite, seismic stratigraphy, A4:4–6

rare earth elements, lithologic units, B1:11

recrystallization

  photograph, A3:78–83

  photomicrograph, A4:84

  silica, B10:1–11

recycling, crust, A1:28–29

redox

  organic matter, A4:27

*See also* paleoredox

reduction, manganese, B3:1–11

reference site, Jurassic basement, A1:15–19  
 reflection, core-log correlation, B8:4–8  
 reflection coefficient, vs. depth, B8:11  
 remanent magnetization, anhysteretic  
   deep-sea sediments, B7:5–6  
   vs. age, B7:20  
   vs. depth, B7:13, 18  
   vs. volume magnetic susceptibility, B7:14  
 remanent magnetization, isothermal  
   acquisition, B7:15  
   deep-sea sediments, B7:5–6  
   vs. calcium oxide, B7:14  
 remanent magnetization, natural  
   basalt, A3:32–35  
   deep-sea sediments, B7:5–6  
   lithologic units, A4:34–37  
   vs. depth, B7:13, 17  
 resistivity, dry  
   basalt, B12:15–16  
   lithologic units, B12:17  
 resistivity, lithologic units, B12:1–18  
 resistivity, wet  
   basalt, B12:15–16  
   lithologic units, B12:17  
   vs. depth, B12:9  
 resistivity logs  
   basalt, A3:42–43; B1:24  
   lithologic units, A4:45  
   vs. depth, A1:45, 48, 54; A3:70; A4:139; B8:12  
 reworking, diatoms, B2:4  
 rhodochrosite, deep-sea sediments, B7:5, 8–9  
 Romanus–Missilis Zone, radiolarians, B6:4  
 rubidium  
   alteration, A3:27–29, 31  
   vs. depth, A3:123

**S**

salinity, vs. depth, A4:119  
 samarium/lanthanum ratio, vs. thorium/lanthanum ratio, B1:29  
 saponite  
   basalt alteration, A4:25–26  
   interpillow material, A3:24–25, 29–31, 116  
   Jurassic basement, A1:18  
   photograph, A3:115  
   photomicrograph, A1:47; A3:92  
   vesicles, A4:24  
   vs. depth, A3:111–112  
 saponite, core, vs. depth, A4:112  
 saponite cement, photograph, A3:84, 114  
 saponite matrix, photograph, A3:86  
 saponite veins  
   alteration, A3:20, 29–31  
   vs. depth, A4:112  
 seafloor spreading, Mesozoic crust, A1:30  
 secondary minerals  
   alteration, A3:29–31  
 Jurassic basement, A1:18  
 photomicrograph, A1:47

sediment/basement boundary, alteration, A1:25–26; A4:22–23, 30–34  
 sediment/lava interface, photograph, A3:119  
 sediment recycling, geochemistry, B1:15–17, 29  
 sedimentary rocks, siliceous/calcareous pelagic, silica crystallization, B10:1–11  
 sedimentary rocks, X-ray computed tomography, B12:1–18  
 sedimentation  
   geochemical flux, B1:8–13  
   *See also* cyclic sedimentation  
 sedimentation, biogenic, sediment alteration, A4:31–32  
 sedimentation, pelagic, Upper Cretaceous, A4:17–19  
 sedimentation, siliceous, subsidence, A4:18  
 sedimentation rates  
   age vs. depth, B7:21  
   bacteria, B3:1–11  
   magnetostratigraphy, A1:53; A4:35, 37–38, 131  
   Site 1149, A4:37–38  
   *See also* mass accumulation rates  
 sedimentology, A3:5–9; A4:10–19  
 sediments  
   geochemistry, A1:1–63; A4:30–34, 176–177  
   interpillow material, A3:24–25  
   photograph, A3:78, 82–83  
   X-ray diffraction data, A4:66  
   X-ray fluorescence data, A4:175  
   *See also* basalt/sediment contacts; pillow rim/sediment contacts  
 sediments, deep-sea, Pleistocene, B7:1–21  
 sediments, hemipelagic, microfabrics, B9:1–29  
 sediments, pelagic, microfabrics, B9:1–29  
 sediments, recrystallized, photograph, A3:78–83  
 sediments, soft calcareous, photograph, A4:80  
 seismic data, core-log correlation, B8:1–14  
 seismic facies, seismic stratigraphy, B8:7–8  
 seismic profiles  
   core-log correlation, B8:2  
   Site 801, A1:42; A3:66  
   Site 1149, A1:42, 50; A4:55–56, 60; B8:13  
 seismic stratigraphy  
   core-log correlation, B8:6–8  
   crust, B1:9  
   lithostratigraphy, A4:4–6  
 seismograms, synthetic, core-log correlation, B8:4–8  
 selenium isotopes  
   lithologic units, B1:12  
   vs. depth, B1:27  
 shear strength  
   lithologic units, A4:41  
   vs. depth, A4:132, 187  
 shrinkage. *See* volume shrinkage  
 silica  
   crystallization, B10:1–11  
   deep-sea sediments, B7:5  
   hydrothermal units, A3:13, 29–31  
   interpillow material, A3:116  
   lithologic units, B1:11  
   photomicrograph, A4:83–84  
   vs. depth, A4:115, 121; B1:26  
 silica, biogenic, diagenesis, A4:27–28

- silica/aluminum oxide ratio  
     sediment alteration, A4:31  
     volcanic ash, A4:32–34  
     vs. depth, A1:55; A4:121  
 siliceous cement, photograph, A3:81–82  
 siliceous microfossils  
     deep-sea sediments, B7:4–5  
     lithologic units, A4:11–12  
     mass accumulation rates, A3:9  
     photomicrograph, A4:83–84  
 silification  
     photograph, A3:81  
     photomicrograph, A4:83–84  
 silicoflagellates  
     biostratigraphy, B4:1–18  
     distribution, B4:16  
     Pliocene–Quaternary interval, B1:10  
 silicon logs  
     lithologic units, A4:46  
     vs. depth, A4:140–141  
 sills, stratigraphy, A1:9–10  
 silt, clayey, petrography, B7:4–5  
 silt, clayey zeolitic, lithologic units, A4:14–15  
 Site 194, lithology, A1:40; A4:54  
 Site 195, lithology, A1:40; A4:54  
 Site 196, lithology, A1:40; A4:54  
 Site 197, lithology, A1:40; A4:54  
 Site 801, A3:1–128  
     background and objectives, A3:1–3  
     basement alteration, A3:18–31  
     basement stratigraphy, A3:10–14  
     bathymetry, A3:65  
     biostratigraphy, A3:7–9  
     downhole measurements, A3:38–47  
     electrical resistivity, B12:1–18  
     geochemical reference site, B1:13–15  
     headspace gas, A3:47  
     igneous petrology and geochemistry, A3:14–18  
     Jurassic crust, B1:1–35  
     lithology, A1:40  
     lithostratigraphy, A1:44, 59; A3:5–7  
     microbiology, A3:47–55  
     operations, A3:3–5  
     paleomagnetism, A3:31–35  
     physical properties, A3:35–38  
     pore water chemistry, A3:47  
     potassium budget by natural gamma rays, A3:55–60  
     principal results, A1:15–20  
     sedimentology, A3:5–9  
     site description, A3:1–128  
     stratigraphy, A1:10–11  
     well-logging, A1:45  
 Site 1149, A4:1–190  
     background and objectives, A4:1–2  
     bacteria, B3:1–11  
     basement alteration, A4:25–26  
     basement stratigraphy, A4:21–23  
     biostratigraphy, A4:19–21  
     core-log correlation, B8:1–14  
     coring summary, A4:146–157  
     diatom biostratigraphy, B2:1–31  
     downhole measurements, A4:41–47  
     Early Cretaceous seafloor subduction, A1:20–28  
     electrical resistivity, B12:1–18  
     geochemical reference site, B1:15–17  
     geochronology, B13:1–20  
     igneous petrology and geochemistry, A4:23–24  
     Jurassic crust, B1:1–35  
     lithologic units, A4:158  
     lithology, A1:40; A4:54  
     lithostratigraphy, A1:51, 59, 61; A4:11–17  
     mass transfer properties, B11:1–14  
     microbiology, A4:47–49  
     microfabrics changes, B9:1–29  
     nannofossil biostratigraphy, B5:1–21  
     operations, A4:6–10  
     paleomagnetism, A4:34–37  
     physical properties, A4:38–41  
     Pleistocene deep-sea sediments, B7:1–21  
     pore water and headspace gas chemistry, A4:26–30  
     radiolarian biochronology, B6:1–17  
     sedimentary geochemistry, A4:30–34  
     sedimentation rates, A4:37–38  
     sedimentology, A4:10–19  
     silica crystallization, B10:1–11  
     silicoflagellate biostratigraphy, B4:1–18  
     site description, A4:1–190  
     site geophysics, A4:2–6  
     stratigraphy, A1:11–12  
 Site 1179, geochronology, B13:1–20  
 smectite  
     basalt alteration, A3:25–26, 29–31  
     microfabrics, B9:7  
     photomicrograph, A1:47; A3:117; A4:107  
     X-ray diffraction data, A4:92  
 sodium  
     basement alteration, A4:29–30  
     volcanic ash, A4:29  
     vs. depth, A4:116  
     vs. magnesium, A4:118  
     *See also* barium/sodium ratio  
 sodium oxide. *See* thorium/sodium oxide ratio  
 sodium oxide/aluminum oxide ratio, vs. depth, A4:123  
 spheres, photomicrograph, A4:83  
 spherules, interpillow material, A3:25  
 stratigraphy  
     basement, A3:10–14, 71–76; A4:21–23, 93–95  
     carbon isotopes, B6:1–17  
     Jurassic basement, A1:16–19  
     sediments, A1:9–10  
 strontium  
     diagenesis, A4:28  
     sediments, A1:24  
     volcanic ash, A4:28–29  
     vs. depth, A4:115  
     vs. magnesium, A4:118  
 strontium/aluminum ratio, vs. depth, A4:122  
 strontium isotopes, oceanic crust age, B1:14–15  
 “subduction factory,” models, A1:35; B1:33  
 subduction zones  
     geochemical sinks, B1:13–17  
     Izu-Mariana subduction system, A1:1–63

Lower Cretaceous, A1:20–28  
 mass transfer, B11:1–14  
 volcanism, B1:17–18  
 subsidence, sedimentation, A4:18  
 sulfate, vs. depth, A4:114; B1:31; B3:11  
 sulfide globules, basalt alteration, A3:25–26  
 sulfides, photomicrograph, A1:47

**T**

tectonics, magnetic anomalies, A4:2–3  
 tektites, lithologic units, A3:6  
 temperature  
   basalt, A3:45  
   microbial alteration, A3:52–53  
 terrigenous component  
   Neogene, A4:18–19  
   petrography, B7:4–5  
   vs. depth, B7:13  
   vs. eolian dust, B7:14  
 textures  
   photomicrograph, A1:57–58  
   silica crystallization, B10:1–11  
 thermal conductivity  
   basalt, A3:38  
   lithologic units, A4:40–41  
   vs. depth, A4:132–133, 186  
 tholeiite  
   basement, B1:4–5  
   Jurassic basement, A1:17–19  
 thorium  
   sediment flux, B1:30  
   vs. depth, B1:26  
   vs. thorium/sodium oxide ratio, B1:30  
 thorium/lanthanum ratio  
   lithologic units, B1:11  
   sediment recycling, B1:16  
   vs. depth, B1:27  
   vs. samarium/lanthanum ratio, B1:29  
 thorium/sodium oxide ratio, vs. thorium sediment flux, B1:30  
 thorium/uranium ratio, vs. lead/uranium ratio, B1:28  
 thorium logs  
   basalt, A3:42  
   vs. depth, A4:138  
 tin isotopes  
   lithologic units, B1:12  
   vs. depth, B1:27  
 titanite  
   basalt alteration, A3:26  
   photomicrograph, A1:47  
 titanium. *See* aluminum/titanium ratio  
 titanomaghemitite, basalt alteration, A3:25–26  
 titanomagnetite, basalt alteration, A3:25–26  
 trace elements  
   Jurassic basement, A1:18–19  
   sediments, A4:176–177  
 travelttime, seismic stratigraphy, B8:7–8  
 travelttime, two-way, vs. depth, B8:11  
 Turonian, nannofossils, B5:5

**U**

unconformities, Hauterivian, B5:5  
 Unitary Association Zones, radiolarians, B6:15  
 uranium  
   vs. depth, B1:28  
   *See also* lead/uranium ratio; thorium/uranium ratio  
 uranium isotopes, oceanic crust age, B1:14–15  
 uranium logs  
   basalt, A3:42  
   vs. depth, A4:138

**V**

Valanginian  
   anoxic events, B1:10  
   nannofossils, A4:21; B5:5–6  
   oceanic anoxic events, B1:10  
   radiolarians, B6:1–17  
   sedimentation rates, A1:53  
 Valanginian, upper, lithologic units, A4:15–17  
 variolitic texture, photomicrograph, A1:57–58  
 vein density, vs. depth, A3:22–23  
 vein width, vs. depth, A1:48, 54; A3:110; A4:111  
 veins  
   alteration, A3:19–23, 20–31  
   basalt alteration, A4:25–26  
   chemical composition, A3:126  
   composition vs. depth, A3:111–112  
   crosscutting relationships, A3:23  
   electron microscopy, B9:26  
   lithologic units, A3:12; A4:15–16  
   photograph, A3:79, 113, 115  
   photomicrograph, A4:84  
   types, A4:170–171  
   vs. depth, A1:48, 54; A3:110; A4:111  
 veins, chalcedony-filled, photograph, A4:78  
 veins/meter ratio, vs. depth, A3:110; A4:111  
 velocity  
   core-log correlation, B8:4  
   *See also* compressional wave velocity  
 velocity, average  
   vs. porosity, A4:134  
   vs. wet bulk density, A4:134  
 velocity logs  
   basalt, A3:43–44; B1:24  
   lithologic units, A4:45–46  
   vs. depth, A4:139; B8:11–12  
 vesicles  
   basalt, A4:24  
   basalt alteration, A3:25–26  
   lithologic units, A3:12  
   photograph, A3:88–89, 113  
 volcanic arcs, “subduction factory,” A1:35  
 volcanic ash  
   alteration, A4:28–29  
   argon isotopes, B13:1–20  
   deep-sea sediments, B7:4–5  
   lithologic units, A4:11–12  
   Miocene–Pleistocene interval, B1:10  
   photograph, A4:62–63, 69–70

sediment alteration, A4:32–34  
 sediments, A1:25  
     vs. calcium oxide, B7:14  
     vs. depth, B7:13  
 volcanic ash, dispersed  
     cycles, B7:19  
     vs. depth, A4:32–34, 125  
 volcanic ash, radiolarian-bearing clayey, lithologic units, A4:11–14  
 volcanic glass  
     basalt alteration, A3:26  
     Jurassic Quiet Zone, A1:19–20  
     lithologic units, A3:12; A4:11–12  
     location, A4:167  
     microbial alteration, A3:50–51  
     photograph, A4:72  
     photomicrograph, A1:57–58  
 volcanic glass, altered, photograph, A3:80, 114  
 volcanic glass, devitrified  
     amount in chilled basalt, A3:95  
     photomicrograph, A3:93  
 volcanic glass, groundmass, vs. depth, A3:101  
 volcanioclastics  
     Jurassic basement, A1:16–19  
     Neogene, A4:18–19  
     sediments, A1:7–8  
 volcanism  
     crust, B1:25  
     sediment recycling, B1:16–17  
     stratigraphy, A1:9–10  
     subduction, B1:17–18  
 volume shrinkage, electron microscopy, B9:16, 22–26

**W**

water, microbiology, A4:48–49  
 water content  
     alteration, A3:27–28  
     basalt, A3:35–36  
     Jurassic basement, A1:18  
     vs. depth, A3:123; A4:132–133, 181; B11:14

water escape structures, photograph, A4:82  
 Weisert oceanic anoxic event, Valanginian, B1:10  
 well-logging  
     core-log correlation, B8:3  
     Site 801, A1:45  
     Site 1149, A1:54

**X**

X-ray computed tomography  
     lithologic units, B12:1–18  
     vs. wet bulk density, B12:14  
 X-ray diffraction data, sediments, A4:66  
 X-ray fluorescence data  
     igneous rocks, A4:169  
     microfabrics, B9:7  
     sediments, A4:175

**Y**

yttrium  
     vs. zirconium, A1:46; A3:109; A4:109  
 See also zirconium/yttrium ratio

**Z**

zeolite veins, electron microscopy, B9:26  
 zeolites  
     sediments, A1:24  
 X-ray diffraction data, A4:71, 79; B9:20  
 zirconium  
     basalt alteration, A3:16–18  
     vs. depth, A1:46; A3:67, 107; B1:24  
     vs. yttrium, A1:46; A3:109; A4:109  
 zirconium/yttrium ratio  
     basalt, A4:24  
     basalt alteration, A3:18  
     vs. depth, A3:107

**TAXONOMIC INDEX****A**

*Acanthocircus levis*, Site 1149, B6:4  
*Achnanthes* spp., Site 1149, B2:4  
*Actinocyclus cubitus*, Site 1149, B2:26  
*Actinocyclus curvatulus*, Site 1149, B2:26  
*Actinocyclus ellipticus*, Site 1149, B2:26  
*Actinocyclus ellipticus* var. *elongatus*, Site 1149, B2:26  
*Actinocyclus ingens*, Site 1149, B2:26  
*Actinocyclus octonarius*, Site 1149, B2:26  
*Actinocyclus oculatus*, Site 1149, B2:26  
*Actinoptychus senarius*, Site 1149, B2:27  
*Actinoptychus splendens*, Site 1149, B2:27  
*aculeata aculeata*, *Dictyocha*, Site 1149, B4:7, 9, 17  
*aculeata subaculeata*, *Dictyocha*, Site 1149, B4:17  
*affine*, *Gomphonema* cf., Site 1149, B2:28  
*Amphora* spp., Site 1149, B2:4

*angustiforatus*, *Cretarhabdus*, Site 1149, B5:4–5  
*antiqua*, *Thalassiosira*, Site 1149, B2:23  
*arachne*, *Asteromphalus*, Site 1149, B2:27  
*Arachnoidiscus schmidii*, Site 1149, B2:27  
*aspera*, *Dictyocha*, Site 1149, B4:4, 18  
*aspera aspera*, *Dictyocha*, Site 1149, B4:4  
*Assipetra infracretacea*, Site 1149, A4:21; B5:4–5, 21  
*Assipetra terebrodentarius*, Site 1149, A4:21  
*assipseminae*, *Neodenticula*, Site 1149, B2:5, 31  
*asteromphalus*, *Coscinodiscus*, Site 1149, B2:25  
*Asteromphalus arachne*, Site 1149, B2:27  
*Asteromphalus hepatis*, Site 1149, B2:27  
*Aurisaturalis carinatus*, Site 1149, B6:3  
*Aurisaturalis carinatus carinatus*, Site 1149, B6:3  
*Azpeitia neocrenulata*, Site 1149, B2:27  
*Azpeitia nodulifera*, Site 1149, B2:4, 25  
*Azpeitia nodulifera* var. *cyclopus*, Site 1149, B2:25

**B**

- Bacillaria* spp., Site 1149, B2:4  
*Bacteriosira bathyomphala*, Site 1149, B2:29  
*barboi*, *Simonseniella*, Site 1149, B2:28  
*barnesae*, *Watznaueria*, Site 1149, A1:23; A4:21; B5:6, 21  
*bathyomphala*, *Bacteriosira*, Site 1149, B2:29  
*Biddulphia* spp., Site 1149, B2:4  
*boliviensis*, *Distephanus*, Site 1149, A4:21; B4:8–9, 18  
*bollii*, *Lithraphidites*, Site 1149, A4:21; B5:5–6, 21  
*borealis*, *Kokia*, Site 1149, B5:21  
*brevispina brevispina*, *Dictyocha*, Site 1149, B4:4, 17  
*britannica*, *Watznaueria*, Site 1149, A4:21; B5:21

**C**

- Calcicalathina oblongata*, Site 1149, A4:21; B5:4–6, 21  
*Calcicalathina oblongata* Zone, Site 1149, B5:4–6  
*calida ampliata*, *Dictyocha*, Site 1149, B4:5  
*calida calida*, *Dictyocha*, Site 1149, B4:5, 17  
*californica*, *Rouxia*, Site 1149, B2:28  
*carinatus*, *Aurisaturalis*, Site 1149, B6:3  
*carinatus carinatus*, *Aurisaturalis*, Site 1149, B6:3  
*carniolensis*, *Lithraphidites*, Site 1149, A4:21; B5:5  
*carpatica*, *Pseudodictyomitra*, Site 1149, B6:4  
*Cecrops septemporatus*, Site 1149, B6:3  
*chiastia*, *Helenea*, Site 1149, A4:21  
*chica*, *Emiluvia*, Site 1149, B6:3  
*cincta*, *Parvingula?* sp. aff. *Parvingula*, Site 1149, B6:3  
*circulus*, *Mesocena*, Site 1149, B4:18  
*Cocconeis* cf. *pseudomarginata*, Site 1149, B2:29  
*columbaria*, *Eucyrtis*, Site 1149, B6:3  
*columnarium*, *Svinitzium*, Site 1149, B6:3  
*communis*, *Stichomitra*, Site 1149, B6:4  
*conicus*, *Cretarhabdus*, Site 1149, B5:5  
*convexa*, *Thalassiosira*, Site 1149, B2:23  
*Corbisema triacantha*, Site 1149, B4:5, 18  
*Coscinodiscus asteromphalus*, Site 1149, B2:25  
*Coscinodiscus curvatus*, Site 1149, B2:25  
*Coscinodiscus endoi*, Site 1149, B2:25  
*Coscinodiscus marginatus*, Site 1149, B2:4, 25  
*Coscinodiscus radiatus*, Site 1149, B2:25  
*Coscinodiscus tabularis*, Site 1149, B2:25  
*Cretarhabdus angustiforatus*, Site 1149, B5:4–5  
*Cretarhabdus conicus*, Site 1149, B5:5  
*Cretarhabdus surirellus*, Site 1149, B5:5  
*Crucella lipmanae*, Site 1149, B6:3  
*Cruciellipsis cuvillieri*, Site 1149, A1:23; A4:21; B5:4–6, 21  
*crux*, *Distephanus*, Site 1149, B4:18  
*crux s.l.*, *Distephanus*, Site 1149, B4:6  
*cubitus*, *Actinocyclus*, Site 1149, B2:26  
*curvatus*, *Actinocyclus*, Site 1149, B2:26  
*curvatus*, *Coscinodiscus*, Site 1149, B2:25  
*curvirostris*, *Simonseniella*, Site 1149, B2:28  
*cuvillieri*, *Cruciellipsis*, Site 1149, A1:23; A4:21; B5:4–6, 21  
*Cyclagelosphaera margerelii*, Site 1149, A4:21; B5:4, 6  
*Cyclicargolithus floridanus*, Site 1149, A4:20  
*Cyclotella* spp., Site 1149, B2:4

**D**

- daviesii*, *Reticulofenestra*, Site 1149, A4:20

- decipiens*, *Thalassiosira*, Site 1149, B2:4, 23  
*Delphineis simonsenii*, Site 1149, B2:29  
*Delphineis* spp., Site 1149, B2:4  
*Delphineis surirella*, Site 1149, B2:29  
*Denticulopsis hyalina*, Site 1149, B2:31  
*Denticulopsis simonsenii*, Site 1149, B2:31  
*dianae minor*, *Mirifusus*, Site 1149, B6:3  
*Diazomatolithus lehmanii*, Site 1149, A4:21; B5:4–6, 13, 21  
*Diazomatolithus* spp., Site 1149, B1:10  
*Dictyocha aculeata aculeata*, Site 1149, B4:7, 9, 17  
*Dictyocha aculeata aculeata* Zone, Site 1149, B4:7  
*Dictyocha aculeata subaculeata*, Site 1149, B4:17  
*Dictyocha angulata* Subzone, Site 1149, B4:4–5  
*Dictyocha aspera*, Site 1149, B4:4, 18  
*Dictyocha aspera aspera*, Site 1149, B4:4  
*Dictyocha brevispina brevispina*, Site 1149, B4:4, 17  
*Dictyocha calida ampliata*, Site 1149, B4:5  
*Dictyocha calida calida*, Site 1149, B4:5, 17  
*Dictyocha fibula*, Site 1149, B4:4–5, 18  
*Dictyocha fibula* Zone, Site 1149, B4:4–5, 8–9  
*Dictyocha lingii*, Site 1149, B4:6–7, 17  
*Dictyocha neonautica*, Site 1149, B4:4  
*Dictyocha neonautica* Subzone, Site 1149, B4:4  
*Dictyocha perlaevis delicata*, Site 1149, B4:5, 17  
*Dictyocha perlaevis delicata* Subzone, Site 1149, B4:6, 8–9  
*Dictyocha perlaevis flexatella*, Site 1149, B4:5, 17  
*Dictyocha perlaevis ornata*, Site 1149, B4:5, 17  
*Dictyocha perlaevis ornata* Subzone, Site 1149, B4:6, 8–9  
*Dictyocha perlaevis perlaevis*, Site 1149, B4:4, 18  
*Dictyocha pulchella*, Site 1149, B4:4–5, 17  
*Dictyocha pulchella* Subzone, Site 1149, B4:4–5  
*Dictyocha speculum speculum*, Site 1149, B4:5, 18  
*Dictyocha stapedia aspinosa*, Site 1149, B4:4–5, 17  
*Dictyocha stapedia stapedia*, Site 1149, B4:4–5, 17  
*Dictyocha stapedia stapedia* Zone, Site 1149, B4:5–6, 8–9  
*Diploneis smithii*, Site 1149, B2:29  
*Discoaster* spp., Site 1149, A4:20  
*Discorhabdus rotatorius*, Site 1149, B5:4  
*dissimilis*, *Sphenolithus*, Site 1149, A4:20  
*Distephanus boliviensis*, Site 1149, A4:21; B4:8–9, 18  
*Distephanus crux*, Site 1149, B4:18  
*Distephanus crux s.l.*, Site 1149, B4:6  
*Distephanus/Dictyocha ratio*, Site 1149, A4:21; B4:8–9  
*Distephanus speculum minutus*, Site 1149, B4:18  
*doliolus*, *Pseudoeunotia*, Site 1149, B2:4, 30
- E**
- eccentrica*, *Thalassiosira*, Site 1149, B2:4  
*elliptica*, *Mesocena*, Site 1149, B4:5  
*ellipticus*, *Actinocyclus*, Site 1149, B2:26  
*ellipticus* var. *elongatus*, *Actinocyclus*, Site 1149, B2:26  
*embergeri*, *Parhabdolithus*, Site 1149, B5:4, 21  
*embergeri*, *Zuegrhabdotus*, Site 1149, A4:21  
*Emiluvia chica*, Site 1149, B6:3  
*endoi*, *Coscinodiscus*, Site 1149, B2:25  
*Epithemia* sp. A, Site 1149, B2:29  
*Epithemia* spp., Site 1149, B2:4  
*Eucyrtis columbaria*, Site 1149, B6:3

**F**

- fibula, Dictyocha*, Site 1149, B4:4–5, 18  
*flanatica*, *Navicula* cf., Site 1149, B2:29  
*floridanus*, *Cyclargolithus*, Site 1149, A4:20  
*fossilis*, *Nitzschia*, Site 1149, B2:4, 30  
*fusiformis*, *Tricolocapsa* (?) sp. aff. *Tricolocapsa*, Site 801, A3:8

**G**

- Gomphonema* cf. *affine*, Site 1149, B2:28  
*Gomphonema* spp., Site 1149, B2:4  
*Grammatophora* spp., Site 1149, B2:4  
*gravida*, *Thalassiosira*, Site 1149, B2:23  
*Guexella nudata*, Site 801, A3:8

**H**

- Helenea chiastia*, Site 1149, A4:21  
*hepatis*, *Asteromphalus*, Site 1149, B2:27  
*Hexasaturnalis tetraspinus*, Site 801, A3:8  
*Homeoparonaella peteri*, Site 1149, B6:3  
*hyalina*, *Denticulopsis*, Site 1149, B2:31

**I**

- infracretacea*, *Assipetra*, Site 1149, A4:21; B5:4–6, 21  
*ingens*, *Actinocyclus*, Site 1149, B2:26  
*interruptestriata*, *Nitzschia*, Site 1149, B2:4, 30

**J**

- jouseae*, *Nitzschia*, Site 1149, B2:30  
*jouseae*, *Thalassiosira*, Site 1149, B2:23  
*jurapelagicus*, *Tubodiscus*, Site 1149, A4:21; B5:4–5  
*jurapelagicus*, *Tubodiscus* cf., Site 1149, B5:21

**K**

- kamtschatica*, *Neodenticula*, Site 1149, B2:4  
*koizumii*, *Neodenticula*, Site 1149, B2:4, 31  
*Kokia borealis*, Site 1149, B5:21  
*kolackzeckii*, *Nitzschia*, Site 1149, B2:30

**L**

- lehmanii*, *Diazomatolithus*, Site 1149, A4:21; B5:4–6, 13, 21  
*leiostraca*, *Sethocapsa*, Site 1149, B6:3  
*leptopus*, *Thalassiosira*, Site 1149, B2:23  
*levis*, *Acanthocircus*, Site 1149, B6:4  
*lilyae*, *Pseudodictyomitra*, Site 1149, B6:3  
*lineata*, *Thalassiosira*, Site 1149, B2:4, 24  
*lingii*, *Dictyocha*, Site 1149, B4:6–7, 17  
*lipmaiae*, *Crucella*, Site 1149, B6:3  
*Lithraphidites bollii*, Site 1149, A4:21; B5:5–6, 21  
*Lithraphidites bollii* Zone, Site 1149, A1:23; A4:21; B5:5–6  
*Lithraphidites carniolensis*, Site 1149, A4:21; B5:5  
*longissima*, *Thalassiothrix*, Site 1149, B2:4  
*lyrella*, *Navicula*, Site 1149, B2:29  
*Lyrella* spp., Site 1149, B2:4

**M**

- Manivitella pemmatoidea*, Site 1149, A4:21  
*margerelii*, *Cyclagelosphaera*, Site 1149, A4:21; B5:4, 6  
*marginatus*, *Coscinodiscus*, Site 1149, B2:4, 25  
*marina*, *Nitzschia*, Site 1149, B2:4, 30  
*Mesocena circulus*, Site 1149, B4:18  
*Mesocena elliptica*, Site 1149, B4:5  
*Mesocena quadrangula*, Site 1149, B4:7, 9, 17  
*Mesocena quadrangula* Zone, Site 1149, B4:7–9  
*Mirifusus dianae minor*, Site 1149, B6:3  
*Mirifusus petzholdti*, Site 1149, B6:3  
*moriformis*, *Sphenolithus*, Site 1149, A4:20

**N**

- Nannoconus* spp., Site 1149, A4:21  
*Navicula* cf. *flanatica*, Site 1149, B2:29  
*Navicula lyrella*, Site 1149, B2:29  
*Navicula* spp., Site 1149, B2:4  
*neocrenulata*, *Azpeitia*, Site 1149, B2:27  
*Neodenticula assipseminae*, Site 1149, B2:5, 31  
*Neodenticula jouseae* Zone, Site 1149, B2:5  
*Neodenticula kamtschatica*, Site 1149, B2:4  
*Neodenticula kamtschatica* Zone, Site 1149, B2:5  
*Neodenticula koizumii*, Site 1149, B2:4, 31  
*Neodenticula seminae*, Site 1149, B2:5, 31  
*Neodenticula seminae* Zone, Site 1149, B2:5  
*neonautica*, *Dictyocha*, Site 1149, B4:4  
*Nitzschia* cf. *sicula*, Site 1149, B2:30  
*Nitzschia fossilis*, Site 1149, B2:4, 30  
*Nitzschia interruptestriata*, Site 1149, B2:4, 30  
*Nitzschia jouseae*, Site 1149, B2:30  
*Nitzschia kolackzeckii*, Site 1149, B2:30  
*Nitzschia marina*, Site 1149, B2:4, 30  
*Nitzschia pliocena*, Site 1149, B2:30  
*Nitzschia reinholdii*, Site 1149, B2:4, 30  
*nitzschioides*, *Thalassionema*, Site 1149, B2:4  
*nodulifera*, *Azpeitia*, Site 1149, B2:4, 25  
*nodulifera* var. *cyclopus*, *Azpeitia*, Site 1149, B2:25  
*nudata*, *Guexella*, Site 801, A3:8

**O**

- Obesacapsula verbana*, Site 1149, B6:3  
*oblongata*, *Calcialathina*, Site 1149, A4:21; B5:4–6, 21  
*octonarius*, *Actinocyclus*, Site 1149, B2:26  
*oculatus*, *Actinocyclus*, Site 1149, B2:26  
*Odontella* spp., Site 1149, B2:4  
*oestrupii*, *Thalassiosira*, Site 1149, B2:4, 24  
*Orbiculiforma* (?) sp. X, Site 801, A3:8  
*orthostylus*, *Tribrachiatus*, Site 1149, A4:20  
*ovata*, *Surirella* cf., Site 1149, B2:29  
*ovata*, *Watznaueria*, Site 1149, B5:6

**P**

- Pantanellium squinaboli squinaboli*, Site 1149, B6:5  
*Parhabdolithus embergeri*, Site 1149, B5:4, 21  
*Paralia* spp., Site 1149, B2:4  
*Parvingula?* sp. aff. *Parvingula cincta*, Site 1149, B6:3  
*pemmatoidea*, *Manivitella*, Site 1149, A4:21

*perampla, Spongocapsula*, Site 801, A3:8  
*perlaevis delicata, Dictyocha*, Site 1149, B4:5, 17  
*perlaevis flexatella, Dictyocha*, Site 1149, B4:5, 17  
*perlaevis ornata, Dictyocha*, Site 1149, B4:5, 17  
*perlaevis perlaevis, Dictyocha*, Site 1149, B4:4, 18  
*peteri, Homeoparonaella*, Site 1149, B6:3  
*petzholdti, Mirifusus*, Site 1149, B6:3  
*Pleurosigma* spp., Site 1149, B2:4  
*plicata, Thalassiosira*, Site 1149, B2:24  
*piocena, Nitzschia*, Site 1149, B2:30  
*praebergonii, Rhizosolenia*, Site 1149, B2:28  
*Pseudodictyomitra carpatica*, Site 1149, B6:4  
*Pseudodictyomitra lilyae*, Site 1149, B6:3  
*Pseudoeunotia doliolus*, Site 1149, B2:4, 30  
*Pseudoeunotia doliolus* Zone, Site 1149, B2:5  
*pseudomarginata, Cocconeis* cf., Site 1149, B2:29  
*puschella, Dictyocha*, Site 1149, B4:4–5, 17

**Q**

*quadrangula, Mesocena*, Site 1149, B4:7, 9, 17

**R**

*radiatus, Coscinodiscus*, Site 1149, B2:25  
*reinholdii, Nitzschia*, Site 1149, B2:4, 30  
*Reticulofenestra daviesii*, Site 1149, A4:20  
*Reticulofenestra* spp., Site 1149, A4:20  
*Rhaphoneis* spp., Site 1149, B2:4  
*Rhizosolenia praebergonii*, Site 1149, B2:28  
*Ristola (?) turpicula*, Site 801, A3:8  
*robusta, Stichocapsa*, Site 801, A3:8  
*Roperia tessellata*, Site 1149, B2:4, 28  
*Rosiella* cf. *tatsunokuchiensis*, Site 1149, B2:28  
*Rosiella tatsunokuchiensis*, Site 1149, B2:28  
*rotatorius, Discorhabdus*, Site 1149, B5:4  
*Rouxia californica*, Site 1149, B2:28  
*Rucinolithus terebrodentarius*, Site 1149, B5:5–6, 21  
*Rucinolithus wisei*, Site 1149, A1:23; A4:21; B5:4–6, 21

**S**

*schmidtii, Arachnoidiscus*, Site 1149, B2:27  
*Sciadiocapsa speciosa*, Site 1149, B6:4  
*seminae, Neodenticula*, Site 1149, B2:5, 31  
*senarius, Actinoptychus*, Site 1149, B2:27  
*septemporatus, Cecrops*, Site 1149, B6:3  
*Sethocapsa leiostraca*, Site 1149, B6:3  
*Sethocapsa tricornis*, Site 1149, B6:3  
*sicula, Nitzschia* cf., Site 1149, B2:30  
*Simonseniella barboi*, Site 1149, B2:28  
*Simonseniella curvirostris*, Site 1149, B2:28  
*simonsenii, Delphineis*, Site 1149, B2:29  
*simonsenii, Denticulopsis*, Site 1149, B2:31  
*smithii, Diploneis*, Site 1149, B2:29  
*speciosa, Sciadiocapsa*, Site 1149, B6:4  
*speculum minutus, Distephanus*, Site 1149, B4:18  
*speculum speculum, Dictyocha*, Site 1149, B4:5, 18  
*Sphenolithus dissimilis*, Site 1149, A4:20  
*Sphenolithus moriformis*, Site 1149, A4:20  
*splendens, Actinoptychus*, Site 1149, B2:27

*Spongocapsula perampla*, Site 801, A3:8  
*Spongocapsula? tripes*, Site 1149, B6:3  
*squinaboli squinaboli, Pantanellium*, Site 1149, B6:5  
*stapedia aspinosa, Dictyocha*, Site 1149, B4:4–5, 17  
*stapedia stapedia, Dictyocha*, Site 1149, B4:4–5, 17  
*Stichocapsa robusta*, Site 801, A3:8  
*Stichomitria communis*, Site 1149, B6:4  
*surirella, Delphineis*, Site 1149, B2:29  
*Surirella* cf. *ovada*, Site 1149, B2:29  
*surirellus, Cretarhabdus*, Site 1149, B5:5  
*Svinitzium columnarium*, Site 1149, B6:3  
*symbolophora, Thalassiosira*, Site 1149, B2:24  
*symmetrica, Thalassiosira*, Site 1149, B2:24

**T**

*tabularis, Coscinodiscus*, Site 1149, B2:25  
*tabulata, Thalassiosira*, Site 1149, B2:4  
*tatsunokuchiensis, Rosiella*, Site 1149, B2:28  
*tatsunokuchiensis, Rosiella* cf., Site 1149, B2:28  
*terebrodentarius, Assipetra*, Site 1149, A4:21  
*terebrodentarius, Rucinolithus*, Site 1149, B5:5–6, 21  
*tesselata, Roperia*, Site 1149, B2:4, 28  
*tetraspinus, Hexasaturalnis*, Site 801, A3:8  
*Thalassionema nitzschiooides*, Site 1149, B2:4  
*Thalassiosira antiqua*, Site 1149, B2:23  
*Thalassiosira convexa*, Site 1149, B2:23  
*Thalassiosira decipiens*, Site 1149, B2:4, 23  
*Thalassiosira eccentrica*, Site 1149, B2:4  
*Thalassiosira gravida*, Site 1149, B2:23  
*Thalassiosira jouseae*, Site 1149, B2:23  
*Thalassiosira leptopus*, Site 1149, B2:23  
*Thalassiosira lineata*, Site 1149, B2:4, 24  
*Thalassiosira oestrupii*, Site 1149, B2:4, 24  
*Thalassiosira plicata*, Site 1149, B2:24  
*Thalassiosira* sp. A, Site 1149, B2:24  
*Thalassiosira symbolophora*, Site 1149, B2:24  
*Thalassiosira symmetrica*, Site 1149, B2:24  
*Thalassiosira tabulata*, Site 1149, B2:4  
*Thalassiosira trifulta*, Site 1149, B2:24  
*Thalassiothrix longissima*, Site 1149, B2:4  
*triacantha, Corbisema*, Site 1149, B4:5, 18  
*Tribrachiatus orthostylus*, Site 1149, A4:20  
*Tricolocapsa (?) sp. aff. Tricolocapsa fusiformis*, Site 801, A3:8  
*Tricolocapsa conexa* Zone, Site 801, A3:8  
*tricornis, Sethocapsa*, Site 1149, B6:3  
*trifulta, Thalassiosira*, Site 1149, B2:24  
*tripes, Spongocapsula?*, Site 1149, B6:3  
*Tubodiscus* cf. *jurapelicus*, Site 1149, B5:21  
*Tubodiscus jurapelicus*, Site 1149, A4:21; B5:4–5  
*Tubodiscus* spp., Site 1149, A1:23; A4:21  
*Tubodiscus verenae*, Site 1149, A1:23, 30; A4:21; B5:4–6, 21  
*turpicula, Ristola (?)*, Site 801, A3:8

**U**

Unknown sp. A, Site 1149, B2:29

**V**

*verbana, Obesacapsula*, Site 1149, B6:3  
*verenae, Tubodiscus*, Site 1149, A1:23, 30; A4:21; B5:4–6,  
21

**W**

*Watznaueria barnesae*, Site 1149, A1:23; A4:21; B5:6, 21  
*Watznaueria britannica*, Site 1149, A4:21; B5:21  
*Watznaueria ovata*, Site 1149, B5:6  
*Watznaueria* spp., Site 1149, B5:4–5  
*wisei, Rucinolithus*, Site 1149, A1:23; A4:21; B5:4–6, 21

**Z**

zones (*with letter prefixes*)  
M8–M4, Site 1149, B6:3

M9–M10, Site 1149, B6:3  
M11, Site 1149, B6:3  
M12, Site 1149, B6:3  
M13, Site 1149, B6:3  
M14, Site 1149, B6:3  
NK3, Site 1149, B5:4–6  
NK3a, Site 1149, B5:15  
UA 1–3, Site 1149, B6:4  
UA 11–12, Site 1149, B6:4  
UAZ 19, Site 1149, B6:3–4  
UAZ 95 16, Site 1149, B6:3, 5  
UAZ 95 17, Site 1149, B6:5  
UAZ 95 18, Site 1149, B6:3–5  
UAZ 95 20, Site 1149, B6:3–5  
UAZ 95 21–22, Site 1149, B6:4  
*Zuegrhabdotus embergeri*, Site 1149, A4:21