

# INDEX TO VOLUME 200

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 200 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" followed by the chapter number with a colon (A1:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear slide data, or thin section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 1223, for example, is given as "Site 1223, A3:1–159."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

## SUBJECT INDEX

### A

abyssal plains, geology, A1:3–4  
age, magnetostratigraphy, A3:39  
albite, mineral chemistry, B3:11  
alkali feldspar. *See* quartz-alkali feldspar intergrowth  
alteration  
    basalt, A4:26–29; B2:3  
    cooling units, A4:173–174  
    effects, B3:12–14  
    geochemistry, A3:30–34  
    lithologic units, A3:21–27  
    petrography, A3:22–25  
    photograph, A4:97, 99–100, 103  
    photomicrograph, A4:108  
aluminum oxide  
    alteration, A3:31  
    discriminant diagrams, A1:63  
    volcanic glass alteration, B2:13–14  
    vs. depth, B1:26; B2:13  
    vs. iron oxide, A1:63; A3:107  
    vs. magnesium oxide, B2:10  
    vs. silica, A1:63; A3:107  
*See also* calcium oxide–aluminum oxide–potassium oxide diagram; magnesium oxide–aluminum oxide–iron oxide diagram

amplitude, subseafloor reflections, B6:17  
analcime, alteration, A3:25  
anhydrite  
    lithologic units, A3:13  
    photograph, A3:74  
    photomicrograph, A3:81, 102  
    sediments, A1:21–22  
    X-ray diffraction data, A3:20, 97  
anorthite, mineral chemistry, B3:11  
aragonite  
    ferrobasalt, B3:5  
    vein mineral assemblages, A4:40  
    X-ray diffraction data, A4:38, 117  
authigenesis, geochemistry, A3:31  
azimuth logs, vs. depth, A4:146

### B

bacteria  
    carbonates, A4:44  
    iron oxidation, A4:45  
    liquid cultures, A3:125  
    photomicrograph, A1:53; A3:124  
    sediments, A1:15; A3:41–43; A4:43–45  
bacteria, iron-oxidizing, photomicrograph, A4:128  
bacterial cells, photomicrograph, A3:126–128; A4:127

barium  
 alteration, A3:31  
 basalt, A4:36–37  
 vs. depth, B2:14  
 vs. magnesium oxide, A1:65; A3:108; A4:113; B2:11

basalt  
 comparison of physical properties, logging, and geochemistry, B1:10  
 core property correlation, A4:58–59  
 geochemistry, A1:13–14; B2:18–19  
 lithology, A1:11–12, 48; A4:2–3  
 microbiology, B1:10–11  
 paleomagnetism, A1:14  
 petrography, A1:12–13; A4:29–36  
 petrology, A4:26–29  
 photograph, A4:95–96, 99–100, 103  
 photomicrograph, A4:104–107  
 physical properties, A1:15–16  
 well-logging, A1:16–17

basalt, holocrystalline, petrography, A4:29–36

basalt flows  
 ferrobasalt, B3:4–6  
 lithologic units, B1:7–8

basement  
 age, B2:17  
 comparison of physical properties, logging, and geochemistry, B1:10  
 drilling, A1:5  
 geochemistry, B1:8  
 petrography, A1:12–13  
 reflections, A1:17–18

bathymetry, observatories, A4:75

biostratigraphy  
 radiolarians, B4:1–25  
 Site 1223, A3:29–30  
 Site 1224, A4:40–41

bioturbation  
 lithologic units, A3:9  
 photograph, A3:63

borehole deviation logs, vs. depth, A4:146

borehole seismic installation, operations, A4:1–2

Bouma sequence Division D  
 lithologic units, A3:9  
 photograph, A3:57

breccia, palagonitized hyaloclastite, igneous units, A4:28

breccia, pebble, photograph, A3:69

broadband borehole seismometers  
 data, B5:1–63  
 installation, A1:10, 18; A4:9–10; B1:5–6  
 noise spectra, B1:23  
 spectrograms, B1:21–22

Brunhes Chron, magnetostratigraphy, A3:38–39

bulk density logs, vs. depth, A4:54, 149, 153; B1:30–31

burrows  
 lithologic units, A3:10–11  
 photograph, A3:67  
 sedimentology, A4:25

bytownite  
 mineral chemistry, B3:6–7  
 petrography, A4:30

## C

calcite  
 ferrobasalt, B3:5  
 igneous units, A4:29  
 photograph, A3:59; A4:102  
 sediments, A1:14  
 vein paragenesis, A4:39  
 X-ray diffraction data, A3:95; A4:38–39, 117

calcite cement  
 petrography, A4:35–36  
 photograph, A1:49; A4:101

calcium oxide  
 alteration, A3:31–32  
 provenance, A3:34  
 volcanic glass alteration, B2:13–14  
 vs. depth, B1:26; B2:13  
 vs. magnesium oxide, B1:43; B2:10

calcium oxide–aluminum oxide–potassium oxide diagram, volcanoclastics, A1:64; A3:106

caliper logs, vs. depth, A1:57; A4:146, 153; B1:30–31

carbonates, bacteria, A4:44

cavities  
 ferrobasalt, B3:5  
 petrography, A4:31

cavities, carbonate-filled  
 lithologic units, A3:11  
 photograph, A3:65

cementation, alteration, A3:22–27

Cenozoic  
 radiolarian intervals, B4:3–4  
 radiolarians, B4:1–25

chert, reflections, A1:17–18

chlorite, photomicrograph, A3:82, 91

chrome spinel, geochemistry, A3:30–31

chromium  
 vs. depth, B1:28; B2:14  
 vs. iron oxide/magnesium oxide ratio, B2:16  
 vs. magnesium oxide, B2:11

Chron C1n  
 biostratigraphy, A3:30  
 magnetostratigraphy, A3:38–39  
 sedimentation rates, A3:39

Chron C1r2r, biostratigraphy, B4:6

Chron C2n, biostratigraphy, A3:30; B4:6

Chron C2r  
 biostratigraphy, A3:30  
 magnetostratigraphy, A3:38–39

Chron C2r.1n, magnetostratigraphy, A3:38–39

Chron C17n, biostratigraphy, A4:40

Chron C20n, biostratigraphy, A4:40

Chron C20r/C21n boundary, biostratigraphy, A4:41

clasts, anhedral olivine, photomicrograph, A3:93

clasts, carbonate, lithologic units, A3:15

clasts, claystone, lithologic units, A3:15

clasts, lithic  
 lithologic units, A3:13  
 photograph, A3:73, 75

clasts, olivine  
 lithologic units, A1:23; A3:15–19  
 photomicrograph, A3:84

clasts, rip-up, photograph, A3:66  
clay  
  alteration, A3:22–25  
  geochemistry, A3:30–35  
  lithologic units, A1:23–30  
  photomicrograph, A3:98–101  
  sediments, A1:14  
  *See also* red clay province  
clay, aluminous detrital, provenance, A3:33–34  
clay, massive, sedimentology, A4:25  
clay, massive dark-brown  
  lithologic units, A3:9  
  photograph, A3:59–60  
clay, yellowish brown, photograph, A3:56, 118  
clay minerals  
  petrography, A4:30  
  photomicrograph, A3:82  
  volcanic glass alteration, B2:13–14  
clay rims, photomicrograph, A3:86  
claystone  
  petrography, A3:15–16  
  photomicrograph, A3:102  
claystone, bioturbated  
  lithologic units, A3:10–11  
  photograph, A3:63  
claystone, volcanoclastic  
  lithologic units, A3:11–12  
  photograph, A3:67  
claystone, volcanoclastic silty  
  lithologic units, A3:11–14  
  photograph, A3:66, 68–69, 72–74, 102, 121–123  
  photomicrograph, A3:80, 103  
clinopyroxene  
  composition and structural formulas, B3:29–31  
  ferrobasalt, B3:3–6, 21  
  mineral chemistry, B3:7  
  petrography, A4:30–36  
  photomicrograph, A3:88; A4:106–108  
clinopyroxene, anhedral  
  lithologic units, A3:15–19  
  photomicrograph, A4:105  
clinopyroxene, euhedral, photomicrograph, A3:85;  
  A4:104  
clinopyroxene groundmass, core composition, B2:15  
cobalt  
  vs. depth, B2:14  
  vs. magnesium oxide, B2:11  
coccoliths  
  eolian sediments, A4:24–25  
  photomicrograph, A1:47; A4:93  
compressional wave velocity  
  lithologic units, A3:44–45; A4:46–49; B1:32  
  sediments, A3:158  
  vs. bulk density, A4:139, 144–145  
  vs. depth, A1:55; A4:134, 138, 154–155; B1:33, 35  
  vs. porosity, A4:139, 144–145  
compressional wave velocity from the monopole source  
  logs, vs. depth, A4:53, 149; B1:30  
compressional wave velocity, sensor, lithologic units,  
  A4:178  
cooling units, alteration, A4:173–174

cores, correlation, A4:10  
correlation  
  cores, A4:10  
  properties, A4:57–59  
cross bedding  
  lithologic units, A3:11  
  photograph, A3:63  
crust, geology, A1:3–4  
crust, oceanic, shallow seismic structure, B7:1–21  
crust, upper, five-layer structure, B7:1–21  
crystallization, basalt, B2:14

## **D**

deep induction resistivity logs, vs. depth, A1:56; A4:147  
deep-source experiment. *See* subseafloor reflections, 3.5-  
  kHz  
demagnetization  
  basalt, A4:42  
  vector plots, A3:115  
demagnetization, alternating-field  
  basalt, A4:125–126  
  split-core intervals, A3:35–37, 110–111, 113–114  
dendrites, plagioclase, photomicrograph, A4:105  
density  
  bulk density vs. gamma-ray attenuated bulk density,  
    A3:132  
  lithologic units, A3:44; A4:46–48, 176  
  sediments, A3:157  
  vs. depth, A4:134, 137, 142–143; B1:33  
density, bulk  
  vs. compressional wave velocity, A4:139, 144–145  
  vs. depth, A3:131; A4:133  
  vs. velocity, A3:134  
density, dry, vs. depth, A3:131; A4:133  
density, gamma-ray attenuated bulk  
  lithologic units, A3:43  
  vs. depth, A3:129; A4:132, 136, 140–141; B1:41  
  vs. velocity, A4:135  
density, grain, vs. depth, A3:131; A4:133, 142–143  
density logs. *See* bulk density logs  
density logs, gamma-ray attenuated bulk, vs. depth,  
  A1:57; B7:11  
detrital component, geochemistry, A3:30–34  
diachroneity, radiolarians, B4:5–6  
diagenesis, geochemistry, A3:30–34  
differential pressure, vs. velocity, B1:34  
discoasters  
  eolian sediments, A4:24–25  
  photomicrograph, A1:47; A4:92–93  
disturbed zone  
  drilling, A3:147  
  geology, A1:3–4  
  photograph, A3:74  
downhole measurements, A4:49–55  
drilling effects, seismic data, A4:62

## **E**

earthquakes  
  Hawaii-2 Observatory, A4:160–164

seismic data, A4:61–62  
echo sounder, reflections, A1:18; A3:135–138; A4:68–74,  
83–88; B6:1–17  
Eocene  
  biostratigraphy, B4:8  
  ferrobasalt, B3:1–36  
Eocene, lower, biostratigraphy, A3:29–30  
Eocene, middle, biostratigraphy, A4:40–41  
eolian sediments, sedimentology, A4:24–25  
erosional contacts, photograph, A3:58, 63, 66–67  
exsolution, photomicrograph, A3:101

## F

Farallon plate, geology, A1:3–4  
ferrobasalt  
  mineral chemistry, B3:1–36  
  petrography, B3:3–6  
fluid flow, alteration, A3:27–29  
Formation MicroScanner imagery, vs. depth, A4:52–53,  
148  
fracture zones, geology, A1:3–4  
fractures  
  igneous units, A4:29  
  photograph, A4:98–99, 102  
  photomicrograph, A4:106  
  *See also* microfractures  
fungal hyphae, photomicrograph, A1:54; A4:129–131;  
B1:39

## G

gabbro clots, photomicrograph, A4:107  
gamma-ray logs, vs. depth, A4:54, 150; B1:30  
gamma rays  
  lithologic units, A3:44  
  vs. depth, A3:129; A4:132, 136, 140–141  
gas pipe structures  
  lithologic units, A3:10  
  photograph, A3:62; A4:96  
  photomicrograph, A4:96  
geochemistry  
  basement, B1:8  
  lithologic units, A1:23  
  Site 1223, A3:30–34  
  Site 1224, A4:4–6, 36–40; B1:44  
geology, Hawaii-2 Observatory, A1:3–4  
geothermometry, magmas, B3:9  
glass shards  
  alteration, A3:22–25  
  lithologic units, A1:28–30; A3:10, 15–19  
  petrography, A4:35–36  
  photomicrograph, A3:82, 86, 100; A4:108  
  provenance, A3:33–34  
glass shards, altered, photomicrograph, A3:89–94  
glass shards, palagonitic basaltic, photomicrograph,  
A3:98  
glass shards, vesicular altered, photomicrograph, A3:90,  
98  
glomerocrysts, photomicrograph, A4:104

granules  
  lithologic units, A3:15–19  
  photograph, A3:58–59, 69  
  photomicrograph, A3:82  
  sedimentology, A4:25  
  X-ray diffraction data, A3:19–20, 95  
granules, claystone, photomicrograph, A3:79  
groundmass, petrography, A4:29–36

## H

H2O. *See* Hawaii-2 Observatory  
halos  
  basalt, A4:28–30  
  iron oxide, B2:13  
  petrography, A4:33–36  
  photograph, A4:97, 100, 103  
  *See also* oxidation halos  
Hawaii-2 Observatory  
  data, B5:1–63  
  geology, A1:3–4  
  location, A4:76  
  operations, A1:2–20, 36–37, 41–46; A4:68–74, 77,  
156–157  
  synthesis, B1:1–44  
  tectonics, B1:3  
Hawaiian Arch, seismic reflection, B1:20  
hematite. *See* ilmenite-hematite solid solution  
hyaloclastite  
  igneous units, A4:29  
  photograph, A1:49; A4:101  
  photomicrograph, A4:106, 108  
hyaloclastite flows, petrography, A4:33  
hydration, volcanic glass, B2:13–14  
hydrothermal alteration  
  basalt crystallization, B2:14  
  sediments, A1:21–22

## I

iddingsitization, olivine, B3:3  
igneous units  
  petrology, A4:26–29  
  Unit 1, A4:27–28  
  Unit 2, A4:28–29  
  Unit 3, A4:29  
illite  
  vein mineral assemblages, A4:40  
  X-ray diffraction data, A4:38, 116  
ilmenite  
  alteration effects, B2:12  
  mineral chemistry, B3:7  
  photomicrograph, A4:96, 104  
ilmenite-hematite solid solution, ferrobasalt, B3:3–6  
impedance logs, vs. two-way traveltime, B1:36  
inclusions, X-ray diffraction data, A3:20, 96  
intergrowths  
  mineral chemistry, B3:8, 36  
  origin, B3:10  
  photomicrograph, A4:104–105, 107; B3:24

intergrowths, microlitic, petrography, A4:31  
intergrowths, myrmekitic, mineral chemistry, B3:10  
Interval A, radiolarian intervals, B4:3–8  
Interval B, radiolarian intervals, B4:3–8  
Interval C, radiolarian intervals, B4:3–8  
Interval D, radiolarian intervals, B4:3–8  
inverse transfer functions, broadband seismometer,  
B5:10  
iron, oxidation and bacteria, A4:45  
iron, total, magnesium oxide–aluminum oxide–iron ox-  
ide diagram, A1:64; A3:106  
iron oxide  
alteration, A3:31  
alteration effects, B2:13  
photomicrograph, A3:101; A4:131  
vs. aluminum oxide, A1:63; A3:107  
vs. depth, B1:26; B2:13  
vs. magnesium oxide, B2:10  
vs. silica, B3:25  
*See also* magnesium oxide–aluminum oxide–iron ox-  
ide diagram  
iron oxide/magnesium oxide ratio  
vs. depth, B1:26; B2:13  
vs. magnesium oxide, B2:10  
vs. major elements, B2:16  
vs. niobium/zirconium ratio, B2:16  
vs. rubidium/strontium ratio, B2:16  
vs. trace elements, B2:16  
vs. zirconium/yttrium ratio, B2:16  
iron oxide–titanium oxide–iron oxide ternary diagram,  
ferrobasalt, B3:22  
iron oxyhydroxide  
basalt, A4:28–30  
basalt crystallization, B2:14  
photograph, A4:98, 102  
vein paragenesis, A4:39

**K**

kaolinite, lithologic units, A3:13  
kink bands  
photomicrograph, A3:84, 101  
vitric tuff, A1:21  
Koolau Volcano, geology, A1:20; B1:4

**L**

laminations  
lithologic units, A3:10–11, 13  
photograph, A3:63  
landslides  
blast eruptions, A1:62; A3:104  
geology, A1:20; B1:3–4  
laumontite, X-ray diffraction data, A4:38, 116  
lava flows  
igneous units, A4:26–29  
lithologic units, B1:7–8  
photomicrograph, A4:104  
lithic fragments, lithologic units, A3:15–19  
lithologic units  
age, A3:155

Site 1223, A1:61; A3:3–4, 8–29, 55, 141–142; B1:40  
Site 1224, B1:7–8; B2:8  
Unit 1, A3:8–9  
Unit 2, A3:9  
Unit 3, A3:9  
Unit 4, A3:9–10  
Unit 5, A3:10  
Unit 6, A3:10–11  
Unit 7, A3:11  
Unit 8, A3:11  
Unit 9, A3:11–12  
Unit 10, A3:12  
Unit 11A, A3:12  
Unit 11B, A3:12–13  
Unit 12, A3:13  
Unit 13, A3:13  
Unit 14, A3:13–14  
Unit L-1, B1:7  
Unit L-2, B1:7  
Unit L-3, B1:7–8

## lithology

Site 1223, A3:3–4, 8–29, 55  
Site 1224, A4:2–3, 24–36, 94; B1:25, 44; B3:19  
summary, A1:11–12, 22–30  
turbidite, A1:21–30

## lithostratigraphy, well-logging, A4:54–55

## loss on ignition

vs. depth, A4:111; B2:3  
vs. potassium oxide, A3:105  
vs. water, B2:9

**M**

magmas, evolution, B3:9–12  
magmas, tholeiitic, mineral chemistry, B3:11–12  
magnesium number, clinopyroxene groundmass, B2:15  
magnesium oxide  
alteration, A3:31  
basalt, A4:36–37  
basement, B2:3  
provenance, A3:34  
volcanic glass alteration, B2:13–14  
vs. barium, A1:65; A3:108; A4:113  
vs. calcium oxide, B1:43  
vs. depth, B1:26; B2:13  
vs. iron oxide/magnesium oxide ratio, B2:16  
vs. major elements, B2:10  
vs. potassium oxide, A4:112  
vs. silica, A1:65; A3:108; B1:43  
vs. sum of oxides, B3:23  
vs. titanium oxide, A4:109; B3:26  
vs. trace elements, B2:11  
vs. zirconium, A1:65; A3:108  
*See also* iron oxide/magnesium oxide ratio  
magnesium oxide–aluminum oxide–iron oxide diagram,  
total iron, A1:64; A3:106  
magnetic anomalies, vs. age, A4:78  
magnetic declination, vs. depth, A3:109, 117; A4:123  
magnetic field logs, vs. depth, A4:51, 146  
magnetic inclination, vs. depth, A3:37, 109, 112, 117;  
A4:123–124

magnetic intensity, vs. depth, A3:109, 117; A4:123–124  
magnetic polarity, magnetostratigraphy, A3:38–39  
magnetic susceptibility  
  lithologic units, A3:43  
  vs. depth, A3:109, 129; A4:123, 132, 136, 140–141  
magnetite  
  alteration effects, B2:12  
  *See also* ulvöspinel-magnetite solid solution  
magnetostratigraphy  
  volcaniclastics, A3:38–39  
  vs. depth, A3:112, 117, 154  
major elements  
  basalt, B2:18–19  
  lithologic units, A1:28–30  
  sediments, A3:146  
  vs. depth, B1:26–28; B2:3–4  
  vs. magnesium oxide, B2:10  
micrite  
  ferrobasalt, B3:5  
  lithologic units, A3:15  
microbiology  
  basalt, B1:10–11  
  sediments, A1:15  
  Site 1223, A3:39–43  
  Site 1224, A4:6–7, 43–45  
microfractures  
  basalt, A4:28  
  photograph, A4:97  
microphenocrysts  
  petrography, A4:30  
  photomicrograph, A4:107  
mineral assemblages, veins, A4:39–40  
mineral chemistry, ferrobasalt, B3:6–8  
Molokai Fracture Zone, geology, A1:3–4; B1:3  
montmorillonite, X-ray diffraction data, A3:95–96;  
  A4:116, 118  
Moonless Mountains, geology, A1:3–4  
Murray Fracture Zone, geology, A1:3–4; B1:3  
myrmekite  
  composition, B3:36  
  quartz, B3:25

## N

Neogene, biostratigraphy, B4:1–9  
neutron porosity logs, vs. depth, A1:57; A4:149, 153;  
  B1:30–31; B7:11  
nickel  
  vs. depth, B2:14  
  vs. iron oxide/magnesium oxide ratio, B2:16  
  vs. magnesium oxide, B2:11  
niobium  
  basement, B2:3  
  vs. depth, B1:28; B2:14  
  vs. iron oxide/magnesium oxide ratio, B2:16  
  *See also* zirconium/niobium ratio  
niobium/zirconium ratio, vs. iron oxide/magnesium oxide ratio, B2:16  
noise spectra  
  broadband borehole seismometers, B1:23

  subseafloor reflections, B1:5–6  
nontronite, petrography, A4:31  
nonvolcanics, lithologic units, A3:14–19  
nucleic acids, photomicrograph, A3:124  
Nuuuanu Landslide  
  drilling, A1:1–2, 20–30  
  location, A1:60; A3:54; B1:19  
  synthesis, B1:1–44  
  tectonics, B1:3–4

## O

Oahu, drilling, A1:1–3  
Ocean Seismic Network (OSN-1)  
  location, A4:89  
  spectra, A1:39–40  
ocean seismic networks, operations, A1:4–5; A4:89–91  
olivine  
  alteration, A3:24–27  
  iddingsitization, B3:3  
  lithologic units, A3:10, 15–19  
  microphenocryst composition, B3:32  
  mineral chemistry, B3:7  
  photomicrograph, A3:82, 100–101  
  vitric tuff, A1:21  
olivine, euhedral, photomicrograph, A3:83; A4:107  
olivine, euhedral skeletal, photomicrograph, A3:94  
olivine, skeletal, photomicrograph, A3:83  
opal-A, biostratigraphy, B4:7–8  
opal-CT  
  biostratigraphy, B4:7–8  
  radiolarian intervals, B4:4  
  sediments, A3:29  
opaque minerals  
  alteration effects, B3:12–13  
  composition, B3:33–34  
  ferrobasalt, B3:3–6, 22  
  mineral chemistry, B3:7–8  
  petrography, A4:30–36  
  photomicrograph, A3:88  
OSN-1. *See* Ocean Seismic Network (OSN-1)  
oxidation halos, photograph, A4:97  
oxides, lithologic units, A1:28–30

## P

Pacific Ocean E, shallow seismic structure, B7:1–21  
Pacific Ocean NE, geology, A1:3–4  
Pacific plate, geology, A1:3–4  
palagonite  
  alteration, A3:22–27  
  composition, B3:35  
  lithologic units, A3:12–13, 15–19  
  photomicrograph, A4:106  
  volcanic glass alteration, B2:13–14  
palagonite rims, photomicrograph, A3:92, 94, 98–99;  
  A4:106, 108  
palagonitization  
  alteration, A3:22–27  
  ferrobasalt, B3:4–6  
  mineral chemistry, B3:8

Paleogene, biostratigraphy, B4:4–5  
paleomagnetism  
  discrete samples, A3:37–38, 153  
  Site 1223, A3:34–39, 148–150  
  Site 1224, A4:6, 41–42  
  summary, A1:14  
paragenesis, vein deposits, A4:39  
paragonite  
  lithologic units, A3:13  
  sediments, A1:21–22  
  X-ray diffraction data, A3:97  
passing ships, seismic data, A4:62  
pebbles, clayey  
  sedimentology, A4:25  
  X-ray diffraction data, A4:39, 121  
petrogenesis, lithologic units, A1:28–30  
petrography  
  alteration, A3:22–25  
  basement, A1:12–13; A4:3–4  
  ferrobasalt, B3:3–6  
  igneous units, A4:29–36  
  lithologic units, A3:14–19, 143  
phenocrysts  
  ferrobasalt, B3:4–6  
  petrography, A4:31  
  *See also* microphenocrysts  
phillipsite  
  photograph, A3:58  
  sediments, A1:14  
  vein mineral assemblages, A4:39–40  
  X-ray diffraction data, A3:95, 97; A4:38–39, 118, 121  
phosphorus oxide, alteration, A3:31–32  
physical properties  
  basalt, A1:15–16  
  Site 1223, A3:43–45  
  Site 1224, A4:7–8, 45–49; B1:8–10, 44  
pillow lava, petrography, A4:29–36  
pillow rims  
  petrography, A4:29, 34  
  photomicrograph, A4:107  
plagioclase  
  composition and structural formulas, B3:27–28  
  ferrobasalt, B3:3–6, 20  
  mineral chemistry, B3:6–7  
  petrography, A4:30–36  
  photomicrograph, A3:82, 88; A4:106, 108  
  *See also* bytownite; quartz-solid plagioclase inter-  
  growth  
plagioclase, acicular, photomicrograph, A4:104–105, 107  
plagioclase, “bowtie,” photomicrograph, A3:87  
plagioclase, skeletal, photomicrograph, A3:87  
plagioclase, spherulitic, photomicrograph, A4:104  
plagioclase, subhedral, lithologic units, A3:15–19  
plagioclase, tabular, photomicrograph, A4:104  
plagiogranite, origin, B3:10  
Pliocene, upper, lithologic units, A3:12  
porosity  
  sediments, A3:157  
  vs. compressional wave velocity, A4:139, 144–145  
  vs. depth, A3:131; A4:133, 137, 142–143; B1:33  
  vs. velocity, A3:134

porosity logs. *See* neutron porosity logs  
potassium logs, vs. depth, A4:54, 150  
potassium oxide  
  alteration, A3:31  
  basalt, A4:36–37; B2:3  
  vs. depth, B1:26  
  vs. loss on ignition, A3:105  
  vs. magnesium oxide, A4:112; B2:10  
  vs. sum of oxides, B3:23  
  vs. water, B2:9  
  *See also* calcium oxide–aluminum oxide–potassium  
  oxide diagram  
power spectral density  
  broadband seismometer, B5:11–13  
  RMS levels, B5:4, 20–62  
preservation  
  discoasters, A4:24  
  radiolarian intervals, B4:3–4  
protoliths, lithologic units, A3:22  
provenance  
  lithologic units, A1:28–30  
  volcaniclastics, A3:32–34  
pyrite crystals, petrography, A4:31  
pyroclastic flows  
  alteration, A3:27–29  
  lithologic units, A1:23–30

## Q

quartz  
  mineral chemistry, B3:8  
  myrmekite, B3:25  
  sediments, A1:14  
  X-ray diffraction data, A4:38, 119  
quartz-alkali feldspar intergrowth, photomicrograph,  
  B3:24  
quartz-solid plagioclase intergrowth  
  mineral chemistry, B3:8  
  origin, B3:9–12  
quench texture, photomicrograph, A4:106–107

## R

radiolarian fillings  
  alteration, A3:25  
  photomicrograph, A3:102–103  
radiolarians  
  biostratigraphy, B4:1–25  
  reworking, A3:29–30  
  sedimentology, A4:25  
  vs. depth, A4:152  
recrystallization  
  lithologic units, A3:22–25  
  photomicrograph, A3:102  
  radiolarian intervals, B4:4  
red clay province, reflections, A1:17–18  
reflection surveys, 3.5-kHz experiment, A1:17–18, 58–59  
  *See also* echo sounder; seafloor reflections  
reflection surveys, 4-kHz, drilling hole, B6:1–17  
reflections  
  drilling, B1:4

echo sounder, A1:38; A3:45–48; B1:37–38  
red clay province, A1:17–18  
remanent magnetization, anhysteretic, discrete samples,  
A3:151  
remanent magnetization, characteristic  
cores, A3:35–36  
discrete samples, A3:37–38  
remanent magnetization, isothermal  
acquisition curves, A3:35–36, 116  
discrete samples, A3:152  
remanent magnetization, natural, discrete samples,  
A3:37–38  
resistivity logs  
vs. depth, A1:56–57; A4:52–53, 153; B1:31  
*See also* deep induction resistivity logs; spherically fo-  
cused resistivity logs  
rubidium  
vs. depth, B2:14  
vs. iron oxide/magnesium oxide ratio, B2:16  
vs. magnesium oxide, B2:11  
vs. strontium, B2:12  
rubidium/strontium ratio, vs. iron oxide/magnesium ox-  
ide ratio, B2:16

## S

sand, photomicrograph, A3:77  
sand, black  
lithologic units, A3:9–10  
photograph, A3:119  
sand, volcanic, photomicrograph, A3:79  
saponite, X-ray diffraction data, A3:20, 96; A4:116, 120  
scandium, alteration, A3:31  
seafloor spreading, crust, A1:5  
sea state, seismic data, A4:60  
secondary minerals  
basement, A1:51–52; A4:114–115; B1:8  
igneous units, A4:29  
photomicrograph, A3:102  
X-ray diffraction data, A4:37–39  
sediment resonance, seismic data, A4:60–61  
sedimentation, lithologic units, A1:23–30  
sedimentation rates, magnetostratigraphy, A3:39  
sedimentology, pelagic clay, A4:24–25  
sediments  
core property correlation, A4:57–58  
lithology, A1:11–12; A4:2, 122  
sediments, unconsolidated, petrography, A3:14–15  
seismic profiles  
Site 1223, A1:60; A3:54; B1:24  
Site 1224, A4:68  
seismic results, Pacific plate, A4:59–63  
seismic signature, deep sources, B1:6  
seismic structure, shallow, ocean crust, B7:1–21  
seismic traces, Pacific plate, B7:13–14  
seismograms, synthetic  
data processing, B7:17–22  
vs. depth, B7:15  
vs. two-way traveltime, B1:36; B7:16  
shear wave velocity, vs. depth, B1:33  
shear wave velocity logs, vs. depth, A4:149; B1:30  
silica  
alteration, A3:31  
basement, B2:3  
discriminant diagrams, A1:63  
vs. aluminum oxide, A1:63; A3:107  
vs. depth, B1:26; B2:13  
vs. iron oxide, B3:25  
vs. iron oxide/magnesium oxide ratio, B2:16  
vs. magnesium oxide, A1:65; A3:108; B1:43; B2:10  
vs. sum of oxides, B3:23  
silt, volcanoclastic, lithologic units, A3:11  
siltstone, clayey, photograph, A3:76  
siltstone, petrography, A3:15–16  
siltstone, volcanoclastic clayey, photograph, A3:75  
siltstone, volcanoclastic sandy  
lithologic units, A3:11  
photograph, A3:64–65  
Site 1223, A3:1–159  
3.5-kHz subseafloor reflections, A3:55–56  
background and objectives, A3:5–6  
biostratigraphy, A3:29–30  
Cenozoic radiolarians, B4:1–25  
coring summary, A1:72; A3:139–140  
drilling and seismic reflection, B1:4–5  
geochemistry, A3:30–34  
lithology, A3:8–29  
location, A1:60; A3:54  
microbiology, A3:39–43  
operations, A3:6–8  
paleomagnetism, A3:34–39  
physical properties, A3:43–45  
preliminary results, A3:1–5  
site description, A3:1–159  
synthesis, Pacific plate, B1:1–44  
tectonics, B1:3–4  
Site 1224, A4:1–178  
3.5-kHz subseafloor reflections, A4:45–48  
background and objectives, A4:10–15  
basement petrology and geochemistry, B2:1–19  
biostratigraphy, A4:40–41  
broadband seismic observatories, B5:1–63  
core, physical properties, logging, and seismic correla-  
tion, A4:57–59  
coring summary, A1:69–71; A4:165–169  
downhole measurements, A4:49–55; B1:44  
drilling and seismic reflection, B1:4  
Eocene ferrobasalt, B3:1–36  
geochemistry, A4:36–40; B1:44  
lithology, A4:24–36; B1:44  
microbiology, A4:43–45  
operations, A4:16–24, 170–172  
paleomagnetism, A4:41–42  
physical properties, A4:45–49; B1:44  
preliminary results, A4:1–10  
seismic results, A4:59–63  
shallow seismic structure, B7:1–21  
site description, A4:1–178  
synthesis, Pacific plate, B1:1–44  
tectonics, B1:3

smear slides, distribution, B4:20–25  
smectite  
  vein mineral assemblages, A4:39–40  
  vein paragenesis, A4:39  
  X-ray diffraction data, A4:38–39, 116, 119–120  
sodium oxide  
  alteration, A3:31–32  
  volcanic glass alteration, B2:13  
  vs. depth, B1:26; B2:13  
  vs. magnesium oxide, B2:10  
sonic logs, lithologic units, A4:53  
spectrograms, broadband seismometer, B5:3–4, 14–19  
spherically focused resistivity logs, vs. depth, A1:56;  
  A4:147  
spherulites  
  lithologic units, A3:10  
  petrography, A4:30–36  
  photomicrograph, A3:98; A4:106–108  
spherulites, “bowtie” plagioclase, photomicrograph,  
  A3:87  
spinel  
  mineral chemistry, B3:7–8  
  *See also* chrome spinel; ulvöspinel  
spontaneous potential logs, vs. depth, A1:56; A4:147  
stain bands  
  igneous units, A4:29  
  photomicrograph, A3:101  
strontium  
  vs. depth, B2:14  
  vs. iron oxide/magnesium oxide ratio, B2:16  
  vs. magnesium oxide, B2:11  
  vs. rubidium, B2:12  
  *See also* rubidium/strontium ratio  
structures, “atoll-like,” photomicrograph, A3:89  
subseafloor reflections, 3.5-kHz  
  data, A3:45–48  
  experiment, A1:17–18, 58–59; A4:8–9, 55–56, 151;  
  B1:5–6  
  *See also* echo sounder; reflection surveys  
subseafloor reflections, 4-kHz, amplitude, B6:17  
sulfide globules, petrography, A4:32

## T

tectonics  
  Hawaii-2 Observatory, B1:3  
  Nuuanu Landslide, B1:3–4  
temperature logs, vs. depth, A1:56; A4:51–52, 147; B1:30  
textures, petrography, A4:29–36  
thermal conductivity  
  lithologic units, A3:44; A4:46–48, 177  
  sediments, A3:156  
  vs. depth, A3:130; A4:134, 137, 143  
thomsonite, X-ray diffraction data, A3:97  
thorium logs  
  basalt, A1:17  
  vs. depth, A4:150  
titanium oxide  
  basalt, A1:13–14; A4:36–37  
  vs. depth, A1:50; A4:110; B1:26–27; B2:13  
  vs. magnesium oxide, A4:109; B2:10; B3:26

  vs. sum of oxides, B3:23  
  *See also* iron oxide–titanium oxide–iron oxide ternary  
  diagram  
titanomagnetite  
  alteration, A3:25  
  alteration effects, B3:12  
  mineral chemistry, B3:7–8  
  petrography, A4:32  
  photomicrograph, A4:96  
titanomagnetite, euhedral, photomicrograph, A4:105  
titanomagnetite, skeletal, photomicrograph, A4:104  
trace elements  
  basalt, B2:18–19  
  basement, B2:3–4  
  vs. magnesium oxide, B2:11  
transfer functions  
  spectrograms, B5:2–3  
  *See also* inverse transfer functions  
tuff, altered palagonitized crystal vitric  
  lithologic units, A3:12  
  photograph, A3:70–71, 122–123  
tuff, crystal vitric  
  alteration, A3:24–29  
  lithologic units, A1:28–30; A3:10  
  lithology, A1:21–30  
  petrography, A3:16–19  
  photograph, A3:61–63  
  photomicrograph, A3:82–95, 98  
tuff, palagonitized crystal vitric  
  lithologic units, A3:12–13  
  photomicrograph, A3:98–101  
  X-ray diffraction data, A3:96  
turbidite  
  lithology, A1:21–30  
  photomicrograph, A3:77–79  
  X-ray diffraction data, A3:19–20, 144  
turbidite, volcanoclastic  
  lithologic units, A3:8–9  
  photograph, A3:56–60, 120  
Tuscaloosa Seamount, geology, A1:20; B1:3

## U

ulvöspinel, alteration effects, B3:12  
ulvöspinel-magnetite solid solution, ferrobasalt, B3:3–6  
uranium logs  
  basalt, A1:17  
  vs. depth, A4:150

## V

vanadium, alteration, A3:31  
veinlets, X-ray diffraction data, A3:97  
veins  
  basement, A1:51–52; A4:114–115  
  mineral assemblages, A4:39–40  
  paragenesis, A4:39  
  petrography, A4:32–33  
  photograph, A4:98, 103  
  photomicrograph, A3:102–103  
  X-ray diffraction data, A4:37–39, 116–120

veins, calcite/smectite, X-ray diffraction data, A4:39  
 veins, carbonate, X-ray diffraction data, A4:38  
 veins, clay, X-ray diffraction data, A4:38  
 veins, zeolite, X-ray diffraction data, A4:38  
 velocity  
   vs. bulk density, A3:134  
   vs. depth, A3:133; B1:42  
   vs. differential pressure, B1:34  
   vs. gamma-ray attenuation bulk density, A4:135  
   vs. porosity, A3:134  
 velocity logs, lithologic units, A4:53; B7:11  
 vesicles  
   igneous units, A4:29  
   photograph, A4:100  
   photomicrograph, A3:98, 100  
 vesicles, calcite-filled, photograph, A4:95  
 vesicles, clay-lined, photograph, A4:95  
 vesicles, segregation  
   petrography, A4:31, 34  
   photomicrograph, A4:104  
 vesicularity, petrography, A4:32  
 vitric fragments, lithologic units, A3:15–19  
 volcanic glass  
   alteration effects, B3:13–14  
   composition, B3:35  
   lithologic units, A1:23–30  
   mineral chemistry, B3:8  
   petrography, A4:29–36  
 volcanic glass, devitrified, photomicrograph, A4:105  
 volcanic glass, palagonitized  
   photograph, A4:101  
   photomicrograph, A3:83, 90–94, 98  
 volcanoclastics  
   calcium oxide–aluminum oxide–potassium oxide dia-  
     gram, A1:64; A3:106  
   lithologic units, A1:23–30  
 volcanics, lithologic units, A3:14–19  
 vug fillings, X-ray diffraction data, A3:20–21, 97  
 vugs, lithologic units, A3:13  
 vugs, anhydrite-filled  
   photograph, A3:72  
   photomicrograph, A3:80–81, 102

**W**

wairakite  
   alteration, A3:25  
   lithologic units, A3:13  
   sediments, A1:21–22  
   X-ray diffraction data, A3:20, 97  
 water content  
   lithologic units, A3:44; A4:46–48, 176

sediments, A3:157  
 water guns  
   relation to whale songs, A4:159  
   seismic data, A4:61  
 weathering, geochemistry, A3:31  
 well-logging, basalt, A1:16–17; A4:9; B1:8–10, 44  
 whale songs  
   Hawaii-2 Observatory, A4:158–159  
   seismic data, A4:61

**X**

X-ray diffraction data  
   lithologic units, A3:19–21; A4:37–39  
   minerals, A3:145; A4:175  
   secondary minerals, A4:37–39  
   turbidite, A3:144

**Y**

yttrium  
   basement, B2:3–4  
   vs. depth, B1:28; B2:14  
   vs. iron oxide/magnesium oxide ratio, B2:16  
   vs. magnesium oxide, B2:11  
   vs. zirconium, B1:29; B2:12  
   *See also* zirconium/yttrium ratio  
 yttrium/zirconium ratio, vs. depth, B2:14

**Z**

zeolites  
   alteration, A3:22–25  
   composition, B3:36  
   geochemistry, A3:30–35  
   lithologic units, A3:10  
   photomicrograph, A3:98–103  
   sediments, A1:14  
   X-ray diffraction data, A4:118, 121  
 zirconium  
   basalt, A1:13–14; A4:36–37  
   basement, B2:3–4  
   provenance, A3:33–34  
   vs. depth, A1:50; A4:110; B1:28; B2:14  
   vs. iron oxide/magnesium oxide ratio, B2:16  
   vs. magnesium oxide, A1:65; A3:108; B2:11  
   vs. yttrium, B1:29; B2:12  
   *See also* niobium/zirconium ratio; yttrium/zirconium ratio  
 zirconium/niobium ratio, basalt, B2:4  
 zirconium/yttrium ratio, vs. iron oxide/magnesium oxide ratio, B2:16

**TAXONOMIC INDEX****A**

*Acrosphaera spinosa*, Site 1223, B4:5  
*Amphirhopalum ypsilon* Zone, Site 1223, B4:8

**B**

*babylonis*, *Sethocyrtis*, Site 1223, B4:5  
*barbadiensis*, *Discoaster*, Site 1224, A4:40

*Bekoma bidartensis*, Site 1223, B4:5  
*bidartensis*, *Bekoma*, Site 1223, B4:5  
*bisecta*, *Reticulofenestra*, Site 1224, A4:40  
*Braarudosphaera* sp., Site 1224, A4:41  
*Buryella clinata*, Site 1223, B4:4–5  
*Buryella clinata* Biochron, Site 1223, B4:5  
*Buryella clinata* Zone, Site 1223, A3:29; B4:5

**C**

*Campylosphaera dela*, Site 1224, A4:40–41  
*Chiasmolithus gigas*, Site 1224, A4:40  
*Chiasmolithus grandis*, Site 1224, A4:40–41  
*Chiasmolithus nitidus*, Site 1224, A4:41  
*Chiasmolithus solitus*, Site 1224, A4:40  
*circumtexta*, *Clathrosphaera*, Site 1223, B4:5  
*Clathrosphaera circumtexta*, Site 1223, B4:5  
*clinata*, *Buryella*, Site 1223, B4:4–5  
*Coccolithus formosus*, Site 1224, A4:40  
*Coccolithus pelagicus*, Site 1224, A4:40–41  
*Collosphaera murrayana*, Site 1223, B4:5

**D**

*dela*, *Campylosphaera*, Site 1224, A4:40–41  
*dictyoda*, *Reticulofenestra*, Site 1224, A4:40  
*Discoaster barbadiensis*, Site 1224, A4:40

**E**

*Euchitonia furcata*, Site 1223, B4:6  
*Eucyrtidium matuyamai*, Site 1223, B4:5  
*Eucyrtidium matuyamai* Zone, Site 1223, B4:6  
*Eusyringium fistuligerum*, Site 1223, A3:29

**F**

*fistuligerum*, *Eusyringium*, Site 1223, A3:29  
*formosus*, *Coccolithus*, Site 1224, A4:40  
*furcata*, *Euchitonia*, Site 1223, B4:6  
*furcatolithoides*, *Sphenolithus*, Site 1224, A4:40

**G**

*gigas*, *Chiasmolithus*, Site 1224, A4:40  
*grandis*, *Chiasmolithus*, Site 1224, A4:40–41

**H**

*heteroporos*, *Lamprocyrtis*, Site 1223, B4:5–6

**L**

*Lamprocyrtis heteroporos*, Site 1223, B4:5–6  
*Lychnocanoma nipponica nipponica*, Site 1223, B4:5

**M**

*matuyamai*, *Eucyrtidium*, Site 1223, B4:5

*murrayana*, *Collosphaera*, Site 1223, B4:5

**N**

*nipponica nipponica*, *Lychnocanoma*, Site 1223, B4:5  
*nitidus*, *Chiasmolithus*, Site 1224, A4:41

**O**

*Orocena regalis*, Site 1223, B4:6  
*Otosphaera polymorpha*, Site 1223, B4:5

**P**

*pelagicus*, *Coccolithus*, Site 1224, A4:40–41  
*Phormocyrtis striata striata* Zone, Site 1223, B4:5  
*Phormocystis striata exquisita*, Site 1223, A3:29  
*Phormocystis striata striata*, Site 1223, A3:29  
*polymorpha*, *Otosphaera*, Site 1223, B4:5

**R**

*regalis*, *Orocena*, Site 1223, B4:6  
*Reticulofenestra bisecta*, Site 1224, A4:40  
*Reticulofenestra dictyoda*, Site 1224, A4:40  
*Reticulofenestra umbilicus*, Site 1224, A4:40  
*rhizodon*, *Thyrsocyrtis*, Site 1223, B4:5

**S**

*Sethocyrtis babylonis*, Site 1223, B4:5  
*Siphonosphaera socialis*, Site 1223, B4:5  
*socialis*, *Siphonosphaera*, Site 1223, B4:5  
*solitus*, *Chiasmolithus*, Site 1224, A4:40  
*Sphenolithus furcatolithoides*, Site 1224, A4:40  
*Sphenolithus spiniger*, Site 1224, A4:40  
*spiniger*, *Sphenolithus*, Site 1224, A4:40  
*spinosa*, *Acrosphaera*, Site 1223, B4:5  
*striata exquisita*, *Phormocystis*, Site 1223, A3:29  
*striata striata*, *Phormocystis*, Site 1223, A3:29

**T**

*Theocorythium trachelium trachelium*, Site 1223, B4:6  
*Thyrsocyrtis rhizodon*, Site 1223, B4:5  
*trachelium trachelium*, *Theocorythium*, Site 1223, B4:6

**U**

*umbilicus*, *Reticulofenestra*, Site 1224, A4:40

**Z**

zones (with letter prefixes)  
 CP13b, Site 1224, A4:41  
 CP14, Site 1224, A4:40  
 CP14b, Site 1224, A4:40