

INDEX TO VOLUME 202

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 202 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" followed by the chapter number with a colon (A1:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear slide data, or thin section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 1232, for example, is given as "Site 1232, A3:1-54."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

SUBJECT INDEX

A

- advanced piston corer temperature, magnetic inclination, A(Appendix):7
- advection
 - heat flow, B1:5
 - paleoclimatology, A1:32-33
- age
 - paleomagnetism vs. radiolarians, B6:19
 - published age vs. radiolarian age, B6:20, 29
 - radiolarian datums, B6:20
 - vs. temperature, B1:50, 52
- age control points, Cenozoic, A4:75
- age models
 - biostratigraphy, A9:56
 - composite sections, B1:47
 - foraminifers, B1:10
 - mass accumulation rates, A1:16-21
 - orbital derivation, B4:8-10
 - sedimentation rates, B4:8-12
 - Site 1232, A3:14
 - Site 1233, A4:16-17
 - Site 1234, A5:15
 - Site 1235, A6:16-17
 - Site 1236, A7:19-20, 57, 74
 - Site 1237, A8:25-26, 107; B4:34
 - Site 1238, A9:23-24, 101
 - Site 1239, A10:22-23
 - Site 1240, A11:17-18, 82
 - Site 1241, A12:18-19, 101; B4:36
 - Site 1242, A13:15-16, 74
 - stratigraphy, B4:15-17
 - upper Pleistocene, A3:14
- age vs. depth
 - control points, A7:64; A8:85-86; A9:86-87; A10:79-80; A11:69; A12:19, 87-88; A13:15, 65
 - models, A4:16, 53, 76; A7:19-20, 57; A8:71; A10:22, 93; A11:17, 57
 - Neogene, A1:91-92
- alkalinity
 - pore water, A3:13; A5:13; A6:14; A7:17; A8:23; A9:18; A10:17; A11:15; A12:16
 - vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67; A9:63; A10:58; A11:53; A12:63; A13:51
- alkalinity, interstitial, vs. depth, A1:107
- alkane, average chain length
 - sediments, B7:3-4
 - vs. depth, B7:9
 - See also n-alkane
- alkenones
 - Neogene, B1:3-4
 - paleothermometry, B1:5
 - sediments, B7:4, 12-14
 - vs. depth, B7:10-11

- aluminum
 sediments, B8:5–6
 vs. titanium, B8:13
 aluminum/titanium ratio, sediments, B8:6
 ammonium
 Pleistocene, B1:9
 pore water, A3:13; A4:15; A5:13; A6:14; A7:17–18;
 A9:18–19; A10:17; B9:5
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67;
 A9:63; A10:58; A11:53; A12:63; A13:51; B9:17
 ammonium, interstitial, vs. depth, A1:107; B9:19–22
 amphibole
 lithologic units, A3:6–9
 vs. depth, A3:25; A4:32
 Andes
 uplift and paleoclimatology, A1:26–30
 uplifts, B1:16
 andesitic source, deposition, A8:11–12; A12:10
 Antarctic Circumpolar Current, oceanography, A1:4–6,
 113
 Antarctic Intermediate Water
 circulation, A4:2; B1:27
 oceanography, A1:5–6, 114
 Antarctic Subpolar Front, oceanography, B1:27
 Antarctic timing, sea-surface temperature, B1:8
 Atlantic ocean circulation, upper Oligocene, B3:5–6
 authigenesis
 mineralization, A1:24–25
 phosphorus, B8:1–19
 pore water, A12:16
- B**
- barite, biogenic, sediments, B8:7
 barium
 pore water, A3:13; A5:13; A6:14–15; A7:18; A9:19;
 A10:18; A11:15; A12:16; A13:14; B8:1–19
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67;
 A9:63; A10:58; A11:53; A12:63; A13:51
 barium, barite
 sediments, B8:19
 vs. excess barium, B8:15
 barium, biogenic, particulates, B1:4
 barium, excess
 sediments, B8:19
 vs. barite barium, B8:15
 vs. depth, B8:16
See also phosphorus, reactive/excess barium ratio
 barium/titanium ratio, sediments, B8:6
 basement, fluid flow, A1:25
 bathymetry
 Site 1236, A7:23
 Site 1238, A9:27
 three-dimensional image, A5:18; A6:20
 bathymetry, swath
 Chile margin, A1:122
 Site 1236, A7:24
 Site 1237, A8:30
 Site 1238, A9:28
 Site 1239, A10:27
 Site 1240, A1:135; A11:23
 Site 1241, A12:23
 Site 1242, A13:20
 bioclasts, lithologic units, A6:6
 biogenic component, vs. depth, A4:7–8, 33; A6:30
 biogeochemistry
 climate change, A1:26–30
 constraints, A1:21–25
 sediments, B9:4
 biogeography, biostratigraphy, A7:12
 biomarkers
 Neogene, B1:3–4
 total organic carbon, B7:1–14
 biostratigraphy
 age models, A9:23, 56
 age vs. depth models, A7:57; A8:71; A9:75; A10:68;
 A11:57; A12:73; A13:53
 Cenozoic, A1:14–16, 115
 Pleistocene, B5:1–10
 radiolarians, B6:1–29
 Site 1232, A3:9–11
 Site 1233, A4:9–10
 Site 1234, A5:8–10
 Site 1235, A6:9–11
 Site 1236, A7:11–15
 Site 1237, A8:14–20
 Site 1238, A9:12–17
 Site 1239, A10:10–15
 Site 1240, A11:10–13
 Site 1241, A12:10–13
 Site 1242, A13:9–12
 biotite, lithologic units, A11:7
 bioturbation
 lithologic units, A6:7–9; A8:7–9; A9:8–11; A11:8–10
 photograph, A6:33; A9:47; A10:47; A11:41
 black spots, photograph, A8:52
Bolivina spp., vs. depth, A5:36; A6:40
 boron
 pore water, A3:13; A4:15; A5:13; A6:15; A7:18; A9:19;
 A10:18; A13:14
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A9:63;
 A10:58; A11:53; A12:63; A13:51
 bottom waters, biostratigraphy, A6:10
 Brunhes Chron
 directional variability, A5:11–12
 magnetic polarity, A3:12
 sediments, A11:14; A13:12–13
 Brunhes/Matuyama boundary, sediments, A7:16; A8:21;
 A11:14; A12:14
 bryozoan fragments, photomicrograph, A7:47
Bulimina spp., vs. depth, A6:40
 bulk density logs, vs. gamma ray attenuation density,
 A9:44
 burrows
 lithologic units, A12:9
 photograph, A9:47; A10:47; A11:41; A13:39
 butane
 headspace gases, A10:88
 sediments, A10:16
See also *i*-butane; *n*-butane
 Byrd ice core, millennial-scale variations, A1:116

C

- calcareous component
 lithologic units, A7:7–10
 vs. depth, A4:33
- calcareous component/(calcareous + siliceous) component ratio, vs. depth, A3:25; A4:32; A5:29
- calcareous microfossils
 lithologic units, A8:9–11
 vs. depth, A8:45, 59
- calcite
 recrystallization, A12:16
 X-ray diffraction data, A9:54
 See also micrite
- calcite, authigenic, lithologic units, A5:8
- calcite, inorganic, vs. depth, A5:29
- calcium
 pore water, A1:24–25; A3:13; A4:15; A5:13–14; A6:15; A7:18; A8:23; A9:19; A10:18; A11:15; A12:16; A13:14
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67; A9:63; A10:58; A11:53; A12:63; A13:51
 See also manganese/calcium ratio
- calcium, interstitial, vs. depth, A1:105
- caliper logs, vs. depth, A9:67; A10:62; A12:66
- Cape Horn Current, circulation, A4:1
- carbon, inorganic
 data, A3:53–54
 sediments, A3:13; A4:15, 73–74; A5:14, 62–63; A6:15, 65–67; A7:18–19, 72–73; A8:24, 103–105; A9:19, 98–100; A10:19, 90–92; A11:16, 79–80; A12:16, 99–100; A13:15, 72–73
- carbon, total
 data, A3:53–54
 sediments, A4:73–74; A5:62–63; A6:65–67; A7:18–19, 72–73; A8:103–105; A10:90–92; A11:79–80; A12:99–100; A13:72–73
- carbon, total organic
 biomarkers, B7:1–14
 correlation, A1:115
 data, A3:53–54
 Neogene, B1:3–4
 sediments, A3:13–14; A4:15–16, 73–74; A5:14–15, 62–63; A6:16, 65–67; A7:72–73; A8:24–25, 103–105; A9:20, 98–100; A10:19, 90–92; A11:16, 79–80; A12:16–17, 99–100; A13:15, 72–73; B7:12–14
 vs. age, A1:111
 vs. carbonate content, A8:69; A9:65; A10:60; A11:55; B7:3
 vs. depth, A1:85; A4:36, 49; A5:43; A6:48; A8:44, 57, 68; A9:45–46, 64; A10:45–46, 59; A11:37, 54; A12:47, 64; A13:52; B7:7–8
 vs. hydrogen index, A5:15, 45; A6:50; A8:70; A11:56
 vs. sulfur, A5:45; A6:50; A8:70; A11:56
 vs. total nitrogen, A1:103; A5:44; A6:49; A10:60; A11:55
 vs. total organic carbon/total nitrogen ratio, A1:104; A4:16, 50; A5:44; A6:49; A9:65
 vs. uranium logs, A9:74
 See also odd/even carbon number preference index
- carbon, total organic on a carbonate-free basis
 sediments, A10:90–92; A11:79–80; A12:99–100
 vs. depth, A10:59; A11:54; A12:64
- carbon, total organic/total nitrogen ratio
 data, A3:53–54
 sediments, A3:13–14; A4:73–74; A5:15, 62–63; A6:16, 65–67; A8:24–25, 103–105; A9:20, 98–100; A10:19–20, 90–92; A11:16–17, 79–80; A12:16–17, 99–100; A13:15, 72–73; B9:4
 vs. depth, A6:48; A8:68; A9:64; A10:59; A11:54; A12:64; A13:52; B9:16
 vs. total organic carbon, A1:104; A4:50; A5:44; A6:49; A9:65
- carbon, total organic/total sulfur ratio, sediments, A5:15, 62–63; A6:16, 65–67
- carbon-14 age, sediments, B2:3–5
- carbon/nitrogen ratio, sedimentary organic matter, A1:23–24
- carbon dioxide
 headspace gases, A10:16, 88
 middle Pliocene, B1:6
 oceanography, A1:6; B1:22–24
 vs. depth, A10:57
- carbon flux
 biostratigraphy, A4:10
 foraminifers, A12:13
- carbon isotopes
 age models, B4:12–17, 29–30
 comparison of Sites 851 and 1241, B12:46
 foraminifers, B12:13–14
 Globorotalia menardii and *Globorotalia limbata*, B12:47
 obliquity, B1:46
 Pliocene–Pleistocene foraminifers, B11:1–19
 upper Oligocene, B3:5–6
 vs. age, B3:15; B12:43–44
 vs. depth, B3:13; B11:6
 vs. oxygen isotopes, B4:31–33
- carbon number. *See* odd/even carbon number preference index
- carbonate content
 correlation, A1:115
 data, A3:53–54
 sediments, A4:73–74; A5:62–63; A6:15–16, 65–67; A7:18–19, 72–73; A8:103–105; A9:20, 98–100; A10:90–92; A11:16, 79–80; A12:99–100; A13:72–73; B7:12–14
 vs. age, A1:111
 vs. depth, A1:85; A4:33, 36, 49; A5:43; A6:48; A7:39, 41, 44, 56; A8:44, 57, 68; A9:45–46, 64; A10:45–46, 59; A11:37, 54; A12:47, 64; A13:36, 38, 52; B7:7–8
 vs. grain density, A9:51; A10:49; A11:39; A12:49; A13:44
 vs. total organic carbon, A8:69; A9:65; A10:60; A11:55; B7:3
- carbonate content, authigenic, vs. depth, A6:30
- carbonate content, biogenic, vs. depth, A6:30
- carbonate crash, Miocene, A12:10
- Caribbean plate, tectonics, A1:7
- Carnegie Ridge
 mass accumulation rates and age models, A1:19–20

- site description, A9:1–101; A10:1–93
- Cenozoic
 biostratigraphy, A1:14–16
 magnetostratigraphy, A1:14–16
 oxygen isotopes, B3:10
- Cenozoic, upper, paleoclimatology, B1:48
- Central American Isthmus, closure, A1:7, 30–32; B1:13–17
- chalcedony, diagenesis, A9:11
- chalk
 lithologic units, A7:9–10; A9:8–11
 photograph, A9:54–55
 X-ray diffraction data, A9:54
- chalk, glauconite-bearing, photograph, A7:49
- chert
 lithologic units, A9:8–11
 photograph, A9:55
- Chile Basin
 paleomagnetism, A(Appendix):1–10
 site description, A3:1–54
- Chile margin
 gas hydrates, A1:25
 mass accumulation rates and age models, A1:16–17
- Chile Trench, site description, A4:1–76
- Chilean Fjord Water, oceanography, A1:113
- chloride
 pore water, A3:12–13; A4:14; A5:12; A6:13; A7:17; A8:23; A9:18; A10:17; A11:14; A12:15; A13:13
 pore water profiles, A1:25
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67; A9:63; A10:58; A11:53; A12:63; A13:51
- chloride, interstitial, vs. depth, A1:106
- chlorins
 absorption, A10:51
 deposition, A11:9–10; A12:9–10
 lithologic units, A9:8
- chlorophyll
 paleoclimatology, B12:9
 vs. water depth, B12:36
- chlorophyll-a
 concentration, A1:109; A8:33; A9:32; A10:31; A11:26; A12:27; A13:24; B12:36
 vs. water depth, B12:36
- chromaticity
 vs. depth, A1:118, 121, 124, 126, 128, 130, 132, 134, 137, 139, 141; A3:26, 30; A4:29; A5:28; A6:29, 32; A7:39; A9:49, 52; A11:37
See also reflectance
- Chron 1n, sediments, A7:16; A11:14
- Chron 1r.1n, sediments, A7:16; A11:14
- Chron 2An, sediments, A7:16; A8:21
- Chron 2An.1n, sediments, A11:14
- Chron 2An.1r, sediments, A8:21
- Chron 2An.2r, sediments, A8:21
- Chron 2n, sediments, A7:16; A11:14
- Chron 2r, sediments, A8:21
- Chron 3n, sediments, A8:21
- Chron 3n.1n, sediments, A8:21
- Chron 3n.3n, sediments, A8:21
- Chron 4r, sediments, A8:21
- Chron 5Ar, sediments, A8:21
- Chron 5n, sediments, A8:21
- Chron 8n, sediments, B3:13–14
- Chron 8r, sediments, B3:5, 13–14
- Chron 8r oxygen isotope shift, upper Oligocene, B3:5–6
- Chron 9n
 magnetic polarity, B3:4–5, 13–14
 sediments, A8:22
- chron boundaries, magnetic polarity, A7:69; A8:98–99; A11:75
- chronostratigraphy
 middle Miocene, B1:7
 upper Quaternary, B2:1–22
- chronostratigraphy, astronomically calibrated, Neogene, B4:1–69
- Circumpolar Deep Water, oceanography, A1:5–6
- clastics, vs. depth, A3:25; A4:33
- clastics/(clastic + biogenic) component ratio, vs. depth, A3:25; A4:32; A5:29
- clay, calcareous, lithologic units, A8:7–9
- clay, diatom-bearing silty, lithologic units, A5:5–8
- clay, diatom nannofossil, lithologic units, A8:7–9
- clay, lithologic units, A3:6–9; A5:5–8; A9:8–11; A10:6–10
- clay, nannofossil, lithologic units, A4:6–8; A13:6–7
- clay, nannofossil-bearing silty, lithologic units, A4:6–8; A5:5–8
- clay, nannofossil silty, lithologic units, A4:6–8; A5:5–8
- clay, siliceous, lithologic units, A8:7–9
- clay, silty, lithologic units, A3:6–9; A6:6–9
- clay minerals
 lithologic units, A5:5–8; A6:6–9; A7:6–10; A8:7–9; A10:6–10; A11:6–10
 vs. depth, A13:37
- climate change
 Neogene, A1:26–30
 orbital-scale paleoclimatology, B1:19–24
- climate change, millennial-scale, causes, A1:33–37; B1:24–29
- climate cycles, paleoclimatology, A1:32–33; B1:19–30
- climate forcing, Pliocene, B13:11–13
- coarse-grained layers
 lithologic units, A3:6–9, 43–46
 vs. age, B3:14
 vs. depth, A3:24–25, 30
- Coastal Current, oceanography, A1:113
- Cochiti Subchron, sediments, A8:21
- Cocos plate, tectonics, A1:6–7
- Cocos Ridge, site description, A12:1–101; A13:1–74
- Cocos Rise, mass accumulation rates and age models, A1:20–21
- color
 color plane, A3:29; A4:35; A5:34; A6:37; A7:45; A8:46; A9:52; A10:50; A11:44; A12:50; A13:42–43
 lithologic units, A3:7–9; A4:7; A5:5–8; A6:6–9; A7:6–10; A8:7–11; A9:7–11; A10:8–10; A13:7–9
 photograph, A4:30; A6:33; A11:41; A12:52; A13:39
- color banding
 lithologic units, A11:6–10
 photograph, A8:51–52, 54; A9:48; A11:42
- color banding, green, X-ray diffraction data, A8:53
- compaction, effect on nitrogen isotopes, B9:8–10

composite depth scale, A5:47; A6:52; A7:59; A8:75–76;
A9:78–79; A10:71–72; A11:60–61; A12:76–77;
A13:56–57; B4:22

composite depths
mass accumulation rates, A1:10
Site 1232, A3:38

composite section
Site 1232, A3:4–5
Site 1233, A4:4–5
Site 1234, A5:4–5
Site 1235, A6:4–5
Site 1236, A7:4–5
Site 1238, A9:5–6
Site 1239, A10:5–6
Site 1240, A11:4–5
Site 1241, A12:4–5
Site 1242, A13:4–5

compressional wave velocity, vs. depth, A11:37

compressional wave velocity logs, vs. depth, A9:68;
A10:63; A12:67

continental slope, thermal regime, B1:5

core-log correlation, sediments, A9:23; A10:21–22;
A12:18

core-log integration, vs. depth, A1:81

core barrels, nonmagnetic
effect on paleomagnetism, A(Appendix):1–10
magnetic inclination, A(Appendix):8
magnetic intensity, A(Appendix):9
tools, A1:13

core offsets
tidal effects, A1:11
vs. time, A1:84

cores, digital imaging, A1:12–13

coring summary, A1:142–143

correlation
magnetic polarity, B3:4–5
stratigraphy, A1:9–11, 115

crust, volcanic, tectonics, A1:6–7

cyclic processes
deposition, A10:8–10
temperature, B13:7

D

Dansgaard-Oeschger events, millennial-scale climate
change, A1:33–37

decomposition, organic matter, A6:14

deconvolution, U-channel paleomagnetic studies, B14:9,
28–30

deep water
millennial-scale climate change, A1:34
upper Oligocene, B3:5–6

degassing, lithologic units, A4:6–8

demagnetization, alternating-field
sediments, A3:11; A4:11–12
U-channel paleomagnetic studies, B14:9, 28–30

demagnetization, sediments, A7:15–16; A8:20–22; A9:17;
A10:15–16; A11:13–14; A12:13–14; A13:12–13;
B2:3–4

denitrification, nitrogen isotopes, B1:10

density, vs. density logs, A9:73; A12:68

density, bulk
vs. depth, A3:27; A4:37; A5:32–33; A6:35; A7:40
vs. dry density, A3:28
vs. gamma ray attenuation bulk density, A10:44
vs. water content, A3:28

density, dry, vs. bulk density, A3:28

density, gamma ray attenuation bulk
comparison of core and downhole, A1:83
cyclic variations, A1:94; B4:23
insolation, B4:26
meters composite depth, A3:4–5
spliced records, A3:21; A4:5, 27; A5:26; A6:27; A7:4,
37; A9:41; A10:41; A11:34; A12:37–44, 47;
A13:33
vs. age, A9:56; B4:24
vs. bulk density, A10:44
vs. bulk density logs, A9:44
vs. density logs, A10:64
vs. depth, A1:118, 121, 124, 126, 128, 130, 132, 134,
137, 139, 141; A3:30; A4:29; A5:28, 32; A6:29,
36; A7:39, 44; A8:44; A9:45, 49, 51; A10:45;
A11:37, 39; A13:36
vs. moisture and density bulk density, A10:49;
A12:49; A13:44
See also gamma ray attenuation bulk density power
density, gamma ray attenuation bulk/moisture and den-
sity bulk ratio, vs. depth, A9:51; A10:49; A11:39;
A12:49; A13:44

density, grain
vs. carbonate content, A9:51; A10:49; A11:39; A12:49;
A13:44
vs. depth, A3:27; A4:37; A5:33; A6:35; A7:40; A9:51;
A10:49; A11:39; A12:49; A13:44

density, moisture and density bulk density
vs. gamma ray attenuation bulk density, A10:49;
A11:39; A12:49; A13:44
vs. porosity, A9:51; A10:49; A11:39; A12:49; A13:44

density logs
vs. density, A9:73; A12:68
vs. depth, A9:68; A10:63; A12:67
vs. gamma ray attenuation density, A10:64
vs. resistivity logs, A12:70
See also bulk density logs

deposition
history, A8:56; A10:8–10; A11:9–10; A12:9–10; A13:8–
9
history summary, A7:50
lithologic units, A3:8–9; A4:8; A5:6–8; A6:8–9; A7:9–
10; A8:11–14; A9:9–11

depth offsets, spliced records, A8:43

deviation logs, vs. depth, A12:66

deviation main logs, vs. depth, A9:67; A10:62

diagenesis
lithologic units, A6:7–9
nitrogen isotopes, B1:9–10; B9:1–22
organic matter, A4:14; A5:12; A6:14; A7:17; A8:23;
A9:18; A10:17; A11:15; A12:15

diagenesis, anaerobic, organic matter, B9:5–6

diagenesis, postdepositional, lithologic units, A9:11

diatom abundance, millennial-scale variations, A1:116

diatom density, vs. depth, A12:48, 57

diatoms

- biostratigraphy, A3:10–11; A4:10; A5:10; A6:10–11; A7:14–15; A8:19–20; A9:15–17; A10:14–15; A11:12–13; A12:13; A13:11–12
- distribution, A3:49–50; A4:70; A5:58–59; A6:61–62; A8:94–97; A9:92–95; A10:86–87; A11:73–74; A12:93–96; A13:69
- lithologic units, A5:6–8; A6:6; A7:6–7; A8:7–9; A10:6–10; A11:6–10; A12:8–10; A13:6–9
- photograph, A11:42; A13:40
- vs. depth, A4:33, 38; A5:29, 35; A6:39; A8:59; A9:46, 57; A10:46, 52; A11:38, 47; A12:48, 57; A13:38, 46
- digital imaging, cores, A1:12–13
- dilution, sedimentary organic matter, A1:23–24
- dissolution, foraminifers, A12:12
- dolomite, authigenic, lithologic units, A13:6–9
- dolomite, authigenic carbonate nodules, A6:6, 31
- downhole measurements
 - Site 1238, A9:21–23
 - Site 1239, A10:20–22
 - Site 1241, A12:17–18
- Drake Passage, opening, A1:7
- drilling, APC penetration, A1:8, 144
- dust, eolian, paleoclimatology, A1:26–30
- dysoxic indicators, vs. depth, A5:36

E

- eastern equatorial Pacific cold tongue, climate change, B1:20
- eccentricity, temperature, B13:7
- El Niño Southern Oscillation, circulation, A4:1
- El Niño Southern Oscillation, permanent, lower Pliocene, B13:9–11
- eolian input, deposition, A8:13–14
- Equatorial Front, oceanography, A1:4–6
- Equatorial Undercurrent, paleodrift, B12:3–5
- erosion contacts, sediments, A3:8–9
- ethane
 - headspace and Vacutainer gases, A4:13, 71; A5:12, 60; A6:13, 46, 63
 - headspace gases, A9:18; A13:70
 - sediments, A9:96; A10:16
- Ethmodiscus* spp., photograph, A13:40
- extinction events, foraminifers, A12:12
- extraterrestrial events, millennial-scale climate change, A1:33–37

F

- fast track, magnetic susceptibility, A1:9–10
- feldspar, lithologic units, A3:6–9; A5:5–8; A6:6–9; A11:7–10; A13:6–9
- firmground, photograph, A8:55
- fissures, lithologic units, A4:6–8; A6:8–9
- floatstone, lithologic units, A7:7–10
- fluid flow, basement, A1:25
- foraminifer abundance, vs. age, A1:111
- foraminifers
 - age models, B1:10

- carbon and oxygen isotopes, B12:10–14
- dissolution, A12:12
- distribution, A3:48; A4:68–69; A5:56–57; A6:59–60; A7:68; A10:84–85
- geochemistry, B1:9
- lithologic units, A7:7–10; A9:8–11; A11:8–10; A12:6–10; A13:6–9
- Pliocene–Pleistocene sequence geochemistry, B11:1–19
- preservation, A1:111
- stable isotopes, B1:11
- vs. depth, A4:33; A5:29, 35; A7:41, 51; A9:46, 57; A10:46, 52; A11:38, 47; A12:48, 57; A13:38, 46
- foraminifers, benthic
 - biostratigraphy, A3:10; A4:9–10; A5:9–10; A6:10; A7:14; A8:18–19; A9:15; A10:13–14; A11:12; A12:12–13; A13:11
 - distribution, A8:92–93
 - oxygen isotopes, B3:1–15
 - photomicrograph, A7:47
 - stable isotopes, B4:1–69
 - vs. age, A1:111; B4:25, 27, 35
 - vs. depth, A4:38; A5:35–36; A6:39; A7:51; A8:59; A9:57; A10:52; A11:47; A12:57; A13:46
- foraminifers, deep-dwelling planktonic, magnesium/calcium ratio, B12:50–51
- foraminifers, planktonic
 - biostratigraphy, A3:9–10; A4:9; A5:9; A6:9–10; A7:13–14; A8:16–18; A9:14–15; A10:12–13; A11:11; A12:12; A13:10–11
 - distribution, A8:90–91; A9:90–91; A11:72; A12:89–92; A13:68
 - isotopes, B12:5–7
 - oxygen and carbon isotopes, B12:49
 - Pliocene mixed-layer oceanography, B13:1–27
 - scanning electron microscope data, B12:37
 - vs. depth, A5:35; A6:39; A7:51; A8:59
 - See also* preferred habitat of planktonic foraminifers
- foraminifers, thermocline-dwelling, oxygen isotopes, B12:12–13
- Formation MicroScanner imaging logs
 - vs. depth, A9:71–72; A10:66; A12:71
 - vs. spherically focused resistivity logs, A12:72
- fractionation, nitrogen isotopes, B9:1–22

G

- Galapagos Islands, oceanography, A1:4–6
- gamma ray attenuation bulk density power, vs. frequency, A9:56
- gamma ray logs
 - vs. depth, A9:67, 69; A10:21, 62, 67; A12:18, 66, 69
 - vs. gamma rays, A9:44, 70; A10:44, 65
 - See also* multisensor spectral gamma ray logs
- gamma rays
 - comparison of core and downhole, A1:82
 - meters composite depth, A3:4–5
 - sediments, A9:22
 - spliced records, A4:5, 27; A5:26; A6:27; A9:41; A10:41; A11:34; A12:44; A13:33

vs. depth, A1:118, 121, 124, 126, 128, 130, 132, 134, 137, 139, 141; A3:26; A4:29; A5:28; A6:29; A7:39; A8:44; A9:45; A10:45; A11:37; A12:47; A13:36–37

vs. gamma ray logs, A9:44; A10:44

gas hydrates

- chloride pore water profiles, A1:25
- decomposition, A4:14

gateway closures, thermal structure, B1:13–16

gateways, tropical, Pliocene, B12:1–51

Gauss Chron, sediments, A11:14

Gauss/Matuyama boundary, sediments, A7:16; A8:21

geochemistry

- foraminifers, B1:9
- Site 1232, A3:12–14
- Site 1233, A4:13–16
- Site 1234, A5:12–15
- Site 1235, A6:13–16
- Site 1236, A7:17–19
- Site 1237, A8:22–25; B8:1–19
- Site 1238, A9:17–21
- Site 1239, A10:16–20
- Site 1240, A11:14–17
- Site 1241, A12:15–17
- Site 1242, A13:13–15
- summary, A1:145

geomagnetic Excursion 3 α

- sediments, B2:6–7
- time-depth plots, B2:21

geomagnetic Excursion 3 β , B2:6–7, 13, 16, 18–19

geomagnetic field

- excursions, A4:11–12; A5:40
- Holocene–late Pleistocene behavior, A1:13–14

geomagnetic paleointensity, age vs. depth, A4:52

geomagnetic polarity timescale, sediments, A7:16; A8:21–22

Gilbert Chron, sediments, A8:21

GISP2 ice core, millennial-scale variations, A1:116

glaciation

- millennial-scale climate change, A1:33–37
- paleoclimatology, A1:32–33

glass shards, lithologic units, A5:8; A10:8–10

glauconite, authigenic

- lithologic units, A7:9
- photograph, A7:48

Globigerinoides sacculifer, Pliocene mixed-layer oceanography, B13:1–27

Globobulimina spp., vs. depth, A5:36

goethite

- deposition, A8:12–13
- reflectance spectra, A6:38

graded bedding, sediments, A3:8–9

grainstone, lithologic units, A7:7–10

gravity currents, lithologic units, A7:10

Guatemala Basin, site description, A12:1–101

Gunther Undercurrent

- circulation, A4:2; B1:27
- oceanography, A1:5–6, 114

H

heat flow, advection, B1:5

Heinrich events, millennial-scale climate change, A1:33–37

hematite

- deposition, A8:12–13; B1:51
- reflectance spectra, A6:38
- vs. age, A8:58

hemipelagic sediments

- deposition, A13:8–9
- lithologic units, A3:8–9; A4:8; A5:15; A6:8–9

hiatuses

- biostratigraphy, A9:12; A13:10–12
- deposition, A10:10
- lithologic units, A13:7–9
- Miocene, A9:15
- photograph, A13:45

Holocene

- biostratigraphy, A8:19
- lithologic units, A8:7–9; A9:7–11; A13:6–7
- millennial-scale variations, A1:116
- pollen, B1:6
- Stage 1 high-resolution paleomagnetic interval, B14:3–5
- temperature, B13:7

hydrogen index, vs. total organic carbon, A5:15, 45; A6:16, 50; A8:70; A11:17, 56

hydrogen sulfide, pore water, A9:18; A12:15

hydrography, mixed-layer, lower Pliocene, B13:8–9

I

i-butane, headspace gases, A10:88

i-pentane, headspace gases, A10:88

Indo-Pacific ocean circulation, upper Oligocene, B3:5–6

insolation

- gamma ray attenuation density, B4:26
- millennial-scale climate change, A1:33–37
- sand record, B4:28
- vs. age, B4:24

interbedded sequence, photograph, A3:23

intermediate water, millennial-scale climate change, A1:34

Intertropical Convergence Zone, oceanography, A1:4–6; B1:27–28

iron

- pore water, A3:13; A4:14; A5:13; A6:14; A10:17; A11:15; A12:15; A13:13–14
- vs. depth, A3:36; A4:48; A5:42; A6:47; A9:63; A10:58; A11:53; A12:63; A13:51

iron oxides, lithologic units, A7:9

iron oxyhydroxides, deposition, A8:13–14

irradiance percentage, vs. water depth, B12:36

isotopes, organic matter, B9:5

J

Jaramillo Subchron, sediments, A7:16; A8:21; A11:14; A12:14

K

Kaena Subchron, sediments, A8:21; B4:14
kutnahorite, foraminifers, B1:9

L

laminations, lithologic units, A12:8–9
lapilli layer
 lithologic units, A12:6–10
 photograph, A12:53
Laschamp Event
 age vs. depth models, A4:53
 directional variability, A5:11–12
 excursions, A5:40
 millennial-scale variations, A1:116; A4:29
Last Glacial Maximum
 sea-surface temperature, B1:7
 temperature, B13:7
late Oligocene climate optimum, stable isotopes, B1:5
lightness
 frequency vs. age, A1:112
 spliced records, A3:21
 vs. age, A9:56
 vs. depth, A1:118, 121, 124, 126, 128, 130, 132, 134,
 137, 139, 141; A4:29; A5:28; A6:29; A7:39, 44;
 A8:44; A9:45, 49; A10:45; A12:47; A13:36
lightness power, vs. frequency, A9:56
limestone. *See* packstone; rudstone; wackestone
limestone porosity logs, vs. depth, A10:63
lipids, vs. total organic carbon, A11:17
lithium
 pore water, A4:15; A5:14; A6:15; A9:19; A10:18;
 A11:16; A12:16; A13:14
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67;
 A9:63; A10:58; A11:53; A12:63; A13:51
lithologic units, Pacific Ocean SE, A3:6–9; A4:6–8; A5:5–
 8, 52; A6:5–9, 57; A7:5–10, 63; A8:7–14, 82;
 A10:6–10; A11:5–10; A12:6–10; A13:6–9, 63
 Unit I, A3:6–8, 42; A4:6–8, 64; A5:5–8, 52; A6:5–9, 57;
 A7:6–7; A8:7–9; A9:7–9, 84; A10:6–10, 77;
 A11:5–10, 67; A12:6–10, 82; A13:6–7
 Unit II, A7:7–8; A8:9–11; A13:7–8
 Unit III, A7:8–9
 Unit IV, A7:9
lithology, vs. depth, A1:118, 121; A4:29; A5:28; A6:29;
 A7:39; A9:45; A10:45; A11:37; A12:47; A13:36
lithostratigraphy
 reflectance spectroscopy, A1:11–12
 Site 1232, A3:5–9
 Site 1233, A4:5–8
 Site 1234, A5:5–8
 Site 1235, A6:5–9
 Site 1236, A7:5–10
 Site 1237, A8:6–14
 Site 1238, A9:6–11
 Site 1239, A10:6–10
 Site 1240, A11:5–10
 Site 1241, A12:5–10
 Site 1242, A13:5–9
 vs. depth, A3:26

M

magnesium
 pore water, A1:24–25; A3:13; A4:15; A5:13–14; A6:15;
 A7:18; A8:23–23; A9:19; A10:18; A11:16;
 A12:16; A13:14
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67;
 A9:63; A10:58; A11:53; A12:63; A13:51
magnesium/calcium ratio
 deep-dwelling planktonic foraminifers, B12:50–51
 Neogene, B1:4, 19–24, 56
 paleoclimatology, B12:8–10
 paleotemperature equations, B12:48
 planktonic foraminifers, B1:4, 13–19
 Pliocene, B1:5
 Pliocene mixed-layer oceanography, B13:1–27
 Pliocene–Pleistocene foraminifers, B11:1–19
 pore water, A4:15; A5:14; A6:15; A7:18; A9:19;
 A10:18; A11:15; A12:16; A13:14
 spectral analysis, B13:24–25
 vs. age, B12:39, 41; B13:21–23
 vs. depth, A1:105; A3:36; A4:48; A5:42; A6:47; A7:55;
 A8:67; A9:63; A10:58; A11:53; A12:63; A13:51;
 B11:7
magnetic declination
 sediments, A11:13–14; A12:13–14; B2:3–5
 U-channel paleomagnetic studies, B14:17, 22, 27
 vs. depth, A1:90; A3:31; A4:40–42; A5:37, 40; A6:43–
 45; A11:50–51; A12:60–61; A13:49
 vs. paleomagnetic secular variation splice, A1:88–89
magnetic inclination
 advanced piston corer temperature, A(Appendix):7
 nonmagnetic core barrels, A(Appendix):8, 10
 sediments, A7:16; A11:13–14; A12:13–14; B2:3–5
 U-channel paleomagnetic studies, B14:16, 21, 26
 vs. age, A4:43
 vs. depth, A1:90; A3:31–33; A4:40–41, 44; A5:37, 39–
 40; A6:42–44; A7:53–54; A8:60–65; A9:59–60;
 A10:56; A11:49; A12:60; A13:48
magnetic intensity
 magnetic polarity, A3:12
 natural remanent magnetization, A4:11–13
 nonmagnetic core barrels, A(Appendix):9–10
 sediments, A7:15–16; A8:20–22; A9:17; A10:15–16;
 A11:13–14; A12:13–14; A13:12–13; B2:3–5
 vs. depth, A3:31–34; A4:39–41, 45; A5:37–38; A6:41–
 42, 44; A7:52; A8:60; A9:58, 61; A10:53–55;
 A11:48; A12:58–59; A13:47
 vs. magnetic susceptibility, A3:34; A4:46
 See also geomagnetic paleointensity; paleointensity
magnetic intensity, normalized relative
 vs. depth, A1:90
 vs. paleomagnetic secular variation splice, A1:88–89
magnetic overprints, paleomagnetism, A(Appendix):4–5
magnetic polarity
 chron boundaries, A7:69; A8:98–99; A11:75
 correlation, B3:4–5
 directional variability, A5:11–12; A9:17; A10:16;
 A12:14; A13:12–13
 paleomagnetic age, A7:70; A11:76
 sediments, A3:12; A7:16; A8:21–22; A11:13–14

- vs. depth, A7:54; A8:61–65; B3:13
- magnetic reversals, ages, B4:37
- magnetic susceptibility
- correlation, A1:115
 - fast track, A1:9–10; A3:19–20; A4:24–26; A5:22–25; A7:4; A8:37–42; A9:35–40; A10:34–40; A11:29–33; A13:27–32
 - meters composite depth, A3:4–5; A5:4; A6:24–26; A7:29–32; A9:5–6; A10:5; A11:4–5; A12:4–5; A13:4–5
 - millennial-scale variations, A1:116
 - sediments, A3:40–41; A4:7, 59–63; A5:49–51; A7:61–62; A9:81–83; A10:74–76; A11:63–66; A12:79–81; A13:59–62
 - spliced records, A6:27; A8:36; A10:41; A11:34; A12:30–36, 44; A13:33
- U-channel paleomagnetic studies, B14:13, 18, 23
- vs. age, A4:51; A9:56
- vs. depth, A1:118, 121, 124, 126, 128, 130, 134, 137, 139, 141; A3:26, 30, 32–33; A4:29, 32–33, 51; A5:28–29; A6:29, 32; A7:39, 41, 44; A9:45; A10:45–46; A12:47, 59; A13:36–37; B4:23
- vs. magnetic intensity, A3:34; A4:46
- magnetic susceptibility, multisensor track, spliced records, A3:5, 21; A5:26; A6:53–55; A7:37; A8:5, 78–81; A9:41
- magnetic susceptibility power, vs. frequency, A9:56
- magnetostratigraphy
- age vs. depth models, A7:57; A8:71; A9:75; A10:68; A11:57; A12:73; A13:53
 - Cenozoic, A1:14–16, 115
 - sediments, A7:16
 - upper Oligocene, B3:1–15
- major elements
- sediments, B10:1–9
 - terrigenous input, B1:8–9
- Mammoth Subchron, sediments, A8:21; B4:14
- manganese
- particulates, B1:4
 - pore water, A3:13; A4:14; A5:13; A6:14; A7:17; A8:23; A9:18; A10:17; A11:15; A12:15; A13:13; B8:1–19
 - vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67; A9:63; A10:58; A11:53; A12:63; A13:51; B8:14
- manganese/calcium ratio
- Pliocene–Pleistocene foraminifers, B11:1–19
 - vs. depth, B11:7
- marine environment, nitrogen isotopes, B9:1–22
- marine oxygen isotope excursion Oi2b, Site 1237, B3:4–15
- marine oxygen isotope stages
- Quaternary, B1:6
 - stratigraphy, B1:11–13
- mass accumulation rates
- age models, A1:16–21
 - age vs. depth models, A4:53, 76; A9:75; A10:68, 93; A11:57
 - composite depths, A1:10
 - sediments, B2:3–4
 - Site 1232, A3:14
 - Site 1233, A4:16–17
 - Site 1234, A5:15
 - Site 1235, A6:16–17
 - Site 1236, A7:19–20
 - Site 1237, A8:25–26, 107
 - Site 1238, A9:23–24, 101
 - Site 1239, A10:22–23
 - Site 1240, A11:17–18, 82
 - Site 1241, A12:18–19
 - Site 1242, A13:15–16, 74
 - upper Pleistocene, A3:14, 101
 - vs. age, A7:57, 74; A8:71–72; A9:75; A10:68; A12:73; A13:53
- mass accumulation rates, biogenic opal, vs. age, A1:96
- mass accumulation rates, carbonate, vs. age, A1:95, 109
- mass accumulation rates, noncarbonate, vs. age, A1:95
- mass accumulation rates, terrigenous sediment, vs. age, A1:96, 108
- mass accumulation rates, total, linear sedimentation rates, A1:93
- Matuyama Chron, sediments, A11:14
- medium resistivity logs, vs. depth, A9:68; A10:63; A12:67
- Mesoamerican Trench, site description, A13:1–74
- metals, sediments, B10:1–9
- meters composite depth
- magnetic susceptibility, A5:4; A6:24–26; A7:29–32; A8:5–6; A9:5–6; A10:5; A11:4–5; A12:4–5; A13:4–5
 - spliced records, A3:4; A4:4
 - vs. depth, A3:22; A4:28; A5:27; A6:28; A7:38; A8:43; A9:43; A10:43; A11:36; A12:46; A13:35
- methane
- headspace and Vacutainer gases, A4:13, 71; A5:12, 60; A6:13, 46, 63
 - headspace gases, A3:51; A8:22, 101; A9:18; A10:88; A11:14, 52, 77; A12:15, 62, 97; A13:13, 70
 - sediments, A3:12; A9:96; A10:16
 - vs. depth, A3:35; A4:47; A5:41; A8:66; A9:62; A10:57; A13:50
- methane/ethane ratio
- headspace and Vacutainer gases, A4:13, 71; A5:12, 60; A6:13, 46, 63
 - headspace gases, A10:88; A11:77; A13:13, 70
 - sediments, A9:96; A10:16
 - vs. depth, A4:47; A5:41; A9:62; A10:57; A13:50
- methanogenesis
- organic matter, A1:22–23
 - pore water, A4:14
- methods, paleomagnetism, A(Appendix):1–10
- micas, vs. depth, A3:25; A4:32
- micrite
- diagenesis, A9:11
 - lithologic units, A8:9–11; A9:8–11
 - photograph, A8:55
 - vs. depth, A7:41; A8:45; A9:46; A10:46; A11:38; A12:48; A13:38
- micrite, authigenic, lithologic units, A10:7–10; A13:6–9
- microconductivity logs, vs. resistivity logs, A12:72
- mid-Pliocene warmth, paleoclimatology, B12:9
- mineralization, authigenesis, A1:24–25
- minor elements, Pliocene–Pleistocene foraminifers, B11:3

Miocene
 biostratigraphy, A7:11–15
 carbonate crash, A12:10
 deposition, A13:8–9
 lithologic units, A7:6–8; A8:10–11; A10:6–10
 nannofossil events, A10:11
 nannofossils, A9:13
 stratigraphy, A7:57
Miocene, middle
 biostratigraphy, A8:17
 chronostratigraphy, B1:7
 foraminifers, A10:13
 lithologic units, A9:8–11; A13:7–8
 orbital forcing, B1:6
Miocene, middle/upper boundary, biostratigraphy, A8:16
Miocene, upper
 biostratigraphy, A8:19
 deposition, A12:9–10
 diatoms, A9:16; A10:14–15; A11:12
 foraminifers, A10:13
 lithologic units, A8:9–10; A9:7–11; A12:6–10
Miocene/Pliocene boundary
 biostratigraphy, A7:12; A8:17
 foraminifers, A9:15
Miocene–Pliocene sequence
 biostratigraphy, A8:18
 radiolarian datums, B6:5–9
mixed-layer oceanography, Pliocene, B13:1–27
Mocha Fracture Zone, site description, A3:1
molybdenum. *See* uranium/molybdenum ratio
monosulfides, lithologic units, A4:6–8; A5:8
mottling
 lithologic units, A5:5–8; A8:7–9; A9:10; A11:8–10; A12:9
 photograph, A4:31; A10:47; A11:41
multisensor spectral gamma ray logs, vs. depth, A9:67

N

n-alkane
 sediments, B7:3–4
 vs. depth, B7:9
n-butane, headspace gases, A10:88
nannofossil datums, biostratigraphy, A11:10
nannofossil events
 Pleistocene, B5:1–10
 Pliocene, A9:12–13
nannofossils
 lithologic units, A5:5–8; A6:6; A7:6–7; A8:7–9; A10:6–10; A11:6–10; A12:8–10; A13:6–9
 vs. depth, A4:33, 38; A5:29, 35; A7:41, 51; A8:59; A9:46, 57; A10:46, 52; A11:38, 47; A12:48, 57; A13:38, 46
nannofossils, calcareous
 biostratigraphy, A3:9; A4:9; A5:8–9; A6:9; A7:11–12; A8:14–16; A9:12–13; A10:10–12; A11:10; A12:11; A13:10; B1:11
 distribution, A3:47; A4:66–67; A5:54–55; A6:58; A7:65–67; A8:87–89; A9:88–89; A10:81–83; A11:70–71; A12:85–86; A13:66–67

 Pleistocene biostratigraphy, B1:5; B5:1–10
 vs. depth, A6:39
Nazca plate, tectonics, A1:6–7
Nazca Ridge
 mass accumulation rates and age models, A1:17–18
 site description, A7:1–74; A8:1–107
Neogene
 astronomically calibrated chronostratigraphy, B4:1–69
 biomarkers, B1:3–4
 biostratigraphy, A7:11–15; A8:14–20; A9:12–17; A13:10–12
 climate change, A1:26–30
 paleoceanography, B1:3–4
 tectonics, A1:7
 uplifts, B1:16
nitrate, sea-surface, vs. age, A1:97–101
nitrogen, organic, conversion to ammonium, B9:6–8
nitrogen, total
 data, A3:53–54
 sediments, A3:13–14; A4:15–16, 73–74; A5:15, 62–63; A6:16, 65–67; A8:24–25, 103–105; A9:20, 98–100; A10:19, 90–92; A11:16, 79–80; A12:16, 99–100; A13:15, 72–73; B9:4
 vs. depth, A4:49; A5:43; A6:48; A9:64; A10:59; A11:54; A12:64; A13:52; B9:16
 vs. total organic carbon, A1:103; A5:15, 44; A6:49; A10:60; A11:55
nitrogen isotopes
 denitrification, B1:10
 diagenesis, B9:1–22
 organic matter, B1:8
 Pleistocene, B1:9–10
 vs. depth, B9:17
 vs. depth for measured and adjusted profiles, B9:18
nodules, authigenic carbonate
 diagenesis, A9:11
 lithologic units, A6:6–9
 photograph, A6:31
Nonionella spp., vs. depth, A5:36; A6:40
nontronite, X-ray diffraction data, A11:45
North Equatorial Countercurrent, paleodrift, B12:3–5
North Pacific Intermediate Water, oceanography, A1:5–6; B1:43
Northern Hemisphere glaciation, intensification, B13:11–13
Nunivak Subchron, sediments, A8:21
nutrients
 geochemistry, B8:7–9
 oxygen isotopes, B12:14
 regeneration, A1:22–23

O

obliquity
 age models, B4:8–12
 carbon isotopes, B1:46
 oxygen isotopes, B1:7, 46
 Pliocene, B13:11–13
 vs. age, B4:24–25, 27

- ocean circulation, millennial-scale climate change,
A1:34; B1:53–54
- ocean currents, Pacific Ocean SE, A1:75
- oceanography, Pacific Ocean SE, A1:4–6; A9:31; A10:30;
A11:25; A12:26; A13:23
- odd/even carbon number preference index
sediments, B7:3–4
vs. depth, B7:9
- Olduvai/Matuyama boundary, sediments, A11:14
- Olduvai Subchron, sediments, A7:16; A11:14
- Oligocene
biostratigraphy, A7:11–15
lithologic units, A7:7–9
- Oligocene, lower/upper boundary, biostratigraphy,
A7:12
- Oligocene, upper
biostratigraphy, A8:16
lithologic units, A8:10–11
magnetostratigraphy, B3:1–15
See also late Oligocene climate optimum
- Oligocene/Miocene boundary, biostratigraphy, A8:16
- Oligocene–Pleistocene sequence, deposition, A8:56
- ooze, calcareous pelagic, lithologic units, A7:6–7
- ooze, clay-bearing nannofossil, lithologic units, A12:8–
10
- ooze, clayey, lithologic units, A8:7–9
- ooze, clayey foraminifer–nannofossil, lithologic units,
A12:7
- ooze, clayey nannofossil, lithologic units, A8:7–9;
A13:6–7
- ooze, diatom, lithologic units, A9:8–11
- ooze, diatom-bearing nannofossil, lithologic units,
A11:5–10; A12:8–10; A13:7–8
- ooze, diatom nannofossil, lithologic units, A9:8–11;
A11:8–10
- ooze, laminated diatom, photograph, A12:54
- ooze, nannofossil, lithologic units, A7:6–7; A8:9–11;
A9:8–11; A10:6–10; A11:5–10; A12:8–10
- ooze, nannofossil-bearing diatom, lithologic units,
A11:7–10
- opal, biogenic
dissolution, A4:15; A8:22–23; A10:17
pore water, A6:14
X-ray diffraction data, A9:54
- opaques, vs. depth, A3:25; A4:32; A6:30
- orbital forcing, climate change, B1:19–24
- organic matter
anaerobic diagenesis, B9:5–6
decomposition, A4:14; A6:14
diagenesis, A4:14; A5:12; A6:14; A7:17; A8:23; A9:18;
A10:17; A11:15; A12:15
isotopes, B9:5
nitrogen isotopes, B1:8
oxidation, A1:22–23
- organic matter, sedimentary, dilution, A1:23–24
- oxidation, organic matter, A1:22–23; A5:12; A7:17;
A8:23; A9:18; A10:17; A11:15; A12:15
- oxygen
contours, A1:114
proxies, B10:3
vs. uranium/molybdenum ratio, B10:5
- oxygen isotopes
age models, B4:8–17
Cenozoic, B3:10
comparison of Sites 851 and 1241, B12:45
foraminifers, B12:5–13
Globorotalia menardii and *Globorotalia limbata*, B12:47
millennial-scale variations, A1:116
obliquity, B1:7
paleoclimatology, B3:1–15
planktonic foraminifers, B1:4
Pliocene, B1:5
Pliocene mixed-layer oceanography, B13:1–27
Pliocene–Pleistocene foraminifers, B11:1–19
seawater and rainwater, B1:4
spectral analysis, B13:24–25
vs. age, B3:14; B4:29; B12:38–40; B13:21–23
vs. carbon isotopes, B4:31–33
vs. depth, B1:6
See also marine oxygen isotope excursion Oi2b; ma-
rine oxygen isotope stages
- oxygen minimum zones
biostratigraphy, A7:11–15
oceanography, A1:5–6
- P**
- Pacific Central Water, oceanography, A1:114; B1:27, 43
- Pacific Ocean equatorial
calcareous nannofossil Pleistocene biostratigraphy,
B5:1–10
Leg 202 summary, A1:1–145
- Pacific Ocean SE
Leg 202 summary, A1:1–145
oceanography, A1:4–6
paleoceanography, B1:1–56
paleomagnetism, A(Appendix):1–10
Pliocene stratification, B12:1–51
tectonics, A1:6–7
See also eastern equatorial Pacific cold tongue
- Pacific plate, tectonics, A1:7
- packstone, lithologic units, A7:7–10
- packstone, unlithified, photograph, A7:48
- paleoceanography
biostratigraphy, A5:8–10
millennial-scale climate change, A1:32–40
Pacific Ocean SE, B1:1–56
paleodrift, B12:3–5
Pliocene mixed-layer oceanography, B13:1–27
upper Oligocene, B3:5–6
- paleoclimatology
biostratigraphy, A7:14
deposition, A8:13–14
plate tectonics, B1:13–19
Pliocene, B1:10; B12:1–51; B13:1–27
Pliocene–Pleistocene sequence, B11:3
proxies, B10:3
Quaternary, B1:6
tectonics, A1:26–32
upper Cenozoic, B1:48
upper Oligocene, B3:1–15

- See also* eastern equatorial Pacific cold tongue; late Oligocene climate optimum; mid-Pliocene warmth
- paleoclimatology, orbital-scale
 climate change, B1:19–24
 Neogene, A1:32–33
- paleodrift, paleoceanography, B12:3–5
- paleoenvironment, deposition, A8:13–14
- paleointensity, relative estimates, A4:12–13
- paleomagnetic age, magnetic polarity, A7:70; A8:100; A11:76
- paleomagnetic field, directional variability, A4:11–12
- paleomagnetic secular variations
 directional variability, A6:12
 paleomagnetism, B1:8
 rock magnetism, B14:9–10
 time series, B2:22
 upper Quaternary, B2:1–22
 vs. depth, A1:86–87; A4:12; B2:11–19
 vs. magnetic declination, A1:88–89
- paleomagnetism
 centennial-scale variations, B14:9–10
 late Pleistocene–Holocene sequence, B1:8
 millennial-scale variations, B14:9–10
 Pacific Ocean SE, A(Appendix):1–10
 Site 1232, A3:11–12
 Site 1233, A4:11–13; B2:1–22; B14:1–30
 Site 1234, A5:10–12; B2:1–22
 Site 1235, A6:11–12
 Site 1236, A7:15–16
 Site 1237, A8:20–22
 Site 1238, A9:17
 Site 1239, A10:15–16
 Site 1240, A11:13–14
 Site 1241, A12:13–14
 Site 1242, A13:12–13
- paleosalinity, Termination 1, B1:26
- paleothermometry
 magnesium/calcium ratio, B13:4–5
 middle Pliocene, B1:5
- Panama Basin
 basement fluid flow, A1:25
 mass accumulation rates and age models, A1:20–21
 oceanography, A1:4–6
 site description, A11:1–82
- Panama Isthmus
 closure, A1:30–32
 deposition, A13:8–9
 millennial-scale freshwater transport, B1:4
- Patagonian ice sheet, sea-surface temperature, B1:7
- pelagic environment, lithologic units, A7:9–10
- pelagic sediments, deposition, A13:8–9
- pentane
 headspace gases, A10:88
 sediments, A10:16
 See also *i*-pentane
- Peru-Chile Countercurrent, oceanography, A1:113
- Peru-Chile Current, oceanography, A1:4–6, 113
- Peru-Chile Trench
 site description, A5:1–64; A6:1–68
 tectonics, A1:6–7
- Peru Current, oceanography, A1:4–6
- phosphate
 modern annual average, B12:35
 pore water, A3:13; A4:14; A5:13; A6:14; A7:17; A8:23; A9:18; A10:17; A11:15; A12:15; A13:14; B8:1–19
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67; A9:63; A10:58; A11:53; A12:63; A13:51
- phosphate, interstitial, vs. depth, A1:107
- phosphate, sea-surface
 site locations, A1:76–78; A7:27; A8:34; A9:33; A10:32; A11:28; A12:29; A13:25
 vs. age, A1:97–101
- phosphorus, authigenic, vs. depth, B8:12
- phosphorus, particulates, B1:4
- phosphorus, reactive, vs. depth, B8:16
- phosphorus, reactive/excess barium ratio, vs. depth, B8:16
- phosphorus/barium ratio, sediments, B8:9
- phosphorus components, sediments, B8:18
- physical properties
 lithologic units, A11:7–10; A12:6–10
 vs. depth, A13:44
- plagioclase, X-ray diffraction data, A11:45
- plate rotation, tectonics, A1:6–7
- plate tectonics
 Pacific Ocean SE, A1:80
 paleoclimatology, B1:13–19
- Pleistocene
 biostratigraphy, A7:11–15; B1:5; B5:1–10
 lithologic units, A7:6–7; A8:7–9; A9:7–11; A10:6–10; A11:6–8; A12:6–10; A13:6–7
 nannofossil events, A10:11
 nitrogen isotopes, B1:9–10
 stratigraphy, A7:57
- Pleistocene, lower, foraminifers, A11:11
- Pleistocene, lower/upper boundary, foraminifers, A9:14; A10:12
- Pleistocene, middle, diatoms, A9:16; A10:14; A11:12; A13:12
- Pleistocene, upper
 age models, A3:14
 biostratigraphy, A5:8–10; A8:17
 nannofossils, A12:11
- Pleistocene/Holocene boundary, vs. depth, A4:29
- Pleistocene–Holocene sequence, paleomagnetism, B1:8
- Pliocene
 biostratigraphy, A7:11–15
 lithologic units, A7:6–7; A8:9–10; A9:7–11; A10:6–10; A12:6–10
 mixed-layer oceanography, B13:1–27
 nannofossil events, A9:12–13; A10:11
 oxygen isotopes, B1:5
 paleoclimatology, B1:10; B12:1–51
 stratification, B12:1–51
 stratigraphy, A7:57
- Pliocene, lower, foraminifers, A9:15; A10:13
- Pliocene, lower/upper boundary, biostratigraphy, A7:12
- Pliocene, middle
 paleothermometry, B1:5
 See also mid-Pliocene warmth

Pliocene, upper
 diatoms, A9:16; A10:14
 lithologic units, A8:7–9; A11:7–10; A13:6–7

Pliocene/Pleistocene boundary
 deposition, A10:8–10
 foraminifers, A9:14; A10:13; A11:11

Pliocene–Pleistocene sequence
 biostratigraphy, A8:18
 foraminifer geochemistry, B11:1–19
 foraminifers, A11:11–12

polar events, millennial-scale climate change, A1:33–37

pollen, Quaternary, B1:6

pore water
 ammonium, B9:5
 geochemistry, A3:12–13, 52; A4:72; A5:12–14, 61;
 A6:13–15, 64; A7:17–18, 71; A8:22–24, 102;
 A9:97; A10:89; A11:78; A12:98; A13:71

porosity
 vs. depth, A3:27; A4:37; A5:33; A6:35; A9:51; A10:49;
 A11:39; A12:49; A13:44
 vs. moisture and density bulk density, A9:51; A10:49;
 A11:39; A12:49; A13:44

porosity logs
 vs. depth, A9:68; A12:67
See also limestone porosity logs

potassium
 pore water, A4:15; A5:14; A6:15; A7:18; A8:24; A9:19;
 A10:19; A11:16; A12:16; A13:14–15
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67;
 A9:63; A10:58; A11:53; A12:63; A13:51

potassium logs, vs. depth, A9:69; A10:67; A12:69

precession
 age models, B4:8–12
 paleoclimatology, A1:32–33
 vs. age, B4:24, 27

preferred habitat of planktonic foraminifers, vs. water
 depth, B12:36

preservation, foraminifers, A1:111

productivity
 deposition, A10:8–10; A11:9–10
 geochemistry, B8:7–9
 lithologic units, A6:8–9; A7:10; A9:9–11

productivity, primary
 paleoproxies, B1:4
 vs. age, A1:97–101; A7:27; A8:34; A9:33; A10:32;
 A11:28; A12:29; A13:25

propane
 headspace and Vacutainer gases, A5:60
 headspace gases, A10:88; A13:70
 sediments, A10:16

provenance, sediments, A3:8–9

proxies
 age models, B4:8–12, 24–31
 comparison, B1:55–56
 geochemistry, B8:7
 Pliocene, B13:11–13
 sediments, B10:3

pumice, lithologic units, A12:8

pycnocline depth, vs. age, A1:97–101; A7:27; A8:34;
 A9:33; A10:32; A11:28; A12:29; A13:25

pyrite
 diagenesis, A9:11
 lithologic units, A5:8; A8:7–11; A9:8–11
 vs. depth, A4:32; A5:29; A8:45; A13:37

pyrite, authigenic, lithologic units, A10:7–10; A13:6–9

pyroxene
 lithologic units, A3:6–9; A6:6–9
 vs. depth, A3:25; A4:32; A6:30

Q

quartz
 lithologic units, A3:7; A5:5–8; A6:6–9; A11:7–10;
 A13:6–9
 surface sediments, A1:108; B1:51
 X-ray diffraction data, A9:54

quartz/feldspar ratio, lithologic units, A5:5–6

quartz/(quartz + feldspar) ratio, vs. depth, A3:25; A4:32;
 A5:29; A6:30

Quaternary
 biostratigraphy, A7:11–15
 geomagnetic field, A1:13–14
 paleoclimatology, B1:6
 pollen, B1:6
 radiolarians, B1:9

Quaternary, upper
 biostratigraphy, A3:9–11; A4:9–10; A6:9–11
 lithologic units, A3:6–9; A4:6–8; A5:5–8; A6:6–9
 paleomagnetism, B2:1–22

R

radiolarian datums, Miocene–Pliocene sequence, B6:5–9

radiolarians
 biostratigraphy, B1:11; B6:1–29
 lithologic units, A9:8–11; A11:8–10; A12:6–10; A13:6–
 9
 Quaternary, B1:9
 vs. depth, A9:46; A11:38; A12:48; A13:38
 zonation, B6:5–9

recrystallization, calcite, A12:16

red algae, photomicrograph, A7:47

redox
 sediments, B8:7
 threshold, B1:4

reduction, organic matter, A8:23

reference sections, A1:14–16

reflectance
 deposition, A8:12–13
 spliced records, A3:21; A4:5, 27; A5:26; A7:33–37;
 A8:36, 58; A9:42; A10:42; A11:35; A12:45
 vs. depth, A6:29; A13:42
See also chromaticity

reflectance spectra, first derivative, A6:38; A9:53; A10:51;
 A11:40; A12:51

reflectance spectroscopy, lithostratigraphy, A1:11–12

remanent magnetization, anhysteretic, U-channel paleo-
 magnetic studies, B14:14, 19, 24

remanent magnetization, natural
 sediments, A3:11, 31–34; A4:11, 39–41; A5:10–12;
 A6:11–12; A7:15–16; A8:20–22; A9:17; A10:15–
 16; A11:13–14; A12:13–14; A13:12–13
 vs. depth, A5:37–40; A6:41–45; A7:52–54; A8:60–65;
 A9:58–61; A10:53–56; A11:48–51; A12:58–61;
 A13:47–49

resistivity logs
 vs. density logs, A12:70
 vs. depth, A12:70
 vs. microconductivity logs, A12:72
See also medium resistivity logs; spherically focused
 resistivity logs

reworking
 nannofossil datums, A11:10
 nannofossils, A9:12–13; A10:10
 radiolarians, B6:4

Rock-Eval pyrolysis data, sediments, A5:64; A6:68;
 A8:106; A11:81

rock magnetism
 centennial-scale variations, B14:9–10
 correlation, B14:15, 20, 25
 millennial-scale variations, B14:9–10
 sediments, B14:1–30

rudstone
 lithologic units, A7:7–10
 photograph, A7:46
 photomicrograph, A7:47

rutile, vs. depth, A3:25

S

salinity
 contours, A1:113
 modern annual average, B12:35
 paleoclimatology, B12:11
 pore water, A3:12–13; A5:12
 seawater and rainwater, B1:4
 vs. water depth, B12:36
 water column, B12:19–21
See also paleosalinity

salinity, sea-surface, site locations, A1:76–78

sand, silty, lithologic units, A3:6–9

sand, vs. depth, A8:45

sand record, insolation, B4:28

scoria grains, lithologic units, A12:8

sediment/basalt interface, sulfate, A11:15

sediment/water interface, pore water, A3:12–13; A5:4;
 A9:5; A10:5

sediment thickness, vs. depth, A1:118

sedimentation, paleoclimatology, A1:32–33

sedimentation rates
 age models, B4:8–12
 lithologic units, A5:7–8
 vs. age, B4:24, 27

sedimentation rates, linear
 age vs. depth models, A4:17, 53, 76; A8:26, 107;
 A9:23–24, 75, 101; A10:22–23, 68, 93; A11:17–
 18, 57, 82; A12:19–20, 73, 101; A13:15–16, 53,
 74
 total mass accumulation rates, A1:93

vs. age, A7:20, 57, 74

sediments
 biogeochemistry, B9:4
 nitrogen isotopes, B9:1–22
 photograph, A4:30; A7:42–43, 46, 48–49; A11:45
 provenance, A3:8–9
 X-ray diffraction data, A11:45

sediments, brown, reflectance spectra, A6:38

sediments, green
 photograph, A5:30
 reflectance spectra, A6:38

sediments, nonpelagic grain-rich, photograph, A7:42

seismic profiles
 analog 3.5-kHz profile, A1:120; A4:21
 digital Parasound profile, A1:119; A4:20
 Site 1232, A1:117; A3:17
 Site 1234, A1:123; A5:19
 Site 1235, A1:125; A6:21
 Site 1236, A1:127; A7:25
 Site 1237, A1:129; A8:31
 Site 1238, A1:131; A9:29
 Site 1239, A1:133; A10:28
 Site 1240, A1:136; A11:24
 Site 1241, A1:138; A12:25
 Site 1242, A1:140; A13:22

seismic zones, heat flow, B1:5

shear wave velocity logs, vs. depth, A12:67

shell fragments, lithologic units, A5:5–8

Sidufjall Subchron, sediments, A8:21; B4:14–15

silica
 pore water, A3:13; A4:15; A5:13; A6:14; A7:18; A8:23;
 A9:19; A10:17–18; A11:15; A12:15–16; A13:14
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67;
 A9:63; A11:53; A12:63; A13:51

silica, biogenic, vs. depth, A6:30

silicate, sea-surface, vs. age, A1:97–101

siliceous microfossils
 lithologic units, A7:8–10
 vs. depth, A7:41; A8:45

siliciclastics
 deposition, A8:13–14
 lithologic units, A4:6–8; A6:6–9; A7:6–10; A9:7–11;
 A10:6–10; A11:6–10; A13:6–9
 sedimentary organic matter, A1:23–24
 vs. depth, A4:32; A5:29; A6:30; A7:41; A8:45; A9:46;
 A10:46; A11:38; A12:48; A13:37

siliciclastics, nonclay, vs. depth, A13:37

silicoflagellates
 lithologic units, A9:8–11; A13:6–9
 vs. depth, A4:33; A9:46; A10:46; A11:38; A12:48;
 A13:38

silt
 lithologic units, A6:6–9
 vs. depth, A8:45

silt, sandy, lithologic units, A3:6–9

silt/(silt + clay) ratio, vs. depth, A3:25; A4:32; A6:30
 Site 851, carbon and oxygen isotopes, B12:45–46
 Site 1232, A3:1–54
 age models, A3:14
 biostratigraphy, A3:9–11
 composite depths, A3:38

- composite section, A3:4–5
- geochemistry, A3:12–14
- introduction, A3:1–2
- lithostratigraphy, A3:5–9
- location, A3:16
- magnetic susceptibility, A3:40–41
- mass accumulation rates, A3:14
- mass accumulation rates and age models, A1:16–17
- operations, A3:2–4
- operations summary, A3:37
- paleomagnetism, A3:11–12
- seismic profiles, A3:17
- site description, A3:1–54
- site summary, A1:40–42
- splice tie points, A3:39
- Site 1233, A4:1–76
 - age control points, A4:75
 - age models, A4:16–17
 - biostratigraphy, A4:9–10
 - composite section, A4:4–5
 - geochemistry, A4:13–16
 - introduction, A4:1–2
 - lithostratigraphy, A4:5–8
 - location, A4:22
 - major and trace elements, B10:1–9
 - mass accumulation rates, A4:16–17
 - mass accumulation rates and age models, A1:16–17
 - operations, A4:2–4
 - operations summary, A4:54
 - paleomagnetism, A4:11–13; B2:1–22; B14:1–30
 - primary composite depth scale, A4:55
 - primary splice tie points, A4:56
 - secondary composite depth scale, A4:57
 - secondary splice tie points, A4:58
 - site description, A4:1–76
 - site summary, A1:42–44
- Site 1234, A5:1–64
 - age models, A5:15
 - biostratigraphy, A5:8–10
 - composite depth scale, A5:47
 - composite section, A5:4–5
 - geochemistry, A5:12–15
 - introduction, A5:1–2
 - lithostratigraphy, A5:5–8
 - location, A5:20
 - major and trace elements, B10:1–9
 - mass accumulation rates, A5:15
 - mass accumulation rates and age models, A1:16–17
 - nitrogen isotopes and diagenesis, B9:1–22
 - operations, A5:2–3
 - operations summary, A5:46
 - paleomagnetism, A5:10–12; B2:1–22
 - site description, A5:1–64
 - site summary, A1:44–46
 - splice tie points, A5:48
- Site 1235, A6:1–68
 - age models, A6:16–17
 - biostratigraphy, A6:9–11
 - composite depth scale, A6:52
 - composite section, A6:4–5
 - geochemistry, A6:13–16
 - introduction, A6:1–2
 - lithostratigraphy, A6:5–9
 - location, A6:22
 - mass accumulation rates, A6:16–17
 - mass accumulation rates and age models, A1:16–17
 - nitrogen isotopes and diagenesis, B9:1–22
 - operations, A6:2–4
 - operations summary, A6:51
 - paleomagnetism, A6:11–12
 - site description, A6:1–68
 - site summary, A1:46–48
 - splice tie points, A6:56
- Site 1236, A7:1–74
 - age models, A7:19–20; B4:38
 - biostratigraphy, A7:11–15
 - composite depth scale, A7:59
 - composite section, A7:4–5
 - geochemistry, A7:17–19
 - introduction, A7:1–3
 - isotope studies, A7:19–20; B4:38
 - lithostratigraphy, A7:5–10
 - location, A7:23
 - mass accumulation rates, A7:19–20
 - mass accumulation rates and age models, A1:17–18
 - operations, A7:3–4
 - operations summary, A7:58
 - orbitally derived age models, B4:1–69
 - paleomagnetism, A7:15–16
 - site description, A7:1–74
 - site summary, A1:48–51
 - splice tie points, A7:60
- Site 1237, A8:1–107
 - age models, A8:25–26
 - bathymetry, A8:29–30
 - biostratigraphy, A8:14–20
 - composite depth scale, A8:75–76
 - composite section, A8:5–6
 - geochemistry, A8:22–25; B8:1–19
 - introduction, A8:1–3
 - isotope studies, B4:49–54
 - lithostratigraphy, A8:6–14
 - location, A8:29
 - mass accumulation rates, A8:25–26
 - mass accumulation rates and age models, A1:17–18
 - operations, A8:3–4
 - operations summary, A8:73–74
 - orbitally derived age models, B4:8–10
 - organic carbon and biomarkers, B7:1–14
 - paleomagnetism, A8:20–22
 - Pliocene–Pleistocene foraminifer geochemistry, B11:1–19
 - radiolarian biostratigraphy, B6:1–29
 - reference sections, A1:14–15
 - site description, A8:1–107
 - site summary, A1:51–56
 - splice tie points, A8:77
 - upper Oligocene magnetostratigraphy, B3:1–15
- Site 1238, A9:1–101
 - age models, A9:23–24
 - bathymetry, A9:27–28
 - biostratigraphy, A9:12–17

- comparison of core gamma rays and downhole, A1:82
- composite depth scale, A9:78–79
- composite section, A9:5–6
- downhole measurements, A9:21–23
- geochemistry, A9:17–21
- introduction, A9:1–3
- lithostratigraphy, A9:6–11
- location, A9:27
- mass accumulation rates, A9:23–24
- mass accumulation rates and age models, A1:19–20
- operations, A9:3–5
- operations summary, A9:75–76
- paleomagnetism, A9:17
- site description, A9:1–101
- splice tie points, A9:80
- Site 1239, A10:1–93
 - age models, A10:22–23
 - bathymetry, A10:27
 - biostratigraphy, A10:10–15
 - comparison of core and downhole gamma ray attenuation density, A1:83
 - composite depth scale, A10:71–72
 - composite section, A10:5–6
 - downhole measurements, A10:20–22
 - geochemistry, A10:16–20
 - introduction, A10:1–3
 - isotope studies, B4:55–60
 - lithostratigraphy, A10:6–10
 - location, A10:26
 - mass accumulation rates, A10:22–23
 - mass accumulation rates and age models, A1:19–20
 - operations, A10:3–5
 - operations summary, A10:69–70
 - orbitally derived age models, B4:1–69
 - organic carbon and biomarkers, B7:1–14
 - paleomagnetism, A10:15–16
 - site description, A10:1–93
 - site summary, A1:56–58
 - splice tie points, A10:73
- Site 1240, A11:1–82
 - age models, A11:17–18
 - apparent depth offsets of sequential cores vs. time, A1:84
 - basement fluid flow, A1:25
 - bathymetry, A11:23
 - biostratigraphy, A11:10–13
 - composite depth scale, A11:60–61
 - composite section, A11:4–5
 - geochemistry, A11:14–17
 - introduction, A11:1–2
 - lithostratigraphy, A11:5–10
 - location, A11:22
 - mass accumulation rates, A11:17–18
 - mass accumulation rates and age models, A1:20–21
 - operations, A11:3–4
 - operations summary, A11:58–59
 - paleomagnetism, A11:13–14
 - site description, A11:1–82
 - site summary, A1:59–60
 - splice tie points, A11:62
- Site 1241, A12:1–101
 - age models, A12:18–19
 - bathymetry, A12:23
 - biostratigraphy, A12:10–13
 - composite depth scale, A12:76–77
 - composite section, A12:4–5
 - downhole measurements, A12:17–18
 - geochemistry, A12:15–17
 - introduction, A12:1–3
 - isotope studies, B4:61–69
 - lithostratigraphy, A12:5–10
 - location, A12:22
 - mass accumulation rates, A12:18–19
 - mass accumulation rates and age models, A1:20–21
 - operations, A12:3–4
 - operations summary, A12:74–75
 - orbitally derived age models, B4:10–12
 - paleomagnetism, A12:13–14
 - Pliocene mixed-layer oceanography, B13:1–27
 - Pliocene stratification, B12:1–51
 - reference sections, A1:15–16
 - site description, A12:1–101
 - site summary, A1:60–63
 - splice tie points, A12:78
- Site 1242, A13:1–74
 - age models, A13:15–16
 - bathymetry, A13:20
 - biostratigraphy, A13:9–12
 - composite depth scale, A13:56–57
 - composite section, A13:4–5
 - geochemistry, A13:13–15
 - introduction, A13:1–2
 - lithostratigraphy, A13:5–9
 - location, A13:19
 - mass accumulation rates, A13:15–16
 - mass accumulation rates and age models, A1:20–21
 - operations, A13:2–4
 - operations summary, A13:54–55
 - paleomagnetism, A13:12–13
 - site description, A13:1–74
 - site summary, A1:64–65
 - splice tie points, A13:58
- Sites 1232–1242
 - location, A1:73
 - site locations on sea-surface temperature, phosphate, and salinity, A1:76–78
 - stratigraphic column summary, A1:74
- smear slide data, vs. depth, A3:25
- smectite, X-ray diffraction data, A11:45
- sodium, pore water, A4:14; A5:12; A6:13; A7:17; A8:23; A9:18; A10:17; A11:14–15; A12:15; A13:13
- sonic velocity logs, vs. depth, A10:63; A12:67
- South Equatorial Current
 - oceanography, A1:4–6
 - paleodrift, B12:3–5
- South Pacific Intermediate Water, oceanography, B1:27
- spherically focused resistivity logs
 - vs. depth, A9:68; A10:63; A12:67
 - vs. Formation MicroScanner imaging logs, A12:72
- splice tie points
 - Site 1232, A3:39

- Site 1233, A4:4–5
 Site 1234, A5:48
 Site 1235, A6:56
 Site 1236, A7:4, 60
 Site 1237, A8:77
 Site 1238, A9:80
 Site 1239, A10:73
 Site 1240, A11:62
 Site 1241, A12:78
 Site 1242, A13:58
- spliced records, vs. depth, A3:22; A5:4
- sponge spicules
 lithologic units, A6:6; A12:6–10
 photograph, A13:39
 vs. depth, A10:46; A11:38; A12:48; A13:38
- stable isotopes
 benthic foraminifers, B4:1–69
 foraminifers, B1:11, 19–24
 Pliocene–Pleistocene foraminifers, B11:1–19
 upper Oligocene, B1:5
See also carbon isotopes; oxygen isotopes
- Stage 1 high-resolution paleomagnetic interval, sediments, B14:3–5, 13–17, 28
- Stage 2 high-resolution paleomagnetic interval, sediments, B14:5–7, 18–22, 29
- Stage 3 high-resolution paleomagnetic interval, sediments, B14:7–9, 23–27, 30
- stratification, Pliocene, B12:1–51
- stratigraphy
 age models, B4:15–17
 correlation, A1:9–11, 115; B1:11–13, 44–45
 marine oxygen isotope stages, B1:11–13
- strontium
 pore water, A5:14; A6:15; A7:18; A8:24; A9:19; A10:18–19; A11:16; A12:16; A13:14
 vs. depth, A3:36; A4:48; A5:42; A6:47; A7:55; A8:67; A9:63; A10:58; A11:53; A12:63; A13:51
- strontium/calcium ratio
 Pliocene–Pleistocene foraminifers, B11:1–19
 vs. depth, B11:7
- Subantarctic Zone, oceanography, B1:27
- subsurface waters, carbon isotopes, B12:21–22
- sulfate
 pore water, A3:13; A4:14; A5:12; A6:14; A9:18; A10:58; A11:15; A12:15; A13:13–14
 sediment/basalt interface, A11:15
 vs. depth, A1:102; A3:36; A4:48; A5:42; A6:47; A7:55; A8:67; A9:63; A11:53; A13:51
- sulfate, interstitial, vs. depth, A1:107
- sulfate reduction
 organic matter, A1:22–23
 organic matter decomposition, A5:13
 pore water, A9:18
 vs. depth, A1:102
- sulfides
 photograph, A4:31; A8:52
See also monosulfides
- sulfur, total
 data, A4:15
 sediments, A5:14, 62–63; A6:65–67; A9:20, 98–100
 vs. depth, A5:43
- sulfur, vs. total organic carbon, A5:15, 45; A6:16, 50; A8:70; A11:56
- surface currents, map, B12:34
- ## T
- tectonics
 backtracking relative to South America, A7:26; A8:32; A9:29; A10:29; A12:24; A13:21; B1:49
 Pacific Ocean SE, A1:6–7; B1:13–19
 paleoclimatology, A1:26–32
- temperature
 magnesium/calcium ratio, B12:15–19
 modern annual average, B12:35
 Neogene, B1:3–4
 paleoclimatology, B12:1–51
 Pliocene, B13:1–27
 vs. age, B1:50, 52
 vs. water depth, B12:36
- temperature, alkenone-based
 sediments, B7:4, 12–14
 vs. depth, B7:10, 11
- temperature, sea-surface
 paleoproxies, B1:4, 24–29, 50
 site locations, A1:76–78, 113; A7:27; A8:34; A9:33; A10:32; A11:28; A12:29; A13:25
 vs. age, A1:97–101; B13:20, 24–25
- temperature, vertical, oxygen isotopes, B12:12–13
- Termination 1, paleosalinity, B1:26
- thermal regime, continental slope, B1:5
- thermal structure
 gateway closures, B1:13–16
 tropical East Pacific, B12:15–25
 water column, B1:14
- thermocline
 paleodrift, B12:3–5
 Pliocene, B13:11–13
 shoaling, B12:17
- thermohaline circulation, millennial-scale freshwater transport, B1:4
- thorium logs, vs. depth, A9:69; A10:67; A12:69
- Thvera Subchron, sediments, A8:21
- time-depth plots, geomagnetic Excursion 3 β , B2:21
- titanite, vs. depth, A3:25
- titanium
 sediments, B8:5–6
 vs. aluminum, B8:13
- trace elements
 sediments, B10:1–9
 terrigenous input, B1:8–9
- trace fossils, photograph, A8:50
- trace metals, sediments, B8:18; B10:1–9
- tropical events, millennial-scale climate change, A1:33–37
- turbidites, lithologic units, A3:8–9; A4:8
- ## U
- U-channel paleomagnetic studies
 deconvolution, B14:9, 28–30
 sediments, B2:6–7

unconformities, foraminifers, A13:10–12
 upper ocean signatures, isotopes, B12:22–24
 upwelling
 biostratigraphy, A6:10
 foraminifers, A9:14
 nannofossils, A9:13
 radiolarians, B6:4
 temperature, B1:18
 uranium
 particulates, B1:4
 sediments, A9:20; B8:1–19
 vs. depth, B8:14
 uranium/molybdenum ratio
 sediments, B10:3
 terrigenous input, B1:9
 vs. depth, B10:6
 vs. oxygen, B10:5
 uranium logs
 vs. depth, A9:69; A10:67; A12:69
 vs. total organic carbon, A9:74
Uvigerina spp., vs. depth, A5:36; A6:40

V

Valdivia Fracture Zone, site description, A3:1
 vegetation, thermophilous, Holocene, B1:6
 velocity logs. *See* compressional wave velocity logs; shear wave velocity logs; sonic velocity logs
 voids, lithologic units, A6:8–9
 volcanic ash
 frequency, vs. age, A1:110
 layers, A4:65; A5:53; A8:83–84; A9:85; A10:78; A11:68; A12:83–84; A13:64
 lithologic units, A4:8; A5:6–8; A6:7–9; A7:7–10; A8:7–11; A9:7–11; A10:8–10; A11:8–10; A13:7–9
 photograph, A4:34; A6:34; A7:43; A8:48; A10:48; A11:43; A13:41
 radiolarians, B6:4–5, 26–28
 vs. age, A11:46
 vs. depth, A4:32; A8:47
 volcanic ash, white, photograph, A5:31
 volcanic ash Layer L, photograph, A9:50
 volcanic glass
 lithologic units, A4:7–8; A5:6–8; A7:7–10; A12:6–10
 vs. depth, A6:30; A7:41; A8:45; A11:38; A12:48; A13:37

X-ray diffraction data, A11:45
See also glass shards
 volcanic islands, lithologic units, A7:9–10
 volcanoclastics
 lithologic units, A12:9
 vs. depth, A12:55–56
 volcanism, deposition, A8:11–12; A11:9–10

W

wackestone
 lithologic units, A7:7–10
 photograph, A7:46
 Walker circulation, ocean circulation, B12:18
 water content
 vs. bulk density, A3:28
 vs. depth, A3:27; A4:37; A5:32–33; A6:36
 water masses, paleodrift, B1:43; B12:3–5
 water masses, subsurface, cross section, A1:79; A3:18; A4:23; A5:22; A6:23; A7:28; A8:35; A9:34; A10:33; A11:27; A12:28; A13:26; B3:11
 well-log Unit 1, sediments, A9:21–22
 well-log Unit 2, sediments, A9:22
 well-log Unit 3, sediments, A9:22
 well-log units, sediments, A9:21–22
 well-logging
 equivalent depth, A1:10–11
 tools, A9:66; A10:61; A12:65

X

X-ray diffraction data
 authigenic carbonate nodules, A6:31
 chalk, A9:54
 green color banding, A8:53
 sediments, A11:45

Z

zircon, vs. depth, A3:25
 zonation, radiolarians, B6:5–9
Zoophycos
 lithologic units, A7:9; A8:7–9; A9:8–11; A11:6–10; A12:6–10
 photograph, A10:47; A11:41

TAXONOMIC INDEX**A**

abies, *Sphenolithus*, Site 1238, A9:13
abyssorum, *Stilostomella*
 Site 1236, A7:14
 Site 1237, A8:19
 Site 1242, A13:11
acostaensis, *Neogloboquadrina*
 Site 1237, A8:17
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11

Site 1241, A12:12
 Site 1242, A13:10
Acrosphaera murrayana, Site 1237, B6:4
Acrosphaera spinosa fasciculopora, Site 1237, B6:4
Actinocyclus curvatus
 Site 1233, A4:10
 Site 1234, A5:10
Actinocyclus ellipticus, Site 1236, A7:14
Actinocyclus ellipticus var. *javanicus*, Site 1238, A9:16
Actinocyclus ingens, Site 1242, A13:12
Actinocyclus moronensis, Site 1236, A7:14
Actinocyclus moronensis Zone, Site 1241, A12:13

Actinoptychus senarius

Site 1233, A4:10
 Site 1234, A5:10
 Site 1235, A6:11
 Site 1237, A8:19

aculeata, *Bulimina*, Site 1242, A13:11*acutus*, *Ceratolithus*, Site 1239, A10:11*affinis*, *Globobulimina*

Site 1233, A4:9–10
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11

affinis, *Melonis*

Site 1232, A3:10
 Site 1233, A4:9
 Site 1236, A7:14
 Site 1237, A8:18–19
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1241, A12:13
 Site 1242, A13:11

altispira, *Dentoglobigerina*

Site 1236, A7:13
 Site 1237, A8:17

Amaurolithus primus

Site 1236, A7:12
 Site 1237, A8:15

Amphirhopalum ypsilon interval zone, Site 1237, B6:7*ampliapertura*, *Turborotalia*, Site 1237, A8:18*angiporoides*, *Subbotina*, Site 1237, A8:18*angulisuturalis*, *Globoturborotalia*

Site 1236, A7:13
 Site 1237, A8:18

Anthocyrtdium angulare interval zone, Site 1237, B6:7*Anthocyrtdium ehrenbergi*, Site 1237, B6:6*Anthocyrtdium jenghisi* Zone, Site 1237, B6:5*Anthocyrtdium prolatum*, Site 1237, B6:4*archeomenardii*, *Globorotalia*, Site 1237, A8:17*armatus*, *Ceratolithus*, Site 1239, A10:11*asanoi*, *Reticulofenestra*

Pacific Ocean equatorial, B5:3
 Site 1236, A7:11
 Site 1237, A8:15
 Site 1238, A9:13
 Site 1239, A10:11

Aulacoseira granulata

Site 1232, A3:11
 Site 1233, A1:43; A4:10

auris, *Nonionella*

Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10

Azpeitia nodulifera

Site 1232, A3:11
 Site 1233, A4:10
 Site 1234, A5:10

Site 1237, A8:19

Site 1238, A9:16

Site 1239, A10:14

Site 1240, A11:12

B*barboi*, *Rhizosolenia*, Site 1237, A8:19*belemnus*, *Sphenolithus*

Site 1236, A7:12

Site 1237, A8:16

bellus, *Discoaster*, Site 1241, A1:62; A12:11*berggrenii*, *Discoaster*, Site 1241, A1:62; A12:11*bigelowii*, *Braarudosphaera*, Site 1233, A4:9*bijugatus*, *Zygrhabdolithus*

Site 1236, A7:12, 19

Site 1237, A8:16

binaiensis, *Globoquadrina*, Site 1237, A8:18*birnagaia*, *Globorotalia*, Site 1237, A8:18*bisecta*, *Reticulofenestra*

Site 1236, A7:12, 19

Site 1237, A8:16

Bolivina costata

Site 1234, A5:9

Site 1235, A6:10

Bolivina seminuda

Site 1234, A5:9

Site 1235, A6:10

Site 1239, A10:14

Site 1242, A13:11

Bolivina spp.

Site 1234, A5:9–10, 36

Site 1235, A6:10, 40

Braarudosphaera bigelowii, Site 1233, A4:9*bradyi*, *Cassidulina*, Site 1235, A6:10*bradyi*, *Eggerella*

Site 1232, A3:10

Site 1240, A11:12

Site 1241, A12:13

Site 1242, A13:11

bradyi, *Karrerella*, Site 1241, A12:13*brevis*, *Pleurostomella*

Site 1239, A10:14

Site 1241, A12:13

Site 1242, A13:11

brouweri, *Discoaster*

Site 1236, A7:11

Site 1237, A8:15

Site 1238, A9:13

Site 1239, A10:11

Site 1240, A11:10

Site 1242, A13:10

Buccinosphaera invaginata taxon-range zone, Site 1237, B6:6*Bulimina aculeata*, Site 1242, A13:11*Bulimina marginata*, Site 1233, A4:9–10*Bulimina mexicana*

Site 1234, A5:9

Site 1239, A10:14

Site 1242, A13:11

Bulimina spp., Site 1235, A6:10, 40

bulloides, *Globigerina*

- Site 1232, A3:10
- Site 1233, A1:43; A4:9
- Site 1234, A5:9
- Site 1235, A6:10
- Site 1236, A7:13
- Site 1237, A8:16; B11:1–19
- Site 1238, A9:14
- Site 1239, A10:12
- Site 1240, A11:11

bulloides, *Pullenia*

- Site 1232, A3:10
- Site 1233, A4:10
- Site 1236, A7:14
- Site 1237, A8:19
- Site 1238, A9:15
- Site 1239, A10:14
- Site 1240, A11:12
- Site 1241, A12:13
- Site 1242, A13:11

C*Calcidiscus leptoporus*

- Site 1233, A4:9
- Site 1234, A5:9
- Site 1235, A6:9

Calcidiscus macintyreii

- Pacific Ocean equatorial, B5:4
- Site 1236, A7:11
- Site 1238, A9:13
- Site 1239, A10:11
- Site 1242, A13:10

Calcidiscus premacintyreii, Site 1237, A8:16*caribbeanica*, *Gephyrocapsa*, Pacific Ocean equatorial, B5:3*carteri*, *Helicosphaera*

- Site 1233, A4:9
- Site 1234, A5:9
- Site 1235, A6:9

Cassidulina bradyi, Site 1235, A6:10*Cassidulina teretis*

- Site 1233, A4:9
- Site 1234, A5:9

Catapsydrax dissimilis, Site 1237, A8:18*Ceratolithus acutus*, Site 1239, A10:11*Ceratolithus armatus*, Site 1239, A10:11*Ceratolithus cristatus*, Site 1239, A10:11*Ceratolithus* spp., Site 1238, A9:13*Chaetoceros* spp.

- Site 1232, A3:10
- Site 1233, A1:43; A4:10
- Site 1234, A5:10
- Site 1235, A6:11
- Site 1237, A8:19

Chilostomella ovoidea

- Site 1233, A4:9–10
- Site 1234, A5:9
- Site 1240, A11:12

Chrysalogonium spp., Site 1237, A8:18*Cibicidoides mundulus*

- Site 1236, A7:14

Site 1237, A8:18; B1:5; B3:1–15

Site 1238, A9:15

Site 1239, A10:14

Cibicidoides spp., Site 1232, A3:10*Cibicidoides wuellerstorfi*, Site 1237, B11:1–19*ciperoensis*, *Sphenolithus*

Site 1236, A7:12

Site 1237, A8:16

clavigera, *Rhabdosphaera*, Site 1233, A4:9*Coccolithus miopelagicus*

Site 1237, A8:15

Site 1238, A9:13, 23

Site 1241, A12:11

Site 1242, A13:10

Coccolithus pelagicus

Site 1234, A5:9

Site 1235, A6:9

Cocconeis spp., Site 1237, A8:19*Collosphaera tuberosa* interval zone, Site 1237, B6:6*conglobatus*, *Globigerinoides*, Site 1237, A8:17*conglobatus*, *Globorotalia*, Site 1239, A10:13*conomiozea*, *Globorotalia*

Site 1236, A7:13

Site 1237, A8:17

convexa, *Thalassiosira*, Site 1237, A8:19*convexa* s.l., *Thalassiosira*

Site 1238, A9:16

Site 1239, A10:14

Site 1240, A11:13

convexa var. *convexa*, *Thalassiosira*

Site 1238, A9:16

Site 1239, A10:15

Coronocyclus nitescens

Site 1237, A8:16

Site 1242, A13:10

Coryphostoma spp., Site 1232, A3:10*coscinodiscus*, *Craspedodiscus*, Site 1242, A13:12*Coscinodiscus gigas*, Site 1237, A8:19*Coscinodiscus gigas* var. *diorama* Zone, Site 1242, A13:12*Coscinodiscus lewisianus*

Site 1236, A7:14

Site 1242, A13:12

Coscinodiscus lewisianus Zone, Site 1236, A7:14*Coscinodiscus marginatus*, Site 1238, A9:16–17*Coscinodiscus oculus-iridis*, Site 1237, A8:19*Coscinodiscus plicatus* Zone, Site 1238, A9:17*Coscinodiscus radiatus*, Site 1233, A4:10*Coscinodiscus* spp.

Site 1234, A5:10

Site 1235, A6:11

costata, *Bolivina*

Site 1234, A5:9

Site 1235, A6:10

Craspedodiscus coscinodiscus, Site 1242, A13:12*crassaformis*, *Globorotalia*, Site 1232, A3:10*cremastoplegma*, *Plectacantha*, Site 1237, B6:4*cristatus*, *Ceratolithus*, Site 1239, A10:11*Crucidentricula nicobarica*, Site 1239, A10:14–15*Crucidentricula* spp., Site 1237, A8:19*crustula*, *Phormostichoartus*, Site 1237, B6:4

cuneiformis, Hemidiscus

Site 1232, A3:11

Site 1237, A8:19

curvatulus, Actinocyclus

Site 1233, A4:10

Site 1234, A5:10

Cycladophora davisiana, Site 1237, B6:4

Cyclicargolithus floridanus

Site 1236, A7:12

Site 1237, A8:16

Site 1239, A10:11

Cyclotella spp., Site 1232, A3:11

cylindrica, Nitzschia

Site 1237, A8:19

Site 1238, A9:16

Site 1239, A10:15

Cymbella spp., Site 1232, A3:11

D

daniellae, Lamprocyrtis, Site 1237, B6:4

davisiana, Cycladophora, Site 1237, B6:4

dehiscens, Globoquadrina

Site 1236, A7:13

Site 1237, A8:18

Site 1239, A10:13

dehiscens, Sphaeroidinellina

Site 1237, A8:17

Site 1238, A9:14

Site 1239, A10:12

Site 1240, A11:11

Site 1241, A12:12

delmontensis, Stichocorys, Site 1237, B6:6

Delphineis spp.

Site 1233, A4:10

Site 1234, A5:10

Site 1235, A6:11

Denticulopsis hyalina, Site 1239, A10:15

Denticulopsis nicobarica, Site 1236, A7:14

Denticulopsis simonsenii, Site 1239, A10:15

Denticulopsis simonsenii s.s., Site 1236, A7:14

Denticulopsis spp., Site 1237, A8:19

Dentoglobigerina altispira

Site 1236, A7:13

Site 1237, A8:17

Diartus hughesi, Site 1237, B6:6

Diartus petterssoni, Site 1237, B6:6

Diartus petterssoni interval zone, Site 1237, B6:9

Dictyophimus infabricatus, Site 1237, B6:4

Didymocyrtis antepenultima interval zone, Site 1237, B6:9

Didymocyrtis penultima interval zone, Site 1237, B6:9

Didymocyrtis prismatica, Site 1237, B6:4

diminutus, Globigerinoides, Site 1237, A8:17

disbelemnus, Sphenolithus, Site 1237, A8:16

Discoaster bellus, Site 1241, A1:62; A12:11

Discoaster berggrenii, Site 1241, A1:62; A12:11

Discoaster brouweri

Site 1236, A7:11

Site 1237, A8:15

Site 1238, A9:13

Site 1239, A10:11

Site 1240, A11:10

Site 1242, A13:10

Discoaster hamatus, Site 1237, A8:15

Discoaster loeblichii, Site 1239, A10:11

Discoaster pentaradiatus

Site 1236, A7:11

Site 1237, A8:15

Site 1238, A9:13

Site 1239, A10:11

Site 1242, A13:10

Discoaster quinqueramus

Site 1236, A7:12, 19

Site 1237, A8:15

Site 1238, A9:13

Site 1239, A10:11

Discoaster surculus

Site 1236, A7:11

Site 1237, A8:15

Site 1238, A9:13

Site 1239, A10:11

Site 1240, A11:10

Discoaster tamalis

Site 1237, A8:15

Site 1239, A10:11

dissimilis, Catapsydrax, Site 1237, A8:18

distentus, Sphenolithus

Site 1236, A7:12

Site 1237, A8:16; B3:13–14

doliolum, Phormostichoartus, Site 1237, B6:5

doliolus, Fragilariopsis

Site 1232, A3:11

Site 1233, A4:10

Site 1234, A5:10

Site 1238, A9:16

Site 1239, A10:14

Site 1240, A11:12

doliolus, Pseudoeunotia, Site 1237, A8:19

dutertrei, Neogloboquadrina

Site 1234, A5:9

Site 1235, A6:10

Site 1236, A7:13

Site 1237, A8:17

Site 1238, A9:14

Site 1239, A10:12

Site 1240, A11:11

Site 1241, A12:12; B1:21; B12:1–51

Site 1242, A13:10

E

Eggerella bradyi

Site 1232, A3:10

Site 1240, A11:12

Site 1241, A12:13

Site 1242, A13:11

ehrenbergi, Anthocyrtdium, Site 1237, B6:6

Ehrenbergina serrata

Site 1233, A4:9

Site 1240, A11:12

elegans, Hoeglundina

Site 1232, A3:10

Site 1233, A4:9
ellipticus, *Actinocyclus*, Site 1236, A7:14
ellipticus var. *javanicus*, *Actinocyclus*, Site 1238, A9:16
Emiliania huxleyi
 Pacific Ocean equatorial, B5:2
 Site 1232, A3:9
 Site 1233, A1:43; A4:9
 Site 1234, A5:9
 Site 1235, A1:48; A6:9
 Site 1237, A8:15
 Site 1238, A9:12–13
 Site 1239, A10:11
 Site 1241, A1:62
 Site 1242, A13:10
Emiliania huxleyi acme zone, Site 1233, A4:9
Epistominella exigua, Site 1237, A8:18
Ethmodiscus spp., Site 1242, A13:6, 11, 40
Eubuliminella exilis
 Site 1233, A4:9–10
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11
Eunotia spp., Site 1232, A3:11
exigua, *Epistominella*, Site 1237, A8:18
exilis, *Eubuliminella*
 Site 1233, A4:9–10
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11
exilis, *Globorotalia*
 Site 1239, A10:13
 Site 1241, A12:12
extremus, *Globigerinoides*
 Site 1236, A7:13
 Site 1237, A8:17
 Site 1242, A13:11

F

falconensis, *Globigerina*
 Site 1232, A3:10
 Site 1236, A7:13
 Site 1237, A8:16
finalis, *Pullenia*, Site 1238, A9:14
fistulosus, *Globigerinoides*
 Site 1241, A12:12
 Site 1242, A13:11
flexuosa, *Globorotalia*, Site 1242, A13:10–11
floridanus, *Cycliscardolithus*
 Site 1236, A7:12
 Site 1237, A8:16
 Site 1239, A10:11
Florispheera profunda
 Site 1240, A11:10
 Site 1241, A12:11
fohsi s.l., *Globorotalia*
 Site 1237, A8:17

Site 1238, A9:15, 23
 Site 1239, A10:13
 Site 1242, A13:11
fossilis, *Nitzschia*
 Site 1237, A8:19
 Site 1238, A9:16
 Site 1239, A10:14
 Site 1240, A11:12
Fragilariopsis doliolus
 Site 1232, A3:11
 Site 1233, A4:10
 Site 1234, A5:10
 Site 1238, A9:16
 Site 1239, A10:14
 Site 1240, A11:12
Fragilariopsis doliolus/Nitzschia reinholdii zonal boundary,
 Site 1237, A8:19
Fragilariopsis doliolus Zone
 Site 1234, A5:10
 Site 1237, A8:19
 Site 1238, A9:16
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13

G

Gephyrocapsa caribbeanica, Pacific Ocean equatorial, B5:3
Gephyrocapsa muelleriae
 Site 1234, A5:9
 Site 1235, A6:9
Gephyrocapsa spp., Site 1236, A7:11
Gephyrocapsa spp. (large)
 Pacific Ocean equatorial, B5:4
 Site 1237, A8:15
 Site 1238, A9:13
 Site 1239, A10:11
Gephyrocapsa spp. (medium)
 Pacific Ocean equatorial, B5:3
 Site 1232, A3:9
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1238, A9:13
 Site 1239, A10:11
 Site 1241, A12:11
gigas, *Coscinodiscus*, Site 1237, A8:19
Globigerina bulloides
 Site 1232, A3:10
 Site 1233, A1:43; A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:16; B11:1–19
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
Globigerina falconensis
 Site 1232, A3:10
 Site 1236, A7:13
 Site 1237, A8:16

- Globigerina quinqueloba*
 Site 1236, A7:13
 Site 1237, A8:16
 Site 1238, A9:14
 Site 1239, A10:12
- Globigerinita glutinata*
 Site 1232, A3:10
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:16
 Site 1238, A9:14
 Site 1239, A10:12
- Globigerinoides conglobatus*, Site 1237, A8:17
Globigerinoides diminutus, Site 1237, A8:17
Globigerinoides extremus
 Site 1236, A7:13
 Site 1237, A8:17
 Site 1242, A13:11
- Globigerinoides fistulosus*
 Site 1241, A12:12
 Site 1242, A13:11
- Globigerinoides obliquus*
 Site 1238, A9:14
 Site 1240, A11:11
- Globigerinoides primordius*, Site 1237, A8:18
Globigerinoides ruber
 Site 1236, A7:13
 Site 1237, A8:16; B11:1–19
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
 Site 1241, A1:62; A12:12
 Site 1242, A13:10
- Globigerinoides sacculifer*
 Site 1237, B11:1–19
 Site 1240, A11:11
 Site 1241, A12:12; B1:5, 13–18, 20–22, 50, 56; B12:1–51; B13:1–27
 Site 1242, A13:10
- Globigerinoides trilobus*
 Site 1237, A8:18
 Site 1240, A11:11
 Site 1241, A12:12
 Site 1242, A13:10
- Globobulimina affinis*
 Site 1233, A4:9–10
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11
- Globobulimina pacifica*, Site 1232, A3:10
Globobulimina pyrula
 Site 1233, A4:9–10
 Site 1234, A5:9
 Site 1235, A6:10
- Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11
- Globobulimina* spp., Site 1234, A5:9–10, 36
Globocassidulina subglobosa
 Site 1232, A3:10
 Site 1236, A7:14
 Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11
- Globoquadrina binaiensis*, Site 1237, A8:18
Globoquadrina dehiscens
 Site 1236, A7:13
 Site 1237, A8:18
 Site 1239, A10:13
- Globorotalia archeomenardii*, Site 1237, A8:17
Globorotalia birnagaea, Site 1237, A8:18
Globorotalia conglobatus, Site 1239, A10:13
Globorotalia conomiozea
 Site 1236, A7:13
 Site 1237, A8:17
- Globorotalia crassaformis*, Site 1232, A3:10
Globorotalia exilis
 Site 1239, A10:13
 Site 1241, A12:12
- Globorotalia flexuosa*, Site 1242, A13:10–11
Globorotalia fohsi s.l.
 Site 1237, A8:17
 Site 1238, A9:15, 23
 Site 1239, A10:13
 Site 1242, A13:11
- Globorotalia hirsuta*
 Site 1237, A8:17
 Site 1238, A9:14
- Globorotalia inflata*
 Site 1232, A3:10
 Site 1233, A1:43; A4:9
 Site 1234, A5:9
 Site 1235, A6:10
- Globorotalia limbata*
 Site 1239, A10:13
 Site 1241, A12:12; B12:1–51
- Globorotalia margaritae*
 Site 1236, A7:13
 Site 1237, A8:17
 Site 1238, A9:15
 Site 1239, A10:13
- Globorotalia menardii*
 Site 1236, A7:13
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
 Site 1241, A12:12; B12:1–51
 Site 1242, A13:10
- Globorotalia miozea*, Site 1237, A8:18

Globorotalia nepenthes, Site 1236, A7:13
Globorotalia panda, Site 1242, A13:11
Globorotalia peripheroacuta
 Site 1237, A8:17
 Site 1239, A10:13
Globorotalia peripheroronda
 Site 1237, A8:17
 Site 1239, A10:13
Globorotalia pertenuis, Site 1240, A11:11
Globorotalia plesiotumida
 Site 1236, A7:13
 Site 1237, A8:17
Globorotalia praemenardii
 Site 1237, A8:17
 Site 1239, A10:13
 Site 1242, A13:11
Globorotalia pseudomiocenica
 Site 1238, A9:14
 Site 1240, A11:11
Globorotalia puncticulata
 Site 1237, A8:17
 Site 1239, A10:13
 Site 1240, A11:11
Globorotalia robusta, Site 1238, A9:15
Globorotalia scitula
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:16
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
Globorotalia semivera, Site 1237, A8:18
Globorotalia tosaensis
 Site 1232, A3:10
 Site 1236, A7:13
 Site 1237, A8:16–17
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
 Site 1241, A12:12
 Site 1242, A13:11
Globorotalia truncatulinoides
 Site 1232, A3:10
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:16
Globorotalia tumida
 Site 1236, A7:13
 Site 1237, A8:16–17; B11:1–19
 Site 1238, A9:14
 Site 1240, A11:11
 Site 1241, A12:12; B1:16, 22, 50, 56; B12:1–51
 Site 1242, A13:10
Globorotalia ungulata
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10

Globoturborotalia angulisuturalis
 Site 1236, A7:13
 Site 1237, A8:18
Globoturborotalia nepenthes, Site 1237, A8:17
Globulina spp., Site 1232, A3:10
glutinata, *Globigerinita*
 Site 1232, A3:10
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:16
 Site 1238, A9:14
 Site 1239, A10:12
granulata, *Aulacoseira*
 Site 1232, A3:11
 Site 1233, A1:43; A4:10
Gyroidinoides orbicularis
 Site 1232, A3:10
 Site 1236, A7:14
 Site 1237, A8:18
 Site 1241, A12:13
 Site 1242, A13:11
Gyroidinoides soldanii
 Site 1236, A7:14
 Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11

H

hamatus, *Discoaster*, Site 1237, A8:15
hebetata, *Rhizosolenia*
 Site 1233, A4:10
 Site 1234, A5:10
Helicosphaera carteri
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:9
Hemiaulus spp., Site 1237, A8:20
Hemidiscus cuneiformis
 Site 1232, A3:11
 Site 1237, A8:19
heteromorphus, *Sphenolithus*
 Site 1236, A7:12
 Site 1237, A8:16
 Site 1239, A10:11–12
hirsuta, *Globorotalia*
 Site 1237, A8:17
 Site 1238, A9:14
hispida, *Uvigerina*, Site 1232, A3:10
Hoeglundina elegans
 Site 1232, A3:10
 Site 1233, A4:9
hughesi, *Diartus*, Site 1237, B6:6
huxleyi, *Emiliana*
 Pacific Ocean equatorial, B5:2
 Site 1232, A3:9

Site 1233, A1:43; A4:9

Site 1234, A5:9

Site 1235, A1:48; A6:9

Site 1237, A8:15

Site 1238, A9:12–13

Site 1239, A10:11

Site 1241, A1:62

Site 1242, A13:10

hyalina, *Denticulopsis*, Site 1239, A10:15

I

infabricatus, *Dictyophimus*, Site 1237, B6:4

inflata, *Globorotalia*

Site 1232, A3:10

Site 1233, A1:43; A4:9

Site 1234, A5:9

Site 1235, A6:10

ingens, *Actinocyclus*, Site 1242, A13:12

J

jouseae, *Nitzschia*

Site 1237, A8:19–20

Site 1238, A9:16

Site 1239, A10:14–15

Site 1240, A11:12

K

Karreriella bradyi, Site 1241, A12:13

kochi, *Sphaeroidinellopsis*, Site 1236, A7:13

L

lacunosa, *Pseudoemiliana*

Pacific Ocean equatorial, B5:3

Site 1232, A3:9

Site 1236, A7:11–12

Site 1237, A8:15

Site 1238, A9:13

Site 1239, A10:11

Site 1241, A1:62

Lamprocyclus maritális ventricosa, Site 1237, B6:4

Lamprocyrtis daniellae, Site 1237, B6:4

Lamprocyrtis nigrinia, Site 1237, B6:4

Laticarinina pauperata

Site 1236, A7:14

Site 1237, A8:18

Site 1238, A9:15

Site 1239, A10:14

Site 1240, A11:12

Site 1241, A12:13

Site 1242, A13:11

Lenticulina spp., Site 1236, A7:14

leptoporus, *Calcidiscus*

Site 1233, A4:9

Site 1234, A5:9

Site 1235, A6:9

lewisianus, *Coscinodiscus*

Site 1236, A7:14

Site 1242, A13:12

limbata, *Globorotalia*

Site 1239, A10:13

Site 1241, A12:12; B12:1–51

loeblichii, *Discoaster*, Site 1239, A10:11

longiscata, *Neugeborina*, Site 1241, A12:13

Lychmodictyum audax interval zone, Site 1237, B6:5, 8

M

macintyreii, *Calcidiscus*

Pacific Ocean equatorial, B5:4

Site 1236, A7:11

Site 1238, A9:13

Site 1239, A10:11

Site 1242, A13:10

margaritae, *Globorotalia*

Site 1236, A7:13

Site 1237, A8:17

Site 1238, A9:15

Site 1239, A10:13

marginata, *Bulimina*, Site 1233, A4:9–10

marginatus, *Coscinodiscus*, Site 1238, A9:16–17

marina, *Nitzschia*

Site 1233, A4:10

Site 1234, A5:10

Site 1237, A8:20

maritális ventricosa, *Lamprocyclus*, Site 1237, B6:4

matuyamai, *Rhizosolenia*

Site 1237, A8:19

Site 1238, A9:16

Site 1239, A10:14

Site 1240, A11:12

Melonis affinis

Site 1232, A3:10

Site 1233, A4:9

Site 1236, A7:14

Site 1237, A8:18–19

Site 1238, A9:15

Site 1239, A10:14

Site 1241, A12:13

Site 1242, A13:11

Melonis pompilioides

Site 1232, A3:10

Site 1238, A9:15

Site 1239, A10:14

Site 1240, A11:12

Site 1241, A12:13

Site 1242, A13:11

Melosira spp., Site 1232, A3:11

menardii, *Globorotalia*

Site 1236, A7:13

Site 1238, A9:14

Site 1239, A10:12

Site 1240, A11:11

Site 1241, A12:12; B12:1–51

Site 1242, A13:10

mexicana, *Bulimina*

Site 1234, A5:9

Site 1239, A10:14

Site 1242, A13:11

mexicanus, *Rutherfordoides*

- Site 1233, A4:10
- Site 1234, A5:9
- Site 1235, A6:10

miocenica, *Nitzschia*

- Site 1237, A8:19–20
- Site 1238, A9:16
- Site 1239, A10:15
- Site 1240, A11:12

miocenica, *Thalassiosira*

- Site 1238, A9:16
- Site 1239, A10:15
- Site 1240, A11:12

miopelagicus, *Coccolithus*

- Site 1237, A8:15
- Site 1238, A9:13, 23
- Site 1241, A12:11
- Site 1242, A13:10

miozea, *Globorotalia*, Site 1237, A8:18*moronensis*, *Actinocyclus*, Site 1236, A7:14*muelleriae*, *Gephyrocapsa*

- Site 1234, A5:9
- Site 1235, A6:9

mundulus, *Cibicidoides*

- Site 1236, A7:14
- Site 1237, A8:18; B1:5; B3:1–15
- Site 1238, A9:15
- Site 1239, A10:14

murrayana, *Acrosphaera*, Site 1237, B6:4*murrhina*, *Pyrgo*

- Site 1232, A3:10
- Site 1236, A7:14
- Site 1237, A8:19
- Site 1238, A9:15
- Site 1239, A10:14
- Site 1240, A11:12
- Site 1241, A12:13

N*Neogloboquadrina acostaensis*

- Site 1237, A8:17
- Site 1238, A9:14
- Site 1239, A10:12
- Site 1240, A11:11
- Site 1241, A12:12; B12:1–51
- Site 1242, A13:10

Neogloboquadrina dutertrei

- Site 1234, A5:9
- Site 1235, A6:10
- Site 1236, A7:13
- Site 1237, A8:17
- Site 1238, A9:14
- Site 1239, A10:12
- Site 1240, A11:11
- Site 1241, A12:12; B1:21; B12:1–51
- Site 1242, A13:10

Neogloboquadrina pachyderma

- Site 1232, A3:10
- Site 1233, A4:9
- Site 1234, A5:9

Site 1235, A6:10

Site 1238, A9:14

Site 1239, A10:12

Site 1240, A11:11

nepenthes, *Globorotalia*, Site 1236, A7:13*nepenthes*, *Globoturborotalia*, Site 1237, A8:17*Neugeborina longiscata*, Site 1241, A12:13*nicobarica*, *Crucidentacula*, Site 1239, A10:14–15*nicobarica*, *Denticulopsis*, Site 1236, A7:14*nigrinia*, *Lamprocyrtis*, Site 1237, B6:4*nitescens*, *Coronocyclus*

Site 1237, A8:16

Site 1242, A13:10

Nitzschia cylindrica

Site 1237, A8:19

Site 1238, A9:16

Site 1239, A10:15

Nitzschia fossilis

Site 1237, A8:19

Site 1238, A9:16

Site 1239, A10:14

Site 1240, A11:12

Nitzschia jouseae

Site 1237, A8:19–20

Site 1238, A9:16

Site 1239, A10:14–15

Site 1240, A11:12

Nitzschia jouseae Zone, Site 1237, A8:20*Nitzschia marina*

Site 1233, A4:10

Site 1234, A5:10

Site 1237, A8:20

Nitzschia marina Zone

Site 1237, A8:20

Site 1240, A11:12

Nitzschia miocenica

Site 1237, A8:19–20

Site 1238, A9:16

Site 1239, A10:15

Site 1240, A11:12

Nitzschia miocenica Zone

Site 1237, A8:20

Site 1239, A10:14

Nitzschia porteri, Site 1237, A8:19*Nitzschia porteri* Zone, Site 1238, A9:16–17*Nitzschia reinholdii*

Site 1237, A8:19–20

Site 1238, A9:16

Site 1239, A10:14

Site 1240, A11:12

nitzschioides, *Thalassionema*

Site 1233, A4:10

Site 1234, A5:10

Site 1235, A6:11

Site 1237, A8:19

nodulifera, *Azpeitia*

Site 1232, A3:11

Site 1233, A4:10

Site 1234, A5:10

Site 1237, A8:19

Site 1238, A9:16

- Site 1239, A10:14
Site 1240, A11:12
- Nonionella auris*
Site 1233, A4:9
Site 1234, A5:9
Site 1235, A6:10
- Nonionella* spp.
Site 1234, A5:9–10, 36
Site 1235, A6:10, 40
- Nonionella stella*
Site 1234, A5:9
Site 1235, A6:10
- O**
- obliquus, Globigerinoides*
Site 1238, A9:14
Site 1240, A11:11
- oculus-iridus, Coscinodiscus*, Site 1237, A8:19
- opima, Paragloborotalia*, Site 1237, B1:5, 13; B3:1–15
- orbicularis, Gyroidinoides*
Site 1232, A3:10
Site 1236, A7:14
Site 1237, A8:18
Site 1241, A12:13
Site 1242, A13:11
- Orbulina suturalis*, Site 1236, A7:13
- Orbulina universa*
Site 1232, A3:10
Site 1233, A4:9
Site 1234, A5:9
Site 1235, A6:10
Site 1236, A7:13
Site 1237, A8:17
Site 1238, A9:14
Site 1239, A10:12
Site 1240, A11:11
Site 1241, A12:12
Site 1242, A13:10
- Oridorsalis umbonatus*
Site 1232, A3:10
Site 1236, A7:14
Site 1237, A8:19
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1241, A12:13
- ovoidea, Chilostomella*
Site 1233, A4:9–10
Site 1234, A5:9
Site 1240, A11:12
- P**
- pachyderma, Neogloboquadrina*
Site 1232, A3:10
Site 1233, A4:9
Site 1234, A5:9
Site 1235, A6:10
Site 1238, A9:14
Site 1239, A10:12
- Site 1240, A11:11
- pacifica, Globobulimina*, Site 1232, A3:10
- paleacea* s.l., *Rossiella*, Site 1236, A7:14
- Palliolatella* spp., Site 1236, A7:14
- panda, Globorotalia*, Site 1242, A13:11
- Paragloborotalia opima*, Site 1237, B1:5, 13; B3:1–15
- Paralia sulcata*, Site 1237, A8:19
- pauperata, Laticarinina*
Site 1236, A7:14
Site 1237, A8:18
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1241, A12:13
Site 1242, A13:11
- pelagicus, Coccolithus*
Site 1234, A5:9
Site 1235, A6:9
- pentaradiatus, Discoaster*
Site 1236, A7:11
Site 1237, A8:15
Site 1238, A9:13
Site 1239, A10:11
Site 1242, A13:10
- peregrina, Stichocorys*, Site 1237, B6:5–6
- peregrina, Uvigerina*
Site 1232, A3:10
Site 1233, A4:10
Site 1234, A5:9
Site 1235, A6:10
Site 1237, A8:18; B11:1–19
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1241, A12:13
- peripheroacuta, Globorotalia*
Site 1237, A8:17
Site 1239, A10:13
- peripheroronda, Globorotalia*
Site 1237, A8:17
Site 1239, A10:13
- pertenuis, Globorotalia*, Site 1240, A11:11
- petterssoni, Diartus*, Site 1237, B6:6
- Phormostichoartus crustula*, Site 1237, B6:4
- Phormostichoartus doliolum*, Site 1237, B6:5
- Phormostichoartus doliolum* interval zone, Site 1237, B6:8
- Phormostichoartus pitomorphus*, Site 1237, B6:4
- pitomorphus, Phormostichoartus*, Site 1237, B6:4
- Planulina wuellerstorfi*
Site 1233, A4:9–10
Site 1234, A5:9
Site 1235, A6:10
Site 1236, A7:14
Site 1237, A8:19
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1242, A13:11
- Plectacantha cremastoplegma*, Site 1237, B6:4
- Plectofrondicularia vaughani*
Site 1239, A10:14

- Site 1240, A11:12
Site 1242, A13:11
plesirotumida, *Globorotalia*
Site 1236, A7:13
Site 1237, A8:17
Pleurostomella brevis
Site 1239, A10:14
Site 1241, A12:13
Site 1242, A13:11
plicata, *Thalassiosira*, Site 1237, A8:19
pompilioides, *Melonis*
Site 1232, A3:10
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1241, A12:13
Site 1242, A13:11
porteri, *Nitzschia*, Site 1237, A8:19
praebergonii, *Rhizosolenia*, Site 1239, A10:15
praebergonii s.l., *Rhizosolenia*
Site 1237, A8:20
Site 1238, A9:16
Site 1239, A10:15
praebergonii var. *robusta*, *Rhizosolenia*
Site 1237, A8:19
Site 1238, A9:16
Site 1239, A10:14
Site 1240, A11:12
praeconvexa, *Thalassiosira*, Site 1238, A9:16
Praeglobobulimina spinescens
Site 1233, A4:10
Site 1234, A5:9
praemenardii, *Globorotalia*
Site 1237, A8:17
Site 1239, A10:13
Site 1242, A13:11
Praeorbulina sicana, Site 1236, A7:13
praepaleacea group, *Rossiella*, Site 1238, A9:16
predistentus, *Sphenolithus*, Site 1237, A8:16
premacintyreii, *Calcidiscus*, Site 1237, A8:16
primalis, *Pulleniatina*
Site 1237, A8:17
Site 1238, A9:15
Site 1239, A10:13
primordius, *Globigerinoides*, Site 1237, A8:18
primus, *Amaurolithus*
Site 1236, A7:12
Site 1237, A8:15
prismatica, *Didymocyrtes*, Site 1237, B6:4
proboscidea, *Uvigerina*
Site 1241, A12:13
Site 1242, A13:11
profunda, *Florisphaera*
Site 1240, A11:10
Site 1241, A12:11
prolatum, *Anthocyrtidium*, Site 1237, B6:4
Protoglobobulimina pupoides, Site 1235, A6:10
Pseudoemiliana lacunosa
Pacific Ocean equatorial, B5:3
Site 1232, A3:9
Site 1236, A7:11–12
Site 1237, A8:15
Site 1238, A9:13
Site 1239, A10:11
Site 1241, A1:62
Pseudoeunotia doliolus, Site 1237, A8:19
pseudomiocenica, *Globorotalia*
Site 1238, A9:14
Site 1240, A11:11
Pseudonitzschia spp.
Site 1233, A4:10
Site 1234, A5:10
Site 1235, A6:11
pseudoradians, *Sphenolithus*, Site 1237, A8:16
pseudoumbilicus, *Reticulofenestra*
Site 1236, A7:12
Site 1237, A8:15
Site 1238, A9:13
Site 1239, A10:11, 22
Site 1241, A12:11
Pterocanium prismaticum interval zone, Site 1237, B6:8
Pullenia bulloides
Site 1232, A3:10
Site 1233, A4:10
Site 1236, A7:14
Site 1237, A8:19
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1241, A12:13
Site 1242, A13:11
Pullenia finalis, Site 1238, A9:14
Pullenia quinqueloba
Site 1233, A4:10
Site 1241, A12:13
Pulleniatina primalis
Site 1237, A8:17
Site 1238, A9:15
Site 1239, A10:13
puncticulata, *Globorotalia*
Site 1237, A8:17
Site 1239, A10:13
Site 1240, A11:11
pupoides, *Protoglobobulimina*, Site 1235, A6:10
Pyrgo murrhina
Site 1232, A3:10
Site 1236, A7:14
Site 1237, A8:19
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1241, A12:13
Pyrgo serrata
Site 1232, A3:10
Site 1233, A4:10
Site 1238, A9:15
Site 1239, A10:14
Site 1240, A11:12
Site 1241, A12:13
pyrula, *Globobulimina*
Site 1233, A4:9–10
Site 1234, A5:9

Site 1235, A6:10
 Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11

Q

quineloba, *Globigerina*
 Site 1236, A7:13
 Site 1237, A8:16
 Site 1238, A9:14
 Site 1239, A10:12
quineloba, *Pullenia*
 Site 1233, A4:10
 Site 1241, A12:13
quiqueramus, *Discoaster*
 Site 1236, A7:12, 19
 Site 1237, A8:15
 Site 1238, A9:13
 Site 1239, A10:11

R

radiatus, *Coscinodiscus*, Site 1233, A4:10
Rectuvigerina striata
 Site 1236, A7:14
 Site 1237, A8:19
reinholdii, *Nitzschia*
 Site 1237, A8:19–20
 Site 1238, A9:16
 Site 1239, A10:14
 Site 1240, A11:12
Reticulofenestra asanoi
 Pacific Ocean equatorial, B5:3
 Site 1236, A7:11
 Site 1237, A8:15
 Site 1238, A9:13
 Site 1239, A10:11
Reticulofenestra bisecta
 Site 1236, A7:12, 19
 Site 1237, A8:16
Reticulofenestra pseudoumbilicus
 Site 1236, A7:12
 Site 1237, A8:15
 Site 1238, A9:13
 Site 1239, A10:11, 22
 Site 1241, A12:11
Reticulofenestra umbilicus, Site 1237, A8:16
Rhabdosphaera clavigera, Site 1233, A4:9
Rhizosolenia barboi, Site 1237, A8:19
Rhizosolenia hebetata
 Site 1233, A4:10
 Site 1234, A5:10
Rhizosolenia matuyamai
 Site 1237, A8:19
 Site 1238, A9:16
 Site 1239, A10:14
 Site 1240, A11:12

Rhizosolenia praebergonii, Site 1239, A10:15
Rhizosolenia praebergonii s.l.
 Site 1237, A8:20
 Site 1238, A9:16
 Site 1239, A10:15
Rhizosolenia praebergonii var. *robusta*
 Site 1237, A8:19
 Site 1238, A9:16
 Site 1239, A10:14
 Site 1240, A11:12
Rhizosolenia spp., Site 1237, A8:19
robusta, *Globorotalia*, Site 1238, A9:15
Rosalina spp., Site 1236, A7:14
Rossiella paleacea s.l., Site 1236, A7:14
Rossiella praepaleacea group, Site 1238, A9:16
Rotaliatinopsis semiinvoluta
 Site 1234, A5:9
 Site 1235, A6:10
ruber, *Globigerinoides*
 Site 1236, A7:13
 Site 1237, A8:16; B11:1–19
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
 Site 1241, A1:62; A12:12
 Site 1242, A13:10
rugosus, *Triquetrorhabdulus*
 Site 1236, A7:12, 19
 Site 1237, A8:15–16
Rutherfordoides mexicanus
 Site 1233, A4:10
 Site 1234, A5:9
 Site 1235, A6:10

S

sacculifer, *Globigerinoides*
 Site 1237, B11:1–19
 Site 1240, A11:11
 Site 1241, A12:12; B1:5, 13–18, 20–21, 50, 56; B12:1–51; B13:1–27
 Site 1242, A13:10
scitula, *Globorotalia*
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:16
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
semiinvoluta, *Rotaliatinopsis*
 Site 1234, A5:9
 Site 1235, A6:10
seminuda, *Bolivina*
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1239, A10:14
 Site 1242, A13:11
seminula, *Sphaeroidinellopsis*
 Site 1236, A7:13

- Site 1237, A8:17
semivera, *Globorotalia*, Site 1237, A8:18
senarius, *Actinoptychus*
 Site 1233, A4:10
 Site 1234, A5:10
 Site 1235, A6:11
 Site 1237, A8:19
serrata, *Ehrenbergina*
 Site 1233, A4:9
 Site 1240, A11:12
serrata, *Pyrgo*
 Site 1232, A3:10
 Site 1233, A4:10
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
sibogae, *Umbilicosphaera*, Site 1233, A4:9
sicana, *Praeorbulina*, Site 1236, A7:13
simonsenii, *Denticulopsis*, Site 1239, A10:15
simonsenii s.s., *Denticulopsis*, Site 1236, A7:14
Siphonina tenuicarinata
 Site 1236, A7:14
 Site 1237, A8:19
soldanii, *Gyroidinoides*
 Site 1236, A7:14
 Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11
Sphaeroidinellina dehiscens
 Site 1237, A8:17
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
 Site 1241, A12:12
Sphaeroidinellopsis kochi, Site 1236, A7:13
Sphaeroidinellopsis seminula
 Site 1236, A7:13
 Site 1237, A8:17
Sphenolithus abies, Site 1238, A9:13
Sphenolithus belemnus
 Site 1236, A7:12
 Site 1237, A8:16
Sphenolithus ciproensis
 Site 1236, A7:12
 Site 1237, A8:16
Sphenolithus disbelemnus, Site 1237, A8:16
Sphenolithus distentus
 Site 1236, A7:12
 Site 1237, A8:16; B3:13–14
Sphenolithus heteromorphus
 Site 1236, A7:12
 Site 1237, A8:16
 Site 1239, A10:11–12
Sphenolithus predistentus, Site 1237, A8:16
Sphenolithus pseudoradians, Site 1237, A8:16
Sphenolithus spp.
 Site 1237, A8:15
- Site 1239, A10:11
 Site 1240, A11:10
spinescens, *Praeglobobulimina*
 Site 1233, A4:10
 Site 1234, A5:9
spinosa, *Vulvulina*
 Site 1236, A7:14
 Site 1237, A8:19
 Site 1238, A9:15
spinosa fasciculopora, *Acrosphaera*, Site 1237, B6:4
stella, *Nonionella*
 Site 1234, A5:9
 Site 1235, A6:10
Stephanopyxis spp., Site 1237, A8:19–20
Stephanopyxis turris
 Site 1233, A4:10
 Site 1234, A5:10
 Site 1235, A6:11
Stichocorys delmontensis, Site 1237, B6:6
Stichocorys peregrina, Site 1237, B6:5–6
Stichocorys peregrina interval zone, Site 1237, B6:8
Stilostomella abyssorum
 Site 1236, A7:14
 Site 1237, A8:19
 Site 1242, A13:11
Stilostomella spp.
 Site 1239, A10:12
 Site 1241, A12:12
 Site 1242, A13:11
Stilostomella subspinosa
 Site 1236, A7:14
 Site 1237, A8:19
 Site 1241, A12:13
 Site 1242, A13:11
striata, *Rectuvigerina*
 Site 1236, A7:14
 Site 1237, A8:19
Stylatractus universus, Site 1237, B6:5
Stylatractus universus interval/concurrent range zone, Site 1237, B6:7
Subbotina angiporoides, Site 1237, A8:18
subglobosa, *Globocassidulina*
 Site 1232, A3:10
 Site 1236, A7:14
 Site 1237, A8:18
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:11
subspinosa, *Stilostomella*
 Site 1236, A7:14
 Site 1237, A8:19
 Site 1241, A12:13
 Site 1242, A13:11
sulcata, *Paralia*, Site 1237, A8:19
surculus, *Discoaster*
 Site 1236, A7:11
 Site 1237, A8:15
 Site 1238, A9:13
 Site 1239, A10:11

Site 1240, A11:10
suturalis, Orbulina, Site 1236, A7:13

T

tamalis, Discoaster

Site 1237, A8:15
 Site 1239, A10:11

tappanae, Thalassiosira, Site 1239, A10:15

tenuicarinata, Siphonina

Site 1236, A7:14
 Site 1237, A8:19

tenuis, Umbellosphaera, Site 1233, A4:9

teretis, Cassidulina

Site 1233, A4:9
 Site 1234, A5:9

Thalassionema nitzschioides

Site 1233, A4:10
 Site 1234, A5:10
 Site 1235, A6:11
 Site 1237, A8:19

Thalassionema spp.

Site 1238, A9:15
 Site 1239, A10:14–15
 Site 1240, A11:12

Thalassiosira convexa, Site 1237, A8:19

Thalassiosira convexa s.l.

Site 1238, A9:16
 Site 1239, A10:14
 Site 1240, A11:13

Thalassiosira convexa var. *convexa*

Site 1238, A9:16
 Site 1239, A10:15

Thalassiosira miocenica

Site 1238, A9:16
 Site 1239, A10:15
 Site 1240, A11:12

Thalassiosira plicata, Site 1237, A8:19

Thalassiosira praeconvexa, Site 1238, A9:16

Thalassiosira spp.

Site 1232, A3:11
 Site 1233, A1:43; A4:10
 Site 1234, A5:10
 Site 1235, A6:11

Thalassiosira tappanae, Site 1239, A10:15

Thalassiosira yabei Zone, Site 1238, A9:17

Thalassiothrix spp.

Site 1237, A8:19
 Site 1238, A9:15
 Site 1239, A10:14–15
 Site 1240, A11:12
 Site 1241, A12:13
 Site 1242, A13:12

tosaensis, Globorotalia

Site 1232, A3:10
 Site 1236, A7:13
 Site 1237, A8:16–17
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
 Site 1241, A12:12

Site 1242, A13:11

tricarinata, Trifarina, Site 1233, A4:10

Trifarina tricarinata, Site 1233, A4:10

trilobus, Globigerinoides

Site 1237, A8:18
 Site 1240, A11:11
 Site 1241, A12:12
 Site 1242, A13:10

Triquetrorhabdulus rugosus

Site 1236, A7:12, 19
 Site 1237, A8:15–16

truncatulinoides, Globorotalia

Site 1232, A3:10
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:16

tumida, Globorotalia

Site 1236, A7:13
 Site 1237, A8:16–17; B11:1–19
 Site 1238, A9:14
 Site 1240, A11:11
 Site 1241, A12:12; B1:16, 22, 50, 56; B12:1–51
 Site 1242, A13:10

Turborotalia ampliapertura, Site 1237, A8:18

turris, Stephanopyxis

Site 1233, A4:10
 Site 1234, A5:10
 Site 1235, A6:11

U

Umbellosphaera tenuis, Site 1233, A4:9

Umbilicosphaera sibogae, Site 1233, A4:9

umbilicus, Reticulofenestra, Site 1237, A8:16

umbonatus, Oridorsalis

Site 1232, A3:10
 Site 1236, A7:14
 Site 1237, A8:19
 Site 1238, A9:15
 Site 1239, A10:14
 Site 1240, A11:12
 Site 1241, A12:13

ungulata, Globorotalia

Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10

universa, Orbulina

Site 1232, A3:10
 Site 1233, A4:9
 Site 1234, A5:9
 Site 1235, A6:10
 Site 1236, A7:13
 Site 1237, A8:17
 Site 1238, A9:14
 Site 1239, A10:12
 Site 1240, A11:11
 Site 1241, A12:12
 Site 1242, A13:10

universus, Stylatractus, Site 1237, B6:5

Uvigerina hispida, Site 1232, A3:10*Uvigerina peregrina*

Site 1232, A3:10

Site 1233, A4:10

Site 1234, A5:9

Site 1235, A6:10

Site 1237, A8:18; B11:1–19

Site 1238, A9:15

Site 1239, A10:14

Site 1240, A11:12

Site 1241, A12:13

Uvigerina proboscidea

Site 1241, A12:13

Site 1242, A13:11

Uvigerina spp.

Site 1234, A5:9–10, 36

Site 1235, A6:10, 40

V*vaughani*, *Plectofrondicularia*

Site 1239, A10:14

Site 1240, A11:12

Site 1242, A13:11

Vulvulina spinosa

Site 1236, A7:14

Site 1237, A8:19

Site 1238, A9:15

W*wuellerstorfi*, *Cibicidoides*, Site 1237, B11:1–19*wuellerstorfi*, *Planulina*

Site 1233, A4:9–10

Site 1234, A5:9

Site 1235, A6:10

Site 1236, A7:14

Site 1237, A8:19

Site 1238, A9:15

Site 1239, A10:14

Site 1240, A11:12

Site 1242, A13:11

Z

zones (with letter prefixes)

CN12b, Site 1236, A7:12

M1b, Site 1236, A7:13

M5, A7:13; A8:18

M7, Site 1239, A10:13

M9, Site 1239, A10:13

M13, Site 1236, A7:13

M13b, Site 1239, A10:13

M14, A7:13; A10:13

NN1, Site 1237, A8:16

NN2, Site 1237, A8:16

NN3, A7:12; A8:16

NN6, Site 1237, A8:15–16

NN7, Site 1237, A8:15

NN8, Site 1237, A8:15

NN9, Site 1237, A8:15–16

NN11, Site 1236, A7:12

NN11a, Site 1237, A8:15

NN11b, Site 1237, A8:15

NN15, Site 1237, A8:15

NN16, Site 1237, A8:15

NN17, A7:11; A8:15

NN18, A7:11; A8:15

NN19, A7:11–12; A8:15

NN20, A7:11–12; A8:15

NN21, A5:8–9, 11; A6:8–9, 12; A8:15

NP24, Site 1236, A7:12

P21, Site 1237, A8:18

P21/P22 boundary, Site 1237, B3:4

P11a, Site 1239, A10:13

P11b, Site 1239, A10:13

P12, A9:15; A10:13

P13, Site 1238, A9:15

P14, Site 1236, A7:13

P15, A9:14–15; A10:13; A11:11

P16, A9:14–15; A10:13; A11:11

P19, Site 1238, A9:15

Pt1, Site 1232, A3:10

Pt1a, A7:13; A9:14; A10:12; A11:11

Pt1b, A1:48; A4:9; A9:14; A10:12; A11:11

RN6, Site 1237, B6:9

RN7, Site 1237, B6:9

RN8, Site 1237, B6:9

RN9, Site 1237, B6:8

RN10, Site 1237, B6:8

RN11, Site 1237, B6:5, 8

RN12, Site 1237, B6:5, 8

RN13, Site 1237, B6:7

RN14, Site 1237, B6:7

RN15, Site 1237, B6:7

RN16, Site 1237, B6:6

RN17, Site 1237, B6:6

Zygrhabdolithus bijugatus

Site 1236, A7:12, 19

Site 1237, A8:16