

INDEX TO VOLUME 203

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 203 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” followed by the chapter number with a colon (A1:) and to those in the *Scientific Results* (this volume) by “B” followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear slide data, or thin section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 1243, for example, is given as “Site 1243, A3:1–85.”

SUBJECT INDEX

A

age
basement, B1:2
vs. compressional wave velocity, B1:15
alkali basalt, zirconium/titanium ratio, A3:14
alteration
basalt, A3:15–17
photograph, A3:54–55
photomicrograph, A3:54–55
alteration degree, vs. depth, A1:25; A3:41
aluminum, volcanic glass, B2:4
aluminum oxide
volcanic glass, B2:3–8
vs. depth, A3:50
vs. iron oxide, B2:21
vs. magnesium number, A3:51
vs. magnesium oxide, A3:16–17, 24
vs. titanium oxide, B2:18–19, 23

B

barium/strontium ratio
vs. depth, A3:50
vs. titanium/zirconium ratio, A3:52
basalt
alteration, A3:15–17
composition, B2:35
enriched, transitional and normal, B2:1–36
mineral assemblages, A3:78
petrography, A3:10–12; B2:29
physical properties, A1:26; A3:65
textures, A3:11–12
basalt, alkalic mid-ocean-ridge, petrology, B1:4–5

basalt, aphyric
photograph, A3:42
photomicrograph, A3:42
basalt, aphyric pillow
photograph, A3:43
photomicrograph, A3:43
basalt, enriched mid-ocean-ridge, possible Galapagos source, B2:8–9
basalt, mid-ocean-ridge, petrology, B1:4–5
basalt, pillowed aphyric
photograph, A3:47
photomicrograph, A3:47
basalt, pillowed plagioclase and olivine phyric
photograph, A3:45–46, 48
photomicrograph, A3:45–46, 48
basalt, plagioclase and olivine phyric
photograph, A3:44
photomicrograph, A3:44
basalt, tholeiitic, petrology, B1:4–5
basement
age, B1:2
drilling, A1:7
lithologic units, A1:9–13; B2:12
lithology, A1:25
See also sediment/basement interface
basement units
characteristics, A3:77; B1:13
geochemical correlation, B2:5–8
summary, B1:3–5
borehole seismometers, deployment, A1:18
bulk density logs
vs. compressional wave velocity logs, A3:70
vs. depth, A1:27; A3:69, 73
vs. neutron porosity logs, A3:70

C

- calcite
 - alteration, A3:15–17
 - within basalt, A3:8–9
- calcium, volcanic glass, B2:4
- calcium oxide
 - volcanic glass, B2:4–8
 - vs. iron oxide, B2:21
 - vs. magnesium oxide, A3:16–17, 24
 - vs. titanium oxide, B2:18–19, 23
- caliper logs, vs. depth, A1:27, 29; A3:69, 73
- coccoliths, calcite, A3:8
- Cocos plate
 - conjugate points, B2:27
 - triple junction, B2:9
- coercivity, paleomagnetism, B1:5
- compressional wave velocity
 - vertical seismic profiling, B1:6–7
 - vs. age, B1:15
- compressional wave velocity logs
 - vs. bulk density logs, A3:70
 - vs. neutron porosity logs, A3:70
 - vs. resistivity logs, A3:70
- conjugate points, plate tectonics, B2:27
- crust, oceanic
 - igneous rocks, B1:3–5
 - structure, A1:4–5

D

- demagnetization, alternating-field, vectors, A3:61
- demagnetization, overprint vs. sample position within a pillow, A3:63
- demagnetization, thermal
 - discrete samples, A3:62
 - vectors, A3:61
- density
 - basalt, A3:21
 - vertical seismic profiling, B1:6–7
- density, grain
 - vs. porosity, A1:26; A3:65
 - vs. sonic velocity, A1:26; A3:65
 - vs. wet bulk density, A1:26; A3:65
- density, wet bulk
 - vs. grain density, A1:26; A3:65
 - vs. porosity, A1:26; A3:65
 - vs. sonic velocity, A1:26; A3:65
- density logs. *See* bulk density logs
- Dipole Sonic Imager, waveform images, A3:71
- downhole measurements, Site 1243, A3:22–27
- DSDP holes, summary of those with penetration greater than 10 m in Pacific crust, A1:30
- Dynamics of Earth and Ocean Systems, A1:2–5

E

- East Pacific Rise, seafloor spreading, A1:3–4
- Ekman velocity, satellite scatterometer data, A1:21

F

- fecal pellets, peloids, A3:8
- ferromagnetism, remanence, B1:6
- foraminifers, calcite, A3:8
- Formation MicroScanner imagery, vs. depth, A3:72, 74
- fractionation, alkali basalt, A3:14

G

- Galapagos spreading center, basalt, B2:8–9
- gamma ray logs
 - vs. depth, A1:27; A3:69, 73, 75
 - vs. potassium logs, A3:70
 - vs. resistivity logs, A3:70
- geochemistry
 - correlation with shipboard units, B2:5–8
 - Site 1243, A3:13–17
 - volcanic glass, B2:3–8
- geostrophic velocity, satellite scatterometer data, A1:21
- glassy rinds, petrography, A3:10–12

I

- igneous rocks, summary, B1:3–5
- iron
 - tholeiitic basalt, A3:13
 - volcanic glass, B2:4
- iron oxide
 - volcanic glass, B2:3–8
 - vs. aluminum, calcium and magnesium oxide, B2:21
 - vs. magnesium oxide, A3:16–17, 24
 - vs. potassium and phosphorus oxides and sulfur, B2:20
 - vs. titanium oxide, B2:18–19, 23
- iron oxyhydroxide, alteration, A3:15–17

L

- Leg 203, principal results, A1:9–13
- limestone
 - photograph, A3:40
 - within basalt, A3:8–9
- lithologic units
 - basement, A1:9–13
 - Site 1243, A3:11–12
 - Unit 1, A3:11
 - Unit 2, A3:11
 - Unit 3, A3:11
 - Unit 4, A3:11
 - Unit 5, A3:12
 - Unit 6, A3:12
 - Unit 7, A3:12
 - Unit 8, A3:12
- lithology, basement, A1:25
- loss on ignition, vs. depth, A3:56

M

- magnesium, volcanic glass, B2:4
- magnesium number
 - tholeiitic basalt, A3:13

vs. aluminum oxide, A3:51
vs. titanium/zirconium ratio, A3:51
magnesium oxide
tholeiitic basalt, A3:13; B2:4–8
vs. aluminum, calcium and iron oxides, A3:16–17, 24
vs. iron oxide, B2:21
vs. potassium/titanium ratio, B2:26
vs. potassium oxide/titanium oxide ratio, B2:13, 22
magnetic declination, vs. depth, A3:60
magnetic inclination
magnetic polarity, A3:19–20
vs. depth, A3:57–60
magnetic intensity
magnetic susceptibility, A3:20
vs. depth, A3:57
magnetic polarity, magnetic inclination, A3:19–20
magnetic susceptibility
magnetic intensity, A3:20
vs. depth, A3:64
major elements, basalt, A3:13–15, 79
manganese oxide, calcite, A3:8
micrite, foraminiferal, photomicrograph, A3:40
micrite, within basalt, A3:8–9
microlites, plagioclase, limestone, A3:9
mineral assemblages, basalt, A3:78

N

Nazca plate, conjugate points, B2:27
neutron porosity logs
vs. bulk density logs, A3:70
vs. compressional wave velocity logs, A3:70
vs. depth, A1:27; A3:69, 73
nontronite, alteration, A3:15–17

O

observatories, OSN-2, A1:6–7, 15
ocean circulation
maps, A1:19
productivity, A1:4–5
ocean currents, velocity from satellite scatterometer
data, A1:21
Ocean Seismic Network, frequency, A1:23
ODP holes, summary of those with penetration greater
than 10 m in Pacific crust, A1:30
OSN-1, spectra, A1:23
OSN-2, observatories, A1:6–7
overgrowths, syntaxial, limestone, A3:9
oxidation, remanence, B1:6

P

Pacific Ocean E equatorial, geology, A1:1–30
Pacific plate
conjugate points, B2:27
triple junction, B2:8
paleomagnetism
Site 1243, A3:17–20
summary, A3:80–81; B1:5–6
partial melting, alkali basalt, A3:14

peloids, within basalt, A3:8–9
petrography, basalt, A3:10–12; B2:29
petrology, A3:10–13
phenocrysts, vs. depth, A1:25; A3:41
phosphorus oxide
volcanic glass, B2:4–6
vs. iron oxide, B2:20
physical properties
basalt, A1:26; A3:65
Site 1243, A3:20–22, 82
pillow texture, recovery rate, A3:12–13, 29–30
pipe vesicles, petrography, A3:10–12
plagioclase laths, limestone, A3:9
plate tectonics, conjugate points, B2:27
porosity
basalt, A3:21
vs. depth, A1:28; A3:66
vs. grain density, A1:26; A3:65
vs. sonic velocity, A1:26; A3:65
vs. wet bulk density, A1:26; A3:65
porosity logs. *See* neutron porosity logs
potassium/titanium ratio, vs. magnesium oxide, B2:26
potassium logs
vs. depth, A3:75
vs. gamma ray logs, A3:70
potassium oxide
volcanic glass, B2:3–8
vs. iron oxide, B2:20
vs. silica, A3:15; B2:25
See also sodium oxide + potassium oxide
potassium oxide/titanium oxide ratio
volcanic glass, B2:3–8
vs. magnesium oxide, B2:13, 22
productivity, ocean circulation, A1:4–5

R

recovery rate, pillow texture, A3:12–13, 29–30
remagnetization, remanence, B1:6
remanent magnetization, characteristic
discrete samples, A3:18–19
split-core section pass-through measurements, A3:17–
18
vs. depth, A3:59–60
remanent magnetization, isothermal, discrete samples,
A3:62
remanent magnetization, natural
split-core section pass-through measurements, A3:17–
18
vs. depth, A3:57–58
resistivity logs
vs. compressional wave velocity logs, A3:70
vs. depth, A1:27; A3:69, 73
vs. gamma ray logs, A3:70

S

seafloor spreading, observatories, A1:6–7
sea height, altimetry, A1:20
sediment/basement interface, well-logging, A1:11–12
sedimentology, A3:7–9

seismic profiles
Site 1243, A3:33–38
See also vertical seismic profiling
seismic surveys, track lines, A3:31; B1:12
silica
tholeiitic basalt, A3:13
vs. potassium oxide, A3:15; B2:25
vs. sodium oxide + potassium oxide, A3:49; B2:14
Siqueiros Fracture Zone, triple junction, B2:8
Site 1243, A3:1–85
background and objectives, A3:4–5
basement units, A3:77
coring summary, A3:76
downhole measurements, A3:22–27
geochemistry, A3:13–17
location, A1:16
mid-ocean-ridge basaltic glass, B2:1–36
operations, A3:2–3, 5–7
paleomagnetism, A3:17–20
petrology, A3:10–13
physical properties, A3:20–22, 82
schematic representation, A3:39
scientific results, A3:3–4
sedimentology, A3:7–9
site description, A3:1–85
summary, A3:1–2
synthesis, B1:1–16
Site H2O, spectra, A1:23
sodium oxide, volcanic glass, B2:4–8
sodium oxide + potassium oxide, vs. silica, A3:49; B2:14
spar cement
calcite, A3:8–9
photomicrograph, A3:40
spectra, horizontal component, frequency, A1:24
spectra, vertical component, frequency, A1:23
spreading centers, basalt, B2:8–9
strontium. *See* barium/strontium ratio
sulfur
volcanic glass, B2:5
vs. iron oxide, B2:20

T

textures, basalt, Unit 8, A3:11–12
thorium logs, vs. depth, A3:75
titanium. *See* potassium/titanium ratio; zirconium/titanium ratio
titanium oxide
volcanic glass, B2:3–8
vs. aluminum, calcium and iron oxides, B2:18–19, 23
See also potassium oxide/titanium oxide ratio
titanium/zirconium ratio
basalt, A3:14
vs. barium/strontium ratio, A3:52
vs. depth, A3:50
vs. magnesium number, A3:51
vs. zirconium/yttrium ratio, A3:52
trace elements, basalt, A3:13–14, 79
trace elements, incompatible, tholeiitic and alkalic basalt, A3:53
traveltimes
vs. depth, B1:14

Well Seismic Tool, A3:21–22
triple junction, Siqueiros Fracture Zone, B2:8

U

uranium logs, vs. depth, A3:75

V

veins, alteration, A3:15–17
velocity
basalt, A3:21
basement, A1:12–13
velocity, sonic
vs. depth, A1:28; A3:66
vs. grain density, A1:26; A3:65
vs. porosity, A1:26; A3:65
vs. wet bulk density, A1:26; A3:65
velocity logs
vs. depth, A1:27; A3:69, 73
See also compressional wave velocity logs
vertical seismic profiling, oceanic crust, B1:6–7
Verwey transition, paleomagnetism, B1:5
vesicle fillings, alteration, A3:15–17
vesicles, petrography, A3:10–12
vesicularity, vs. depth, A1:25; A3:41
volcanic glass
geochemistry, B2:3–8, 28, 30–34
recovered samples, A3:85
See also glassy rinds
volcanic glass, mid-ocean-ridge basaltic, enriched, transitional and normal, B2:1–36

W

waveform images
casing bond logs, A3:68
Dipole Sonic Imager, A3:71
sonic tools, A3:67
well-logging
plans, A1:8–9
sediment/basement interface, A1:11–12
Well Seismic Tool
data summary, A3:83
interval velocities, A3:84
traveltimes, A3:21–22; B1:16

Y

yttrium. *See* zirconium/yttrium ratio

Z

zeolites, alteration, A3:15–17
zirconium. *See* titanium/zirconium ratio
zirconium/titanium ratio
alkali basalt, A3:14
basalt, A3:14
zirconium/yttrium ratio
basalt, A3:14
vs. titanium/zirconium ratio, A3:52