

INDEX TO VOLUME 209

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 209 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" followed by the chapter number with a colon (A1:) and to those in the *Scientific Results* (this volume) by "B" followed by the chapter number with a colon (B1:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms ("barrel sheets"), core photographs, smear slide data, or thin section descriptions. Also excluded from the index are bibliographic references, names of individuals, and routine front matter.

The Subject Index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 1262, for example, is given as "Site 1268, A3:1-171."

SUBJECT INDEX

A

- accretion
 - crust, A1:6-12
 - seafloor spreading, B1:30
- aerobiology, dust-borne microorganisms, B1:18
- agate, photomicrograph, A5:117
- albite
 - hydrothermal alteration, A5:15
 - photomicrograph, A5:84
- alpha-serpentine, photomicrograph, A7:61
- alteration
 - dunites, A7:6
 - gabbros and gabbonorites, A3:8-9
 - geochemistry, A3:36-37; A6:31
 - harzburgites, A3:6
 - intensity vs. depth, A5:81, 94; A6:62, 66; A9:63; A10:79, 96
 - iron oxyhydroxides, A8:2-3
 - lithologic units, A5:5-9; A6:3-18; A9:5-7
 - mafic rocks, A3:12-13
 - microprobe data, B2:1-13
 - mylonitic shear zones, A3:11-12
 - photograph, A9:60-61; A10:90
 - photomicrograph, A3:60-67, 69-71, 74-75, 77-82, 86; A5:57-58; A6:56-61, 67-70; A9:61-62; A10:64-65
 - timing of events, A3:96; A5:20
 - ultramafics, A3:11
 - veins, A3:27-28
 - vs. deformation timing, A5:103
 - See also* hydrothermal alteration; weathering; weathering rinds
- alteration, synkinematic, photograph, A5:123
- alteration fronts, photograph, A3:95; A5:86
- alteration halos
 - hydrothermal alteration, A10:15-17
 - intensity vs. depth, A9:63
 - photograph, A5:86; A7:67, 83
 - photomicrograph, A3:82
- alteration halos, orange-brown, photograph, A9:64
- alteration halos, oxidized, carbonate veins, A9:10-11
- alteration rinds, photomicrograph, A10:103
- aluminum. *See* chromium/aluminum ratio; chromium/(chromium + aluminum) ratio
- aluminum oxide
 - alteration, A3:36
 - diabase and basalt, A7:23
 - gabbroic rocks, A10:24-25
 - gabbros, A6:30
 - igneous rocks, A5:35; A10:26-27
 - peridotites, A3:34; A6:28; A7:21; A9:18-20
 - troctolites, A10:23
 - vs. calcium oxide, A5:149; A9:86
 - vs. chromium, A6:104, 107; A7:95; A10:118
 - vs. chromium oxide, B2:6, 8, 9
 - vs. magnesium number, B2:6, 8
 - vs. magnesium oxide, A6:102, 107; A7:97; A10:119
 - vs. scandium, A6:105, 107; A7:96; A10:122
 - vs. silica, A5:154; A10:114
 - vs. strontium, A5:151
 - vs. titanium oxide, A6:105; A7:96; A9:88; A10:118
 - vs. trace elements, A3:139; A9:87
 - vs. trace elements in peridotites, A5:152-153
 - vs. vanadium, A6:104, 107; A7:96; A10:118
 - vs. zirconium, A6:105; A7:96; A9:88; A10:118
- aluminum oxide/silica ratio, vs. magnesium oxide/silica ratio, A9:20, 89
- amphibole
 - altered gabbros, A5:82

- composition, B4:22
 deformation, A6:20
 hydrothermal alteration, A5:12–20; A6:10–14;
 A10:12–15
 mineral chemistry, B4:5
 mylonites, A3:12
 photograph, A3:85, 87; A6:55, 82; A10:56
 photomicrograph, A1:114–115; A3:82, 88; A5:59, 71,
 76–77, 83–85, 90, 138; A6:58–61, 67–68, 72–74,
 76, 84–87, 94; A10:78
 shear zones, A6:23–24
 veins, A5:87; A6:65, 71
See also hornblende; olivine–amphibole–talc assem-
 blage
- amphibole, acicular, photograph, A10:80
 amphibole, brown
 hydrothermal alteration, B4:4
 lithologic units, A6:3–10
 photomicrograph, A5:84–85; A7:67; A10:81
 amphibole, cross-fiber secondary, photomicrograph,
 A6:86
 amphibole, euhedral brown, photomicrograph, A6:61
 amphibole, feathery green, photomicrograph, A10:82
 amphibole, fibrous, photomicrograph, A6:73; A10:105
 amphibole, green, photomicrograph, A10:91–92
 amphibole, interstitial, photomicrograph, A6:74
 amphibole, near-static secondary, photomicrograph,
 A6:86
 amphibole, schistose, shear zones, A6:23–24
 amphibole, secondary, photomicrograph, A6:84–85
 amphibole, secondary fibrous green, photomicrograph,
 A7:67; A10:81
 amphibolite
 alteration, A3:13
 photomicrograph, A6:48–49, 57, 60
 amphibolite facies
 deformation, A6:20
 deformation vs. alteration, A5:103
 shear zones, A6:23–24
 anisotropy
 anhysteretic remanent magnetization, A9:24–25, 98,
 111
 magnetic susceptibility, A3:44, 165; A5:45, 186;
 A6:35, 128; A7:31, 133; A9:24–25, 98, 110;
 A10:35, 140, 165–166
 See also thermal conductivity anisotropy
 anisotropy, apparent
 compressional wave velocity, A7:101
 thermal conductivity, A6:111; A7:104
 anorthite
 vs. forsterite, B1:28
 X-ray diffraction data, A10:80
 antigorite, hydrothermal alteration, A5:12
 apatite
 lithologic units, A7:4
 mylonites, A3:12
 photomicrograph, A10:76
 aragonite
 genesis, A5:20
 veins, A9:68
 X-ray diffraction data, A7:63
- augen
 deformation, A6:20
 photomicrograph, A5:113; A6:86
 awaruite, iron–nickel–sulfur–oxygen system phase equi-
 libria, A3:97
 azimuth, vs. depth, A10:149
- B**
- bacteria
 aerobiology, B1:18
 bottom water, A3:170
 banded contacts, lithologic units, A10:4–10
 banding
 deformation, A6:20
 dunites, A3:7
 dunites and harzburgites, A3:28
 lithologic units, A5:4
 orthopyroxene, A3:7–8
 orthopyroxenite, A3:7–8
 photograph, A3:128–129; A5:116, 136; A7:45, 77
 photomicrograph, A5:58, 85, 91, 118; A6:73–74, 85
 stereo plots, A5:120
 barium
 diabase and basalt, A7:24
 gabbroic rocks, A10:25
 gabbros, A6:30
 igneous rocks, A10:27
 mafic rocks, A7:25
 vs. carbon dioxide, A1:125
 basalts
 alteration, A7:9–10
 geochemistry, A7:97–100
 geology, A1:78–79
 petrology, A8:2–3
 basalts, aphyric, lithologic units, A3:4
 basalts, vesicular
 photograph, A1:96
 photomicrograph, A4:10–11
 bastite
 hydrothermal alteration, A5:12; B4:3–4
 photomicrograph, A3:60, 77, 99; A5:57, 105; A7:61,
 82; A9:61
 ultramafics, A3:11
 bastite, protogranular orthopyroxene, photomicrograph,
 A5:130
 bastite, serpentine, photomicrograph, A3:99–100
 bathymetry
 Mid-Atlantic Ridge, A1:78–79; B1:25; B3:7; B4:10
 Site 1268, A3:53–56
 Site 1269, A4:7–9
 Site 1270, A5:50–52
 Site 1271, A6:41–43
 Site 1272, A7:39–41
 Site 1273, A8:5–7
 Site 1274, A9:32–34
 Site 1275, A10:45–47
 biotite, photomicrograph, A3:82; A7:67
 borehole azimuth logs, vs. depth, A7:113
 borehole deviation logs, vs. depth, A7:113; A10:149

boudinage

- brown amphibole veins, A5:19–20
- hydrothermal alteration, A5:14
- photograph, A5:96
- photomicrograph, A5:63, 138
- See also* microboudins

Bouguer anomalies, fracture zones, A1:80

boundary layers, conductive, mantle, B1:1–33

breccia

- alteration, A8:2–3
- hydrothermal alteration, A5:12
- igneous rocks, A3:25–26
- rubble zone, A7:12
- semibrittle shear zones, A6:24–25
- serpentine, A5:22–23
- See also* fault breccia

breccia, carbonate-cemented, photograph, A7:73

breccia, intrusion

- lithologic units, A3:4
- photograph, A3:70, 83, 107

breccia, serpentine mud

- photograph, A9:65
- X-ray diffraction data, A9:65

breccia, stockwork, intrusions, A3:10

brecciation

- deformation, A5:27
- photomicrograph, A5:122

brucite

- hydrothermal alteration, A6:11–14; A9:8–11
- hydrothermal reactions, A9:11
- magnesium–calcium–silicon–oxygen–hydrogen system, A6:77
- photograph, A9:60
- photomicrograph, A9:601–62
- silica metasomatism, A3:18–20
- X-ray diffraction data, A6:64; A7:60, 65; A9:60
- See also* serpentine–brucite assemblage

brucite kernels, hydrothermal alteration, A9:8–11

bulk density logs, vs. depth, A7:34, 112; A10:148

C

calcite, photomicrograph, A10:95

calcium. *See also* magnesium–calcium–silicon–oxygen–hydrogen system

calcium/chloride ratio, alteration, A3:36

calcium oxide

- gabbros, A3:35; A6:30
- hydrothermal alteration, B1:9
- igneous rocks, A5:35, 37–38
- peridotites, A6:29; A7:21; A9:18–20
- troctolites, A10:23
- vs. aluminum oxide, A5:149; A9:86
- vs. carbon dioxide, A1:124; A5:150; A7:94; A10:115
- vs. magnesium oxide, A7:97

caliper logs

- summary, A7:127
- vs. depth, A7:112–113; A10:147
- See also* Hostile Environment Litho-Density Sonde caliper logs

carbon, peridotites, A6:28

carbon dioxide

- gabbroic rocks, A10:24
- igneous rocks, A5:35
- peridotites, A3:34; A6:29; A7:21
- troctolites, A10:23
- vs. barium, A1:125
- vs. calcium oxide, A1:124; A5:150; A7:94; A10:115
- vs. strontium, A1:125

carbonates

- igneous rocks, A5:35
- photograph, A6:93; A9:64; A10:90
- photomicrograph, A10:84
- veins, A6:65, 71

cataclasites

- deformation, A10:18–19
- intensity vs. depth, A7:84
- See also* protocataclasis

cataclasites, gabbro, photomicrograph, A10:103

cataclasites, green amphibole

- photograph, A10:101
- photomicrograph, A10:102

cataclastic regions

- intensity and orientation, A5:31
- orientation, A3:31–32
- photograph, A3:114
- vs. depth, A5:124, 140

cerium. *See* lead/cerium ratio

chalcopyrite

- hydrothermal alteration, A5:13; B1:10
- igneous rocks, B3:4
- photograph, A5:88, 101
- vs. depth, B3:10

chloride

- vs. magnesium oxide, B2:6, 8, 9
- See also* calcium/chloride ratio

chlorite

- alteration, A8:3
- altered gabbros, A5:82, 84
- deformation, A6:20
- hydrothermal alteration, A5:12; A6:10; A10:12–15
- mylonites, A3:12
- photograph, A3:85, 87; A5:123; A6:51
- photomicrograph, A3:86, 89; A5:85; A6:67–68, 73–74, 76; A10:85, 93–94
- veins, A5:87
- volume percentage in veins, A3:92
- See also* hydroxychlorite

chlorite, schistose, photograph, A6:95

chlorite/smectite

- hydrothermal alteration, A10:14–17
- photomicrograph, A7:66, 68; A10:91

chromite

- hydrothermal alteration, A6:10
- photomicrograph, A6:53

chromitite

- lithologic units, A6:8
- mid-ocean ridges, A1:35–36
- photograph, A6:51
- photomicrograph, A6:52–53, 81

chromitite, podiform

- lithologic units, A6:8

- photograph, A1:112
 - chromium
 - diabase and basalt, A7:23
 - gabbroic rocks, A10:24–25
 - gabbros, A3:35–36; A6:30
 - igneous rocks, A5:36; A10:26
 - peridotites, A3:34; A6:29; A7:22
 - troctolites, A10:23
 - vs. aluminum oxide, A5:153; A6:104, 107; A7:95; A9:87; A10:118
 - vs. magnesium number, A10:117
 - vs. magnesium oxide, A7:99
 - vs. silica, A3:140; A5:156
 - chromium/aluminum ratio, hydrothermal alteration, B1:10
 - chromium/(chromium + aluminum) ratio, mantle sources, A1:81
 - chromium number
 - spinel, B4:4, 6
 - vs. depth, B4:5, 19–20
 - vs. forsterite, B4:17
 - vs. magnesium number, B2:7; B4:14
 - vs. titanium oxide, B4:15
 - chromium oxide
 - amphibole, spinel, B4:5
 - vs. aluminum oxide, B2:6, 8, 9
 - vs. nickel oxide, B2:6, 8
 - chrysotile
 - magnesium–calcium–silicon–oxygen–hydrogen system, A6:77
 - photomicrograph, A3:74
 - vs. depth, A9:68
 - X-ray diffraction data, A6:64; A7:60, 63, 65; A9:60, 65
 - See also* clinochrysotile
 - clasts
 - hydrothermal alteration, A6:10
 - lithologic units, A3:4
 - photomicrograph, A6:97; A10:93
 - semibrittle shear zones, A6:24–25
 - clasts, fractured amphibole, photomicrograph, A10:102
 - clasts, lithic, photograph, A5:108
 - clasts, matrix-supported, photograph, A7:87
 - clasts, resistive, Formation MicroScanner imagery, A7:90
 - clasts, ultramafic, photograph, A3:70, 83, 107
 - clasts, weathered, photograph, A7:72
- clays
 - alteration, A8:2–3
 - alteration of harzburgites, A7:8–9
 - carbonate veins, A9:10–11
 - hydrothermal alteration, A5:12; A6:14; A7:9–10
 - photograph, A5:95; A9:64
 - photomicrograph, A5:89; A10:94
 - cleavage, brown amphibole veins, A5:19–20
 - cleavage planes, photomicrograph, A3:61
 - clinochrysotile, X-ray diffraction data, A9:65
 - clinopyroxene
 - gabbros, A3:8–9
 - grain size, A9:51
 - harzburgites, A3:6
 - hydrothermal alteration, A6:10–11; A9:7–11
 - lithologic units, A5:4–8; A6:3–10; A9:2–7; A10:7–10
 - microprobe data, B2:1–13
 - orthopyroxenite, A3:7–8
 - photograph, A3:85; A6:55; A7:55
 - photomicrograph, A3:64–66, 69, 86, 88, 106; A5:58, 64, 66, 75, 91, 112–114, 117–118; A6:84; A7:54, 57, 82; A9:44–50, 55, 70; A10:63–65, 75–77, 91–92; B1:27
 - quenching, A4:3
 - X-ray diffraction data, A10:80
 - clinopyroxene, euhedral, photomicrograph, A5:62; A9:50
 - clinopyroxene, intergranular, photomicrograph, A7:57
 - clinopyroxene, interstitial
 - lithologic units, A9:7
 - residual peridotites, B1:7–8
 - clinopyroxene, ophitic
 - lithologic units, A6:7
 - photomicrograph, A6:61
 - clinopyroxene, poikilitic, photomicrograph, A6:59; A9:45
 - clinopyroxene, quench
 - petrology, A8:2
 - photomicrograph, A4:11
 - clinopyroxene, recrystallized, photograph, A3:105
 - clinopyroxene, subophitic, lithologic units, A7:4
 - clinopyroxene augen, photomicrograph, A6:86
 - clinopyroxene microphenocrysts, hydrothermal alteration, A10:12–15
 - clinozoisite, calcium metasomatism, A3:20
 - cobalt
 - igneous rocks, A5:36
 - peridotites, A9:18–19
 - sulfides, B3:4
 - cobbles, lithologic units, A7:2–3
 - compressional wave velocity
 - average values in peridotites and gabbros, A3:148
 - igneous rocks, A3:38–41
 - vs. bulk density, A10:133
 - vs. depth, A3:142; A7:101; A9:90; A10:125–126
 - vs. wet bulk density, A3:147; A5:163; A6:112; A7:106; A9:95
 - compressional wave velocity apparent anisotropy
 - igneous rocks, A7:101
 - vs. depth, A3:142; A9:90; A10:125–126
 - compressional wave velocity logs, vs. depth, A10:148
 - contamination, peridotites, B5:6–10
 - core–log correlation, fault zones, A7:18–19
 - core logs, B1:26
 - cores, length, A1:128
 - cracks
 - photomicrograph, A10:82
 - weathering stains, A7:12
 - See also* microcracks
 - crenulate contacts, lithologic units, A10:4–10
 - crust
 - accretion, A1:6–12
 - focused accretion, A1:8
 - crystal fractionation, mafic rocks, A7:25
 - crystal habit, hopperlike, photomicrograph, A7:48
 - crystallization
 - gabbroic rocks, B1:15

troctolites, A10:9–10
See also crystal fractionation; fractional crystallization
culture experiments
electron donors, B5:25
See also microbial enrichment cultures

D

deep resistivity logs, vs. depth, A10:147

deformation

brown amphibole veins, A5:19–20
evolution, A7:19–20
gabbros, A5:123
harzburgites, A7:13
intensity in harzburgites, A7:14–15
lithologic units, A5:5–9; A9:3–7
paleomagnetism, B1:13
photograph, A3:107, 130; A5:85
photomicrograph, A1:99–100; A3:60, 64; A5:62–66,
85, 130–131, 139; A6:72–76
serpentinization, A5:18–19
timing, A5:20
vs. alteration timing, A5:103

deformation, brittle

breccia, A5:22–23, 30–31
dip vs. expanded depth, A5:141
distribution and orientation, A10:20
gabbroic rocks, A10:18
igneous rocks, A3:24–27
intensity vs. depth, A6:25, 98–99; A9:16–17, 72;
A10:106, 108
photomicrograph, A5:121
serpentinized harzburgites, A7:15–20

deformation, brittle–ductile

photomicrograph, A6:87
serpentinized harzburgites, A7:15–20

deformation, cataclastic, photograph, A3:120

deformation, crystal-plastic

distribution and total intensity, A6:21
distribution by intensity grade, A6:80
gabbroic rocks, A10:18
gabbronorites, A1:102
intensity, A3:20–21, 23–24, 158; A9:105
intensity and orientation vs. depth, A3:98; A5:21–26,
28
intensity histograms, A10:100
intensity in cores, A5:111
intensity vs. depth, A3:112; A5:106, 119, 124, 128–
129, 140; A6:79; A7:79; A9:72; A10:99
intensity vs. recovery, A7:81; A9:73
mylonites, A3:12
photograph, A3:129; A6:82
proportion in cores, A3:103
serpentine, A5:21–22
structures, B1:11–15
textures, A6:18–19
timing, A3:30

deformation, ductile

hydrothermal alteration, A6:16
photomicrograph, A1:114–115; A5:122; A6:72

deformation, high-strain crystal-plastic, structures,
A9:12

deformation, high-temperature, photomicrograph,
A3:100; A9:70

deformation, high-temperature brittle, neoblasts, A5:26
deformation, high-temperature ductile, photomicro-
graph, A6:74

deformation, high-temperature low-strain, igneous
rocks, A3:21

deformation, high-temperature low-strain crystal-plastic,
structures, A9:12

deformation, late-stage high-temperature mylonitic, lo-
calization, A3:29

deformation, low-temperature brittle shear, brecciation,
A5:27

deformation, postintrusion crystal-plastic, gabbronorite
dikes, A9:14

deformation, semibrittle

intensity and orientation, A5:31
vs. depth, A6:25

deformation, subsolidus crystal-plastic, metamorphism,
A6:20

deformation textures, photomicrograph, A9:74, 76–77

deformation twins, photomicrograph, A3:100

demagnetization

decay curves, A6:115
vector endpoints, A5:164–165, 167; A6:113–114;
A7:108–109; A9:97; A10:137–139

demagnetization, alternating-field

discrete sample whole-core direction comparison,
A3:44–45

ultramafics, A3:150

demagnetization, thermal, ultramafics, A3:150

density

discrete samples, A6:125
igneous rocks, A3:38–41, 162; A5:41, 181; A6:33;
A7:27–28, 126; A9:22, 108; A10:29–30, 161
vs. hydrothermal alteration, A1:126

density, bulk

caliper logs, A7:128
cube samples, A3:163
igneous rocks, A5:182
vs. compressional wave velocity, A9:95; A10:133
vs. depth, A10:125–126
vs. mean magnetic susceptibility, A10:30–31, 134
vs. mean thermal conductivity, A10:132
vs. thermal conductivity, A7:105; A9:94

density, grain, vs. mean magnetic susceptibility, A10:134

density, wet bulk

vs. compressional wave velocity, A3:147; A5:163;
A6:112; A7:106
vs. depth, A3:142; A7:101; A9:90

density logs

igneous rocks, A10:40
See also bulk density logs

diabase

deformation, A10:18–19
geochemistry, A1:118; A10:24–25
hydrothermal alteration, A10:12–17
lithologic units, A7:2–7; A10:3–10
petrogenesis, A1:59–61

- physical properties, A10:125
 - thermal conductivity, A7:103
 - diabase, olivine-plagioclase phyric, lithologic units, A10:7
 - diabase, phyric
 - photograph, A10:61
 - photomicrograph, A10:78
 - diabase, porphyritic, photomicrograph, A10:64
 - diabase, spherulitic, photomicrograph, A7:48
 - diabase, undeformed, photograph, A10:104
 - diabase contacts, stereo plots, A10:112
 - dikelets
 - melt migration, B4:6
 - photograph, A6:55; A10:55
 - dikelets, gabbroic, photomicrograph, A6:76
 - dikelets, granophyre, photomicrograph, A10:77–78
 - dikelets, metamorphic, photomicrograph, A5:84
 - dikes
 - hydrothermal alteration, A6:10–11
 - lithologic units, A7:2–3
 - dikes, amphibole ultramafic, photomicrograph, A5:55
 - dikes, crosscutting, photograph, A10:50
 - dikes, diabase, lithologic units, A10:4–10
 - dikes, felsic
 - photograph, A10:84
 - photomicrograph, A10:84
 - dikes, gabbroic
 - alteration, A3:12–13
 - impregnation, A6:21–22
 - lithologic units, A10:5–10
 - dikes, magmatic
 - photograph, A3:82
 - photomicrograph, A3:82
 - dikes, pyroxenite, photomicrograph, A5:59
 - dikes, ultramafic, hydrothermal alteration, A5:12
 - diopside, magnesium–calcium–silicon–oxygen–hydrogen system, A6:77
 - dip, foliation, A9:13–14
 - dissolution
 - orthopyroxene, A3:9–10
 - peridotites, B5:1–38
 - downhole measurements
 - Site 1268, A3:48
 - Site 1271, A6:36–37
 - Site 1272, A7:32–36
 - Site 1274, A9:27
 - Site 1275, A10:37–41
 - dunites
 - alteration, A7:6
 - altered pyroxene stratigraphic proportion, A3:72
 - digital images, A6:89
 - hybridization with gabbroic rocks, B4:1–23
 - hydrothermal alteration, A5:11–12; A6:10, 16–17
 - lithologic units, A3:4–5, 7; A5:4–9; A6:3–5; A7:2–7; A9:2–7; A10:4–10
 - metamorphic veins, A5:16–17
 - microprobe data, B2:1–13
 - origin, A1:34–35
 - petrography, B4:3
 - photograph, A1:112, 117; A3:59, 128; A6:91; A7:44–45, 77; A9:37, 78–79
 - photomicrograph, A5:72; A6:46–47, 58, 64, 70, 74–75, 81
 - proportions, A1:98
 - spreading centers, B1:4–6
 - transport, A1:6–12
 - X-ray diffraction data, A6:63–64
 - dunites, altered, photograph, A6:45, 51, 63–64
 - dunites, amphibole-bearing
 - hydrothermal alteration, A6:15–16
 - photomicrograph, A6:76
 - dunites, brucite-altered, photograph, A9:60
 - dunites, chromitiferous, photograph, A6:82
 - dunites, olivine-bearing, photomicrograph, A6:67
 - dunites, orthopyroxene-bearing serpentinized, photograph, A3:114
 - dunites, oxidatively-altered aragonite-veined, photograph, A7:63
 - dunites, serpentinized, photograph, A6:55
- E**
- elongate minerals, harzburgites, A7:14–15
 - enstatite, magnesium–calcium–silicon–oxygen–hydrogen system, A6:77
 - environmentally corrected gamma ray logs, vs. depth, A10:148
 - exsolution
 - gabbronorites, A10:9
 - photomicrograph, A9:70; A10:75, 83
 - exsolution lamellae, photomicrograph, A7:54, 57
- F**
- fabric
 - deformation, A9:12
 - distribution by lithology, A6:80
 - gabbronorites, A10:8–9
 - intensity in gabbronorite, A1:102
 - pyroxene bastite, A5:104
 - spinel, A6:22
 - See also* magnetic fabric
 - fabric, crystal-plastic
 - harzburgites, A7:14–15
 - intensity and dip, A5:146
 - intensity and orientation, A5:21–22
 - photograph, A3:128
 - fabric, gabbro, orientation, A3:132
 - fabric, high-temperature high-strain, igneous rocks, A3:22–23
 - fabric, high-temperature low-strain
 - alteration, A5:24, 28–29
 - igneous rocks, A3:21
 - fabric, high-temperature low-strain mantle, textures, A6:19
 - fabric, high-temperature moderate-strain
 - alteration, A5:24–25, 28–29
 - igneous rocks, A3:21–22
 - fabric, magmatic, distribution and orientation, A10:21
 - fabric, moderate-temperature high-strain, alteration, A5:25

- fault breccia
 hydrothermal alteration, A5:12; A6:14
 photograph, A3:58; A5:108; A7:87
 photomicrograph, A6:97
 recovery and boundaries, A6:78
- fault gouge
 dip, A7:119
 foliation, A9:14
 Formation MicroScanner imagery, A7:88, 115–116
 hydrothermal alteration, A5:12; A9:9
 igneous rocks, A3:25–26; A7:17–18
 intensity vs. depth, A7:92
 lithologic units, A5:4
 photograph, A1:120; A3:113; A5:108; A9:39, 82–83
 proportions, A1:98
 recovery and boundaries, A6:78
 semibrittle shear zones, A6:24–25
 serpentine, A5:22–23
- fault gouge, semiplastic, photograph, A7:87
- fault zones
 brittle and crystal-plastic deformation, A5:147
 brittle deformation, A3:30
 core–log correlation, A7:18–19
 fluid flow, A7:9
 Formation MicroScanner imagery, A7:115
 hydrothermal alteration, A6:11–14
 lithologic units, A7:6–7
 orientation, A7:18–19
 structures, A9:16
- fault zones, brittle, structures, B1:12–15
- faults
 deformation, A6:25–26
 dip, A7:119
 dip histograms, A3:118
 dip vs. depth, A3:119; A10:107
 igneous rocks, A3:26
 photomicrograph, A6:87
 stereo plots, A3:135
- faults, brittle, semibrittle shear zones, A6:24–25
- faults, normal
 geology, A1:78–79
 photograph, A3:95, 117
- felsic material, photograph, A7:49–50
- fifteen degrees-twenty seconds Fracture Zone, deformation, A1:1–139
- first lead paradox, peridotites, B1:16–18
- fluid flow
 fault zones, A7:9
 hydrothermal alteration, A6:11–14
 mantle, A6:8
- fluid inclusions, photomicrograph, A7:69
- fluorescent microspheres, contamination, A3:169
- focussing, mantle upwelling, A1:7–8
- folds, photomicrograph, A6:73, 96
- foliation
 deformation, A6:20
 dip vs. depth, A5:119
 gabbros, A10:5
 orientation, A3:31
 orientation in spinel, A3:132
 photograph, A3:104, 129; A5:115–116; A6:82; A9:79
 photograph in spinel, A3:133
 photomicrograph, A3:106; A5:79, 137–138; A6:86
 spinel, A5:32; A6:19
- foliation, anastomosing
 dip histograms, A3:110–111
 photograph, A3:108–109
 photomicrograph, A5:117
- foliation, anastomosing serpentine, igneous rocks, A3:24–25
- foliation, chrysotile
 dip vs. depth, A9:80
 stereo plots, A9:81
- foliation, cross-fiber anastomosing serpentine, serpentinized harzburgites, A7:15
- foliation, cross-fiber serpentine
 depth vs. intensity, A3:112
 dunites, A5:22, 31
 dunites and harzburgites, A6:22–23
 gabbro-norite dikes, A9:14–15
- foliation, crystal-plastic
 dip vs. depth, A3:98
 intensity and orientation, A5:21–22
 photograph, A3:102, 114, 130; A5:110, 135–136; A7:77
 photomicrograph, A6:94
 protogranular textures, A9:13–14
 stereo plots, A3:134; A5:120; A7:78; A9:75
- foliation, harzburgite
 photograph, A5:134
 stereo plots, A5:132
- foliation, high-temperature, photograph, A7:46
- foliation, high-temperature high-strain, igneous rocks, A3:22–23
- foliation, high-temperature low-strain, igneous rocks, A3:21
- foliation, low-angle, photograph, A3:101
- foliation, magmatic
 gabbros, A3:9
 stereo plots, A10:112–113
- foliation, mesoscopic crystal-plastic, photograph, A7:80
- foliation, mylonitic, textures, A5:33
- foliation, serpentine
 orientation, A7:19
 photograph, A9:78–79
 stereo plots, A7:91
- foliation, shear, photograph, A10:104
- foliation, spinel, stereoplots, A6:83
- foliation planes, harzburgites, A7:13
- Formation MicroScanner imagery
 apparent faults, A7:116
 fault gouge, A7:88
 fault zones, A7:18–19, 35–36, 115
 fracture strike, dip azimuth and dip, A7:118
 fractures, A7:116
 harzburgites, A7:88
 oxide gabbros, A7:88
 resistive clasts, A7:90
 resistivity contrast of fault zones, A7:117
 serpentine schists, A7:89
 vs. depth, A7:75, 112–113; A10:151–153

- Formation MicroScanner imagery logs
 igneous rocks, A10:41
 vs. depth, A10:147
- forsterite
 magnesium–calcium–silicon–oxygen–hydrogen system, A6:77
 mineral chemistry, B4:4
 molecular percent histogram, B4:13
 vs. anorthite, B1:28
 vs. chromium number in spinel, B4:17
 vs. depth, B4:19
- fractional crystallization
 high pressure, B1:4–6
 lithologic units, A10:10
 melts, B4:6
- fracture zones, deformation, A1:1–139; A9:16–17
- fractures
 deformation, A5:27
 dip vs. depth, A10:107
 Formation MicroScanner imagery, A7:116, 118; A10:151–153
 photograph, A3:130
 resistivity-at-the-bit, A10:144
 stereo plots, A9:81
See also joints; microfractures; shear fractures
- fractures, brittle, orientation, A6:26
- fractures, brittle shear, orientation, A7:19
- fractures, shear
 dip histograms, A3:118
 dip vs. depth, A3:119
 igneous rocks, A3:26
 intensity vs. depth, A7:92
 stereo plots, A7:91
- fugacity
 hydrothermal alteration, B1:10–11
 sulfides, B3:4
- fungi, aerobiology, B1:18
- G**
- gabbro/diorite, miarolytic, photograph, A7:67
- gabbroic rocks
 composition, B1:7
 digital images, A6:90
 geochemistry, A6:29–31
 hybridization with dunites, B4:1–23
 lithologic units, A7:2–3
 mantle, B1:15
 microprobe data, A1:1–139; B2:1–13
 Mohorovicic discontinuity, B1:15
 petrogenesis, A1:59–61
 photograph, A3:58; A6:50, 55; A10:53
 photomicrograph, A6:61
 proportions, A1:98
 spreading centers, B1:4–6
- gabbroic rocks, impregnated, vs. depth, A6:54, 66
- gabbromylonites, photomicrograph, A6:85
- gabbromylonites, troctolitic, photograph, A6:82
- gabbronorites
 alteration, A3:12–13
 crystal-plastic deformation, A1:102
 geochemistry, A10:24–25
 lithologic units, A3:5, 8–9; A10:8–9
 magnesium oxide, A7:24
 photomicrograph, A1:99–100; A5:62–63, 65
- gabbronorites, intrusive, petrogenesis, A1:16–18
- gabbronorites, olivine, petrography, B4:3
- gabbronorites, oxide
 lithologic units, A5:6–8
 photograph, A5:115–116
 photomicrograph, A5:62–65, 112, 114, 117–118; A7:54
 strain localization, A5:26
- gabbros
 average compressional wave velocity, A3:148
 brittle deformation, A3:26–27
 calcium metasomatism, A3:19–20
 deformation, A5:123; A10:18–19
 emplacement, A3:19
 geochemistry, A5:36–38, 154–158; A6:106–108; A10:24–25, 114–124
 hydrothermal alteration, A5:12, 15–16; A6:10–11; A10:12–17
 lithologic units, A3:4–5, 8–9; A5:4–9; A6:3–8
 median destructive field, A3:151
 metamorphic veins, A5:17
 photograph, A3:84, 107; A9:56; A10:49–53, 56, 110
 photomicrograph, A5:122; A6:56
 physical properties, A10:125–126
 physical properties vs. depth, A3:142
 protoliths, A5:18
 thermal conductivity, A3:146; A5:160–161; A7:103
 veins, A3:16
See also harzburgites/gabbros contact; microgabbros
- gabbros, altered
 alteration intensity vs. depth, A5:81
 photograph, A3:84–85; A9:40; A10:80–81, 88
 photomicrograph, A3:86, 89; A5:82
 sulfides, B3:1–18
 X-ray diffraction data, A10:80
- gabbros, brown amphibole
 hydrothermal alteration, A6:12–13
 petrography, B4:4
 photograph, A1:113
 photomicrograph, A6:72–73
- gabbros, crenulate contacts, photograph, A1:135
- gabbros, crosscutting, lithologic units, A10:5–10
- gabbros, deformed
 photograph, A3:120
 photomicrograph, A3:100
- gabbros, deformed oxide, photomicrograph, A9:76
- gabbros, miarolitic, geochemistry, A1:118
- gabbros, mixed grain sizes, photograph, A1:134
- gabbros, oikocrystic olivine, lithologic units, A6:6–7
- gabbros, olivine
 hydrothermal alteration, A5:13; A10:14–17
 lithologic units, A6:6–7; A10:6–10
 petrography, B4:3
 photograph, A10:60–61
 photomicrograph, A6:59; A10:64
- gabbros, oxide
 Formation MicroScanner imagery, A7:88, 115

- geochemistry, A10:24–25
 hydrothermal alteration, A9:9
 lithologic units, A9:3–7; A10:3–10
 magnetic susceptibility vs. oxides, A10:66–67
 photograph, A10:51
 photomicrograph, A7:82; A10:65
- gabbros, pegmatitic
 lithologic units, A5:6
 photograph, A1:92; A3:71
 textures, A3:8
- gabbros, quartz–olivine
 lithologic units, A7:4–7
 photograph, A7:49–50
- gabbros, rodingitized
 lithologic units, A9:3–7
 photograph, A9:66
 photomicrograph, A9:66
- gabbros, troctolitic, photomicrograph, A6:84, 87
 gamma-ray intensity logs, vs. depth, A10:148
 gamma-ray logs
 igneous rocks, A10:40
 vs. depth, A7:120; A10:146
 vs. resistivity logs, A7:120
See also environmentally corrected gamma ray logs;
 total spectral gamma ray logs
- gamma rays
 igneous rocks, A3:37; A5:40; A6:32; A7:25–26, 36;
 A9:21; A10:28
 vs. depth, A3:143; A5:73
- gamma rays, corrected, vs. depth, A7:102; A9:91;
 A10:127
- general purpose inclinometry tool, magnetic field logs,
 A7:34–35, 113
- geobiology, olivine dissolution rate, B1:18
 geochemistry
 gabbroic rocks, A1:5
 peridotites, A1:10–11
 Site 1268, A3:33–37, 159–160
 Site 1270, A5:34–39
 Site 1271, A6:27–31
 Site 1272, A7:20–25
 Site 1274, A9:17–20
 Site 1275, A10:22–27
- geology, Mid-Atlantic Ridge, A1:78–79
 glass rinds, lithologic units, A7:5
- grain boundaries
 hydrothermal alteration, B4:3–4
 lithologic units, A9:5–7
 photomicrograph, A7:57; A9:57; B1:27
See also crenulate contacts; olivine triple junctions
- grain size
 mafic rocks, A7:2–8
 orthopyroxene and clinopyroxene, A9:51
 vs. depth in gabbros, A10:54, 59
- granophyre
 geochemistry, A10:24–25
 lithologic units, A10:3–10
 photograph, A10:55–56, 58, 61, 64
- granulite facies
 deformation, A6:20
 deformation vs. alteration, A5:103
- shear zones, A3:11–12
- greenschist facies
 alteration, A6:95
 gabbros, A3:19
 hydrothermal alteration, A6:17
 photomicrograph, A6:74–75
 shear zones, A6:23–24
 textures, A5:139
- grossular. *See* hydrogrossular
- ## H
- halos. *See* alteration halos
- harzburgites
 altered orthopyroxene proportion, A3:68
 altered pyroxene stratigraphic proportion, A3:72
 deformation, A7:13
 Formation MicroScanner imagery, A7:88
 hydrothermal alteration, A5:11–12, 15–16; A6:12, 16–
 17
 lithologic units, A3:4–6; A5:4–9; A6:4–5; A7:3–4;
 A9:2–7; A10:4–10
 lithology, A3:5–6
 metamorphic veins, A5:16–17
 microprobe data, B2:1–13
 petrography, B4:3
 photograph, A1:117; A3:83, 102, 107, 127–130;
 A5:54, 69, 74, 95, 110; A7:44–47, 77; A9:36–38,
 78–79
 photomicrograph, A5:56–59, 75, 130–131, 145;
 A6:81; A7:82; A9:69–71
 proportions, A1:98
 textures, A7:5–6
- harzburgites, basement, photograph, A7:76
- harzburgites, mylonitic, photograph, A9:38
- harzburgites, orthopyroxene-rich, lithologic units, A5:4
- harzburgites, protogranular, photograph, A3:101; A7:80
- harzburgites, protomylonitic, photomicrograph, A5:130
- harzburgites, residual
 trace elements, B1:31
 uranium, B1:32
- harzburgites, serpentinized
 petrology, A8:2–3
 photograph, A1:86–87; A3:73, 76, 82, 84; A5:78–79,
 89–90, 96, 98, 100–101, 107, 142; A9:61, 64
 photomicrograph, A3:74–75, 99; A5:79; A8:9; A9:61,
 77
 X-ray diffraction data, A9:61
- harzburgites, serpentinized “popcorn,” photograph,
 A5:104
- harzburgites, soft clayey serpentinized, clay alteration,
 A7:8–9
- harzburgites/gabbros contact, photograph, A9:59
- heazlewoodite, iron–nickel–sulfur–oxygen system phase
 equilibria, A3:97
- hematite
 iron–nickel–sulfur–oxygen system phase equilibria,
 A3:97
 photograph, A5:101; A10:80
 veins, A3:13–14
- high pressure, fractional crystallization, B1:4–6

- hornblende, X-ray diffraction data, A10:80
- Hostile Environment Litho-Density Sonde caliper logs,
vs. depth, A10:147
- hybrid rocks
 - hydrothermal alteration, A6:13–14
 - lithologic units, A6:8
- hybridization, dunites and gabbroic rocks, B4:1–23
- hydration
 - peridotites, A3:33
 - timing, A3:30
- hydration, synkinematic, magmatic veins, A5:29–30
- hydrogen
 - peridotites, A6:28
 - See also* magnesium–calcium–silicon–oxygen–hydrogen system
- hydrogrossular
 - calcium metasomatism, A3:20
 - photomicrograph, A6:85
- hydrothermal alteration
 - basalts, A7:9–10
 - breccia, A5:12
 - gabbroic rocks, B1:8–11
 - gabbros, A5:12; A10:12–17
 - harzburgites and dunites, A5:11–12
 - igneous rocks, A5:13–34; B4:3–4
 - intensity vs. depth, A3:90
 - lithologic units, A6:10–18; A9:7–11
 - mafic rocks, A7:9–10
 - peridotites, A1:14, 18–20, 26–28, 42–43, 61–62
 - secondary minerals, A3:11–13
 - Site 1271, A1:37–38
 - Site 1274, A1:47–50
 - ultramafic dikes, A5:12
 - ultramafics, A7:7–9
 - vs. density, A1:126
 - vs. magnetic susceptibility, A1:126
 - See also* alteration; metasomatism; reaction coronas; reaction rims; reaction zones; secondary minerals; weathering
- hydrothermal reactions, chemistry, A9:11
- hydroxychlorite, clay alteration, A7:8–9
- I**
- iddingsite
 - lithologic units, A10:6
 - photograph, A10:60
- igneous petrology
 - Site 1268, A3:3–10
 - Site 1269, A4:2–4
 - Site 1270, A5:3–20
 - Site 1271, A6:2–9
 - Site 1272, A7:2–7
 - Site 1273, A8:2–3
 - Site 1274, A9:2–7
 - Site 1275, A10:3–10
- igneous rock contacts
 - orientation, A3:132
 - photograph, A3:58–59
 - stereo plots, A7:78
- igneous rock proportion
 - Site 1268, A1:15–16
 - Site 1270, A1:24–25
 - Site 1271, A1:33–34
 - Site 1272, A1:40–41
 - Site 1274, A1:46
- igneous rocks
 - crust, A1:6–12
 - geochemistry, A5:177–178; A6:122; A7:124; A9:106; A10:158–159
 - spreading rates, B1:30
 - thermal conductivity, A5:179
 - X-ray diffraction data, A3:156; A6:120
- ilmenite
 - igneous rocks, A10:26–27
 - X-ray diffraction data, A10:80
- ilmenite lamellae, photomicrograph, A10:83
- impregnation
 - residual peridotites, B1:7–8
 - textures, A6:21–22
- inclinometry logs
 - igneous rocks, A10:41
 - See also* general purpose inclinometry tool
- inclusions
 - hydrothermal alteration, A7:9–10
 - lithologic units, A6:5
 - orthopyroxenite, A3:8
 - zeolites, A10:13
 - See also* fluid inclusions; melt inclusions
- intergrowths
 - harzburgites, A3:6
 - lithologic units, A5:5
 - photomicrograph, A5:58; A7:51–52
- intergrowths, symplectic
 - lithologic units, A7:7
 - photomicrograph, A6:56; A7:58
 - residual peridotites, B1:7–8
- intrusions
 - digital images, A6:88
 - gabbros, A5:17
 - gabbros and gabbronorites, A3:8–9
 - lithologic units, A3:4
 - photograph, A3:84
 - timing, A3:30
 - See also* plutons
- intrusions, gabbroic
 - lithologic units, A5:10
 - magmatic veins, A3:29–30
 - orthopyroxenite, A3:7–8
 - photograph, A5:74, 95
 - photomicrograph, A5:71, 99
 - structures, A1:8–10
- intrusive rocks, petrogenesis, A1:36–37
- iowaite
 - clay alteration, A7:8–9
 - microprobe data, B2:1–13
 - X-ray diffraction data, A7:9, 60, 65
- iron
 - oxidation, A7:9
 - vs. sulfur, B2:9
 - See also* magnesium/iron ratio; magnesium + iron

iron/titanium ratio, igneous rocks, A10:26
 iron–nickel–sulfur–oxygen system, phase equilibria, A3:97
 iron number
 spinel, B4:4
 vs. depth, B4:19
 vs. titanium oxide, B4:16
 iron oxide
 alteration, A3:36
 diabase and basalt, A7:23
 gabbroic rocks, A10:24
 gabbros, A6:30–31
 igneous rocks, A5:35; A10:25–26
 peridotites, A3:34; A6:28
 photomicrograph, A5:59
 troctolites, A10:23
 veins, A5:92, 97; A6:65
 volume percentage in veins, A3:92
 vs. magnesium oxide, A3:138; A5:148; A6:103; A7:93, 97; A9:85; A10:116, 119; B2:6, 8, 9
 vs. magnetic susceptibility, A3:141
 vs. silica, A3:137
 vs. titanium oxide, A5:155; A10:120
 iron oxide, interstitial, photomicrograph, A5:62
 iron oxyhydroxide
 alteration, A8:2–3
 carbonate veins, A9:10–11
 hydrothermal alteration, A5:12
 photograph, A5:95; A9:64; A10:90
 photomicrograph, A5:89; A10:95
 iron–titanium oxides
 deformation, A5:26
 mylonites, A3:12

J

joints, weathering stains, A7:12

K

kamacite, iron–nickel–sulfur–oxygen system phase equilibria, A3:97
 kernels. *See* brucite kernels; olivine kernels
 kink bands
 deformation, A9:12
 harzburgites, A7:14–15
 photomicrograph, A3:64, 100; A5:62; A9:70–71, 74

L

lamellae
 photograph, A5:115
 photomicrograph, A9:47–48
 See also exsolution lamellae; ilmenite lamellae
 lanthanum/samarium ratio, mantle sources, A1:81
 laths. *See* plagioclase laths
 lead. *See* first lead paradox; lead paradox; thorium/lead ratio; uranium/lead ratio
 lead/cerium ratio, peridotites, B1:16–18
 lead isotopes
 mantle sources, A1:81

peridotites, B1:17–18
 lead paradox, peridotites, B1:16–18
 Leg 209, coring summary, A1:139
 lherzolite. *See* spinel lherzolite facies
 lithium
 change through time for fumarate enrichment media, B5:21
 change through time for iron oxide enrichment media, B5:22
 change through time for manganese oxide enrichment media, B5:23
 change through time for sodium nitrate enrichment media, B5:20
 dissolution in culture media, B5:18
 dissolution in peridotites, B5:6–10
 lithium, dissolved
 amount through time for two cultures, B5:35
 average amount, B5:28
 average amount through time, B5:29–30
 lithologic units
 stratigraphy, A3:4–5; A5:4–9; A6:3–9; A7:2–4; A9:2–7; A10:3–10
 Unit I, A3:4; A5:4, 6–7; A6:3–4; A7:2–3; A9:2–3; A10:3, 5
 Unit II, A3:4; A5:4, 8; A6:4; A7:3–4; A9:3; A10:4–5
 Unit III, A3:4–5; A5:4–5, 7; A6:4; A9:3; A10:4–6
 Unit IV, A3:5; A5:9; A6:4–5; A10:6
 Unit V, A5:7; A10:6
 Unit VI, A5:8–9
 Unit VII, A5:7
 lithology
 discrete samples, A6:126
 proportions, A1:98
 lithostratigraphy
 summary, A1:84, 109, 116, 121, 129; A5:53, 67, 73; A10:48, 57
 vs. depth, A3:57; A6:44, 54; A9:35; A10:3–10; B4:2–3, 11
 lizardite
 hydrothermal alteration, A9:8–11
 igneous rocks, A5:35
 X-ray diffraction data, A1:86; A6:64; A7:60, 63; A9:60–61, 65
 loss on ignition
 gabbros, A3:35
 igneous rocks, A5:34–35
 peridotites, A3:33–34; A6:28; A7:21
 troctolites, A10:23
 vs. magnesium oxide, A6:102; A7:93
 vs. silica, A3:140

M

mafic rocks
 alteration, A3:12–13
 geochemistry, A3:35–36; A7:23–25, 97–100
 hydrothermal alteration, A7:9–10; A9:9
 photograph, A7:49–50
 textures, A7:43
 magmas, rock generations, A6:26–27

- magmatic layering
 distribution and orientation, A10:21
 stereo plots, A7:78
- magmatism, intrusions, A3:10
- magnesium–calcium–silicon–oxygen–hydrogen system,
 mineral–fluid phase diagram, A6:17–18, 77
- magnesium/iron ratio, hydrothermal alteration, B1:9
- magnesium + iron, vs. silica, B2:6, 8, 9
- magnesium number
 gabbroic rocks, B1:7
 igneous rocks, A10:25–26
 peridotites, A3:34; A6:28; A7:21
 spinel, B4:4
 troctolites, A10:23
 vs. aluminum oxide, B2:6, 8
 vs. chromium, A10:117
 vs. chromium number, B2:7; B4:14
 vs. nickel, A1:111, 133; A7:95; A10:117
 vs. silica, A1:88, 103, 118; A10:114
 vs. zirconium, A1:118, 137; B1:29
- magnesium number, molar, histograms in gabbroic
 rocks, A1:136
- magnesium oxide
 diabase and basalt, A7:23
 gabbroic rocks, A10:24
 gabbroites, A7:24
 gabbros, A3:35
 igneous rocks, A5:35, 37–39; A10:25–26
 peridotites, A3:34; A6:28; A7:21
 troctolites, A10:23
 vs. aluminum oxide, A6:102, 108; A10:119
 vs. chloride, B2:6, 8, 9
 vs. chromium, A7:99
 vs. iron oxide, A3:138; A5:148; A6:103, 108; A7:93;
 A9:85; A10:116, 119; B2:6, 8, 9
 vs. loss on ignition, A6:102; A7:93
 vs. major oxides, A7:97
 vs. silica, A3:137, 140; A5:148, 154; A6:102; A7:93;
 A9:84; B2:9
 vs. titanium oxide, A6:108
 vs. water content, A9:84
 vs. zirconium, A7:100
- magnesium oxide/silica ratio, vs. aluminum oxide/silica
 ratio, A9:20, 89
- magnetic anomalies, estimates, A7:114
- magnetic declination
 histograms, A6:116; A7:110; A9:99
 rose diagrams, A5:170
 vs. depth, A9:116
- magnetic declination, archive half, vs. discrete sample
 declination, A5:169
- magnetic declination, discrete sample, vs. archive half
 declination, A5:169
- magnetic fabric, deformation, A9:24
- magnetic field, vs. depth, A10:149
- magnetic field logs
 general purpose inclinometry tool, A7:34–35, 113
 igneous rocks, A10:41
 vs. depth, A7:34–35, 113
- magnetic inclination
 discrete sample histograms, A10:141
- gabbros and peridotites, A3:45–47
 histograms, A5:168; A6:116; A7:110; A9:99
 remanence variation, A3:152
 vs. depth, A3:149; A7:74, 107; A9:96, 100, 116;
 A10:135–136
 vs. rotation about horizontal axis, A1:93
 vs. rotation axis azimuth twenty degrees, A1:94, 108
- magnetic inclination logs, vs. depth, A7:113
- magnetic intensity
 discrete samples, A6:34
 remanence variation, A3:152
 vs. depth, A9:116
- magnetic properties, vs. depth, A10:149
- magnetic susceptibility
 anisotropy, A3:44, 165; A5:45, 186; A6:35, 128; A7:31,
 133; A9:24–25, 98, 110; A10:35, 140, 165–166
 continuous measurements, A3:41–42; A5:42
 eigen vector of tensor, A5:171; A6:117; A7:111
 igneous rocks, A3:37; A5:40; A6:32; A7:26; A9:21;
 A10:28
 magnetite estimate, A5:61
 vs. depth, A3:144–145, 149; A5:159; A6:109; A7:74,
 107; A9:96
 vs. hydrothermal alteration, A1:126
 vs. iron oxide, A3:141
 vs. oxides, A10:66–67
 vs. water content, A3:141
- magnetic susceptibility, corrected, vs. depth, A7:102;
 A9:91; A10:128–129
- magnetic susceptibility, mean
 vs. bulk density, A10:30–31, 134
 vs. grain density, A10:30–31, 134
- magnetic susceptibility, volume, vs. depth, A10:135–136
- magnetite
 hydrothermal alteration, A5:11–12; A6:11–14; A9:7–
 11
 igneous rocks, A10:26–27
 iron–nickel–sulfur–oxygen system phase equilibria,
 A3:97
 lithologic units, A10:7–10
 microprobe data, B2:1–13
 mylonites, A3:12
 photomicrograph, A6:68; A7:66; A10:83, 85, 92, 94
 serpentinite, A7:7–10
 silica metasomatism, A3:18–20
 veins, A3:13–14; A5:80; A6:65, 71; A9:68
 volume percentage in veins, A3:92
 vs. depth, A5:60
 X-ray diffraction data, A6:63–64; A7:60, 63; A9:60, 65
 X-ray diffraction data in serpentinized harzburgite,
 A3:73; A5:78
- magnetite, euhedral, photomicrograph, A7:64
- magnetite, modal, vs. depth, A10:68–71
- major elements
 alteration, A3:36–37
 altered gabbroites, A1:91
 altered peridotites, A1:90
 gabbros, A3:35; A6:30
 igneous rocks, A3:159–160; A5:34–39, 177–178;
 A6:122; A7:124; A9:106; A10:158–159
 mineral chemistry, B4:4–5

- mineral separates, A6:123
- major elements, anhydrous
 - altered gabbronorites, A1:91, 101
 - altered peridotites, A1:90, 105, 110, 119, 123
- mantle
 - conductive boundary layer, B1:1–33
 - deformation, A1:1–139
 - petrology, A3:3–10
 - seismic velocity, A1:85
 - temperature, A1:13–14
 - upwelling, A1:6–12
 - upwelling diagrams, A1:83
- mantle, upper, hybridization of dunites and gabbroic rocks, B4:1–23
- median destructive field, demagnetization, A3:43–44, 151
- melt flow
 - hybridization of dunites and gabbroic rocks, B4:1–23
 - transport, A1:6–12
- melt inclusions, photomicrograph, A8:8
- melts
 - fractional crystallization, B4:6
 - migration, B4:5–6
 - transport, A1:6–12
- mesh rims, ultramafics, A3:11
- mesostasis, hydrothermal alteration, A10:12–15
- metamorphic petrology
 - Site 1268, A3:10–20
 - Site 1269, A4:2–4
 - Site 1270, A5:3–20
 - Site 1271, A6:9–18
 - Site 1272, A7:7–11
 - Site 1274, A9:7–11
 - Site 1275, A10:10–17
- metamorphism
 - gabbroic rocks, B1:8–11
 - lithologic units, A6:10–18
 - parageneses, A1:49–50
 - peridotites, A1:18–20, 26–28, 42–43, 61–62
 - photomicrograph, A6:72–76
 - Site 1271, A1:37–38
 - Site 1274, A1:47–50
 - spreading centers, B1:4–6
- metaperidotite, carbon dioxide, A1:124
- metasomatism
 - alteration, A3:12–13
 - hydrothermal alteration, A5:16
 - peridotites, A1:18–20, 26–28, 42–43, 61–62
 - silica, A3:18–20
 - Site 1271, A1:37–38
 - Site 1274, A1:47–50
- microbes, peridotites, B5:6–10
- microbial enrichment cultures, peridotites, B5:1–38
- microbiology
 - metaperidotite, A1:23
 - mud, A4:4–5, 15
 - peridotites, B5:1–38
 - Site 1268, A3:47–48
 - Site 1269, A4:4–5
 - Site 1270, A5:45–46
 - Site 1271, A6:35–36
- Site 1272, A7:31–32
- Site 1274, A9:25–27
- Site 1275, A10:36–37
- solid samples, A5:45–46; A7:31; A9:25–26
- surface water and atmosphere, A3:47–48, 171; A5:46, 188; A7:32, 134; A9:26–27, 115; A10:36–37, 167
- See also* aerobiology; geobiology
- microboudins, photomicrograph, A6:72
- microcracks
 - photograph, A6:55
 - photomicrograph, A10:89
- microfractures
 - lithologic units, A6:3–4
 - photomicrograph, A9:49
- microgabbros
 - alteration, A3:8; A6:13
 - hydrothermal alteration, A10:12–17
 - lithologic units, A5:8–9; A7:2–7; A10:3–10
 - photograph, A5:86, 116
- microgabbros, foliated oxide, stereo plots, A5:120
- microlites. *See* olivine microlites; plagioclase microlites
- microorganisms, aerobiology, B1:18
- microphenocrysts
 - hydrothermal alteration, A7:9–10; A10:12–15
 - See also* olivine microphenocrysts
- microshear bands, photomicrograph, A6:75
- microsphere tracers, culture experiments, B5:26
- microspheres. *See* fluorescent microspheres
- microstructures, harzburgites, A3:6
- microtextures, hydrothermal alteration, A5:12
- microveins, serpentinite, A7:8–9
- Mid-Atlantic Ridge
 - mantle boundary layer, B1:1–33
 - maps, B5:15
 - peridotites, A1:1–139
- mid-ocean ridges
 - chromitites, A1:35–36
 - zircon provenance, B1:18
 - See also* slow-spreading ridges
- millerrite
 - hydrothermal alteration, B1:10
 - igneous rocks, B3:4–5
 - iron–nickel–sulfur–oxygen system phase equilibria, A3:97
 - vs. depth, B3:10
- mineral chemistry, major elements, B4:4–5
- mineral separates, geochemistry, A6:123
- mineralization, sulfides, B3:1–18
- mineralogy
 - veins, A5:176; A6:121; A9:67, 104; A10:86, 97, 157
 - X-ray diffraction data, A5:175
- Mohorovicic discontinuity, gabbroic rocks, B1:15
- mud
 - lithologic units, A9:3–7
 - photograph, A1:127
- mylonite zones
 - photograph, A3:58
 - photomicrograph, A6:85
 - vs. depth, A3:98
- mylonite zones, serpentinized, photograph, A3:105

mylonites

- deformation, B1:12–15
- hydrothermal alteration, A5:12; A6:15
- intensity in cores, A5:111
- photograph, A3:107; A5:136
- photomicrograph, A3:106; A5:72, 79, 118
- reverse shear zones, A3:33
- See also* gabbromylonites; protomylonites
- mylonites, dunite, photomicrograph, A5:84–85
- mylonites, gabbro, photomicrograph, A5:130
- mylonites, high-strain, photograph, A3:104
- mylonites, peridotite, photograph, A1:97
- mylonites, weathered harzburgite, photomicrograph, A9:74

N

neoblasts

- deformation, A5:26; A9:12
- harzburgites, A3:6
- photomicrograph, A1:99–100, 114–115; A3:67, 100; A5:63–64, 90, 113, 117, 121; A6:72, 74; A7:54, 82; A9:57, 70–71

nickel

- diabase and basalt, A7:23
- gabbroic rocks, A10:24–25
- gabbros, A3:35–36; A6:30
- igneous rocks, A5:36–37; A10:26
- peridotites, A3:34; A6:29; A9:18–19
- sulfides, B3:4
- troctolites, A10:23
- vs. aluminum oxide, A5:153
- vs. magnesium number, A1:111, 133; A7:95; A10:117
- vs. sulfur, B2:9
- See also* iron–nickel–sulfur–oxygen system
- nickel oxide, vs. chromium oxide, B2:6, 8
- nontronite
 - hydrothermal reactions, A9:11
 - X-ray diffraction data, A9:65
- norite, lithologic units, A10:5–10

O

oikocrysts

- lithologic units, A6:6–7
- photomicrograph, A10:62

olivine

- composition, B4:20
- composition vs. depth, B4:19
- dissolution rates, B5:37
- harzburgites, A3:5–6
- hydrothermal alteration, A5:12; A6:11–14; A9:7–11; B4:3–4
- impregnation, A6:21–22
- lithologic units, A5:4–8; A6:3–10; A7:3–4; A9:3–7; A10:4–10
- magnesium–calcium–silicon–oxygen–hydrogen system, A6:77
- microprobe data, B2:1–13
- mineral chemistry, B4:4
- orthopyroxenite, A3:7–8

photograph, A5:89; A6:50, 55, 82, 92; A7:55; A10:50, 60–61

photomicrograph, A1:122; A3:64, 99–100; A5:58, 68, 72, 85, 105, 137; A6:48–49, 56–59, 67–70, 76, 81, 84–85, 88; A7:51, 56, 58; A9:42, 44–45, 47, 49, 61–62, 70, 74; A10:62–64, 85, 93–94; B1:27

preferred orientation, B1:13

See also forsterite

- olivine, euhedral embayed, photomicrograph, A8:8
- olivine, occluded, photomicrograph, A9:69
- olivine, poikilitic, lithologic units, A7:4
- olivine, serpentinized, photomicrograph, A3:60–62, 66; A9:61
- olivine, subhedral, photomicrograph, A6:74
- olivine–amphibole–talc assemblage, phase equilibria, A6:17–18
- olivine gabbros. *See* gabbros, olivine
- olivine kernels
 - hydrothermal alteration, A9:8–11
 - photomicrograph, A10:95
- olivine microlites, photomicrograph, A7:48
- olivine microphenocrysts, hydrothermal alteration, A7:9–10
- olivine triple junctions, lithologic units, A6:3–8
- orthopyroxene
 - banding, A3:7–8
 - dunites, A3:7
 - gabbros, A3:8–9
 - grain size, A9:51
 - harzburgites, A3:6
 - hydrothermal alteration, A9:7–11; B4:3–4
 - lithologic units, A5:4–8; A6:4–10; A7:3–7; A9:2–7; A10:7–10
 - lithology and stratigraphy in peridotites, A7:42
 - microprobe data, B2:1–13
 - orthopyroxenite, A3:7–8
 - photograph, A3:102, 129; A5:54, 89; A7:45–47
 - photomicrograph, A1:89, 100; A3:78, 99–100; A5:56–58, 72, 91, 105, 112, 114, 117–118, 130–131; A6:46–47, 69, 81; A7:54, 56–59, 82; A9:42–50, 61, 69–71, 74; A10:62, 75–77; B1:27
 - porphyroclasts, A6:19
 - proportions, A3:9–10
 - vs. depth, A9:41
 - X-ray diffraction data, A9:61
- orthopyroxene, altered
 - photograph, A5:69
 - photomicrograph, A3:60–65, 67, 69; A5:70
 - proportion in harzburgite and dunites, A3:68
- orthopyroxene, anhedral, photomicrograph, A5:68
- orthopyroxene, elongated, photograph, A7:55
- orthopyroxene, euhedral, photograph, A10:61
- orthopyroxene, granular, photomicrograph, A9:69
- orthopyroxene, interstitial
 - photograph, A7:55
 - residual peridotites, B1:7–8
- orthopyroxene, polygonal, lithologic units, A7:5
- orthopyroxene, protogranular, photomicrograph, A9:69
- orthopyroxene, subhedral, photomicrograph, A5:62
- orthopyroxenites
 - banding, A3:7–8

lithologic units, A5:4–6
 photomicrograph, A3:69
 osmium isotopes, peridotites, B1:15–16
 oxidation
 hydrothermal reactions, A9:11
 iron, A7:9
 lithologic units, A7:2–4
 photograph, A7:67; A9:64
 oxide gabbros. *See* gabbros, oxide
 oxide infillings, photomicrograph, A10:72
 oxides
 photomicrograph, A10:74
 vs. magnetic susceptibility, A10:66–67
 oxides, interstitial
 lithologic units, A5:8–9
 photomicrograph, A5:122; A7:54
 oxides, magmatic, photomicrograph, A5:112–114, 117
 oxygen
 hydrothermal alteration, B1:10–11
 sulfides, B3:4–5
 See also iron–nickel–sulfur–oxygen system; magnesium–calcium–silicon–oxygen–hydrogen system

P

P–T conditions
 phase equilibria, A6:18
 See also thermobarometry
 paleomagnetism
 deformation, B1:13
 discrete samples, A3:164; A5:42–43
 gabbro fabric orientation, A3:132
 lithologic contact orientation, A3:132
 magmatic vein orientation, A3:132
 piece orientations from archive-half data, A3:166–167
 Site 1268, A1:21–23; A3:41–47
 Site 1270, A1:30–33; A5:41–45
 Site 1271, A1:39; A6:33–35
 Site 1272, A7:28–31
 Site 1274, A9:22–25
 Site 1275, A10:31–36
 spinel foliation orientation, A3:132
 tectonics, A1:44, 52–53, 63–65
 paragenesis
 lithologic units, A6:7
 metamorphism, A1:49–50
 partial melting, textures, A6:21–22
 pebbles
 lithologic units, A9:2
 photograph, A9:38
 pentlandite
 hydrothermal alteration, B1:10
 igneous rocks, B3:4
 microprobe data, B2:4
 serpentinite, A3:11
 vs. depth, B3:10
 perfluorocarbon tracers
 contamination, A3:47, 168; A6:35–36, 129
 gas chromatography, A5:172, 187; A6:118
 standard curve, A3:153
 peridotites
 average compressional wave velocity, A3:148
 brittle deformation, A3:30
 deformation, A5:28–29
 depletion, A1:16, 25–26, 34, 41–42, 46–47
 dissolution rates, B5:1–38
 geochemistry, A1:10–11; A3:33–35; A5:34–36, 38, 148–153; A6:102–105; A7:21–22, 24, 93–96; A9:18–20, 84–89; A10:114–118
 geology, A1:78–79
 hydration, A3:33
 hydrothermal alteration, A1:14
 iron oxide vs. magnesium oxide, A3:138
 lithologic units, A5:5–9; A7:2–7; A9:2–7
 microbiology, B5:1–38
 microprobe data, B2:1–13
 Mid-Atlantic Ridge, A1:1–139
 orthopyroxene, A7:42
 osmium isotopes, B1:15–16
 photograph, A3:108; A6:55
 photomicrograph, A5:91; A6:70; A7:82
 physical properties vs. depth, A3:142
 plain-polarized light images, B5:16–17
 rift valleys, A3:32–33
 spreading centers, B1:4–6
 spreading rates, B1:30
 structures, A1:8–10
 thermal conductivity, A3:146; A5:160–161; A6:110; A7:103
 trace elements, A3:139
 veins, A3:93
 vs. depth, A6:54
 See also metaperidotite
 peridotites, altered
 geochemistry, B2:11–13
 sulfides, B3:1–18
 peridotites, impregnated, trace elements, B1:31
 peridotites, poikilitic, photomicrograph, B1:27
 peridotites, poikilitic impregnated, forsterite vs. anorthite, B1:28
 peridotites, residual, impregnation, B1:7–8
 peridotites, Riddle Nickel Mountain, composition, B5:34
 peridotites, serpentinized
 geochemistry, A6:27–29
 remanent magnetization, A1:15
 petrography, igneous rocks, B4:3–4
 pH, phase equilibria, A6:17
 phase equilibria
 iron–nickel–sulfur–oxygen system, A3:97
 magnesium–calcium–silicon–oxygen–hydrogen system, A6:17–18, 77
 olivine–amphibole–talc assemblage, A6:17–18
 serpentine–brucite assemblage, A6:17–18
 serpentinization, A6:17–18
 sulfides, B3:8–9
 phenocrysts. *See* plagioclase phenocrysts; spinel phenocrysts
 photoelectric effect logs
 igneous rocks, A10:40
 vs. depth, A7:34, 112; A10:148

- physical properties
 - Site 1268, A3:37–41
 - Site 1270, A5:40–41
 - Site 1271, A6:32–33
 - Site 1272, A7:25–28
 - Site 1274, A9:21–22
 - Site 1275, A10:27–31
- picrolite
 - hydrothermal alteration, A6:14
 - vs. depth, A9:68
- plagioclase
 - altered gabbros, A5:82
 - deformation, A5:26; A6:20
 - gabbros, A3:9
 - hydrothermal alteration, A6:10; A10:12–15
 - lithologic units, A5:7–9; A6:3–10; A7:4–7; A10:3–10
 - photograph, A3:87
 - photomicrograph, A1:99–100; A3:86, 88–89, 100; A4:11; A5:62–66, 71, 112–114, 117–118, 121; A6:47, 59, 61, 84–85; A7:51–54; A9:57–58, 66, 76; A10:72–74, 76–78, 82, 84–85, 91, 94, 102; B1:27
 - vs. depth, A5:119
 - See also* albite; anorthite
- plagioclase, acicular, photomicrograph, A8:8
- plagioclase, euhedral, photomicrograph, A5:62
- plagioclase, modal, vs. depth, A5:60
- plagioclase, resorbed, photomicrograph, A10:73–74
- plagioclase, subhedral, photomicrograph, A6:61
- plagioclase facies, spreading centers, B1:5–6
- plagioclase laths, photomicrograph, A6:59
- plagioclase laths, acicular, basalts, A4:3
- plagioclase microlites, skeletal, photomicrograph, A7:48
- plagioclase phenocrysts
 - petrology, A8:2
 - photomicrograph, A10:63
- plate tectonics, plate spreading geometry, B1:13–15
- plutonic rocks, petrogenesis, A1:42, 47
- plutons, gabbroic rocks, B1:15
- Pokrovsky and Schott rates, dissolution in culture media, B5:31
- polydymite
 - igneous rocks, B3:4
 - iron–nickel–sulfur–oxygen system phase equilibria, A3:97
 - vs. depth, B3:10
- polygonalization, photomicrograph, A9:71
- porosity
 - discrete samples, A6:125
 - igneous rocks, A3:38–41, 162; A5:41, 181; A6:33; A7:27–28, 126; A9:22, 108; A10:29, 161
 - resistivity logs, A10:39–40
 - vs. depth, A7:101; A9:90; A10:125–126
- porosity logs, vs. depth, A10:147
- porphyroclasts
 - deformation, A5:28–29
 - harzburgites, A3:6
 - orthopyroxene, A6:19
 - photograph, A3:104–105, 128; A5:69, 136
 - photomicrograph, A1:114–115; A3:60, 63, 106; A5:56–57, 90–91, 112–114, 121, 130, 137; A6:72, 74, 85–86; A9:45, 70
- porphyroclasts, diabase, photomicrograph, A10:103
- porphyroclasts, orthopyroxene, photomicrograph, A9:77
- porphyroclasts, spinel–pyroxene–olivine, photomicrograph, A9:74
- potassium
 - mafic rocks, A7:25
 - See also* sodium + potassium
- potassium logs
 - igneous rocks, A10:40
 - vs. depth, A7:120; A10:148
- potassium oxide
 - diabase and basalt, A7:23
 - vs. magnesium oxide, A7:97
 - vs. water content, A7:98
- preferred orientation
 - foliation, A9:14–15
 - harzburgites, A7:13
 - olivine and pyroxene, B1:13
- prehnite
 - calcium metasomatism, A3:20
 - photomicrograph, A6:84–85; A9:66
- pressure
 - calculated vs. experimental, A1:131
 - vs. depth, A10:150
 - vs. temperature, A1:132
 - See also* high pressure
- pressure quench, microgabbro, A3:8
- pressure shadows
 - photograph, A3:104–105
 - photomicrograph, A3:106
- protocataclasite, photograph, A7:73
- protoliths
 - gabbros, A5:18
 - photomicrograph, A6:73
- protomylonites, intensity in cores, A5:111
- pseudomorphs
 - gabbros, A3:8
 - hydrothermal alteration, A5:14, 18; B4:3–4
 - microprobe data, B2:1–13
 - photograph, A3:107
 - photomicrograph, A1:89; A3:77–78, 86, 99, 106; A5:105, 118, 130–131; A6:46–47, 81, 86; A9:61; A10:77
 - serpentine, A7:7–9
 - ultramafics, A3:11
- pyrite
 - hydrothermal alteration, B1:11
 - igneous rocks, B3:4
 - microprobe data, B2:4
 - photograph, A5:101
 - photomicrograph, A1:89; A3:78; A5:79, 85
 - veins, A3:14
 - vs. depth, B3:10
- pyroxene
 - altered gabbros, A5:82
 - deformation, B1:12–15
 - hydrothermal alteration, A5:12

hydrothermal reactions, A9:11
lithologic units, A10:7–10
microprobe data, B2:1–13
photograph, A3:87, 128; A5:89
photomicrograph, A5:83, 113
preferred orientation, B1:13
stereo plots, A5:120
See also clinopyroxene; orthopyroxene
pyroxene, altered, proportion in harzburgite and dunites, A3:72
pyroxene crystals, photograph, A3:59
pyroxenites
 photograph, A3:129–130; A5:116
 photomicrograph, A5:59
 proportions, A1:98
 transport, A1:6–12
 veins, A3:16–17
pyrrhotite
 hydrothermal alteration, B1:10
 igneous rocks, B3:4
 iron–nickel–sulfur–oxygen system phase equilibria, A3:97
 serpentinite, A3:11
 vs. depth, B3:10

Q

quartz
 hydrothermal alteration, A6:12–13; A7:9–10
 lithologic units, A7:4–7; A10:3–10
 magnesium–calcium–silicon–oxygen–hydrogen system, A6:77
 photograph, A10:80
 photomicrograph, A3:89; A7:52–53, 69; A10:80
 veins, A6:71
quenching, clinopyroxene, A4:3

R

rare earths
 hydrothermal alteration, B1:9–10
 peridotites, B1:17–18
reaction coronas
 hydrothermal alteration, A10:13
 photograph, A3:87
 photomicrograph, A10:85
reaction rims
 lithologic units, A6:6–7
 photomicrograph, A6:56, 60
reaction zones, photograph, A9:59
recrystallization
 deformation, A6:20
 lithologic units, A5:4–34; A9:3–7
 orthopyroxenite, A3:7–8
 photomicrograph, A1:114–115; A3:63–65, 69, 100; A5:57–58, 112, 117–118; A6:72–76, 84–88; A9:45–47, 74, 76
relict minerals
 photomicrograph, A9:61, 77; A10:93–95
 serpentinite, A7:8–9

remanent magnetization
 archive-half data, A5:184–185; A6:127; A7:107, 130–132; A9:31, 112–114, 116; A10:164
 continuous measurements, A3:42–43; A6:33–34; A7:28–29; A9:23; A10:31–34
 directions, A5:43–45; A6:34–35; A7:29–31; A10:35–36
 discrete samples, A5:183; A6:34; A7:29, 129; A9:23–24, 109; A10:34, 162–163
 effects of rotation of vectors, A1:95
 histograms for archive halves, A1:138
 percent remaining after demagnetization, A3:149
 peridotites, A1:8–10
 serpentinized peridotites, A1:15
 vs. depth, A9:96; A10:135–136
remanent magnetization, anhysteretic, anisotropy, A9:24–25, 98, 111
remanent magnetization, characteristic
 continuous measurements, A10:31–34
 directions, A7:29–31
 vs. depth, A7:74, 107
remanent magnetization, characteristic/natural ratio, vs. depth, A7:74, 107; A9:96; A10:135–136
remanent magnetization, natural
 continuous measurements, A10:31–34
 vs. depth, A3:149; A7:74, 107
remanent magnetization, normalized, decay curves, A5:166
resistivity, contrast of fault zones in Formation Micro-Scanner imagery, A7:117
resistivity-at-the-bit
 imagery, A10:38, 142
 original and smoothed, A10:143
 structures, A10:144
 three-dimensional display, A10:145
resistivity logs
 porosity, A10:39–40
 vs. depth, A7:34, 112; A10:146
 vs. gamma-ray logs, A7:120
 See also deep resistivity logs; shallow resistivity logs
rift valleys
 peridotites, A3:32–33
 plate spreading geometry, B1:13–15
rodingitization, hydrothermal reactions, A9:11
rubble zone
 alteration, A8:2–3
 breccia, A7:12
 photograph, A7:72
 stereo plots, A7:78
rutile, photomicrograph, A6:52
rutile, euhedral, photomicrograph, A6:61

S

samarium. *See* lanthanum/samarium ratio
scandium
 gabbroic rocks, A10:25
 gabbros, A6:30
 igneous rocks, A5:36, 39; A10:26
 peridotites, A3:34; A6:29; A7:22; A9:18–19
 troctolites, A10:23

- vs. aluminum oxide, A3:139; A5:152; A6:105, 107; A7:96; A9:87; A10:122
- vs. titanium oxide, A10:123
- vs. vanadium, A5:158
- schistosity, photomicrograph, A6:73
- schists, photomicrograph, A1:114–115
- schists, amphibole–chlorite
 - hydrothermal alteration, A6:15
 - photomicrograph, A6:73
- schists, amphibole–chlorite–serpentine, photomicrograph, A6:74
- schists, deformed amphibole–talc, photomicrograph, A5:139
- schists, low-temperature, photograph, A6:95
- schists, serpentine
 - foliation, A7:17
 - Formation MicroScanner imagery, A7:89
 - photomicrograph, A6:94
- schists, serpentine–chlorite
 - photomicrograph, A6:96
 - semibrittle shear zones, A6:24
- schists, talc–amphibole, photomicrograph, A10:105
- schists, talc–chlorite–amphibole, photograph, A10:104
- schists, talc–tremolite, hydrothermal alteration, A6:12–13
- schlieren
 - gabbros, A5:17
 - photograph, A6:55
 - photomicrograph, A5:90
- seafloor spreading, accretion, B1:30
- seawater, artificial
 - electron donors and acceptors, B5:33
 - sterile water, B5:32
- secondary minerals, vs. depth, A3:90
- seismic refraction profiles, velocity models, A1:82
- seismic studies, deformation, A1:4
- seismic velocity, mantle, A1:85
- selvage, photograph, A3:70
- sericite
 - hydrothermal alteration, A6:12–13
 - photomicrograph, A6:67–68, 72, 76
- serpentine
 - alteration, A8:3
 - cross-fiber foliation depth vs. intensity, A3:112
 - foliation dip histograms, A3:110–111
 - hydrothermal alteration, A5:11–12; A6:11, 14; A9:7–11; B1:8–11
 - microprobe data, B2:1–13
 - photograph, A3:121–122; A5:110; A9:61–62; A10:90
 - photomicrograph, A3:79, 81, 99, 109; A6:75–76; A7:64; A10:95
 - serpentinite, A7:7–10
 - shear zones, A6:23–24
 - silica metasomatism, A3:18–20
 - veins, A5:13–19, 80, 87, 92, 97; A6:65, 71
 - volume percentage in veins, A3:92
 - X-ray diffraction data, A6:63; A7:60, 63
 - X-ray diffraction data in serpentinized harzburgite, A3:73; A5:78–79
 - See also* alpha–serpentine; chrysotile; lizardite
- serpentine, granular, photomicrograph, A5:109
- serpentine, greenish, photograph, A9:65
- serpentine, pleochroic, photomicrograph, A1:89; A3:61, 78
- serpentine, schistose, photomicrograph, A5:109
- serpentine–brucite assemblage, phase equilibria, A6:17–18
- serpentine matrix, photograph, A5:108
- serpentinite
 - hydrothermal alteration, A5:12; A7:7–10
 - photomicrograph, A5:109
 - semibrittle shear zones, A6:24–25
 - silica metasomatism, A3:18–20
 - ultramafics, A3:11
- serpentinite, altered
 - photograph, A3:77
 - photomicrograph, A3:77, 80
- serpentinite, fibrous, photograph, A3:117
- serpentinite, sheared, harzburgites and dunites, A5:23
- serpentinite, talc-altered, photograph, A1:87
- serpentinization
 - dunites, A6:64
 - harzburgites, A3:6
 - hydrothermal alteration, A5:12–20; A6:12–14; A9:8–11; B1:9–10
 - lithologic units, A7:2–4; A9:5–7
 - microprobe data, B2:1–13
 - mineral chemistry, B4:4–5
 - peridotites, A1:49
 - phase equilibria, A6:17–18
 - photograph, A3:108
 - photomicrograph, A3:81; A5:89; A6:70, 76
 - ultramafics, A3:11
 - vein alteration, A3:27–28
 - veins, A3:17
- serpentinization, multistage, deformation, A5:18–19
- serpentinization, syndeformational, hydrothermal alteration, A6:17
- shallow resistivity logs, vs. depth, A10:147
- shear fractures, anastomosing, photomicrograph, A10:105
- shear wave velocity logs, vs. depth, A10:148
- shear zones
 - brown amphibole veins, A5:19–20
 - deformation, A9:16–17
 - deformation timing, A5:20
 - gabbros, A3:9
 - lithologic units, A3:4
 - orientation, A3:31–32
 - photograph, A5:115; A10:104
 - photomicrograph, A6:73–74, 87
 - plate spreading geometry, B1:13–15
 - schistose mat serpentine, A5:23
- shear zones, anastomosing, photomicrograph, A5:90
- shear zones, brittle
 - dip vs. depth, A10:107
 - orientation, A5:27
 - photograph, A5:142
 - photomicrograph, A5:122
 - stereo plots, A5:132, 143–144; A6:101
 - thickness, A5:147

- shear zones, brittle and ductile, recovery and boundaries, A6:78
- shear zones, cataclastic
dip histograms, A3:115
dip vs. depth, A3:116
igneous rocks, A3:26
stereo plots, A3:135; A9:81
- shear zones, ductile
photograph, A3:104
structures, B1:12–15
- shear zones, gabbroic, photomicrograph, A5:99
- shear zones, mylonitic
alteration, A3:11–12
structures, B1:12–15
- shear zones, reverse, mylonites, A3:33
- shear zones, semibrittle
gabbroic rocks, A10:19
metamorphic facies, A6:23–24
photomicrograph, A6:96
- shear zones, serpentine, photomicrograph, A5:109
- shear zones, talc-bearing, genesis, A5:20
- shipboard geophysics, deformation, A1:4–5
- silica
gabbroic rocks, A3:140
gabbros, A6:30
hydrothermal alteration, B1:9
hydrothermal reactions, A9:11
igneous rocks, A5:35–39
metasomatism, A3:18–20
peridotites, A3:34; A6:28; A7:21
troctolites, A10:23
vs. aluminum oxide, A10:114
vs. chromium, A5:156
vs. magnesium number, A1:88, 103, 118; A10:114
vs. magnesium oxide, A5:148, 154; A6:102; A7:93; A9:84; B2:9
vs. magnesium + iron, B2:6, 8, 9
vs. major oxides, A3:137; A5:154
vs. sodium + potassium, B4:18
vs. titanium oxide, A5:156
vs. water content, A6:106; A10:114
See also aluminum oxide/silica ratio; magnesium oxide/silica ratio
- silicates, calcium, hydrothermal alteration, A5:15
- silicon
dissolution in culture media, B5:19
dissolution in peridotites, B5:6–10
See also magnesium–calcium–silicon–oxygen–hydrogen system
- silicon, dissolved
amount through time for two cultures, B5:36
average amount, B5:27
average amount through time, B5:29–30
- Site 1268, A3:1–171
bathymetry, A3:53–56
coring summary, A3:155
downhole measurements, A3:48
geochemistry, A3:33–37, 159–160
highly depleted mantle peridotites, A1:16
hydrothermal alteration, A1:18–20
igneous and mantle petrology, A3:3–10
igneous rock proportion, A1:15–16
lithology and stratigraphy, A3:57
location, A3:53–56
metamorphic petrology, A3:10–20
microbiology, A1:23; A3:47–48
microprobe data of primary phases and alteration products, B2:1–13
operations, A3:1–3
paleomagnetism, A3:41–47
paleomagnetism and tectonics, A1:21–23
petrogenesis of intrusive gabbroic rocks, A1:16–18
physical properties, A3:37–41
site description, A3:1–171
site summary, A1:15–23
structural geology, A1:20–21; A3:20–33
sulfide mineralization, B3:1–18
thermal conductivity, A3:161
vein mineralogy, A3:157
X-ray diffraction data, A3:156
- Site 1269, A4:1–15
bathymetry, A4:7–9
coring summary, A4:14
igneous and metamorphic petrology, A4:2–4
location, A4:8
microbiology, A4:4–5
microbiology data for mud, A4:15
operations summary, A4:1–2
site description, A4:1–15
summary, A1:23–24
- Site 1270, A5:1–188
bathymetry, A5:50–52
coring summary, A5:173–174
geochemistry, A5:34–39
highly depleted mantle peridotites, A1:25–26
hydrothermal alteration, A1:26–28
igneous and mantle petrology, A5:3–20
igneous rock proportion, A1:24–25
location, A5:51
microbiology, A5:45–46
operations summary, A5:1–3
paleomagnetism, A5:41–45
paleomagnetism and tectonics, A1:30–33
physical properties, A5:40–41
site description, A5:1–188
structural geology, A1:28–30; A5:21–34
summary, A1:24–33
- Site 1271, A6:1–129
bathymetry, A6:41–43
chromitites of mid-ocean ridges, A1:35–36
coring summary, A6:119
downhole measurements, A6:36–37
dunite origin, A1:34–35
geochemistry, A6:27–31
highly depleted mantle peridotites, A1:34
hybridization of dunites and gabbroic rocks, B4:1–23
hydrothermal alteration, A1:37–38
igneous and mantle petrology, A6:2–9
intrusive rock petrogenesis, A1:36–37
location, A6:42
metamorphic petrology, A6:9–18
microbiology, A6:35–36

- operations summary, A6:1–2
- paleomagnetism, A6:33–35
- paleomagnetism and tectonics, A1:39
- physical properties, A6:32–33
- proportion of igneous rocks, A1:33–34
- site description, A6:1–129
- structural geology, A1:38–39; A6:18–27
summary, A1:33–39
- Site 1272, A7:1–134
 - bathymetry, A7:39–41
 - bulk density and caliper logs, A7:128
 - caliper logs summary, A7:127
 - coring summary, A7:121
 - downhole measurements, A7:32–36
 - geochemistry, A7:20–25
 - highly depleted mantle peridotites, A1:41–42
 - hydrothermal alteration, A1:42–43
 - igneous and mantle petrology, A7:2–7
 - igneous rock proportion, A1:40–41
 - location, A7:40
 - metamorphic petrology, A7:7–11
 - microbiology, A7:31–32
 - microprobe data of primary phases and alteration products, B2:1–13
 - operations summary, A7:1–2
 - paleomagnetism, A7:28–31
 - paleomagnetism and tectonics, A1:44
 - petrogenesis of plutonic rocks, A1:42
 - physical properties, A7:25–28
 - site description, A7:1–134
 - structural geology, A1:43–44; A7:11–20
summary, A1:39–44
 - X-ray diffraction data, A7:122
- Site 1273, A8:1–10
 - bathymetry, A8:5–7
 - coring summary, A8:10
 - igneous and mantle petrology, A8:2–3
 - location, A8:6
 - operations, A8:1–2
 - site description, A8:1–10
 - summary, A1:45
- Site 1274, A9:1–116
 - bathymetry, A9:32–34
 - coring summary, A9:102
 - downhole measurements, A9:27
 - geochemistry, A9:17–20
 - highly depleted mantle peridotites, A1:46–47
 - hydrothermal alteration, A1:47–50
 - igneous and mantle petrology, A9:2–7
 - igneous rock proportion, A1:46
 - location, A9:33
 - metamorphic petrology, A9:7–11
 - microbiology, A9:25–27
 - microprobe data of primary phases and alteration products, B2:1–13
 - operations, A9:1
 - paleomagnetism, A9:22–25
 - paleomagnetism and tectonics, A1:52–53
 - physical properties, A9:21–22
 - plutonic rock petrogenesis, A1:47
 - site description, A9:1–116
 - structural geology, A1:51–52; A9:12–17
summary, A1:45–53
 - X-ray diffraction data, A9:103
- Site 1275, A10:1–167
 - bathymetry, A10:45–47
 - coring summary, A10:154–155
 - downhole measurements, A10:37–41
 - gabbroic rock petrogenesis, A1:59–61
 - geochemistry, A10:22–27
 - hydrothermal alteration, A1:61–62
 - igneous and mantle petrology, A10:3–10
 - location, A10:46
 - metamorphic petrology, A10:10–17
 - microbiology, A10:36–37
 - operations summary, A10:1–3
 - paleomagnetism, A10:31–36
 - paleomagnetism and tectonics, A1:63–65
 - physical properties, A10:27–31
 - site description, A10:1–167
 - structural geology, A1:62–63; A10:17–22
summary, A1:56–65
 - X-ray diffraction data, A10:156
- slow-spreading ridges, crust, A1:6
- smectite
 - hydrothermal alteration, A5:15
 - See also* chlorite/smectite
- sodium + potassium, vs. silica, B4:18
- sodium oxide
 - diabase and basalt, A7:23
 - gabbros, A6:30
 - mantle sources, A1:81
 - peridotites, A7:22
 - vs. magnesium oxide, A7:97
- sonic velocity logs, igneous rocks, A10:40
- sphalerite, igneous rocks, B3:5
- spherulites, lithologic units, A7:4
- spinel
 - alteration, A8:3
 - chromium–aluminum–magnesium–iron system, B4:14
 - chromium number, B4:4, 6
 - composition, B4:21
 - composition vs. depth, B4:19
 - deformation, B1:12–15
 - dunites, A3:7
 - fabric, A6:22
 - foliation, A5:32; A6:19
 - foliation orientation, A3:132
 - foliation photograph, A3:133
 - harzburgites, A3:6; A7:14–15
 - hydrothermal alteration, B4:3–4
 - lithologic units, A5:5; A6:3–10; A7:5–6; A9:3–7; A10:7–10
 - mantle sources, A1:81
 - microprobe data, B2:1–13
 - mineral chemistry, B4:4–5
 - orthopyroxenite, A3:7–8
 - photograph, A6:82, 92; B4:12
 - photomicrograph, A3:65, 67, 69, 77; A5:58, 68; A6:56–57, 81; A7:59; A9:42–43, 47–50, 55, 74; B1:27

vs. depth, B4:5, 20
spinel, chrome
 lithologic units, A6:8
 photograph, A6:51
spinel, red-brown, photomicrograph, A8:9
spinel, vermicular
 photomicrograph, A5:70, 145; A6:69, 81
 textures, A5:32
spinel lherzolite facies, spreading centers, B1:5-6
spinel phenocrysts, photomicrograph, A4:11
spinel shape
 distribution in dunites and harzburgites, A9:53
 vs. depth in dunites and harzburgites, A9:52
spinel textures
 lithologic units, A9:5
 variations in dunites and harzburgites, A9:54
spreading rates
 igneous rocks, B1:30
 mantle upwelling, A1:7-8
 plate tectonics, B1:14-15
 See also slow-spreading ridges
strain
 localization, A3:30
 localization in oxide gabbronorites, A5:26
stratigraphy, lithologic units, A3:4-5
stringers, serpentine-magnetite, alteration, A7:8-9
strontium
 diabase and basalt, A7:24
 gabbroic rocks, A10:25
 gabbros, A6:30
 igneous rocks, A10:27
 peridotites, A7:22
 vs. aluminum oxide, A5:151
 vs. carbon dioxide, A1:125
 vs. zirconium, A7:100
strontium isotopes, mantle sources, A1:81
structural geology
 Site 1268, A1:20-21; A3:20-33
 Site 1270, A1:28-30; A5:21-34
 Site 1271, A1:38-39; A6:18-27
 Site 1272, A1:43-44; A7:11-20
 Site 1274, A1:51-52; A9:12-17
 Site 1275, A1:62-63; A10:17-22
structures
 deformation, B1:11-15
 orientation, A3:31-32
 peridotites, A1:8-10
 resistivity-at-the-bit, A10:144
 See also microstructures
structures, brittle, dip vs. expanded depth, A5:125
structures, variolitic, petrology, A8:2
submersible studies, deformation, A1:4
sulfides
 hydrothermal alteration, B1:10-11
 microprobe data, B2:1-13
 mineralization, B3:1-18
 osmium isotopes, B1:15-16
 phase equilibria, B3:8-9
 sulfur-iron-nickel system, B3:8-9
 veins, A5:97
 volume percentage in veins, A3:92

sulfur
 hydrothermal alteration, B1:10-11
 peridotites, A6:28
 sulfides, B3:4-5
 vs. iron, B2:9
 vs. nickel, B2:9
 See also iron-nickel-sulfur-oxygen system
symplectite
 lithologic units, A9:4-7
 photomicrograph, A1:122; A9:42-43
symplectite, clinopyroxene-spinel, photomicrograph,
 A1:122; A9:44, 55

T

taenite, iron-nickel-sulfur-oxygen system phase equilib-
 ria, A3:97
talc
 alteration veins, A3:17
 hydrothermal alteration, A5:12; A6:10; A9:7-11;
 A10:13-17; B1:8-11
 hydrothermal reactions, A9:11
 magnesium-calcium-silicon-oxygen-hydrogen sys-
 tem, A6:77
 microprobe data, B2:1-13
 photograph, A3:85; A5:86, 123; A10:90
 photomicrograph, A1:89; A3:77-78, 80, 82; A5:85,
 118, 137; A6:69, 87; A7:66, 68; A10:85, 92, 94
 silica metasomatism, A3:18-20
 ultramafics, A3:11
 veins, A5:80, 87, 92, 97; A6:65, 71
 volume percentage in veins, A3:92
 X-ray diffraction data in serpentinized harzburgite,
 A3:76
 See also olivine-amphibole-talc assemblage
talc, layered schistose, photomicrograph, A10:105
talc, massive nonpseudomorphic, photomicrograph,
 A3:61, 78, 94
talus, lithologic units, A7:3-4
talus pile, lithologic units, A7:2-3
tectonics
 mantle, B1:11-15
 paleomagnetism, A1:21-23, 30-33, 39, 44, 52-53, 63-
 65
temperature
 igneous rocks, A10:41
 mantle, A1:13-14
 ocean bottom water, A9:27, 101
 vs. depth, A10:150
 vs. pressure, A1:132
 vs. time, A3:154
temperature logs, anomalies, A3:48
tension gashes, photograph, A3:121-122
textures
 greenschist facies, A5:139
 harzburgites, A7:5-6
 mafic rocks, A7:2-8, 43
 photomicrograph, A1:99-100
 See also deformation textures; intergrowths; microtex-
 tures

- textures, anastomosing
 photograph, A9:78
 veins, A3:17–18
- textures, anhedral, photomicrograph, A3:61–62
- textures, coronitic, photomicrograph, A10:85
- textures, deformation, photomicrograph, A5:130–131;
 A9:74, 76–77
- textures, equant, variations in dunites and harzburgites,
 A9:54
- textures, felty, lithologic units, A7:3
- textures, fibrous, photomicrograph, A6:74
- textures, high-temperature, photomicrograph, A7:82;
 A9:70
- textures, high-temperature crystal-plastic, serpentine,
 A5:21–22
- textures, hourglass
 photomicrograph, A3:74
 ultramafics, A3:11
- textures, igneous, photomicrograph, A5:62
- textures, impregnation
 digital images, A6:88–89
 photograph, A6:91–92
- textures, intergranular
 basalts, A4:3
 lithologic units, A6:5–6
 petrology, A8:2
- textures, interlocking
 photomicrograph, A3:75; A6:75
 serpentinite, A7:8–9
- textures, intersertal, basalts, A4:3
- textures, interstitial, photomicrograph, A3:61–62, 66
- textures, magmatic
 impregnation, A6:21–22
 photomicrograph, A1:99–100
- textures, mesh
 gabbros, A5:17
 hydrothermal alteration, A6:12–13; A9:8–11
 photomicrograph, A3:77; A5:109; A6:70; A7:64;
 A9:61–62, 78; A10:94
 serpentinite, A7:7–9
 silica metasomatism, A3:19
 ultramafics, A3:11
- textures, microcrystalline
 basalts, A4:3
 petrology, A8:2
- textures, mylonitic
 lithologic units, A5:9; A9:2–3
 photomicrograph, A5:71–72
- textures, ophitic, photomicrograph, A5:66
- textures, paragrannular, hydrothermal alteration, A5:15
- textures, pegmatitic, photograph, A3:71
- textures, poikilitic, lithologic units, A10:10
- textures, polygonal, photomicrograph, A3:100
- textures, “popcorn,” photograph, A5:104
- textures, porphyroclastic
 igneous rocks, A3:21–22
 photograph, A3:129
 photomicrograph, A3:64
- textures, protogranular
 alteration, A8:3
 deformation, A5:21–22; A9:12
- harzburgites, A3:6; A7:14–15
- igneous rocks, A3:21
- lithologic units, A5:5–9; A6:5; A7:5; A9:6–7
- photograph, A5:104; A7:80
- photomicrograph, A3:64, 99–101; A5:105, 145; A7:82;
 A9:42–43, 69
- textures, protogranular porphyroclastic, lithologic units,
 A5:4
- textures, protointergranular
 igneous rocks, A3:21
 photograph, A3:102
 photomicrograph, A3:99–100; A6:81; A7:82
- textures, pyroxenite, photograph, A3:101
- textures, quench, photomicrograph, A7:48
- textures, ribbon
 hydrothermal alteration, A5:15, 18; A6:12–13; A9:8–
 11
 photomicrograph, A3:79, 109; A7:61; A9:77
 ultramafics, A3:11
- textures, serrate, photomicrograph, A3:81
- textures, spinnifex-like, photomicrograph, A7:48
- textures, strain, distribution and orientation, A10:22
- textures, symplectic, residual peridotites, B1:7–8
- textures, transgranular, photograph, A6:63
- textures, vermicular, variations in dunites and harzburg-
 ites, A9:54
- thermal boundary layer, plate tectonics, B1:14–15
- thermal conductivity
 apparent anisotropy, A5:161–162, 180; A6:111;
 A7:104
 histograms, A6:110; A7:103
 igneous rocks, A3:38, 161; A5:40–41, 179; A6:32, 124;
 A7:26, 125; A9:21–22, 107; A10:28–29, 130, 160
 peridotites, A9:92
 peridotites and gabbros, A3:146; A5:160
 vs. angle of the needle probe with core axis, A5:162
 vs. bulk density, A7:105; A9:94
 vs. depth, A3:142; A7:101; A9:90; A10:125–126
- thermal conductivity, mean, vs. bulk density, A10:132
- thermal conductivity anisotropy
 igneous rocks, A10:131
 peridotites, A9:93
- thermobarometry
 igneous rocks, B1:4–6
See also P–T conditions
- thorium, peridotites, B1:17–18
- thorium/lead ratio, peridotites, B1:17–18
- thorium logs
 igneous rocks, A10:40
 vs. depth, A7:120; A10:148
- titanite
 hydrothermal alteration, A10:14–17
 photograph, A10:80
 photomicrograph, A10:78
 X-ray diffraction data, A10:80
- titanium
 peridotites, A3:34
See also iron/titanium ratio
- titanium/vanadium ratio, igneous rocks, A10:26
- titanium oxide
 amphibole, spinel, B4:5

diabase and basalt, A7:23
 gabbroic rocks, A10:24
 gabbros, A6:30–31
 igneous rocks, A5:36–39; A10:26
 peridotites, A3:34–35; A6:29; A7:22; A9:18–20
 vs. aluminum oxide, A5:152; A6:105; A7:96; A9:88;
 A10:118
 vs. chromium number, B4:15
 vs. depth, B4:5, 19–20
 vs. iron number, B4:16
 vs. iron oxide, A5:155; A10:120
 vs. magnesium oxide, A6:108; A7:97
 vs. scandium, A10:123
 vs. silica, A5:156
 vs. vanadium, A5:157; A10:121
 vs. zirconium, A5:157
See also iron–titanium oxides
 titanomagnetite, vs. depth, A5:119
 total spectral gamma ray logs, vs. depth, A10:148
 trace elements
 alteration, A3:36–37
 gabbros, A3:35–36
 igneous rocks, A3:159–160; A5:34–39, 177–178;
 A6:122; A7:124; A9:106; A10:158–159
 mineral separates, A6:123
 peridotites, A3:34; A6:29; A7:22; A9:18–19; B1:16–18
 residual harzburgites, B1:31
 transform edge effect, peridotites, A1:10–11
 transport, melts, A1:6–12
 tremolite
 alteration, A8:3
 calcium metasomatism, A3:20
 hydrothermal alteration, A5:15; A9:7–11
 magnesium–calcium–silicon–oxygen–hydrogen sys-
 tem, A6:77
 photograph, A6:93
 photomicrograph, A6:81
 silica metasomatism, A3:18–20
 tremolite, acicular–prismatic, hydrothermal alteration,
 A6:13
 troctolites
 geochemistry, A10:22–23, 114–118
 hydrothermal alteration, A6:15–16; A10:11–17
 lithologic units, A6:4, 6–7; A10:4–10
 metasomatism, A1:61
 petrography, B4:3
 photograph, A1:130; A6:55, 82; A10:50, 85, 93, 109
 photomicrograph, A10:85, 93
 physical properties, A10:125–126
 stereo plots, A10:113
 thermal conductivity, A6:110; A7:103
 troctolites, altered
 photograph, A10:90, 95
 photomicrograph, A10:95
 trondhjemite
 geochemistry, A10:119–124
 lithologic units, A10:3–10
 twinning. *See* deformation twins
 twinning, clinopyroxene, photomicrograph, A9:50
 twinning, plagioclase, photomicrograph, A9:58, 76;
 A10:63

U

ultramafics
 alteration, A3:11, 23
 demagnetization, A3:150
 hydrothermal alteration, A7:7–9
 lithologic units, A5:9
 median destructive field, A3:151
 photograph, A3:58
 X-ray diffraction data, A9:103
 ultramylonites
 intensity histograms, A10:100
 intensity in cores, A5:111
 ultramylonites, pseudomorphed, photograph, A3:107
 uplifts, plate spreading geometry, B1:13–15
 upwelling, mantle, A1:6–12
 uranium
 peridotites, B1:17–18
 residual harzburgites, B1:32
 uranium/lead ratio, peridotites, B1:17–18
 uranium logs
 igneous rocks, A10:40
 vs. depth, A7:120; A10:148

V

vaesite, iron–nickel–sulfur–oxygen system phase equilib-
 ria, A3:97
 vanadium
 gabbroic rocks, A10:25
 gabbros, A6:30
 igneous rocks, A5:37, 39; A10:26
 peridotites, A3:34; A6:29; A7:22; A9:18–19
 troctolites, A10:23
 vs. aluminum oxide, A3:139; A5:152; A6:104, 107;
 A7:96; A9:87; A10:118
 vs. scandium, A5:158
 vs. titanium oxide, A5:157; A10:121
 See also titanium/vanadium ratio
 vein connectivity, histograms, A3:93
 vein connectivity, branched, histograms, A3:93
 vein connectivity, network, histograms, A3:93
 vein connectivity, nonbranched, histograms, A3:93
 vein connectivity, occasionally branched, histograms,
 A3:93
 vein connectivity, single, histograms, A3:93
 vein shape, irregular, histograms, A3:93
 vein shape, kinked, histograms, A3:93
 vein shape, sigmoidal, histograms, A3:93
 vein shape, straight, histograms, A3:93
 vein structure, banded, histograms, A3:93
 vein structure, composite, histograms, A3:93
 vein structure, mixed, histograms, A3:93
 vein structure, uniform, histograms, A3:93
 vein texture, histograms, A3:93
 vein texture, cross-fiber, histograms, A3:93
 vein texture, massive, histograms, A3:93
 vein texture, mixed, histograms, A3:93
 vein texture, slip-fiber, histograms, A3:93
 veinlets, amphibole, photomicrograph, A10:89
 veinlets, carbonate, photomicrograph, A10:95

- veinlets, chrysotile, photomicrograph, A9:61
 veinlets, serpentine–magnetite, photomicrograph, A9:61
 veinlets, talc–pyrite, photomicrograph, A3:79
 veins
 composition, A5:80, 87, 92, 97; A6:65, 71; A7:71
 density, A3:32–33
 Formation MicroScanner imagery, A10:153
 gabbros, A3:16
 harzburgites and dunites, A3:13–16
 hydrothermal alteration, A9:8–11
 intensity vs. depth, A3:124
 mineralogy, A3:157; A5:176; A6:121; A7:123; A9:67, 104; A10:86, 97
 mineralogy vs. depth, A7:70; A10:87, 98
 photograph, A3:95, 129
 photomicrograph, A3:94
 pyroxenites, A3:16–17, 157
 serpentinization, A3:17
 shape histograms, A3:93
 structure histograms, A3:93
 talc alteration, A3:17
 talc-altered lithologies, A3:16–17
 timing and conditions of alteration, A3:17–18
 timing of events, A3:96
 volume percentage of minerals, A3:92
 See also microveins
 veins, alteration
 deformation, A6:25–26
 description, A7:10–11
 dip histograms, A3:125
 dip vs. depth, A3:126; A5:27–28, 126; A7:85; A10:111
 distribution and orientation, A10:20–21
 gabbroic rocks, A3:27–28
 gabbros, A5:27–28
 generations, A9:15–16
 harzburgites and dunites, A5:23, 31–32
 igneous rocks, A7:16–17
 intensity vs. depth, A6:98–99; A7:84; A9:72; A10:106, 108
 orientation, A6:26
 orientation with magnetic declination, A3:136
 photograph, A6:45, 93; A7:83; A9:78–79; A10:109
 stereo plots, A5:127, 132, 143–144
 vs. depth, A3:124, 140; A5:124, 140
 veins, amphibole
 lithologic units, A5:4
 photograph, A10:88–89
 photomicrograph, A6:85; A10:89
 veins, amphibole ultramafic, photomicrograph, A5:55
 veins, anastomosing
 deformation, A6:25–26
 hydrothermal alteration, A6:13
 veins, aragonite
 deformation, A6:25–26
 generations, A9:10–11
 hydrothermal alteration, A6:14
 photograph, A5:100; A9:64
 veins, bastite, photomicrograph, A3:94
 veins, black–green serpentine, dip vs. depth, A7:85
 veins, brown amphibole, genesis, A5:19–20
 veins, brown clay–carbonate, photograph, A10:110
 veins, brown clay–iron oxyhydroxide–carbonate, photograph, A10:110
 veins, carbonate
 composition, A5:92
 deformation, A6:25–26
 dip vs. depth, A6:100; A9:80
 generations, A9:10–11
 genesis, A5:20
 harzburgites and dunites, A5:17
 photograph, A10:109
 photomicrograph, A5:93
 veins, carbonate–iron oxyhydroxide, photograph, A10:109
 veins, chalcopyrite, photograph, A5:88
 veins, chlorite
 volume percentage of minerals, A3:92
 vs. depth, A3:91
 veins, chlorite-rich, alteration, A3:16
 veins, chrysotile
 dip vs. depth, A7:85
 generations, A9:9–11
 harzburgites and dunites, A5:16–17
 hydrothermal alteration, A5:12
 photograph, A6:93; A9:78–79
 photomicrograph, A3:81, 94; A5:79, 90, 99
 serpentinite, A3:11
 veins, chrysotile–magnetite
 hydrothermal alteration, A5:12
 photomicrograph, A3:75
 veins, composite green/black serpentine
 dip vs. depth, A6:100
 stereo plots, A6:101
 veins, composite serpentine, photograph, A7:83
 veins, crosscutting, photograph, A3:95
 veins, crosscutting alteration, photograph, A10:110
 veins, crosscutting magmatic, photograph, A10:109
 veins, crosscutting serpentine, photograph, A7:83
 veins, felsic
 hydrothermal alteration, A10:13–15
 photograph, A10:91, 93, 110
 photomicrograph, A10:93
 veins, folded, photograph, A5:90
 veins, gabbroic
 alteration, A3:12–13
 digital images, A6:89
 photograph, A3:122; A5:90, 107, 134–136, 142
 photomicrograph, A6:84, 94
 veins, ghost
 photograph, A3:95
 photomicrograph, A3:94
 veins, granophyre
 photomicrograph, A10:77–78
 stereo plots, A10:112–113
 veins, green amphibole–chlorite, photograph, A10:110
 veins, green picrolite serpentine, photograph, A6:93
 veins, hematite, harzburgites and dunites, A5:16–17
 veins, iron oxyhydroxide, genesis, A5:20
 veins, lizardite
 alteration, A3:27–28
 photograph, A3:121, 127

- veins, magmatic
 - deformation, A6:20
 - dip vs. depth, A3:131
 - early series, A3:28–29
 - gabbroic intrusions, A3:29–30
 - intensity vs. depth, A3:123
 - orientation, A3:132; A6:22, 83
 - photograph, A3:101, 121; A10:109
 - pyroxenite and gabbro, A5:22, 29–30
 - stereo plots, A5:132
- veins, magnetite
 - photomicrograph, A3:74
 - textures, A5:21–22
- veins, massive sulfide
 - alteration, A3:13–14
 - dip histograms, A3:125
 - dip vs. depth, A3:126
 - volume percentage of minerals, A3:92
- veins, massive talc
 - alteration, A3:14–15
 - dip histograms, A3:125
 - dip vs. depth, A3:126
 - volume percentage of minerals, A3:92
- veins, metamorphic
 - alteration, A3:13–18
 - composition, A9:9–11
 - gabbros, A5:17
 - harzburgites and dunites, A5:16–17
 - hydrothermal alteration, A5:13–19; A6:11, 14; A10:13–15
 - photomicrograph, A5:84
 - vs. depth, A3:91
- veins, mylonite gabbro, photomicrograph, A5:130
- veins, mylonitic gabbroic/pyroxenitic, thin section image, A5:133
- veins, oxide
 - deformation, A6:25–26
 - photograph, A6:93
 - vs. depth, A3:91
- veins, paragrular and transgranular chrysotile, vs. depth, A9:68
- veins, paragrular serpentine, vs. transgranular serpentine veins, A5:102
- veins, picrolite
 - hydrothermal alteration, A6:14
 - photograph, A9:78–79; A10:109
- veins, postkinematic pyroxenite, photograph, A3:105
- veins, postkinematic serpentine, photograph, A3:105
- veins, pyrite–hematite
 - photograph, A3:95
 - photomicrograph, A3:94
- veins, pyroxenite
 - digital images, A6:89
 - hydrothermal alteration, A5:12
 - photograph, A3:104, 130; A5:134–136
 - photomicrograph, A5:59
- veins, serpentine
 - alteration, A3:15
 - dip histograms, A3:125
 - dip vs. depth, A3:126
 - generations, A9:9–11
 - harzburgites and dunites, A5:16–17
 - photograph, A3:95; A5:98, 100, 110, 136, 142; A6:93
 - photomicrograph, A3:81; A5:93, 99, 131; A9:77
 - stereo plots, A7:86
 - talc alteration, A3:16
 - volume percentage of minerals, A3:92
- veins, serpentine–magnetite
 - description, A7:10–11
 - dip vs. depth, A6:100; A9:80
 - generations, A9:9–11
 - photograph, A6:63, 93; A7:83; A9:79
 - photomicrograph, A3:74–75
 - stereo plots, A6:101
- veins, serpentine–sulfide, photograph, A3:117
- veins, sigmoidal fibrous chrysotile, description, A7:10–11
- veins, sulfides
 - photograph, A5:101
 - vs. depth, A3:91
- veins, talc
 - alteration, A3:16
 - hydrothermal alteration, A5:13
 - photograph, A5:88
 - photomicrograph, A3:81, 94; A10:95
- veins, talc–chlorite, hydrothermal alteration, A5:14
- veins, talc–pyrite
 - alteration, A3:14
 - dip vs. depth, A3:126
 - photograph, A3:95
 - photomicrograph, A3:75
 - volume percentage of minerals, A3:92
- veins, talc–serpentine
 - dip vs. depth, A7:85
 - hydrothermal alteration, A5:12
 - photograph, A3:70, 83, 101, 130
 - vs. depth, A3:91
- veins, transgranular, generations, A9:9–11
- veins, transgranular serpentine, vs. paragrular serpentine veins, A5:102
- veins, vuggy aragonite, description, A7:11
- velocity
 - cube samples, A3:163
 - discrete samples, A6:125
 - igneous rocks, A3:162; A5:41, 181–182; A6:33; A7:27–28, 126; A9:22, 108; A10:29–30, 161
 - See also* compressional wave velocity; seismic velocity
- velocity logs
 - vs. depth, A7:34, 112; A10:148
 - See also* compressional wave velocity logs; shear wave velocity logs; sonic velocity logs
- velocity models, seismic refraction profiles, A1:82
- vesicles
 - imagery, A4:12
 - petrology, A8:2
 - population density vs. diameter, A4:13
 - size distribution, A4:3–4
- viruses, bottom water, A3:170
- volatiles, alteration, A3:36–37
- volcanic glass
 - geochemistry, A1:88, 103
 - photomicrograph, A4:11

See also glass rinds
volcanic glass, basaltic, photomicrograph, A8:8
volcanic glass, devitrified, lithologic units, A7:3

W

water, iowaite, A7:9
water content
 alteration, A3:36
 diabase and basalt, A7:23
 gabbroic rocks, A10:24
 gabbros, A3:35
 igneous rocks, A5:35
 peridotites, A3:34; A6:28; A7:21
 troctolites, A10:23
 vs. magnesium oxide, A5:148; A9:84
 vs. magnetic susceptibility, A3:141
 vs. potassium oxide, A7:98
 vs. silica, A3:137; A5:154; A6:106; A10:114
water, sterile, artificial seawater recipe, B5:32
weathering
 hydrothermal alteration, A6:10
 igneous rocks, A5:35
 photograph, A5:89, 95
 photomicrograph, A9:74
weathering rinds, lithologic units, A7:2–3
weathering stains, joints, A7:12
wehrlites, lithologic units, A10:4–10
wireline logging, well-logging, A10:38–39

X

X-ray diffraction data
 igneous rocks, A3:156; A6:120; A10:156
 mineralogy, A5:175
 vein mineralogy, A7:122
xenocrysts
 lithologic units, A6:6–7
 photograph, A6:55, 82
xenoliths
 lithologic units, A6:4
 photograph, A6:55, 60, 82

photomicrograph, A6:60

Y

yttrium
 gabbroic rocks, A10:25
 gabbros, A6:30
 igneous rocks, A5:39; A10:27
 peridotites, A3:34; A6:29
 troctolites, A10:23
 vs. zirconium, A5:158; A10:124
See also zirconium/yttrium ratio

Z

zeolites
 inclusions, A10:13
 veins, A6:65
zircon
 igneous rocks, A10:27
 lithologic units, A5:9
 photomicrograph, A1:104; A5:76–77
 provenance, B1:18
zirconium
 diabase and basalt, A7:24
 gabbroic rocks, A10:25; B1:7
 gabbros, A6:30
 igneous rocks, A5:37, 39; A10:27
 peridotites, A3:34; A6:29; A7:22; A9:18–19
 troctolites, A10:23
 vs. aluminum oxide, A3:139; A5:152; A6:105; A7:96;
 A9:88; A10:118
 vs. magnesium number, A1:118, 137; B1:29
 vs. magnesium oxide, A7:100
 vs. strontium, A7:100
 vs. titanium oxide, A5:157
 vs. yttrium, A5:158; A10:124
zirconium/yttrium ratio, igneous rocks, A10:27
zoisite
 photomicrograph, A9:66
See also clinzoisite