

U1417 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1417	A	1	H	1	1.50	1.50	0.00	1.50	0.02	1.52		accommodates splice	
341	U1417	A	1	H	2	1.50	1.50	1.50	3.00	1.52	3.02		accommodates splice	
341	U1417	A	1	H	3	1.50	1.50	3.00	4.50	3.02	4.52		accommodates splice	
341	U1417	A	1	H	4	0.80	0.80	4.50	5.30	4.52	5.32		accommodates splice	
341	U1417	A	1	H	CC	0.18	0.18	5.30	5.48	5.32	5.50		accommodates splice	
341	U1417	A	2	H	1	1.50	1.50	5.40	6.90	7.98	9.48	2.48	accommodates splice	
341	U1417	A	2	H	2	1.50	1.50	6.90	8.40	9.48	10.98		accommodates splice	
341	U1417	A	2	H	3	1.50	1.50	8.40	9.90	10.98	12.48		accommodates splice	
341	U1417	A	2	H	4	1.50	1.50	9.90	11.40	12.48	13.98		accommodates splice	
341	U1417	A	2	H	5	1.50	1.50	11.40	12.90	13.98	15.48		accommodates splice	
341	U1417	A	2	H	6	1.50	1.50	12.90	14.40	15.48	16.98		accommodates splice	
341	U1417	A	2	H	7	0.76	0.76	14.40	15.16	16.98	17.74		accommodates splice	
341	U1417	A	2	H	CC	0.21	0.21	15.16	15.37	17.74	17.95		accommodates splice	
341	U1417	A	3	H	1	1.50	1.50	14.90	16.40	18.99	20.49	1.04	accommodates splice	
341	U1417	A	3	H	2	1.50	1.50	16.40	17.90	20.49	21.99		accommodates splice	
341	U1417	A	3	H	3	1.50	1.50	17.90	19.40	21.99	23.49		accommodates splice	
341	U1417	A	3	H	4	1.50	1.50	19.40	20.90	23.49	24.99		accommodates splice	
341	U1417	A	3	H	5	1.50	1.50	20.90	22.40	24.99	26.49		accommodates splice	
341	U1417	A	3	H	6	1.50	1.50	22.40	23.90	26.49	27.99		accommodates splice	
341	U1417	A	3	H	7	0.59	0.59	23.90	24.49	27.99	28.58		accommodates splice	
341	U1417	A	3	H	CC	0.18	0.18	24.49	24.67	28.58	28.76		accommodates splice	
341	U1417	A	4	H	1	1.50	1.50	24.40	25.90	28.90	30.40	0.14	accommodates splice	
341	U1417	A	4	H	2	1.50	1.50	25.90	27.40	30.40	31.90		accommodates splice	
341	U1417	A	4	H	3	1.51	1.51	27.40	28.91	31.90	33.41		accommodates splice	
341	U1417	A	4	H	4	1.45	1.45	28.91	30.36	33.41	34.86		accommodates splice	
341	U1417	A	4	H	5	1.47	1.47	30.36	31.83	34.86	36.33		accommodates splice	
341	U1417	A	4	H	6	1.47	1.47	31.83	33.30	36.33	37.80		accommodates splice	
341	U1417	A	4	H	7	0.92	0.92	33.30	34.22	37.80	38.72		accommodates splice	
341	U1417	A	4	H	CC	0.36	0.36	34.22	34.58	38.72	39.08		accommodates splice	
341	U1417	A	5	H	1	1.50	1.50	33.90	35.40	39.01	40.51		accommodates splice	
341	U1417	A	5	H	2	1.50	1.50	35.40	36.90	40.51	42.01		accommodates splice	
341	U1417	A	5	H	3	1.50	1.50	36.90	38.40	42.01	43.51		accommodates splice	
341	U1417	A	5	H	4	1.50	1.50	38.40	39.90	43.51	45.01		accommodates splice	
341	U1417	A	5	H	5	1.50	1.50	39.90	41.40	45.01	46.51		accommodates splice	
341	U1417	A	5	H	6	0.67	0.67	41.40	42.07	46.51	47.18		accommodates splice	
341	U1417	A	5	H	CC	0.17	0.17	42.07	42.24	47.18	47.35		accommodates splice	
341	U1417	A	6	H	1	1.32	1.32	43.40	44.72	48.30	49.62	0.95	accommodates splice	
341	U1417	A	7	H	1	1.50	1.50	44.90	46.40	48.62	50.12		accommodates splice	
341	U1417	A	6	H	CC	0.18	0.18	44.72	44.90	49.62	49.80		accommodates splice	
341	U1417	A	7	H	2	1.50	1.50	46.40	47.90	50.12	51.62	0.32	accommodates splice	
341	U1417	A	7	H	3	1.50	1.50	47.90	49.40	51.62	53.12		accommodates splice	
341	U1417	A	7	H	4	1.50	1.50	49.40	50.90	53.12	54.62		accommodates splice	
341	U1417	A	7	H	5	1.50	1.50	50.90	52.40	54.62	56.12		accommodates splice	
341	U1417	A	7	H	6	1.50	1.50	52.40	53.90	56.12	57.62		accommodates splice	
341	U1417	A	7	H	7	0.71	0.71	53.90	54.61	57.62	58.33		accommodates splice	
341	U1417	A	7	H	CC	0.34	0.34	54.61	54.95	58.33	58.67		accommodates splice	
341	U1417	A	8	H	1	1.50	1.50	54.40	55.90	58.83	60.33	0.16	accommodates splice	
341	U1417	A	8	H	2	0.73	0.73	55.90	56.63	60.33	61.06		accommodates splice	
341	U1417	A	8	H	CC	0.28	0.28	56.63	56.91	61.06	61.34		accommodates splice	
341	U1417	B	7	H	5	1.00	1.00	55.80	56.80	61.06	62.06		accommodates splice	
341	U1417	B	7	H	6	0.99	0.99	56.80	57.79	62.06	63.05		accommodates splice	
341	U1417	B	7	H	CC	0.28	0.28	57.79	58.07	63.05	63.33		accommodates splice	
341	U1417	B	8	H	1	1.50	1.50	58.00	59.50	64.49	65.99	1.16	accommodates splice	
341	U1417	B	8	H	2	1.50	1.50	59.50	61.00	65.99	67.49		accommodates splice	
341	U1417	B	8	H	3	1.50	1.50	61.00	62.50	67.49	68.99		accommodates splice	
341	U1417	B	8	H	4	1.50	1.50	62.50	64.00	68.99	70.49		accommodates splice	
341	U1417	A	9	H	4	1.50	1.50	61.40	62.90	69.86	71.36		accommodates splice	
341	U1417	A	9	H	5	1.50	1.50	62.90	64.40	71.36	72.86		accommodates splice	
341	U1417	A	9	H	6	1.35	1.35	64.40	65.75	72.86	74.21		accommodates splice	
341	U1417	A	9	H	CC	0.17	0.17	65.75	65.92	74.21	74.38		accommodates splice	
341	U1417	A	10	H	3	1.50	1.50	69.40	70.90	78.80	80.30	4.42	accommodates splice	
341	U1417	A	10	H	4	1.50	1.50	70.90	72.40	80.30	81.80		accommodates splice	

U1417 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1417	A	10	H	5	1.50	1.50	72.40	73.90	81.80	83.30		accommodates splice	
341	U1417	A	10	H	6	1.52	1.52	73.90	75.42	83.30	84.82		accommodates splice	
341	U1417	A	10	H	7	0.49	0.49	75.42	75.91	84.82	85.30		accommodates splice	
341	U1417	A	10	H	CC	0.22	0.22	75.91	76.13	85.30	85.52		accommodates splice	
341	U1417	A	11	H	1	1.50	1.50	75.90	77.40	88.94	90.44	3.42	accommodates splice	
341	U1417	A	11	H	2	1.50	1.50	77.40	78.90	90.44	91.94		accommodates splice	
341	U1417	A	11	H	3	1.50	1.50	78.90	80.40	91.94	93.44		accommodates splice	
341	U1417	A	11	H	4	1.50	1.50	80.40	81.90	93.44	94.94		accommodates splice	
341	U1417	A	11	H	5	1.01	1.01	81.90	82.91	94.94	95.96		accommodates splice	
341	U1417	A	11	H	6	0.70	0.70	82.91	83.61	95.96	96.66		accommodates splice	
341	U1417	A	11	H	CC	0.11	0.11	83.61	83.72	96.66	96.76		accommodates splice	
341	U1417	A	12	H	1	1.50	1.50	85.40	86.90	100.22	101.72	3.46	accommodates splice	
341	U1417	A	12	H	2	1.50	1.50	86.90	88.40	101.72	103.22		accommodates splice	
341	U1417	A	12	H	3	1.50	1.50	88.40	89.90	103.22	104.72		accommodates splice	
341	U1417	A	12	H	4	1.50	1.50	89.90	91.40	104.72	106.22		accommodates splice	
341	U1417	A	12	H	5	1.50	1.50	91.40	92.90	106.22	107.72		accommodates splice	
341	U1417	A	12	H	6	1.42	1.42	92.90	94.32	107.72	109.14		accommodates splice	
341	U1417	A	12	H	7	0.67	0.67	94.32	94.99	109.14	109.81		accommodates splice	
341	U1417	A	12	H	CC	0.19	0.19	94.99	95.18	109.81	110.00		accommodates splice	
341	U1417	A	13	H	1	1.50	1.50	96.40	96.40	111.39	112.89	1.39	accommodates splice	
341	U1417	A	13	H	2	1.50	1.50	96.40	97.90	112.89	114.39		accommodates splice	
341	U1417	A	13	H	3	1.50	1.50	97.90	99.40	114.39	115.89		accommodates splice	
341	U1417	A	13	H	4	1.50	1.50	99.40	100.90	115.89	117.39		accommodates splice	
341	U1417	A	13	H	5	1.54	1.54	100.90	102.44	117.39	118.93		accommodates splice	
341	U1417	A	13	H	6	1.06	1.06	102.44	103.50	118.93	119.99		accommodates splice	
341	U1417	A	14	H	1	1.50	1.50	104.40	105.90	119.99	121.30		accommodates splice	
341	U1417	A	13	H	7	0.76	0.76	103.50	104.26	119.99	120.75		accommodates splice	
341	U1417	A	13	H	CC	0.14	0.14	104.26	104.40	120.75	120.89		accommodates splice	
341	U1417	A	14	H	2	1.50	1.50	105.90	107.40	121.30	122.80	0.41	accommodates splice	
341	U1417	A	14	H	3	1.50	1.50	107.40	108.90	122.80	124.30		accommodates splice	
341	U1417	A	14	H	7	0.51	0.51	113.40	113.91	128.80	129.31	4.5	accommodates splice	
341	U1417	A	15	H	1	1.50	1.50	113.90	115.40	130.62	132.12	1.31	accommodates splice	
341	U1417	A	15	H	2	1.50	1.50	115.40	116.90	132.12	133.62		accommodates splice	
341	U1417	A	15	H	3	1.50	1.50	116.90	118.40	133.62	135.12		accommodates splice	
341	U1417	A	15	H	4	1.50	1.50	118.40	119.90	135.12	136.62		accommodates splice	
341	U1417	A	15	H	5	1.50	1.50	119.90	121.40	136.62	138.12		accommodates splice	
341	U1417	A	15	H	6	1.50	1.50	121.40	122.90	138.12	139.62		accommodates splice	
341	U1417	A	15	H	7	0.55	0.55	122.90	123.45	139.62	140.17		accommodates splice	
341	U1417	A	16	H	1	1.50	1.50	123.40	124.90	140.17	142.25	0.58	accommodates splice	
341	U1417	A	16	H	2	1.50	1.50	124.90	126.40	142.25	143.75		accommodates splice	
341	U1417	A	16	H	3	1.50	1.50	126.40	127.90	143.75	145.25		accommodates splice	
341	U1417	A	16	H	4	1.50	1.50	127.90	129.40	145.25	146.75		accommodates splice	
341	U1417	A	16	H	5	1.50	1.50	129.40	130.90	146.75	148.25		accommodates splice	
341	U1417	A	16	H	6	1.22	1.22	130.90	132.12	148.25	149.47		accommodates splice	
341	U1417	A	16	H	7	0.65	0.65	132.12	132.77	149.47	150.12		accommodates splice	
341	U1417	A	16	H	CC	0.39	0.39	132.77	133.16	150.12	150.51		accommodates splice	
341	U1417	A	17	H	1	1.50	1.50	132.90	134.40	150.23	151.73		accommodates splice	
341	U1417	A	17	H	2	1.50	1.50	134.40	135.90	151.73	153.23		accommodates splice	
341	U1417	A	17	H	3	1.50	1.50	135.90	137.40	153.23	154.73		accommodates splice	
341	U1417	A	17	H	4	1.50	1.50	137.40	138.90	154.73	156.23		accommodates splice	
341	U1417	A	17	H	5	1.50	1.50	138.90	140.40	156.23	157.73		accommodates splice	
341	U1417	A	17	H	6	1.20	1.20	140.40	141.60	157.73	158.93		accommodates splice	
341	U1417	A	17	H	7	0.70	0.70	141.60	142.30	158.93	159.63		accommodates splice	
341	U1417	B	16	H	3	1.50	1.50	136.60	138.10	160.56	162.06	0.93	accommodates splice	
341	U1417	B	16	H	4	1.50	1.50	138.10	139.60	162.06	163.56		accommodates splice	
341	U1417	B	16	H	5	1.54	1.54	139.60	141.14	163.56	165.10		accommodates splice	
341	U1417	B	16	H	6	1.26	1.26	141.14	142.40	165.10	166.36		accommodates splice	
341	U1417	B	16	H	CC	0.16	0.16	142.40	142.56	166.36	166.52		accommodates splice	
341	U1417	B	17	H	1	1.50	1.50	143.10	144.60	166.71	168.21	0.19	accommodates splice	
341	U1417	B	17	H	2	1.50	1.50	144.60	146.10	168.21	169.71		accommodates splice	
341	U1417	A	19	H	1	1.50	1.50	149.40	150.90	169.61	171.11		accommodates splice	
341	U1417	A	19	H	2	1.50	1.50	150.90	152.40	171.11	172.61		accommodates splice	

U1417 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1417	A	19	H	3	1.50	1.50	152.40	153.90	172.61	174.11		accommodates splice	
341	U1417	A	19	H	4	1.50	1.50	153.90	155.40	174.11	175.61		accommodates splice	
341	U1417	A	19	H	5	1.00	1.00	155.40	156.40	175.61	176.61		accommodates splice	
341	U1417	A	19	H	6	0.65	0.65	156.40	157.05	176.61	177.26		accommodates splice	
341	U1417	A	19	H	CC	0.32	0.32	157.05	157.37	177.26	177.58		accommodates splice	
341	U1417	A	20	H	1	0.96	0.96	157.30	158.26	177.71	178.67	0.13	accommodates splice	
341	U1417	D	18	H	7	0.56	0.56	156.40	156.96	178.07	178.63		accommodates splice	
341	U1417	A	20	H	CC	0.19	0.19	158.26	158.45	178.67	178.86	0.04	accommodates splice	
341	U1417	C	18	H	4	1.50	1.50	155.50	157.00	179.60	181.10	0.74	accommodates splice	
341	U1417	D	19	H	CC	0.18	0.18	156.90	157.08	179.75	179.93		accommodates splice	
341	U1417	C	18	H	5	1.51	1.51	157.00	158.51	181.10	182.61	1.17	accommodates splice	
341	U1417	C	18	H	6	1.51	1.51	158.51	160.02	182.61	184.12		accommodates splice	
341	U1417	C	18	H	7	0.68	0.68	160.02	160.70	184.12	184.80		accommodates splice	
341	U1417	C	18	H	CC	0.31	0.31	160.70	161.01	184.80	185.11		accommodates splice	
341	U1417	C	19	H	1	1.50	1.50	160.50	162.00	185.53	187.03	0.42	accommodates splice	
341	U1417	D	20	H	1	0.89	0.89	161.60	162.49	186.94	187.83		accommodates splice	
341	U1417	D	22	H	1	1.50	1.50	166.30	167.80	190.59	192.09	2.76	accommodates splice	
341	U1417	D	22	H	2	1.50	1.50	167.80	169.30	192.09	193.59		accommodates splice	
341	U1417	D	22	H	3	1.12	1.12	169.30	170.42	193.59	194.71		accommodates splice	
341	U1417	D	22	H	CC	0.24	0.24	170.42	170.66	194.71	194.95		accommodates splice	
341	U1417	D	23	H	1	1.50	1.50	171.00	172.50	197.77	199.27		accommodates splice	
341	U1417	D	23	H	2	1.50	1.50	172.50	174.00	199.27	200.77		accommodates splice	
341	U1417	D	23	H	3	1.11	1.11	174.00	175.11	200.77	201.88		accommodates splice	
341	U1417	D	24	H	1	1.50	1.50	175.70	177.20	201.60	203.10		accommodates splice	
341	U1417	D	23	H	4	0.63	0.63	175.11	175.74	201.88	202.51		accommodates splice	
341	U1417	D	23	H	CC	0.27	0.27	175.74	176.01	202.51	202.78		accommodates splice	
341	U1417	B	21	H	1	1.20	1.20	176.30	177.50	203.20	204.40	0.42	accommodates splice	
341	U1417	B	20	H	CC	0.14	0.14	176.22	176.36	203.30	203.44		accommodates splice	
341	U1417	B	21	H	2	0.69	0.69	177.50	178.19	204.40	205.09	0.96	accommodates splice	
341	U1417	B	22	H	1	1.50	1.50	178.10	179.60	206.77	208.27	1.68	accommodates splice	
341	U1417	B	22	H	2	1.52	1.52	179.60	181.12	208.27	209.79		accommodates splice	
341	U1417	D	25	H	4	0.51	0.51	184.61	185.12	210.15	210.66	0.36	accommodates splice	
341	U1417	D	25	H	CC	0.26	0.26	185.12	185.38	210.66	210.92		accommodates splice	
341	U1417	D	26	H	1	1.50	1.50	185.10	186.60	211.24	212.74	0.32	accommodates splice	
341	U1417	D	26	H	2	0.61	0.61	186.60	187.21	212.74	213.35		accommodates splice	
341	U1417	D	26	H	CC	0.33	0.33	187.21	187.54	213.35	213.68		accommodates splice	
341	U1417	D	27	H	1	1.01	1.01	187.50	188.51	216.38	217.39	2.7	accommodates splice	
341	U1417	D	27	H	2	0.69	0.69	188.51	189.20	217.39	218.08		accommodates splice	
341	U1417	D	27	H	CC	0.12	0.12	189.20	189.32	218.08	218.20		accommodates splice	
341	U1417	D	28	H	1	1.50	1.50	189.30	190.80	220.29	221.79	2.09	below splice	
341	U1417	D	28	H	2	1.02	1.02	190.80	191.82	221.79	222.81		below splice	
341	U1417	D	29	H	1	1.50	1.50	192.10	193.60	222.75	224.25		below splice	
341	U1417	D	28	H	CC	0.33	0.33	191.82	192.15	222.81	223.14		below splice	
341	U1417	D	29	H	2	1.50	1.50	193.60	195.10	224.25	225.75	1.11	below splice	
341	U1417	D	29	H	3	1.14	1.14	195.10	196.24	225.75	226.89		below splice	
341	U1417	D	29	H	CC	0.35	0.35	196.24	196.59	226.89	227.24		below splice	
341	U1417	D	30	H	1	1.50	1.50	196.50	198.00	227.95	229.45	0.71	below splice	
341	U1417	D	30	H	2	1.52	1.52	198.00	199.52	229.45	230.97		below splice	
341	U1417	D	30	H	3	1.43	1.43	199.52	200.95	230.97	232.40		below splice	
341	U1417	D	30	H	CC	0.34	0.34	200.95	201.29	232.40	232.74		below splice	
341	U1417	D	31	H	1	1.44	1.44	201.20	202.64	232.40	233.89	4.71	below splice	
341	U1417	D	31	H	2	0.96	0.96	202.64	203.60	233.89	234.85		below splice	
341	U1417	D	31	H	CC	0.30	0.30	203.60	203.90	234.85	235.15		below splice	
341	U1417	D	32	H	1	1.50	1.50	203.90	205.40	241.75	243.25	1.6	below splice	
341	U1417	D	32	H	2	1.50	1.50	205.40	206.90	243.25	244.75		below splice	
341	U1417	D	32	H	3	1.23	1.23	206.90	208.13	244.75	245.98		below splice	
341	U1417	D	32	H	4	0.51	0.51	208.13	208.64	245.98	246.49		below splice	
341	U1417	D	33	H	1	0.49	0.49	208.60	209.09	246.30	246.79		below splice	
341	U1417	D	32	H	CC	0.28	0.28	208.64	208.92	246.49	246.77		below splice	
341	U1417	D	33	H	CC	0.33	0.33	209.09	209.42	246.79	247.12	0.02	below splice	
341	U1417	D	34	H	1	1.50	1.50	209.40	210.90	247.88	249.38	0.76	below splice	
341	U1417	D	34	H	2	1.50	1.50	210.90	212.40	249.38	250.88		below splice	

U1417 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1417	D	34	H	3	1.37	1.37	212.40	213.77	250.88	252.25		below splice	
341	U1417	D	34	H	CC	0.30	0.30	213.77	214.07	252.25	252.55		below splice	
341	U1417	D	35	H	1	1.50	1.50	214.10	215.60	253.70	255.20	1.15	below splice	
341	U1417	D	35	H	2	1.50	1.50	215.60	217.10	255.20	256.70		below splice	
341	U1417	D	35	H	3	1.44	1.44	217.10	218.54	256.70	258.14		below splice	
341	U1417	D	35	H	CC	0.23	0.23	218.54	218.77	258.14	258.37		below splice	
341	U1417	D	36	H	1	1.50	1.50	218.80	220.30	259.11	260.61	0.74	below splice	
341	U1417	D	36	H	2	1.50	1.50	220.30	221.80	260.61	262.11		below splice	
341	U1417	D	36	H	3	1.28	1.28	221.80	223.08	262.11	263.39		below splice	
341	U1417	D	36	H	CC	0.29	0.29	223.08	223.37	263.39	263.68		below splice	
341	U1417	D	37	H	1	0.47	0.47	223.30	223.77	263.52	263.99		below splice	
341	U1417	D	37	H	CC	0.12	0.12	223.77	223.89	263.99	264.11		below splice	
341	U1417	D	38	X	1	0.87	0.87	223.90	224.77	267.16	268.03	3.05	below splice	
341	U1417	D	38	X	CC	0.32	0.32	224.77	225.09	268.03	268.35		below splice	
341	U1417	D	39	X	1	1.43	1.43	233.60	235.03	276.86	278.29	8.51	below splice	
341	U1417	D	39	X	CC	0.34	0.34	235.03	235.37	278.29	278.63		below splice	
341	U1417	D	40	X	1	1.50	1.50	243.30	244.80	286.56	288.06	7.93	below splice	
341	U1417	D	40	X	2	1.04	1.04	244.80	245.84	288.06	289.10		below splice	
341	U1417	D	40	X	3	1.20	1.20	245.84	247.04	289.10	290.30		below splice	
341	U1417	D	40	X	CC	0.29	0.29	247.04	247.33	290.30	290.59		below splice	
341	U1417	D	41	X	1	1.50	1.50	253.00	254.50	296.26	297.76	5.67	below splice	
341	U1417	D	41	X	2	1.50	1.50	254.50	256.00	297.76	299.26		below splice	
341	U1417	D	41	X	3	1.50	1.50	256.00	257.50	299.26	300.76		below splice	
341	U1417	D	41	X	4	1.50	1.50	257.50	259.00	300.76	302.26		below splice	
341	U1417	D	41	X	5	0.85	0.85	259.00	259.85	302.26	303.11		below splice	
341	U1417	D	41	X	CC	0.36	0.36	259.85	260.21	303.11	303.47		below splice	
341	U1417	D	42	X	1	1.50	1.50	262.70	264.20	305.96	307.46	2.49	below splice	
341	U1417	E	2	R	1	1.50	1.50	264.00	265.50	307.26	308.76		below splice	
341	U1417	E	2	R	2	1.50	1.50	265.50	267.00	308.76	310.26		below splice	
341	U1417	E	2	R	3	1.50	1.50	267.00	268.50	310.26	311.76		below splice	
341	U1417	E	2	R	4	1.50	1.50	268.50	270.00	311.76	313.26		below splice	
341	U1417	E	2	R	5	1.50	1.50	270.00	271.50	313.26	314.76		below splice	
341	U1417	E	2	R	6	1.50	1.50	271.50	273.00	314.76	316.26		below splice	
341	U1417	E	2	R	7	0.53	0.53	273.00	273.53	316.26	316.79		below splice	
341	U1417	E	3	R	1	1.50	1.50	274.60	274.60	316.36	317.86		below splice	
341	U1417	E	2	R	CC	0.21	0.21	273.53	273.74	316.79	317.00		below splice	
341	U1417	E	3	R	2	1.50	1.50	274.60	276.10	317.86	319.36	0.86	below splice	
341	U1417	E	3	R	3	1.50	1.50	276.10	277.60	319.36	320.86		below splice	
341	U1417	E	3	R	4	1.50	1.50	277.60	279.10	320.86	322.36		below splice	
341	U1417	E	3	R	5	1.07	1.07	279.10	280.17	322.36	323.43		below splice	
341	U1417	E	3	R	CC	0.20	0.20	280.17	280.37	323.43	323.63		below splice	
341	U1417	E	4	R	1	1.50	1.50	282.80	284.30	326.06	327.56	2.43	below splice	
341	U1417	E	4	R	2	1.50	1.50	284.30	285.80	327.56	329.06		below splice	
341	U1417	E	4	R	3	1.50	1.50	285.80	287.30	329.06	330.56		below splice	
341	U1417	E	4	R	4	1.50	1.50	287.30	288.80	330.56	332.06		below splice	
341	U1417	E	4	R	5	0.65	0.65	288.80	289.45	332.06	332.71		below splice	
341	U1417	E	4	R	CC	0.17	0.17	289.45	289.62	332.71	332.88		below splice	
341	U1417	E	5	R	1	1.50	1.50	292.50	294.00	335.76	337.26	2.88	below splice	
341	U1417	E	5	R	2	1.50	1.50	294.00	295.50	337.26	338.76		below splice	
341	U1417	E	5	R	3	0.97	0.97	295.50	296.47	338.76	339.73		below splice	
341	U1417	E	5	R	4	0.62	0.62	296.47	297.09	339.73	340.35		below splice	
341	U1417	E	5	R	CC	0.16	0.16	297.09	297.25	340.35	340.51		below splice	
341	U1417	D	47	X	1	0.69	0.69	305.40	306.09	348.66	349.35	8.15	below splice	
341	U1417	D	47	X	2	0.91	0.91	306.09	307.00	349.35	350.26		below splice	
341	U1417	D	47	X	3	0.65	0.65	307.00	307.65	350.26	350.91		below splice	
341	U1417	D	47	X	CC	0.21	0.21	307.65	307.86	350.91	351.12		below splice	
341	U1417	D	48	X	1	1.30	1.30	315.10	316.40	358.36	359.66	7.24	below splice	
341	U1417	D	48	X	2	1.16	1.16	316.40	317.56	359.66	360.82		below splice	
341	U1417	D	48	X	CC	0.20	0.20	317.56	317.76	360.82	361.02		below splice	
341	U1417	D	49	X	1	1.12	1.12	324.80	325.92	368.06	369.18	7.04	below splice	
341	U1417	D	49	X	2	1.45	1.45	325.92	327.37	369.18	370.63		below splice	
341	U1417	D	49	X	3	0.85	0.85	327.37	328.22	370.63	371.48		below splice	

U1417 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1417	D	49	X	CC	0.22	0.22	328.22	328.44	371.48	371.70		below splice	
341	U1417	D	50	X	1	1.37	1.37	334.50	335.87	377.76	379.13	6.06	below splice	
341	U1417	D	50	X	2	1.50	1.50	335.87	337.37	379.13	380.63		below splice	
341	U1417	D	50	X	3	1.11	1.11	337.37	338.48	380.63	381.74		below splice	
341	U1417	D	50	X	4	0.92	0.92	338.48	339.40	381.74	382.66		below splice	
341	U1417	D	50	X	CC	0.22	0.22	339.40	339.62	382.66	382.88		below splice	
341	U1417	D	51	X	1	1.50	1.50	344.20	345.70	387.46	388.96	4.58	below splice	
341	U1417	D	51	X	2	0.91	0.91	345.70	346.61	388.96	389.87		below splice	
341	U1417	D	51	X	3	1.24	1.24	346.61	347.85	389.87	391.11		below splice	
341	U1417	D	51	X	4	1.32	1.32	347.85	349.17	391.11	392.43		below splice	
341	U1417	D	51	X	CC	0.49	0.49	349.17	349.66	392.43	392.92		below splice	
341	U1417	D	52	X	1	1.47	1.47	353.90	355.37	397.16	398.63	4.24	below splice	
341	U1417	D	52	X	2	1.23	1.23	355.37	356.60	398.63	399.86		below splice	
341	U1417	D	52	X	3	1.16	1.16	356.60	357.76	399.86	401.02		below splice	
341	U1417	D	52	X	CC	0.15	0.15	357.76	357.91	401.02	401.17		below splice	
341	U1417	D	53	X	1	1.01	1.01	363.60	364.61	406.86	407.87	5.69	below splice	
341	U1417	D	53	X	2	0.82	0.82	364.61	365.43	407.87	408.69		below splice	
341	U1417	D	53	X	CC	0.17	0.17	365.43	365.60	408.69	408.86		below splice	
341	U1417	D	54	X	1	1.48	1.48	373.30	374.78	416.56	418.04	7.7	below splice	
341	U1417	D	54	X	2	0.98	0.98	374.78	375.76	418.04	419.02		below splice	
341	U1417	D	54	X	3	1.48	1.48	375.76	377.24	419.02	420.50		below splice	
341	U1417	D	54	X	4	0.90	0.90	377.24	378.14	420.50	421.40		below splice	
341	U1417	D	54	X	CC	0.33	0.33	378.14	378.47	421.40	421.73		below splice	
341	U1417	D	55	X	1	1.48	1.48	383.00	384.48	426.26	427.74	4.53	below splice	
341	U1417	D	55	X	2	1.46	1.46	384.48	385.94	427.74	429.20		below splice	
341	U1417	D	55	X	3	1.27	1.27	385.94	387.21	429.20	430.47		below splice	
341	U1417	D	55	X	4	0.73	0.73	387.21	387.94	430.47	431.20		below splice	
341	U1417	D	55	X	CC	0.25	0.25	387.94	388.19	431.20	431.45		below splice	
341	U1417	D	56	X	1	1.52	1.52	392.70	394.22	435.96	437.48	4.51	below splice	
341	U1417	E	7	R	1	1.42	1.42	399.00	400.42	442.26	443.68	4.78	below splice	
341	U1417	E	7	R	2	0.94	0.94	400.42	401.36	443.68	444.62		below splice	
341	U1417	E	7	R	3	0.76	0.76	401.36	402.12	444.62	445.38		below splice	
341	U1417	E	7	R	CC	0.11	0.11	402.12	402.23	445.38	445.49		below splice	
341	U1417	E	8	R	1	1.54	1.54	408.70	410.24	451.96	453.50	6.47	below splice	
341	U1417	E	8	R	2	1.31	1.31	410.24	411.55	453.50	454.81		below splice	
341	U1417	E	8	R	3	1.50	1.50	411.55	413.05	454.81	456.31		below splice	
341	U1417	E	8	R	4	1.30	1.30	413.05	414.35	456.31	457.61		below splice	
341	U1417	E	8	R	5	1.46	1.46	414.35	415.81	457.61	459.07		below splice	
341	U1417	E	8	R	6	1.50	1.50	415.81	417.31	459.07	460.57		below splice	
341	U1417	E	8	R	7	0.79	0.79	417.31	418.10	460.57	461.36		below splice	
341	U1417	E	8	R	CC	0.22	0.22	418.10	418.32	461.36	461.58		below splice	
341	U1417	E	9	R	1	1.50	1.50	418.40	419.90	461.66	463.16	0.08	below splice	
341	U1417	E	9	R	2	1.50	1.50	419.90	421.40	463.16	464.66		below splice	
341	U1417	E	9	R	3	1.50	1.50	421.40	422.90	464.66	466.16		below splice	
341	U1417	E	9	R	4	1.41	1.41	422.90	424.31	466.16	467.57		below splice	
341	U1417	E	9	R	5	0.74	0.74	424.31	425.05	467.57	468.31		below splice	
341	U1417	E	9	R	CC	0.24	0.24	425.05	425.29	468.31	468.55		below splice	
341	U1417	E	10	R	1	1.50	1.50	428.10	429.60	471.36	472.86	2.81	below splice	
341	U1417	E	10	R	2	1.50	1.50	429.60	431.10	472.86	474.36		below splice	
341	U1417	E	10	R	3	1.33	1.33	431.10	432.43	474.36	475.69		below splice	
341	U1417	E	10	R	4	0.67	0.67	432.43	433.10	475.69	476.36		below splice	
341	U1417	E	10	R	CC	0.21	0.21	433.10	433.31	476.36	476.57		below splice	
341	U1417	E	11	R	1	1.43	1.43	437.80	439.23	481.06	482.49	4.49	below splice	
341	U1417	E	11	R	2	0.67	0.67	439.23	439.90	482.49	483.16		below splice	
341	U1417	E	11	R	CC	0.19	0.19	439.90	440.09	483.16	483.35		below splice	
341	U1417	E	12	R	1	0.29	0.29	447.50	447.79	490.76	491.05	7.41	below splice	
341	U1417	E	13	R	1	1.52	1.52	457.20	458.72	500.46	501.98	9.41	below splice	
341	U1417	E	13	R	2	1.50	1.50	458.72	460.22	501.98	503.48		below splice	
341	U1417	E	13	R	CC	0.18	0.18	460.22	460.40	503.48	503.66		below splice	
341	U1417	E	14	R	1	0.86	0.86	466.90	467.76	510.16	511.02	6.5	below splice	
341	U1417	E	14	R	2	0.84	0.84	467.76	468.60	511.02	511.86		below splice	
341	U1417	E	14	R	CC	0.12	0.12	468.60	468.72	511.86	511.98		below splice	

U1417 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1417	E	15	R	1	1.50	1.50	476.60	478.10	519.86	521.36	7.88	below splice	
341	U1417	E	15	R	2	1.46	1.46	478.10	479.56	521.36	522.82		below splice	
341	U1417	E	15	R	3	1.48	1.48	479.56	481.04	522.82	524.30		below splice	
341	U1417	E	15	R	4	1.50	1.50	481.04	482.54	524.30	525.80		below splice	
341	U1417	E	15	R	5	1.50	1.50	482.54	484.04	525.80	527.30		below splice	
341	U1417	E	15	R	6	1.46	1.46	484.04	485.50	527.30	528.76		below splice	
341	U1417	E	15	R	7	0.53	0.53	485.50	486.03	528.76	529.29		below splice	
341	U1417	E	15	R	CC	0.21	0.21	486.03	486.24	529.29	529.50		below splice	
341	U1417	E	16	R	1	1.13	1.13	486.30	487.43	529.56	530.69	0.06	below splice	
341	U1417	E	16	R	2	1.51	1.51	487.43	488.94	530.69	532.20		below splice	
341	U1417	E	16	R	3	0.48	0.48	488.94	489.42	532.20	532.68		below splice	
341	U1417	E	16	R	CC	0.12	0.12	489.42	489.54	532.68	532.80		below splice	
341	U1417	E	17	R	1	1.40	1.40	496.00	497.40	539.26	540.66	6.46	below splice	
341	U1417	E	17	R	2	1.46	1.46	497.40	498.86	540.66	542.12		below splice	
341	U1417	E	17	R	3	1.41	1.41	498.86	500.27	542.12	543.53		below splice	
341	U1417	E	17	R	4	1.31	1.31	500.27	501.58	543.53	544.84		below splice	
341	U1417	E	17	R	CC	0.17	0.17	501.58	501.75	544.84	545.01		below splice	
341	U1417	E	18	R	1	1.42	1.42	505.70	507.12	548.96	550.38	3.95	below splice	
341	U1417	E	18	R	2	1.37	1.37	507.12	508.49	550.38	551.75		below splice	
341	U1417	E	18	R	3	1.39	1.39	508.49	509.88	551.75	553.14		below splice	
341	U1417	E	18	R	CC	0.22	0.22	509.88	510.10	553.14	553.36		below splice	
341	U1417	E	19	R	1	1.50	1.50	515.40	516.90	558.66	560.16	5.3	below splice	
341	U1417	E	19	R	2	1.52	1.52	516.90	518.42	560.16	561.68		below splice	
341	U1417	E	19	R	3	1.49	1.49	518.42	519.91	561.68	563.17		below splice	
341	U1417	E	19	R	CC	0.13	0.13	519.91	520.04	563.17	563.30		below splice	
341	U1417	E	20	R	1	1.50	1.50	525.10	526.60	568.36	569.86	5.06	below splice	
341	U1417	E	20	R	2	0.95	0.95	526.60	527.55	569.86	570.81		below splice	
341	U1417	E	20	R	CC	0.17	0.17	527.55	527.72	570.81	570.98		below splice	
341	U1417	E	21	R	1	0.57	0.57	534.80	535.37	578.06	578.63	7.08	below splice	
341	U1417	E	21	R	CC	0.18	0.18	535.37	535.55	578.63	578.81		below splice	
341	U1417	E	22	R	1	0.80	0.80	544.50	545.30	587.76	588.56	8.95	below splice	
341	U1417	E	23	R	1	1.19	1.19	554.20	555.39	597.46	598.65	8.9	below splice	
341	U1417	E	24	R	1	0.99	0.99	563.90	564.89	607.16	608.15	8.51	below splice	
341	U1417	E	24	R	2	1.52	1.52	564.89	566.41	608.15	609.67		below splice	
341	U1417	E	25	R	1	1.42	1.42	573.60	575.02	616.86	618.28	7.19	below splice	
341	U1417	E	25	R	2	0.93	0.93	575.02	575.95	618.28	619.21		below splice	
341	U1417	E	25	R	CC	0.19	0.19	575.95	576.14	619.21	619.40		below splice	
341	U1417	E	26	R	1	1.31	1.31	583.30	584.61	626.56	627.87	7.16	below splice	
341	U1417	E	26	R	2	1.50	1.50	584.61	586.11	627.87	629.37		below splice	
341	U1417	E	26	R	3	1.19	1.19	586.11	587.30	629.37	630.56		below splice	
341	U1417	E	26	R	CC	0.16	0.16	587.30	587.46	630.56	630.72		below splice	
341	U1417	E	27	R	1	1.50	1.50	593.00	594.50	636.26	637.76	5.54	below splice	
341	U1417	E	27	R	2	0.86	0.86	594.50	595.36	637.76	638.62		below splice	
341	U1417	E	27	R	3	1.20	1.20	595.36	596.56	638.62	639.82		below splice	
341	U1417	E	27	R	4	1.06	1.06	596.56	597.62	639.82	640.88		below splice	
341	U1417	E	28	R	1	1.01	1.01	602.70	603.71	645.96	646.97	5.08	below splice	
341	U1417	E	28	R	2	0.92	0.92	603.71	604.63	646.97	647.89		below splice	
341	U1417	E	28	R	CC	0.18	0.18	604.63	604.81	647.89	648.07		below splice	
341	U1417	E	29	R	1	1.41	1.41	612.40	613.81	655.66	657.07	7.59	below splice	
341	U1417	E	29	R	2	1.50	1.50	613.81	615.31	657.07	658.57		below splice	
341	U1417	E	29	R	3	1.43	1.43	615.31	616.74	658.57	660.00		below splice	
341	U1417	E	29	R	4	1.49	1.49	616.74	618.23	660.00	661.49		below splice	
341	U1417	E	29	R	5	0.66	0.66	618.23	618.89	661.49	662.15		below splice	
341	U1417	E	29	R	CC	0.20	0.20	618.89	619.09	662.15	662.35		below splice	
341	U1417	E	30	R	1	1.33	1.33	623.10	623.43	665.36	666.69	3.01	below splice	
341	U1417	E	30	R	CC	0.14	0.14	623.43	623.57	666.69	666.83		below splice	
341	U1417	E	31	R	1	1.24	1.24	631.80	633.04	675.06	676.30	8.23	below splice	
341	U1417	E	31	R	CC	0.26	0.26	633.04	633.30	676.30	676.56		below splice	
341	U1417	E	32	R	1	1.30	1.30	641.50	642.80	684.76	686.06	8.2	below splice	
341	U1417	E	32	R	2	1.19	1.19	642.80	643.99	686.06	687.25		below splice	
341	U1417	E	32	R	3	0.97	0.97	643.99	644.96	687.25	688.22		below splice	
341	U1417	E	32	R	CC	0.18	0.18	644.96	645.14	688.22	688.40		below splice	

U1417 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
341	U1417	E	34	R	CC	0.12	0.12	655.00	655.12	698.26	698.38	9.86	below splice	
341	U1417	E	35	R	1	1.46	1.46	661.00	662.46	704.26	705.72	5.88	below splice	
341	U1417	E	35	R	2	1.27	1.27	662.46	663.73	705.72	706.99		below splice	
341	U1417	E	35	R	3	1.32	1.32	663.73	665.05	706.99	708.31		below splice	
341	U1417	E	35	R	CC	0.14	0.14	665.05	665.19	708.31	708.45		below splice	
341	U1417	E	36	R	1	1.17	1.17	670.70	671.87	713.96	715.13	5.51	below splice	
341	U1417	E	36	R	2	1.30	1.30	671.87	673.17	715.13	716.43		below splice	
341	U1417	E	36	R	CC	0.20	0.20	673.17	673.37	716.43	716.63		below splice	
341	U1417	E	37	R	1	1.52	1.52	680.40	681.92	723.66	725.18	7.03	below splice	
341	U1417	E	37	R	2	0.84	0.84	681.92	682.76	725.18	726.02		below splice	
341	U1417	E	37	R	CC	0.25	0.25	682.76	683.01	726.02	726.27		below splice	
341	U1417	E	38	R	1	1.50	1.50	690.10	691.60	733.36	734.86	7.09	below splice	
341	U1417	E	38	R	2	1.50	1.50	691.60	693.10	734.86	736.36		below splice	
341	U1417	E	38	R	3	1.50	1.50	693.10	694.60	736.36	737.86		below splice	
341	U1417	E	38	R	4	0.82	0.82	694.60	695.42	737.86	738.68		below splice	
341	U1417	E	38	R	CC	0.15	0.15	695.42	695.57	738.68	738.83		below splice	
341	U1417	E	39	R	1	0.65	0.65	699.80	700.45	743.06	743.71	4.23	below splice	
341	U1417	E	39	R	2	1.36	1.36	700.45	701.81	743.71	745.07		below splice	
341	U1417	E	39	R	3	1.11	1.11	701.81	702.92	745.07	746.18		below splice	
341	U1417	E	39	R	4	1.49	1.49	702.92	704.41	746.18	747.67		below splice	
341	U1417	E	39	R	5	1.25	1.25	704.41	705.66	747.67	748.92		below splice	
341	U1417	E	39	R	6	1.45	1.45	705.66	707.11	748.92	750.37		below splice	
341	U1417	E	39	R	7	0.44	0.44	707.11	707.55	750.37	750.81		below splice	
341	U1417	E	39	R	CC	0.28	0.28	707.55	707.83	750.81	751.09		below splice	