

**U1409 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1409	B	1	H	1	1.5	1.5	0.00	1.50	0.03	1.53		accommodates splice	
342	U1409	A	2	H	1	1.5	1.5	1.10	2.60	2.67	4.17	1.14	accommodates splice	
342	U1409	C	1	H	3	1.5	1.5	3.00	4.50	3.00	4.50	-1.17	accommodates splice	
342	U1409	C	1	H	4	1.11	1.11	4.50	5.61	4.50	5.61	0.00	accommodates splice	
342	U1409	C	1	H	5	0.6	0.6	5.61	6.21	5.61	6.21	0.00	accommodates splice	
342	U1409	C	1	H	CC	0.17	0.17	6.21	6.38	6.21	6.38	0.00	accommodates splice	
342	U1409	B	1	H	6	0.7	0.7	7.50	8.20	7.53	8.23	1.15	accommodates splice	
342	U1409	C	2	H	1	1.5	1.5	6.30	7.80	8.01	9.51	-0.22	accommodates splice	
342	U1409	C	2	H	2	1.5	1.5	7.80	9.30	9.51	11.01	0.00	accommodates splice	
342	U1409	C	2	H	3	1.5	1.5	9.30	10.80	11.01	12.51	0.00	accommodates splice	
342	U1409	C	2	H	4	1.5	1.5	10.80	12.30	12.51	14.01	0.00	accommodates splice	
342	U1409	C	2	H	5	1.5	1.5	12.30	13.80	14.01	15.51	0.00	accommodates splice	
342	U1409	C	2	H	6	1.12	1.12	13.80	14.92	15.51	16.63	0.00	accommodates splice	
342	U1409	C	2	H	7	0.52	0.52	14.92	15.44	16.63	17.15	0.00	accommodates splice	
342	U1409	C	2	H	CC	0.29	0.29	15.44	15.73	17.15	17.44	0.00	accommodates splice	
342	U1409	B	2	H	6	1.5	1.5	15.80	17.30	17.30	17.80	-1.14	accommodates splice	
342	U1409	B	2	H	7	0.55	0.55	17.30	17.85	17.80	18.35	0.00	accommodates splice	
342	U1409	B	2	H	CC	0.19	0.19	17.85	18.04	18.35	18.54	0.00	accommodates splice	
342	U1409	C	3	H	1	1.5	1.5	15.80	17.30	19.08	20.58	0.54	accommodates splice	
342	U1409	C	3	H	2	1.5	1.5	17.30	18.80	20.58	22.08	0.00	accommodates splice	
342	U1409	C	3	H	3	1.5	1.5	18.80	20.30	22.08	23.58	0.00	accommodates splice	
342	U1409	C	3	H	4	1.5	1.5	20.30	21.80	23.58	25.08	0.00	accommodates splice	
342	U1409	C	3	H	5	1.5	1.5	21.80	23.30	25.08	26.58	0.00	accommodates splice	
342	U1409	C	3	H	6	1.11	1.11	23.30	24.41	26.58	27.69	0.00	accommodates splice	
342	U1409	C	3	H	7	0.59	0.59	24.41	25.00	27.69	28.28	0.00	accommodates splice	
342	U1409	C	3	H	CC	0.25	0.25	25.00	25.25	28.28	28.53	0.00	accommodates splice	
342	U1409	C	4	H	1	1.5	1.5	25.30	26.80	28.56	30.06	0.03	accommodates splice	
342	U1409	C	4	H	2	1.5	1.5	26.80	28.30	30.06	31.56	0.00	accommodates splice	
342	U1409	C	4	H	3	1.5	1.5	28.30	29.80	31.56	33.06	0.00	accommodates splice	
342	U1409	C	4	H	4	1.11	1.11	29.80	30.91	33.06	34.17	0.00	accommodates splice	
342	U1409	C	4	H	5	0.58	0.58	30.91	31.49	34.17	34.75	0.00	accommodates splice	
342	U1409	C	4	H	CC	0.21	0.21	31.49	31.70	34.75	34.96	0.00	accommodates splice	
342	U1409	C	5	H	1	1.5	1.5	30.80	32.30	34.54	36.04	-0.42	accommodates splice	
342	U1409	A	5	H	1	1.5	1.5	29.60	31.10	35.38	36.88	-0.66	accommodates splice	
342	U1409	A	5	H	2	1.5	1.5	31.10	32.60	36.88	38.38	0.00	accommodates splice	
342	U1409	A	5	H	3	1.5	1.5	32.60	34.10	38.38	39.88	0.00	accommodates splice	
342	U1409	A	5	H	4	1.5	1.5	34.10	35.60	39.88	41.38	0.00	accommodates splice	
342	U1409	A	5	H	5	1.5	1.5	35.60	37.10	41.38	42.88	0.00	accommodates splice	
342	U1409	C	5	H	6	1.42	1.42	38.30	39.72	42.04	43.46	-0.84	accommodates splice	
342	U1409	C	5	H	7	0.62	0.62	39.72	40.34	43.46	44.08	0.00	accommodates splice	
342	U1409	C	5	H	CC	0.29	0.29	40.34	40.63	44.08	44.37	0.00	accommodates splice	
342	U1409	C	6	H	1	1.5	1.5	40.30	41.80	44.59	46.09	0.22	accommodates splice	
342	U1409	C	6	H	2	1.5	1.5	41.80	43.30	46.09	47.59	0.00	accommodates splice	
342	U1409	C	6	H	3	1.5	1.5	43.30	44.80	47.59	49.09	0.00	accommodates splice	
342	U1409	C	6	H	4	1.5	1.5	44.80	46.30	49.09	50.59	0.00	accommodates splice	
342	U1409	C	6	H	5	1.5	1.5	46.30	47.80	50.59	52.09	0.00	accommodates splice	
342	U1409	C	6	H	6	1.5	1.5	47.80	49.30	52.09	53.59	0.00	accommodates splice	
342	U1409	C	6	H	7	0.54	0.54	49.30	49.84	53.59	54.13	0.00	accommodates splice	
342	U1409	C	6	H	CC	0.19	0.19	49.84	50.03	54.13	54.32	0.00	accommodates splice	
342	U1409	A	6	H	7	0.78	0.78	48.10	48.88	54.45	55.23	0.13	accommodates splice	
342	U1409	A	6	H	CC	0.34	0.34	48.88	49.22	55.23	55.57	0.00	accommodates splice	
342	U1409	A	7	H	1	1.5	1.5	48.60	50.10	55.61	57.11	0.04	accommodates splice	
342	U1409	A	7	H	2	1.5	1.5	50.10	51.60	57.11	58.61	0.00	accommodates splice	
342	U1409	A	7	H	3	1.51	1.51	51.60	53.11	58.61	60.12	0.00	accommodates splice	
342	U1409	A	7	H	4	1.5	1.5	53.11	54.61	60.12	61.62	0.00	accommodates splice	
342	U1409	A	7	H	5	1.51	1.51	54.61	56.12	61.62	63.13	0.00	accommodates splice	
342	U1409	A	7	H	6	1.5	1.5	56.12	57.62	63.13	64.63	0.00	accommodates splice	
342	U1409	C	7	H	CC	0.3	0.3	58.53	58.83	64.13	64.43	-0.50	accommodates splice	
342	U1409	C	8	H	1	1.5	1.5	59.30	60.80	63.89	65.39	-0.54	accommodates splice	
342	U1409	C	8	H	2	1.5	1.5	60.80	62.30	65.39	66.89	0.00	accommodates splice	

**U1409 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1409	C	8	H	3	1.5	1.5	62.30	63.80	66.89	68.39	0.00	accommodates splice	
342	U1409	C	8	H	4	1.5	1.5	63.80	65.30	68.39	69.89	0.00	accommodates splice	
342	U1409	C	8	H	5	1.5	1.5	65.30	66.80	69.89	71.39	0.00	accommodates splice	
342	U1409	C	8	H	6	1.5	1.5	66.80	68.30	71.39	72.89	0.00	accommodates splice	
342	U1409	C	8	H	7	0.6	0.6	68.30	68.90	72.89	73.49	0.00	accommodates splice	
342	U1409	C	8	H	CC	0.17	0.17	68.90	69.07	73.49	73.66	0.00	accommodates splice	
342	U1409	B	8	H	2	1.5	1.5	66.80	68.30	73.36	74.86	-0.30	accommodates splice	
342	U1409	B	8	H	3	1.5	1.5	68.30	69.80	74.86	76.36	0.00	accommodates splice	
342	U1409	C	9	H	1	1.5	1.5	68.80	70.30	76.21	77.71	-0.15	accommodates splice	
342	U1409	C	9	H	2	1.5	1.5	70.30	71.80	77.71	79.21	0.00	accommodates splice	
342	U1409	A	9	H	2	1.51	1.51	69.10	70.61	77.97	79.48	-1.24	accommodates splice	
342	U1409	A	9	H	3	1.5	1.5	70.61	72.11	79.48	80.98	0.00	accommodates splice	
342	U1409	A	9	H	4	1.5	1.5	72.11	73.61	80.98	82.48	0.00	accommodates splice	
342	U1409	A	9	H	5	1.5	1.5	73.61	75.11	82.48	83.98	0.00	accommodates splice	
342	U1409	A	9	H	6	1.5	1.5	75.11	76.61	83.98	85.48	0.00	accommodates splice	
342	U1409	C	9	H	7	0.62	0.62	77.84	78.46	85.25	85.87	-0.23	accommodates splice	
342	U1409	C	9	H	CC	0.28	0.28	78.46	78.74	85.87	86.15	0.00	accommodates splice	
342	U1409	C	10	H	1	1.5	1.5	78.30	79.80	86.51	88.01	0.36	accommodates splice	
342	U1409	C	10	H	2	1.5	1.5	79.80	81.30	88.01	89.51	0.00	accommodates splice	
342	U1409	C	10	H	3	1.5	1.5	81.30	82.80	89.51	91.01	0.00	accommodates splice	
342	U1409	C	10	H	4	1.5	1.5	82.80	84.30	91.01	92.51	0.00	accommodates splice	
342	U1409	C	10	H	5	1.5	1.5	84.30	85.80	92.51	94.01	0.00	accommodates splice	
342	U1409	C	10	H	6	1.5	1.5	85.80	87.30	94.01	95.51	0.00	accommodates splice	
342	U1409	C	10	H	7	0.54	0.54	87.30	87.84	95.51	96.05	0.00	accommodates splice	
342	U1409	C	10	H	CC	0.25	0.25	87.84	88.09	96.05	96.30	0.00	accommodates splice	
342	U1409	A	10	H	CC	0.29	0.29	86.67	86.96	96.21	96.50	-0.09	accommodates splice	
342	U1409	A	11	H	1	1.5	1.5	86.60	88.10	97.16	98.66	0.66	accommodates splice	
342	U1409	C	11	H	3	1.5	1.5	90.80	92.30	99.68	101.18	1.02	accommodates splice	
342	U1409	C	11	H	4	1.5	1.5	92.30	93.80	101.18	102.68	0.00	accommodates splice	
342	U1409	C	11	H	5	1.5	1.5	93.80	95.30	102.68	104.18	0.00	accommodates splice	
342	U1409	C	11	H	6	1.5	1.5	95.30	96.80	104.18	105.68	0.00	accommodates splice	
342	U1409	C	11	H	7	0.59	0.59	96.80	97.39	105.68	106.27	0.00	accommodates splice	
342	U1409	C	11	H	CC	0.4	0.4	97.39	97.79	106.27	106.67	0.00	accommodates splice	
342	U1409	A	11	H	7	0.58	0.58	95.60	96.18	106.16	106.74	-0.51	accommodates splice	
342	U1409	A	11	H	CC	0.27	0.27	96.18	96.45	106.74	107.01	0.00	accommodates splice	
342	U1409	A	12	H	1	1.5	1.5	96.10	97.60	110.11	111.61	3.10	accommodates splice	
342	U1409	C	12	H	1	1.5	1.5	97.30	98.80	112.43	113.93	0.82	accommodates splice	
342	U1409	A	12	H	5	1.5	1.5	102.10	103.60	116.11	117.61	2.18	accommodates splice	
342	U1409	A	12	H	6	1.5	1.5	103.60	105.10	117.61	119.11	0.00	accommodates splice	
342	U1409	A	12	H	7	0.62	0.62	105.10	105.72	119.11	119.73	0.00	accommodates splice	
342	U1409	A	12	H	CC	0.29	0.29	105.72	106.01	119.73	120.02	0.00	accommodates splice	
342	U1409	C	12	H	7	0.56	0.56	105.80	106.36	120.93	121.49	0.91	accommodates splice	
342	U1409	C	13	H	1	1.5	1.5	106.80	108.30	121.32	122.82	-0.17	accommodates splice	
342	U1409	C	13	H	2	1.5	1.5	108.30	109.80	122.82	124.32	0.00	accommodates splice	
342	U1409	C	13	H	3	1.5	1.5	109.80	111.30	124.32	125.82	0.00	accommodates splice	
342	U1409	C	13	H	4	1.5	1.5	111.30	112.80	125.82	127.32	0.00	accommodates splice	
342	U1409	C	13	H	5	1.5	1.5	112.80	114.30	127.32	128.82	0.00	accommodates splice	
342	U1409	C	13	H	6	1.3	1.3	114.30	115.60	128.82	130.12	0.00	accommodates splice	
342	U1409	C	13	H	7	0.6	0.6	115.60	116.20	130.12	130.72	0.00	accommodates splice	
342	U1409	C	13	H	CC	0.13	0.13	116.20	116.33	130.72	130.85	0.00	accommodates splice	
342	U1409	B	13	H	1	1.5	1.5	112.80	114.30	132.95	134.45	2.10	accommodates splice	
342	U1409	B	13	H	2	1.5	1.5	114.30	115.80	134.45	135.95	0.00	accommodates splice	
342	U1409	C	14	H	2	1.5	1.5	117.80	119.30	135.25	136.75	-0.70	accommodates splice	
342	U1409	C	14	H	3	1.5	1.5	119.30	120.80	136.75	138.25	0.00	accommodates splice	
342	U1409	C	14	H	4	1.5	1.5	120.80	122.30	138.25	139.75	0.00	accommodates splice	
342	U1409	C	14	H	5	1.2	1.2	122.30	123.50	139.75	140.95	0.00	accommodates splice	
342	U1409	C	14	H	6	0.52	0.52	123.50	124.02	140.95	141.47	0.00	accommodates splice	
342	U1409	C	14	H	CC	0.21	0.21	124.02	124.23	141.47	141.68	0.00	accommodates splice	
342	U1409	A	14	H	7	0.62	0.62	124.10	124.72	141.35	141.97	-0.33	accommodates splice	
342	U1409	A	14	H	CC	0.24	0.24	124.72	124.96	141.97	142.21	0.00	accommodates splice	

**U1409 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1409	B	14	H	CC	0.2	0.2	122.30	122.50	142.45	142.65	0.24	accommodates splice	
342	U1409	C	15	X	1	1.5	1.5	124.20	125.70	143.85	145.35	1.20	accommodates splice	
342	U1409	C	15	X	2	1.5	1.5	125.70	127.20	145.35	146.85	0.00	accommodates splice	
342	U1409	C	15	X	3	1.2	1.2	127.20	128.40	146.85	148.05	0.00	accommodates splice	
342	U1409	B	15	X	4	0.98	0.98	127.00	127.98	147.15	148.13	-0.90	accommodates splice	
342	U1409	B	15	X	CC	0.15	0.15	127.98	128.13	148.13	148.28	0.00	accommodates splice	
342	U1409	A	17	X	1	1.5	1.5	127.00	128.50	152.15	153.65	3.87	accommodates splice	
342	U1409	A	17	X	2	1.5	1.5	128.50	130.00	153.65	155.15	0.00	accommodates splice	
342	U1409	A	17	X	3	1.13	1.13	130.00	131.13	155.15	156.28	0.00	accommodates splice	
342	U1409	C	17	X	4	0.79	0.79	136.30	137.09	155.95	156.74	-0.33	accommodates splice	
342	U1409	C	17	X	CC	0.15	0.15	137.09	137.24	156.74	156.89	0.00	accommodates splice	
342	U1409	C	18	X	1	1.5	1.5	136.80	138.30	156.65	158.15	-0.24	accommodates splice	
342	U1409	C	18	X	2	1.5	1.5	138.30	139.80	158.15	159.65	0.00	accommodates splice	
342	U1409	C	18	X	3	1.5	1.5	139.80	141.30	159.65	161.15	0.00	accommodates splice	
342	U1409	C	18	X	4	0.58	0.58	141.30	141.88	161.15	161.73	0.00	accommodates splice	
342	U1409	C	18	X	CC	0.31	0.31	141.88	142.19	161.73	162.04	0.00	accommodates splice	
342	U1409	B	16	X	6	0.6	0.6	139.60	140.20	161.95	162.55	-0.09	accommodates splice	
342	U1409	B	16	X	CC	0.35	0.35	140.20	140.55	162.55	162.90	0.00	accommodates splice	
342	U1409	A	18	X	CC	0.34	0.34	138.67	139.01	163.82	164.16	0.92	accommodates splice	
342	U1409	C	19	X	3	1.5	1.5	146.30	147.80	164.85	166.35	0.69	accommodates splice	
342	U1409	C	19	X	4	1.03	1.03	147.80	148.83	166.35	167.38	0.00	accommodates splice	
342	U1409	C	19	X	CC	0.27	0.27	148.83	149.10	167.38	167.65	0.00	accommodates splice	
342	U1409	C	20	X	1	1.5	1.5	149.30	150.80	167.45	168.95	-0.20	accommodates splice	
342	U1409	C	20	X	2	1.5	1.5	150.80	152.30	168.95	170.45	0.00	accommodates splice	
342	U1409	B	17	X	6	1.53	1.53	149.21	150.74	171.66	173.19	1.21	accommodates splice	
342	U1409	B	17	X	CC	0.26	0.26	150.74	151.00	173.19	173.45	0.00	accommodates splice	
342	U1409	C	20	X	6	0.51	0.51	156.80	157.31	174.95	175.46	1.50	accommodates splice	
342	U1409	C	20	X	CC	0.31	0.31	157.31	157.62	175.46	175.77	0.00	accommodates splice	
342	U1409	C	21	X	1	1.5	1.5	157.30	158.80	176.35	177.85	0.58	accommodates splice	
342	U1409	C	21	X	2	1.27	1.27	158.80	160.07	177.85	179.12	0.00	accommodates splice	
342	U1409	C	21	X	CC	0.4	0.4	160.07	160.47	179.12	179.52	0.00	accommodates splice	
342	U1409	A	20	X	3	1.5	1.5	153.80	155.30	179.47	180.97	-0.05	accommodates splice	
342	U1409	B	18	X	7	0.67	0.67	159.52	160.19	181.57	182.24	0.60	accommodates splice	
342	U1409	B	18	X	CC	0.32	0.32	160.19	160.51	182.24	182.56	0.00	accommodates splice	
342	U1409	B	19	X	1	1.5	1.5	160.90	162.40	182.72	184.22	0.16	accommodates splice	
342	U1409	A	20	X	7	0.53	0.53	159.72	160.25	185.39	185.92	1.17	accommodates splice	
342	U1409	A	20	X	CC	0.36	0.36	160.25	160.61	185.92	186.28	0.00	accommodates splice	
342	U1409	A	21	X	1	1.5	1.5	160.40	161.90	186.09	187.59	-0.19	accommodates splice	
342	U1409	A	21	X	2	0.59	0.59	161.90	162.49	187.59	188.18	0.00	accommodates splice	
342	U1409	A	21	X	CC	0.24	0.24	162.49	162.73	188.18	188.42	0.00	accommodates splice	
342	U1409	A	22	X	1	1.5	1.5	170.00	171.50	197.13	198.63	8.71	single hole, cored below splice	
342	U1409	A	22	X	2	1.5	1.5	171.50	173.00	198.63	200.13	0.00	single hole, cored below splice	
342	U1409	A	22	X	3	1.5	1.5	173.00	174.50	200.13	201.63	0.00	single hole, cored below splice	
342	U1409	A	22	X	4	1.5	1.5	174.50	176.00	201.63	203.13	0.00	single hole, cored below splice	
342	U1409	A	22	X	5	1.5	1.5	176.00	177.50	203.13	204.63	0.00	single hole, cored below splice	
342	U1409	A	22	X	6	1.11	1.11	177.50	178.61	204.63	205.74	0.00	single hole, cored below splice	
342	U1409	A	22	X	7	0.47	0.47	178.61	179.08	205.74	206.21	0.00	single hole, cored below splice	
342	U1409	A	22	X	CC	0.29	0.29	179.08	179.37	206.21	206.50	0.00	single hole, cored below splice	
342	U1409	A	23	X	1	1.5	1.5	179.60	181.10	208.17	209.67	1.67	single hole, cored below splice	
342	U1409	A	23	X	2	1.5	1.5	181.10	182.60	209.67	211.17	0.00	single hole, cored below splice	
342	U1409	A	23	X	3	1.5	1.5	182.60	184.10	211.17	212.67	0.00	single hole, cored below splice	
342	U1409	A	23	X	4	1.5	1.5	184.10	185.60	212.67	214.17	0.00	single hole, cored below splice	
342	U1409	A	23	X	5	1.5	1.5	185.60	187.10	214.17	215.67	0.00	single hole, cored below splice	
342	U1409	A	23	X	6	1.03	1.03	187.10	188.13	215.67	216.70	0.00	single hole, cored below splice	
342	U1409	A	23	X	CC	0.38	0.38	188.13	188.51	216.70	217.08	0.00	single hole, cored below splice	
342	U1409	A	24	X	1	1.5	1.5	189.20	190.70	219.21	220.71	2.13	single hole, cored below splice	
342	U1409	A	24	X	2	1.5	1.5	190.70	192.20	220.71	222.21	0.00	single hole, cored below splice	
342	U1409	A	24	X	3	1.5	1.5	192.20	193.70	222.21	223.71	0.00	single hole, cored below splice	
342	U1409	A	24	X	4	1.5	1.5	193.70	195.20	223.71	225.21	0.00	single hole, cored below splice	
342	U1409	A	24	X	5	1.44	1.44	195.20	196.64	225.21	226.65	0.00	single hole, cored below splice	

<b>U1409 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1409	A	24	X	CC	0.45	0.45	196.64	197.09	226.65	227.10	0.00	single hole, cored below splice	
342	U1409	A	25	X	CC	0.24	0.24	197.70	197.94	227.71	227.95	0.61	single hole, cored below splice	
342	U1409	A	26	X	1	0.68	0.68	199.30	199.98	230.83	231.51	2.88	single hole, cored below splice	
342	U1409	A	26	X	CC	0.49	0.49	199.98	200.47	231.51	232.00	0.00	single hole, cored below splice	