

Site U1423 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1423	B	1	H	1	1.50	1.50	0.00	1.50	0.23	1.73	#REF!	Accommodates Splice	
346	U1423	B	1	H	2	1.50	1.50	1.50	3.00	1.73	3.23	0.00	Accommodates Splice	
346	U1423	B	1	H	3	0.96	0.96	3.00	3.96	3.23	4.19	0.00	Accommodates Splice	
346	U1423	B	1	H	CC	0.13	0.13	3.96	4.09	4.19	4.32	0.00	Accommodates Splice	
346	U1423	B	2	H	1	1.50	1.50	4.10	5.60	4.54	6.04	0.22	Accommodates Splice	
346	U1423	A	1	H	CC	0.16	0.16	7.10	7.26	7.10	7.26	1.06	Accommodates Splice	
346	U1423	A	2	H	1	1.50	1.50	7.30	8.80	7.77	9.27	0.51	Accommodates Splice	
346	U1423	A	2	H	2	1.50	1.50	8.80	10.30	9.27	10.77	0.00	Accommodates Splice	
346	U1423	A	2	H	3	1.50	1.50	10.30	11.80	10.77	12.27	0.00	Accommodates Splice	
346	U1423	B	2	H	7	0.60	0.60	13.10	13.70	13.54	14.14	1.27	Accommodates Splice	
346	U1423	B	2	H	CC	0.20	0.20	13.70	13.90	14.14	14.34	0.00	Accommodates Splice	
346	U1423	B	3	H	1	1.50	1.50	13.60	15.10	14.40	15.90	0.06	Accommodates Splice	
346	U1423	A	2	H	7	0.56	0.56	16.30	16.86	16.77	17.33	0.87	Accommodates Splice	
346	U1423	A	2	H	CC	0.16	0.16	16.86	17.02	17.33	17.49	0.00	Accommodates Splice	
346	U1423	A	3	H	1	1.50	1.50	16.80	18.30	17.66	19.16	0.17	Accommodates Splice	
346	U1423	A	3	H	2	1.50	1.50	18.30	19.80	19.16	20.66	0.00	Accommodates Splice	
346	U1423	A	3	H	3	1.50	1.50	19.80	21.30	20.66	22.16	0.00	Accommodates Splice	
346	U1423	A	3	H	4	1.50	1.50	21.30	22.80	22.16	23.66	0.00	Accommodates Splice	
346	U1423	B	3	H	CC	0.24	0.24	23.15	23.39	23.95	24.19	0.29	Accommodates Splice	
346	U1423	B	4	H	1	1.50	1.50	23.10	24.60	24.26	25.76	0.07	Accommodates Splice	
346	U1423	A	3	H	CC	0.18	0.18	26.45	26.63	27.31	27.49	1.55	Accommodates Splice	
346	U1423	A	4	H	1	1.45	1.45	26.30	27.75	27.84	29.29	0.35	Accommodates Splice	
346	U1423	A	4	H	2	1.50	1.50	27.75	29.25	29.29	30.79	0.00	Accommodates Splice	
346	U1423	A	4	H	3	1.50	1.50	29.25	30.75	30.79	32.29	0.00	Accommodates Splice	
346	U1423	B	4	H	CC	0.20	0.20	32.75	32.95	33.91	34.11	1.62	Accommodates Splice	
346	U1423	B	5	H	1	1.50	1.50	32.60	34.10	34.03	35.53	-0.08	Accommodates Splice	
346	U1423	A	4	H	7	0.53	0.53	35.25	35.78	36.79	37.32	1.26	Accommodates Splice	
346	U1423	A	4	H	CC	0.34	0.34	35.78	36.12	37.32	37.66	0.00	Accommodates Splice	
346	U1423	A	5	H	1	1.50	1.50	35.80	37.30	37.94	39.44	0.28	Accommodates Splice	
346	U1423	A	5	H	2	1.50	1.50	37.30	38.80	39.44	40.94	0.00	Accommodates Splice	
346	U1423	A	5	H	3	1.50	1.50	38.80	40.30	40.94	42.44	0.00	Accommodates Splice	
346	U1423	B	5	H	7	0.62	0.62	41.60	42.22	43.03	43.65	0.59	Accommodates Splice	
346	U1423	B	5	H	CC	0.12	0.12	42.22	42.34	43.85	43.77	0.00	Accommodates Splice	
346	U1423	B	6	H	1	1.50	1.50	42.10	43.60	44.24	45.74	0.47	Accommodates Splice	
346	U1423	A	5	H	CC	0.25	0.25	45.18	45.43	47.32	47.56	1.58	Accommodates Splice	
346	U1423	A	6	H	1	1.50	1.50	45.30	46.80	47.69	49.19	0.13	Accommodates Splice	
346	U1423	A	6	H	2	1.45	1.45	46.80	48.25	49.19	50.64	0.00	Accommodates Splice	
346	U1423	A	6	H	3	1.50	1.50	48.25	49.75	50.64	52.14	0.00	Accommodates Splice	
346	U1423	B	6	H	7	0.52	0.52	51.00	51.52	53.14	53.66	1.00	Accommodates Splice	
346	U1423	B	6	H	CC	0.22	0.22	51.52	51.74	53.66	53.88	0.00	Accommodates Splice	
346	U1423	B	7	H	1	1.50	1.50	51.60	53.10	53.70	55.20	-0.18	Accommodates Splice	
346	U1423	A	6	H	CC	0.22	0.22	54.74	54.96	57.13	57.35	1.93	Accommodates Splice	
346	U1423	A	7	H	1	1.50	1.50	54.80	56.30	57.80	59.30	0.45	Accommodates Splice	
346	U1423	A	7	H	2	1.50	1.50	56.30	57.80	59.30	60.80	0.00	Accommodates Splice	
346	U1423	A	7	H	3	1.50	1.50	57.80	59.30	60.80	62.30	0.00	Accommodates Splice	
346	U1423	B	7	H	7	0.61	0.61	60.60	61.21	62.70	63.31	0.40	Accommodates Splice	
346	U1423	B	7	H	CC	0.20	0.20	61.21	61.41	63.31	63.51	0.00	Accommodates Splice	
346	U1423	B	8	H	1	1.50	1.50	61.10	62.60	63.39	64.89	-0.12	Accommodates Splice	
346	U1423	A	7	H	7	0.60	0.60	63.80	64.40	66.80	67.40	1.91	Accommodates Splice	
346	U1423	A	7	H	CC	0.29	0.29	64.40	64.69	67.40	67.69	0.00	Accommodates Splice	
346	U1423	A	8	H	1	1.50	1.50	64.30	65.80	67.90	69.40	0.21	Accommodates Splice	
346	U1423	A	8	H	2	1.50	1.50	65.80	67.30	69.40	70.90	0.00	Accommodates Splice	
346	U1423	B	8	H	7	0.51	0.51	70.10	70.61	72.39	72.90	1.49	Accommodates Splice	
346	U1423	B	8	H	CC	0.23	0.23	70.61	70.84	72.90	73.13	0.00	Accommodates Splice	
346	U1423	B	9	H	1	1.50	1.50	70.60	72.10	73.41	74.91	0.28	Accommodates Splice	
346	U1423	A	8	H	7	0.57	0.57	73.30	73.87	76.90	77.47	1.99	Accommodates Splice	
346	U1423	A	8	H	CC	0.32	0.32	73.87	74.19	77.47	77.79	0.00	Accommodates Splice	
346	U1423	A	9	H	1	1.50	1.50	73.80	75.30	77.64	79.14	-0.15	Accommodates Splice	
346	U1423	A	9	H	2	1.50	1.50	75.30	76.80	79.14	80.64	0.00	Accommodates Splice	
346	U1423	A	9	H	3	1.50	1.50	76.80	78.30	80.64	82.14	0.00	Accommodates Splice	
346	U1423	B	9	H	CC	0.23	0.23	80.24	80.47	83.05	83.28	0.91	Accommodates Splice	
346	U1423	B	10	H	1	1.46	1.46	80.10	81.56	83.65	85.11	0.37	Accommodates Splice	
346	U1423	A	9	H	7	0.56	0.56	82.80	83.36	86.64	87.20	1.53	Accommodates Splice	
346	U1423	A	9	H	CC	0.28	0.28	83.36	83.64	87.20	87.48	0.00	Accommodates Splice	
346	U1423	A	10	H	1	1.50	1.50	83.30	84.80	87.48	88.98	0.00	Accommodates Splice	
346	U1423	A	10	H	2	1.50	1.50	84.80	86.30	88.98	90.48	0.00	Accommodates Splice	
346	U1423	B	10	H	7	0.62	0.62	89.06	89.68	92.61	93.23	2.13	Accommodates Splice	
346	U1423	B	10	H	CC	0.16	0.16	89.68	89.84	93.23	93.39	0.00	Accommodates Splice	
346	U1423	B	11	H	1	1.50	1.50	89.60	91.10	93.88	95.38	0.49	Accommodates Splice	
346	U1423	A	10	H	CC	0.30	0.30	92.91	93.21	97.10	97.40	1.72	Accommodates Splice	

Site U1423 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1423	A	11	H	1	1.50	1.50	92.80	94.30	97.29	98.79	-0.11	Accommodates Splice	
346	U1423	A	11	H	2	1.50	1.50	94.30	95.80	98.79	100.29	0.00	Accommodates Splice	
346	U1423	A	11	H	3	1.50	1.50	95.80	97.30	100.29	101.79	0.00	Accommodates Splice	
346	U1423	B	11	H	7	0.52	0.52	98.60	99.12	102.88	103.40	1.09	Accommodates Splice	
346	U1423	B	11	H	CC	0.22	0.22	99.12	99.34	103.40	103.62	0.00	Accommodates Splice	
346	U1423	B	12	H	1	1.50	1.50	99.10	100.60	103.84	105.34	0.22	Accommodates Splice	
346	U1423	A	11	H	7	0.55	0.55	101.80	102.35	106.29	106.84	0.95	Accommodates Splice	
346	U1423	A	11	H	CC	0.25	0.25	102.35	102.60	106.84	107.09	0.00	Accommodates Splice	
346	U1423	A	12	H	1	1.50	1.50	102.30	103.80	106.31	107.81	-0.78	Accommodates Splice	
346	U1423	A	12	H	2	1.50	1.50	103.80	105.30	107.81	109.31	0.00	Accommodates Splice	
346	U1423	A	12	H	3	1.50	1.50	105.30	106.80	109.31	110.81	0.00	Accommodates Splice	
346	U1423	A	12	H	4	1.50	1.50	106.80	108.30	110.81	112.31	0.00	Accommodates Splice	
346	U1423	B	12	H	CC	0.19	0.19	108.68	108.87	113.42	113.61	1.11	Accommodates Splice	
346	U1423	B	13	H	1	1.50	1.50	108.60	110.10	113.80	115.30	0.19	Accommodates Splice	
346	U1423	A	12	H	CC	0.25	0.25	111.86	112.11	115.87	116.12	0.57	Accommodates Splice	
346	U1423	A	13	H	1	1.50	1.50	111.80	113.30	116.70	118.20	0.58	Accommodates Splice	
346	U1423	A	13	H	2	1.50	1.50	113.30	114.80	118.20	119.70	0.00	Accommodates Splice	
346	U1423	C	2	H	1	1.50	1.50	114.00	115.50	120.42	121.92	0.72	Accommodates Splice	
346	U1423	C	2	H	2	1.50	1.50	115.50	117.00	121.92	123.42	0.00	Accommodates Splice	
346	U1423	C	2	H	3	1.50	1.50	117.00	118.50	123.42	124.92	0.00	Accommodates Splice	
346	U1423	C	2	H	4	1.50	1.50	118.50	120.00	124.92	126.42	0.00	Accommodates Splice	
346	U1423	A	13	H	7	0.61	0.61	120.80	121.41	125.70	126.31	-0.72	Accommodates Splice	
346	U1423	A	13	H	CC	0.33	0.33	121.41	121.74	126.31	126.64	0.00	Accommodates Splice	
346	U1423	A	14	H	1	1.50	1.50	121.30	122.80	126.28	127.78	-0.36	Accommodates Splice	
346	U1423	A	14	H	2	1.50	1.50	122.80	124.30	127.78	129.28	0.00	Accommodates Splice	
346	U1423	A	14	H	3	1.50	1.50	124.30	125.80	129.28	130.78	0.00	Accommodates Splice	
346	U1423	C	3	H	1	1.50	1.50	123.50	125.00	130.21	131.71	-0.57	Accommodates Splice	
346	U1423	C	3	H	2	1.50	1.50	125.00	126.50	131.71	133.21	0.00	Accommodates Splice	
346	U1423	C	3	H	3	1.50	1.50	126.50	128.00	133.21	134.71	0.00	Accommodates Splice	
346	U1423	C	3	H	4	1.50	1.50	128.00	129.50	134.71	136.21	0.00	Accommodates Splice	
346	U1423	C	3	H	5	1.50	1.50	129.50	131.00	136.21	137.71	0.00	Accommodates Splice	
346	U1423	C	3	H	6	1.50	1.50	131.00	132.50	137.71	139.21	0.00	Accommodates Splice	
346	U1423	C	4	H	1	1.50	1.50	133.00	134.50	139.10	140.60	-0.11	Accommodates Splice	
346	U1423	C	4	H	2	1.50	1.50	134.50	136.00	140.60	142.10	0.00	Accommodates Splice	
346	U1423	C	4	H	3	1.50	1.50	136.00	137.50	142.10	143.60	0.00	Accommodates Splice	
346	U1423	B	16	H	5	1.50	1.50	138.60	140.10	144.15	145.65	0.55	Accommodates Splice	
346	U1423	B	16	H	6	1.50	1.50	140.10	141.60	145.65	147.15	0.00	Accommodates Splice	
346	U1423	B	16	H	7	0.63	0.63	141.60	142.23	147.15	147.78	0.00	Accommodates Splice	
346	U1423	B	16	H	CC	0.23	0.23	142.23	142.46	147.78	148.01	0.00	Accommodates Splice	
346	U1423	C	4	H	7	0.58	0.58	142.00	142.58	148.10	148.68	0.09	Accommodates Splice	
346	U1423	C	4	H	CC	0.12	0.12	142.58	142.70	148.68	148.80	0.00	Accommodates Splice	
346	U1423	A	16	H	3	1.50	1.50	143.30	144.80	149.62	151.12	0.82	Accommodates Splice	
346	U1423	A	16	H	4	1.50	1.50	144.80	146.30	151.12	152.62	0.00	Accommodates Splice	
346	U1423	A	16	H	5	1.50	1.50	146.30	147.80	152.62	154.12	0.00	Accommodates Splice	
346	U1423	A	16	H	6	1.50	1.50	147.80	149.30	154.12	155.62	0.00	Accommodates Splice	
346	U1423	A	16	H	7	0.76	0.76	149.30	150.06	155.62	156.38	0.00	Accommodates Splice	
346	U1423	A	16	H	CC	0.18	0.18	150.06	150.24	156.38	156.56	0.00	Accommodates Splice	
346	U1423	A	17	H	1	1.50	1.50	149.80	151.30	156.14	157.64	-0.42	Accommodates Splice	
346	U1423	A	17	H	2	1.50	1.50	151.30	152.80	157.64	159.14	0.00	Accommodates Splice	
346	U1423	A	17	H	3	1.50	1.50	152.80	154.30	159.14	160.64	0.00	Accommodates Splice	
346	U1423	A	17	H	4	1.50	1.50	154.30	155.80	160.64	162.14	0.00	Accommodates Splice	
346	U1423	A	17	H	5	1.50	1.50	155.80	157.30	162.14	163.64	0.00	Accommodates Splice	
346	U1423	A	17	H	6	1.00	1.00	157.30	158.30	163.64	164.64	0.00	Accommodates Splice	
346	U1423	A	17	H	7	0.65	0.65	158.30	158.95	164.64	165.29	0.00	Accommodates Splice	
346	U1423	A	17	H	CC	0.22	0.22	158.95	159.17	165.29	165.51	0.00	Accommodates Splice	
346	U1423	A	18	H	1	1.50	1.50	159.10	160.60	165.93	167.43	0.42	Accommodates Splice	
346	U1423	A	18	H	2	1.50	1.50	160.60	162.10	167.43	168.93	0.00	Accommodates Splice	
346	U1423	A	18	H	3	1.50	1.50	162.10	163.60	168.93	170.43	0.00	Accommodates Splice	
346	U1423	A	18	H	4	1.50	1.50	163.60	165.10	170.43	171.93	0.00	Accommodates Splice	
346	U1423	B	19	H	7	0.61	0.61	166.69	167.30	173.60	174.21	1.67	Accommodates Splice	
346	U1423	B	19	H	CC	0.26	0.26	167.30	167.56	174.21	174.47	0.00	Accommodates Splice	
346	U1423	A	18	H	CC	0.24	0.24	168.69	168.93	175.52	175.76	1.05	Accommodates Splice	
346	U1423	A	19	H	1	1.50	1.50	168.60	170.10	176.08	177.58	0.32	Accommodates Splice	
346	U1423	A	19	H	2	1.50	1.50	170.10	171.60	177.58	179.08	0.00	Accommodates Splice	
346	U1423	A	19	H	3	1.50	1.50	171.60	173.10	179.08	180.58	0.00	Accommodates Splice	
346	U1423	A	19	H	4	1.50	1.50	173.10	174.60	180.58	182.08	0.00	Accommodates Splice	
346	U1423	C	9	H	3	1.50	1.50	174.00	175.50	181.91	183.41	-0.17	Accommodates Splice	
346	U1423	C	9	H	4	1.50	1.50	175.50	177.00	183.41	184.91	0.00	Accommodates Splice	
346	U1423	C	9	H	5	1.50	1.50	177.00	178.50	184.91	186.41	0.00	Accommodates Splice	
346	U1423	A	19	H	CC	0.29	0.29	178.10	178.39	185.58	185.87	-0.83	Accommodates Splice	

Site U1423 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1423	A	20	H	1	1.50	1.50	178.10	179.60	185.72	187.22	-0.15	Accommodates Splice	
346	U1423	A	20	H	2	1.50	1.50	179.60	181.10	187.22	188.72	0.00	Accommodates Splice	
346	U1423	B	21	H	CC	0.25	0.25	182.82	183.07	189.90	190.15	1.18	Accommodates Splice	
346	U1423	B	22	H	1	1.50	1.50	182.60	184.10	189.81	191.31	-0.34	Accommodates Splice	
346	U1423	B	22	H	2	1.50	1.50	184.10	185.60	191.31	192.81	0.00	Accommodates Splice	
346	U1423	A	20	H	7	0.74	0.74	186.80	187.54	194.42	195.16	1.61	Accommodates Splice	
346	U1423	A	20	H	CC	0.23	0.23	187.54	187.77	195.16	195.38	0.00	Accommodates Splice	
346	U1423	A	21	H	1	1.50	1.50	187.60	189.10	195.51	197.01	0.13	Accommodates Splice	
346	U1423	A	21	H	2	1.50	1.50	189.10	190.60	197.01	198.51	0.00	Accommodates Splice	
346	U1423	B	22	H	CC	0.25	0.25	192.13	192.38	199.34	199.59	0.83	Accommodates Splice	
346	U1423	B	23	H	1	1.50	1.50	192.10	193.60	199.55	201.05	-0.04	Accommodates Splice	
346	U1423	B	23	H	2	1.50	1.50	193.60	195.10	201.05	202.55	0.00	Accommodates Splice	
346	U1423	A	21	H	6	1.50	1.50	195.10	196.60	203.01	204.51	0.46	Accommodates Splice	
346	U1423	A	21	H	7	0.50	0.50	196.60	197.10	204.51	205.01	0.00	Accommodates Splice	
346	U1423	A	21	H	CC	0.17	0.17	197.10	197.27	205.01	205.18	0.00	Accommodates Splice	
346	U1423	A	22	H	1	1.50	1.50	197.10	198.60	205.19	206.69	0.01	Accommodates Splice	
346	U1423	A	22	H	2	1.50	1.50	198.60	200.10	206.69	208.19	0.00	Accommodates Splice	
346	U1423	B	23	H	7	0.65	0.65	201.10	201.75	208.55	209.20	0.36	Accommodates Splice	
346	U1423	B	23	H	CC	0.20	0.20	201.75	201.95	209.20	209.40	0.00	Accommodates Splice	
346	U1423	B	24	H	1	1.50	1.50	201.60	203.10	209.22	210.72	-0.18	Accommodates Splice	
346	U1423	B	24	H	2	1.50	1.50	203.10	204.60	210.72	212.22	0.00	Accommodates Splice	
346	U1423	B	24	H	3	1.50	1.50	204.60	206.10	212.22	213.72	0.00	Single cored, below splice	
346	U1423	B	24	H	4	1.50	1.50	206.10	207.60	213.72	215.22	0.00	Single cored, below splice	
346	U1423	B	24	H	5	1.50	1.50	207.60	209.10	215.22	216.72	0.00	Single cored, below splice	
346	U1423	B	24	H	6	1.50	1.50	209.10	210.60	216.72	218.22	0.00	Single cored, below splice	
346	U1423	B	24	H	7	0.64	0.64	210.60	211.24	218.22	218.86	0.00	Single cored, below splice	
346	U1423	B	24	H	CC	0.23	0.23	211.24	211.47	218.86	219.09	0.00	Single cored, below splice	
346	U1423	B	25	H	1	1.50	1.50	211.10	212.60	218.72	220.22	-0.37	Single cored, below splice	
346	U1423	B	25	H	2	1.50	1.50	212.60	214.10	220.22	221.72	0.00	Single cored, below splice	
346	U1423	B	25	H	3	1.50	1.50	214.10	215.60	221.72	223.22	0.00	Single cored, below splice	
346	U1423	B	25	H	4	1.50	1.50	215.60	217.10	223.22	224.72	0.00	Single cored, below splice	
346	U1423	B	25	H	5	1.50	1.50	217.10	218.60	224.72	226.22	0.00	Single cored, below splice	
346	U1423	B	25	H	6	1.31	1.31	218.60	219.91	226.22	227.53	0.00	Single cored, below splice	
346	U1423	B	25	H	7	0.64	0.64	219.91	220.55	227.53	228.17	0.00	Single cored, below splice	
346	U1423	B	25	H	CC	0.28	0.28	220.55	220.83	228.17	228.45	0.00	Single cored, below splice	
346	U1423	B	26	H	1	1.50	1.50	220.60	222.10	228.22	229.72	-0.23	Single cored, below splice	
346	U1423	B	26	H	2	1.50	1.50	222.10	223.60	229.72	231.22	0.00	Single cored, below splice	
346	U1423	B	26	H	3	1.50	1.50	223.60	225.10	231.22	232.72	0.00	Single cored, below splice	
346	U1423	B	26	H	4	1.50	1.50	225.10	226.60	232.72	234.22	0.00	Single cored, below splice	
346	U1423	B	26	H	5	1.50	1.50	226.60	228.10	234.22	235.72	0.00	Single cored, below splice	
346	U1423	B	26	H	6	1.50	1.50	228.10	229.60	235.72	237.22	0.00	Single cored, below splice	
346	U1423	B	26	H	7	0.50	0.50	229.60	230.10	237.22	237.72	0.00	Single cored, below splice	
346	U1423	B	27	H	1	1.50	1.50	230.10	231.60	237.72	239.22	0.00	Single cored, below splice	
346	U1423	B	27	H	2	1.50	1.50	231.60	233.10	239.22	240.72	0.00	Single cored, below splice	
346	U1423	B	27	H	3	1.50	1.50	233.10	234.60	240.72	242.22	0.00	Single cored, below splice	
346	U1423	B	27	H	4	1.50	1.50	234.60	236.10	242.22	243.72	0.00	Single cored, below splice	
346	U1423	B	27	H	5	1.50	1.50	236.10	237.60	243.72	245.22	0.00	Single cored, below splice	
346	U1423	B	27	H	6	1.50	1.50	237.60	239.10	245.22	246.72	0.00	Single cored, below splice	
346	U1423	B	27	H	7	0.62	0.62	239.10	239.72	246.72	247.34	0.00	Single cored, below splice	
346	U1423	B	27	H	CC	0.28	0.28	239.72	240.00	247.34	247.62	0.00	Single cored, below splice	
346	U1423	B	28	H	1	1.50	1.50	239.60	241.10	247.22	248.72	-0.40	Single cored, below splice	
346	U1423	B	28	H	2	1.50	1.50	241.10	242.60	248.72	250.22	0.00	Single cored, below splice	
346	U1423	B	28	H	3	1.50	1.50	242.60	244.10	250.22	251.72	0.00	Single cored, below splice	
346	U1423	B	28	H	4	1.50	1.50	244.10	245.60	251.72	253.22	0.00	Single cored, below splice	
346	U1423	B	28	H	5	1.50	1.50	245.60	247.10	253.22	254.72	0.00	Single cored, below splice	
346	U1423	B	28	H	6	1.50	1.50	247.10	248.60	254.72	256.22	0.00	Single cored, below splice	
346	U1423	B	28	H	7	0.70	0.70	248.60	249.30	256.22	256.92	0.00	Single cored, below splice	
346	U1423	B	28	H	CC	0.22	0.22	249.30	249.52	256.92	257.14	0.00	Single cored, below splice	
346	U1423	B	13	H	6	1.50	1.50	116.10	117.60	121.30	122.80			
346	U1423	B	13	H	7	0.59	0.59	117.60	118.19	122.80	123.39			
346	U1423	B	13	H	CC	0.27	0.27	118.19	118.46	123.39	123.66			
346	U1423	B	14	H	6	1.50	1.50	125.60	127.10	131.38	132.88			
346	U1423	B	14	H	7	0.53	0.53	127.10	127.63	132.88	133.41			
346	U1423	B	14	H	CC	0.25	0.25	127.63	127.88	133.41	133.66			
346	U1423	B	15	H	1	1.50	1.50	127.60	129.10	133.49	134.99			Half Core
346	U1423	B	15	H	4	0.50	0.50	132.10	132.60	137.99	138.49			Half Core
346	U1423	B	15	H	CC	0.25	0.25	132.60	132.85	138.49	138.74			Half Core

Site U1423 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1423	B	16	H	1	1.50	1.50	132.60	134.10	138.15	139.65			
346	U1423	B	16	H	2	1.50	1.50	134.10	135.60	139.65	141.15			
346	U1423	B	16	H	3	1.50	1.50	135.60	137.10	141.15	142.65			
346	U1423	B	16	H	4	1.50	1.50	137.10	138.60	142.65	144.15			
346	U1423	B	17	H	7	0.62	0.62	151.10	151.72	157.37	157.99			
346	U1423	B	17	H	CC	0.23	0.23	151.72	151.95	157.99	158.22			
346	U1423	B	20	H	7	0.61	0.61	176.60	177.21	183.79	184.40			
346	U1423	B	20	H	CC	0.18	0.18	177.21	177.39	184.40	184.58			
346	U1423	C	2	H	5	1.50	1.50	120.00	121.50	126.42	127.92			
346	U1423	C	2	H	6	1.50	1.50	121.50	123.00	127.92	129.42			
346	U1423	C	2	H	7	0.59	0.59	123.00	123.59	129.42	130.01			
346	U1423	C	2	H	CC	0.25	0.25	123.59	123.84	130.01	130.26			
346	U1423	C	3	H	7	0.66	0.66	132.50	133.16	139.21	139.87			
346	U1423	C	3	H	CC	0.26	0.26	133.16	133.42	139.87	140.13			
346	U1423	C	6	H	CC	0.23	0.23	159.77	160.00	165.96	166.19			
346	U1423	C	8	H	1	1.50	1.50	161.50	163.00	161.50	163.00			
346	U1423	C	8	H	2	1.50	1.50	163.00	164.50	163.00	164.50			
346	U1423	C	8	H	3	1.50	1.50	164.50	166.00	164.50	166.00			
346	U1423	C	8	H	4	1.50	1.50	166.00	167.50	166.00	167.50			
346	U1423	C	8	H	5	1.51	1.51	167.50	169.01	167.50	169.01			
346	U1423	C	8	H	6	1.50	1.50	169.01	170.51	169.01	170.51			
346	U1423	C	8	H	7	0.51	0.51	170.51	171.02	170.51	171.02			
346	U1423	C	8	H	CC	0.18	0.18	171.02	171.20	171.02	171.20			
346	U1423	C	9	H	1	1.50	1.50	171.00	172.50	178.91	180.41			
346	U1423	C	9	H	2	1.50	1.50	172.50	174.00	180.41	181.91			
346	U1423	C	9	H	6	1.50	1.50	178.50	180.00	186.41	187.91			
346	U1423	C	9	H	7	0.66	0.66	180.00	180.66	187.91	188.57			
346	U1423	C	9	H	CC	0.25	0.25	180.66	180.91	188.57	188.82			
TOTALS:						521.96	521.96							