

<b>U1426 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1426	D	1	H	1	1.50	1.50	0.00	1.50	0.15	1.65	0.15	Accommodates splice	
346	U1426	D	1	H	2	1.50	1.50	1.50	3.00	1.65	3.15	0.00	Accommodates splice	
346	U1426	D	1	H	3	1.23	1.23	3.00	4.23	3.15	4.38	0.00	Accommodates splice	
346	U1426	D	1	H	CC	0.17	0.17	4.23	4.40	4.38	4.55	0.00	Accommodates splice	
346	U1426	D	2	H	1	1.50	1.50	4.40	5.90	5.00	6.50	0.45	Accommodates splice	
346	U1426	D	2	H	2	1.50	1.50	5.90	7.40	6.50	8.00	0.00	Accommodates splice	
346	U1426	D	2	H	3	1.50	1.50	7.40	8.90	8.00	9.50	0.00	Accommodates splice	
346	U1426	D	2	H	4	1.50	1.50	8.90	10.40	9.50	11.00	0.00	Accommodates splice	
346	U1426	D	2	H	5	1.50	1.50	10.40	11.90	11.00	12.50	0.00	Accommodates splice	
346	U1426	D	2	H	6	1.50	1.50	11.90	13.40	12.50	14.00	0.00	Accommodates splice	
346	U1426	D	2	H	7	0.62	0.62	13.40	14.02	14.00	14.62	0.00	Accommodates splice	
346	U1426	D	2	H	CC	0.27	0.27	14.02	14.29	14.62	14.89	0.00	Accommodates splice	
346	U1426	D	3	H	1	1.50	1.50	13.90	15.40	15.06	16.56	0.17	Accommodates splice	
346	U1426	D	3	H	2	1.50	1.50	15.40	16.90	16.56	18.06	0.00	Accommodates splice	
346	U1426	D	3	H	3	1.50	1.50	16.90	18.40	18.06	19.56	0.00	Accommodates splice	
346	U1426	D	3	H	4	1.52	1.52	18.40	19.92	19.56	21.08	0.00	Accommodates splice	
346	U1426	D	3	H	5	1.54	1.54	19.92	21.46	21.08	22.62	0.00	Accommodates splice	
346	U1426	D	3	H	6	1.54	1.54	21.46	23.00	22.62	24.16	0.00	Accommodates splice	
346	U1426	D	3	H	7	0.84	0.84	23.00	23.84	24.16	25.00	0.00	Accommodates splice	
346	U1426	D	3	H	CC	0.27	0.27	23.84	24.11	25.00	25.27	0.00	Accommodates splice	
346	U1426	D	4	H	1	1.50	1.38	23.40	24.78	25.74	27.12	0.47	Accommodates splice	
346	U1426	D	4	H	2	1.38	1.51	24.78	26.29	27.12	28.63	0.00	Accommodates splice	
346	U1426	D	4	H	3	1.50	1.50	26.29	27.79	28.63	30.13	0.00	Accommodates splice	
346	U1426	D	4	H	4	1.50	1.50	27.79	29.29	30.13	31.63	0.00	Accommodates splice	
346	U1426	D	4	H	5	1.50	1.51	29.29	30.80	31.63	33.14	0.00	Accommodates splice	
346	U1426	D	4	H	6	1.50	1.50	30.80	32.30	33.14	34.64	0.00	Accommodates splice	
346	U1426	D	4	H	7	0.82	0.82	32.30	33.12	34.64	35.46	0.00	Accommodates splice	
346	U1426	D	4	H	CC	0.31	0.31	33.12	33.43	35.46	35.77	0.00	Accommodates splice	
346	U1426	B	4	H	6	1.41	1.41	32.70	34.11	35.48	36.89	-0.29	Accommodates splice	
346	U1426	D	5	H	1	0.56	0.56	32.90	33.46	36.53	37.09	-0.36	Accommodates splice	
346	U1426	A	5	H	3	1.34	1.34	33.50	34.84	37.24	38.58	0.15	Accommodates splice	
346	U1426	A	5	H	4	1.04	1.04	34.84	35.88	38.58	39.62	0.00	Accommodates splice	
346	U1426	A	5	H	5	1.40	1.40	35.88	37.28	39.62	41.02	0.00	Accommodates splice	
346	U1426	A	5	H	6	1.22	1.22	37.28	38.50	41.02	42.24	0.00	Accommodates splice	
346	U1426	A	5	H	7	1.43	1.43	38.50	39.93	42.24	43.67	0.00	Accommodates splice	
346	U1426	A	5	H	CC	0.37	0.37	39.93	40.30	43.67	44.04	0.00	Accommodates splice	
346	U1426	A	6	H	1	0.17	0.17	40.50	40.67	45.13	45.30	1.09	Accommodates splice	
346	U1426	A	6	H	2	1.41	1.41	40.67	42.08	45.30	46.71	0.00	Accommodates splice	
346	U1426	A	6	H	3	1.42	1.42	42.08	43.50	46.71	48.13	0.00	Accommodates splice	
346	U1426	A	6	H	4	1.07	1.07	43.50	44.57	48.13	49.20	0.00	Accommodates splice	
346	U1426	D	6	H	2	1.21	1.21	43.90	45.11	49.24	50.45	0.04	Accommodates splice	
346	U1426	D	6	H	3	1.50	1.37	45.11	46.48	50.45	51.82	0.00	Accommodates splice	
346	U1426	D	6	H	4	1.42	1.14	46.48	47.62	51.82	52.96	0.00	Accommodates splice	
346	U1426	D	6	H	5	1.10	1.51	47.62	49.13	52.96	54.47	0.00	Accommodates splice	
346	U1426	D	6	H	6	1.50	1.50	49.13	50.63	54.47	55.97	0.00	Accommodates splice	
346	U1426	D	6	H	7	1.42	0.77	50.63	51.40	55.97	56.74	0.00	Accommodates splice	
346	U1426	D	6	H	CC	0.37	0.37	51.40	51.77	56.74	57.11	0.00	Accommodates splice	
346	U1426	A	7	H	2	1.22	1.22	51.34	52.56	57.03	58.25	-0.08	Accommodates splice	
346	U1426	D	7	H	2	1.27	1.27	52.90	54.17	58.85	60.12	0.60	Accommodates splice	
346	U1426	D	7	H	3	1.34	1.34	54.17	55.51	60.12	61.46	0.00	Accommodates splice	
346	U1426	D	7	H	4	0.99	0.99	55.51	56.50	61.46	62.45	0.00	Accommodates splice	
346	U1426	D	7	H	5	1.40	1.40	56.50	57.90	62.45	63.85	0.00	Accommodates splice	
346	U1426	D	7	H	6	1.41	1.41	57.90	59.31	63.85	65.26	0.00	Accommodates splice	
346	U1426	A	8	H	2	1.28	1.28	60.67	61.95	65.25	66.53	-0.01	Accommodates splice	
346	U1426	A	8	H	3	1.42	1.42	61.95	63.37	66.53	67.95	0.00	Accommodates splice	
346	U1426	A	8	H	4	1.06	1.06	63.37	64.43	67.95	69.01	0.00	Accommodates splice	
346	U1426	A	8	H	5	1.30	1.30	64.43	65.73	69.01	70.31	0.00	Accommodates splice	
346	U1426	A	8	H	6	1.10	1.10	65.73	66.83	70.31	71.41	0.00	Accommodates splice	
346	U1426	A	8	H	7	1.06	1.06	66.83	67.89	71.41	72.47	0.00	Accommodates splice	
346	U1426	A	8	H	8	0.66	0.66	67.89	68.55	72.47	73.13	0.00	Accommodates splice	
346	U1426	A	8	H	CC	0.45	0.45	68.55	69.00	73.13	73.58	0.00	Accommodates splice	
346	U1426	D	8	H	7	1.51	1.51	68.62	70.13	73.24	74.75	-0.34	Accommodates splice	
346	U1426	D	8	H	8	0.71	0.71	70.13	70.84	74.75	75.46	0.00	Accommodates splice	
346	U1426	A	9	H	2	1.42	1.42	69.24	70.66	75.22	76.64	-0.24	Accommodates splice	
346	U1426	A	9	H	3	1.29	1.29	70.66	71.95	76.64	77.93	0.00	Accommodates splice	
346	U1426	A	9	H	4	1.01	1.01	71.95	72.96	77.93	78.94	0.00	Accommodates splice	
346	U1426	A	9	H	5	1.34	1.34	72.96	74.30	78.94	80.28	0.00	Accommodates splice	
346	U1426	A	9	H	6	1.39	1.39	74.30	75.69	80.28	81.67	0.00	Accommodates splice	
346	U1426	A	9	H	7	1.29	1.29	75.69	76.98	81.67	82.96	0.00	Accommodates splice	
346	U1426	A	9	H	8	1.50	1.50	76.98	78.48	82.96	84.46	0.00	Accommodates splice	
346	U1426	A	9	H	CC	0.36	0.36	78.48	78.84	84.46	84.82	0.00	Accommodates splice	

**U1426 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1426	A	10	H	1	0.41	0.41	78.50	78.91	84.16	84.56	-0.66	Accommodates splice	
346	U1426	A	10	H	2	1.42	1.42	78.91	80.33	84.56	85.98	0.00	Accommodates splice	
346	U1426	A	10	H	3	1.35	1.35	80.33	81.68	85.98	87.34	0.00	Accommodates splice	
346	U1426	A	10	H	4	1.14	1.14	81.68	82.82	87.34	88.48	0.00	Accommodates splice	
346	U1426	A	10	H	5	1.36	1.36	82.82	84.18	88.48	89.84	0.00	Accommodates splice	
346	U1426	A	10	H	6	1.41	1.41	84.18	85.59	89.84	91.24	0.00	Accommodates splice	
346	U1426	A	10	H	7	1.42	1.42	85.59	87.01	91.24	92.66	0.00	Accommodates splice	
346	U1426	A	10	H	8	0.79	0.79	87.01	87.80	92.66	93.46	0.00	Accommodates splice	
346	U1426	A	10	H	9	0.63	0.63	87.80	88.43	93.46	94.08	0.00	Accommodates splice	
346	U1426	A	10	H	CC	0.46	0.46	88.43	88.89	94.08	94.54	0.00	Accommodates splice	
346	U1426	A	11	H	1	1.01	1.01	88.00	89.01	94.96	95.97	0.42	Accommodates splice	
346	U1426	A	11	H	2	1.47	1.47	89.01	90.48	95.97	97.44	0.00	Accommodates splice	
346	U1426	A	11	H	3	1.19	1.19	90.48	91.67	97.44	98.63	0.00	Accommodates splice	
346	U1426	A	11	H	4	1.33	1.33	91.67	93.00	98.63	99.96	0.00	Accommodates splice	
346	U1426	A	11	H	5	1.39	1.39	93.00	94.39	99.96	101.35	0.00	Accommodates splice	
346	U1426	A	11	H	6	1.42	1.42	94.39	95.81	101.35	102.77	0.00	Accommodates splice	
346	U1426	A	11	H	7	1.41	1.41	95.81	97.22	102.77	104.18	0.00	Accommodates splice	
346	U1426	A	11	H	8	1.35	1.35	97.22	98.57	104.18	105.53	0.00	Accommodates splice	
346	U1426	A	11	H	CC	0.20	0.20	98.57	98.77	105.53	105.73	0.00	Accommodates splice	
346	U1426	A	12	H	1	0.27	0.27	97.50	97.77	107.09	107.36	1.36	Accommodates splice	
346	U1426	A	12	H	2	0.94	0.94	97.77	98.71	107.36	108.30	0.00	Accommodates splice	
346	U1426	A	12	H	3	1.38	1.38	98.71	100.09	108.30	109.68	0.00	Accommodates splice	
346	U1426	A	12	H	4	1.41	1.41	100.09	101.50	109.68	111.09	0.00	Accommodates splice	
346	U1426	C	12	H	7	1.36	1.36	102.49	103.85	111.58	112.94	0.49	Accommodates splice	
346	U1426	C	12	H	CC	0.26	0.26	103.85	104.11	112.94	113.20	0.00	Accommodates splice	
346	U1426	C	13	H	1	0.94	0.94	103.50	104.44	113.64	114.58	0.44	Accommodates splice	
346	U1426	A	12	H	CC	0.31	0.31	107.06	107.37	116.65	116.96	2.07	Accommodates splice	
346	U1426	A	13	H	1	0.94	0.94	107.00	107.94	116.79	117.73	-0.17	Accommodates splice	Extruded on rig floor
346	U1426	A	13	H	2	1.40	1.40	107.94	109.34	117.73	119.13	0.00	Accommodates splice	
346	U1426	A	13	H	3	1.47	1.47	109.34	110.81	119.13	120.60	0.00	Accommodates splice	
346	U1426	A	13	H	4	1.50	1.50	110.81	112.31	120.60	122.10	0.00	Accommodates splice	
346	U1426	A	13	H	7	1.00	1.00	115.33	116.33	125.12	126.12	3.02	Accommodates splice	
346	U1426	A	13	H	8	1.03	1.03	116.33	117.36	126.12	127.15	0.00	Accommodates splice	
346	U1426	A	13	H	CC	0.35	0.35	117.36	117.71	127.15	127.50	0.00	Accommodates splice	
346	U1426	A	14	H	1	1.21	1.21	116.50	117.71	128.36	129.56	0.86	Accommodates splice	Extruded on rig floor
346	U1426	A	14	H	2	1.33	1.33	117.71	119.04	129.56	130.90	0.00	Accommodates splice	
346	U1426	A	14	H	3	1.15	1.15	119.04	120.19	130.90	132.04	0.00	Accommodates splice	
346	U1426	C	14	H	8	0.67	0.67	122.53	123.20	133.90	134.57	1.86	Accommodates splice	
346	U1426	C	14	H	CC	0.19	0.19	123.20	123.39	134.57	134.76	0.00	Accommodates splice	
346	U1426	C	15	H	1	1.50	1.50	122.50	124.00	135.87	137.37	1.11	Accommodates splice	
346	U1426	A	14	H	8	0.86	0.86	125.80	126.66	137.66	138.52	0.29	Accommodates splice	
346	U1426	A	14	H	CC	0.53	0.53	126.66	127.19	138.52	139.04	0.00	Accommodates splice	
346	U1426	A	15	H	1	1.22	1.22	126.00	127.22	139.88	141.10	0.84	Accommodates splice	Extruded on rig floor
346	U1426	C	15	H	5	1.29	1.29	128.40	129.69	141.77	143.06	0.67	Accommodates splice	
346	U1426	C	15	H	6	0.96	0.96	129.69	130.65	143.06	144.02	0.00	Accommodates splice	
346	U1426	C	15	H	7	0.55	0.55	130.65	131.20	144.02	144.57	0.00	Accommodates splice	
346	U1426	C	15	H	8	0.63	0.63	131.20	131.83	144.57	145.20	0.00	Accommodates splice	
346	U1426	C	17	H	1	1.09	1.09	131.00	132.09	146.57	147.66	1.37	Accommodates splice	
346	U1426	A	15	H	8	0.64	0.64	136.01	136.65	149.89	150.53	2.23	Accommodates splice	
346	U1426	A	15	H	CC	0.19	0.19	136.65	136.84	150.53	150.72	0.00	Accommodates splice	
346	U1426	A	16	H	1	1.44	1.44	135.50	136.94	152.40	153.84	1.68	Accommodates splice	
346	U1426	C	17	H	8	0.99	0.99	139.78	140.77	155.35	156.34	1.51	Accommodates splice	
346	U1426	C	17	H	CC	0.24	0.24	140.77	141.01	156.34	156.58	0.00	Accommodates splice	
346	U1426	C	18	H	1	0.75	0.75	140.50	141.25	158.25	159.00	1.67	Accommodates splice	
346	U1426	C	18	H	2	1.27	1.27	141.25	142.52	159.00	160.27	0.00	Accommodates splice	
346	U1426	C	18	H	3	0.65	0.65	142.52	143.17	160.27	160.92	0.00	Accommodates splice	
346	U1426	A	16	H	7	0.66	0.66	144.38	145.04	161.28	161.94	0.36	Accommodates splice	
346	U1426	A	16	H	CC	0.38	0.38	145.04	145.42	161.94	162.32	0.00	Accommodates splice	
346	U1426	A	17	H	1	1.33	1.33	145.00	146.33	163.20	164.54	0.88	Accommodates splice	Extruded on rig floor
346	U1426	C	18	H	7	1.51	1.51	147.30	148.81	165.05	166.56	0.51	Accommodates splice	
346	U1426	C	18	H	8	1.25	1.25	148.81	150.06	166.56	167.81	0.00	Accommodates splice	
346	U1426	C	18	H	CC	0.42	0.42	150.06	150.48	167.81	168.23	0.00	Accommodates splice	
346	U1426	A	17	H	7	1.06	1.06	153.73	154.79	171.94	173.00	3.71	Accommodates splice	
346	U1426	A	17	H	8	0.43	0.43	154.79	155.22	173.00	173.42	0.00	Accommodates splice	
346	U1426	A	17	H	CC	0.36	0.36	155.22	155.58	173.42	173.78	0.00	Accommodates splice	
346	U1426	A	18	H	1	1.50	1.50	154.50	156.00	175.34	176.84	1.56	Accommodates splice	
346	U1426	C	19	H	8	1.14	1.14	158.46	159.60	177.96	179.10	1.12	Accommodates splice	
346	U1426	C	19	H	CC	0.28	0.28	159.60	159.88	179.10	179.38	0.00	Accommodates splice	
346	U1426	C	20	H	1	0.71	0.71	159.50	160.21	179.98	180.69	0.60	Accommodates splice	
346	U1426	C	20	H	2	1.31	1.31	160.21	161.52	180.69	182.00	0.00	Accommodates splice	
346	U1426	A	18	H	6	0.48	0.48	162.00	162.48	182.84	183.32	0.84	Accommodates splice	

<b>U1426 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1426	A	18	H	CC	0.19	0.19	162.48	162.67	183.32	183.51	0.00	Accommodates splice	
346	U1426	A	19	H	1	1.45	1.45	162.70	164.15	184.45	185.90	0.94	Accommodates splice	
346	U1426	A	19	H	2	1.50	1.50	164.15	165.65	185.00	187.40	0.00	Accommodates splice	
346	U1426	C	20	H	8	1.02	1.02	168.13	169.15	188.61	189.63	1.21	Accommodates splice	
346	U1426	C	20	H	CC	0.36	0.36	169.15	169.51	189.63	189.99	0.00	Accommodates splice	
346	U1426	A	19	H	7	0.76	0.76	171.30	172.06	193.05	193.81	3.06	Accommodates splice	
346	U1426	A	19	H	CC	0.43	0.43	172.06	172.49	193.81	194.24	0.00	Accommodates splice	
346	U1426	A	20	H	1	0.72	0.72	172.20	172.92	194.86	195.58	0.62	Accommodates splice	Extruded on rig floor
346	U1426	A	20	H	2	1.37	1.37	172.92	174.29	195.58	196.95	0.00	Accommodates splice	
346	U1426	A	20	H	3	1.50	1.50	174.29	175.79	196.95	198.45	0.00	Accommodates splice	
346	U1426	C	21	H	8	0.62	0.62	178.38	179.00	200.15	200.77	1.70	Accommodates splice	
346	U1426	C	21	H	CC	0.23	0.23	179.00	179.23	200.77	201.00	0.00	Accommodates splice	
346	U1426	C	22	H	1	1.50	1.50	178.50	180.00	200.88	202.38	-0.12	Accommodates splice	
346	U1426	A	20	H	8	0.87	0.87	181.23	182.10	203.89	204.76	1.51	Accommodates splice	
346	U1426	A	20	H	CC	0.21	0.21	182.10	182.31	204.76	204.97	0.00	Accommodates splice	
346	U1426	A	21	H	1	0.93	0.93	181.70	182.63	205.22	206.14	0.25	Accommodates splice	Extruded on rig floor
346	U1426	A	21	H	2	1.50	1.50	182.63	184.13	206.14	207.64	0.00	Accommodates splice	
346	U1426	C	22	H	CC	0.46	0.46	187.30	187.76	209.68	210.14	2.04	Accommodates splice	
346	U1426	C	23	H	1	0.39	0.39	187.00	187.39	211.43	211.82	1.29	Accommodates splice	
346	U1426	C	23	H	2	1.50	1.50	187.39	188.89	211.82	213.32	0.00	Accommodates splice	
346	U1426	A	21	H	8	0.52	0.52	191.13	191.65	214.64	215.16	1.32	Accommodates splice	
346	U1426	A	21	H	CC	0.23	0.23	191.65	191.88	215.16	215.40	0.00	Accommodates splice	
346	U1426	A	22	H	1	0.65	0.65	191.20	191.85	216.17	216.82	0.77	Accommodates splice	Extruded on rig floor
346	U1426	A	22	H	2	1.13	1.13	191.85	192.98	216.82	217.95	0.00	Accommodates splice	
346	U1426	A	22	H	3	1.40	1.40	192.98	194.38	217.95	219.35	0.00	Accommodates splice	
346	U1426	C	23	H	8	0.67	0.67	195.89	196.56	220.32	220.99	0.97	Accommodates splice	
346	U1426	C	23	H	CC	0.14	0.14	196.56	196.70	220.99	221.13	0.00	Accommodates splice	
346	U1426	C	24	H	1	1.42	1.42	196.50	197.92	221.82	223.24	0.69	Accommodates splice	
346	U1426	C	24	H	2	1.51	1.51	197.92	199.43	223.24	224.75	0.00	Accommodates splice	
346	U1426	A	22	H	8	0.62	0.62	200.25	200.87	225.22	225.84	0.47	Accommodates splice	
346	U1426	A	22	H	CC	0.38	0.38	200.87	201.25	225.84	226.22	0.00	Accommodates splice	
346	U1426	A	23	H	1	0.60	0.60	200.70	201.30	226.44	227.04	0.22	Accommodates splice	Extruded on rig floor
346	U1426	A	23	H	2	1.00	1.00	201.30	202.30	227.04	228.04	0.00	Accommodates splice	
346	U1426	A	23	H	3	1.44	1.44	202.30	203.74	228.04	229.48	0.00	Single cored, below splice	
346	U1426	A	23	H	4	1.50	1.50	203.74	205.24	229.48	230.98	0.00	Single cored, below splice	
346	U1426	A	23	H	5	1.50	1.50	205.24	206.74	230.98	232.48	0.00	Single cored, below splice	
346	U1426	A	23	H	6	1.50	1.50	206.74	208.24	232.48	233.98	0.00	Single cored, below splice	
346	U1426	A	23	H	7	1.50	1.50	208.24	209.74	233.98	235.48	0.00	Single cored, below splice	
346	U1426	A	23	H	8	0.75	0.75	209.74	210.49	235.48	236.23	0.00	Single cored, below splice	
346	U1426	A	23	H	CC	0.34	0.34	210.49	210.83	236.23	236.57	0.00	Single cored, below splice	
346	U1426	A	24	H	1	1.39	1.39	210.20	211.59	236.57	237.33	-0.63	Single cored, below splice	
346	U1426	A	24	H	2	1.50	1.50	211.59	213.09	237.33	238.83	0.00	Single cored, below splice	
346	U1426	A	24	H	3	1.47	1.47	213.09	214.56	238.83	240.30	0.00	Single cored, below splice	
346	U1426	A	24	H	4	1.46	1.46	214.56	216.02	240.30	241.76	0.00	Single cored, below splice	
346	U1426	A	24	H	5	1.38	1.38	216.02	217.40	241.76	243.14	0.00	Single cored, below splice	
346	U1426	A	24	H	6	0.86	0.86	217.40	218.26	243.14	244.00	0.00	Single cored, below splice	
346	U1426	A	24	H	CC	0.29	0.29	218.26	218.55	244.00	244.29	0.00	Single cored, below splice	
346	U1426	A	25	H	1	1.51	1.51	218.20	219.71	244.29	245.45	-0.35	Single cored, below splice	
346	U1426	A	25	H	2	1.48	1.48	219.71	221.19	245.45	246.93	0.00	Single cored, below splice	
346	U1426	A	25	H	3	1.50	1.50	221.19	222.69	246.93	248.43	0.00	Single cored, below splice	
346	U1426	A	25	H	4	1.48	1.48	222.69	224.17	248.43	249.91	0.00	Single cored, below splice	
346	U1426	A	25	H	5	1.48	1.48	224.17	225.65	249.91	251.39	0.00	Single cored, below splice	
346	U1426	A	25	H	6	0.88	0.88	225.65	226.53	251.39	252.27	0.00	Single cored, below splice	
346	U1426	A	25	H	7	0.71	0.71	226.53	227.24	252.27	252.98	0.00	Single cored, below splice	
346	U1426	A	25	H	CC	0.26	0.26	227.24	227.50	252.98	253.24	0.00	Single cored, below splice	
346	U1426	A	26	H	1	0.50	0.50	227.70	228.20	253.24	253.94	0.20	Single cored, below splice	Extruded on rig floor; disturbed
346	U1426	A	26	H	2	1.02	1.02	228.20	229.22	253.94	254.96	0.00	Single cored, below splice	
346	U1426	A	26	H	3	1.41	1.41	229.22	230.63	254.96	256.37	0.00	Single cored, below splice	
346	U1426	A	26	H	4	1.50	1.50	230.63	232.13	256.37	257.87	0.00	Single cored, below splice	
346	U1426	A	26	H	5	1.50	1.50	232.13	233.63	257.87	259.37	0.00	Single cored, below splice	
346	U1426	A	26	H	6	1.50	1.50	233.63	235.13	259.37	260.87	0.00	Single cored, below splice	
346	U1426	A	26	H	7	1.19	1.19	235.13	236.32	260.87	262.06	0.00	Single cored, below splice	
346	U1426	A	26	H	8	0.84	0.84	236.32	237.16	262.06	262.90	0.00	Single cored, below splice	
346	U1426	A	26	H	CC	0.17	0.17	237.16	237.33	262.90	263.07	0.00	Single cored, below splice	
346	U1426	A	27	H	1	0.34	0.34	237.20	237.54	263.07	263.28	-0.13	Single cored, below splice	Extruded on rig floor; disturbed
346	U1426	A	27	H	2	1.11	1.11	237.54	238.65	263.28	264.39	0.00	Single cored, below splice	
346	U1426	A	27	H	3	1.00	1.00	238.65	239.65	264.39	265.39	0.00	Single cored, below splice	
346	U1426	A	27	H	4	0.65	0.65	239.65	240.30	265.39	266.04	0.00	Single cored, below splice	
346	U1426	A	27	H	5	1.50	1.50	240.30	241.80	266.04	267.54	0.00	Single cored, below splice	Shattered Liner; disturbed
346	U1426	A	27	H	6	1.30	1.30	241.80	243.10	267.54	268.84	0.00	Single cored, below splice	Shattered Liner; disturbed
346	U1426	A	27	H	7	1.50	1.50	243.10	244.60	268.84	270.34	0.00	Single cored, below splice	Shattered Liner; disturbed

<b>U1426 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1426	A	27	H	8	1.37	1.37	244.60	245.97	270.34	271.71	0.00	Single cored, below splice	Shattered Liner; disturbed
346	U1426	A	27	H	9	0.71	0.71	245.97	246.68	271.71	272.42	0.00	Single cored, below splice	Shattered Liner; disturbed
346	U1426	A	28	H	1	1.01	1.01	246.70	247.71	272.42	273.45	0.02	Single cored, below splice	Extruded on rig/floor; disturbed
346	U1426	A	28	H	2	1.50	1.50	247.71	249.21	273.45	274.95	0.00	Single cored, below splice	
346	U1426	A	28	H	3	1.29	1.29	249.21	250.50	274.95	276.24	0.00	Single cored, below splice	
346	U1426	A	28	H	4	1.50	1.50	250.50	252.00	276.24	277.74	0.00	Single cored, below splice	
346	U1426	A	28	H	5	1.50	1.50	252.00	253.50	277.74	279.24	0.00	Single cored, below splice	
346	U1426	A	28	H	6	1.50	1.50	253.50	255.00	279.24	280.74	0.00	Single cored, below splice	
346	U1426	A	28	H	7	1.30	1.30	255.00	256.30	280.74	282.04	0.00	Single cored, below splice	
346	U1426	A	28	H	8	0.56	0.56	256.30	256.86	282.04	282.60	0.00	Single cored, below splice	
346	U1426	A	28	H	CC	0.17	0.17	256.86	257.03	282.60	282.77	0.00	Single cored, below splice	
346	U1426	A	29	H	1	1.46	1.46	256.20	257.66	281.94	283.40	-0.83	Single cored, below splice	
346	U1426	A	29	H	2	1.50	1.50	257.66	259.16	283.40	284.90	0.00	Single cored, below splice	
346	U1426	A	29	H	3	1.11	1.11	259.16	260.27	284.90	286.01	0.00	Single cored, below splice	
346	U1426	A	29	H	4	0.72	0.72	260.27	260.99	286.01	286.73	0.00	Single cored, below splice	
346	U1426	A	29	H	CC	0.21	0.21	260.99	261.20	286.73	286.94	0.00	Single cored, below splice	
346	U1426	A	30	H	1	1.50	1.50	260.90	262.40	286.94	288.14	-0.30	Single cored, below splice	
346	U1426	A	30	H	2	1.50	1.50	262.40	263.90	288.14	289.64	0.00	Single cored, below splice	
346	U1426	A	30	H	3	1.35	1.35	263.90	265.25	289.64	290.99	0.00	Single cored, below splice	
346	U1426	A	30	H	4	0.50	0.50	265.25	265.75	290.99	291.49	0.00	Single cored, below splice	
346	U1426	A	30	H	CC	0.15	0.15	265.75	265.90	291.49	291.64	0.00	Single cored, below splice	
346	U1426	A	31	H	1	1.50	1.50	265.60	267.10	291.64	292.84	-0.30	Single cored, below splice	
346	U1426	A	31	H	2	1.50	1.50	267.10	268.60	292.84	294.34	0.00	Single cored, below splice	
346	U1426	A	31	H	3	1.20	1.20	268.60	269.80	294.34	295.54	0.00	Single cored, below splice	
346	U1426	A	31	H	4	0.62	0.62	269.80	270.42	295.54	296.16	0.00	Single cored, below splice	
346	U1426	A	31	H	CC	0.16	0.16	270.42	270.58	296.16	296.32	0.00	Single cored, below splice	
346	U1426	A	32	H	1	1.50	1.50	270.30	271.80	296.04	297.54	-0.28	Single cored, below splice	
346	U1426	A	32	H	2	1.50	1.50	271.80	273.30	297.54	299.04	0.00	Single cored, below splice	
346	U1426	A	32	H	3	1.24	1.24	273.30	274.54	299.04	300.28	0.00	Single cored, below splice	
346	U1426	A	32	H	4	0.44	0.44	274.54	274.98	300.28	300.72	0.00	Single cored, below splice	
346	U1426	A	32	H	CC	0.18	0.18	274.98	275.16	300.72	300.90	0.00	Single cored, below splice	
346	U1426	A	33	H	1	1.16	1.16	275.00	276.16	300.74	301.90	-0.16	Single cored, below splice	
346	U1426	A	33	H	2	1.50	1.50	276.16	277.66	301.90	303.40	0.00	Single cored, below splice	
346	U1426	A	33	H	3	1.50	1.50	277.66	279.16	303.40	304.90	0.00	Single cored, below splice	
346	U1426	A	33	H	4	0.59	0.59	279.16	279.75	304.90	305.49	0.00	Single cored, below splice	
346	U1426	A	33	H	CC	0.18	0.18	279.75	279.93	305.49	305.67	0.00	Single cored, below splice	
346	U1426	A	34	H	1	1.50	1.50	279.70	281.20	305.44	306.94	-0.23	Single cored, below splice	
346	U1426	A	34	H	2	1.50	1.50	281.20	282.70	306.94	308.44	0.00	Single cored, below splice	
346	U1426	A	34	H	3	1.08	1.08	282.70	283.78	308.44	309.52	0.00	Single cored, below splice	
346	U1426	A	34	H	4	0.59	0.59	283.78	284.37	309.52	310.11	0.00	Single cored, below splice	
346	U1426	A	34	H	CC	0.17	0.17	284.37	284.54	310.11	310.28	0.00	Single cored, below splice	
346	U1426	A	35	H	1	1.50	1.50	284.40	285.90	310.14	311.64	-0.14	Single cored, below splice	
346	U1426	A	35	H	2	1.39	1.39	285.90	287.29	311.64	313.03	0.00	Single cored, below splice	
346	U1426	A	35	H	3	1.03	1.03	287.29	288.32	313.03	314.06	0.00	Single cored, below splice	
346	U1426	A	35	H	4	0.68	0.68	288.32	289.00	314.06	314.74	0.00	Single cored, below splice	
346	U1426	A	35	H	CC	0.25	0.25	289.00	289.25	314.74	314.99	0.00	Single cored, below splice	
346	U1426	A	36	H	1	1.26	1.26	289.10	290.36	314.84	316.10	-0.15	Single cored, below splice	
346	U1426	A	36	H	2	1.50	1.50	290.36	291.86	316.10	317.60	0.00	Single cored, below splice	
346	U1426	A	36	H	3	1.50	1.50	291.86	293.36	317.60	319.10	0.00	Single cored, below splice	
346	U1426	A	36	H	4	0.50	0.50	293.36	293.86	319.10	319.60	0.00	Single cored, below splice	
346	U1426	A	37	H	1	1.50	1.50	293.80	295.30	319.54	321.04	-0.06	Single cored, below splice	
346	U1426	A	37	H	2	1.50	1.50	295.30	296.80	321.04	322.54	0.00	Single cored, below splice	
346	U1426	A	37	H	3	0.64	0.64	296.80	297.44	322.54	323.18	0.00	Single cored, below splice	
346	U1426	A	37	H	4	0.78	0.78	297.44	298.22	323.18	323.96	0.00	Single cored, below splice	
346	U1426	A	37	H	CC	0.20	0.20	298.22	298.42	323.96	324.16	0.00	Single cored, below splice	
346	U1426	A	38	X	CC	0.12	0.12	297.00	297.12	322.74	322.86	-1.42	Single cored, below splice	Dolomite rock
346	U1426	A	39	H	1	1.18	1.18	298.00	299.18	323.74	324.92	0.88	Single cored, below splice	
346	U1426	A	39	H	2	1.46	1.46	299.18	300.64	324.92	326.38	0.00	Single cored, below splice	
346	U1426	A	39	H	3	1.38	1.38	300.64	302.02	326.38	327.76	0.00	Single cored, below splice	
346	U1426	A	39	H	4	0.65	0.65	302.02	302.67	327.76	328.41	0.00	Single cored, below splice	
346	U1426	A	39	H	CC	0.28	0.28	302.67	302.95	328.41	328.69	0.00	Single cored, below splice	
346	U1426	A	40	H	1	1.49	1.49	302.70	304.19	328.44	329.93	-0.25	Single cored, below splice	
346	U1426	A	40	H	2	1.46	1.46	304.19	305.65	329.93	331.39	0.00	Single cored, below splice	
346	U1426	A	40	H	3	1.30	1.30	305.65	306.95	331.39	332.69	0.00	Single cored, below splice	
346	U1426	A	40	H	4	0.64	0.64	306.95	307.59	332.69	333.33	0.00	Single cored, below splice	
346	U1426	A	40	H	CC	0.29	0.29	307.59	307.88	333.33	333.62	0.00	Single cored, below splice	
346	U1426	A	41	H	1	1.50	1.50	307.40	308.90	333.14	334.64	-0.48	Single cored, below splice	
346	U1426	A	41	H	2	1.50	1.50	308.90	310.40	334.64	336.14	0.00	Single cored, below splice	
346	U1426	A	41	H	3	1.21	1.21	310.40	311.61	336.14	337.35	0.00	Single cored, below splice	
346	U1426	A	41	H	4	0.70	0.70	311.61	312.31	337.35	338.05	0.00	Single cored, below splice	
346	U1426	A	41	H	CC	0.24	0.24	312.31	312.55	338.05	338.29	0.00	Single cored, below splice	

<b>U1426 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1426	A	42	H	1	0.19	0.19	312.10	312.29	337.84	338.03	-0.45	Single cored, below splice	Extruded on Riqfloor; Disturbed
346	U1426	A	42	H	2	1.48	1.48	312.29	313.77	338.03	339.51	0.00	Single cored, below splice	
346	U1426	A	42	H	3	1.50	1.50	313.77	315.27	339.51	341.01	0.00	Single cored, below splice	
346	U1426	A	42	H	4	1.20	1.20	315.27	316.47	341.01	342.21	0.00	Single cored, below splice	
346	U1426	A	42	H	5	0.62	0.62	316.47	317.09	342.21	342.83	0.00	Single cored, below splice	
346	U1426	A	42	H	CC	0.23	0.23	317.09	317.32	342.83	343.06	0.00	Single cored, below splice	
346	U1426	A	43	H	1	1.43	1.43	316.80	318.23	342.54	343.97	-0.52	Single cored, below splice	
346	U1426	A	43	H	2	1.48	1.48	318.23	319.71	343.97	345.45	0.00	Single cored, below splice	
346	U1426	A	43	H	3	1.22	1.22	319.71	320.93	345.45	346.67	0.00	Single cored, below splice	
346	U1426	A	43	H	4	0.59	0.59	320.93	321.52	346.67	347.26	0.00	Single cored, below splice	
346	U1426	A	43	H	CC	0.23	0.23	321.52	321.75	347.26	347.49	0.00	Single cored, below splice	
346	U1426	A	44	H	1	0.63	0.63	321.50	322.13	347.24	347.87	-0.25	Single cored, below splice	
346	U1426	A	44	H	2	1.17	1.17	322.13	323.30	347.87	349.04	0.00	Single cored, below splice	
346	U1426	A	44	H	3	1.45	1.45	323.30	324.75	349.04	350.49	0.00	Single cored, below splice	
346	U1426	A	44	H	4	1.12	1.12	324.75	325.87	350.49	351.61	0.00	Single cored, below splice	
346	U1426	A	44	H	5	0.57	0.57	325.87	326.44	351.61	352.18	0.00	Single cored, below splice	
346	U1426	A	44	H	CC	0.26	0.26	326.44	326.70	352.18	352.44	0.00	Single cored, below splice	
346	U1426	A	45	H	1	1.39	1.39	326.20	327.59	351.94	353.33	-0.50	Single cored, below splice	
346	U1426	A	45	H	2	1.50	1.50	327.59	329.09	353.33	354.83	0.00	Single cored, below splice	
346	U1426	A	45	H	3	1.22	1.22	329.09	330.31	354.83	356.05	0.00	Single cored, below splice	
346	U1426	A	45	H	4	0.67	0.67	330.31	330.98	356.05	356.72	0.00	Single cored, below splice	
346	U1426	A	45	H	CC	0.20	0.20	330.98	331.18	356.72	356.92	0.00	Single cored, below splice	
346	U1426	A	46	H	1	1.50	1.50	330.90	332.40	356.64	358.14	-0.28	Single cored, below splice	
346	U1426	A	46	H	2	1.50	1.50	332.40	333.90	358.14	359.64	0.00	Single cored, below splice	
346	U1426	A	46	H	3	1.11	1.11	333.90	335.01	359.64	360.75	0.00	Single cored, below splice	
346	U1426	A	46	H	4	0.64	0.64	335.01	335.65	360.75	361.39	0.00	Single cored, below splice	
346	U1426	A	46	H	CC	0.24	0.24	335.65	335.89	361.39	361.63	0.00	Single cored, below splice	
346	U1426	A	47	H	1	1.50	1.50	335.60	337.10	361.34	362.84	-0.29	Single cored, below splice	
346	U1426	A	47	H	2	1.50	1.50	337.10	338.60	362.84	364.34	0.00	Single cored, below splice	
346	U1426	A	47	H	3	1.11	1.11	338.60	339.71	364.34	365.45	0.00	Single cored, below splice	
346	U1426	A	47	H	4	0.58	0.58	339.71	340.29	365.45	366.03	0.00	Single cored, below splice	
346	U1426	A	47	H	CC	0.20	0.20	340.29	340.49	366.03	366.23	0.00	Single cored, below splice	
346	U1426	A	48	H	1	1.50	1.50	340.30	341.80	366.04	367.54	-0.19	Single cored, below splice	
346	U1426	A	48	H	2	1.50	1.50	341.80	343.30	367.54	369.04	0.00	Single cored, below splice	
346	U1426	A	48	H	3	1.02	1.02	343.30	344.32	369.04	370.06	0.00	Single cored, below splice	
346	U1426	A	48	H	4	0.50	0.50	344.32	344.82	370.06	370.56	0.00	Single cored, below splice	
346	U1426	A	48	H	CC	0.40	0.40	344.82	345.22	370.56	370.96	0.00	Single cored, below splice	
346	U1426	A	49	H	1	1.35	1.35	345.00	346.35	370.74	372.09	-0.22	Single cored, below splice	
346	U1426	A	49	H	2	1.50	1.50	346.35	347.85	372.09	373.59	0.00	Single cored, below splice	
346	U1426	A	49	H	3	1.32	1.32	347.85	349.17	373.59	374.91	0.00	Single cored, below splice	
346	U1426	A	49	H	4	0.49	0.49	349.17	349.66	374.91	375.40	0.00	Single cored, below splice	
346	U1426	A	49	H	CC	0.22	0.22	349.66	349.88	375.40	375.62	0.00	Single cored, below splice	
346	U1426	A	50	H	1	1.48	1.48	349.70	351.18	375.44	376.92	-0.18	Single cored, below splice	
346	U1426	A	50	H	2	1.50	1.50	351.18	352.68	376.92	378.42	0.00	Single cored, below splice	
346	U1426	A	50	H	3	1.14	1.14	352.68	353.82	378.42	379.56	0.00	Single cored, below splice	
346	U1426	A	50	H	4	0.69	0.69	353.82	354.51	379.56	380.25	0.00	Single cored, below splice	
346	U1426	A	50	H	CC	0.22	0.22	354.51	354.73	380.25	380.47	0.00	Single cored, below splice	
346	U1426	A	51	H	1	1.50	1.50	354.40	355.90	380.14	381.64	-0.33	Single cored, below splice	
346	U1426	A	51	H	2	1.50	1.50	355.90	357.40	381.64	383.14	0.00	Single cored, below splice	
346	U1426	A	51	H	3	1.09	1.09	357.40	358.49	383.14	384.23	0.00	Single cored, below splice	
346	U1426	A	51	H	4	0.58	0.58	358.49	359.07	384.23	384.81	0.00	Single cored, below splice	
346	U1426	A	51	H	CC	0.25	0.25	359.07	359.32	384.81	385.06	0.00	Single cored, below splice	
346	U1426	A	52	H	1	1.26	1.26	359.10	360.36	384.84	386.10	-0.22	Single cored, below splice	0-23 CM EXTRUDED ON RIG FLOOR
346	U1426	A	52	H	2	1.46	1.46	360.36	361.82	386.10	387.56	0.00	Single cored, below splice	
346	U1426	A	52	H	3	1.50	1.50	361.82	363.32	387.56	389.06	0.00	Single cored, below splice	
346	U1426	A	52	H	4	0.62	0.62	363.32	363.94	389.06	389.68	0.00	Single cored, below splice	
346	U1426	A	52	H	CC	0.21	0.21	363.94	364.15	389.68	389.89	0.00	Single cored, below splice	
346	U1426	A	53	H	1	1.49	1.49	363.80	365.29	389.54	391.03	-0.35	Single cored, below splice	
346	U1426	A	53	H	2	1.50	1.50	365.29	366.79	391.03	392.53	0.00	Single cored, below splice	
346	U1426	A	53	H	3	1.11	1.11	366.79	367.90	392.53	393.64	0.00	Single cored, below splice	
346	U1426	A	53	H	4	0.63	0.63	367.90	368.53	393.64	394.27	0.00	Single cored, below splice	
346	U1426	A	53	H	CC	0.21	0.21	368.53	368.74	394.27	394.48	0.00	Single cored, below splice	
346	U1426	A	54	H	1	1.50	1.50	368.50	370.00	394.24	395.74	-0.24	Single cored, below splice	
346	U1426	A	54	H	2	1.50	1.50	370.00	371.50	395.74	397.24	0.00	Single cored, below splice	
346	U1426	A	54	H	3	1.21	1.21	371.50	372.71	397.24	398.45	0.00	Single cored, below splice	
346	U1426	A	54	H	4	0.52	0.52	372.71	373.23	398.45	398.97	0.00	Single cored, below splice	
346	U1426	A	54	H	CC	0.18	0.18	373.23	373.41	398.97	399.15	0.00	Single cored, below splice	
346	U1426	A	55	H	1	1.26	1.26	373.20	374.46	398.94	400.20	-0.21	Single cored, below splice	
346	U1426	A	55	H	2	1.50	1.50	374.46	375.96	400.20	401.70	0.00	Single cored, below splice	
346	U1426	A	55	H	3	1.26	1.26	375.96	377.22	401.70	402.96	0.00	Single cored, below splice	
346	U1426	A	55	H	4	0.75	0.75	377.22	377.97	402.96	403.71	0.00	Single cored, below splice	

**U1426 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1426	A	55	H	CC	0.22	0.22	377.97	378.19	403.71	403.93	0.00	Single cored, below splice	
346	U1426	A	56	H	1	1.50	1.50	377.90	379.40	403.64	405.14	-0.29	Single cored, below splice	
346	U1426	A	56	H	2	1.50	1.50	379.40	380.90	405.14	406.64	0.00	Single cored, below splice	
346	U1426	A	56	H	3	1.00	1.00	380.90	381.90	406.64	407.64	0.00	Single cored, below splice	
346	U1426	A	56	H	4	0.65	0.65	381.90	382.55	407.64	408.29	0.00	Single cored, below splice	
346	U1426	A	56	H	CC	0.22	0.22	382.55	382.77	408.29	408.51	0.00	Single cored, below splice	
346	U1426	A	57	H	1	1.50	1.50	382.60	384.10	408.34	409.84	-0.17	Single cored, below splice	
346	U1426	A	57	H	2	1.50	1.50	384.10	385.60	409.84	411.34	0.00	Single cored, below splice	
346	U1426	A	57	H	3	1.24	1.24	385.60	386.84	411.34	412.58	0.00	Single cored, below splice	
346	U1426	A	57	H	4	0.28	0.28	386.84	387.12	412.58	412.86	0.00	Single cored, below splice	
346	U1426	A	57	H	CC	0.33	0.33	387.12	387.45	412.86	413.19	0.00	Single cored, below splice	
346	U1426	A	58	H	1	0.31	0.31	387.30	387.61	413.04	413.35	-0.15	Single cored, below splice	Shattered/split liner extruded on RF
346	U1426	A	58	H	2	1.50	1.50	387.61	389.11	413.35	414.85	0.00	Single cored, below splice	Shattered/split liner extruded on RF
346	U1426	A	58	H	3	0.83	0.83	389.11	389.94	414.85	415.68	0.00	Single cored, below splice	Shattered/split liner extruded on RF
346	U1426	A	58	H	4	1.50	1.50	389.94	391.44	415.68	417.18	0.00	Single cored, below splice	Shattered/split liner extruded on RF
346	U1426	A	58	H	CC	0.68	0.68	391.44	392.12	417.18	417.86	0.00	Single cored, below splice	Shattered/split liner extruded on RF
346	U1426	A	59	H	1	1.50	1.50	392.00	393.50	417.74	419.24	-0.12	Single cored, below splice	
346	U1426	A	59	H	2	1.50	1.50	393.50	395.00	419.24	420.74	0.00	Single cored, below splice	
346	U1426	A	59	H	3	1.03	1.03	395.00	396.03	420.74	421.77	0.00	Single cored, below splice	
346	U1426	A	59	H	4	0.67	0.67	396.03	396.70	421.77	422.44	0.00	Single cored, below splice	
346	U1426	A	59	H	CC	0.17	0.17	396.70	396.87	422.44	422.61	0.00	Single cored, below splice	