

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	E	1	H	4	4.35	5.85
362	U1480	E	1	H	5	5.85	6.95
362	U1480	E	1	H	6	6.95	7.49
362	U1480	E	1	H	CC	7.49	7.76
362	U1480	E	2	H	1	7.8	9.3
362	U1480	E	2	H	2	9.3	10.8
362	U1480	E	2	H	3	10.8	12.3
362	U1480	E	2	H	4	12.3	13.8
362	U1480	E	2	H	5	13.8	15.3
362	U1480	E	2	H	6	15.3	16.8
362	U1480	E	2	H	7	16.8	17.29
362	U1480	E	2	H	CC	17.29	17.59
362	U1480	E	3	H	1	17.3	18.8
362	U1480	E	3	H	2	18.8	20.3
362	U1480	E	3	H	3	20.3	21.8
362	U1480	E	3	H	4	21.8	23.3
362	U1480	E	3	H	5	23.3	24.8
362	U1480	E	3	H	6	24.8	26.22
362	U1480	E	3	H	7	26.22	26.85
362	U1480	E	3	H	CC	26.85	27.09
362	U1480	E	4	H	1	26.8	28.3
362	U1480	E	4	H	2	28.3	29.8
362	U1480	E	4	H	3	29.8	30.42
362	U1480	E	4	H	4	30.42	31.57
362	U1480	E	4	H	CC	31.57	31.62
362	U1480	E	5	H	1	31.6	33.055
362	U1480	E	5	H	2	33.055	34.505
362	U1480	E	5	H	3	34.505	35.915
362	U1480	E	5	H	4	35.915	37.16
362	U1480	E	5	H	5	37.16	38.38
362	U1480	E	5	H	6	38.38	39.63
362	U1480	E	5	H	7	39.63	40.38
362	U1480	E	5	H	CC	40.38	40.43

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	E	6	H	1	41.1	42.59
362	U1480	E	6	H	2	42.59	44.1
362	U1480	E	6	H	3	44.1	45.32
362	U1480	E	6	H	4	45.32	46.52
362	U1480	E	6	H	5	46.52	47.83
362	U1480	E	6	H	6	47.83	48.84
362	U1480	E	6	H	7	48.84	49.43
362	U1480	E	6	H	CC	49.43	49.48
362	U1480	E	7	H	1	50.6	51.76
362	U1480	E	7	H	2	51.76	52.88
362	U1480	E	7	H	3	52.88	54.07
362	U1480	E	7	H	4	54.07	55.33
362	U1480	E	7	H	5	55.33	56.58
362	U1480	E	7	H	6	56.58	57.94
362	U1480	E	7	H	CC	57.94	57.99
362	U1480	E	8	H	1	60.1	61.19
362	U1480	E	8	H	CC	61.19	61.7
362	U1480	E	9	H	1	61.7	63.2
362	U1480	E	9	H	2	63.2	64.7
362	U1480	E	9	H	3	64.7	66.2
362	U1480	E	9	H	4	66.2	67.7
362	U1480	E	9	H	5	67.7	69.2
362	U1480	E	9	H	6	69.2	70.7
362	U1480	E	9	H	7	70.7	71.33
362	U1480	E	9	H	CC	71.33	71.54
362	U1480	E	10	H	1	71.2	72.7
362	U1480	E	10	H	2	72.7	74.2
362	U1480	E	10	H	3	74.2	75.7
362	U1480	E	10	H	4	75.7	77.2
362	U1480	E	10	H	5	77.2	78.7
362	U1480	E	10	H	6	78.7	80.2
362	U1480	E	10	H	7	80.2	80.76
362	U1480	E	10	H	CC	80.76	81.34

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	E	11	H	1	80.7	82.2
362	U1480	E	11	H	2	82.2	83.7
362	U1480	E	11	H	3	83.7	85.2
362	U1480	E	11	H	4	85.2	86.7
362	U1480	E	11	H	5	86.7	88.2
362	U1480	E	11	H	6	88.2	89.22
362	U1480	E	11	H	7	89.22	89.88
362	U1480	E	11	H	CC	89.88	90.22
362	U1480	E	12	H	1	90.2	91.7
362	U1480	E	12	H	2	91.7	93.2
362	U1480	E	12	H	3	93.2	94.7
362	U1480	E	12	H	4	94.7	96.2
362	U1480	E	12	H	5	96.2	97.7
362	U1480	E	12	H	6	97.7	98.71
362	U1480	E	12	H	7	98.71	99.64
362	U1480	E	12	H	CC	99.64	99.98
362	U1480	F	2	H	1	98	99.5
362	U1480	F	2	H	2	99.5	101
362	U1480	F	2	H	3	101	102.5
362	U1480	F	2	H	4	102.5	104
362	U1480	F	2	H	5	104	105.17
362	U1480	F	2	H	6	105.17	106.08
362	U1480	F	2	H	7	106.08	106.57
362	U1480	F	2	H	CC	106.57	106.73
362	U1480	F	3	H	1	106.8	108.3
362	U1480	F	3	H	2	108.3	109.8
362	U1480	F	3	H	3	109.8	111.3
362	U1480	F	3	H	4	111.3	112.8
362	U1480	F	3	H	5	112.8	114.3
362	U1480	F	3	H	6	114.3	115.8
362	U1480	F	3	H	7	115.8	116.5
362	U1480	F	3	H	CC	116.5	116.76
362	U1480	F	4	H	1	116.3	117.8

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	4	H	2	117.8	119.3
362	U1480	F	4	H	3	119.3	120.8
362	U1480	F	4	H	4	120.8	122.3
362	U1480	F	4	H	5	122.3	123.8
362	U1480	F	4	H	6	123.8	125.3
362	U1480	F	4	H	7	125.3	126
362	U1480	F	4	H	CC	126	126.12
362	U1480	F	5	H	1	125.8	127.3
362	U1480	F	5	H	2	127.3	128.8
362	U1480	F	5	H	3	128.8	130.06
362	U1480	F	5	H	4	130.06	131.4
362	U1480	F	5	H	5	131.4	132.9
362	U1480	F	5	H	CC	132.9	132.95
362	U1480	F	6	H	1	132.9	134.4
362	U1480	F	6	H	2	134.4	135.9
362	U1480	F	6	H	3	135.9	137.4
362	U1480	F	6	H	4	137.4	138.59
362	U1480	F	6	H	5	138.59	139.92
362	U1480	F	6	H	6	139.92	140.42
362	U1480	F	6	H	CC	140.42	140.61
362	U1480	F	7	H	1	140.6	142.1
362	U1480	F	7	H	CC	142.1	142.64
362	U1480	F	8	H	1	142.6	143.95
362	U1480	F	8	H	2	143.95	145.28
362	U1480	F	8	H	3	145.28	146.38
362	U1480	F	8	H	CC	146.38	146.48
362	U1480	F	9	F	1	146.5	147.87
362	U1480	F	9	F	2	147.87	149.23
362	U1480	F	9	F	3	149.23	150.1
362	U1480	F	9	F	4	150.1	150.73
362	U1480	F	9	F	CC	150.73	150.78
362	U1480	F	10	F	1	151.2	152.62
362	U1480	F	10	F	2	152.62	154.04

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	10	F	3	154.04	154.9
362	U1480	F	10	F	4	154.9	155.57
362	U1480	F	10	F	CC	155.57	155.62
362	U1480	F	11	F	1	155.9	157.02
362	U1480	F	11	F	2	157.02	158.3
362	U1480	F	11	F	3	158.3	159.61
362	U1480	F	11	F	CC	159.61	159.66
362	U1480	F	12	F	1	160.6	162.1
362	U1480	F	12	F	2	162.1	162.78
362	U1480	F	12	F	3	162.78	164.28
362	U1480	F	12	F	4	164.28	164.96
362	U1480	F	12	F	CC	164.96	165.07
362	U1480	F	13	F	1	165.3	166.8
362	U1480	F	13	F	2	166.8	168.3
362	U1480	F	13	F	3	168.3	168.97
362	U1480	F	13	F	CC	168.97	169.34
362	U1480	F	14	F	1	170	171.5
362	U1480	F	14	F	2	171.5	173
362	U1480	F	14	F	3	173	174
362	U1480	F	14	F	4	174	174.73
362	U1480	F	14	F	CC	174.73	174.95
362	U1480	F	15	F	1	174.7	175.45
362	U1480	F	15	F	2	175.45	176.95
362	U1480	F	15	F	3	176.95	178.26
362	U1480	F	15	F	CC	178.26	178.5
362	U1480	F	16	F	1	179.4	180.9
362	U1480	F	16	F	2	180.9	182.4
362	U1480	F	16	F	3	182.4	183.4
362	U1480	F	16	F	4	183.4	183.96
362	U1480	F	16	F	CC	183.96	184.22
362	U1480	F	17	F	1	184.1	185.6
362	U1480	F	17	F	2	185.6	186.6
362	U1480	F	17	F	3	186.6	187.55

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	17	F	CC	187.55	187.63
362	U1480	F	18	F	1	188.8	190.3
362	U1480	F	18	F	2	190.3	191.8
362	U1480	F	18	F	3	191.8	192.9
362	U1480	F	18	F	4	192.9	193.46
362	U1480	F	18	F	CC	193.46	193.59
362	U1480	F	19	F	1	193.5	194.75
362	U1480	F	19	F	2	194.75	195.91
362	U1480	F	19	F	3	195.91	197.19
362	U1480	F	19	F	CC	197.19	197.24
362	U1480	F	20	F	1	198.2	199.7
362	U1480	F	20	F	2	199.7	201.2
362	U1480	F	20	F	3	201.2	202.22
362	U1480	F	20	F	CC	202.22	202.27
362	U1480	F	21	F	1	202.9	204.4
362	U1480	F	21	F	2	204.4	205.9
362	U1480	F	21	F	3	205.9	207.34
362	U1480	F	21	F	CC	207.34	207.56
362	U1480	F	22	F	1	207.6	208.47
362	U1480	F	22	F	2	208.47	209.61
362	U1480	F	22	F	CC	209.61	209.66
362	U1480	F	23	F	1	212.3	213.8
362	U1480	F	23	F	2	213.8	215.3
362	U1480	F	23	F	3	215.3	216.71
362	U1480	F	23	F	CC	216.71	216.98
362	U1480	F	24	F	1	217	218.21
362	U1480	F	24	F	2	218.21	219.53
362	U1480	F	24	F	3	219.53	220.67
362	U1480	F	24	F	CC	220.67	220.72
362	U1480	F	25	F	1	221.7	223.2
362	U1480	F	25	F	2	223.2	224.51
362	U1480	F	25	F	3	224.51	225.12
362	U1480	F	25	F	CC	225.12	225.17

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	26	F	1	226.4	227.9
362	U1480	F	26	F	2	227.9	229.4
362	U1480	F	26	F	3	229.4	230.42
362	U1480	F	26	F	4	230.42	231.15
362	U1480	F	26	F	CC	231.15	231.41
362	U1480	F	27	F	1	231.1	232.6
362	U1480	F	27	F	2	232.6	234.1
362	U1480	F	27	F	3	234.1	235.11
362	U1480	F	27	F	4	235.11	235.67
362	U1480	F	27	F	CC	235.67	235.72
362	U1480	F	28	F	1	235.8	237.3
362	U1480	F	28	F	2	237.3	238.8
362	U1480	F	28	F	3	238.8	239.81
362	U1480	F	28	F	4	239.81	240.51
362	U1480	F	28	F	CC	240.51	240.74
362	U1480	F	29	F	1	240.5	241.8
362	U1480	F	29	F	CC	241.8	241.98
362	U1480	F	31	F	1	250.2	250.79
362	U1480	F	31	F	CC	250.79	250.84
362	U1480	F	33	F	1	259.9	261.4
362	U1480	F	33	F	2	261.4	262.57
362	U1480	F	33	F	CC	262.57	262.82
362	U1480	F	34	X	CC	264.6	265.11
362	U1480	F	35	X	1	270.4	271.05
362	U1480	F	35	X	CC	271.05	271.1
362	U1480	F	36	F	1	280.1	281.6
362	U1480	F	36	F	2	281.6	282.6
362	U1480	F	36	F	3	282.6	283.51
362	U1480	F	36	F	CC	283.51	283.62
362	U1480	F	37	X	1	284.8	285.46
362	U1480	F	37	X	2	285.46	285.92
362	U1480	F	37	X	CC	285.92	286.49
362	U1480	F	39	F	CC	294.8	294.9

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	41	F	1	304.5	305.5
362	U1480	F	41	F	2	305.5	306.5
362	U1480	F	41	F	3	306.5	307.6
362	U1480	F	41	F	4	307.6	308.12
362	U1480	F	41	F	CC	308.12	308.15
362	U1480	F	43	F	1	314.2	315.27
362	U1480	F	43	F	2	315.27	316.59
362	U1480	F	43	F	CC	316.59	316.64
362	U1480	F	45	F	1	323.9	325.1
362	U1480	F	45	F	2	325.1	326.02
362	U1480	F	45	F	CC	326.02	326.22
362	U1480	F	47	F	1	333.6	334.73
362	U1480	F	47	F	2	334.73	336.23
362	U1480	F	47	F	3	336.23	337.32
362	U1480	F	47	F	CC	337.32	337.54
362	U1480	F	49	F	1	343.3	344.71
362	U1480	F	49	F	CC	344.71	345.01
362	U1480	F	51	F	CC	353	353.16
362	U1480	F	52	X	CC	357.7	358.05
362	U1480	F	53	X	1	367.4	368.41
362	U1480	F	53	X	2	368.41	369.41
362	U1480	F	53	X	3	369.41	370.58
362	U1480	F	53	X	4	370.58	371.09
362	U1480	F	53	X	CC	371.09	371.66
362	U1480	F	54	X	1	377.2	378.7
362	U1480	F	54	X	2	378.7	380.21
362	U1480	F	54	X	3	380.21	381.71
362	U1480	F	54	X	4	381.71	383.13
362	U1480	F	54	X	5	383.13	384.5
362	U1480	F	54	X	CC	384.5	384.95
362	U1480	F	55	X	1	387	388.5
362	U1480	F	55	X	2	388.5	390
362	U1480	F	55	X	3	390	391.5

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	55	X	4	391.5	393
362	U1480	F	55	X	5	393	394.52
362	U1480	F	55	X	6	394.52	396.03
362	U1480	F	55	X	7	396.03	396.52
362	U1480	F	55	X	CC	396.52	396.93
362	U1480	F	56	X	1	396.8	398.3
362	U1480	F	56	X	2	398.3	399.81
362	U1480	F	56	X	3	399.81	401.01
362	U1480	F	56	X	4	401.01	401.88
362	U1480	F	56	X	CC	401.88	402.22
362	U1480	F	57	X	CC	406.6	406.96
362	U1480	F	58	X	1	416.3	417.07
362	U1480	F	58	X	CC	417.07	417.12
362	U1480	F	59	X	1	426.1	427.6
362	U1480	F	59	X	2	427.6	429.1
362	U1480	F	59	X	3	429.1	429.92
362	U1480	F	59	X	CC	429.92	430.42
362	U1480	F	60	X	1	435.8	436.42
362	U1480	F	60	X	2	436.42	437.46
362	U1480	F	60	X	CC	437.46	437.51
362	U1480	F	61	X	1	445.5	445.84
362	U1480	F	61	X	CC	445.84	446.32
362	U1480	F	62	X	CC	455.2	455.78
362	U1480	F	63	X	CC	465	465.66
362	U1480	F	64	X	1	474.7	475.8
362	U1480	F	64	X	CC	475.8	476.15
362	U1480	F	65	X	1	484.4	485.9
362	U1480	F	65	X	2	485.9	486.43
362	U1480	F	65	X	CC	486.43	486.94
362	U1480	F	66	X	CC	494.2	494.63
362	U1480	F	67	X	1	503.9	505.19
362	U1480	F	67	X	CC	505.19	505.61
362	U1480	F	68	X	1	513.6	515.09

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	68	X	2	515.09	516.17
362	U1480	F	68	X	3	516.17	517.67
362	U1480	F	68	X	4	517.67	518.9
362	U1480	F	68	X	CC	518.9	519.21
362	U1480	F	69	X	1	523.3	524.8
362	U1480	F	69	X	2	524.8	526.3
362	U1480	F	69	X	3	526.3	527.64
362	U1480	F	69	X	4	527.64	528.14
362	U1480	F	69	X	CC	528.14	528.66
362	U1480	F	70	X	CC	533	533.35
362	U1480	F	71	X	1	542.7	543.52
362	U1480	F	71	X	CC	543.52	543.56
362	U1480	F	72	X	CC	552.5	552.92
362	U1480	F	73	X	CC	562.2	562.7
362	U1480	F	74	X	1	571.9	573.4
362	U1480	F	74	X	2	573.4	574.33
362	U1480	F	74	X	CC	574.33	574.72
362	U1480	F	75	X	CC	581.6	582.12
362	U1480	F	76	X	1	591.3	592.49
362	U1480	F	76	X	CC	592.49	593.04
362	U1480	F	77	X	CC	601	601.63
362	U1480	F	78	X	1	610.8	612.1
362	U1480	F	78	X	2	612.1	612.6
362	U1480	F	78	X	CC	612.6	613.03
362	U1480	F	79	X	1	620.5	622
362	U1480	F	79	X	2	622	623.18
362	U1480	F	79	X	CC	623.18	623.57
362	U1480	F	80	X	CC	630.2	631.01
362	U1480	F	81	X	CC	639.9	640.31
362	U1480	F	82	X	1	649.7	650.28
362	U1480	F	82	X	CC	650.28	650.84
362	U1480	F	83	X	CC	659.4	659.66
362	U1480	F	84	X	CC	669.1	669.23

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	F	85	X	CC	678.8	679.02
362	U1480	F	86	X	CC	688.6	688.88
362	U1480	F	87	X	CC	698.3	698.32
362	U1480	F	88	X	CC	708	708.33
362	U1480	F	89	X	CC	717.8	718.22
362	U1480	F	90	X	CC	727.5	727.98
362	U1480	F	91	X	1	737.2	738.2
362	U1480	F	91	X	CC	738.2	738.64
362	U1480	F	92	X	1	746.9	748.4
362	U1480	F	92	X	2	748.4	749.9
362	U1480	F	92	X	3	749.9	751.37
362	U1480	F	92	X	CC	751.37	751.89
362	U1480	F	93	X	1	756.7	757.83
362	U1480	F	93	X	2	757.83	758.55
362	U1480	F	93	X	CC	758.55	758.92
362	U1480	F	94	X	1	766.4	767.9
362	U1480	F	94	X	2	767.9	769.21
362	U1480	F	94	X	3	769.21	770.08
362	U1480	F	94	X	4	770.08	771.09
362	U1480	G	2	R	1	759.6	760.39
362	U1480	G	2	R	2	760.39	761.84
362	U1480	G	2	R	3	761.84	762.34
362	U1480	G	2	R	CC	762.34	762.53
362	U1480	G	3	R	1	763.6	765.09
362	U1480	G	3	R	2	765.09	766.6
362	U1480	G	3	R	3	766.6	768.1
362	U1480	G	3	R	4	768.1	769
362	U1480	G	3	R	CC	769	769.16
362	U1480	G	4	R	1	773.4	774.9
362	U1480	G	4	R	2	774.9	776.41
362	U1480	G	4	R	3	776.41	777.91
362	U1480	G	4	R	4	777.91	778.71
362	U1480	G	4	R	5	778.71	780.21

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	4	R	CC	780.21	780.44
362	U1480	G	5	R	1	783.1	784.45
362	U1480	G	5	R	2	784.45	785.88
362	U1480	G	5	R	3	785.88	787.17
362	U1480	G	5	R	4	787.17	787.73
362	U1480	G	5	R	CC	787.73	787.78
362	U1480	G	6	R	1	792.8	794.04
362	U1480	G	6	R	2	794.04	794.88
362	U1480	G	6	R	3	794.88	795.46
362	U1480	G	6	R	CC	795.46	795.65
362	U1480	G	7	R	CC	802.5	802.73
362	U1480	G	8	R	1	812.2	813.7
362	U1480	G	8	R	2	813.7	814.71
362	U1480	G	8	R	3	814.71	815.7
362	U1480	G	8	R	4	815.7	816.83
362	U1480	G	8	R	5	816.83	818.11
362	U1480	G	8	R	CC	818.11	818.39
362	U1480	G	9	R	1	821.9	822.52
362	U1480	G	10	R	CC	831.6	832.11
362	U1480	G	11	R	1	841.3	842.38
362	U1480	G	11	R	2	842.38	843.7
362	U1480	G	11	R	3	843.7	844.61
362	U1480	G	11	R	CC	844.61	844.76
362	U1480	G	12	R	1	851	852.5
362	U1480	G	12	R	2	852.5	853.24
362	U1480	G	12	R	CC	853.24	853.59
362	U1480	G	13	R	1	860.7	862.2
362	U1480	G	13	R	2	862.2	863.71
362	U1480	G	13	R	3	863.71	865.21
362	U1480	G	13	R	4	865.21	866.5
362	U1480	G	13	R	CC	866.5	866.8
362	U1480	G	14	R	1	870.4	871.21
362	U1480	G	14	R	2	871.21	872.11

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	14	R	3	872.11	873.29
362	U1480	G	14	R	CC	873.29	873.33
362	U1480	G	15	R	1	880.1	881.14
362	U1480	G	15	R	2	881.14	882.26
362	U1480	G	15	R	CC	882.26	882.31
362	U1480	G	16	R	1	889.9	890.79
362	U1480	G	16	R	2	890.79	891.49
362	U1480	G	16	R	CC	891.49	891.54
362	U1480	G	17	R	1	899.6	900.91
362	U1480	G	17	R	2	900.91	901.91
362	U1480	G	17	R	3	901.91	903.32
362	U1480	G	17	R	4	903.32	904.48
362	U1480	G	17	R	5	904.48	905.05
362	U1480	G	17	R	CC	905.05	905.1
362	U1480	G	18	R	1	909.3	910.76
362	U1480	G	18	R	2	910.76	911.85
362	U1480	G	18	R	3	911.85	913.02
362	U1480	G	18	R	4	913.02	913.63
362	U1480	G	18	R	CC	913.63	913.68
362	U1480	G	19	R	1	919.1	919.99
362	U1480	G	19	R	2	919.99	921.15
362	U1480	G	19	R	CC	921.15	921.2
362	U1480	G	20	R	1	928.8	930.08
362	U1480	G	20	R	2	930.08	931.58
362	U1480	G	20	R	3	931.58	933.1
362	U1480	G	20	R	4	933.1	934.07
362	U1480	G	20	R	CC	934.07	934.37
362	U1480	G	21	R	1	938.5	939.99
362	U1480	G	21	R	2	939.99	941.44
362	U1480	G	21	R	3	941.44	942.74
362	U1480	G	21	R	4	942.74	943.38
362	U1480	G	21	R	CC	943.38	943.61
362	U1480	G	22	R	1	948.2	949.6

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	22	R	2	949.6	950.56
362	U1480	G	22	R	3	950.56	952.05
362	U1480	G	22	R	4	952.05	953.5
362	U1480	G	22	R	5	953.5	953.99
362	U1480	G	22	R	CC	953.99	954.1
362	U1480	G	23	R	1	958	959.46
362	U1480	G	23	R	2	959.46	960.23
362	U1480	G	23	R	3	960.23	961.09
362	U1480	G	23	R	4	961.09	962.59
362	U1480	G	23	R	5	962.59	963.99
362	U1480	G	23	R	6	963.99	965.24
362	U1480	G	23	R	CC	965.24	965.35
362	U1480	G	24	R	1	967.7	968.99
362	U1480	G	24	R	2	968.99	970.22
362	U1480	G	24	R	3	970.22	971.45
362	U1480	G	24	R	4	971.45	972.68
362	U1480	G	24	R	5	972.68	973.93
362	U1480	G	24	R	6	973.93	975.22
362	U1480	G	24	R	7	975.22	976.07
362	U1480	G	24	R	CC	976.07	976.22
362	U1480	G	25	R	1	977.4	978.8
362	U1480	G	25	R	2	978.8	980.06
362	U1480	G	25	R	3	980.06	981.43
362	U1480	G	25	R	4	981.43	982.72
362	U1480	G	25	R	CC	982.72	982.92
362	U1480	G	26	R	1	987.1	988.58
362	U1480	G	26	R	2	988.58	989.84
362	U1480	G	26	R	3	989.84	991.09
362	U1480	G	26	R	4	991.09	992.26
362	U1480	G	26	R	5	992.26	993.04
362	U1480	G	26	R	6	993.04	993.59
362	U1480	G	26	R	CC	993.59	993.92
362	U1480	G	27	R	1	996.8	997.79

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	27	R	2	997.79	998.8
362	U1480	G	27	R	3	998.8	1000.08
362	U1480	G	27	R	CC	1000.08	1000.13
362	U1480	G	28	R	1	1006.6	1007.84
362	U1480	G	28	R	2	1007.84	1008.25
362	U1480	G	28	R	CC	1008.25	1008.3
362	U1480	G	29	R	1	1016.3	1017.52
362	U1480	G	29	R	CC	1017.52	1017.57
362	U1480	G	30	R	1	1026	1027.16
362	U1480	G	30	R	2	1027.16	1028.44
362	U1480	G	30	R	CC	1028.44	1028.49
362	U1480	G	31	R	1	1035.7	1036.97
362	U1480	G	31	R	2	1036.97	1037.77
362	U1480	G	31	R	3	1037.77	1038.68
362	U1480	G	31	R	4	1038.68	1040.18
362	U1480	G	31	R	5	1040.18	1041.54
362	U1480	G	31	R	CC	1041.54	1041.79
362	U1480	G	32	R	1	1045.5	1046.8
362	U1480	G	32	R	2	1046.8	1048.21
362	U1480	G	32	R	3	1048.21	1049.59
362	U1480	G	32	R	4	1049.59	1050.6
362	U1480	G	32	R	5	1050.6	1051.73
362	U1480	G	32	R	6	1051.73	1052.29
362	U1480	G	32	R	CC	1052.29	1052.52
362	U1480	G	33	R	1	1055.2	1056.06
362	U1480	G	33	R	CC	1056.06	1056.11
362	U1480	G	34	R	1	1064.9	1065.89
362	U1480	G	34	R	2	1065.89	1066.8
362	U1480	G	34	R	CC	1066.8	1066.85
362	U1480	G	35	R	1	1074.6	1075.55
362	U1480	G	35	R	CC	1075.55	1075.6
362	U1480	G	36	R	1	1084.4	1085.44
362	U1480	G	36	R	2	1085.44	1086.78

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	36	R	CC	1086.78	1086.83
362	U1480	G	37	R	1	1094.1	1094.96
362	U1480	G	37	R	2	1094.96	1095.96
362	U1480	G	37	R	3	1095.96	1096.96
362	U1480	G	37	R	CC	1096.96	1097.01
362	U1480	G	38	R	1	1103.8	1105
362	U1480	G	38	R	2	1105	1106.05
362	U1480	G	38	R	3	1106.05	1106.84
362	U1480	G	38	R	4	1106.84	1107.8
362	U1480	G	38	R	5	1107.8	1108.45
362	U1480	G	38	R	CC	1108.45	1108.5
362	U1480	G	39	R	1	1113.5	1114.57
362	U1480	G	39	R	2	1114.57	1115.34
362	U1480	G	39	R	3	1115.34	1116.33
362	U1480	G	39	R	CC	1116.33	1116.38
362	U1480	G	40	R	1	1123.3	1123.88
362	U1480	G	40	R	CC	1123.88	1123.93
362	U1480	G	41	R	1	1133	1134.24
362	U1480	G	41	R	2	1134.24	1134.74
362	U1480	G	41	R	CC	1134.74	1134.79
362	U1480	G	42	R	1	1142.7	1143.72
362	U1480	G	42	R	2	1143.72	1144.87
362	U1480	G	42	R	3	1144.87	1146.07
362	U1480	G	42	R	CC	1146.07	1146.12
362	U1480	G	43	R	1	1152.5	1153.33
362	U1480	G	43	R	2	1153.33	1154.69
362	U1480	G	43	R	3	1154.69	1156.1
362	U1480	G	43	R	CC	1156.1	1156.15
362	U1480	G	44	R	1	1162.2	1163.5
362	U1480	G	44	R	2	1163.5	1164.36
362	U1480	G	44	R	3	1164.36	1165.34
362	U1480	G	44	R	4	1165.34	1166.43
362	U1480	G	44	R	CC	1166.43	1166.48

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	45	R	1	1171.9	1173.1
362	U1480	G	45	R	2	1173.1	1174.58
362	U1480	G	45	R	3	1174.58	1176.07
362	U1480	G	45	R	4	1176.07	1176.75
362	U1480	G	45	R	5	1176.75	1177.83
362	U1480	G	45	R	CC	1177.83	1177.88
362	U1480	G	46	R	1	1181.6	1183.1
362	U1480	G	46	R	2	1183.1	1184.38
362	U1480	G	46	R	3	1184.38	1185.43
362	U1480	G	46	R	CC	1185.43	1185.48
362	U1480	G	47	R	1	1191.3	1192.81
362	U1480	G	47	R	2	1192.81	1193.64
362	U1480	G	47	R	3	1193.64	1194.14
362	U1480	G	47	R	CC	1194.14	1194.57
362	U1480	G	48	R	1	1201	1202.48
362	U1480	G	48	R	2	1202.48	1203.41
362	U1480	G	48	R	CC	1203.41	1203.53
362	U1480	G	49	R	1	1210.8	1212.3
362	U1480	G	49	R	2	1212.3	1213.31
362	U1480	G	49	R	3	1213.31	1214.17
362	U1480	G	49	R	4	1214.17	1215.58
362	U1480	G	49	R	5	1215.58	1216.28
362	U1480	G	49	R	6	1216.28	1217.53
362	U1480	G	49	R	CC	1217.53	1217.8
362	U1480	G	50	R	1	1220.5	1222
362	U1480	G	50	R	2	1222	1223.5
362	U1480	G	50	R	3	1223.5	1224.26
362	U1480	G	50	R	CC	1224.26	1224.64
362	U1480	G	51	R	1	1230.3	1231.8
362	U1480	G	51	R	2	1231.8	1233.1
362	U1480	G	51	R	CC	1233.1	1233.62
362	U1480	G	52	R	1	1238	1239.43
362	U1480	G	52	R	2	1239.43	1240.8

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	52	R	3	1240.8	1241.83
362	U1480	G	52	R	4	1241.83	1243.03
362	U1480	G	52	R	5	1243.03	1243.68
362	U1480	G	52	R	CC	1243.68	1243.73
362	U1480	G	53	R	1	1244.7	1246.08
362	U1480	G	53	R	2	1246.08	1247.58
362	U1480	G	53	R	3	1247.58	1248.29
362	U1480	G	53	R	CC	1248.29	1248.34
362	U1480	G	54	R	1	1249.7	1251.16
362	U1480	G	54	R	2	1251.16	1252.64
362	U1480	G	54	R	3	1252.64	1254.05
362	U1480	G	54	R	4	1254.05	1255.56
362	U1480	G	54	R	5	1255.56	1257.04
362	U1480	G	54	R	6	1257.04	1258.44
362	U1480	G	54	R	7	1258.44	1259.23
362	U1480	G	54	R	CC	1259.23	1259.41
362	U1480	G	55	R	1	1259.4	1260.9
362	U1480	G	55	R	2	1260.9	1261.9
362	U1480	G	55	R	3	1261.9	1262.65
362	U1480	G	55	R	4	1262.65	1264.15
362	U1480	G	55	R	5	1264.15	1265.65
362	U1480	G	55	R	6	1265.65	1267.15
362	U1480	G	55	R	7	1267.15	1268.19
362	U1480	G	55	R	8	1268.19	1269.03
362	U1480	G	55	R	CC	1269.03	1269.21
362	U1480	G	56	R	1	1269.1	1270.51
362	U1480	G	56	R	2	1270.51	1271.91
362	U1480	G	56	R	3	1271.91	1273.35
362	U1480	G	56	R	4	1273.35	1274.79
362	U1480	G	56	R	5	1274.79	1276.25
362	U1480	G	56	R	6	1276.25	1277.29
362	U1480	G	56	R	CC	1277.29	1277.51
362	U1480	G	57	R	1	1278.8	1280.05

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	57	R	2	1280.05	1281.42
362	U1480	G	57	R	3	1281.42	1282.57
362	U1480	G	57	R	4	1282.57	1284.07
362	U1480	G	57	R	5	1284.07	1285.54
362	U1480	G	57	R	6	1285.54	1286.49
362	U1480	G	57	R	CC	1286.49	1286.6
362	U1480	G	58	R	1	1288.6	1290.08
362	U1480	G	58	R	2	1290.08	1291.35
362	U1480	G	58	R	3	1291.35	1292.39
362	U1480	G	58	R	4	1292.39	1293.79
362	U1480	G	58	R	5	1293.79	1295.15
362	U1480	G	58	R	6	1295.15	1296.01
362	U1480	G	58	R	CC	1296.01	1296.06
362	U1480	G	59	R	1	1298.3	1299.75
362	U1480	G	59	R	2	1299.75	1300.69
362	U1480	G	59	R	3	1300.69	1302.17
362	U1480	G	59	R	4	1302.17	1303.36
362	U1480	G	59	R	5	1303.36	1303.92
362	U1480	G	59	R	CC	1303.92	1304.21
362	U1480	G	60	R	1	1308	1309.42
362	U1480	G	60	R	2	1309.42	1310.85
362	U1480	G	60	R	3	1310.85	1312.2
362	U1480	G	60	R	4	1312.2	1313.5
362	U1480	G	60	R	5	1313.5	1314.07
362	U1480	G	60	R	6	1314.07	1315.28
362	U1480	G	60	R	CC	1315.28	1315.33
362	U1480	G	61	R	1	1317.7	1319.19
362	U1480	G	61	R	2	1319.19	1320.55
362	U1480	G	61	R	3	1320.55	1321.99
362	U1480	G	61	R	4	1321.99	1323.35
362	U1480	G	61	R	5	1323.35	1324.82
362	U1480	G	61	R	6	1324.82	1326.27
362	U1480	G	61	R	7	1326.27	1327.02

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	61	R	CC	1327.02	1327.23
362	U1480	G	62	R	1	1327.4	1328.59
362	U1480	G	62	R	2	1328.59	1329.73
362	U1480	G	62	R	3	1329.73	1331.11
362	U1480	G	62	R	4	1331.11	1332.61
362	U1480	G	62	R	5	1332.61	1333.63
362	U1480	G	62	R	6	1333.63	1334.98
362	U1480	G	62	R	CC	1334.98	1335.29
362	U1480	G	63	R	1	1337.2	1338.02
362	U1480	G	64	R	1	1347	1348.5
362	U1480	G	64	R	2	1348.5	1349.93
362	U1480	G	64	R	3	1349.93	1350.05
362	U1480	G	64	R	CC	1350.05	1350.08
362	U1480	G	65	R	1	1356.7	1358.16
362	U1480	G	65	R	2	1358.16	1359.65
362	U1480	G	65	R	3	1359.65	1361.12
362	U1480	G	65	R	4	1361.12	1362.61
362	U1480	G	65	R	CC	1362.61	1362.98
362	U1480	G	66	R	1	1366.4	1367.67
362	U1480	G	66	R	2	1367.67	1368.94
362	U1480	G	66	R	3	1368.94	1369.89
362	U1480	G	66	R	4	1369.89	1371.15
362	U1480	G	66	R	5	1371.15	1372.6
362	U1480	G	66	R	6	1372.6	1373.46
362	U1480	G	66	R	7	1373.46	1374.42
362	U1480	G	66	R	CC	1374.42	1374.59
362	U1480	G	67	R	1	1376.1	1377.34
362	U1480	G	67	R	2	1377.34	1378.63
362	U1480	G	67	R	3	1378.63	1380.1
362	U1480	G	67	R	4	1380.1	1381.55
362	U1480	G	67	R	5	1381.55	1382.21
362	U1480	G	67	R	6	1382.21	1383.28
362	U1480	G	67	R	7	1383.28	1384.13

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)
362	U1480	E	1	H	1	0	1.35
362	U1480	E	1	H	2	1.35	2.85
362	U1480	E	1	H	3	2.85	4.35
362	U1480	G	67	R	8	1384.13	1385.33
362	U1480	G	67	R	9	1385.33	1386.1
362	U1480	G	68	R	1	1385.9	1386.9
362	U1480	G	68	R	2	1386.9	1388.4
362	U1480	G	68	R	3	1388.4	1389.64
362	U1480	G	68	R	4	1389.64	1390.84
362	U1480	G	68	R	5	1390.84	1391.93
362	U1480	G	68	R	CC	1391.93	1392.26
362	U1480	G	69	R	1	1392.6	1394.1
362	U1480	G	69	R	2	1394.1	1395.6
362	U1480	G	69	R	3	1395.6	1396.76
362	U1480	G	69	R	4	1396.76	1397.82
362	U1480	G	69	R	5	1397.82	1398.69
362	U1480	G	69	R	6	1398.69	1399.81
362	U1480	G	69	R	7	1399.81	1400.66
362	U1480	G	69	R	8	1400.66	1401.35
362	U1480	G	69	R	CC	1401.35	1401.47
362	U1480	G	70	R	1	1402.3	1402.69
362	U1480	G	70	R	2	1402.69	1403.56
362	U1480	G	70	R	3	1403.56	1404.9
362	U1480	G	70	R	4	1404.9	1406.38
362	U1480	G	70	R	5	1406.38	1407.37
362	U1480	G	70	R	CC	1407.37	1407.66
362	U1480	G	71	R	1	1412.1	1413.34
362	U1480	G	71	R	2	1413.34	1414.48
362	U1480	G	71	R	3	1414.48	1415.29
362	U1480	G	71	R	4	1415.29	1415.85
362	U1480	G	72	R	1	1421.8	1423.19
362	U1480	G	72	R	2	1423.19	1424.58
362	U1480	G	72	R	3	1424.58	1426.08
362	U1480	G	72	R	4	1426.08	1427.43
362	U1480	G	72	R	5	1427.43	1427.93
362	U1480	G	73	R	CC	1431.5	1431.63